

CORTEVA
agrisciences

Peccoq

Insecticide

FUNGICIDE

The trademarks of Corteva Agriscience and its affiliated companies
Product Registration Number: PCS No. 06752

GROUP: FUNGICIDE

An easily applicable concentrate containing 50 g/litre fenpicoxamid for use on winter wheat, winter triticale, winter durum wheat and winter wheat.

FOR PROFESSIONAL USE ONLY

PROTECT FROM FROST
SHAKE WELL BEFORE USE

SAFETY INFORMATION
Peccoq: 50 g/L fenpicoxamid
UFI: 9059-MOX-2002-610X

Danger
Causes skin irritation.
Causes serious eye damage.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves, clothing / eye / face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice if you feel unwell.

Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for empty cleaned / rinsed containers which can be disposed of as non-hazardous waste.

Do not contaminate water with the product or its container. (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. 06752

Authorisation Holder:
Corteva Agriscience
UK Limited
CPC2 Capital Park,
Fulbourn Cambridge,
CB21 5XE
Telephone:
+44 1462 457272



For Technical Enquiries Call:
+44 (0)800 689 8899 or
email ukhotline@corveva.com
24 Hour Emergency
Telephone Number: 0 76 680 5288
National Poisons Information Service:
01 809 2166

Manufactured in the EU

MANDATORY REQUIREMENT:
THIS AREA MUST BE BLANK (for 2D Data Matrix,
Lot Nr., Manufacturing Date ...)

NET CONTENTS :
5 LITRES e

IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL FUNGICIDE

Crops	Maximum individual	Maximum number of treatments per crop	Late time of application
winter wheat, winter triticale, winter durum wheat, winter soft wheat	2 L/ha	1	Up to and including the end of flowering (BBCH 69)

Method of application: tractor mounted / trailed sprayer

Other specific restrictions:

Do not apply more than one application of fenpicoxamid containing product to any crop (see Resistance Management section).

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

Non-printed area on page 2 ONLY
« Label A-code + barcode area »

Non-printed area on page 2 ONLY
(on the back of 2D code area printed on the front page)

SAFETY PRECAUTIONS

Operator protection:

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling concentrate.
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying the product.
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
WASH HANDS AND EXPOSED SKIN before meals and after work.
IF YOU FEEL UNWELL, seek medical advice (show label where possible).

Environmental protection:

Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads). To protect aquatic organisms respect an unsprayed buffer zone of 30m to surface water bodies*. Direct spray away from water.
* To reduce this buffer zone please refer Directions of Use (STRIPE - Surface Water Tool for Reducing the Impact of Pesticides in the Environment).

Storage and disposal:

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.
KEEP OUT OF REACH OF CHILDREN.
KEEP IN ORIGINAL CONTAINER tightly closed, in a safe place.
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.
DO NOT RE-USE CONTAINER for any purpose.
Store in a suitable pesticide store, keep dry and protect from frost.

DIRECTIONS FOR USE

IMPORTANT: This information is approved part of the product label. All instructions within this section must be read carefully, in order to obtain safe and successful use of this product.

PEACOO is a protectant and curative fungicide with translaminar properties for the control a range of diseases in winter wheat, winter triticale, winter durum wheat and winter spelt wheat.

Restrictions

Avoid spray drift on to neighbouring crops.
After spraying thoroughly wash out sprayer and dispose of washings and clean container according to local authority guidelines.

Disease Control

PEACOO is a protectant and curative fungicide with translaminar properties for the control a range of diseases in winter wheat, winter triticale, winter durum wheat and winter spelt wheat.

Disease	Winter wheat	Winter durum wheat	Winter triticale	Winter spelt wheat
Septoria leaf blotch	C	C	C	C
Yellow rust	C	C	-	C
Downy mildew	C	C	C	C

C = Control

Resistance management

PEACOO must always be used in mixture with products with a different mode of action at a dose that will give robust control. You must not apply more than one year application of PEACOO to any cereal crop. PEACOO should be used in accordance with the instructions for use for the target disease at the specific growth stages indicated.

PEACOO contains fenpicoxamid which belongs to FRAC group C4#21 (Inhibition of respiration at complex III; Qil fungicides). Fenpicoxamid is not cross-resistant to any of the commercial fungicide currently used in cereals. Use PEACOO as part of an Integrated Crop Management (ICM) strategy incorporating other methods of control.

For further advice on resistance management contact your agronomist or advisor.

Crops

PEACOO may be used on all commercial varieties of winter crops of wheat, triticale, durum wheat and spelt wheat.

Time of Application

Apply PEACOO from growth stage BBCH 30 (beginning of stem elongation). A maximum of one application can be made up to and including the end of flowering (BBCH 69). Best results will be achieved before disease becomes established in the crop.

Rate of Application

Apply 2 L/ha in 100 - 300 litres of water/ha.

A spray pressure of 2-3 bar is recommended. Use of low drift nozzles will not negatively affect the performance of PEACOO.

Mixing and Spraying

Half fill the spray tank with clean water and start the agitation. SHAKE THE CONTAINER WELL before use and pour in the required amount of product. Rinse any empty containers thoroughly and add rinsings to the spray tank. Add the remainder of the water and continue agitation until spraying is completed. Spray solution MUST be used on the day of mixing and must NOT be left overnight.

Sprayers should be thoroughly cleaned with water and detergent after use, and filters and jets checked for damage and blockages. Boom height should be adjusted to ensure even coverage of the crop. In dense crops, at later growth stages, higher water volumes should be used.

When tank mixes are to be used, each product should be added separately to the spray tank, taking due note of any instructions given as to the order of mixing.

STRIPE - Surface Water Tool for Reducing the Impact of Pesticides in the Environment

STRIPE is an initiative which allows farmers to reduce the size of mandatory untreated areas of land near water courses (buffer zones) while helping to protect aquatic life from pesticide contamination by reducing exposure.

The buffer zone may be reduced as by the use of low drift nozzles and application rate as per the following table.

	Full rate	75% rate	50% rate
No drift	30m	15m	15m
50% drift reduction	15m	7m	7m
75% drift reduction	7m	6m	4m
90% drift reduction	2m	2m	1m

Compatibility
For details on compatibility contact your distributor or Corteva technical hotline on +44 (0) 800 689 8899 or ukhotline@corteva.com

TRADEMARK ACKNOWLEDGEMENTS
Peacoq is a trademark of Corteva Agriscience and its affiliated companies. All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Corteva Agriscience Conditions of Supply
All goods supplied by us are of high grade and we believe them to be suitable for use, as we cannot exercise control over their storage, handling, transport, application or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

For further information please contact Corteva Agriscience.

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



<https://www.corteva.ie/content/dam/dpagco/corteva/eu/ie/lines/sds/PEACQ-IRL-SDS.pdf>

Alternatively contact your supplier

CORTEVA
Agriscience
Peacoq™ (F)
Inert active
FUNGICIDE

Product of Corteva Agriscience and its affiliated companies
Product Registration Number: PCS No. 06752

GROUP 21 FUNGICIDE

An emulsifiable concentrate containing 50 g/litre fenpicoxamid for use on winter wheat, winter triticale, winter durum wheat and winter spelt wheat.

FOR PROFESSIONAL USE ONLY

PROTECT FROM FROST
SHAKE WELL BEFORE USE

SAFETY INFORMATION
Peacoq: 50 g/L fenpicoxamid
UFI : 9059-MOXQ-2002-810X

Danger
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.
Very toxic to aquatic life with long lasting effects.
Wear protective gloves / clothing / eye / face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Get medical advice / attention if you feel unwell.
Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.
Do not contaminate water with the product or its container (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).
To avoid risks to human health and the environment, comply with the instructions for use.



PCS No. 06752

Authorisation Holder:
Corteva Agriscience
UK Limited
CPC2 Capital Park,
Fulbourn Cambridge,
CB21 5XE
Telephone:
+44 1462 457272



A 6 0 0 0 8 6 7 1

For Technical Enquiries Call:
+44 (0)800 689 8899 or
email ukhotline@corteva.com
24 Hour Emergency
Telephone Number: 0 76 680 5288
National Poisons Information Service:
01 809 2166

Manufactured in the EU

NET CONTENTS : 5 LITRES e