

10 Litres e  
Max Dose  
5.0L/HA



# Green Force

## PROFESSIONAL

For the Control of a Range of Annual and Perennial  
Broad-leaved Weeds in Managed Amenity Turf.

MAPP No. 19786,  
PCS No. 06951

Weed Control on  
Managed Amenity Turf

150g/l mecoprop-P (13.8% w/w) & 18.7g/l Clopyralid (1.7% w/w) as the potassium salts Formulation: Soluble concentrate. The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK Only)

[www.hygeia.ie](http://www.hygeia.ie)

FOR PROFESSIONAL USE ONLY



DANGER

**SKIN IRRITATION**  
Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately Call a POISON CENTER or doctor/physician. Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty triple rinsed containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

(MAPP 19786, PCS No. 06951)

L57489/01-22/00

Hygeia  
**Green Force PROFESSIONAL**

PEEL BACK  
 HERE

**IMPORTANT INFORMATION**

For use as an agricultural herbicide as directed below:

Crops	Managed Amenity Turf
Maximum Dose	5.0 litres/ha
Max No. of Treatments	Two per year
Latest Timing	-

**OTHER SPECIFIC RESTRICTIONS**

The total amount of mecoprop-P applied to an individual crop, or in a single year in the case of a perennial crop, must not exceed the maximum dose of mecoprop-P approved for application to that crop by any single mecoprop-P containing product.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

**SAFETY PRECAUTIONS**

**Operator Protection**

Engineering control of operator exposure must be used where reasonable practicable in addition to the following personal protective equipment.

- WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.
- WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.
- WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher level of protection (UK Only).

- WASH HANDS AND EXPOSED SKIN before meals and after work.
- WHEN USING DO NOT EAT, DRINK OR SMOKE.
- WASH CONCENTRATE FROM SKIN OR CLOES IMMEDIATELY.

**Environmental Protection**

EXTREME CARE MUST BE TAKEN TO AVOID SPRAY DRIFT onto non-crop plants outside of the target area.  
 DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

**Storage and Disposal**

- KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.
- KEEP OUT OF REACH OF CHILDREN.
- KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.
- RINSE CONTAINER THOROUGHLY, by using an integrated pressure rinsing device or manually, at least three times. Add washings to sprayer at time of filling and dispose of safely.
- DO NOT REUSE for any other purpose.

**Medical Advice**

IF YOU FEEL UNWELL, seek medical advice (show label where possible).

Hygeia **FOR MORE INFORMATION CONTACT THE TEAM AT Hygeia**

Marketing and Authorisation Holder:  
 Hygeia, Oranmore, Galway, Ireland.  
 Tel: +353 91 794 722 Email: enquiries@hygeia.ie

Please scan the QR code using your smartphone to visit our website: [www.hygeia.ie](http://www.hygeia.ie)



In the event of an emergency, call the National Poisons Information Centre, Beaumont Hospital at **01 809 2166** or **01 837 9964**, UFI: 19UR-60X2-400T-WSOW

**10 Litres e** Protect from Frost. Shake Well before use.



## DIRECTIONS FOR USE

### Important

This information is approved as part of the Product label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

### Restrictions

Do not exceed the maximum dose of 5 litres GreenForce Professional per hectare. Do not use GreenForce Professional in fields in which clover forms an important part of the sward. Avoid drift onto all broad-leaved plants outside the target area. When used in managed amenity turf and lawns, the first four mowings of treated grass must be composted for six months before use as a mulch. Do not use on new grass for six months after establishment. Do not cut grass for one day after treatment. Do not apply to grass suffering from drought, during freezing conditions or when rain is imminent.

### Resistance Management

When herbicides with the same mode of action are used repeatedly over several years in the same field, selection of resistant weeds can take place. These can propagate and may become dominating. A weed species is considered to be resistant to a herbicide if it survives a correctly applied treatment at the recommended dose. A strategy for preventing and managing such resistance should be adopted. This should include integrating herbicides with a programme of cultural control measures. Guidelines have been produced by the Weed Resistance Action Group and copies are available from the HGCA, CPA, your distributor, crop adviser or product manufacturer.

### Following Crops

Any crop may be sown after crops treated with GreenForce Professional.

### Crop Specific Information Managed Amenity Turf

#### Weed Control

Controls most major lawn weeds including clover, dandelion, speedwell, plantain, creeping buttercup, spear thistle, bird's foot, common mouse-ear and chickweed. It also gives a useful reduction in dandelions.

#### Rates of Use

Use GreenForce Professional at 5 litres per hectare. Spray at 200-500 litres of water per hectare as a Medium quality spray (BCPC definition).

### Application and Timing

Use on turf areas/lawns which are actively growing and where soil is moist, from spring (April) to September. For maximum effect spray when the weeds have adequate leaf area to absorb the product. Re-treatment may be necessary for well established difficult to control weeds. Allow an interval of at least 6 weeks between treatments.

### Mixing

**Filling The Sprayer:** Half fill the spray tank with clean water and start agitation. Add the required quantity of GreenForce Professional and top up the tank with water.

**Wash Equipment:** Wash thoroughly with water and wetting agent or liquid detergent immediately after use. Spray out, fill with clean water and let it over-night. Spray out again before storing, rinsing for another product. Traces of product can cause harm to susceptible crops sprayed later.

### Company Advisory Information

This section is not part of the Product label under the Control of Pesticides Regulations 1986 (UK Only).

### Terms & Conditions of Supply, Sale or Use

The goods supplied by Hygeia Ltd are suitable for the purpose expressly set out in this label when stored, handled, mixed, applied and used in accordance with the instructions on this label. Hygeia Ltd gives no warranty, statutory or otherwise as to the quality or fitness for purpose of the goods other than that expressly set out above. Hygeia Ltd accepts no liability for any injury, loss of life (except where caused by negligence), damage or direct or indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with the storage, handling, mixing, application or use of goods otherwise than in accordance with these directions. A copy of Hygeia's full set of Terms and Conditions are available on request from Hygeia Ltd.

Perm.  
Adhesive Area  
30mm

