

Chapter 8

**List of off label approvals which have been granted up to 11/2/21 for use on
Non - food crops**

Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops

11 February 2021

Warning: EAMU Approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Picloram</i> <i>Clopyralid</i>	<i>67 g/l</i> <i>267 g/l</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
	Pantha	06445	TerreChem Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Pecari Extra	06574	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Salsa	04725	FMC Agro Ltd	Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
					<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>					
	Sirena	05408	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4 per crop	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS 65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Ultralegend	06471	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Picloram</i>	<i>67 g/l</i>					
	Globalstar SC	05529	Globachem nv	Fungicide	<i>Clopyralid</i>	<i>267 g/l</i>	300 mls/ha	1200 mls/ha	-	Before GS 69	
	Juventus	05780	BASF plc	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
					<i>Metazachlor</i>	<i>375 g/l</i>					
					<i>Quinmerac</i>	<i>125 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			0.8 l/ha	1.6 l/ha	2	Before GS 60	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pecari Extra	06574	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide			2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
	Salsa	04725	FMC Agro Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	75 mls/ha	225 mls/ha	4 per crop	Before GS 69	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Teridox	04902	Syngenta UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	-	Pre-emergence	
	Thiastar	06649	CAC GmbH	Fungicide	<i>Dimethachlor</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Turret 60	06384	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Ultralegend	06471	JT Agro Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>125 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	-	N/A	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
					<i>Chloromequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha		-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha*	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide							
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
					<i>Zoxamide</i>	<i>8.35 w/w</i>					
					<i>Mancozeb</i>	<i>66.7% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-		
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
					<i>Sulphur</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Inka Max SX	04842	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Bixafen</i> <i>Prothioconazole</i>	<i>60 g/l</i> <i>200 g/l</i>	2.1 kg/ha	8.4 kg/ha *	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	8.0 kg/ha *	-	-	
	Markate 50	05001	Globachem nv	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Mettle	03788	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-		
					<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	N/A	
	Minstrel	04782	UPL Europe Ltd	Herbicide	<i>Sulphur</i>	<i>80% w/w</i>	2.0 l/ha	2.0 l/ha	-	-	
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Modem 200	03695	BASF plc	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha		N/A	
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	2.2 l/ha	2.2 l/ha			
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	1.8 l/ha	1.8 l/ha	-	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide	<i>Cymoxanil</i>	<i>4.5% w/w</i>	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
	Naceto	05778	Globachem nv	Herbicide	<i>Mancozeb</i>	<i>68% w/w</i>	0.3 l/ha	0.3 l/ha	-	-	
	Nando 500SC	05387	Nufarm UK Limited	Fungicide	<i>Cymoxanil</i>	<i>4.5% w/w</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Flufenacet</i>	<i>400 g/l</i>	0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Fluazinam</i>	<i>500 g/l</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Oblix 500	05823	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide			2.25 kg/ha	4 per crop	9.0 kg/ha	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Patrol	04304	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PlantTrust	04537	Everris Ltd	Fungicide			2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
					<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	N/A	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>680 g/kg</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
	Solution	06437	UPL Europe Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>5% w/w</i> <i>68% w/w</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	1.0 l/ha	1	N/A	
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Fluroxypyr</i> <i>Florasulam</i>	<i>100 g/l</i> <i>2.5 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Folpet</i>	<i>500 g/l</i>	90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
	Steward	02603	DuPont (UK) Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	250 g/ha	750 g/ha	3 / crop	7 days before harvest	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Indoxacarb</i>	<i>300 g/kg</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	0.25 l/ha	0.5 l/ha	2	-	
	Tandus	05836	Nufarm UK Limited	Herbicide	<i>Proquinazid</i> <i>Fluroxypyr</i>	<i>200 g/l</i> <i>200 g/l</i>	2.0 l/ha	2.0 l/ha		N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Tem 750 EC	04305	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4		
					<i>Spinosad</i>	<i>480 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Lenacil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Winger	05807	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			0.078 ml/plant	0.078 ml/plant	1		
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Grassland - amenity</i>											
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Ally SX	05590	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Butryflow	03659	Nufarm UK Limited	Herbicide			1.0 l/ha	1.0 l/ha	1		
					<i>Bromoxynil</i>	<i>401.58 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-		
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forefront	02793	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 / year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Aminopyralid</i>	<i>30 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Galaxy	05473	Corteva Agriscience UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Lorate	05591	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>					
	LS-FL-FL-CL	06514	Life Scientific Limited	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Santro	06684	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	End of September	
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Universe	06493	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Narcissi</i>											
	Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l per 100 l water				
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l per 100 l water				
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
					<i>Zoxamide</i>	<i>8.35 w/w</i>					
					<i>Mancozeb</i>	<i>66.7% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tempo	05601	Syngenta UK Ltd	Growth Regulator	<i>Tebuconazole</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
	Terplex	05487	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator	<i>Trinexapac ethyl</i>	<i>200 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Turret 60	06384	Globachem nv	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Valbon	03411	Certis Europe BV	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
	Vareon	03554	DuPont (UK) Ltd	Fungicide	<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Mancozeb</i>	<i>700 g/kg</i>	0.75 l/ha	1.5 l/ha	-	N/A	
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide	<i>Prochloraz</i>	<i>320 g/l</i>	2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Etoxazole</i>	<i>110 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	7C Chloromequat	04744	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chloromequat</i>	<i>750 g/l</i>					
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	-	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Holdup 750	04743	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chloromequat</i>	<i>750 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Beetup Flo	05272	UPL Europe Ltd	Herbicide			3.0 l/ha	6.0 l/ha	-	-	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide			2.5 l/ha	6.0 l/ha	-	N/A	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			465 ml in 10 litre water	465 ml in 10 litre water	-	-	
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	2	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			5.0 kg/ha	10.0 kg/ha	2 per crop	N/A	
					<i>Sulphur</i>	<i>80% w/w</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2 per year	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Solution	06437	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Stabilan 750	04767	Nufarm UK Limited	Growth Regulator			465ml in 10 L water	465ml in 10 L water	-		
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sunfire	05497	Mitsui Agriscience International S.A./N.V.	Herbicide			0.48 l/ha	0.48 l/ha	-	Before weed emergence	
					<i>Flufenacet</i>	<i>500 g/l</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
	Thiastar	06649	CAC GmbH	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.7 l/ha	1.4 l/ha	-	-	
	Tizca	04398	Cheminova A/S	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Vivando	05685	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Metrafenone</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	500 g/kg	2.5 kg/ha	15 kg/ha	6 per year	-	
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg	70 g/ha	-	12	-	
	Azaka	05218	FMC Agro Ltd	Fungicide	<i>Ampelomyces Quisqualis</i>	58 %w/w	1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	250 g/l	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide	<i>Spirotetramat</i>	100 g/l	2.5 l/ha	6.0 l/ha	-	N/A	
	CeCeCe 750	04736	BASF plc	Growth Regulator	<i>Phenmedipham</i>	160 g/l	0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide	<i>Chloromequat</i>	750 g/l	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
	Coupon	06271	Globachem nv	Growth Regulator	<i>Boscalid</i>	26.7% w/w	1.0 l/ha	1.0 l/ha	-	5 days before harvest	
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Pyraclostrobin</i>	6.7% w/w	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Ethephon</i>	480 g/l	120 mls / 100 litres water		3 per year	-	-
	Difenofin	06218	Finchimica S.p.A	Fungicide	<i>Cymoxanil</i>	450 g/kg	0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	250 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>	1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Solution	06437	UPL Europe Ltd	Fungicide	<i>Cymoxanil</i>	<i>50% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
	Sonata	05802	Bayer CropScience Limited	Fungicide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>5% w/w</i> <i>68% w/w</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	50 mls/ha	150 mls/ha	3 per year	14 days before harvest	14 days
	Steward	02603	DuPont (UK) Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	12.5 g/100 litres water	-	6 / year	-	-
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Indoxacarb</i>	<i>300 g/kg</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Cyflufenamid</i>	<i>100 g/l</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	0.14 kgs/ha	0.42 kgs/ha	3	-	
	Vivando	05685	BASF plc	Fungicide	<i>Flonicamid</i> <i>Metrafenone</i>	<i>500 g/kg</i> <i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Blaster Pro	04263	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
	Controlla	06448	JT Agro Ltd	Fungicide	<i>Mecoprop-P</i>	600 g/l	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
	Coyote	03790	Bayer CropScience Limited	Fungicide	<i>Cymoxanil</i>	45% w/w	0.8 l/ha	1.6 l/ha	-	N/A	
	Crozier	06482	Barclay Chemicals Ltd	Herbicide	<i>Trifloxystrobin</i>	75 g/l	5.0 l/ha	5.0 l/ha	-	During dormancy only	
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide	<i>Fluoxastrobin</i>	75 g/l	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
	D50	02366	Nufarm UK Limited	Herbicide	<i>Prothioconazole</i>	150 g/l					
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Prosulfocarb</i>	800 g/l	5.0 l/ha	5.0 l/ha		During dormancy only	
	Depitox	02365	Nufarm UK Limited	Herbicide	<i>2,4-D</i>	500 g/l	2.8 l/ha	2.8 l/ha	-		
	Diablo	05133	BASF plc	Fungicide	<i>Prosulfocarb</i>	800 g/l	2.5 kg/ha	10.0 kg/ha	-	-	
	Diflaniil 500 SC	04358	Q-Chem NV	Herbicide	<i>Ametoctradin</i>	80 g/kg	0.25 l/ha	0.25 l/ha	-	-	
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	480 g/kg	2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Diflufenican</i>	500 g/l	2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Duplosan KV	02842	Nufarm UK Limited	Herbicide	<i>Mancozeb</i>	75% w/w	2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	600 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Eagle	04315	Bayer CropScience Limited	Herbicide			40 g/ha	40 g/ha	-	42 days before harvest	
	Easel	05502	Nufarm UK Limited	Herbicide	<i>Amidosulfuron</i>	<i>75% w/w</i>	1.8 l/ha	1.8 l/ha			
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide	<i>MCPA</i>	<i>750 g/l</i>	1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide	<i>Propamocarb</i>	<i>722 g/l</i>	1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Zoxamide</i> <i>Mancozeb</i>	<i>8.35 w/w</i> <i>66.7% w/w</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Fandango	03787	Bayer CropScience Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Filan	04325	BASF plc	Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	N/A	
	Firebird	04221	Bayer CropScience Limited	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.3 l/ha	0.3 l/ha	-	N/A	
	Fixor	05252	Amvac Netherlands B.V	Growth Regulator	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>	6ml per litre water	-	-	7 days before harvest	7 days
	Flexity	03225	BASF plc	Fungicide	<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>	0.5 l/ha	1.0 l/ha	2	-	
	Flexure	06320	Life Scientific Limited	Fungicide	<i>Metrafenone</i>	<i>300 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	
	Flight	02524	BASF plc	Herbicide	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>	4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i> <i>Picolinafen</i>	<i>330 g/l</i> <i>7.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
	Frupica	02128	Certis Europe BV	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide	<i>Mepanipyrim</i>	<i>449.4 g/l</i>	1.2 l/ha*	1.2 l/ha	-	N/A	
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide	<i>Triclopyr</i> <i>Clopyralid</i>	<i>240 g/l</i> <i>60 g/l</i>	1.2 l/ha *	1.2 l/ha	-	N/A	
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60.0 g/l</i> <i>240.0 g/l</i>	2.7 l/ha	2.7 l/ha	-	End of September	
	Helix	05067	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide	<i>Spiroxamine</i> <i>Prothioconazole</i>	<i>300 g/l</i> <i>160 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Imtrex	04965	BASF plc	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Inka Max SX	04842	FMC Agro Ltd	Herbicide	<i>Fluxapyroxad</i>	<i>62.5 g/l</i>	60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide	<i>Folpet</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Limitar	05047	Certiplant N.V.	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Prothioconazole</i>	<i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Fluoxastrobin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Difenoconazole</i>	<i>100 g/l</i>	2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Mancozeb</i>	<i>75 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			8.0 kgs/ha	-	-		
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Optimus	04704	Nufarm UK Limited	Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy only	
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per year	-	
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	-	
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Plexeo 60	05926	Globachem nv	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide	<i>Metconazole</i>	<i>60 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy only	
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.8 l/ha	2.4 l/ha	-	N/A	
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	2.5 l/ha	10.0 l/ha	4 per crop	-	
	Quantum	03432	DuPont (UK) Ltd	Herbicide	<i>Propamocarb</i>	<i>400 g/l</i>	30 g/ha	30 g/ha	-	N/A	
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide	<i>Cymoxanil</i>	<i>50 g/l</i>	60 g/ha	60 g/ha	-	N/A	
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	-	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Terplex	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide							
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>					
					<i>Etoxazole</i>	<i>110 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	6.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Benta 480 SL	04206	Sharda Europe b.v.b.a	Herbicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
					<i>Terbutylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1 per crop	1.5 l/ha	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	-
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide							
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflaniil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Chemnova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
	Naceto	05778	Globachem nv	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	-	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.