

---

## *Current list of off-label approvals as of*

*26 November 2008*

### *Warning: Off-Label Approvals:*

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

### *Disclaimer*

*The Department of Agriculture and Food maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.22 l/100 litres water	-	2	2 days before harvest	2 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.06 kgs/ 100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	3.0 l/ha	6.0 l/ha	2	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
					<i>Iprodione</i>	<i>750 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	75 mls/ha	150 mls/ha	2	3 days pre harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kgs/ha	1.2 kgs / ha	3	7 days	
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	3 mls/m <sup>2</sup>	6 mls/m <sup>2</sup>	2		
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	1.5 kgs/ha	3.0 kgs/ha	2	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 %w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			3.125 l/ha	6.25 l/ha	2	8 weeks before harvest	
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week pre harvest interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide							
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	pre emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Orchid B	03369	Croplink (Ireland) Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Paraat	03614	BASF plc	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.0 kgs/ha	4.0 kgs/ha	4	7 days before harvest	7 days
	Scala	01178	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
<i>Blackcurrants</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	100 mls/ha	200 mls/ha	2	14 days pre harvest	14 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
	Scala	01178	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2 l/ha	4 l/ha	2	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harvest	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7 %w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Scala	01178	BASF plc	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	2 l/ha	4 l/ha	2	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harves	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
					<i>Boscalid</i>	<i>26.7 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymid</i>	<i>50 g/l</i>	3 l/ha	6 l/ha	2	7 days before harvest	7 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.0 kgs/ha	3.0 kgs/ha	3	14 days before harvest	14 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7 %w/w</i> <i>6.7 %w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Brussel sprouts</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	250 g/ha	250 g/ha	1	21 days before harvest	21 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Acetamiprid</i>	<i>20 %w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Bush/Cane fruit plantat</i>											
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
<i>Cabbage - chinese</i>											
	Ramrod	91018	Monsanto Ireland Ltd	Herbicide			13.0 l/ha	26.0 l/ha	2	4 true leaves	42 days
					<i>Propachlor</i>	<i>480 g/l</i>					
<i>Cabbage - head</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymid</i>	<i>50 g/l</i>	3 l/ha	6 l/ha	2	7 days before harvest	7 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.0 kgs/ha	3.0 kgs/ha	3	14 days before harvest	14 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Pyraclostrobin</i> <i>Boscalid</i>	<i>6.7 %w/w</i> <i>26.7 %w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	300 g/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	60 days
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Metribuzin</i>	<i>70 %w/w</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Cauliflowers</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Celery</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	1	50 days pre harvest	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	1.5 kgs/ha	3	4.5 kgs/ha	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Coriander</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Courgettes - Field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>											
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 litres water	-	-	2 days before harvest	2 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m <sup>2</sup>	6 mls/m <sup>2</sup>	2		
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Dill</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Fennel</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymim</i>	<i>50 g/l</i>	2 l / ha	12 l/ha	6	14 days before harvest	14 days
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Chlorothalonil</i> <i>Metalaxyl M</i>	<i>500 g/l</i> <i>37.5 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Iprodione</i>	<i>750 g/kg</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Gherkin - protected</i>											
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m <sup>2</sup>	6 mls/m <sup>2</sup>	2		
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>											
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	100 mls/ha	200 mls/ha	2	14 days before harvest	14 days
	Scala	01178	BASF plc	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2 l/ha	4 l/ha	2	21 days before harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harves	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
					<i>Boscalid</i>	<i>26.7 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	500 g/1000 litres water	-	-	3 days before harvest	3 days
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pirimicarb</i>	<i>500 g/kg</i>	75 mls/ha	150 mls/ha	2	3 days pre harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.33 kgs/ha	-	3	21 days pre harvest	21 days
	Signum	02835	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	1.5 kgs/ha	3.0 kgs/ha	2	14 days before harvest	14 days
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7 %w/w</i> <i>6.7 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Fenhexamid</i> <i>Spinosad</i>	<i>50 %w/w</i> <i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide							
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	500 g/1000 litres water	-	-	14 days before harvest	14 days
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide	<i>Pirimicarb</i>	<i>500 g/kg</i>	2.5 l/ha	5.0 l/ha	2	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3	14 days pre harvest	14 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 %w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Signum	02835	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	2	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
					<i>Boscalid</i>	<i>26.7 %w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Kale</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Leeks</i>											
	Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	6.0 kgs/ha	3	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	250 g/ha	500 g/ha	2	7 days pre harvest	7 days
	Paraat	03614	BASF plc	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Fenhexamid</i>	<i>50 %w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days po
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Proplant	01529	Agriphar S.A.	Fungicide			1.5 l/ha	4.5 l/ha	3	21 days pre harvest	21 days
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Maize - Forage</i>											
	Contrast	01028	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days pre harvest	
					<i>Carbendazim</i>	<i>125 g/l</i>					
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Lyric	00946	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days	
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Punch C	00536	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days before harvest	
					<i>Carbendazim</i>	<i>125 g/l</i>					
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Sanction	00942	DuPont (UK) Ltd	Fungicide			0.4 l/ha	0.8 l/ha	2	28 days before harvest	
					<i>Flusilazole</i>	<i>400 g/l</i>					
	Sanction 25	01652	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	4 weeks before harvest	4 weeks
					<i>Flusilazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mint</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Onions</i>											
	Acrobat MZ	00670	BASF plc	Fungicide	<i>Dimethomorph</i> <i>Mancozeb</i>	<i>75 g/kg</i> <i>667 g/kg</i>	2.0 kgs/ha	16 kgs/ha	8 / crop	14 days before harvest	14 days
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		Before 5th leaf is visible	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i> <i>Chlorothalonil</i>	<i>37.5 g/l</i> <i>500 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
<i>Onions - salad</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		before 3rd true leaf	
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
<i>Onions - sets</i>											
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - Field</i>											
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>											
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
<i>Parsley Root</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Comrade	90350	United Phosphorus Limited	Herbicide			4.2 l/ha	4.2 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	3.0 l/ha	3	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide			2.25 kgs/ha	-	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 g/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	60 days
					<i>Metribuzin</i>	<i>70 %w/w</i>					
	Signum	02835	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
					<i>Boscalid</i>	<i>26.7 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide							
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Peas - combining</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			3.125 l/ha	6.25 l/ha	2	6 weeks before harvest	
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>400 g/l</i>	3.0 l/ha	3.0 l/ha	2	8 weeks before harvest	8 weeks
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orchid B	03369	Croplink (Ireland) Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.04 kg/100 l water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	4	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Potatoes - Ware crops</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Sumi-Alpha	00554	Sumitomo Chemical Agro Europe SA	Insecticide			0.3 l/ha	0.6 l/ha	2		14 days
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Raspberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha - 3 kgs pre harvest, 1.5 kgs post harve	3 - 2 pre harvest, 1 post harvest	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7 %w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
<i>Rosemary</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Sage</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	16.0 kgs/ha	8	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			2 l/ha	12 l/ha	6	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha		before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Spinach</i>											
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach Beet</i>											
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Strawberries - field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protecte</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Pirimicarb</i>	<i>500 g/kg</i>	0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
	Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid	<i>Thiacloprid</i>	<i>480 g/l</i>	50 mls/product/100 litres water	-	3	3 days before harvest	3 days
	Fortress	02364	Dow AgroSciences	Fungicide	<i>Abamectin</i>	<i>18 g/l</i>	0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
	Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide	<i>Quinoxifen</i>	<i>500 g/l</i>	1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
	Oberon	02529	Bayer CropScience Limited	Insecticide	<i>Bupirimate</i>	<i>250 g/l</i>	50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Thyme</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3 / crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 l water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Triticale</i>											
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
					<i>Thifensulfuron (-methyl)</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
	Corbel	90438	BASF plc	Fungicide	<i>Tepraloxymim</i>	<i>50 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Dursban 4	90541	Dow AgroSciences	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	<i>Chlorpyrifos</i>	<i>480 g/l</i>	150 mls/ha	900 mls/ha	6	14 days pre harvest	14 days
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Pendimethalin</i>	<i>400 g/l</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha - 3 kgs pre harvest, 1.5 kgs post harve	3 - 2 pre harvest, 1 post harvest	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
					<i>Boscalid</i>	<i>26.7 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**