
Current list of off-label approvals for use on Food Crops as of

16 July 2012

Warning: Off-Label Approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>										
Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Mancozeb</i>	<i>667 g/kg</i>	2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs / ha	3	7 days	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	6	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Beans - broad</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	pre emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane 945	03705	Dow AgroSciences	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.1 kg/ha	2.1 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 %w/w</i>					
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Beans - french</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - runner</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - fodder</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - red</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
Biscaya	03602	Bayer CropScience Limited	Insecticide		<i>Tepraloxymid</i>	<i>50 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
Corbel	90438	BASF plc	Fungicide		<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide		<i>Fenpropimorph</i>	<i>750 g/l</i>	4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
Fortress	02364	Dow AgroSciences	Fungicide		<i>Prosulfocarb</i>	<i>800 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide		<i>Quinoxifen</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide		<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Microthiol Special	90548	Cerexagri S.A.	Fungicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	10 kg/ha	20 kgs/ha	2	Last application before September	-
PDM 330 EC	03582	BASF plc	Herbicide		<i>Sulphur</i>	<i>80 %w/w</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
Pilot Ultra	02445	Nissan Chemical Europe	Herbicide		<i>Pendimethalin</i>	<i>330 g/l</i>	2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide		<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
Stomp Aqua	03750	BASF plc	Herbicide		<i>Difenoconazole</i>	<i>250 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide		<i>Pendimethalin</i>	<i>455 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Blackberries</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants</i>											
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide				0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
CaLypso	02441	Bayer CropScience Limited	Insecticide		<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
Corbel	90438	BASF plc	Fungicide		<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide		<i>Fenpropimorph</i>	<i>750 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
Masai	03585	BASF plc	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide		<i>Tebuconazole</i>	<i>200 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
Penncozeb WDG	03608	Cerexagri S.A.	Fungicide		<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide		<i>Mancozeb</i>	<i>750 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
Scala	01178	BASF plc	Fungicide		<i>Pymetrozine</i>	<i>50 %w/w</i>	2 l/ha	4 l/ha	2	21 days before harvest	21 days
Serenade ASO	03847	AgraQuest Inc	Fungicide		<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	Cerexagri S.A.	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide				2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide				0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			85 gms/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Bush/Cane fruit plantations</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Tepraloxym</i>	<i>50 g/l</i>	4 l/ha	10 l/ha		28 days pre harvest	28 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2	14 days	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
Butisan S	90342	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide				4 kgs/ha	4 kgs/ha	1	14 days before harvest	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Movento	04101	Bayer CropScience Limited	Insecticide				0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Infinito	02532	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Propamocarb</i>	<i>625 g/l</i>	1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Mancozeb</i>	<i>64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	10 l/ha	-	every 7 days		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	4.0 l/ha	4.0 l/ha	-	Before planting	
Wing P	03590	BASF plc	Herbicide	<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide				2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide				0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 28 days before harv	28 days
					<i>Metribuzin</i>	<i>70 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>					
<i>Celeriac</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - Field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	1	50 days pre harvest	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Cherries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.312 l/ha	0.625 l/ha	-	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Systhane 20 EW	03693	Dow AgroSciences	Fungicide			0.68 l/ha	2.33 l/ha	-	21 days before harvest	21 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	3	4.5 kgs/ha	14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Collards</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Coriander</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
<i>Courgettes - Protected</i>										
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	2 days before harvest	2 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries</i>											
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Cucumbers - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
	Microthiol Special	90548	Cerexagri S.A.	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.01kgs/5 litres water	-	-	-	0 days
	Oberon	02529	Bayer CropScience Limited	Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Spiromesifen</i>	<i>240 g/l</i>	0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
<i>Damsons</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Dill</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Endives</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Forestry</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>80 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide	<i>Tepraloxym</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>80 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>37.5 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
	Rovral WG	02729	BASF plc	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	10 l/ha	-	every 7 days		0 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Wing P	03590	BASF plc	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Gherkin - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	Cerexagri S.A.	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Grassland - amenity</i>											
Coragen	03079	DuPont (UK) Ltd	Insecticide				175 mls/ha	350 mls / ha	2 / year	N/A	
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>						
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	200 l/ha	Every 7 days to harvest		
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>75 g/kg</i>	2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide	<i>Linuron</i>	<i>450 g/l</i>	2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pirimicarb</i>	<i>500 g/kg</i>	500 g/1000 l water	-	-	3 days before harvest	3 days
	Datura	04456	AgriChem B.V.	Herbicide	<i>Linuron</i>	<i>500 g/l</i>	1.2 l/ha	1.2 l/ha	-	Pre-emergence	
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
	Kerb Flo	02830	Dow AgroSciences	Herbicide	<i>Propyzamide</i>	<i>400 g/l</i>	3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.33 kgs/ha	-	3	21 days pre harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide								
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	-	14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>						
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticide			50 mls/product/100 litres water	-	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>						
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha		1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>						
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>						
Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha		2 per crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha		-	21 days before harvest	21 days
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha		1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>						
Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	-	3	14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>						
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha		-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
Tracer	02649	Dow AgroSciences	Insecticide								
				<i>Spinosad</i>	<i>480 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Inter row crops</i>											
	Ronstar Liquid	91181	Bayer CropScience Limited	Herbicide			4.0 l/ha	8.0 l/ha	2	31st January	
					<i>Oxadiazon</i>	<i>250 g/l</i>					
<i>Jerusalem Artichoke</i>											
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide				12 mls/product/plant	-	1	Pre planting - 6 leaf stage	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Draza Elite	01793	Bayer CropScience Limited	Molluscicide			4 kg/ha	4 kg/ha	-	14 days before harvest	14 days
					<i>Methiocarb</i>	<i>3 %w/w</i>					
	Movento	04101	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>75 g/kg</i>	2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.0 l/ha	2.0 l/ha		8 weeks before harvest	8 weeks
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Pyridate</i>	<i>45 % w/w</i>	2.0 kg/ha	2.0 kg/ha	1	28 days before harvest	
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Wing P	03590	BASF plc	Herbicide	<i>Dimethenamid-P</i>	<i>212.5 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 %w/w</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Proplant	01529	Agriphar S.A.	Fungicide			1.5 l/ha	4.5 l/ha	3	21 days pre harvest	21 days
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Loganberries</i>											
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1	Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage</i>											
	Calaris	02711	Syngenta Crop Protection UK Ltd	Herbicide			1.8 l/ha	1.8 l/ha		Up to 8 leaves unfolded	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Contrast	01028	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days pre harvest	
					<i>Flusilazole</i>	<i>250 g/l</i>					
					<i>Carbendazim</i>	<i>125 g/l</i>					
	Lyric	00946	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days	
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Punch C	00536	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days before harvest	
					<i>Carbendazim</i>	<i>125 g/l</i>					
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Sanction 25	01652	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	4 weeks before harvest	4 weeks
					<i>Flusilazole</i>	<i>250 g/l</i>					
<i>Mange Tout Peas</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mangolds</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Marrows</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Melon - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	6 mls per sq m	9 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
<i>Mint</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Narcissi</i>											
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			100ml product/ 100 litres water	100ml product/ 100 litres water		Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebuzate 220 SL	03836	AgriChem B.V.	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>80 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>80 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		Before 5th leaf is visible	
	Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide	<i>Mancozeb</i>	<i>75 %w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	28 days before harvest	28 days
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 %w/w</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	Cerexagri S.A.	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Onions - sets</i>											
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Parsley - Field</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>											
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			3.0 l/ha	3.0 l/ha	1 / crop	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	28 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Metribuzin</i>	<i>70 %w/w</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pyraclostrobin</i> <i>Boscalid</i>	<i>6.7 % w/w</i> <i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Fludioxonil</i> <i>Cyprodinil</i> <i>Oxamyl</i>	<i>25.0 % w/w</i> <i>37.5 % w/w</i> <i>10 %w/w</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	14 days before harvest	14 days
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator	<i>Thiacloprid</i>	<i>480 g/l</i>	75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
	Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
					<i>Tebuconazole</i>	<i>200 g/kg</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Peas - combining</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Peas - vining</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Chilli - Protected</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	1.34% w/w	10 l/ha	-	every 7 days		0 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>						
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticide				50 mls/product/100 litres water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>						
Microthiol Special	90548	Cerexagri S.A.	Fungicide				0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>						
Oberon	02529	Bayer CropScience Limited	Insecticide				50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>						
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.04 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3.0 l/ha	12.0 l/ha	-	3 days before harvest	3 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>						
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>						
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
<i>Potatoes - Seed crops</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Potatoes - Ware crops</i>											
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>						
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide				0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
				<i>Azoxystrobin</i>	<i>100 g/l</i>						
<i>Pumpkins - Protected</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
<i>Radicchio</i>											
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>						
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Raspberries - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Corbel	90438	BASF plc	Fungicide	<i>Thiactoprid</i>	<i>480 g/l</i>	1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
	Masai	03585	BASF plc	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide	<i>Tebuconazole</i>	<i>200 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	Cerexagri S.A.	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Mancozeb</i>	<i>750 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
	Scala	01178	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Stroby WG	03154	BASF plc	Fungicide	<i>Kresoxim Methyl</i>	<i>50 % w/w</i>	0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
<i>Rhubarb</i>											
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
<i>Rocket</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Rosemary</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Rubus Hybrid</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	0.8 l/ha	1.6 l/ha	-	21 days before harvest	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - spring</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Arizona	04555	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
					<i>Folpet</i>	<i>500 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
					<i>Folpet</i>	<i>500 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide	<i>Picoxystrobin</i>	80 g/kg	2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	300 g/kg					
	Arizona	04555	Makhteshim Agan (UK) Ltd	Fungicide	<i>Folpet</i>	500 g/l	1.5 l/ha	3.0 l/ha	-	Before GS 59	
	Compitox Plus	02843	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	600 g/l	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	800 g/l	5.0 l/ha	5.0 l/ha	1	GS 21	
	Duplosan KV	02842	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	600 g/l	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	Galileo	03015	DuPont (UK) Ltd	Fungicide	<i>Picoxystrobin</i>	250 g/l	1.0 l/ha	1.0 l/ha	2 per crop	GS 71	
	K 2	92087	Taminco N.V.	Growth Regulator	<i>Chlormequat</i>	620 g/l	1.8 l/ha	1.8 l/ha			
	Mircam	02271	Nufarm UK Ltd	Herbicide	<i>Mecoprop-P</i>	150 g/l	5.0 l/ha	5.0 l/ha	1	GS 31	
					<i>Dicamba</i>	18.7 g/l					
	Mircam Super	02097	Nufarm UK Ltd	Herbicide	<i>Mecoprop-P</i>	20.9 %w/w	3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>MCPA</i>	22.6 %w/w					
					<i>Dicamba</i>	2.8 %w/w					
	Opera	01633	BASF plc	Fungicide	<i>Epoxiconazole</i>	50 g/l	1.5 l/ha	3.0 l/ha	2	Before GS 71	
					<i>Pyraclostrobin</i>	133 g/l					
	Optica	02661	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	600 g/l	2.0 l/ha	2.0 l/ha	-	Before GS 33	
	Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide	<i>Folpet</i>	500 g/l	1.5 l/ha	3.0 l/ha	-	Before GS 59	
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide	<i>Mecoprop-P</i>	600 g/l	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>						
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>						
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide				4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>						
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>						
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1		
				<i>Pendimethalin</i>	<i>330 g/l</i>						
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>						
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Stomp 400 SC	02879	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>						
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>						
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>						
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
Salsify											
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide				90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>400 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Aramo	03099	BASF plc	Herbicide	<i>Tepraloxymid</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>80 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide	<i>Mancozeb</i>	<i>75 %w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	2.5 l/ha		before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Spinach Beet</i>											
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Squash - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12. 0 l/ha	-	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebuconpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide				750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide				500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
					<i>Etoxazole</i>	<i>110 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticide				50 mls/product/100 litres water	-	3	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide				0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
Masai	03585	BASF plc	Insecticide				375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebuconazole</i>	<i>200 g/kg</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide								
					<i>Sulphur</i>	<i>80 %w/w</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide				1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide				50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
	Aramo	03099	BASF plc	Herbicide	<i>Tepraloxym</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
	Dursban 4	90541	Dow AgroSciences	Insecticide	<i>Chlorpyrifos</i>	<i>480 g/l</i>	1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
	Fortress	02364	Dow AgroSciences	Fungicide	<i>Quinoxifen</i>	<i>500 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
	Rudis	04665	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>480 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Oxamyl</i>	<i>10 %w/w</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sweetcorn</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
<i>Thyme</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Tomatoes - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.45 l/ha	0.9 l/ha	2/crop	3 days before harvest	3 days
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
	Microthiol Special	90548	Cerexagri S.A.	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.01kgs/5 litres water	-	-	-	0 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
	Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before 1st node detectable	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Arizona	04555	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
					<i>Folpet</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Croplink MCPA 50	04371	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	04617	Nufarm UK Limited	Herbicide			2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>750 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
Finish SX	02329	DuPont (UK) Ltd	Herbicide				75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	67 g/kg					
					<i>Thifensulfuron methyl</i>	333 g/kg					
Galileo	03015	DuPont (UK) Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	250 g/l					
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide				100 g/ha	100 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	400 g/kg					
					<i>Metsulfuron (-methyl)</i>	40 g/kg					
K 2	92087	Taminco N.V.	Growth Regulator				1.8 l/ha	1.8 l/ha			
					<i>Chlormequat</i>	620 g/l					
Larke	04185	Nufarm UK Ltd	Herbicide				2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	750 g/l					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide				3.3 l/ha	3.3 l/ha	2	Before GS 31	
					<i>MCPA</i>	500 g/l					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	500 g/l					
MCPA 50	04170	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	500 g/l					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	-
					<i>MCPA</i>	500 g/l					
Mircam	02271	Nufarm UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1	GS 31	
					<i>Mecoprop-P</i>	150 g/l					
					<i>Dicamba</i>	18.7 g/l					
Mircam Super	02097	Nufarm UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Mecoprop-P</i>	20.9 %w/w					
					<i>Dicamba</i>	2.8 %w/w					
					<i>MCPA</i>	22.6 %w/w					
Opera	01633	BASF plc	Fungicide				1.5 l/ha	3.0 l/ha	2	Before GS 71	
					<i>Pyraclostrobin</i>	133 g/l					
					<i>Epoxiconazole</i>	50 g/l					
Optica	02661	Nufarm UK Limited	Herbicide				2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	600 g/l					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
	POL-MCPA 500 SL	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide	<i>Folpet</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	-	Before GS 31	
	Presite SX	02888	DuPont (UK) Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	75 g/ha	75 g/ha	1	Before GS 39	
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>67 g/kg</i> <i>333 g/kg</i>	0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide	<i>Propiconazole</i> <i>Mecoprop-P</i>	<i>250 g/l</i> <i>600 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Wheat - spring</i>											
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide				3.3 l/ha	3.3 l/ha		Before leaf sheath erect stage	
				<i>Pendimethalin</i>	<i>400 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
	Masai	03585	BASF plc	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Penncozeb 80 WP	03609	Cerexagri S.A.	Fungicide	<i>Tebuconazole</i>	<i>200 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	Cerexagri S.A.	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Mancozeb</i>	<i>750 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
	Scala	01178	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	Stroby WG	03154	BASF plc	Fungicide	<i>Kresoxim Methyl</i>	<i>50 % w/w</i>	0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.