

## **Chapter 10**

**List of products/crops for which off label approvals have been granted**

## *Current list of off-label approvals -*

*21 February 2008*

### *Warning: Off-Label Approvals:*

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Basil</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	50 %w/w	1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Beans - field</i>										
Stomp 400 SC	02879	BASF plc	Herbicide	<i>Pendimethalin</i>	400 g/l	3.3 l/ha	3.3 l/ha	1	Before crop	
<i>Beetroot</i>										
Aramo	03099	BASF plc	Herbicide	<i>Tepraloxydim</i>	50 g/l	1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Difenoconazole</i>	250 g/l	0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
Stomp 400 SC	02879	BASF plc	Herbicide	<i>Pendimethalin</i>	400 g/l	3.3 l/ha	3.3 l/ha	1	Before crop	
<i>Blackberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	480 g/l	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pymetrozine</i>	50 %w/w	0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harves	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
				<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
				<i>Boscalid</i>	<i>26.7</i>					
<i>Blueberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harves	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
				<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
				<i>Boscalid</i>	<i>26.7</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Ridomil Gold MZ	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
				<i>Mancozeb</i>	<i>64 %w/w</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
<i>Brussel sprouts</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
<i>Bush/Cane fruit</i>										
Roundup Blactive	02313	Monsanto UK Ltd	Herbicide			4 l/ha	10 l/ha		28 days pre harvest	28 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
<i>Cabbage - head</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	1.6 l/ha	2	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Ridomil Gold MZ	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
				<i>Mancozeb</i>	<i>64 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Ridomil Gold MZ	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
<i>Carrots</i>										
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
				<i>Acifonifen</i>	<i>600 g/l</i>					
Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 g/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	60 days
				<i>Metribuzin</i>	<i>70 %w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>	<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	1.6 l/ha	2	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Ridomil Gold MZ	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
<i>Celery</i>	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	7 days before harvest	7 days
					<i>lambda-Cyhalot</i>	<i>100 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
<i>Chives</i>	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Coriander</i>	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Cucumbers - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Dill</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Fennel</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Gooseberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Signum	02835	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs ( 3kgs - pre harvest / 1.5 kgs post harvest	3 - 2 preharvest / 1 post harvest	3 days before harvest	3 days
				<i>Pyraclostrobin</i>	<i>6.7 %w/w</i>					
				<i>Boscalid</i>	<i>26.7</i>					
<i>Herbs</i>										
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>										
Stomp 400 SC	02879	BASF plc	Herbicide	Pendimethalin	400 g/l	3.3 l/ha	3.3 l/ha	1	Before crop	
<i>Kale</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide	Thiacloprid	480 g/l	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
<i>Leeks</i>										
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	Metalaxyl M	37.5 g/l	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				Chlorothalonil	500 g/l					
<i>Lettuce - Field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	Pymetrozine	50 %w/w	0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
Teldor	02003	Bayer CropScience Limited	Fungicide	Fenhexamid	50 %w/w	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
<i>Lettuce - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	Pymetrozine	50 %w/w	0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
Proplant	01529	Agriphar S.A.	Fungicide	Propamocarb	722 g/l	1.5 l/ha	4.5 l/ha	3	21 days pre harvest	21 days
Teldor	02003	Bayer CropScience Limited	Fungicide	Fenhexamid	50 %w/w	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage</i>										
Contrast	01028	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days pre harvest	
				<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>					
Lyric	00946	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days	
				<i>Flusilazole</i>	<i>250 g/l</i>					
Punch C	00536	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days before harvest	
				<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>					
Sanction	00942	DuPont (UK) Ltd	Fungicide			0.4 l/ha	0.8 l/ha	2	28 days before harvest	
				<i>Flusilazole</i>	<i>400 g/l</i>					
<i>Mint</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<b>Crop Product</b>						<b>Max Ind.</b>	<b>Max. Total</b>	<b>Max No of</b>	<b>Latest Time</b>	
<b>Name</b>	<b>PCS No</b>	<b>Company Name</b>	<b>Function</b>	<b>Substance</b>	<b>Content</b>	<b>Dose:</b>	<b>Dose:</b>	<b>Applic's:</b>	<b>of Applic:</b>	<b>PHI:</b>
<i>Miscanthus</i>										
Agroxone 50	90679	Hygeia Chemicals Ltd	Herbicide			3.5 l/ha	3.5 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Ally Max SX	02549	DuPont (UK) Ltd	Herbicide			42 g/ha	42 g/ha	1	N/A	
				<i>Tribenuron</i>	<i>143 g/kg</i>					
				<i>Metsulfuron</i>	<i>143 g/kg</i>					
Ally SX	02133	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	N/A	
				<i>Metsulfuron</i>	<i>200 g/kg</i>					
Arelon Liquid	90074	Nufarm UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	N/A	
				<i>Isoproturon</i>	<i>500 g/l</i>					
Barclay Clinch XL	90168	Cheminova A/S	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Barclay Gallup	02044	Barclay Chemicals Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Barclay Hurler	02724	Barclay Chemicals Ltd	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Binder	02469	DHM Agrochemicals	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Cameo SX	02210	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	N/A	
				<i>Tribenuron</i>	<i>500 g/kg</i>					
Clovotox	90415	Bayer Environmental Science SA	Herbicide			9.5 l/ha	9.5 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>142.5 g/l</i>					
Compitox Plus	92064	Nufarm UK Ltd	Herbicide			2.3 l/ha	2.3 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Cougar	90442	Bayer CropScience Limited	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Diflufenican</i>	<i>100 g/l</i>					
				<i>Isoproturon</i>	<i>500 g/l</i>					
Croplink Empire	03051	Croplink (Ireland) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Metsulfuron</i>	<i>200 g/kg</i>					
Crossfire 480	92050	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>										
Dow Shield	91664	Dow AgroSciences	Herbicide			1 l/ha	1 l/ha	-	N/A	
				<i>Clopyralid</i>	<i>200 g/l</i>					
Duplosan New	90538	Nufarm UK Ltd	Herbicide			2.3 l/ha	2.3 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Duplosan New	91667	Nufarm UK Ltd	Herbicide			2.3 l/ha	2.3 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Dursban WG	02540	Dow AgroSciences	Insecticide			1 kg/ha	1 kg/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>75 % w/w</i>					
Equity	92186	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Fieldgard	92234	Nufarm UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	N/A	
				<i>Isoproturon</i>	<i>500 g/l</i>					
Finy	02360	AgriChem B.V.	Herbicide			30 g/ha	30 g/ha	1	N/A	
				<i>Metsulfuron</i>	<i>200 g/kg</i>					
Flexidor 125	00638	Dow AgroSciences	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Isoxaben</i>	<i>125 g/l</i>					
Floxy	02825	Agriphar S.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Glyphos 480	00767	Cheminova A/S	Herbicide			4.5 l/ha	4.5 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>480 g/l</i>					
Lorate	02689	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Metsulfuron</i>	<i>200 g/kgs</i>					
M 50	00936	DHM Agrochemicals	Herbicide			3.5 l/ha	3.5 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Mastercrop 360	02773	Cardel Agro SPRL	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Mastercrop	02737	Hygeia Chemicals Ltd	Herbicide			2.3 l/ha	2.3 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>										
Mastercrop MCPA	92252	Hygeia Chemicals Ltd	Herbicide			3.5 l/ha	3.5 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Mizr	02772	Cardel Agro SPRL	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Mortone	91881	Hygeia Chemicals Ltd	Herbicide			5.5 l/ha	5.5 l/ha	-	N/A	
				<i>MCPA</i>	<i>300 g/l</i>					
Optica	00654	Hygeia Chemicals Ltd	Herbicide			2.3 l/ha	2.3 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Oxytril CM	90801	Bayer CropScience Limited	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>loxynil</i>	<i>200 g/l</i>					
				<i>Bromoxynil</i>	<i>200 g/l</i>					
Pride	01795	AgriChem B.V.	Herbicide			6 l/ha	6 l/ha	1	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Pride+	02102	Barclay Chemicals Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Rebel XT	03087	Farmco Agritrading Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Metsulfuron</i>	<i>20 % w/w</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Roundup Gold	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>450 g/l</i>					
Roundup Max	02285	Monsanto UK Ltd	Herbicide			3 kgs/ha	3 kgs/ha	-	N/A	
				<i>Glyphosate</i>	<i>679 g/kg</i>					
Scutchout 360	00769	Cheminova A/S	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Sipyrifos 48	91266	Agriphar S.A.	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>										
Starane 2	01807	Dow AgroSciences	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Fluroxypyr</i>	200 g/l					
Stellox	92138	Bayer CropScience Limited	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Bromoxynil</i>	200 g/l					
				<i>loxylinil</i>	200 g/l					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	400 g/l					
Tolkan Liquid	92255	Bayer CropScience Limited	Herbicide			5 l/ha	5 l/ha	-	N/A	
				<i>Isoproturon</i>	500 g/l					
Tomahawk	01803	Makhteshim Agan (UK)	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Fluroxypyr</i>	200 g/l					
Touchdown	01956	Syngenta Crop Protection UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	360 g/l					
Trigger	02709	DHM Agrochemicals	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	480 g/l					
<i>Oilseed Rape</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	21 days before harvest	
				<i>Azoxystrobin</i>	250 g/l					
<i>Onions</i>										
Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	16 kgs/ha	8 / crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	75 g/kg					
				<i>Mancozeb</i>	667 g/kg					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
				<i>Acionifen</i>	600 g/l					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				<i>Metalaxyl M</i>	37.5 g/l					
				<i>Chlorothalonil</i>	500 g/l					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Ridomil Gold MZ	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
<i>Onions - sets</i>										
Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
				<i>Aclonifen</i>	<i>600 g/l</i>					
<i>Parsley</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley Root</i>										
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	<i>400 g/l</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***



<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	4		10 days
Aramo	03099	BASF plc	Herbicide	Tepraloxym	50 g/l	1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
Comrade	90350	United Phosphorus Limited	Herbicide	Chlorpropham	400 g/l	4.2 l/ha	4.2 l/ha	1		
Corbel	90438	BASF plc	Fungicide	Fenpropimorph	750 g/l	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
Emerger	90569	Bayer CropScience Limited	Herbicide	Acifluorfen	600 g/l	2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	Tebuconazole	250 g/l	1.0 l/ha	3.0 l/ha	3	21 days before harvest	21 days
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	Fluazifop-P	125 g/l	3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
Karate Zeon	01475	Syngenta Crop Protection UK Ltd	Insecticide	lambda-Cyhalot	100 g/l	150 mls/ha	900 mls/ha	6	14 days before harvest	14 days
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide	Mancozeb	750 g/kg	2.25 kgs/ha	-	-	7 days before harvest	7 days
Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide	Metalaxyl M	465.2 g/l	1.3l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
Sencorex WG	91237	Bayer CropScience Limited	Herbicide	Metribuzin	70 %w/w	300 g/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	60 days
Signum	02835	BASF plc	Fungicide	Boscalid	26.7	1.0 kgs/ha	2.0 kgs/ha	2	14 days before harvest	14 days
				Pyraclostrobin	6.7 %w/w					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>										
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Peppers - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insectic			50 mls/product/100 mls water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.04 kg/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Potatoes - stored -</i>										
Sumi-Alpha	00554	Sumitomo Chemical Agro Europe SA	Insecticide							
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Potatoes - Ware crops</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
<i>Radish</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
				<i>Tepraloxymid</i>	<i>50 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product</i>	<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
<i>Rosemary</i>	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Sage</i>	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Salsify</i>	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Shallot</i>	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Spinach</i>	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Spinach Beet</i>	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Nimrod	90789	Makhteshim Agan (UK)	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
<i>Strawberries - protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insectic			50 mls/product/100 mls water	-	3	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Nimrod	90789	Makhteshim Agan (UK)	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls / 100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	42 days before harvest	42 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
<i>Thyme</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs / ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Tomatoes - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3 / crop	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>										
Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
				<i>Metsulfuron</i>	67 g/kg					
				<i>Thifensulfuron</i>	333 g/kg					
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
				<i>Thifensulfuron</i>	400 g/kg					
				<i>Metsulfuron</i>	40 g/kg					
Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
				<i>Thifensulfuron</i>	333 g/kg					
				<i>Metsulfuron</i>	67 g/kg					
<i>Turnip</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	42 days before harvest	42 days
				<i>Azoxystrobin</i>	250 g/l					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
				<i>Tepraloxydim</i>	50 g/l					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	250 g/l					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	400 g/l					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Willow</i>										
Barclay Clinch XL	90168	Cheminova A/S	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Barclay Gallup	02044	Barclay Chemicals Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Crossfire 480	92050	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Dow Shield	91664	Dow AgroSciences	Herbicide			1 l/ha	1 l/ha	-	N/A	
				<i>Clopyralid</i>	<i>200 g/l</i>					
Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Dursban WG	02540	Dow AgroSciences	Insecticide			1 kg/ha	1 kg/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>75 % w/w</i>					
Equity	92186	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>					
Falcon	00392	Makhteshim Agan (UK)	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Propaquizafop</i>	<i>100 g/l</i>					
Flexidor 125	00638	Dow AgroSciences	Herbicide			2 l/ha	2 l/ha	-	N/A	
				<i>Isoxaben</i>	<i>125 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			2.5 l/ha	2.5 l/ha	-	N/A	
				<i>Fluazifop-P</i>	<i>125 g/l</i>					
Glyfos 480	00767	Cheminova A/S	Herbicide			4.5 l/ha	4.5 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>480 g/l</i>					
Mastercrop 360	02773	Cardel Agro SPRL	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Mizr	02772	Cardel Agro SPRL	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Pride	01795	AgriChem B.V.	Herbicide			6 l/ha	6 l/ha	1	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					
Pride+	02102	Barclay Chemicals Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product</i>							<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>						
Roundup Gold	02624	Monsanto UK Ltd	Herbicide				6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>						
Roundup Gold	02623	Monsanto UK Ltd	Herbicide				4.8 l/ha	4.8 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>450 g/l</i>						
Roundup Max	02285	Monsanto UK Ltd	Herbicide				3 kgs/ha	3 kgs/ha	-	N/A	
				<i>Glyphosate</i>	<i>679 g/kg</i>						
Scutchout 360	00769	Cheminova A/S	Herbicide				6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>						
Sipyrifos 48	91266	Agriphar S.A.	Insecticide				1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>						
Starane 2	01807	Dow AgroSciences	Herbicide				2 l/ha	2 l/ha	-	N/A	
				<i>Fluroxypyr</i>	<i>200 g/l</i>						
Stomp 400 SC	02879	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1	Before crop	
				<i>Pendimethalin</i>	<i>400 g/l</i>						
Stratos Ultra	91348	BASF plc	Herbicide				4 l/ha	4 l/ha	-	N/A	
				<i>Cycloxydim</i>	<i>100 g/l</i>						
Touchdown	01956	Syngenta Crop Protection UK Ltd	Herbicide				6 l/ha	6 l/ha	-	N/A	
				<i>Glyphosate</i>	<i>360 g/l</i>						
Trigger	02709	DHM Agrochemicals	Insecticide				1.5 l/ha	1.5 l/ha	-	N/A	
				<i>Chlorpyrifos</i>	<i>480 g/l</i>						

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***