
Current list of off-label approvals for use on Food Crops as of *03 November 2015*

Warning: Off-Label Approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

<i>Crop</i>	<i>Product</i>					<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Apples</i>										
Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
Switch	03761	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Apples - Post harvest</i>										
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
				<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Asparagus</i>										
Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			100 mls per 100 litres water	-	5 per crop	2 days before harvest	2 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Baby leaf production</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
				<i>Chlorpropham</i>	<i>400 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest (protected crops), 21 days (field)	14 days (prote
				<i>Iprodione</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Baby leaf production</i>										
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Life Scientific La	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs / ha	3	7 days	
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
				<i>Mancozeb</i>	<i>64 %w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Baby leaf production</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Beans - broad</i>										
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Beans - field</i>										
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane 945	03705	Indofil Industries Limited	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Beans - french</i>										
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
				<i>Propaquizafop</i>	<i>100 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Beans - navy</i>											
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
				<i>Propaquizafop</i>	<i>100 g/l</i>						
<i>Beans - runner</i>											
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
				<i>S-Metolachlor</i>	<i>960 g/l</i>						
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
<i>Beet - fodder</i>											
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide				300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	300 mls/ha		30 days before harvest	30 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>						
Fortress	02364	Dow AgroSciences	Fungicide				0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
				<i>Quinoxifen</i>	<i>500 g/l</i>						
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide				300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Beet - red</i>										
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>										
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Beetroot</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide				0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific La	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide				10 kg/ha	20 kgs/ha	2	Last application before September	-
					<i>Sulphur</i>	<i>80 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Beetroot</i>										
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
				<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Blackberries</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
Basta	90216	Bayer CropScience Limited	Herbicide			3.75 l/ha	7.5 l/ha	2 per crop	N/A	
				<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			1.5 l/ha	-	4 per crop	7 days before harvest	7 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Blackberries</i>											
Spotlight Plus	03294	FMC Chemical s.p.l.	Herbicide				0.8 l/ha	1.6 l/ha	-	21 days before harvest	
Switch	03761	Syngenta UK Ltd	Fungicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>		1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>						
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>						
<i>Blackberries - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
Basta	90216	Bayer CropScience Limited	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>		3.75 l/ha	7.5 l/ha	2 per crop	N/A	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>		0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Tebuconazole</i>	<i>250 g/l</i>		1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>						
Masai	03585	BASF plc	Insecticide				375 gms/ha	375 g/ha	1 / year	21 days before harvest	
Switch	03761	Syngenta UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/kg</i>		1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>						
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Blackcurrants</i>											
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Basta	90216	Bayer CropScience Limited	Herbicide			3.75 l/ha	7.5 l/ha	2 per crop	N/A	
					<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Blackcurrants</i>										
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Blueberries</i>										
Basta	90216	Bayer CropScience Limited	Herbicide			3.75 l/ha	7.5 l/ha	2 per crop	N/A	
				<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
				<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebuconpyrad</i>	<i>200 g/kg</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Blueberries</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Broccoli</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
	Lentagran WP	03082	Belchim Crop Protection	Herbicide	<i>Iprodione</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	0.5 kgs/m³	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M Mancozeb</i>	<i>4.0 %w/w 64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Broccoli</i>										
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Brussel sprouts</i>										
Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
				<i>Clomazone</i>	<i>360 g/l</i>					
Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
				<i>Acetamiprid</i>	<i>20 %w/w</i>					
Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			85 g/ha	255 g/ha	3 / crop	1 day before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Bush/Cane fruit plantations</i>										
Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
				<i>Pendimethalin</i>	<i>365 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			4 l/ha	10 l/ha		28 days pre harvest	28 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days	
Butisan S	90342	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Clomazone</i>	<i>360 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
Movento	04101	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Pymetrozine</i>	<i>50 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>		1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>		0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>		1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>		0.5 kgs/m ³	-	-	Pre-planting	
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST</i> <i>BIPESCO 5/F52</i>	<i>2% w/w</i>		1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>		5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>		10 l/ha	-	every 7 days		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>		165 mls/ha	330 mls/ha	2	7 days pre harvest	
Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>		4.0 l/ha	4.0 l/ha	-	Before planting	
				<i>Pendimethalin</i> <i>Dimethenamid-P</i>	<i>250g/l</i> <i>212.5 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Calabrese</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
	Lentagran WP	03082	Belchim Crop Protection	Herbicide	<i>Iprodione</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	0.5 kgs/m³	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M Mancozeb</i>	<i>4.0 %w/w 64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Calabrese</i>										
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	21 days before harvest	21 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta UK Ltd	Insecticide			420 g/ha			14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha		Pre-emergence of crop	
				<i>Metazachlor</i>	<i>500 g/l</i>					
Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
				<i>Metconazole</i>	<i>60 g/l</i>					
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha		Before GS 69	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Euro Lambda 100	05137	Euro Chemicals s.r.o.	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
				<i>Propaquizafop</i>	<i>100 g/l</i>					
Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
				<i>Boscalid</i>	<i>50 % w/w</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.5 l/ha	-	Up to and including most seeds green stage	
				<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>										
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			1.5 l/ha	3.0 l/ha	2 per crop	Before first flower bud visible stage	
Galera	05188	Dow AgroSciences	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
Galileo	03015	DuPont (UK) Ltd	Fungicide	<i>Clopyralid</i> <i>Picloram</i>	<i>267 g/l</i> <i>67 g/l</i>	1.0 l/ha	1.0 l/ha	1 per crop	Before GS 69	
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide	<i>Picoxystrobin</i>	<i>250 g/l</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
Magnello	04118	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
Plenum	02238	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
Proline	03786	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
Prosaro	02106	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
				<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>12.8 % w/w</i> <i>12.8 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Reglone	02453	Syngenta UK Ltd	Dessicant				3.0 l/ha	3.0 l/ha	-	-	
Salsa	04725	DuPont (UK) Ltd	Herbicide	<i>Diquat (dibromide)</i>	<i>200 g/l</i>		25 g/ha	25 g/ha	-	90 days before harvest	90 days
Tebucur 250 EW	04827	Helm AG Ltd	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>		1.0 l/ha	2.0 l/ha	-	Before GS 65	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>		1.0 l/ha	2.0 l/ha	-	Before GS65	
				<i>Tebuconazole</i>	<i>250 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	21 days before harvest	21 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta UK Ltd	Insecticide			420 g/ha			14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
				<i>Propyzamide</i>	<i>400 g/l</i>					
Barclay Propyzafl	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
				<i>Propyzamide</i>	<i>400 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	2.0 l/ha		Before end of January in year of harvest	
				<i>Metazachlor</i>	<i>500 g/l</i>					
Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
				<i>Metconazole</i>	<i>60 g/l</i>					
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Euro Lambda 100	05137	Euro Chemicals s.r.o.	Insecticide			75 ml/ha	225 ml/ha	4	Before GS 69	
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
				<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
Filan	04325	BASF plc	Fungicide				0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
				<i>Boscalid</i>	<i>50 % w/w</i>						
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.5 l/ha	-	Up to and including most seeds green stage	
				<i>Tebuconazole</i>	<i>250 g/l</i>						
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				1.5 l/ha	3.0 l/ha	2 per crop	before first flower bud visible stage	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>						
Galera	05188	Dow AgroSciences	Herbicide				0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
				<i>Picloram</i>	<i>67 g/l</i>						
Galileo	03015	DuPont (UK) Ltd	Fungicide				1.0 l/ha	1.0 l/ha	1 per crop	Before GS 69	
				<i>Clopyralid</i>	<i>267 g/l</i>						
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide				300 mls/ha	1200 mls/ha	-	Before GS 69	
				<i>Picoxystrobin</i>	<i>250 g/l</i>						
Judo	05035	Cheminova A/S	Herbicide				2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	4	Before GS 69	
				<i>Propyzamide</i>	<i>400 g/l</i>						
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	225 ml/ha	4	Before end of flowering	
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Kerb 50 W	02831	Dow AgroSciences	Herbicide				1.7 kg/ha	1.7 kg/ha	1 per crop	Before 1st February in year of harvest	
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Kerb Flo	02830	Dow AgroSciences	Herbicide				2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
				<i>Propyzamide</i>	<i>50 %w/w</i>						
				<i>Propyzamide</i>	<i>400 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>										
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Metazachlor</i> <i>Quinmerac</i>	<i>375 g/l</i> <i>125 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Difenoconazole</i> <i>Tebuconazole</i>	<i>100 g/l</i> <i>250 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
Plenum	02238	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
Proline	03786	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
Prosaro	02106	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>12.8 % w/w</i> <i>12.8 %w/w</i>	2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
Reglone	02453	Syngenta UK Ltd	Dessicant	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	3.0 l/ha	3.0 l/ha	-	-	
Salsa	04725	DuPont (UK) Ltd	Herbicide	<i>Diquat (dibromide)</i>	<i>200 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days
Tebucur 250 EW	04827	Helm AG Ltd	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
				<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
Teridox	04902	Syngenta UK Ltd	Herbicide	<i>Dimethachlor</i>	<i>500 g/l</i>		2.0 l/ha	2.0 l/ha	-	Pre-emergence	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Carrots</i>										
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	28 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Fazor Star	03729	Chemtura Europe Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
				<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
				<i>Metribuzin</i>	<i>600 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Cauliflowers</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Celeriac</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
Decis	02693	Bayer CropScience Limited	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd	Herbicide	<i>Deltamethrin</i>	<i>25 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Life Scientific La	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Celeriac</i>										
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
Sencorex Flow	04361	Bayer CropScience Limited	Herbicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	10 l/ha	-	every 7 days		0 days
Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Celery - Field</i>										
Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific La	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Celery - Field</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Sparviero	04469	Oxon Italia SpA	Insecticide				50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>						
<i>Celery - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10.0 l/ha	200.0 l/ha		-	-
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
<i>Cherries</i>											
Basta	90216	Bayer CropScience Limited	Herbicide				3.75 l/ha	7.5 l/ha	2 per crop	N/A	
				<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>						
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.312 l/ha	0.625 l/ha	-	14 days before harvest	14 days
				<i>Thiacloprid</i>	<i>480 g/l</i>						
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide				2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>						
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Signum	03799	BASF plc	Fungicide				0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
Systhane 20 EW	03693	Dow AgroSciences	Fungicide				0.68 l/ha	2.33 l/ha	-	21 days before harvest	21 days
				<i>Myclobutanil</i>	<i>200 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Chives</i>										
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
				<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
				<i>Spinosad</i>	<i>480 g/l</i>					
<i>Collards</i>										
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
				<i>Clomazone</i>	<i>360 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Coriander</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Courgettes - Field</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
				<i>Clomazone</i>	<i>360 g/l</i>					
Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>										
Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	2 days before harvest	2 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1,34% w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Cranberries</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Masai	03585	BASF plc	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m³	-	-	Pre-planting	
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>						
Life Scientific Azo	04405	Life Scientific Limited	Fungicide				80ml per 100L water		3 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Microthiol Special	90548	UPL Europe Ltd	Fungicide				0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>						
Oberon	02529	Bayer CropScience Limited	Insecticide				50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>						
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>						
Revus	02789	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>						
<i>Damsons</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
<i>Dill</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Endives</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	0.5 kgs/m³	-	-	Pre-planting	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>										
Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Linuron</i>	<i>450 g/l</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Forestry</i>										
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Grazon 90	04261	Dow AgroSciences	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
				<i>Triclopyr</i>	<i>240 g/l</i>					
				<i>Clopyralid</i>	<i>60 g/l</i>					
Grazon Pro	05182	Dow AgroSciences	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
				<i>Triclopyr</i>	<i>240.0 g/l</i>					
				<i>Clopyralid</i>	<i>60.0 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
				<i>Pendimethalin</i>	<i>365 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Garlic</i>										
Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Garlic</i>										
Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	10 l/ha	-	every 7 days		0 days
Stomp 400 SC	02879	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Vertik	04030	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
Wing P	03590	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Gherkin - protected</i>										
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Gooseberries</i>											
	Basta	90216	Bayer CropScience Limited	Herbicide	<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>	3.75 l/ha	7.5 l/ha	2 per crop	N/A	
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide	<i>Flazasulfuron</i>	<i>25 % w/w</i>	120 g/ha	120 g/ha	1 per year	Before bud burst	
	Corbel	90438	BASF plc	Fungicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.4 kg per 1000L water	-	-	28 days before harvest	28 days
	Masai	03585	BASF plc	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Gooseberries</i>										
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
				<i>Dodine</i>	<i>40 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Grassland - amenity</i>										
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls / ha	2 / year	N/A	
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	200 l/ha	Every 7 days to harvest		
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	3 days before harvest	3 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
				<i>Chlorpropham</i>	<i>400 g/l</i>					
Datura	04456	UPL Europe Ltd	Herbicide			1.2 l/ha	1.2 l/ha	-	Pre-emergence	
				<i>Linuron</i>	<i>500 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
				<i>Propyzamide</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Herbs - field</i>											
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific La	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>						
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>						
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
PDM 330 EC	03582	BASF plc	Herbicide				4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>						
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>						
Rovral WG	02729	BASF plc	Fungicide				0.33 kgs/ha	-	3	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>						
Scala	03916	BASF plc	Fungicide				1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1,34% w/w</i>						
Signum	03799	BASF plc	Fungicide				1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
Sparviero	04469	Oxon Italia SpA	Insecticide				75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Stomp 400 SC	02879	BASF plc	Herbicide				3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Herbs - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide							
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
				<i>Chlorpropham</i>	<i>400 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insectici			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest	14 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling/ before	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>	
<i>Herbs - Protected</i>											
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*			35 days before harvest	35 days
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>						
				<i>Mancozeb</i>	<i>64 %w/w</i>						
Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3		14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>						
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-		14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>						
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-		14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per year		3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Horseradish</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific La	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Horseradish</i>										
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>						
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>						
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific La	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>						
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Sparviero	04469	Oxon Italia SpA	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide				0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Kale</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha		-	
				<i>Pendimethalin</i>	<i>400 g/l</i>						
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>						
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>						
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide				0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
				<i>Clomazone</i>	<i>360 g/l</i>						
Lentagran WP	03082	Belchim Crop Protection	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>						
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>						
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>						
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>						
Score 250 EC	00329	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>						
Tracer	02649	Dow AgroSciences	Insecticide				200 mls/ha	800 mls/ha	4		3 days
				<i>Spinosad</i>	<i>480 g/l</i>						
				<i>Spinosad</i>	<i>480 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Kohl-rabi</i>										
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.5 kgs/m³	-	-	Pre-planting	
Movento	04101	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	10 l/ha	-	every 7 days		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Basagran	02341	BASF plc	Herbicide			0.75 l/ha	1.5 l/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.4 kg/ha	0.8 kg/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha		8 weeks before harvest	8 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection	Herbicide			2.0 kg/ha	2.0 kg/ha	1	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Leeks</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Wing P	03590	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>						
				<i>Pendimethalin</i>	<i>250g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Lettuce - Field</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Life Scientific Azo	04405	Life Scientific Limited	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Lettuce - Field</i>										
Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insectici	<i>Azoxystrobin</i>	<i>250 g/l</i>	50 mls/product/100 litres water	-	4	14 days before harvest	14 days
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Abamectin</i>	<i>18 g/l</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Kerb Flo	02830	Dow AgroSciences	Herbicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
Life Scientific Azo	04405	Life Scientific Limited	Fungicide	<i>Propyzamide</i>	<i>400 g/l</i>	1.0 l/ha	1.0 l/ha	1 per crop	7 days after transplanting	
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.5 kgs/m³	-	-	Pre-planting	
Paraat	03614	BASF plc	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
Scala	03916	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	10 l/ha	-	every 7 days		0 days
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>										
Tracer	02649	Dow AgroSciences	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
<i>Linseed</i>										
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha*	1.5 l/ha*	-	Before 10th true leaf stage*	
Devrinol	91627	UPL Europe Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	2.8 l/ha	2.8 l/ha	-	Pre-emergence	
				<i>Napropamide</i>	<i>450 g/l</i>					
<i>Loganberries</i>										
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Masai	03585	BASF plc	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Lupins</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.75 l/ha	3.75 l/ha		Pre crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>						
PDM 330 EC	03582	BASF plc	Herbicide				4.5 l/ha	4.5 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Stomp Aqua	03750	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>						
<i>Maize - Forage - Open ground</i>											
Comet	02354	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
				<i>Pyraclostrobin</i>	<i>250 g/l</i>						
Comet 200	03696	BASF plc	Fungicide				1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>						
Modem	02355	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
				<i>Pyraclostrobin</i>	<i>250 g/l</i>						
Modem 200	03695	BASF plc	Fungicide				1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>						
<i>Maize - Forage - under plastic</i>											
Comet 200	03696	BASF plc	Fungicide				1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>						
Modem	02355	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
				<i>Pyraclostrobin</i>	<i>250 g/l</i>						
Modem 200	03695	BASF plc	Fungicide				1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Maize - Grain - open ground</i>											
Comet	02354	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>		1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
<i>Mange Tout Peas</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>		10 l/ha	-	every 7 days		0 days
<i>Mangolds</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>		10 l/ha	-	every 7 days		0 days
<i>Marrows</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>		1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>		3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>		10 l/ha	-	every 7 days		0 days
<i>Melon - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>		1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>		6 mls per sq m	9 mls per sq m	-	Before transplanting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Mint</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>						
<i>Narcissi</i>											
Bravo 500	03452	Syngenta UK Ltd	Fungicide				100ml product/ 100 litres water	100ml product/ 100 litres water		Pre-planting	
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide				0.125 l/100 litres water	-	1	Before planting	
				<i>Thiabendazole</i>	<i>220 g/l</i>						
<i>Oilseed Rape - spring</i>											
Galera	05188	Dow AgroSciences	Herbicide				0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
				<i>Clopyralid</i>	<i>267 g/l</i>						
Proline	03786	Bayer CropScience Limited	Fungicide				0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
				<i>Picloram</i>	<i>67 g/l</i>						
				<i>Prothioconazole</i>	<i>250 g/l</i>						
Prosaro	02106	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
				<i>Prothioconazole</i>	<i>12.8 % w/w</i>						
				<i>Tebuconazole</i>	<i>12.8 %w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Starane Hi-Load H	04549	Dow AgroSciences	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Onions</i>										
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
Valbon	03411	Certis Europe BV	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
				<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
Vertik	04030	Syngenta UK Ltd	Fungicide	<i>Mancozeb</i>	<i>700 g/kg</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Wing P	03590	BASF plc	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Onions - salad</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	21 days before harvest	21 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Basagran	02341	BASF plc	Herbicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
				<i>Bentazone</i>	<i>480 g/l</i>					
Basagran SG	05192	BASF plc	Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
				<i>Bentazone</i>	<i>870 g/kg</i>					
Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Onions - salad</i>										
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	10 l/ha	-	every 7 days		0 days
Signum	03799	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
Stomp Aqua	03750	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
Switch	03761	Syngenta UK Ltd	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
Vertik	04030	Syngenta UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
Wing P	03590	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>										
Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Dow Shield 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
				<i>Clopyralid</i>	<i>100 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
				<i>Pendimethalin</i>	<i>365 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
				<i>Clopyralid</i>	<i>200 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>										
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>										
7C Chlormequat	04744	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
				<i>Chlormequat</i>	<i>750 g/l</i>					
Azaka	05218	Cheminova A/S	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Barclay Holdup 75	04743	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
				<i>Chlormequat</i>	<i>750 g/l</i>					
CeCeCe 750	04736	BASF plc	Growth Regulator			465 ml in 10 litre water	465 ml in 10 litre water	-	-	
				<i>Chlormequat</i>	<i>750 g/l</i>					
Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Nautila DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
				<i>Mancozeb</i>	<i>68% w/w</i>					
				<i>Cymoxanil</i>	<i>5% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>600 g/kg</i>					
Sipcam C50WG	04494	Oxon Italia SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>50% w/w</i>					
Stabilan 750	04767	Nufarm UK Limited	Growth Regulator			465ml in 10 L water	465ml in 10 L water	-		
				<i>Chlormequat</i>	<i>750 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Parsley - Field</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Revus	02789	Syngenta UK Ltd	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>										
Revus	02789	Syngenta UK Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Parsley Root</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>						
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>						
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>						
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>						
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific La	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>						
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Parsley Root</i>										
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
	Coragen	03079	DuPont (UK) Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
	Corbel	90438	BASF plc	Fungicide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Decis	02693	Bayer CropScience Limited	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Deltamethrin</i>	<i>25 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
	Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	100 mls/ha	100 mls/ha	-	28 days before harvest	28 days
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
	Fazor Star	03729	Chemtura Europe Ltd	Growth Regulator	<i>Mancozeb</i>	<i>75% w/w</i>	5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Maleic hydrazide</i>	<i>600 g/kg</i>	3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
	Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.01kgs/5 litres water	-	2	-	0 days
	Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.3 kg/ha	0.9 kg/ha	3 per crop	21 days before harvest	21 days
	Rudis	04665	Bayer CropScience Limited	Fungicide	<i>Trifloxystrobin</i> <i>Tebuconazole</i>	<i>250 g/kg</i> <i>500 g/kg</i>	0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Parsnips</i>										
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Crop Product						Max	Max.	Max No	Latest	
Name	PCS No	Company Nam	Function	Substance	Content	Ind.	Total	of Applic's:	Time of	PHI:
Pears										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	14 days before harvest	14 days
				Thiacloprid	480 g/l					
Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator			75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	
				6-benzyladenine	20.0 g/l					
				6-benzyladenine	20.0 g/l					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
				Tebuconazole	250 g/l					
Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
				Tebufenpyrad	200 g/kg					
Scala	03916	BASF plc	Fungicide			1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
				Pyrimethanil	400 g/l					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
				Difenoconazole	250 g/l					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				Bacillus subtilis	1.34% w/w					
Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				Fludioxonil	25.0 % w/w					
				Cyprodinil	37.5 % w/w					
Peas - combining										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				Bacillus subtilis	1.34% w/w					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
				Esfenvalerate	25 g/l					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Peas - vining</i>										
Digital	03147	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Peppers - Chilli - Protected</i>										
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Peppers - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insectici			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			6 mls per sq m	9 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Plums</i>											
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Signum	03799	BASF plc	Fungicide				0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
<i>Potatoes - Seed crops</i>											
Amistar Opti	03408	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
Curator	04504	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Vertik	04030	Syngenta UK Ltd	Fungicide				0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
				<i>Azoxystrobin</i>	<i>100 g/l</i>						
				<i>Chlorothalonil</i>	<i>500 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Potatoes - Ware crops</i>											
Amistar Opti	03408	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
Curator	04504	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Vertik	04030	Syngenta UK Ltd	Fungicide				0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
				<i>Azoxystrobin</i>	<i>100 g/l</i>						
<i>Pumpkins - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
<i>Radicchio</i>											
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific La	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Radish</i>										
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Rape - fodder</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Raspberries</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
Basta	90216	Bayer CropScience Limited	Herbicide			3.75 l/ha	7.5 l/ha	2 per crop	N/A	
				<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Raspberries - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
Basta	90216	Bayer CropScience Limited	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.75 l/ha	7.5 l/ha	2 per crop	N/A	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>	0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
Masai	03585	BASF plc	Insecticide	<i>Tebuconazole</i>	<i>250 g/l</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
Switch	03761	Syngenta UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/kg</i>	1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	Basta	90216	Bayer CropScience Limited	Herbicide	<i>Clofentezine</i>	<i>500 g/l</i>	3.75 l/ha	7.5 l/ha	2 per crop	N/A	
					<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Redcurrants</i>										
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
<i>Rhubarb</i>										
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Rocket</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Rosemary</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Roses</i>										
Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
				<i>Dodine</i>	<i>40 %w/w</i>					
<i>Rubus Hybrid</i>										
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Rye - spring</i>										
Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
				<i>Picoxystrobin</i>	<i>80 g/kg</i>					
				<i>Cyprodinil</i>	<i>300 g/kg</i>					
Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		Before GS 85	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
				<i>Picoxystrobin</i>	<i>250 g/l</i>					
Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Rye - winter</i>										
Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
				<i>Picoxystrobin</i>	<i>80 g/kg</i>					
				<i>Cyprodinil</i>	<i>300 g/kg</i>					
Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
				<i>Picoxystrobin</i>	<i>250 g/l</i>					
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
				<i>Deltamethrin</i>	<i>25 g/l</i>					
K 2	92087	Taminco BVBA.	Growth Regulator			1.8 l/ha	1.8 l/ha			
				<i>Chlormequat</i>	<i>620 g/l</i>					
Mircam Super	02097	Nufarm UK Limited	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
				<i>Dicamba</i>	<i>2.8 %w/w</i>					
				<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
				<i>MCPA</i>	<i>22.6 %w/w</i>					
Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Sage</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Salsify</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>						
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>						
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>25 g/l</i>						
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>						
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>						
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific La	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>						
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Salsify</i>											
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1		
				<i>Pendimethalin</i>	<i>330 g/l</i>						
Score 250 EC	00329	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>						
Sparviero	04469	Oxon Italia SpA	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Stomp 400 SC	02879	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>						
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>						
Switch	03761	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>						
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>						
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide				0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Shallot</i>											
Amistar Opti	03408	Syngenta UK Ltd	Fungicide				2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
Bravo 500	03452	Syngenta UK Ltd	Fungicide				2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
Curator	04504	Syngenta UK Ltd	Fungicide				2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>						
				<i>Azoxystrobin</i>	<i>80 g/l</i>						
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
				<i>Prosulfocarb</i>	<i>800 g/l</i>						
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>						
Folio Gold	02363	Syngenta UK Ltd	Fungicide				2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>						
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>						
Grisu	04836	Oxon Italia SpA	Fungicide				1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
				<i>Iprodione</i>	<i>500 g/l</i>						
Jupital	04503	Syngenta UK Ltd	Fungicide				2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Lentagran WP	03082	Belchim Crop Protection	Herbicide				2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
				<i>Pyridate</i>	<i>45 % w/w</i>						
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Rovral WG	02729	BASF plc	Fungicide				0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Shallot</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
				<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
				<i>Mancozeb</i>	<i>700 g/kg</i>					
Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>										
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Spinach</i>										
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific La	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>		<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Spinach</i>											
Tracer	02649	Dow AgroSciences	Insecticide				200 mls/ha	600 mls/ha	3		3 days
Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>		5 l/ha	5 l/ha	1	Pre-emergence	
				<i>Lenacil</i>	<i>440 g/l</i>						
<i>Spinach Beet</i>											
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>						
Tracer	02649	Dow AgroSciences	Insecticide				200 mls/ha	600 mls/ha	3		3 days
Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>		5 l/ha	5 l/ha	1	Pre-emergence	
				<i>Lenacil</i>	<i>440 g/l</i>						
<i>Squash - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3.0 l/ha	12. 0 l/ha	-	14 days before harvest	14 days
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Chess WG	03365	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Life Scientific Azo	04405	Life Scientific Limited	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Strawberries - protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
Aphox	90070	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
Basta	90216	Bayer CropScience Limited	Herbicide	<i>Pirimicarb</i>	<i>500 g/kg</i>	3.75 l/ha	7.5 l/ha	2 per crop	N/A	
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide	<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Etoazole</i>	<i>110 g/l</i>	0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
Chess WG	03365	Syngenta UK Ltd	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insectici	<i>Pymetrozine</i>	<i>50 %w/w</i>	50 mls/product/100 litres water	-	3	3 days before harvest	3 days
Fortress	02364	Dow AgroSciences	Fungicide	<i>Abamectin</i>	<i>18 g/l</i>	0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
Life Scientific Azo	04405	Life Scientific Limited	Fungicide	<i>Quinoxifen</i>	<i>500 g/l</i>	1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
Masai	03585	BASF plc	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Tebuconpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max</i>	<i>Max.</i>	<i>Max No</i>	<i>Latest</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Ind.</i>	<i>Total</i>	<i>of Applic's:</i>	<i>Time of</i>	<i>PHI:</i>
<i>Strawberries - protected</i>										
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					

Warning Off-Label approvals:
The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific La	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Swedes</i>										
Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
				<i>Prothioconazole</i>	<i>480 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Sweetcorn</i>										
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Thyme</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2/crop	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Curzate M WG	02110	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	3 per crop	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>68 %w/w</i>					
				<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
Dithane 945	03705	Indofil Industries Limited	Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Electis 75 WG	01821	Gowan Comercio Internacional e Servicos Limitida	Fungicide			1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
				<i>Zoxamide</i>	<i>8.3 %w/w</i>					
				<i>Mancozeb</i>	<i>66.7 %w/w</i>					
Life Scientific Azo	04405	Life Scientific Limited	Fungicide			100 ml per 100L water		3 per crop	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>										
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.2L per 100L water	-	6 per crop	2 days before harvest	2 days
Option	04722	DuPont (UK) Ltd	Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Cymoxanil</i>	<i>600 g/kg</i>	0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
Revus	02789	Syngenta UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	2.5 kg/ha	7.5 kg/ha	-	3 days before harvest	3 days
Scala	03916	BASF plc	Fungicide	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.3 l/ha	0.9 l/ha	3 per crop		3 days
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i> <i>Fenhexamid</i>	<i>465.2 g/l</i> <i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Triticale</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
	Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before 1st node	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05318	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	-	Before GS22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dow MCPA Amin	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Triticale</i>										
Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
Easel	04617	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.2 l/ha	2.2 l/ha	-	Before GS 31	
Empire Supreme	05061	Croplink (Ireland) Ltd	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	100 g/ha	100 g/ha	1 per crop	Before GS 39	
Finish SX	02329	DuPont (UK) Ltd	Herbicide	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>40 g/kg</i> <i>400 g/kg</i>	75 g/ha	75 g/ha	1	Before GS 39	
Galileo	03015	DuPont (UK) Ltd	Fungicide	<i>Thifensulfuron methyl</i> <i>Metsulfuron (-methyl)</i>	<i>333 g/kg</i> <i>67 g/kg</i>	1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide	<i>Picoxystrobin</i>	<i>250 g/l</i>	250 mls/ha	750 mls/ha	-	Before GS 85	
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide	<i>Deltamethrin</i>	<i>25 g/l</i>	100 g/ha	100 g/ha	1	Before GS 39	
K 2	92087	Taminco BVBA.	Growth Regulator	<i>Thifensulfuron methyl</i> <i>Metsulfuron (-methyl)</i>	<i>400 g/kg</i> <i>40 g/kg</i>	1.8 l/ha	1.8 l/ha			
Larke	04185	Nufarm UK Limited	Herbicide	<i>Chlormequat</i>	<i>620 g/l</i>	2.2 l/ha	2.2 l/ha	-	Before GS 31	
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	3.3 l/ha	3.3 l/ha	2	Before GS 31	
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	-	Before GS 31	
MCPA 50	04170	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha		Before GS 31	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Triticale</i>										
Mircam Super	02097	Nufarm UK Limited	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
				<i>MCPA</i>	<i>22.6 %w/w</i>					
				<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
				<i>Dicamba</i>	<i>2.8 %w/w</i>					
NU46	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	-
				<i>MCPA</i>	<i>500 g/l</i>					
Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
POL-MCPA 500 S	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
				<i>MCPA</i>	<i>500 g/l</i>					
Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
				<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
				<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
	Dursban 4	90541	Dow AgroSciences	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide	<i>Chlorpyrifos</i>	<i>480 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific La	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Turnip</i>										
Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
				<i>Prothioconazole</i>	<i>480 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Whitecurrants</i>										
Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
Basta	90216	Bayer CropScience Limited	Herbicide	<i>Clofentezine</i>	<i>500 g/l</i>	3.75 l/ha	7.5 l/ha	2 per crop	N/A	
CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Glufosinate (- ammonium)</i>	<i>200 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	1 per year	Before bud burst	
Corbel	90438	BASF plc	Fungicide	<i>Flazasulfuron</i>	<i>25 % w/w</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	1.4 kg per 1000L water	-	-	28 days before harvest	28 days
Masai	03585	BASF plc	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>									
<i>Name</i>	<i>PCS No</i>	<i>Company Nam</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of Applic's:</i>	<i>Latest Time of</i>	<i>PHI:</i>
<i>Whitecurrants</i>										
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1,34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.