

Chapter 10

List of products/crops for which off label approvals have been granted up to 1/1/12

Current list of off-label approvals as of

27 February 2012

Warning: Off-Label Approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>										
Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>										
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	4.0 l/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	2	3 days before harvest	3 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
				<i>Propyzamide</i>	<i>400 g/l</i>					
Paraat	03614	BASF plc	Fungicide			2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs / ha	3	7 days	
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	2	21 days before harvest	21 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	6	3 days before harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Beans - broad</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>										
CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide			3.0 l/ha	6.0 l/ha	2	56 days pre-harvest	56 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	pre emergence	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Orchid B	03369	Croplink (Ireland) Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Beans - french</i>										
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beans - runner</i>										
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>										
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
				<i>Pyraclostrobin</i>	<i>133 g/l</i>					
				<i>Epoxiconazole</i>	<i>50 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - red</i>										
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>										
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
				<i>Pyraclostrobin</i>	<i>133 g/l</i>					
				<i>Epoxiconazole</i>	<i>50 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			10 kg/ha	20 kgs/ha	2	Last application before September	-
				<i>Sulphur</i>	<i>80 %w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
				<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>										
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Paraat	03614	BASF plc	Fungicide			3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - Protected</i>										
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Blackcurrants</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
				<i>Acetamiprid</i>	<i>20 %w/w</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			85 gms/ha	255 g/ha	3 / crop	1 day before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					
<i>Bush/Cane fruit plantations</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			4 l/ha	10 l/ha		28 days pre harvest	28 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2	14 days	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
Butisan S	90342	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide				4 kgs/ha	4 kgs/ha	1	14 days before harvest	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Movento	04101	Bayer CropScience Limited	Insecticide				0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Infinito	02532	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
				<i>Propamocarb</i>	<i>625 g/l</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	10 l/ha	-	every 7 days		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
Tracer	02649	Dow AgroSciences	Insecticide	<i>Esfenvalerate</i>	<i>25 g/l</i>					
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>										
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
				<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 28 days before harv	28 days
				<i>Metribuzin</i>	<i>70 %w/w</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	1	50 days pre harvest	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Cherries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.312 l/ha	0.625 l/ha	-	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Systhane 20 EW	03693	Dow AgroSciences	Fungicide			0.68 l/ha	2.33 l/ha	-	21 days before harvest	21 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	3	4.5 kgs/ha	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Collards</i>											
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Coriander</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>											
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	2 days before harvest	2 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Imaz 200 EC	03571	AgriChem B.V.	Fungicide			50 mls product / 100 litres water	-	3 / crop	72 hours before harvest	3 days
					<i>Imazalil</i>	<i>200 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Cranberries</i>											
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Damsons</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Dill</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	-	
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	N/A	
				<i>Linuron</i>	<i>450 g/l</i>					
Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	6.6 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-		
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Amistar Pro	01026	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Arelon 500	02457	Nufarm UK Limited	Herbicide			3.0 l/ha	3.0 l/ha	1		
				<i>Isoproturon</i>	<i>500 g/l</i>					
Aspect	02488	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
Aviator Xpro	03687	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>75 g/l</i>					
				<i>Prothioconazole</i>	<i>150 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Balear 720 SC	04411	Agriphar S.A.	Fungicide			1.4 l/ha	2.8 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>720 g/l</i>					
Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
				<i>Prochloraz</i>	<i>400 g/l</i>					
Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
				<i>Prochloraz</i>	<i>450 g/l</i>					
Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
				<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
				<i>Boscalid</i>	<i>25.2%w/w</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	3		
				<i>Ethofumesate</i>	<i>151 g/l</i>					
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Phenmedipham</i>	<i>60 g/l</i>					
				<i>Desmedipham</i>	<i>47g/l</i>					
				<i>Lenacil</i>	<i>27 g/l</i>					
				<i>Ethofumesate</i>	<i>75 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Boogie Xpro	03689	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Bixafen</i>	<i>50 g/l</i>					
				<i>Spiroxamine</i>	<i>250 g/l</i>					
				<i>Prothioconazole</i>	<i>100 g/l</i>					
Boxer	02048	Dow AgroSciences	Herbicide			0.15 l/ha	0.15 l/ha	-	N/A	
				<i>Florasulam</i>	<i>50 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	N/A	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
C50	02153	Sipcam U.K. Ltd	Fungicide			0.24 kg/ha	0.96 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>50 %w/w</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Flufenacet</i>	<i>480 g/kg</i>					
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
				<i>Thifensulfuron (-methyl)</i>	<i>400 g/kg</i>					
				<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
				<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
Callisto	02587	Syngenta Crop Protection UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
				<i>Mesotrione</i>	<i>100 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
				<i>Thifensulfuron (-methyl)</i>	<i>250 g/kg</i>					
				<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Cello	02766	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Spiroxamine</i>	<i>263 g/l</i>					
				<i>Prothioconazole</i>	<i>103 g/l</i>					
				<i>Tebuconazole</i>	<i>105 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Chess WG	03365	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.6 kg/ha	-	N/A	
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Chwastox 500 SL	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Contest	90578	BASF plc	Insecticide			100 ml/ha	260 ml/ha			
				<i>alpha-Cypermethrin</i>	<i>150 g/kg</i>					
Contrast	01028	DuPont (UK) Ltd	Fungicide			0.8 l/ha	2.05 l/ha	-	N/A	
				<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3 / season	N/A	
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
				<i>Fluoxastrobin</i>	<i>75 g/l</i>					
				<i>Prothioconazole</i>	<i>150 g/l</i>					
				<i>Trifloxystrobin</i>	<i>75 g/l</i>					
Credo	02503	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Picoxystrobin</i>	<i>100 g/l</i>					
Croplink Clopyralid	04171	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>					
Croplink MCPA 50	04371	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	N/A	
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Curzate M WG	02110	DuPont (UK) Ltd	Fungicide			2.5 kgs/ha	5 kgs/ha	2	N/A	
				<i>Mancozeb</i>	<i>68 %w/w</i>					
				<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
Cymbal 45	03345	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.5 kg/ha	6	14 days before harvest	14 days
				<i>Cymoxanil</i>	<i>45 %w/w</i>					
D50	02366	Nufarm UK Ltd	Herbicide							
				<i>2,4-D</i>	<i>500 g/l</i>					
Damine	02353	Agriphar S.A.	Herbicide			2.8 l/ha	2.8 l/ha	-	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
Decis EC	90496	Bayer CropScience Limited	Insecticide				500 mls/ha			
				<i>Deltamethrin</i>	<i>25 g/l</i>					
Depitox	02365	Nufarm UK Ltd	Herbicide			2.8 l/ha	2.8 l/ha	-	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
Devrinol	91627	United Phosphorus Limited	Herbicide			7.0 l/ha	7.0 l/ha	-	-	
				<i>Napropamide</i>	<i>450 g/l</i>					
Dithane 945	03705	Dow AgroSciences	Fungicide			2.0 kg/ha	16.0 kg/ha	8 per crop	7 days before harvest	7 days
				<i>Mancozeb</i>	<i>80 % w/w</i>					
Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide			5.0 kgs/ha	10 kgs/ha	2	N/A	
				<i>Methiocarb</i>	<i>3 %w/w</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls product / 100 litres water	N/A	-	N/A	
				<i>Abamectin</i>	<i>18 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Encore	02880	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>250 g/l</i>	5.0 l/ha	5.0 l/ha		N/A	
				<i>Isoproturon</i>	<i>125 g/l</i>					
Fandango	03787	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Fluoxastrobin</i>	<i>100 g/l</i>					
Fezan	03639	Sipcam U.K. Ltd	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	3 per year	N/A	
Fielder SE	04251	DuPont (UK) Ltd	Fungicide	<i>Proquinazid</i>	<i>25 g/l</i>	2.0 l/ha	4.0 l/ha	2		10 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fieldguard	02458	Nufarm UK Limited	Herbicide	<i>Isoproturon</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	1	-	-
Flexity	03225	BASF plc	Fungicide	<i>Metrafenone</i>	<i>300 g/l</i>	0.5 l/ha	1.0 l/ha	2	-	
Flurox 180	04302	Stockton Europe Ltd	Herbicide	<i>Fluroxypyr</i>	<i>180 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	3		
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>37.5 g/l</i>	2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide	<i>Quinoxifen</i>	<i>500 g/l</i>	0.3 l/ha	0.6 l/ha	3	N/A	
Frupica	02128	Certis Europe BV	Fungicide	<i>Mepanipyrim</i>	<i>449.4 g/l</i>	0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	6.0 l/ha	6.0 l/ha	1	-	
Galileo	03015	DuPont (UK) Ltd	Fungicide	<i>Picoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop		

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Globe	02088	Sipcam U.K. Ltd	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	2.0 kg/ha	12.0 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>6 %w/w</i>					
				<i>Mancozeb</i>	<i>70 %w/w</i>					
Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			5.0 l/ha	10.0 l/ha	2 / crop	Before weeds reach one true leaf stage	
				<i>Metamitron</i>	<i>700 g/l</i>					
Grail	02826	Nufarm UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Prochloraz</i>	<i>300 g/l</i>					
				<i>Tebuconazole</i>	<i>200 g/l</i>					
Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
				<i>Sulphur</i>	<i>800 g/l</i>					
Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Helix	03789	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2	N/A	
				<i>Prothioconazole</i>	<i>160 g/l</i>					
				<i>Spiroxamine</i>	<i>300 g/l</i>					
Hy-Flox 200	04365	Stockton Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kildock Extra	04364	Stockton Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Larke	04185	Nufarm UK Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-		
				<i>MCPA</i>	<i>750 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Lontrel 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>					
Lyric	00946	DuPont (UK) Ltd	Fungicide			0.8 l/ha	0.8 l/ha	1 / season	N/A	
				<i>Flusilazole</i>	<i>250 g/l</i>					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Mandarin Xpro	04556	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>60 g/l</i>					
				<i>Prothioconazole</i>	<i>200 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MB 500	91840	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	2		
				<i>Carbendazim</i>	<i>500 g/l</i>					
MCPA 50	04170	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Merit Turf	02896	Bayer SAS	Insecticide			30 kgs/ha	30 kgs/ha	1 / year	N/A	
				<i>Imidacloprid</i>	<i>0.5 %w/w</i>					
Mettle	03788	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-		
				<i>Prothioconazole</i>	<i>100 g/l</i>					
				<i>Fluoxastrobin</i>	<i>100 g/l</i>					
Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3	N/A	
				<i>Tebuconazole</i>	<i>500 g/kg</i>					
				<i>Trifloxystrobin</i>	<i>250 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
New Destrol	92258	Spray Chem Ltd	Herbicide			300 gms/200yds/year	300gms/200yds/year			
				<i>Amitrole (Aminotriazole)</i>	<i>40 %w/w</i>					
Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
				<i>Imazamox</i>	<i>16.7 g/l</i>					
				<i>Pendimethalin</i>	<i>250 g/l</i>					
Nortron 50 SC	02658	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.0 l/ha	1	N/A	
				<i>Ethofumesate</i>	<i>500 g/l</i>					
Orius 20 EW	02618	Makhteshim Agan (UK) Ltd	Fungicide			1.25 l/ha	3.75 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>200 g/l</i>					
Orius P	03222	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha		N/A	
				<i>Tebuconazole</i>	<i>133 g/l</i>					
				<i>Prochloraz</i>	<i>267 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Perfekthion	90831	BASF plc	Insecticide				1.7 l/ha			
				<i>Dimethoate</i>	<i>400 g/l</i>					
Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Folpet</i>	<i>500 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	-	
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
PP Captan 83	00164	Arysta Life Science S.A.S.	Fungicide			3.3 kg/ha	39.6 kg/ha	-	N/A	
				<i>Captan</i>	<i>830 g/kg</i>					
Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>250 g/l</i>					
Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	-	N/A	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Prosaro	02106	Bayer CropScience Limited	Fungicide			1.2 l/ha	3.6 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>12.8 %w/w</i>					
				<i>Prothioconazole</i>	<i>12.8 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Proxanil	03185	Agriphar S.A.	Fungicide			2.5 l/ha	15.0 l/ha	6	14 days before harvest	14 days
				<i>Cymoxanil</i>	<i>50 g/l</i>					
				<i>Propamocarb</i>	<i>400 g/l</i>					
Punch C	00536	DuPont (UK) Ltd	Fungicide			0.8 l/ha	1.25 l/ha			
				<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>					
Pyramin DF	91001	BASF plc	Herbicide			5.0 kgs/ha	5.0 kgs/ha	1	N/A	
				<i>Chloridazon</i>	<i>65 %w/w</i>					
Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>250 g/kg</i>					
Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
				<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
Retro	03712	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha		1		
				<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2.5 kgs/ha	7.5 kgs/ha	3	7 days pre harvest	
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
				<i>Mancozeb</i>	<i>64 %w/w</i>					
Ronstar Liquid	91181	Bayer CropScience Limited	Herbicide			8.0 l/ha	8.0 l/ha	1 / season	N/A	
				<i>Oxadiazon</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.67 kg/ha	2.67 kgs/ha	4	7 days before harvest	
				<i>Iprodione</i>	<i>750 g/kg</i>					
Salvo	04120	AgriChem B.V.	Herbicide			2.8 l/ha	2.8 l/ha	1 per year	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
Shirlan	00609	ISK Biosciences Europe N.V.	Fungicide			400 mls/ha	4.0 l/ha	10	7 days before harvest	
				<i>Fluazinam</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Siltra Xpro	04083	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>60 g/l</i>					
				<i>Prothioconazole</i>	<i>200 g/l</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Starane 2	01807	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	1	N/A	
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	N/A	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Talius	02216	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	N/A	
				<i>Proquinazid</i>	<i>200 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
				<i>Famoxadone</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Tepeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	14 days pre harvest	
				<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Tern 750 EC	00598	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2		
				<i>Fenpropidin</i>	<i>750 g/l</i>					
Thor	03991	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Tomahawk	01803	Makhteshim Agan (UK) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1		
				<i>Fluroxypyr</i>	<i>200 g/l</i>					
Topple 10	91432	SBM Development	Insecticide			500 mls/ha	1750 mls/ha/season	-	N/A	
				<i>Cypermethrin</i>	<i>100 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	800 ml/ha	4		
				<i>Spinosad</i>	<i>480 g/l</i>					
Trump	02881	BASF plc	Herbicide			5.5 l/ha	5.5 l/ha		N/A	
				<i>Pendimethalin</i>	<i>236 g/l</i>					
				<i>Isoproturon</i>	<i>236 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>160 g/l</i>					
				<i>Prochloraz</i>	<i>320 g/l</i>					
				<i>Proquinazid</i>	<i>40 g/l</i>					
Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 / season	N/A	
				<i>Lenacil</i>	<i>440 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2	-	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Volley	02807	Makhteshim Agan (UK) Ltd	Fungicide			400 mls/ha	4.0 l/ha	10	N/A	
				<i>Fluazinam</i>	<i>500 g/l</i>					
Whelehan Shield	04178	Whelehan Crop Protection	Herbicide			2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Wizard	03112	AgriChem B.V.	Herbicide			3.0 l/ha	9.0 l/ha	3		
				<i>Phenmedipham</i>	<i>80 g/l</i>					
				<i>Ethofumesate</i>	<i>100 g/l</i>					
Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
				<i>Trifloxystrobin</i>	<i>88 g/l</i>					
				<i>Prothioconazole</i>	<i>175 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Forestry</i>										
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>										
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	Before 7 leaf stage	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Gherkin - protected</i>										
Imaz 200 EC	03571	AgriChem B.V.	Fungicide			50 mls product / 100 litres water	-	3 / crop	72 hours before harvest	3 days
				<i>Imazalil</i>	<i>200 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
				<i>Sulphur</i>	<i>80 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Grassland - amenity</i>										
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls / ha	2 / year	N/A	
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	200 l/ha	Every 7 days to harvest		
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	3 days before harvest	3 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	
				<i>Propyzamide</i>	<i>400 g/l</i>					
Paraat	03614	BASF plc	Fungicide			2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide							
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2	Pre transplantation	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3	14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>										
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Inter row crops</i>										
Ronstar Liquid	91181	Bayer CropScience Limited	Herbicide			4.0 l/ha	8.0 l/ha	2	31st January	
				<i>Oxadiazon</i>	<i>250 g/l</i>					
<i>Jerusalem Artichoke</i>										
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			12 mls/product/plant	-	1	Pre planting - 6 leaf stage	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>										
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide			4 kg/ha	4 kg/ha	-	14 days before harvest	14 days
				<i>Methiocarb</i>	<i>3 %w/w</i>					
Movento	04101	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
				<i>Spirotetramat</i>	<i>150 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Butisan S	90342	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha		8 weeks before harvest	8 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	28 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 %w/w</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Paraat	03614	BASF plc	Fungicide			2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Proplant	01529	Agriphar S.A.	Fungicide			1.5 l/ha	4.5 l/ha	3	21 days pre harvest	21 days
				<i>Propamocarb</i>	<i>722 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					
<i>Loganberries</i>										
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1	Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Maize - Forage</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Contrast	01028	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days pre harvest	
					<i>Flusilazole</i>	<i>250 g/l</i>					
					<i>Carbendazim</i>	<i>125 g/l</i>					
	Lyric	00946	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days	
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Punch C	00536	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days before harvest	
					<i>Flusilazole</i>	<i>250 g/l</i>					
					<i>Carbendazim</i>	<i>125 g/l</i>					
	Sanction 25	01652	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	4 weeks before harvest	4 weeks
					<i>Flusilazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mange Tout Peas</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mangolds</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Marrows</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mint</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Narcissi</i>											
	Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			100ml product/ 100 litres water	100ml product/ 100 litres water			Pre-planting
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebuzate 220 SL	03836	AgriChem B.V.	Fungicide			0.125 l/100 litres water	-	1		Before planting
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>										
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		Before 5th leaf is visible	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 %w/w</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
				<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	21 days before harvest	21 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	28 days before harvest	28 days
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 %w/w</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Onions - sets</i>											
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Ornamental - bulbs-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Boxer	02048	Dow AgroSciences	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
				<i>Florasulam</i>	<i>50 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Proquinazid</i>	<i>25 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			100mls/100 litres water	100mls/100 litres water	1	Pre-planting	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Ethofumesate</i>	<i>151 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
				<i>Desmedipham</i>	<i>25 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1		6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>										
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
				<i>Famoxadone</i>	<i>250 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	-	
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-		
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
Amistar Pro	01026	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Aspect	02488	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
Aviator Xpro	03687	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per year	N/A	
				<i>Prothioconazole</i>	<i>150 g/l</i>					
				<i>Bixafen</i>	<i>75 g/l</i>					
Balear 720 SC	04411	Agriphar S.A.	Fungicide			1.4 l/ha	2.8 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>720 g/l</i>					
Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
				<i>Prochloraz</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
				<i>Prochloraz</i>	<i>450 g/l</i>					
Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
				<i>Boscalid</i>	<i>25.2%w/w</i>					
				<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Ethofumesate</i>	<i>151 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Boogie Xpro	03689	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>100 g/l</i>					
				<i>Bixafen</i>	<i>50 g/l</i>					
				<i>Spiroxamine</i>	<i>250 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha			
				<i>Metazachlor</i>	<i>500 g/l</i>					
C50	02153	Sipcam U.K. Ltd	Fungicide			0.24 kg/ha	0.96 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>50 %w/w</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
				<i>Flufenacet</i>	<i>480 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	-	
				<i>Thiacloprid</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Cello	02766	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>105 g/l</i>					
				<i>Spiroxamine</i>	<i>263 g/l</i>					
				<i>Prothioconazole</i>	<i>103 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Contrast	01028	DuPont (UK) Ltd	Fungicide			0.8 l/ha	2.05 l/ha	-	N/A	
				<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>					
Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
				<i>Fluoxastrobin</i>	<i>75 g/l</i>					
				<i>Prothioconazole</i>	<i>150 g/l</i>					
				<i>Trifloxystrobin</i>	<i>75 g/l</i>					
Credo	02503	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Picoxystrobin</i>	<i>100 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Cymbal 45	03345	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.5 kg/ha	6	14 days before harvest	14 days
				<i>Cymoxanil</i>	<i>45 %w/w</i>					
Dithane 945	03705	Dow AgroSciences	Fungicide			2.0 kg/ha	16.0 kg/ha	8 per crop	7 days before harvest	7 days
				<i>Mancozeb</i>	<i>80 % w/w</i>					
Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>100 g/l</i>					
				<i>Fluoxastrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Fezan	03639	Sipcam U.K. Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3 per year	N/A	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Proquinazid</i>	<i>25 g/l</i>					
Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
				<i>Metrafenone</i>	<i>300 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
				<i>Picoxystrobin</i>	<i>250 g/l</i>					
Globe	02088	Sipcam U.K. Ltd	Fungicide			2.0 kg/ha	12.0 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>6 %w/w</i>					
				<i>Mancozeb</i>	<i>70 %w/w</i>					
Grail	02826	Nufarm UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>200 g/l</i>					
				<i>Prochloraz</i>	<i>300 g/l</i>					
Helix	03789	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Spiroxamine</i>	<i>300 g/l</i>					
				<i>Prothioconazole</i>	<i>160 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Mandarin Xpro	04556	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Prothioconazole</i>	<i>200 g/l</i>					
				<i>Bixafen</i>	<i>60 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
				<i>Tebuconazole</i>	<i>200 g/kg</i>					
Moddus	03849	Syngenta Crop Protection UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
				<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	N/A	
				<i>Tebuconazole</i>	<i>500 g/kg</i>					
				<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
Orius 20 EW	02618	Makhteshim Agan (UK) Ltd	Fungicide			1.25 l/ha	3.75 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>200 g/l</i>					
Orius P	03222	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>133 g/l</i>					
				<i>Prochloraz</i>	<i>267 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Folpet</i>	<i>500 g/l</i>					
PP Captan 83	00164	Arysta Life Science S.A.S.	Fungicide			3.3 kg/ha	39.6 kg/ha	-	N/A	
				<i>Captan</i>	<i>830 g/kg</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			300 mls product /m ³	300 mls product /m ³			
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>250 g/l</i>					
Prosaro	02106	Bayer CropScience Limited	Fungicide			1.2 l/ha	3.6 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
				<i>Tebuconazole</i>	<i>12.8 %w/w</i>					
Proxanil	03185	Agriphar S.A.	Fungicide			2.5 l/ha	15.0 l/ha	6	14 days before harvest	14 days
				<i>Cymoxanil</i>	<i>50 g/l</i>					
				<i>Propamocarb</i>	<i>400 g/l</i>					
Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
				<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Siltra Xpro	04083	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>60 g/l</i>					
				<i>Prothioconazole</i>	<i>200 g/l</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Stratos Ultra	91348	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha			
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	-	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
				<i>Famoxadone</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
				<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
				<i>Mancozeb</i>	<i>700 g/kg</i>					
Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>160 g/l</i>					
				<i>Prochloraz</i>	<i>320 g/l</i>					
				<i>Proquinazid</i>	<i>40 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Volley	02807	Makhteshim Agan (UK) Ltd	Fungicide			400 mls/ha	4.0 l/ha	10	N/A	
				<i>Fluazinam</i>	<i>500 g/l</i>					
Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
				<i>Trifloxystrobin</i>	<i>88 g/l</i>					
				<i>Prothioconazole</i>	<i>175 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
				<i>Etoxazole</i>	<i>110 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Ornamental - protected</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3 / crop	N/A	
				<i>Thiacloprid</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
Balear 720 SC	04411	Agriphar S.A.	Fungicide	<i>Linuron</i>	<i>450 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
Fielder SE	04251	DuPont (UK) Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	2		10 weeks
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Proquinazid</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	2	14 days before harvest	
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
Signum	03799	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	0.8 l/ha	1.6 l/ha	-	21 days before harvest	
Stomp Aqua	03750	BASF plc	Herbicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
Tazer	04523	Nufarm UK Limited	Fungicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
Zoxis	04455	Agriphar S.A.	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	-	
				<i>Mancozeb</i>	<i>667 g/kg</i>					
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	6.6 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-		
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Amistar Pro	01026	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Aspect	02488	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	5.3 l/ha			
				<i>Fenpropimorph</i>	<i>280 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
Aviator Xpro	03687	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>75 g/l</i>					
				<i>Prothioconazole</i>	<i>150 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Balear 720 SC	04411	Agriphar S.A.	Fungicide			1.4 l/ha	2.8 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>720 g/l</i>					
Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
				<i>Prochloraz</i>	<i>400 g/l</i>					
Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
				<i>Prochloraz</i>	<i>450 g/l</i>					
Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
				<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
				<i>Boscalid</i>	<i>25.2%w/w</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Phenmedipham</i>	<i>75 g/l</i>					
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Ethofumesate</i>	<i>151 g/l</i>					
Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Lenacil</i>	<i>27 g/l</i>					
				<i>Ethofumesate</i>	<i>75 g/l</i>					
				<i>Phenmedipham</i>	<i>60 g/l</i>					
				<i>Desmedipham</i>	<i>47g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Boogie Xpro	03689	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>100 g/l</i>					
				<i>Spiroxamine</i>	<i>250 g/l</i>					
				<i>Bixafen</i>	<i>50 g/l</i>					
Boxer	02048	Dow AgroSciences	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
				<i>Florasulam</i>	<i>50 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1		6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
C50	02153	Sipcam U.K. Ltd	Fungicide			0.24 kg/ha	0.96 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>50 %w/w</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
				<i>Flufenacet</i>	<i>480 g/kg</i>					
Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
				<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>400 g/kg</i>					
Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
				<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	-	
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
				<i>Thifensulfuron (-methyl)</i>	<i>250 g/kg</i>					
				<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Cello	02766	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>103 g/l</i>					
				<i>Spiroxamine</i>	<i>263 g/l</i>					
				<i>Tebuconazole</i>	<i>105 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
				<i>Flazasulfuron</i>	<i>25 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>					
<i>Ornamental - woody-outdoor</i>										
Chwastox 500 SL	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
Comet 200	03696	BASF plc	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
Compitox Plus	02843	Nufarm UK Limited	Herbicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	2.3 l/ha	4.6 l/ha	-	N/A	
Contrast	01028	DuPont (UK) Ltd	Fungicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	0.8 l/ha	2.05 l/ha	-	N/A	
Coyote	03790	Bayer CropScience Limited	Fungicide	<i>Carbendazim</i>	<i>125 g/l</i>					
				<i>Flusilazole</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	N/A	
Credo	02503	DuPont (UK) Ltd	Fungicide	<i>Fluoxastrobin</i>	<i>75 g/l</i>					
				<i>Trifloxystrobin</i>	<i>75 g/l</i>					
				<i>Prothioconazole</i>	<i>150 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
Croplink MCPA 50	04371	Nufarm UK Limited	Herbicide	<i>Picoxystrobin</i>	<i>100 g/l</i>	3.3 l/ha	3.3 l/ha			
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4 kgs/100 litres water	8 kgs/ha/year	2	-	
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide	<i>Copper oxychloride</i>	<i>50 %w/w</i>	2.5 l/ha	5.0 l/ha	-	N/A	
Cymbal 45	03345	Belchim Crop Protection Ltd	Fungicide	<i>Chlorothalonil</i>	<i>400 g/l</i>	0.25 kg/ha	1.5 kg/ha	6	14 days before harvest	14 days
D50	02366	Nufarm UK Ltd	Herbicide	<i>Azoxystrobin</i>	<i>80 g/l</i>					
Damine	02353	Agriphar S.A.	Herbicide	<i>Cymoxanil</i>	<i>45 %w/w</i>	2.8 l/ha	2.8 l/ha	-	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
				<i>2,4-D</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Depitox	02365	Nufarm UK Ltd	Herbicide			2.8 l/ha	2.8 l/ha	-		
				<i>2,4-D</i>	<i>500 g/l</i>					
Destrol Amenity	02694	Bayer SAS	Herbicide			4.5 l/ha	4.5 l/ha	1 per season	N/A	
				<i>Glyphosate</i>	<i>250 g/l</i>					
				<i>Diflufenican</i>	<i>41.8 g/l</i>					
Diflanil 500	02700	Q-Chem NV	Herbicide			0.36 l/ha	0.36 l/ha	-	-	
				<i>Diflufenican</i>	<i>500 g/l</i>					
Dithane 945	03705	Dow AgroSciences	Fungicide			2.0 kg/ha	16.0 kg/ha	8 per crop	7 days before harvest	7 days
				<i>Mancozeb</i>	<i>80 % w/w</i>					
Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Eagle	00573	Bayer CropScience Limited	Herbicide			40 gms/ha	40 gms/ha	1	42 days	42 days
				<i>Amidosulfuron</i>	<i>75 %w/w</i>					
Encore	02880	BASF plc	Herbicide			5.0 l/ha	5.0 l/ha		N/A	
				<i>Isoproturon</i>	<i>125 g/l</i>					
				<i>Pendimethalin</i>	<i>250 g/l</i>					
Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Fluoxastrobin</i>	<i>100 g/l</i>					
				<i>Prothioconazole</i>	<i>100 g/l</i>					
Fezan	03639	Sipcam U.K. Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3 per year	N/A	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Proquinazid</i>	<i>25 g/l</i>					
Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
				<i>Metrafenone</i>	<i>300 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
				<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
				<i>Picoxystrobin</i>	<i>250 g/l</i>					
Globe	02088	Sipcam U.K. Ltd	Fungicide			2.0 kg/ha	12.0 kg/ha		7 days before harvest	7 days
				<i>Cymoxanil</i>	<i>6 %w/w</i>					
				<i>Mancozeb</i>	<i>70 %w/w</i>					
Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			5.0 l/ha	10.0 l/ha	2 / crop	Before weeds reach one true leaf stage	
				<i>Metamitron</i>	<i>700 g/l</i>					
Grail	02826	Nufarm UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>200 g/l</i>					
				<i>Prochloraz</i>	<i>300 g/l</i>					
Grazon 90	90698	Dow AgroSciences	Herbicide			4.0 l/ha	4.0 l/ha	1	42 days	42 days
				<i>Clopyralid</i>	<i>60 g/l</i>					
				<i>Triclopyr</i>	<i>240 g/l</i>					
Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Helix	03789	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>160 g/l</i>					
				<i>Spiroxamine</i>	<i>300 g/l</i>					
Hurricane	02556	Makhteshim Agan (UK) Ltd	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of February	
				<i>Diflufenican</i>	<i>500 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Larke	04185	Nufarm UK Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-		
				<i>MCPA</i>	<i>750 g/l</i>					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Mandarin Xpro	04556	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>60 g/l</i>					
				<i>Prothioconazole</i>	<i>200 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA 50	04170	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			8.0 kgs/ha	-	-		
				<i>Sulphur</i>	<i>80 %w/w</i>					
Moddus	03849	Syngenta Crop Protection UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
				<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Monitor	02076	Monsanto UK Ltd	Herbicide			25 g/ha	25 g/ha	-	-	
				<i>Sulfosulfuron</i>	<i>80% w/w</i>					
Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	N/A	
				<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
				<i>Tebuconazole</i>	<i>500 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
				<i>Imazamox</i>	<i>16.7 g/l</i>					
				<i>Pendimethalin</i>	<i>250 g/l</i>					
Orius 20 EW	02618	Makhteshim Agan (UK) Ltd	Fungicide			1.25 l/ha	3.75 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>200 g/l</i>					
Orius P	03222	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Tebuconazole</i>	<i>133 g/l</i>					
				<i>Prochloraz</i>	<i>267 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Folpet</i>	<i>500 g/l</i>					
Pistol	02530	Bayer SAS	Herbicide			4.5 l/ha	4.5 l/ha	1 per crop	N/A	
				<i>Glyphosate</i>	<i>250 g/l</i>					
				<i>Diflufenican</i>	<i>41.8 g/l</i>					
PP Captan 83	00164	Arysta Life Science S.A.S.	Fungicide			3.3 kg/ha	39.6 kg/ha	-	n/A	
				<i>Captan</i>	<i>830 g/kg</i>					
Premazor 500	03291	Q-Chem NV	Herbicide			0.36 l/ha	0.36 l/ha	-	-	
				<i>Diflufenican</i>	<i>500 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>250 g/l</i>					
Prosaro	02106	Bayer CropScience Limited	Fungicide			1.2 l/ha	3.6 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
				<i>Tebuconazole</i>	<i>12.8 %w/w</i>					
Proxanil	03185	Agriphar S.A.	Fungicide			2.5 l/ha	15.0 l/ha	6	14 days before harvest	14 days
				<i>Cymoxanil</i>	<i>50 g/l</i>					
				<i>Propamocarb</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>					
<i>Ornamental - woody-outdoor</i>										
Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
				<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
				<i>Thifensulfuron (-methyl)</i>	<i>250 g/kg</i>					
				<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
				<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Salvo	04120	AgriChem B.V.	Herbicide			2.8 l/ha	2.8 l/ha	1 per year	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Sempre	03664	AgriChem B.V.	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
				<i>Diflufenican</i>	<i>500 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Siltra Xpro	04083	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Bixafen</i>	<i>60 g/l</i>					
				<i>Prothioconazole</i>	<i>200 g/l</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
Stratos Ultra	91348	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1		4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide				100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide				0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
					<i>Cymoxanil</i>	<i>250 g/kg</i>					
					<i>Famoxadone</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide				1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Teppeki	02683	ISK Biosciences Europe N.V.	Insecticide				0.14 kg/ha	.042 kg/ha	3 per year	21 days before harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Thor	03991	DuPont (UK) Ltd	Herbicide				30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Trump	02881	BASF plc	Herbicide				5.5 l/ha	5.5 l/ha		N/A	
					<i>Pendimethalin</i>	<i>236 g/l</i>					
					<i>Isoproturon</i>	<i>236 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide				2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
Valbon	03411	Certis Europe BV	Fungicide				1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
				<i>Prochloraz</i>	<i>320 g/l</i>					
				<i>Tebuconazole</i>	<i>160 g/l</i>					
				<i>Proquinazid</i>	<i>40 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Volley	02807	Makhteshim Agan (UK) Ltd	Fungicide			400 mls/ha	4.0 l/ha	10	N/A	
				<i>Fluazinam</i>	<i>500 g/l</i>					
Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
				<i>Trifloxystrobin</i>	<i>88 g/l</i>					
				<i>Prothioconazole</i>	<i>175 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
				<i>Etoxazole</i>	<i>110 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.4 l/ha	1.0 l/ha		35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			300 mls product /m ³	300 mls product /m ³	1	Before planting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>										
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
Tazer	04523	Nufarm UK Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	04455	Agriphar S.A.	Fungicide			1.0 l/ha	2.0 l/ha	2	N/A	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Parsley - Field</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>										
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>										
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
				<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			3.0 l/ha	3.0 l/ha	1 / crop	Pre crop emergence	
				<i>Metamitron</i>	<i>700 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide			2.25 kgs/ha	-	-	7 days before harvest	7 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>										
Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	28 days
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Metribuzin</i>	<i>70 %w/w</i>	10 l/ha	-	every 7 days		0 days
Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	14 days before harvest	14 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Peas - combining</i>										
CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide			3.0 l/ha	6.0 l/ha	2	42 days pre-harvest	42 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Orchid B	03369	Croplink (Ireland) Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Peppers - Chilli - Protected</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
<i>Potatoes - Seed crops</i>										
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
				<i>Azoxystrobin</i>	<i>100 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - Ware crops</i>											
	Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
<i>Radicchio</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Raspberries - Protected</i>											
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rhubarb</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Rocket</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Rosemary</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Rubus Hybrid</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - spring</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
					<i>Folpet</i>	<i>500 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>										
Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
				<i>Cyprodinil</i>	<i>300 g/kg</i>					
				<i>Picoxystrobin</i>	<i>80 g/kg</i>					
Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	1.0 l/ha	2 per crop	GS 71	
				<i>Picoxystrobin</i>	<i>250 g/l</i>					
K 2	92087	Taminco N.V.	Growth Regulator			1.8 l/ha	1.8 l/ha			
				<i>Chlormequat</i>	<i>620 g/l</i>					
Mircam	02271	Nufarm UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 31	
				<i>Mecoprop-P</i>	<i>150 g/l</i>					
				<i>Dicamba</i>	<i>18.7 g/l</i>					
Mircam Super	02097	Nufarm UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
				<i>MCPA</i>	<i>22.6 %w/w</i>					
				<i>Dicamba</i>	<i>2.8 %w/w</i>					
				<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
Opera	01633	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2	Before GS 71	
				<i>Epoxiconazole</i>	<i>50 g/l</i>					
				<i>Pyraclostrobin</i>	<i>133 g/l</i>					
Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
				<i>Folpet</i>	<i>500 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>										
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>										
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>										
Amistar Opti	03408	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Bravo 500	03452	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Curator	04504	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>400 g/l</i>					
				<i>Azoxystrobin</i>	<i>80 g/l</i>					
Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowab	00589	Dow AgroSciences	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 %w/w</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha		before roots start emerging	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
				<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Jupital	04503	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>										
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	Before 7 leaf stage	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
				<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
				<i>Mancozeb</i>	<i>700 g/kg</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
				<i>Azoxystrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			2.5 l/ha	7.5 l/ha	3	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			12 mls/product/plant		1	Pre-planting 6 leaf stage	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Spinach Beet</i>											
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide				750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide				500mls/ha - max conc. 35 ml/100 litres water	500mls/ha - max conc. 35 ml/100 litres water	1/crop	3 days before harvest	3 days
					<i>Etoxazole</i>	<i>110 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid				50 mls/product/100 litres water	-	3	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide				0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
Masai	03585	BASF plc	Insecticide				375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide								
					<i>Sulphur</i>	<i>80 %w/w</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide				1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide				50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Sweetcorn</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Thyme</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Tomatoes - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.45 l/ha	0.9 l/ha	2/crop	3 days before harvest	3 days
Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
Microthiol Special	90548	Cerexagri S.A.	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.01kgs/5 litres water	-	-	-	0 days
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before 1st node detectable	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Chwastox 500 SL	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Croplink MCPA 50	04371	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
Finish SX	02329	DuPont (UK) Ltd	Herbicide				75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	67 g/kg					
					<i>Thifensulfuron (-methyl)</i>	333 g/kg					
Galileo	03015	DuPont (UK) Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	250 g/l					
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide				100 g/ha	100 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	40 g/kg					
					<i>Thifensulfuron (-methyl)</i>	400 g/kg					
K 2	92087	Taminco N.V.	Growth Regulator				1.8 l/ha	1.8 l/ha			
					<i>Chlormequat</i>	620 g/l					
Larke	04185	Nufarm UK Ltd	Herbicide				2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	750 g/l					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide				3.3 l/ha	3.3 l/ha	2	Before GS 31	
					<i>MCPA</i>	500 g/l					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	500 g/l					
MCPA 50	04170	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	500 g/l					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	-
					<i>MCPA</i>	500 g/l					
Mircam	02271	Nufarm UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1	GS 31	
					<i>Mecoprop-P</i>	150 g/l					
					<i>Dicamba</i>	18.7 g/l					
Mircam Super	02097	Nufarm UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Mecoprop-P</i>	20.9 %w/w					
					<i>Dicamba</i>	2.8 %w/w					
					<i>MCPA</i>	22.6 %w/w					
Opera	01633	BASF plc	Fungicide				1.5 l/ha	3.0 l/ha	2	Before GS 71	
					<i>Epoxiconazole</i>	50 g/l					
					<i>Pyraclostrobin</i>	133 g/l					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>										
Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					
Phoenix	04453	Makhteshim Agan (UK) Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	Before GS 59	
				<i>Folpet</i>	<i>500 g/l</i>					
Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
				<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
				<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta Crop Protection UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Wheat - spring</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Before leaf sheath erect stage	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.