# **PP CAPTAN®** 80 WG

# FUNGICIDE

Fungicide with preventive action against scab (Venturia spp.) on apples and pears

**PP CAPTAN 80 WG** - Water dispersible granule formulation containing 80% w/w captan

Arysta LifeScience S.A.S, Route d'Artix BP 80 64150 NOGUÈRES – France Phone number : + 33 (0) 559 60 92 92

Net Contents: 10 kg e Batch No: see packaging

Crops	DNAL USE ONLY AS A FUNGICIDE	Maximum total dose	Latest tim	ng for application
Clobs	Maximum marriadar dose	Maximum total dose	Latest till	

Apple	2 kg product/ha	20 kg/ha	31 ays bet harvest		
Pear	2 kg product/ha	20 kg/ha	31 days efore harvest		

**Other Specific Restrictions:** 

A minimum interval of 10 days must be observed between applications. The maximum concentration must not exceed 1.7 g of product per ditre way of when applying to apply held equipment. Spray equipment must only be used where the operator's control working position is within a close

tractor or on a self-propelled sprayer when making air-as sted application, to top fruit.

READ THE LABEL BEFORE USE. USING THIS PRODUCT ... A MANUER THAT IS INCONSISTENT. WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR JSING PLANT PROTOCOLOR PRODUCTS

#### SAFETY PRECAUTIONS

**Operator protection** 

Spray equipment must only be used where the operator's normal working position is within a closed cab on a tractor or on a self-propelled sprayer when making air-assisted applications to top fructions. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION

(FACESHIELD) when handling the concentrate. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces or applying by hand-held equipment.

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

#### **Environmental protection**

To protect aquatic organisms respect an unsprayed buffer zone of 30 meters to surface water bodies. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

**Storage and disposal** EMPTY CONTAINER COMPLETELY and dispose of safely. DO NOT RE-USE CONTAINER FOR ANY PURPOSE



P. CAPTA1 30 WG contains 80% w/w captan.

May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life. Suspected of causing cancer.

#### Avoid breathing gas.

Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.

Collect spillage

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste

To avoid risks to human health and the environment, comply with the instructions for use



7IE1001-0001

1 (

EMB 64418A

1IE0501-0003/K19





#### **DIRECTIONS FOR USE**

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

#### **RESTRICTIONS OR WARNNGS**

Do not spray on Bramley, Kidd's Orange, King Edward, Monarch, Red Delicious, Spartan or Winston apples or D'Anjou pears, as these may be sensitive.

# **CROP SPECIFIC INFORMATION**

For the control of Scab in apples and pears **Rate of use:** Max 2.0 kg product/ha in a minimum of 200 L/ha water according to the foliar coverage. **Timing:** Apply at bud burst and repeat at 10 day intervals, 7-10 applications per season. **Pre-Harvest Interval:** 31 days.

# MIXING

Before use ensure all equipment is clean. Agitate the product thoroughly before and during application. <u>For hydraulic sprayer</u>: Add half the required volume of water and start agitation, add the required quantity of **P\_\_APTAN 80 WG**. Fill the tank to the required volume whilst maintaining agitation. Continuous agitation must be maintained until spraying is concelle e. use only clean viste. <u>For knapsack sprayer</u>: mix thoroughly and use immediately.

#### Applications

Good coverage is essential. Apply to orchards with a water volume ad opted to the vegetation size up to short of run-off. Ensure the sprayer is correctly calibrated before use. Do not leave spray doubted in the spray of coloring periods (i.e. during meals or overnight). Immediately after spraying, rinse inside of spray tank with clean water and fush through nozzero using at least one-tenth of spray tank volume. Drain completely. Thoroughly clean any measuring equipment after using **PP Captan 80 WG**.

**PP CAPTAN 80 WG** is a preventive fungicide so the first application should be made just before disease is expected to appear, with repeat applications at the recommended intervals for so long as protection is required.

### COMPATIBILITY

Sprayers previously used to apply alkaline materials or oils must be thor used out before using **PP CAPTAN 80 WG**.

This product is to be used only in accordance with the recommendations and instructions given on the labels provided with this pack. Use in any other circumstances is entirely at user's risk.