

next

An emulsifiable concentrate (EC) formulation containing 250 g/L trinexapac-ethyl for use as a plant growth regulator on winter wheat, winter barley and spring barley.

5 lt

FOR USE ONLY AS AN AGRICULTURAL GROWTH REGULATOR.
THIS PRODUCT IS FOR PROFESSIONAL USE ONLY.

SAFETY INFORMATION



WARNING
Flammable liquid and vapour.
May cause respiratory irritation.
Toxic to aquatic life with long lasting effects.

Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
Avoid breathing/dust/fume/gas/mist/vapours/spray.
Call a POISON CENTER or doctor/physician if you feel unwell.
Store in a well-ventilated place.
Keep cool.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.
Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No.: 05695

Batch no.: See container
Registration holder: Sharda Cropchem España S.L.
Edificio Atalayas Business Center
Carril Condomina nº 3, 12th Floor
30006 Murcia
Spain
Phone no.: +34 868 12 75 89
Distributed by: Sharda Cropchem España S.L.
Emergency no.: In the event of emergency, call the National Poisons Information Centre, Beaumont Hospital at 01 809 2166 or 01 837 9964

Registered logos of Sharda Cropchem Ltd.

READ THE LABEL CAREFULLY BEFORE USE

NEXT is plant growth regulator intended to be used on Winter wheat, Winter and Spring barley.

INSTRUCTIONS FOR USE:

Crop	Max. single dose	Max. no. of applications	Max. total dose	Latest time of application
Winter wheat	0.5 L/ha	-	0.5 L/ha/crop	Flag leaf stage: flag leaf fully unrolled, ligule just visible (BBCH 39)
Winter barley	0.8 L/ha	-	0.8 L/ha/crop	Flag leaf stage: flag leaf fully unrolled, ligule just visible (BBCH 39)
Spring barley	0.6 L/ha	-	0.6 L/ha/crop	Flag leaf stage: flag leaf fully unrolled, ligule just visible (BBCH 39)

Max. no of applications: 1 per season (single rate can be split into two applications, with total dose not exceeding the maximum total dose stated in the table above).

Apply in 200-400 L water/ha using tractor mounted/trailed sprayer.

MIXING, APPLICATION AND CLEANING:

Never prepare more spray solution than required.
When preparing the mixture, half fill the tank with clean water and start the agitation. Pour the recommended concentration of product into the tank and then continue filling with water to reach desired spray volume.

All application equipment and contaminated protective clothing should be washed/cleaned with water or a dilute detergent solution and thoroughly rinsed. Care should be taken not to contaminate watercourses with the contaminated washings. Contaminated cleaning liquids should be disposed of safely according to local regulations.

Avoid spillage. In case of spillage, remove spilled clothes and wash skin immediately.

Clean equipment immediately after use with a spray tank cleaner. Empty container and rinse with an integrated pressure rinsing device or manually rinsing three times.



Sharda Cropchem

SHARDA CROPHEM LIMITED
Domnic Holm 29th Road, Bandra (West)
Mumbai - 400050, India, Tel.: +91 22 6678 2800