Bank

An Ultra Low Volume formulation containing 6 g/litre of Deltamethrin and 54 g/litre of Piperonyl butoxide for use as an insecticide in food storage



immediately (show the label where possible). No specific antidote is available. Treat symptomatically. In case of accident, call the 24-hour National Poisons Information Centre: Tel.: +353 (0)1 809 2566 or +353 (0) 1 837 9964. Registration holder: Sharda Cropchem España S.L. Edificio Atalayas Business Center, Carril Condomina nº 3, 12th Floor, 30006 Murcia, Spain Phone no.: +34 868 12 75 89 Distributed by: Sharda Cropchem España S.L. Emergency no.: In the event of emergency, call the National Poisons Information Centre, Beaumont Hospital at 01 809 2566 or 01 809 2166 or 01 837 9964 Registered loogo of Sharda Cropchem Ltd.

15

General information

BANK is a liquid grain protectant for the control of stored product pests.

Instructions for use

FOR PROFESSIONAL USE ONLY AS AN INSECTICIDE IN FOOD STORAGE				
Crop	Max. single dose	Max. no. of applications	Max. total dose	Last time of application
Stored grain and pulses	4.2 litres to 100 tonnes	1 per batch	4.2 litres to 100 tonnes	Not required
READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.				
 Method of application: Direct admixture to grain using an enclosed low volume forger. Important information: The application rate provides up to 12 months provide admixture admixture with grain: BANK is for direct treatment of bulk givin using (enclosed) low volume forgers. Cold fogging generates a very fine spray normally applied where grain falls at the eleval to bot for it a closed convert of to be used in open elevators/conveyors or other non-enclosed application systems. Company advisory information: For maximum efficacy foil or the grain storage guiden ubilished by the Home-Grown Cereals Authority (HGCA), the moisture content should be below 14.5% and und temperature below 12.2 before admixture and during storage. Storage of grain with a higher moisture content will reduce be e ficacy of the trend, enc. Storage and disposal: KEEP IN ORIGINAL CONTAINER, tightly obsed, in a safe place. R: VSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsin. 3 times: Dispose of washings of allows of allocation to a licensed hazardous waste disposal contractor or collection site except or the rinsed empty continers which can be disposed of as non-hazardous waste. Resistance: Where strains resistant to doltan, athrin occur or develor, enc. the control will not be achieved. 				

Control of stored product pests studin) crawling insects such as grain weevils, flour beetles, grain borers, saw-toothed grain beetles, bean weevils, flying insect such as rice mosts, Indian meal moths and grain moths.



SHARDA CROPCHEM LIMITED Domnic Holm 29'" Road, Bandra (West) Mumbai - 400050, India, Tel. +39 02 66101029