

Velary[®]

Velary is a fungicide for the control of Alternaria in potatoes.

A suspension concentrate containing 75 g/l mefentrifluconazole.

Risk and Safety Information

Warning

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

If medical advice is needed, he've r.oduct containe or tabel at hand.

Avoid breathing mist/vapcars/s pray.

IF ON SKIN (or hair): Vash with plenty or soa) and water. If skin irritation or rash occurs: Call a FOIS ON CENTRE or doctor/physician.

Dispose of contents/container to a "cen sed hazardous waste disposal contractor or c ble ption site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Contains 1.2-benzisothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May cause an allergic reaction. To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 06965

UFI: GW5R-T457-M00S-X2HT

Supplied by: BASF Ireland Limited, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, UK, Telephone: 00 44 (0)161 475 3000 Emergency Information (24 hours freephone): 0049 180 227 3112 Technical Enguiries: 0044 (0045 502 2553 (office hours)

Authorisation holder: BASF pic, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, UK, Telephone: 00 44 (0)161 475 3000



@

| | ONLY AS , as directed | | ICULTURAL |
|----------|-------------------------------|-----------------------|----------------------------|
| Crops | Maximum individual dose | Maximum total dose | Latest time of application |
| Potatoes | 1.25 l/ha | 3.75 l/ha | 3 days before harvest |

READ ALL PRECAUTIONS BEFORE USE

PCS No.: 06965

PRECAUTIONS

WEAR SUITABLE PROTECTIVE (LOTH NG (COVI RALLS), SUITABLE PROTECTIVE GLOVES when handling the concentrat .

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES when handling containing de surfaces, or applying the product.

WHEN USING DO NOT EAT DRINK OF SMOKE.

WASH HANDS AND EXPOSED SKIN befr re meals and after work.

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Do not contaminate water with the product or its container. Do not clean application equipment near surface wate. A rolic contamination via drains from farmyards and roads. For professional use only.

STORAGE

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place, away from sources of heat.

DO NOT RE-USE CONTAINER for any purpose.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times.

Add washings to sprayer at time of filling and dispose of container safely.

Store in a suitable pesticide store. Keep dry and protect from frost.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Velary is a fungicide for the control of Alternaria in potatoes.

Restrictions/Warnings

Velary has not been fully evaluated on the beneficial organisms used in Integrated Pest Management systems.

For professional use only.

Disease control

Velary is a fungicide for the control Alternaria in parate s. See summary below:

For best results apply Velary as a protectant comment.

| Disease | 6 | Potatoes | |
|------------------|----|----------|--|
| Alternaria spp. | | С | |
| C = control | ~~ | | |
| Resistance Manag | 1 | | |

Velary contains mefentrituconazole, a CMI fungicide belonging to FRAC Code G1.

Velary should be used in accordance with FRAC advice for DMIs.

Effective disease management is a critical component in delaying the build-up of resistant pathogen populations. Therefore, Velary should be applied according to the manufacturers recommended dose and spray timings even when disease pressure is low.

DMIs should be used in mixture, or in alternation with a non-cross resistant fungicide, at a dose rate which is effective against the target disease.

Velary should be used preventatively and should not be relied upon for its curative potential.

For further advice on resistance management contact your agronomist or specialist adviser or visit the FRAG-UK website.

Crop Specific Information

Potato

Alternaria spp.

Apply Velary as a preventative treatment and before disease becomes established in the crop. A maximum of three applications of Velary may be applied per year with a minimum of 7 days between applications. A minimum of 3 days must elapse between the last spray and harvest.

Apply Velary at a rate of 1.25 l/ha in a water volume of 100-400 litres per hectare.

Mixing and Application

Never prepare more spray solution than is required.

Three quarters fill the tank with clean water and ctan the agitation. To ensure thorough mixing of the product, invert the container several times before opening. Add the required quantity of Velary to the spray tank while re-circulating. Add the remainder of the water and continue agitation until spray, group opening the velocity of the velocity o

When tank mixes are to be used, take due note of εm instructions given as to the order of mixing. Each product should be odded securately to the spray tank and fully dispersed before the addition of any further product(s).

All tank mixes should be used immediately after mixing.

On emptying the container, not container throughly by using an integrated pressure rinsing device or by manually rinsing the times. Add washings to tank at time of filling and dispose of container sately.

Application

Apply as a MEDIUM spray, as optimer, by BCPC.

Tank cleaning

Wash sprayer thoroughly immediately after use, using clean water and following the sprayer cleaning guidance provided by the equipment manufacturer.

Compatibility

For details of compatibilities contact your distributor, local BASF representative, the BASF Technical Services Hotline: 00 44 (0)845 602 2553 or visit our website www.agriCentre.basf.ie.

The following does not form part of the product label under S.I. No. 159 of 2012

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us a point in mixing or use or the weather conditions and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are exclude and no responsibility will be accepted by us for any damage or injury whatsoever arising from their clorage, handling, application or use; but nothing should be dee med to exclude or estrict any liability upon us which cannot be excluded or restricter under ne provisions of any applicable law.

Additional Product Safety methation

This section does not form , art of the ploc uct label under S.I. No. 159 of 2012.

The information on this label is based on the best available information including data from test results.

Safety Data Sheet

To access the Safety Data Sheef for this product scan the QR code or use the weblink below:



agricentre.basf.ie/Velary-IE/MSDS Alternatively, contact your supplier.



Velary[®]

Velary is a fungicide for the control of Alternaria in potatoes. A suspension concentrate containing 75 g/l mefentrifluconazole. Risk and Safety Information Warning May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. If medical advice is needed, have noduct containe on abel at hand Avoid breathing mist/vape urs/s prav Wear protective gloves/clot, i.g. IF ON SKIN (or hair): Vash with plenty or soal) and water. If skin irritation or rash occurs: Call a FOIS ON CENTRE or doctor/physician. Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste. Contains 1.2-benzisothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May cause an allergic reaction. To avoid risks to human health and the environment. comply with the instructions for use. PCS No. : 06965 UFI: GW5R-T457-M008-X2HT Supplied by: BASF Ireland Limited, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, UK, Telephone: 00 44 (0)161 475 3000 Emergency Information (24 hours freephone): 0049 180 227 3112 Technical Enguiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder: BASF plc, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport SK1 3GG, UK, Telephone: 00 44 (0)161 475 3000 81159796 IE 2032

= Registered trademark of BASF

@