

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Azatin (PCS No. 06785)

CROPS:

[Indoor grown *: Tomato, Cucumber, Courgette & Aubergine]

* Treatment must only be made under 'permanent protection' situations which provide full enclosure (including continuous top and side barriers down to below ground level) and which are present and maintained over a number of years.

This approval provides for the use of the product **Azatin (PCS No. 06785)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information and conditions of approval provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 19.10.2021. [Includes latest changes. This version should be used until updated]

Product name: Azatin

Active Substance: Azadirachtin A:

Formulation: 26 g/L EC

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Authorisation Holder: Mitsui AgriScience International S.A/B.V

Marketing Company: Certis Belchim b.v

PCS No: 06785

User type/Function: Professional Use Only / Insecticide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Protected crops of: tomato & aubergine	1.68 L/ha (140 ml product in 100 L water)	15 (3 foliar sprays per year and 4 drip irrigation per crop (maximum 3 crops per year))	-	33 days between foliar sprays and 7 days between drip irrigation	3 days before harvest	Tuta absoluta, whitefly, thrips
Protected crops of: cucumber & courgette.	1.68 L/ha (140 ml product in 100 L water)	15 (3 foliar sprays per year and 4 drip irrigation per crop (maximum 3 crops per year))	-	33 days between foliar sprays and 7 days between drip irrigation	3 days before harvest	Whitefly, thrips

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) Use in a minimum water volume of 1200 L/ha.
- (3) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (4) Application by horizontal or vertical boom sprayers only.
- (5) Crops grown in organic media may not be treated until BBCH 20 or later.
- (6) Post application do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

- (7) For environmental information refer to the product label.
- (8) This approval extends to professional use only.
- (9) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Azatin as a horticultural insecticide for the control of certain pests as outlined in the above application table.

Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.