

**EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**

**INSTRUCTIONS FOR USE**

**PPP: Batavia (PCS No. 05905)**

CROPS: Outdoor crops of gooseberry, blueberry and elderberry. Outdoor sweetcorn

This approval provides for the use of the product **Batavia (PCS No. 05905)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 08.07.22.** [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Batavia
<i>Active Substance:</i>	Spirotetramat
<i>Formulation:</i>	100g/l Suspension Concentrate
<i>Authorisation Holder:</i>	Bayer CropScience Ltd.
<i>Marketing Company:</i>	Bayer CropScience Ltd.
<i>PCS No:</i>	05905

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*

*User type/Function:* Professional Use Only / Insecticide.

*Application:*

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Outdoor crops of gooseberry, blueberry, elderberry	0.75 L/ha	2 per crop	1.5 L/ha	14 days	Post-harvest application	Gall mite, <i>Cecidophyopsis ribis</i> , Currant-lettuce aphid, <i>Hyperomyzus lactucae</i> )
Outdoor Sweetcorn	0.75 L/ha	2 per crop	1.5 L/ha	14 days	7 days before harvest	Bird cherry-oat aphid ( <i>Rhopalosiphum padi</i> ), English Grain aphid ( <i>Sitobion avenae</i> ) and Rose-grain aphid ( <i>Metopolophium dirhodum</i> )

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) When used in sweetcorn application must only be made post flowering (GS 69)
- (4) Application may only be made using a tractor mounted/trailed hydraulic sprayer, orchard blast sprayer and knapsack/handheld sprayer.
- (5) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (6) Apply in a water volume of 500-1500 l/ha.
- (7) This approval extends to professional use only.
- (8) For environmental information refer to the product label but specifically: When applying with orchard/blast sprayer, to protect aquatic organisms respect an unsprayed buffer zone of 10m to surface water bodies

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*

- (9) Dangerous to bees. To protect bees and pollinating insects do not apply to crop plants when in flower. Do not use where bees are actively foraging. Do not apply when flowering weeds are present
- (10) For operator protection refer to the product label.
- (11) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment

*Advisory information:*

This approval relates to the use of Batavia as a horticultural insecticide for the control of a range of pests as prescribed on the crops & situations listed above.

*Resistance Management:*

Use Batavia as part of an Integrated Crop Management (ICM) strategy. In a spray programme Batavia should be used with other insecticides of a different mode of action, either in alternation or as a 2-spray block within the programme. Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

Batavia contains Spirotetramat IRAC class: 23 which also includes spiroticlofen and spiromesifen.

**IMPORTANT PLEASE NOTE:**

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

*There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.*