

## **EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**

### **INSTRUCTIONS FOR USE**

**PPP: Revus (250 g/l Mandipropamid 23.4% w/w), PCS No. 05154**

#### CROPS:

[Field crops of: Onion, Salad (Spring) Onion.]

This approval provides for the use of the product **Revus (250 g/l Mandipropamid 23.4% w/w), PCS No. 05154** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of the application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with the information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 20.02.2024.** [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Revus
<i>Active Substance:</i>	250 g/l Mandipropamid
<i>Formulation:</i>	Suspension Concentrate.
<i>Authorisation Holder:</i>	Syngenta UK Limited
<i>Marketing Company:</i>	Syngenta Ireland Limited
<i>PCS No:</i>	05154
<i>User type/Function:</i>	Professional Use / Fungicide

#### *Application:*

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target pest
Outdoor: Bulb onion	0.6 l/ha	4 per crop	2.4 l/ha	7 days	14 days pre-harvest	Downy Mildew ( <i>Peronospora sparsa</i> )
Outdoor: Salad (Spring) onion	0.6 l/ha	4 per crop	2.4 l/ha	7 days	14 days pre-harvest	Downy Mildew ( <i>Peronospora sparsa</i> )
Protected: tomato, aubergine, zucchini, cucumber, courgette, melon, gherkin	0.6 l/ha	4 per crop	2.4 l/ha	7 days	3 days pre-harvest	Downy Mildew

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) In outdoor crops application by tractor mounted/trailed horizontal boom sprayer or knapsack. In indoor crops application by glasshouse sprayer/handheld sprayer
- (4) Post-application do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label
- (6) This approval extends to professional use only.
- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

*Advisory information:*

This approval relates to the use of “Revus” as a horticultural fungicide for the uses listed in the application table above.

Applications should be made using conventional hydraulic sprayers or hand-held applicators using a minimum of 200 liters of water per ha.

*Resistance Management:*

Revus contains a CAA fungicide (FRAC code no. 40).

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating fungicides with different modes of action is a recognised anti-resistance strategy. Further information on fungicide mode of action groups and resistance management strategies for the CAA fungicides is available on the FRAC and FRAG-UK websites

*IMPORTANT PLEASE NOTE:*

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***