

## **Chapter 8**

**List of off label approvals which have been granted up to 1/1/19 for use on  
Non - food crops**



---

## *Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops*

*01 March 2019*

*Warning: EAMU Approvals:*

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.*

*Disclaimer*

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves stage	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	1.5 l/ha	3.0 l/ha	2 per crop	Before first flower bud visible stage	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide	<i>Clopyralid</i>	<i>267 g/l</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
	Globalstar SC	05529	Globachem nv	Fungicide	<i>Picloram</i>	<i>67 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	Before GS 69	
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
	Plexeo 60	05926	Globachem nv	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Polux	05946	Galenika-Fitofarmacija	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	0.3 l/ha	1.2 l/ha	-	Before GS 69	
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Prosaro	04641	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Rapsan 500SC	05886	Globachem nv	Herbicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.5 l/ha	1.5 l/ha	-	GS 19	
	Reglone	02453	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	-	-	
	Salsa	04725	DuPont (UK) Ltd	Herbicide	<i>Diquat (dibromide)</i>	<i>200 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethamsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			1.5 l/ha	3.0 l/ha	2 per crop	before first flower bud visible stage	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Galera	05188	Dow AgroSciences Ltd	Herbicide			0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
					<i>Picloram</i>	<i>67 g/l</i>					
					<i>Clopyralid</i>	<i>267 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	Before GS 69	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
	Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Quinmerac</i> <i>Metazachlor</i>	<i>125 g/l</i> <i>375 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
	Plexeo 60	05926	Globachem nv	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Polux	05946	Galenika-Fitofarmacija	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	0.3 l/ha	1.2 l/ha	-	Before GS 69	
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Prosaro	04641	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide	<i>Tebuconazole</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>125 g/l</i>	2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
	Rapsan 500SC	05886	Globachem nv	Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	-	GS 19	
	Reglone	02453	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Salsa	04725	DuPont (UK) Ltd	Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Teridox	04902	Syngenta UK Ltd	Herbicide	<i>Dimethachlor</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	Pre-emergence	
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha			
	Agritox 500	05499	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Agroxone 50	05500	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Clofentezine</i>	<i>500 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>150 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Azaka	05218	Cheminova A/S	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>MCPA</i>	<i>300 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	-	
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha			
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide	<i>Prochloraz</i>	<i>400 g/l</i>	1.1 l/ha	2.2 l/ha	-	N/A	
	Barracuda	05967	Albaugh Europe Sarl	Herbicide	<i>Prochloraz</i>	<i>450 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Mesotrione</i>	<i>100 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Bellis	03798	BASF plc	Fungicide	<i>Spirotetramat</i>	<i>100 g/l</i>	0.8 kg/ha	3.2 kg/ha	4	N/A	
	Beretta	04835	Certiplant N.V.	Herbicide	<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>	2.0 l/ha	2.0 l/ha	-	-	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
					<i>Lenacil</i>	<i>27 g/l</i>					
					<i>Phenmedipham</i>	<i>60 g/l</i>					
					<i>Ethofumesate</i>	<i>75 g/l</i>					
					<i>Desmedipham</i>	<i>47g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	-	N/A	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	N/A	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centium 360 CS	05674	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chess WG	03365	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.6 kg/ha	-	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3 / season	N/A	
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-		
					<i>2,4-D</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	DimethoX	05118	DHM Agrochemicals Ltd.,	Insecticide			1.0 l/ha	-	-	-	
					<i>Dimethoate</i>	<i>400 g/l</i>					
	Diqua	03630	Sharda Europe b.v.b.a	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Diquash 200 SL	04181	Sharda Europe b.v.b.a	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Di-Quattro	04720	Arysta LifeScience Benelux SPRL	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha*	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Dragoon Gold	03174	Certiplant N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide							
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls product / 100 litres water	N/A	-	N/A	
					<i>Abamectin</i>	<i>18 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18 kg/ha	10 per year	N/A	
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Acetolifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide			3.0 l/ha	6.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>166 g/l</i>					
					<i>Tebuconazole</i>	<i>60 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	3	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			2.5 l/ha	2.5 l/ha	1	-	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-		
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
					<i>Sulphur</i>	<i>800 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Infito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Inka Max SX	04842	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha *	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha *	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mettle	03788	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-		
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Micaraz	05029	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Mission 200 SL	03175	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Mitron WG	01704	Hermoo Belgium N.V.	Herbicide			3.0 kg/ha	6.9 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	-	
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
	Nirvana	03063	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	Nortron 50 SC	02658	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.0 l/ha	1	N/A	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Oblix 500	05286	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha		N/A	
					<i>Prochloraz</i>	<i>267 g/l</i>					
					<i>Tebuconazole</i>	<i>133 g/l</i>					
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	4 per crop	9.0 kg/ha	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Patrol	04304	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	PlantTrust	04537	Everris Ltd	Fungicide			2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
					<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	-	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	N/A	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	-	N/A	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Cymoxanil</i>	<i>50 g/l</i>					
					<i>Propamocarb</i>	<i>400 g/l</i>					
	Quad-Glob 200 SL	03180	Q-Chem NV	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Reglone	02453	Syngenta UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Retro	03712	Syngenta UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kgs/ha	7.5 kgs/ha	3	-	
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Salvo	04120	UPL Europe Ltd	Herbicide			2.8 l/ha	2.8 l/ha	1 per year	-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Seguris	05028	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sentry 500	05744	Unichem Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Signum	03799	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Cymoxanil</i>	<i>50% w/w</i>					
					<i>Clomazone</i>	<i>360 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Desmedipham</i>	<i>50 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	N/A	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tafari	05977	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.6 kgs/ha	-	N/A	
					<i>Pymetrozine</i>	<i>50% w/w</i>					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Target SC	01298	UPL Europe Ltd	Herbicide			3.0 l/ha	7.0 l/ha	-	-	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Target WG	01506	UPL Europe Ltd	Herbicide			3.0 kg/ha	7.0 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tepeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	14 days pre harvest	
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Tem 750 EC	04305	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Thor	03991	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4		
					<i>Spinosad</i>	<i>480 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Winger	05807	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Fenpropidin</i>	<i>750 g/l</i>	0.75 l/ha	1.5 l/ha	-	N/A	
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide	<i>Trifloxystrobin</i> <i>Prothioconazole</i>	<i>88 g/l</i> <i>175 g/l</i>	2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>45 g/kg</i> <i>650 g/kg</i>	0.7 l/ha	1.4 l/ha	-	-	
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Azoxystrobin</i> <i>Isopyrazam</i>	<i>250 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			0.078 ml/plant	0.078 ml/plant	1	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Grassland - amenity</i>											
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Ally SX	05590	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Butryflow	03659	Nufarm UK Limited	Herbicide			1.0 l/ha	1.0 l/ha	1		
					<i>Bromoxynil</i>	<i>401.58 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-		
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Empire	03051	Croplink (Ireland) Ltd	Herbicide			30 gms/ha	30 g/ha	-	N/A	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Finy	02360	UPL Europe Ltd	Herbicide			30 gms/ha	30 g/ha	1	N/A	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forefront	02793	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 / year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Aminopyralid</i>	<i>30 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
	Galaxy	05473	Dow AgroSciences Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
	Lorate	05591	DuPont (UK) Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	30 g/ha	30 g/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Minstrel	04782	UPL Europe Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	MON 79351	04009	Monsanto UK Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	4.5 l/ha	4.5 l/ha	-	-	
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>480 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	3.6 l/ha	3.6 l/ha	-	-	
	Naceto	05778	Globachem nv	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.3 l/ha	0.3 l/ha	-	-	
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide	<i>Diflufenican</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Flufenacet</i>	<i>400 g/l</i>	90 mls/ha	270 mls/ha	4	-	
	NU46	05501	Nufarm UK Limited	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Optica	02661	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Ormond	05661	Barclay Chemicals Ltd	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	3.7 l/ha	3.7 l/ha	1	-	
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide	<i>Glyphosate</i>	<i>490 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempra	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Narcissi</i>											
	Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	-	1.0 l/ha	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			100ml product/ 100 litres water	100ml product/ 100 litres water		Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			100ml per 100L water		1 per crop	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			100ml product/100L water		1 per crop	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Deuce	04993	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	After flower harvest	56 days
					<i>Epoxiconazole</i>	<i>67 g/l</i>					
					<i>Boscalid</i>	<i>233 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			100mls/100 litres water	100mls/100 litres water	1	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Phyton	05019	UPL Europe Ltd	Fungicide			100ml per 100 litres water	100ml per 100 litres water	1 per crop	Pre-planting	
	Scala	03916	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500g/l</i>					
					<i>Pyrimethanil</i>	<i>400 g/l</i>	0.5 l per 100 l water				
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>50 g/l</i>					
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Propiconazole</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2		
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	1.0 l/ha		35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Mogeton	04943	Certis Europe BV	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	15 kg/ha	15 kg/ha	1 per year/crop		
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Quinoclamine</i>	<i>250 g/kg</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
	Scala	03916	BASF plc	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	0.5 l per 100 l water				
	Signum	03799	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1		30 days
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
					<i>Flumioxazin</i>	<i>300 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	2.8 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>720 g/l</i>					
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>450 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18 kg/ha	10 per year	N/A	
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide			3.0 l/ha	6.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>166 g/l</i>					
					<i>Tebuconazole</i>	<i>60 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Freeze	04517	Cheminova A/S	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluxastrobin</i>	<i>100 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Micaraz	05029	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa New	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>133 g/l</i>					
					<i>Prochloraz</i>	<i>267 g/l</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pexan	04967	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>59.4 g/l</i>					
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Seguris	05028	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Desmedipham</i>	<i>50 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Propiconazole</i>	<i>250 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Etoazole</i>	<i>110 g/l</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Zoxamide</i>	<i>8.3 %w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>Mancozeb</i>	<i>66.7 %w/w</i>	0.3 l/ha	0.6 l/ha	2	N/A	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Mogeton	04943	Certis Europe BV	Herbicide			15 kg/ha	15 kg/ha	1 per year/crop	-	
	Paraat	03614	BASF plc	Fungicide	<i>Quinoclamine</i>	<i>250 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	7C Chlormequat	04744	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Azoxystrobin</i>	<i>200 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
	Azaka	05218	Cheminova A/S	Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Clofentezine</i>	<i>500 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Barclay Holdup 750	04743	Taminco BVBA.	Growth Regulator	<i>Azoxystrobin</i>	<i>250 g/l</i>	465ml in 10 L water	465ml in 10 L water			
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Chlormequat</i>	<i>750 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Beetup Flo	05272	UPL Europe Ltd	Herbicide	<i>Spirotetramat</i>	<i>100 g/l</i>	3.0 l/ha	6.0 l/ha	-	-	
	Butisan S	04631	BASF plc	Herbicide	<i>Phenmedipham</i>	<i>160 g/l</i>	1.5 l/ha	1.5 l/ha	-	Dormant period	
	CeCeCe 750	04736	BASF plc	Growth Regulator	<i>Metazachlor</i>	<i>500 g/l</i>	465 ml in 10 litre water	465 ml in 10 litre water	-	-	
	Centium 360 CS	05674	FMC Chemical s.p.r.l.	Herbicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	2	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Infito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>680 g/kg</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
	Revus	05154	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.6 l/ha	1.2 l/ha	2 per year	31st August	
	Sacron WG	04541	UPL Europe Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
	Sentry 500	05744	Unichem Limited	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide	<i>Cymoxanil</i>	<i>50% w/w</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
	Stabilan 750	04767	Nufarm UK Limited	Growth Regulator	<i>Clomazone</i>	<i>360 g/l</i>	465ml in 10 L water	465ml in 10 L water	-		
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Cyflufenamid</i>	<i>100 g/l</i>	0.25 l/ha	0.5 l/ha	2	-	
	Tizca	04398	Cheminova A/S	Fungicide	<i>Proquinazid</i>	<i>200 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Vivando	05685	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Metrafenone</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
	Azaka	05218	Cheminova A/S	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			120 mls / 100 litres water		3 per year	-	-
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			12.5 g/100 litres water	-	6 / year	-	-
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	
	Bravado	06013	Novastar Link Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Bravo 500	03452	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	
	Cavaterra	05059	Certiplant N.V.	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Chlorothalonil</i>	<i>500 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Daconil	05748	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Proquinazid</i>	<i>25 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Mogeton	04943	Certis Europe BV	Herbicide			15 kg/ha	15 kg/ha	1 per year/crop	-	
					<i>Quinoclamine</i>	<i>250 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha			
	Agritox 500	05499	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Agroxone 50	05500	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide	<i>Bixafen</i>	<i>75 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>450 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
	Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>47 g/l</i>					
					<i>Ethofumesate</i>	<i>75 g/l</i>					
					<i>Lenacil</i>	<i>27 g/l</i>					
					<i>Phenmedipham</i>	<i>60 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Blaster Pro	04263	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-		
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>480 g/kg</i>					
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Eagle	04315	Bayer CropScience Limited	Herbicide			40 g/ha	40 g/ha	-	42 days before harvest	
					<i>Amidosulfuron</i>	<i>75% w/w</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18 kg/ha	10 per year	N/A	
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide			3.0 l/ha	6.0 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>60 g/l</i>					
					<i>Chlorothalonil</i>	<i>166 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Fixor	05252	Amvac Netherlands B.V	Growth Regulator			6ml per litre water	-	-	7 days before harvest	7 days
					<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Freeze	04517	Cheminova A/S	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	Before GS 61	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Inka Max SX	04842	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Bixafen</i> <i>Prothioconazole</i>	<i>60 g/l</i> <i>200 g/l</i>	2.1 kg/ha	8.4 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	8.0 kg/ha	-	-	
	Masai	03585	BASF plc	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/ha	1.5 kg/ha	1		
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	2.7 l/ha	2.7 l/ha	-	-	
	Metfin	05945	Finchimica S.p.A	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Micaraz	05029	Syngenta UK Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Isopyrazam</i> <i>Epoxiconazole</i>	<i>125 g/l</i> <i>90 g/l</i>	8.0 kgs/ha	-	-	-	
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Sulphur</i> <i>Prochloraz</i>	<i>80 %w/w</i> <i>400 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Monitor	02076	Sumitomo Chemical Agro Europe SAS	Herbicide			25 g/ha	25 g/ha	-	-	
					<i>Sulfosulfuron</i>	<i>80% w/w</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa New	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Optimus	04704	Nufarm UK Limited	Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>267 g/l</i>					
					<i>Tebuconazole</i>	<i>133 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Pexan	04967	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
					<i>Fluxapyroxad</i>	<i>59.4 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
	Riber	05795	Life Scientific Limited	Herbicide	<i>Prohexadione Calcium</i>	<i>10% w/w</i>	0.3 l/ha	0.3 l/ha	-	-	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>	2.5 kg/ha	7.5 kg/ha	-		
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Mancozeb</i>	<i>64 %w/w</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Roxy 800 EC	05739	Globachem nv	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy	
	Salvo	04120	UPL Europe Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.8 l/ha	2.8 l/ha	1 per year	-	
	Scala	03916	BASF plc	Fungicide	<i>2,4-D</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
	Seguris	05028	Syngenta UK Ltd	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
	Sempre	04207	UPL Europe Ltd	Herbicide	<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Signum	03799	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>50 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Ethofumesate</i>	<i>200 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Tepeeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	.042 kg/ha	3 per year	21 days before harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thor	03991	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Propiconazole</i>	<i>250 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Etoazole</i>	<i>110 g/l</i>	0.4 l/ha	1.0 l/ha		35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Zoxamide</i>	<i>8.3 %w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>Mancozeb</i>	<i>66.7 %w/w</i>	0.3 l/ha	0.6 l/ha	2	N/A	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Paraat	03614	BASF plc	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>					
	Scala	03916	BASF plc	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
	Signum	03799	BASF plc	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	2.5 kg/ha	7.5 kg/ha	-		
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Boscalid</i>	<i>26.7 % w/w</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>	1.3 l/ha	1.3 l/ha	1		30 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Benta 480 SL	04206	Sharda Europe b.v.b.a	Herbicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbutylazine</i>	<i>330 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1 per crop	1.5 l/ha	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	-
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide							
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	N/A	
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	3.6 l/ha	3.6 l/ha	-	-	
	Firebird	04221	Bayer CropScience Limited	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.3 l/ha	0.3 l/ha	-	N/A	
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide	<i>Diflufenican</i>	<i>200 g/l</i>	0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide	<i>Flufenacet</i>	<i>400 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Isoxaben</i>	<i>500 g/l</i>	2.5 l/ha	2.5 l/ha	-	N/A	
	G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	4.8 l/ha	4.8 l/ha	-	-	
	Hurler	05077	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>450 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mitron WG	01704	Hermoo Belgium N.V.	Herbicide			3.0 kg/ha	6.9 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Target SC	01298	UPL Europe Ltd	Herbicide			7.0 l/ha	7.0 l/ha	1 / season	N/A	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Target WG	01506	UPL Europe Ltd	Herbicide			7.0 kgs/ha	7.0 kgs/ha	1	N/A	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Propaquizafop</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*