

Plant Protection Products 2019

Issued by

**Pesticide Control Division
Department of Agriculture, Food & the Marine
Backweston Laboratory Campus
Young's Cross
Celbridge
Co. Kildare**

February 2019

Content

Introduction		<i>iii</i>
Legislation		<i>v</i>
Chapter 1	List of plant protection products	1
Chapter 2	Name changes accepted since publication of <i>Pesticides 2018</i>	81
Chapter 3	Plant Protection Products listed in <i>Pesticides 2018</i> for which registrations expired or were rescinded between 1/1/18 and 1/1/19	85
Chapter 4	Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2019.	95
Chapter 5	Marketing Companies	105
Chapter 6	Product name index by active substance	111
Chapter 7	List of off-label approvals have been granted up to 1/3/19 for use on food crops	133
Chapter 8	List of off-label approvals have been granted up to 1/3/19 for use on non-food crops	297
Chapter 9	List of Adjuvants included on the register on 1/1/19	391

INTRODUCTION

This book contains the list of plant protection products that may be placed on the market and used in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009

Chapter 1 contains an alphabetical listing of the plant protection products registered on 1 January 2019. For each product, the following information is provided -

- ◆ its authorization, clearance, notification or permission to market number,
- ◆ the holder of the authorization, clearance, notification or permission to market,
- ◆ the marketing company
- ◆ the function of the product (*e.g.* herbicide, fungicide *etc.*),
- ◆ its formulation type (*e.g.* WP – wettable powder, EC – emulsifiable concentrate),
- ◆ the identity and content of each active substance in the product

Chapter 2 contains a list of the plant protection products for which a name change was accepted during 2018. Both the former and current names are provided.

Chapter 3 contains a list of the plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has expired or has been rescinded during 2018.

Chapter 4 contains a list of plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2019. The list contains the date of revocation of the registration and the date from which the use of the product will be illegal. Stocks of these products at wholesale or retail level after the registration revocation date or at user level after the use by date must be disposed of in an appropriate manner.

Chapter 5 contains the list of companies to which authorization, clearance or permission to market certificates have been issued or from which notifications have been accepted for products listed in this book, together with the

companies responsible for the marketing of the products. Addresses, and, where available, telephone and tele-facsimile numbers have been included.

Chapter 6 consists of an index of all products on the market on 1 January 2019, arranged by active substance.

Chapter 7 consists of a list of products for which off-label approvals for use on particular food crops have been granted up to 1/1/2019. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Chapter 8 consists of a list of products for which off-label approvals for use on non-food crops have been granted up to 1/1/2019. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Warning: Off-Label Approvals

Use of a plant protection product in accordance with an off-label approval is entirely at the risk of the user.

The directions for use provided on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9 consists of an alphabetical listing of adjuvants that on 1 January 2019 were included on the product register

Active substances

The current status of over 1300 active substances can be found on the EU Pesticides database at the following link.

http://ec.europa.eu/sanco_pesticides/public/?event=activesubstance.selection

Detailed information on the status of active substances under Reg (EC) No 1107/2009 including, classification, EU maximum residue levels, toxicological information, Member states in which the substance is authorised at national level is included.

This publication is issued for the guidance of the reader. While every effort has been made to ensure that the information provided is complete and accurate, it must not be construed as being a definitive statement of the pesticide products that can be marketed or used.

The formal register of plant protection products that may be marketed and used is dynamic in nature. In cases of doubt, readers are advised to contact the –

**Pesticide Controls Division
Department of Agriculture, Food and the Marine**

**Telephone Number 01-615 7552
Facsimile Number 01-615 7575
Electronic Mail pcs@agriculture.gov.ie**

Details of currently registered PPP's and the crops on which they may be used can be obtained on the PCS website at www.pcs.agriculture.ie

Information on the arrangements for the authorization of plant protection products, together with relevant application forms and guidance documentation can be obtained on application made to the Regulatory and Enforcement Unit of the Pesticide Control Division, at the following address -

**Department of Agriculture, Food and the Marine
Backweston Campus
Youngs Cross
Celbridge
Co Kildare**

LEGISLATION

Current statutory provisions require that prior to their marketing and use, plant protection products (PPP's) are authorized to ensure a high level of protection for humans, animals and the environment. To avoid damage to the health of those handling PPPs and ensure that the health of consumers is not compromised, it is essential that such products be used in accordance with label instructions, which, where relevant, include precautions to prevent damage to health or to the environment. The effectiveness of PPPs and their safety to crops is also assessed as part of the authorization process.

PPPs offered for sale are inspected at both wholesale and retail distribution levels, to ensure that the products on the market have been authorized, notified or granted a permission to market, in accordance with the legislation and to ensure that they are correctly packaged and labelled. In addition PPPs are sampled for subsequent analysis, to ensure that the products sold or supplied conform to the approved specification of the product authorized, notified or granted permission to market. A key element of the inspection programme undertaken involves inspections at farm level, and inspections of other end user's premises.

Agricultural produce offered for sale is routinely sampled and analyzed for its pesticide residue content. Produce found to contain residues exceeding Maximum Residue Levels (MRLs) may be destroyed at the owner's expense and without payment of compensation. In accordance with the relevant statutory provisions, offenders are liable to imprisonment, to being fined or to both. The presence of excessive residues is indicative of misuse of the PPPs concerned. The immediate and long-term health risks for consumers exposed to such residues are well established.

It should be noted that although the authorization system in place for plant protection products includes the consideration of the performance of products, in terms of their effectiveness and safety to crops, such evaluations have only been completed for plant protection products authorized since 1 October 1994. Notified and cleared plant protection products, or those granted a permission to market, at an earlier date have not been checked, by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine with regard to their effectiveness for the purpose intended.

Users of plant protection products, are reminded that label instructions concerning the handling of PPPs and the use of protective clothing and

equipment, must be carefully followed to avoid damage to the health of those concerned with their use. The adherence to label instructions concerning rates and timing of applications is essential to ensure that consumers are not at put risk from the presence of excessive residues in treated crops. It is especially important that the prescribed intervals between last application and harvest be observed. Strict adherence to label instructions on method and manner of use and on disposal of packaging is necessary to avoid contamination of the environment and to prevent damage to wildlife.

The use of plant protection products in a manner other than that provided for on product labels is an offence that is subject to prosecution.

Only PPPs included in the formal register maintained by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine may be sold and used. However stocks of PPPs for which the relevant authorization, clearance, notification or permission to market has been recently withdrawn may still be available in some retail outlets. Retail distributors are advised to dispose of such stocks as soon as possible either through sale or safe disposal.

Other Publications

Pesticide Residues in Food

Pesticide Residues in Food is an annual publication containing the results of the national control programme for pesticide residues in food, carried out by the Pesticide Controls Division. The programme is aimed at ensuring that consumers are not exposed to unacceptable pesticide residues. The programme also serves to identify incidents of unauthorised use and as a means to check that pesticides are being correctly applied to crops. The control programme in place involves the sampling of imported and domestic produce of plant and animal origin.

Pesticide Usage Survey

To date Pesticide Usage surveys have been published, on grassland and fodder crops, arable crops, vegetable crops and mushrooms. These surveys have been carried out to quantify the amounts and types of pesticides being used on different

crops. The data generated provides critical information for use in assessing the impact of pesticide use on the environment and will be of great benefit in ensuring the sustainable development of the sector.

Further surveys are planned for 2019.

Copies of the Pesticide Residues in Food and the Pesticide Usage surveys are available on our website at www.pcs.agriculture.gov.ie

Chapter 1

List of Plant Protection Products

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
1,4 SIGHT	06256	DormFresh Ltd	DormFresh Ltd	Growth Regulator	HN	Professional	<i>1,4-dimethylnaphtalene</i>	<i>980 g/kg</i>
3 Hour Weedkiller	92328	Bayer CropScience Limited	Bayer Garden	Herbicide	AL	Amateur	<i>Fatty Acid - C7-C20</i>	<i>3 %w/w</i>
7C Chlormequat	04744	Taminco BVBA.	Taminco BVBA.	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
A20882B	06154	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>25 g/l</i>
							<i>Sedaxane</i>	<i>25 g/l</i>
							<i>Triticonazole</i>	<i>20 g/l</i>
Abringo	04239	Certiplant N.V.	Belcrop N.V.	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Accent	03842	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Nicosulfuron</i>	<i>750 g/kg</i>
Acrobat MZ	04059	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Dimethomorph</i>	<i>75 g/kg</i>
							<i>Mancozeb</i>	<i>667 g/kg</i>
Adept	06254	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	ZC	Professional	<i>Di flufenican</i>	<i>15.6 g/l</i>
							<i>Pendimethalin</i>	<i>313 g/l</i>
Adexar	04966	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	<i>62.5 g/l</i>
							<i>Fluxapyroxad</i>	<i>62.5 g/l</i>
Advanced Bug Killer	04752	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>825.3 g/l</i>
							<i>Pyrethrins</i>	<i>4.59 g/l</i>
Advanced Bug Killer	92348	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Insecticide	EC	Amateur	<i>Pyrethrins</i>	<i>4.59 g/l</i>
Aftercut All in One Lawn Feed, Weed & Moss Killer	06246	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
Aftercut All-In-One Autumn	06038	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>354.9 g/kg</i>
							<i>Heptahydrate</i>	
Aftercut Mosskiller Plus	05521	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>7.7 %w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Agrichem Flowable Thiram	00166	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Seed Dressing	SC	Professional	<i>Thiram</i>	<i>600 g/l</i>
Agritox	05498	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Agritox 500	05499	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Agrizeb	03633	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	WP	Professional	<i>Mancozeb</i>	<i>800 g/kg</i>
Agroxone 50	05500	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Alister Flex	05183	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Diflufenican</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	<i>120 g/l</i> <i>7.5 g/l</i> <i>9 g/l</i>
Allegro Plus	02371	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Kresoxim Methyl</i>	<i>125 g/l</i> <i>150 g/l</i> <i>125 g/l</i>
Allstar	05925	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	<i>300 g/l</i>
Ally Express	02259	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Metsulfuron (-methyl)</i>	<i>400 g/kg</i> <i>100 g/kg</i>
Ally Max SX	03435	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>143 g/kg</i> <i>143 g/kg</i>
Ally SX	05590	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>
Ally Ultra	05075	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Florasulam</i> <i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>105 g/kg</i> <i>83 g/kg</i> <i>83 g/kg</i>
Alternet	05840	Certiplant N.V.	Belcrop N.V.	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>
Amistar	05072	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Amistar Opti	05068	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>80 g/l</i>
							<i>Chlorothalonil</i>	<i>400 g/l</i>
Amistar Top	04582	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>200 g/l</i>
							<i>Difenoconazole</i>	<i>125 g/l</i>
Anchor	01247	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	FS	Professional	<i>Carboxin</i>	<i>200 g/l</i>
							<i>Thiram</i>	<i>200 g/l</i>
Anthem	04761	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	<i>400 g/l</i>
Aphox	03795	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>Pirimicarb</i>	<i>500 g/kg</i>
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Acaricide	SC	Professional	<i>Clofentezine</i>	<i>500 g/l</i>
AQ 10	05801	CBC (Europe) S.r.l.	Fargro Limited	Fungicide	XX	Professional	<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>
Arbiter	05542	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Ardee XL	05571	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Arizona	04555	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Folpet</i>	<i>500 g/l</i>
Arnold	06211	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	<i>Diflufenican</i>	<i>200 g/l</i>
							<i>Flufenacet</i>	<i>400 g/l</i>
Ascra Xpro	05240	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	<i>65 g/l</i>
							<i>Fluopyram</i>	<i>65 g/l</i>
							<i>Prothioconazole</i>	<i>130 g/l</i>
Asteroid	01990	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Asteroid Biocare	03936	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Astrokerb	05322	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Aminopyralid</i> <i>Propyzamide</i>	<i>6.3 g/l</i> <i>500 g/l</i>
Avadex Excel 15G	04710	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	GR	Professional	<i>Tri-allate</i>	<i>15.63% w/w</i>
Avadex Factor	04756	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	CS	Professional	<i>Tri-allate</i>	<i>450 g/l</i>
Aviator Xpro	05255	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i>	<i>75 g/l</i> <i>150 g/l</i>
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	<i>75% w/w</i>
Axcela	04839	Lonza Cologne GmbH	Lonza Cologne GmbH	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>30 g/kg</i>
Axial Pro	06258	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Pinoxaden</i>	<i>55 g/l</i>
Aylora	05311	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i> <i>Penthiopyrad</i>	<i>250 g/l</i> <i>100 g/l</i>
Azaka	05218	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Azoshy	05618	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Azoxystar	05534	Life Scientific Limited	Life Scientific Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
AZ-TEC	06036	Unichem Limited	Unichem Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Bacara	04317	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flurtamone</i>	<i>100 g/l</i> <i>250 g/l</i>
Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>720 g/l</i>
Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Bandon Agricultural Products Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Banner Maxx	02715	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>156 g/l</i>
Banner Maxx II	05461	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>162 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Banspray	05111	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Banweed Special Extra	05108	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Barbarian XL	05572	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Avoca	04458	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Barclay Bolt XL	04102	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>250 g/l</i>
Barclay Dimethosect	90172	Cheminova A/S	Barclay Chemicals Ltd	Insecticide	EC	Professional	<i>Dimethoate</i>	<i>400 g/l</i>
Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>400 g/l</i>
Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Barclay Gallup Biograde 360	02126	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Gallup Biograde 450	02434	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Barclay Gallup Biograde Amenity	02910	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Gallup Hi-Aktiv	02435	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>490 g/l</i>
Barclay Holdup 750	04743	Taminco BVBA.	Barclay Chemicals Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Barclay Hudson	02915	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>180 g/l</i>
Barclay Keeper 200	02134	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Ethofumesate</i>	<i>200 g/l</i>
Barclay Keeper 500	02338	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Barclay Propizole	04099	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Barclay Propyz	04006	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Barclay Propyzafash	04007	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Barracuda	05967	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>100 g/l</i>
Barrier	05826	Pure Amenity Ltd	National Agrochemical Distributors Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	<i>25 %w/w</i>
Basagran SG	05192	BASF plc	BASF Ireland Ltd	Herbicide	SG	Professional	<i>Bentazone</i>	<i>870 g/kg</i>
Basamid Granular	90213	Kanesho Soil Treatment BVBA	Certis Europe BV	Sterilant	GR	Professional	<i>Dazomet</i>	<i>97 %w/w</i>
Basilex Ultra	04815	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Fungicide	SC	Professional	<i>Tolclofos-methyl</i>	<i>500 g/l</i>
Batavia	05905	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	SC	Professional	<i>Spirotetramat</i>	<i>100 g/l</i>
Beetshield 200	05805	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>200 g/l</i>
Beetup Flo	05272	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Phenmedipham</i>	<i>160 g/l</i>
Beetup Trio SC	05506	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	<i>60 g/l</i> <i>60 g/l</i> <i>60 g/l</i>
Belkar	06195	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i> <i>Picloram</i>	<i>10 g/l</i> <i>48 g/l</i>
Bellis	03798	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>25.2%w/w</i> <i>12.8 %w/w</i>
Beloukha Garden	05511	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>500 g/l</i>
Benevia 10 OD	05354	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Insecticide	OD	Professional	<i>Cyantraniliprole</i>	<i>100 g/l</i>
Benta 480 SL	04206	Sharda Europe b.v.b.a	Sharda Worldwide Exports Pvt Ltd	Herbicide	SL	Professional	<i>Bentazone</i>	<i>480 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Beret Gold	04278	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
Beretta	04835	Certiplant N.V.	Belcrop N.V.	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	200 g/l
Betanal MaxxPro	04266	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Lenacil</i> <i>Phenmedipham</i>	47g/l 75 g/l 27 g/l 60 g/l
Betasana Trio	05770	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	15 g/l 115 g/l 75 g/l
Biathlon	01913	BASF plc	BASF Ireland Ltd	Herbicide	WG	Professional	<i>Tritosulfuron</i>	714.0 g/kg
Bigalo	06250	Globachem nv	Globachem nv	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	26.7% w/w 6.7% w/w
Binder	05113	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Biofresh Safestore	04732	Freshpallet Ltd	Freshpallet Ltd	Growth Regulator	GA	Professional	<i>Ethylene</i>	99.9% v/v
Biox-M	05431	Xeda International S.A.	Juno (Plant Protection) Ltd	Growth Regulator	HN	Professional	<i>Spearmint oil</i>	100% w/w
Biplay SX	03434	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	111 g/kg 222 g/kg
Biscaya	03602	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	OD	Professional	<i>Thiacloprid</i>	240 g/l
Blaster Pro	04263	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	60 g/l 240 g/l
B-Nine SG	03412	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Growth Regulator	WG	Professional	<i>Daminozide</i>	85 %w/w
Bonalan	05763	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	EC	Professional	<i>Benfluralin</i>	180 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Bontima	05033	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	187.5 g/l 62.5 g/l
Boogie Xpro	05256	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i> <i>Spiroxamine</i>	50 g/l 100 g/l 250 g/l
Borneo	04235	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Acaricide	SC	Professional	<i>Etoxazole</i>	110 g/l
botanico BugClear Spray	05877	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	10 g/l 0.1 g/l
Botanigard WP	06264	Mycotech Europe Ltd	Certis Europe BV	Insecticide	WP	Professional	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg
Boudha	04443	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	250 g/kg 250 g/kg
Boxer	02048	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Florasulam</i>	50 g/l
Bravado	06013	Novastar Link Ltd	Terrachem Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l
Bravo 500	03452	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l
Broadway Star	05582	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	WG	Professional	<i>Florasulam</i> <i>Pyroxsulam</i>	14.2 g/kg 70.8 g/kg
Bug Clear Fruit & Veg	05007	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	777 g/l
Bug Clear Fruit & Veg Gun!	05008	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	17 g/l
Bug Clear Gardener's Choice	05456	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	17 g/l
Bug Clear Ultra	02388	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	<i>Acetamiprid</i>	0.5 %w/w
Bug Clear Ultra Gun!	02520	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	ME	Amateur	<i>Acetamiprid</i>	0.05 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Bug Clear Ultra Vine Weevil Killer	02386	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	<i>Acetamiprid</i>	<i>5 g/l</i>
Bugclear Ecomax	05872	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>700 g/l</i> <i>7 g/l</i>
BugClear Ultra 2	05897	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>700 g/l</i> <i>7 g/l</i>
BugClear Ultra 2 Gun!	05898	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>10 g/l</i> <i>0.1 g/l</i>
BugFree Bug & Larvae Killer	05928	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>8.25 g/l</i> <i>0.045 g/l</i>
Bugfree Bug & Larvae Killer Concentrate	06193	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>825.3 g/l</i> <i>4.59 g/l</i>
BugFree Bug & Larvae Killer for Roses	05929	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>8.25 g/l</i> <i>0.045 g/l</i>
Buguis	05450	Proplan-Plant Protection Company S.L.	Proplan-Plant Protection Company S.L.	Herbicide	EC	Professional	<i>Clodinafop</i>	<i>100 g/l</i>
Bulldog	05651	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Diflufenican</i> <i>Pendimethalin</i>	<i>15.6 g/l</i> <i>313 g/l</i>
Bumper	03292	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>250 g/l</i>
Butisan S	04631	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Metazachlor</i>	<i>500 g/l</i>
Butoxone DB	02968	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-DB</i>	<i>400 g/l</i>
Butryflow	03659	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Bromoxynil</i>	<i>401.58 g/l</i>
Buzzin	05490	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	WG	Professional	<i>Metribuzin</i>	<i>700 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Cabadex	03749	Dow AgroSciences Ltd	Headland Agrochemicals Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Cadou Star	03439	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Flufenacet</i>	480 g/kg
							<i>Isoxaflutole</i>	100 g/kg
Calaris	02711	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SC	Professional	<i>Mesotrione</i>	70 g/l
							<i>Terbuthylazine</i>	330 g/l
Calibre Max SX	03438	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	400 g/kg
							<i>Tribenuron (-methyl)</i>	100 g/kg
Calibre SX	03436	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	333 g/kg
							<i>Tribenuron (-methyl)</i>	167 g/kg
Callisto	02587	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Mesotrione</i>	100 g/l
CaLypso	02441	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	SC	Professional	<i>Thiacloprid</i>	480 g/l
Cameo Max SX	03135	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	250 g/kg
							<i>Tribenuron (-methyl)</i>	250 g/kg
Cameo SX	03431	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Canopy	04404	BASF plc	BASF Ireland Ltd	Growth Regulator	SC	Professional	<i>Mepiquat Chloride</i>	300 g/l
							<i>Prohexadione Calcium</i>	50 g/l
Capalo	02718	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i>	62.5 g/l
							<i>Fenpropimorph</i>	200 g/l
							<i>Metrafenone</i>	75 g/l
Caramba	03954	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Cauldron	03971	BASF plc	BASF Ireland Ltd	Fungicide	OD	Professional	<i>Boscalid</i>	140 g/l
							<i>Epoxiconazole</i>	50 g/l
Cavaterra	05059	Certiplant N.V.	Terrachem Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Ceando	04391	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	83 g/l
							<i>Metrafenone</i>	100 g/l
Cebara	05034	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i>	187.5 g/l
							<i>Isopyrazam</i>	62.5 g/l
CeCeCe 750	04736	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Celest Trio	04190	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Difenoconazole</i>	25 g/l
							<i>Fludioxonil</i>	25 g/l
							<i>Tebuconazole</i>	10 g/l
Cello	05066	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	100 g/l
							<i>Tebuconazole</i>	100 g/l
Centium 360 CS	05674	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	360 g/l
Centurion Max	04948	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Herbicide	EC	Professional	<i>Clethodim</i>	120 g/l
Ceraide	04741	Tamincó BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	620 g/l
Ceratavo Plus	05969	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	100 g/l
Cerix	04382	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	41.6 g/l
							<i>Fluxapyroxad</i>	41.6 g/l
							<i>Pyraclostrobin</i>	66.6 g/l
Cerone	03933	Bayer CropScience Limited	Bayer CropScience Limited	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Ceta SG	06252	Unichem Limited	Unichem Limited	Insecticide	SG	Professional	<i>Acetamiprid</i>	20% w/w
Chamane	05002	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Cheetah Extra	04314	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	69 g/l
Chess WG	03365	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>Pymetrozine</i>	50 %w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Chikara Weed Control	04203	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	<i>25 % w/w</i>
Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Choir	03648	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>7 %w/w</i> <i>68 %w/w</i>
Ciclope	05856	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	EC	Professional	<i>Clodinafop</i>	<i>100 g/l</i>
Cielex	05352	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Cyproconazole</i> <i>Penthiopyrad</i>	<i>60 g/l</i> <i>150 g/l</i>
Cigal Plus	06061	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i> <i>Tebuconazole</i>	<i>375 g/l</i> <i>125 g/l</i>
Cimarron	02845	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	TB	Professional	<i>Metsulfuron (-methyl)</i>	<i>500 g/kg</i>
CIPC	03066	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	EC	Professional	<i>Chlorpropham</i>	<i>400 g/l</i>
Clap	05596	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>300 g/l</i>
Claw 100	05444	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
Claw 100	05874	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
Cleanlawn Moss Control for Lawns Concentrate	05246	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Cleanrun Pro	03926	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>MCPA</i> <i>Mecoprop-P</i>	<i>0.49 % w/w</i> <i>0.29 % w/w</i>
Clearall XL	05794	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Cleave	05552	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>100 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Cleranda	05054	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Imazamox</i>	<i>17.5 g/l</i>
							<i>Metazachlor</i>	<i>375.0 g/l</i>
Click Premium	06299	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>70 g/l</i>
							<i>Terbuthylazine</i>	<i>330 g/l</i>
Clinic TF	05535	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Clinic Up	05776	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Cliophar 100	04899	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>100 g/l</i>
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>600 g/l</i>
Clipless	04577	Cheminova A/S	Headland Agrochemicals Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	<i>120 g/l</i>
Closer	05341	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	<i>120 g/l</i>
Clovermax	04773	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-DB</i>	<i>240 g/l</i>
							<i>MCPA</i>	<i>40 g/l</i>
CloveX	05828	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>2,4-DB</i>	<i>240 g/l</i>
							<i>MCPA</i>	<i>40 g/l</i>
Collage	05273	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	OD	Professional	<i>Nicosulfuron</i>	<i>60 g/l</i>
							<i>Thifensulfuron methyl</i>	<i>4 g/l</i>
Comet	02354	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	<i>250 g/l</i>
Comet 200	03696	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	<i>200 g/l</i>
Compitox Plus	02843	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Comrade	05698	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>200 g/l</i>
							<i>Cyproconazole</i>	<i>80 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Concorde	04751	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	<i>150 g/l</i> <i>62.5 g/l</i>
Configure	05917	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	SC	Professional	<i>6-benzyladenine</i>	<i>20 g/l</i>
Consento	04344	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fenamidone</i> <i>Propamocarb</i>	<i>75 g/l</i> <i>375 g/l</i>
Conserve	03728	Dow AgroSciences Ltd	Fargro Limited	Insecticide	SC	Professional	<i>Spinosad</i>	<i>120 g/l</i>
Contans WG	03287	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Coniothyrium Minitans - Strain - CON/M/91-08</i>	<i>1 x 10¹²</i>
Coragen	05295	DuPont (UK) Ltd	DuPont (UK) Ltd	Insecticide	SC	Professional	<i>Chlorantraniliprole</i>	<i>200 g/l</i>
Corbel	90438	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropimorph</i>	<i>750 g/l</i>
Coyote	03790	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i> <i>Trifloxystrobin</i>	<i>75 g/l</i> <i>150 g/l</i> <i>75 g/l</i>
Crafter	05345	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Chlorothalonil</i> <i>Tebuconazole</i>	<i>250 g/l</i> <i>90 g/l</i>
Credit	02932	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>540 g/l</i>
Croplink D50	04600	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Croplink Empire	03051	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>
Croplink Liberty	05134	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>84 g/l</i> <i>600 g/l</i>
Croplink Maizekleen	04598	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbuthylazine</i>	<i>70 g/l</i> <i>330 g/l</i>
Croplink Reaper	05842	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
CT 500	05302	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Cultar	90464	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SC	Professional	<i>Pacllobutrazol</i>	<i>250 g/l</i>
Curator	05069	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	<i>80 g/l</i> <i>400 g/l</i>
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	WP	Professional	<i>Copper oxychloride</i>	<i>87.8% w/w</i>
Curzate M	90478	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5 %w/w</i> <i>68 %w/w</i>
Curzate M WG	04723	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5 % w/w</i> <i>68 % w/w</i>
Cutaway	03683	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	<i>121 g/l</i>
Cuter	05857	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>100 g/l</i>
Cymbal 45	04647	Belchim Crop Protection Ltd	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>45% w/w</i>
Cymbal Flow	05790	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Cymoxanil</i>	<i>225 g/l</i>
Cythrin Concentrated Caterpillar Spray	04363	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10.0 g/l</i>
Cythrin Concentrated Garden Pest Killer	04362	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10.0 g/l</i>
Cythrin Garden Ready-to-Use	04786	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	AL	Amateur	<i>Cypermethrin</i>	<i>0.05 g/l</i>
D50	02366	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Daconil	05748	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Dauphin 45	04542	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>450 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Dazide Enhance	03852	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	WG	Professional	<i>Daminozide</i>	85 % w/w
DB Plus	90493	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-DB</i> <i>MCPA</i>	240 g/l 40 g/l
Deadfast Plus Weedkiller RTU	04829	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	8.39 g/l
Debut	04759	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	WG	Professional	<i>Triflusalufuron</i>	500 g/kg
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Decis	02693	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Decis Protech	05269	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EW	Professional	<i>Deltamethrin</i>	15 g/l
Decoy 250 EC	06221	Bayer CropScience Limited	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Dedicate	05614	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	200 g/l 100 g/l
Defy	04277	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Delan Pro	05684	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Dithianon</i> <i>Potassium phosphonates</i>	125 g/l 561 g/l
Depitox	02365	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Derrex	05559	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Ferric Phosphate</i>	29.7 g/kg
Destrol Amenity	04765	BASF plc	Sprayclear Environmental Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Destrol Path & Drive Weedkiller Concentrate	05745	Sprayclear Environmental Ltd	Sprayclear Environmental Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Destroyer	05533	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	3% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Deuce	04993	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i>	233 g/l
							<i>Epoxiconazole</i>	67 g/l
Devrinol	05234	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Napropamide</i>	450 g/l
Diablo	05133	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Ametoctradin</i>	80 g/kg
							<i>Mancozeb</i>	480 g/kg
Diamant	01981	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i>	42.9 g/l
							<i>Fenpropimorph</i>	214.3 g/l
							<i>Pyraclostrobin</i>	114.3 g/l
Dicash	05799	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	<i>Dicamba</i>	480 g/l
Dicophar	04557	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>2,4-D</i>	70 g/l
							<i>Dicamba</i>	20 g/l
							<i>MCPA</i>	70 g/l
							<i>Mecoprop-P</i>	42 g/l
Dicophar Lawn Weedkiller	05478	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Amateur	<i>2,4-D</i>	70 g/l
							<i>Dicamba</i>	20 g/l
							<i>MCPA</i>	70 g/l
							<i>Mecoprop-P</i>	42 g/l
Dicophar RTU	04558	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	AL	Amateur	<i>2,4-D</i>	0.7 g/l
							<i>Dicamba</i>	0.2 g/l
							<i>MCPA</i>	0.7 g/l
							<i>Mecoprop-P</i>	0.42 g/l
Difcor 250 EC	04983	Globachem nv	Q-Chem NV	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Difend	04794	Globachem nv	Globachem nv	Seed Dressing	FS	Professional	<i>Difenoconazole</i>	30 g/l
Difend Extra	05470	Globachem nv	Globachem nv	Seed Dressing	FS	Professional	<i>Difenoconazole</i>	25 g/l
							<i>Fludioxonil</i>	25 g/l
Diflanil 500 SC	04358	Q-Chem NV	DHM Agrochemicals Ltd.,	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Difo 25% EC	04891	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>
Difure Pro	05334	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Difenoconazole</i> <i>Propiconazole</i>	<i>150 g/l</i> <i>150 g/l</i>
Digital	03147	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Herbicide	SC	Professional	<i>Flumioxazin</i>	<i>300 g/l</i>
DimethoX	05118	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>Dimethoate</i>	<i>400 g/l</i>
Dimix 500 SC	05191	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dimethomorph</i>	<i>500 g/l</i>
Dioweed 50	02719	Nufarm UK Limited	UPL Europe Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Diqua	03630	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Diquash 200 SL	04181	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Di-Quattro	04720	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Discman Biograde	02786	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>216 g/l</i>
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WP	Professional	<i>Mancozeb</i>	<i>80 % w/w</i>
Dithane Dry Flowable Neotec	03707	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Mancozeb</i>	<i>75% w/w</i>
Dithianon WG	04969	BASF plc	BASF Ireland Ltd	Insecticide	WG	Professional	<i>Dithianon</i>	<i>700 g/kg</i>
Doff 24/7 Fast Acting Weedkiller	05250	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Doff Advanced Maxi Strength Weedkiller	05906	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Doff Advanced Weedkiller	05910	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Cat & Dog Repellant	92369	Sphere Laboratories (London) Ltd	Doff Portland Ltd	Repellant	SL	Amateur	<i>Aluminium ammonium sulfate</i>	<i>10.4 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Doff Concentrate Weedkiller	05907	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Doff Concentrated Garden Path and Patio Weed Killer	05918	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Doff Concentrated Tough Weed Killer	05919	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Doff Garden Path and Patio Weed Killer	05920	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Doff Glyphosate Weedkiller	04997	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Glyphosate Weedkiller Concentrate	04999	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Doff Ivy & Brushwood Killer RTU	04998	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Lawn Moss Killer	05479	Angus Horticulture Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>7.7% w/w</i>
Doff Lawn Weedkiller	05376	Hygeia Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Doff Maxi Strength Glyphosate Weedkiller	04995	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Doff Path & Patio Weedkiller RTU	04996	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Pest Repel	05424	Doff Portland Ltd	Doff Portland Ltd	Repellant	AL	Amateur	<i>Aluminium ammonium sulfate</i>	<i>10.4 g/l</i>
Doff Ready to Use Path and Patio weedkiller	05909	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Rose Shield Bug & Fungus Killer	04989	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Doff Super Slug Killer	04319	W. Neudorff GmbH KG	Doff Portland Ltd	Molluscicide	GB	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Doff Weed Killer	05921	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Double	05818	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	<i>200 g/l</i> <i>100 g/l</i>
Dow Shield 100	03861	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>100 g/l</i>
Doxstar Pro	05459	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	<i>150 g/l</i> <i>150 g/l</i>
Dragoon Gold	03174	Certiplant N.V.	Belcrop N.V.	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Dual Gold	04192	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>S-Metolachlor</i>	<i>960 g/l</i>
Duplosan KV	02842	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Duplosan Super	04853	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dichlorprop-P</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>310 g/l</i> <i>160 g/l</i> <i>160 g/l</i>
Dynamec	02640	Syngenta UK Ltd	Syngenta Bioline	Acaricide/Insecticide	EC	Professional	<i>Abamectin</i>	<i>18 g/l</i>
Dynamec (Emergency Use)	06292	Syngenta UK Ltd	Syngenta Bioline	Insecticide	EC	Professional	<i>Abamectin</i>	<i>18 g/l</i>
DyWeed 50	05301	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Eagle	04315	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Amidosulfuron</i>	<i>75% w/w</i>
Eagle Green Care	92367	ECOSpray Ltd	ECOSpray Ltd	Nematicide	SL	Professional	<i>Garlic Extract</i>	<i>99.9 %w/w</i>
Easel	05502	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>750 g/l</i>
Echo Pro	05741	Unichem Limited	Unichem Limited	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Ecofective Path and Patio Weed + Moss Killer	05759	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Ecofective Weedblast	05758	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	<i>Acetic acid</i>	60 g/l
ECOGuard Granules	92304	ECOSpray Ltd	ECOSpray Ltd	Insecticide	GR	Amateur/Professional	<i>Garlic Extract</i>	45 %w/w
ECOGuard Liquid	92305	ECOSpray Ltd	ECOSpray Ltd	Insecticide	EC	Amateur/Professional	<i>Garlic Extract</i>	99.9 %w/w
Ecoplug Max	05595	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	720 g/kg
Edipro	03889	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	722 g/l
Efica 960 EC	05942	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>S-Metolachlor</i>	960 g/l
Elatus Era	05379	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i> <i>Prothioconazole</i>	75 g/l 150 g/l
Elatus Plus	05380	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	100 g/l
Electis 75 WG	01821	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Fungicide	WG	Professional	<i>Mancozeb</i> <i>Zoxamide</i>	66.7 %w/w 8.3 %w/w
Ella SX	05796	Life Scientific Limited	Life Scientific Limited	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Elliott's Lawn Sand and Moss Killer	05415	John Hall (Fertilisers) Ltd	Thomas Elliott Fertilisers	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	14.1% w/w
Elumis	04189	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	OD	Professional	<i>Mesotrione</i> <i>Nicosulfuron</i>	75 g/l 30 g/l
Embutone	04831	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-DB</i>	400 g/l
Emerger	06190	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Aclonifen</i>	600 g/l
Emesto Prime DS	05991	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	DS	Professional	<i>Penflufen</i>	20 g/kg
Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	FMC Chemical s.p.r.l.	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Empire Supreme	05061	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	40 g/kg
							<i>Thifensulfuron methyl</i>	400 g/kg
Enervin SC	05995	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Ametoctradin</i>	200 g/l
Envision	01991	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	450 g/l
Envy	05806	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Eradicoat	05211	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	598 g/l
Eraza Zero Slug Killer	06005	De Sangosse SA	Westland Horticulture Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg
Ergon	03818	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	68 g/kg
							<i>Thifensulfuron methyl</i>	682 g/kg
Escolta	05681	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Cyproconazole</i>	160 g/l
							<i>Trifloxystrobin</i>	375 g/l
Esteem	06356	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Ethosat 500	02666	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	500 g/l
Evergreen Autumn Lawn Care	05005	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
Evergreen Complete 4 in 1	04724	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3 % w/w
							<i>MCPA</i>	0.49 % w/w
							<i>Mecoprop-P</i>	0.29 % w/w
Evergreen Complete 4in1 Lawn Feed	06152	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.23 g/kg
							<i>Dicamba</i>	1.01 g/kg
							<i>Ferrous Sulphate</i>	191.3 g/kg
							<i>Fluroxypyr</i>	0.86 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Evergreen Liquid Feed & Moss	05653	Omex Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>
Evergreen Liquid Feed & Weed	05816	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	<i>9.0 g/l</i> <i>2.1 g/l</i> <i>10.5 g/l</i>
Evergreen Mosskill Liquid	06245	Omex Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>
Evergreen Premium Plus Weed Control Lawn Food	05933	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i>	<i>0.8% w/w</i> <i>0.12 % w/w</i>
Exemptor	05615	Bayer CropScience Limited	Everris Ltd	Insecticide	GR	Professional	<i>Thiacloprid</i>	<i>10% w/w</i>
Exilis	04702	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	<i>6-benzyladenine</i>	<i>20.0 g/l</i>
Exteris Stressgard	05719	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i> <i>Trifloxystrobin</i>	<i>12.5 g/l</i> <i>12.5 g/l</i>
Falcon	04740	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
Fandango	03787	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Farmco 2-4D	04433	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Farmco Beet-Clean	05125	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	WG	Professional	<i>Triflusulfuron</i>	<i>50% w/w</i>
Farmco Blight	04971	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	SC	Professional	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>
Farmco Cerusite	04636	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i>	<i>480 g/l</i>
Farmco Chlormequat	05594	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Farmco Chlorothalonil	05593	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Farmco Dazzle	05297	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	<i>500 g/l</i>
Farmco Dimex	04735	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Insecticide	EC	Professional	<i>Dimethoate</i>	<i>400 g/l</i>
Farmco Duplex	04418	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Farmco Epoxy	05284	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	<i>125 g/l</i>
Farmco Grazing Special	05121	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60 g/l</i> <i>240 g/l</i>
Farmco Iconic	05308	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EW	Professional	<i>Tebuconazole</i>	<i>250 g/l</i>
Farmco Input	04692	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>
Farmco Maize	04157	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbuthylazine</i>	<i>70 g/l</i> <i>330 g/l</i>
Farmco Marigold	04901	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	<i>80.0 g/l</i> <i>2.5 g/l</i> <i>144 g/l</i>
Farmco PGR	04906	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Farmco Pro-Strob	04770	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Farmco Regal	04627	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Farmco Slugs	05676	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Molluscicide	RB	Professional	<i>Metaldehyde</i>	<i>3% w/w</i>
Farmco Thistles	05124	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>200 g/l</i> <i>200 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Farmco Tilt	04500	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>250 g/l</i>
Farmco Trio	04460	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SC	Professional	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	<i>15 g/l</i> <i>115 g/l</i> <i>75 g/l</i>
Farmco Tuskar	04403	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>40 g/kg</i> <i>400 g/kg</i>
Farmco Undersown	04905	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>2,4-DB</i>	<i>400 g/l</i>
Farmco Wild Oats	04925	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	<i>69 g/l</i>
Farmco Zealot	05299	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
Farmco Zeus	05132	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>
Fast Acting & Long Lasting Weedkiller	04572	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	<i>4.95 g/l</i> <i>31.02 g/l</i>
Fast Acting & Long Lasting Weedkiller Concentrate	04571	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	<i>30 g/l</i> <i>186.7 g/l</i>
Fast Action Roundup Ready to Use Weedkiller	01669	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Fastnet	06253	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	<i>365 g/l</i>
Fathom	04688	FMC Agro Ltd	FMC Agro Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	<i>200 g/l</i>
Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Growth Regulator	SG	Professional	<i>Maleic hydrazide</i>	<i>600 g/kg</i>
Fence	05873	Albaugh TKI d.o.o	Albaugh TKI d.o.o	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>480 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Fenomenal	04956	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Fenamidone</i>	60 g/kg
							<i>Fosetyl (-aluminium)</i>	600 g/kg
Ferromex	05652	Omex Agriculture Ltd	Omex Agriculture Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	381.15 g/l
Ferromex Mosskiller Concentrate	05440	Omex Agriculture Ltd	Omex Agriculture Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	381.15 g/l
Fezan	04649	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	250 g/l
Fezan Plus	04468	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	166 g/l
							<i>Tebuconazole</i>	60 g/l
Fielder SE	04251	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SE	Professional	<i>Chlorothalonil</i>	500 g/l
							<i>Proquinazid</i>	25 g/l
Filan	04325	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i>	50 % w/w
Finish SX	02329	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	67 g/kg
							<i>Thifensulfuron methyl</i>	333 g/kg
Finy	02360	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Firebird	04221	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	200 g/l
							<i>Flufenacet</i>	400 g/l
Fixor	05252	Amvac Netherlands B.V	Belcrop N.V.	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	100 g/l
Flexidor	04963	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Isoxaben</i>	500 g/l
Flexity	03225	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Metrafenone</i>	300 g/l
Flight	02524	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	330 g/l
							<i>Picolinafen</i>	7.5 g/l
FLIPPER	05027	Alpha Biopesticides Ltd	Alpha Biopesticides Ltd	Insecticide	EW	Professional	<i>Fatty Acid - C7-C20</i>	479.8 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Floramite 240 SC	02949	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Acaricide	SC	Professional		
							<i>Bifenazate</i>	<i>240 g/l</i>
Fluazinova	05508	Finchimica S.p.A	Barclay Chemicals Ltd	Fungicide	SC	Professional		
							<i>Fluazinam</i>	<i>500 g/l</i>
Fluazinova Duo	05994	Finagro S.p.A	Clayton Plant Protection Ltd	Fungicide	SC	Professional		
							<i>Fluazinam</i>	<i>500 g/l</i>
Flurostar 200	02950	Globachem nv	Globachem nv	Herbicide	EC	Professional		
							<i>Fluroxypyr</i>	<i>200 g/l</i>
Fluxyr 200 EC	05787	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional		
							<i>Fluroxypyr</i>	<i>200 g/l</i>
Folicur	04640	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EW	Professional		
							<i>Tebuconazole</i>	<i>250 g/l</i>
Folio Gold	02363	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional		
							<i>Chlorothalonil</i>	<i>500 g/l</i>
							<i>Metalaxyl M</i>	<i>37.5 g/l</i>
Fontelis	06241	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional		
							<i>Penthiopyrad</i>	<i>200 g/l</i>
Forefront	02793	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional		
							<i>Aminopyralid</i>	<i>30 g/l</i>
							<i>Fluroxypyr</i>	<i>100 g/l</i>
Forefront T	03800	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EW	Professional		
							<i>Aminopyralid</i>	<i>30 g/l</i>
							<i>Triclopyr</i>	<i>240 g/l</i>
Forester	02533	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EW	Professional		
							<i>Cypermethrin</i>	<i>100 g/l</i>
Fortress	02364	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Fungicide	SC	Professional		
							<i>Quinoxifen</i>	<i>500 g/l</i>
Foundation	05123	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional		
							<i>Dicamba</i>	<i>84 g/l</i>
							<i>Mecoprop-P</i>	<i>600 g/l</i>
Foxtrot EW	03858	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	EW	Professional		
							<i>Fenoxaprop-P</i>	<i>69 g/l</i>
Freeze	04517	Cheminova A/S	DHM Agrochemicals Ltd.,	Growth Regulator	EC	Professional		
							<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Freeze NT	05347	Cheminova A/S	DHM Agrochemicals Ltd.,	Growth Regulator	EC	Professional		
							<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Frownicide	04394	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional		
							<i>Fluazinam</i>	<i>500 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Frupica	02128	Certis Europe BV	Certis Europe BV	Fungicide	SC	Professional	<i>Mepanipyrin</i>	449.4 g/l
Fumetham	01340	Lainco S.A.	Lainco S.A.	Sterilant	SL	Professional	<i>Metam (-sodium)</i>	510 g/l
Fumi-Gas T	05930	Servem Ltd	Servem Ltd	Insecticide	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Fungazil 50 LS	01544	Certis Europe BV	Certis Europe BV	Seed Dressing	LS	Professional	<i>Imazalil</i>	50 g/l
Fungus Clear Ultra	04981	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	EC	Amateur	<i>Triticonazole</i>	10.2 g/l
Fungus Clear Ultra Gun!	04982	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	AL	Amateur	<i>Triticonazole</i>	0.15 g/l
Fungus Control and Protect	06001	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fungus Fighter Plus	05443	Bayer CropScience Limited	Bayer Garden	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fungus Fighter Plus	06000	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fusilade Max	01472	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Fluazifop-P (-butyl)</i>	125 g/l
Fusion	06226	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	200 g/l 100 g/l
G360 Xtra	05768	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Galaxy	05473	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Galben M	91973	FMC Chemical s.p.r.l.	Belchim Crop Protection Ltd	Fungicide	WP	Professional	<i>Benalaxyl</i> <i>Mancozeb</i>	8 %w/w 65 %w/w
Galera	05188	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Picloram</i>	267 g/l 67 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Gallup Biograde Weedkiller RTU	02588	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Gallup Home and Garden	04738	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Gallup XL	05570	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	<i>360 g/l</i>
Garden Caterpillar Spray	03637	Arysta LifeScience Benelux SPRL	Hygeia Chemicals Ltd	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10 g/l</i>
Garden Weedkiller	05760	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Garlon Ultra	04473	Dow AgroSciences Ltd	Nomix Enviro Ltd	Herbicide	SL	Professional	<i>Aminopyralid</i> <i>Triclopyr</i>	<i>12 g/l</i> <i>120 g/l</i>
Garryowen XL	05660	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Gartrel	05583	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Clopyralid</i> <i>Florasulam</i>	<i>300 g/l</i> <i>25 g/l</i>
GAT Decline 2.5 EC	04422	FMC Chemical s.p.r.l.	FMC Chemical s.p.r.l.	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
Gavel	05089	Certis Europe BV	Certis Europe BV	Fungicide	SL	Professional	<i>Imazalil</i>	<i>100 g/l</i>
Gazelle SG	03248	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	SG	Professional	<i>Acetamiprid</i>	<i>20 % w/w</i>
Genoxone ZX EC	03915	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	EC	Professional	<i>2,4-D</i> <i>Triclopyr</i>	<i>93 g/l</i> <i>103.6 g/l</i>
GF-2573	05524	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i>	<i>7.5 g/l</i>
GF-2895	04914	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>600 g/l</i>
GiBB Plus	05340	Globachem nv	Globachem nv	Growth Regulator	SL	Professional	<i>Gibberellin</i>	<i>10.0 g/l</i>
Gleam	04420	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Metconazole</i>	<i>37.5 g/l</i> <i>27.5 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Globaztar SC	05529	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Gloflo	04873	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SC	Professional	<i>Metamitron</i>	<i>700 g/l</i>
Glyfos Dakar	02966	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	<i>68 %w/w</i>
Glyfos Supreme XL	05786	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	<i>700 g/l</i>
Gorgon	06197	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>480 g/l</i>
Governor	06355	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	<i>150 g/l</i> <i>150 g/l</i>
Grail	02826	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EC	Professional	<i>Prochloraz</i> <i>Tebuconazole</i>	<i>300 g/l</i> <i>200 g/l</i>
Granprotec	05734	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
Grassrooter	06031	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	SL	Professional	<i>Ethephon</i>	<i>480 g/l</i>
Grazon 90	04261	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60 g/l</i> <i>240 g/l</i>
Grazon Pro	05182	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60.0 g/l</i> <i>240.0 g/l</i>
Grecale	05437	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Cymoxanil</i> <i>Fluazinam</i>	<i>200 g/l</i> <i>300 g/l</i>
Green Up Lawn Sand	05414	Vitax Limited	Vitax Limited	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>14.1% w/w</i>
GreenForce Clover Lawn Weedkiller	05102	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>4.675 g/l</i> <i>37.5 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
GreenForce Dandelion & Daisy Weedkiller	05103	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	4.675 g/l
							<i>Mecoprop-P</i>	37.5 g/l
GreenForce Dandelion & Daisy Weedkiller Ready to Use	05106	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	0.4675 g/l
							<i>Mecoprop-P</i>	3.75 g/l
GreenForce Lawn Weedkiller	05101	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	4.675 g/l
							<i>Mecoprop-P</i>	37.5 g/l
GreenForce Lawn Weedkiller & Feed	05104	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	4.675 g/l
							<i>Mecoprop-P</i>	37.5 g/l
GreenForce Lawn Weedkiller Ready to Use	05105	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	0.4675 g/l
							<i>Mecoprop-P</i>	3.75 g/l
Greenmaster Autumn	05004	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w
Greentec Mosskiller Pro	05085	Headland Amenity Limited	Headland Amenity Limited	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.8% w/w
Gro-Stop 100	03115	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Gro-Stop Fog	03114	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Gro-Stop HN	03113	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Gro-Stop Innovator	03116	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Gro-Stop Ready	04828	Certis Europe BV	Certis Europe BV	Growth Regulator	EW	Professional	<i>Chlorpropham</i>	120 g/l
Growing Success Advanced Slug Killer	02121	W. Neudorff GmbH KG	Westland Horticulture Ltd	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Growing Success Slug Killer Advanced	05432	De Sangosse SA	Westland Horticulture Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
GTHMF Amateur	05081	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Amateur	2,4-D	2.86 g/kg
							Dicamba	0.57 g/kg
							Ferrous Sulphate	217.3 g/kg
							Mecoprop-P	2.86 g/kg
GTHMF Pro	05080	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Professional	2,4-D	2.86 g/kg
							Dicamba	0.57 g/kg
							Ferrous Sulphate	217.3 g/kg
							Mecoprop-P	2.86 g/kg
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Herbicide	SC	Professional	Flumioxazin	300 g/l
Gusto 3	03666	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Molluscicide	RB	Professional	Metaldehyde	3 %w/w
Haksar 500 SL	05968	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	MCPA	500 g/l
Haksar Complex 260 EW	05896	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	EW	Professional	Clopyralid	20 g/l
							Fluroxypyr	40 g/l
							MCPA	200 g/l
Halo	00651	Cheminova A/S	Cheminova	Fungicide	SC	Professional	Chlorothalonil	375 g/l
							Flutriafol	47 g/l
Harmony M SX	02330	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	Metsulfuron (-methyl)	40 g/kg
							Thifensulfuron methyl	400 g/kg
Harmony Max SX	02883	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	Metsulfuron (-methyl)	29 g/kg
							Thifensulfuron methyl	429 g/kg
Harmony SX	02283	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	Thifensulfuron methyl	500 g/kg
HARPUN	05939	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	Pyriproxyfen	100 g/l
Hatchet Xtra	02733	Mitsui Agriscience International S.A./N.V.	Mitsui Agriscience International S.A./N.V.	Herbicide	EC	Professional	Fluroxypyr	200 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Headland Relay	05015	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>19.5 g/l</i>
							<i>MCPA</i>	<i>245 g/l</i>
							<i>Mecoprop-P</i>	<i>43.3 g/l</i>
Headland Spruce	04772	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>2,4-DB</i>	<i>400 g/l</i>
Headland Sulphur	90731	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Sulphur</i>	<i>800 g/l</i>
Headland Triad	03433	DuPont (UK) Ltd	Headland Agrochemicals Ltd	Herbicide	TB	Professional	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>
Headway	03557	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Azoxystrobin</i>	<i>62.5 g/l</i>
							<i>Propiconazole</i>	<i>104 g/l</i>
Helix	05067	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>160 g/l</i>
							<i>Spiroxamine</i>	<i>300 g/l</i>
Helosate 450 SL	04539	Helm AG Ltd	Helm AG Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Hempacide 30	03531	Hygeia Chemicals Ltd	Goldcrop Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Herboxone	02416	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Heritage	05062	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Azoxystrobin</i>	<i>500 g/kg</i>
Heritage Maxx	05063	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	DC	Professional	<i>Azoxystrobin</i>	<i>95 g/l</i>
Hiatus	06322	Rotam Agrochemical Europe Ltd	Rohm and Haas Europe Trading ApS	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>
							<i>Tribenuron (-methyl)</i>	<i>150 g/kg</i>
High Load Mircam	04578	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i>	<i>80 g/l</i>
							<i>Mecoprop-P</i>	<i>600 g/l</i>
Hilite	02455	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	<i>Glyphosate</i>	<i>144 g/l</i>
Holster XL	04854	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>2,4-D</i>	<i>285 g/l</i>
							<i>Dicamba</i>	<i>52.5 g/l</i>
							<i>Fluroxypyr</i>	<i>105 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Homebase Lawn Weedkiller	05326	Hygeia Chemicals Ltd	Homebase Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	0.4675 g/l
							<i>Mecoprop-P</i>	3.75 g/l
Homebase Slug Killer	05022	Doff Portland Ltd	Homebase Ltd	Molluscicide	GB	Amateur	<i>Metaldehyde</i>	1.5% w/w
Hubble	05288	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Dimethomorph</i>	200 g/l
							<i>Fluazinam</i>	200 g/l
Hurler	05077	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Hyban P	04654	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	18.7 g/l
							<i>Mecoprop-P</i>	150 g/l
Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer	05963	Sipcam U.K. Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Hygeia Lawn Feed, Weed and Mosskiller	05228	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	<i>Dicamba</i>	0.04675 % w/
							<i>Ferrous Sulphate</i>	16.3 % w/w
							<i>Mecoprop-P</i>	0.375 % w/w
Hygrass Extra	06010	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	344 g/l
							<i>Dicamba</i>	120 g/l
Hygrass P	04653	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	18.7 g/l
							<i>Mecoprop-P</i>	150 g/l
HY-MCPA 500	05765	Ciech Sarzyna S.A	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Hymec Triple	03890	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dichlorprop-P</i>	310 g/l
							<i>MCPA</i>	160 g/l
							<i>Mecoprop-P</i>	130 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Hyprone P	04651	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Hyslugg	04747	Doff Portland Ltd	Hygeia Chemicals Ltd	Molluscicide	RB	Amateur	<i>Metaldehyde</i>	<i>1.5 % w/w</i>
Hysward P	04652	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Hytrol Glyphosate	02560	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>162 g/l</i>
Hytrol Lawn Weedkiller	04655	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	<i>4.675 g/l</i>
							<i>Mecoprop-P</i>	<i>37.5 g/l</i>
Hytrol Lawn Weedkiller Ready to Use	04656	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	<i>0.4675 g/l</i>
							<i>Mecoprop-P</i>	<i>3.75 g/l</i>
Hytrol Nettle Killer	05100	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	<i>4.675 g/l</i>
							<i>Mecoprop-P</i>	<i>37.5 g/l</i>
Hytrol Total Liquid Ready to Use	04546	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
							<i>Glyphosate</i>	<i>90 g/l</i>
Hytrol Total Liquid Weedkiller	04545	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
							<i>Glyphosate</i>	<i>90 g/l</i>
Icade	04249	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Aminopyralid</i>	<i>12 g/l</i>
							<i>Triclopyr</i>	<i>120 g/l</i>
Icarus	04421	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	<i>37.5 g/l</i>
							<i>Metconazole</i>	<i>25.0 g/l</i>
Impact	90512	Cheminova A/S	Cheminova	Fungicide	SC	Professional	<i>Flutriafol</i>	<i>125 g/l</i>
							<i>Flutriafol</i>	<i>125 g/l</i>
Impact Excel	00221	Cheminova A/S	DHM Agrochemicals Ltd.,	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>300 g/l</i>
							<i>Flutriafol</i>	<i>47 g/l</i>
Imtrex	04965	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	<i>62.5 g/l</i>
							<i>Fluxapyroxad</i>	<i>62.5 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Inca	04457	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	<i>125 g/l</i>
Inception Xpro	05949	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	<i>125 g/l</i>
Infinito	02532	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopicolide</i>	<i>62.5 g/l</i>
Infinito	04309	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Propamocarb</i>	<i>625 g/l</i>
Inka Max SX	04842	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Fluopicolide</i>	<i>62.5 g/l</i>
Insignia	02280	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Propamocarb</i>	<i>625 g/l</i>
Instore Glyphosate Weedkiller	02997	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>
Instrata	05186	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SE	Professional	<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>
Instrata Elite	05399	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Pyraclostrobin</i>	<i>200 g/kg</i>
Insyst	03249	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	WP	Professional	<i>Glyphosate</i>	<i>7.2 g/l</i>
Intellis	05304	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	EC	Professional	<i>Chlorothalonil</i>	<i>362 g/l</i>
Interest	05697	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>14.5 g/l</i>
Iroxx	05558	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Propiconazole</i>	<i>56.9 g/l</i>
ITCAN SL 270	05827	Kreglinger Europe NV	Kreglinger Europe NV	Growth Regulator	SL	Professional	<i>Difenoconazole</i>	<i>80.3 g/l</i>
J Arthur Bowers Lawn Sand 2	05454	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Fludioxonil</i>	<i>80.3 g/l</i>
							<i>Acetamiprid</i>	<i>20 %w/w</i>
							<i>Penthiopyrad</i>	<i>200 g/l</i>
							<i>Difenoconazole</i>	<i>30 g/l</i>
							<i>Ferric Phosphate</i>	<i>29.7 g/kg</i>
							<i>Maleic hydrazide</i>	<i>270 g/l</i>
							<i>Ferrous Sulphate</i>	<i>7.7 %w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
J Arthur Bower's Lawn Sand Mosskiller	05412	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 g/kg
J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules	06247	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Jaboland	05039	I.A.B. SL	I.A.B. SL	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Jabolim	05041	I.A.B. SL	Quimicas Meristem S.L.	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Jade	06283	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Jadex-o-720	04771	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Growth Regulator	SL	Professional	<i>Chlormequat</i>	720 g/l
Jenton	02172	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropimorph</i>	375 g/l
							<i>Pyraclostrobin</i>	100 g/l
Jewel	02953	FMC Chemical s.p.r.l.	Everris Ltd	Herbicide	SG	Professional	<i>Carfentrazone-ethyl</i>	15 g/kg
							<i>Mecoprop-P</i>	600 g/kg
Job Done General Purpose Weedkiller Concentrate	05853	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Job Done General Purpose Weedkiller Ready to Use	05854	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	7.2 g/l
Job Done, Path Weedkiller	05878	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Diflufenican</i>	0.3 g/l
							<i>Glyphosate</i>	1.8 g/l
Job Done, Tough Weedkiller	05879	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Diflufenican</i>	0.3 g/l
							<i>Glyphosate</i>	1.8 g/l
Joules	04784	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Jupital	04503	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Jura	05554	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Diflufenican</i> <i>Prosulfocarb</i>	<i>14 g/l</i> <i>667 g/l</i>
Juventus	05780	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	<i>90 g/l</i>
K2	04742	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>620 g/l</i>
Kaligreen	92412	OAT Agrio Co., Ltd.	Arysta Life Science S.A.S.	Fungicide	SP	Amateur/Professional	<i>Potassium Hydrogen Carbonate</i>	<i>820 g/kg</i>
Karate Zeon	04084	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Karis 10 CS	04454	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Karma	05116	Certis Europe BV	Certis Europe BV	Fungicide	SP	Professional	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>
Katamaran	04935	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Metazachlor</i> <i>Quinmerac</i>	<i>375 g/l</i> <i>125 g/l</i>
Katamaran Turbo	04931	BASF plc	BASF Ireland Ltd	Herbicide	SE	Professional	<i>Dimethenamid-P</i> <i>Metazachlor</i> <i>Quinmerac</i>	<i>200 g/l</i> <i>200 g/l</i> <i>100 g/l</i>
Katoun Gold	05512	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Professional	<i>Pelargonic acid</i>	<i>500 g/l</i>
Kayak	05476	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i>	<i>300 g/l</i>
Kerb Flo	02830	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Keypro	05589	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	SL	Professional	<i>Cyproconazole</i>	<i>100 g/l</i>
Keystone	05025	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i> <i>Isopyrazam</i>	<i>99 g/l</i> <i>125 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Kinto	05086	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	<i>Prochloraz</i>	60 g/l
							<i>Triticonazole</i>	20 g/l
Kinto Plus	06291	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	33.3 g/l
							<i>Fluxapyroxad</i>	33.3 g/l
							<i>Triticonazole</i>	33.3 g/l
Kinvara	05381	Barclay Chemicals Ltd	Terrachem Ltd	Herbicide	ME	Professional	<i>Clopyralid</i>	28 g/l
							<i>Fluroxypyr</i>	50 g/l
							<i>MCPA</i>	233 g/l
Knockdown Glyphosate Weedkiller	04068	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
K-Obiol EC25	03641	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
K-Obiol ULV 6	03642	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	UL	Professional	<i>Deltamethrin</i>	6 g/l
Kunshi	04785	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	250 g/kg
							<i>Fluazinam</i>	375 g/kg
Kyleo	05271	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	160 g/l
							<i>Glyphosate</i>	240 g/l
Laidir 10 CS	04932	FMC Chemical s.p.r.l.	FMC Chemical s.p.r.l.	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Landmaster 360 TF	05762	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Landscaper Pro Feed Weed Mosskiller	05587	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w
							<i>MCPA</i>	0.49% w/w
							<i>Mecoprop-P</i>	0.29% w/w
Landscaper Pro Moss Control + Fertilizer	04973	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Landscape Pro Triple Action	05767	The Scotts Company (UK) Ltd	ICL UK & Ireland	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
							<i>MCPA</i>	0.49% w/w
							<i>Mecoprop-P</i>	0.29% w/w
Landscape Pro Weed Control + Fertilizer	05576	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>2,4-D</i>	0.8% w/w
							<i>Dicamba</i>	0.12% w/w
Latitude	02226	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Latitude XL	04721	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Lector Delta	04926	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
							<i>Florasulam</i>	50 g/l
Legion	05179	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metazachlor</i>	375 g/l
							<i>Quinmerac</i>	125 g/l
Legumex DB	90605	Hygeia Chemicals Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	<i>2,4-DB</i>	240 g/l
							<i>MCPA</i>	40 g/l
Lentagran WP	03082	Belchim Crop Protection NV	Whelehan Crop Protection	Herbicide	WP	Professional	<i>Pyridate</i>	45 % w/w
Lepinox Plus	05254	CBC (Europe) S.r.l.	Fargro Limited	Insecticide	WP	Professional	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg
Librax	04968	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	62.5 g/l
							<i>Metconazole</i>	45.0 g/l
Lieto	05672	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	330 g/kg
							<i>Zoxamide</i>	330 g/kg
Life Scientific Chlorothalonil	04449	Life Scientific Limited	Life Scientific Limited	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l
Life Scientific Diquat	04461	Life Scientific Limited	Life Scientific Limited	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	200 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Life Scientific Lambda	04868	Life Scientific Limited	Life Scientific Limited	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Life Scientific Trinex	04872	Life Scientific Limited	Life Scientific Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Lima Gold 5%	04961	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>5% w/w</i>
Limitar	05047	Certiplant N.V.	Belcrop N.V.	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Longbow	04559	Arysta LifeScience Benelux SPRL	Bayer CropScience Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>70 g/l</i> <i>20 g/l</i> <i>70 g/l</i> <i>42 g/l</i>
Lontrel 72SG	05843	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SG	Professional	<i>Clopyralid</i>	<i>720 g/kg</i>
Lorate	05591	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>
LSTF Amateur	05083	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>7.7 % w/w</i>
LSTF Pro	05082	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	<i>7.7 % w/w</i>
Lumen	02702	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i> <i>Pyraclostrobin</i>	<i>62.5 g/l</i> <i>80 g/l</i>
Luna Privilege	05916	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i>	<i>500 g/l</i>
Lupo	02979	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>MCPA</i>	<i>345 g/l</i> <i>345 g/l</i>
M50	05505	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SG	Professional	<i>MCPA</i>	<i>500 g/l</i>
Maestro	04850	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Magnello	04118	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i> <i>Tebuconazole</i>	<i>100 g/l</i> <i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Maintain	05365	Cheminova A/S	Headland Agrochemicals Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	<i>120 g/l</i>
Majestik	05677	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	<i>598 g/l</i>
Mandarin Xpro	05258	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i>	<i>60 g/l</i> <i>200 g/l</i>
Manfil 75 WG	03598	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	<i>75 % w/w</i>
Manfil 80 WP	03563	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WP	Professional	<i>Mancozeb</i>	<i>800 g/kg</i>
Manipulator	05445	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>620 g/l</i>
Markate 50	05001	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>
Masai	03585	BASF plc	BASF Ireland Ltd	Insecticide	WP	Professional	<i>Tebufenpyrad</i>	<i>200 g/kg</i>
Mastercrop Bandit	05109	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>16 g/l</i> <i>101 g/l</i> <i>92 g/l</i>
Mastercrop MCPA 50	05510	Hygeia Chemicals Ltd	Glanbia plc.	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Mastercrop Undersown	91839	Hygeia Chemicals Ltd	Glanbia plc	Herbicide	SL	Professional	<i>2,4-DB</i> <i>MCPA</i>	<i>240 g/l</i> <i>40 g/l</i>
Maton	02720	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>2,4-D</i>	<i>600 g/l</i>
Mavita 250 EC	05941	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>
Maxicrop Mosskiller and Lawn Tonic	05150	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>375 g/l</i>
Maxicrop Professional Moss Killer and Conditioner	05149	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	<i>375 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Maxim 100 FS	04226	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>100 g/l</i>
Medallion TL	04188	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Fludioxonil</i>	<i>125 g/l</i>
Medax Max	05507	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i> <i>Trinexapac ethyl</i>	<i>50 g/kg</i> <i>75 g/kg</i>
Mesurol FS	04082	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Methiocarb</i>	<i>500 g/l</i>
Met 52 Granular	04811	Novozymes France S.A.S.	Fargro Limited	Insecticide	GR	Professional	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>
Met52 OD	05859	Novozymes France S.A.S.	Fargro Limited	Insecticide	OD	Professional	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>104.83 g/l</i>
Metarex Inov	04852	De Sangosse SA	Bayer CropScience Limited	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>40 g/kg</i>
Meteor	04750	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i> <i>Imazaquin</i>	<i>368 g/l</i> <i>0.8 g/l</i>
Metfin	05945	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Metconazole</i>	<i>60 g/l</i>
Metric	06276	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	ZC	Professional	<i>Clomazone</i> <i>Metribuzin</i>	<i>60 g/l</i> <i>233 g/l</i>
Metro 20	02863	Mitsui Agriscience International S.A./N.V.	Mitsui Agriscience International S.A./N.V.	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	<i>20 %w/w</i>
Mettle	03788	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Micaraz	05029	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i> <i>Isopyrazam</i>	<i>90 g/l</i> <i>125 g/l</i>
Microthiol Special	90548	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Sulphur</i>	<i>80 %w/w</i>
Minstrel	04782	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Mirador	05955	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional		
Mirage	00412	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Mirage	05180	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>400 g/l</i>
Mircam Plus	05017	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Mission 200 SL	03175	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>19.5 g/l</i>
Mitron WG	01704	Hermoo Belgium N.V.	Hermoo Belgium N.V.	Herbicide	WG	Professional	<i>MCPA</i>	<i>245 g/l</i>
Mizr XL	05162	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>43.3 g/l</i>
Mocap 15G	04005	Amvac Netherlands B.V	Certis Europe BV	Nematicide	GR	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Moddus	03849	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Metamitron</i>	<i>70 %w/w</i>
Modem	02355	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Modem 200	03695	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Ethoprophos</i>	<i>150 g/kg</i>
Mogeton	04943	Certis Europe BV	Certis Europe BV	Herbicide	WP	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
MON 79351	04009	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Pyraclostrobin</i>	<i>250 g/l</i>
Monitor	02076	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Herbicide	WG	Professional	<i>Pyraclostrobin</i>	<i>200 g/l</i>
Monolith	05868	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Quinoclamine</i>	<i>250 g/kg</i>
Monosate G	05605	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Sulfosulfuron</i>	<i>80% w/w</i>
							<i>Mesosulfuron - methyl</i>	<i>45 g/kg</i>
							<i>Propoxycarbazone - sodium</i>	<i>67.5 g/kg</i>
							<i>Glyphosate</i>	<i>360 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Mortone	03529	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Mortox 50	02635	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Most Micro	04837	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	<i>365 g/l</i>
Movento	05349	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	OD	Professional	<i>Spirotetramat</i>	<i>150 g/l</i>
Moxa	04915	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Moxa EC	05439	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Moxa New	05487	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>200 g/l</i>
Moximate 725 WG	04670	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5% w/w</i> <i>68% w/w</i>
Moximate 725 WP	04514	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5% w/w</i> <i>68% w/w</i>
Multirose Concentrate 2	05314	SBM Developpement SAS	SBM Life Science Ltd	Fungicide/Insecticide	SE	Amateur	<i>Deltamethrin</i> <i>Tebuconazole</i>	<i>0.5 g/l</i> <i>10 g/l</i>
Multirose2	04800	Arysta LifeScience Benelux SPRL	Bayer Garden	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Muti-Star 500	04812	Albaugh Europe Sarl	Albaugh Europe Sarl	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Naceto	05778	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>
Nakar	05042	I.A.B. SL	Seipasa S.A.	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>
Nando 500SC	05387	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Narita	04950	Globachem nv	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Nativo 75 WG	04642	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Tebuconazole</i>	500 g/kg
							<i>Trifloxystrobin</i>	250 g/kg
Naturalis-L	04187	CBC (Europe) S.r.l.	Fargro Limited	Insecticide	OD	Professional	<i>Beauveria bassiana GHA / ATCC 74040</i>	7.16 % w/w
Nautile DG	04540	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	5% w/w
							<i>Mancozeb</i>	68% w/w
Nautius	05187	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	400 g/kg
							<i>Tribenuron (-methyl)</i>	150 g/kg
Navigate	05667	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	200 g/l
							<i>Flufenacet</i>	400 g/l
Nemathorin 10G	02867	ISK Biosciences Europe N.V.	Syngenta Ireland Ltd	Nematicide	FG	Professional	<i>Fosthiazate</i>	10 %w/w
NEMGuard DE	05368	ECOspray Ltd	Certis Europe BV	Nematicide	GR	Professional	<i>Garlic Extract</i>	450 g/kg
NEMguard Granules	92306	ECOspray Ltd	ECOspray Ltd	Nematicide	EC	Amateur/Professional	<i>Garlic Extract</i>	45 % w/w
Nemguard Liquid	92307	ECOspray Ltd	ECOspray Ltd	Nematicide	EC	Amateur/Professional	<i>Garlic Extract</i>	99 %w/w
Neo Stop	03065	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	DP	Professional	<i>Chlorpropham</i>	1 % w/w
Neo Stop 300 HN	05213	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Neo-Stop L500 HN	03053	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	500g/l
Neudorff Fast Acting Moss & Algae Killer	05245	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l
Neudorff Fast Acting Weedkiller	05248	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	31.02 g/l
New Hyflux	05268	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
New Hytrol	04669	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	WG	Amateur	<i>Glyphosate</i>	9.6% w/w
							<i>Metamitron</i>	14% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
New Rate 2,4-D Ester	02721	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	EC	Professional	2,4-D	600 g/l
New-Way Weed Spray	05603	Punya Innovation ApS	Headland Amenity Limited	Herbicide	SL	Professional	Acetic acid	240 g/l
New-Way Weed Spray RTU	05753	Punya Innovation ApS	Punya Innovation ApS	Herbicide	AL	Amateur	Acetic acid	60 g/l
Nexide CS	04238	Cheminova A/S	Headland Agrochemicals Ltd	Insecticide	CS	Professional	Gamma-Cyhalothrin	60 g/l
Next	05695	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	EC	Professional	Trinexapac ethyl	250 g/l
Nimble Pro	05871	Capital CP Europe Ltd	Capital CP Europe Ltd	Fungicide	EC	Professional	Propiconazole	156 g/l
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	Bupirimate	250 g/l
Ninja 10CS	05178	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	lambda-Cyhalothrin	100 g/l
Nirvana	03063	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	Imazamox Pendimethalin	16.7 g/l 250 g/l
Nissodium	05514	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	EW	Professional	Cyflufenamid	50 g/l
Nomix Blade	03854	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	Glyphosate Sulfosulfuron	120 g/l 2.22 g/l
Nomix Conqueror Amenity	05332	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	Glyphosate	144 g/l
Nomix Dual	03080	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	Glyphosate Sulfosulfuron	120 g/l 2.22 g/l
Nortron 50 SC	02658	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	Ethofumesate	500 g/l
Novagib	05927	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	Gibberellin	10 g/l
NU46	05501	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	MCPA	500 g/l
Nuance	06386	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	Tribenuron (-methyl)	750 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Oblix 500	05286	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Oblix MT	06286	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i> <i>Metamitron</i>	<i>150 g/l</i> <i>350 g/l</i>
Obsthormon 24a	05764	L. Gobbi srl	151 Products Ltdsumi	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>
Octave 50 WP	90798	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Prochloraz</i>	<i>46 %w/w</i>
Ohayo	05610	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Omnera LQM	05771	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i> <i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>135 g/l</i> <i>5 g/l</i> <i>30 g/l</i>
Opera	05190	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i> <i>Pyraclostrobin</i>	<i>50 g/l</i> <i>133 g/l</i>
Optica	02661	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Optica Trio	05337	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dichlorprop-P</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>310 g/l</i> <i>160 g/l</i> <i>130 g/l</i>
Optimus	04704	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>175 g/l</i>
Option	04722	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>600 g/kg</i>
Opus	04326	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	<i>125 g/l</i>
Opus Max	04437	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	<i>83 g/l</i>
Opus Star	03314	BASF plc	BASF Ireland Ltd	Fungicide	DC	Professional	<i>Epoxiconazole</i> <i>Prochloraz</i>	<i>62.5 g/l</i> <i>225 g/l</i>
Opus Team	01003	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i> <i>Fenpropimorph</i>	<i>84 g/l</i> <i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Orchid B	05058	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Origins Bug Control	05883	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>17 g/l</i>
Origins Rapid Action Weedkiller	05517	Belchim Crop Protection NV	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>500 g/l</i>
Origins Slug Control	05884	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Origins Weed Control	05891	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Orius	04648	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Tebuconazole</i>	<i>200 g/l</i>
Orius P	03222	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EW	Professional	<i>Prochloraz</i>	<i>267 g/l</i>
							<i>Tebuconazole</i>	<i>133 g/l</i>
Orius P	05177	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Prochloraz</i>	<i>267 g/l</i>
							<i>Tebuconazole</i>	<i>133 g/l</i>
Ormond	05661	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>490 g/l</i>
Ortiva Opti	05992	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>80 g/l</i>
							<i>Chlorothalonil</i>	<i>400 g/l</i>
Osiris P	04425	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	<i>56.25 g/l</i>
							<i>Metconazole</i>	<i>41.25 g/l</i>
Osmonds Dock-Kleen	05743	Croplink (Ireland) Ltd	Osmonds Ireland On Farm	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Osorno	05451	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>100 g/l</i>
Ossetia	04730	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Diflufenican</i>	<i>500 g/kg</i>
Paarity	04871	National Agrochemical Distributors Ltd	National Agrochemical Distributors Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	<i>500 g/kg</i>
Pacaya	05781	Proklass Products Ltd	Proklass Products Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	<i>25% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pacifica Plus	05537	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Amidosulfuron</i>	50 g/kg
							<i>Iodosulfuron-methyl-sodium</i>	10 g/kg
							<i>Mesosulfuron - methyl</i>	30 g/kg
Padawan	04814	Societe Financiere de Pontarlier	SFP Europe	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Palmas	04543	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	WP	Professional	<i>Cymoxanil</i>	4.5% w/w
							<i>Mancozeb</i>	68% w/w
Panarex	05867	Arysta LifeScience Great Britain Ltd	Arysta LifeScience UK & Ireland Ltd	Herbicide	EC	Professional	<i>Quizalofop-p-terfuryl</i>	40 g/l
Paraat	03614	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	500 g/kg
Paradise	05239	Pan Amenity Ltd	Pan Amenity Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25% w/w
Pastor Trio	05808	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Path & Drive Roundup Concentrate	05448	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	170 g/l
Path, Patio & Drive Weedkiller Sachets	05051	Cheminova A/S	Bayer Garden	Herbicide	SG	Amateur	<i>Glyphosate</i>	68% w/w
Patrol	04304	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
PDM 330 EC	03582	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Pendimethalin</i>	330 g/l
Pecari 250 EC	06277	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Pendifin 400 SC	05731	Finchimica S.p.A	Finchimica S.p.A	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Penncozeb 80 WP	03609	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WP	Professional	<i>Mancozeb</i>	800 g/kg
Penncozeb WDG	03608	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	750 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pepper Dust	05441	Bayer CropScience Limited	Bayer Garden	Repellant	DP	Amateur	<i>Pepper Dust</i>	<i>100% w/w</i>
Perseo	05750	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	<i>68 g/l</i> <i>233 g/l</i>
Pestshield 2 in 1 Bug & Fungus Control	04990	Arysta LifeScience Benelux SPRL	151 Products Ltdsumi	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Pestshield Advanced Weedkiller	05912	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Pestshield Glyphosate Concentrated Weedkiller	04844	Barclay Chemicals Ltd	151 Products Ltdsumi	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Pestshield Lawn Moss Killer	05480	Angus Horticulture Ltd	Angus Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>7.7%w/w</i>
Pestshield New Formula Lawn Weedkiller	05328	Hygeia Chemicals Ltd	151 Products Ltdsumi	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Pestshield Path and Patio Weedkiller	04834	Barclay Chemicals Ltd	151 Products Ltdsumi	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Pestshield Slug Killer Blue Mini Pellets	05021	Doff Portland Ltd	151 Products Ltdsumi	Molluscicide	RB	Amateur	<i>Metaldehyde</i>	<i>1.5% w/w</i>
Pestshield Weedkiller	04321	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Pexan	04967	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Fluxapyroxad</i>	<i>62.5 g/l</i> <i>59.4 g/l</i>
Phoenix	04453	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Folpet</i>	<i>500 g/l</i>
Phostoxin Bag	04686	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	<i>57% w/w</i>
Phostoxin Bag Blanket	04687	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	<i>57% w/w</i>
Phostoxin Tablet	04685	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	<i>56% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Phyton	05019	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500g/l</i>
Pike	02122	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	<i>20 %w/w</i>
Pilot Ultra	04955	Nissan Chemical Europe	Nissan Chemical Europe	Herbicide	SC	Professional	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>
Pirouette	05839	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	SC	Professional	<i>Paclobutrazol</i>	<i>4 g/l</i>
Pistol	04312	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	<i>40 g/l</i> <i>250 g/l</i>
Pistol Rail	05528	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	<i>40 g/l</i> <i>250 g/l</i>
Pivotal	05798	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	<i>150 g/l</i> <i>150 g/l</i>
Pixxaro	05525	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Halauxifen-methyl</i>	<i>280 g/l</i> <i>12 g/l</i>
Plant Pest Killer RTU	05665	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	<i>0.05 g/l</i>
PlantTrust	04537	Everris Ltd	Everris Ltd	Fungicide	CG	Professional	<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>
Platform S	02954	FMC Chemical s.p.r.l.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Mecoprop-P</i>	<i>1.5 %w/w</i> <i>60 % w/w</i>
Plenum	02238	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>Pymetrozine</i>	<i>50 %w/w</i>
Plexeo 60	05926	Globachem nv	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	<i>60 g/l</i>
POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Polux	05946	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
Pontos	05434	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Flufenacet</i> <i>Picolinafen</i>	<i>240 g/l</i> <i>100 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Potato Blight Control	05339	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	SC	Amateur	<i>Fluopicolide</i>	62.5 g/l
							<i>Propamocarb</i>	625 g/l
PP Captan 80-WG	04018	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Fungicide	WG	Professional	<i>Captan</i>	80% w/w
Praxys	03510	Dow AgroSciences Ltd	Everris Ltd	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Prelude 20 LF	00499	BASF plc	BASF Ireland Ltd	Seed Dressing	LS	Professional	<i>Prochloraz</i>	200 g/l
Premazor Turbo	05673	Q-Chem NV	Q-Chem NV	Herbicide	SC	Professional	<i>Diflufenican</i>	40 g/l
							<i>Glyphosate</i>	250 g/l
Premier Amenity Selective	05110	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	16 g/l
							<i>MCPA</i>	101 g/l
							<i>Mecoprop-P</i>	92 g/l
Presite Max SX	04342	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	29 g/kg
							<i>Thifensulfuron methyl</i>	429 g/kg
Presite SX	02888	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	67 g/kg
							<i>Thifensulfuron methyl</i>	333 g/kg
Prestop	04367	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Gliocladium catenulatum</i>	32% w/w
Previcur Energy	04041	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SL	Professional	<i>Fosetyl (-aluminium)</i>	310 g/l
							<i>Propamocarb</i>	530 g/l
Priaxor EC	05264	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	75 g/l
							<i>Pyraclostrobin</i>	150 g/l
Pride	06281	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Primo Maxx	03879	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	121 g/l
Primo Maxx II	05401	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	116.4 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Prizm	05307	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Isopyrazam</i>	<i>125 g/l</i>
							<i>Prothioconazole</i>	<i>150 g/l</i>
Proceed	05519	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>375 g/l</i>
							<i>Cyproconazole</i>	<i>40 g/l</i>
Prochlorus	05184	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Profilux	05588	Belchim Crop Protection Ltd	Belchim Crop Protection Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>45 g/kg</i>
							<i>Mancozeb</i>	<i>680 g/kg</i>
Profume	05592	Douglas BLG BVBA	Douglas BLG BVBA	Fumigant	GA	Professional	<i>Sulfuryl flouride</i>	<i>99.8 %w/w</i>
Prolectus	04758	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Fungicide	WG	Professional	<i>Fenpyrazamine</i>	<i>500 g/kg</i>
Proliance Quattro	03710	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Proline	03786	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Proman	04450	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	SC	Professional	<i>Metobromuron</i>	<i>500 g/l</i>
Property 180SC	05275	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Pyriofenone</i>	<i>180 g/l</i>
Propi 25 EC	04205	Sharda Europe b.v.b.a	Sharda Worldwide Exports Pvt Ltd	Fungicide	EC	Professional	<i>Propiconazole</i>	<i>250 g/l</i>
Proplant	03994	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	<i>722 g/l</i>
Propulse	05870	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SE	Professional	<i>Fluopyram</i>	<i>125 g/l</i>
							<i>Prothioconazole</i>	<i>125 g/l</i>
Proradix	05338	SP Sourcon-Padena GmbH	SP Sourcon-Padena GmbH	Fungicide	WP	Professional	<i>Pseudomonas sp. strain - DSMZ 13134</i>	<i>1 x 10¹⁰ cfu/g</i>
Prosaro	04641	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>125 g/l</i>
							<i>Tebuconazole</i>	<i>125 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Prospect SX	02284	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	<i>500 g/kg</i>
Protefin	06016	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>125 g/l</i> <i>125 g/l</i>
Protendo 250 EC	06251	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Provalia LQM	05233	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i> <i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>135 g/l</i> <i>5 g/l</i> <i>30 g/l</i>
Provanto Ultimate Bug Killer	04307	SBM Developpement SAS	SBM Life Science Ltd	Insecticide	AL	Amateur	<i>Deltamethrin</i>	<i>0.0075 g/l</i>
Proxanil	04639	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Cymoxanil</i> <i>Propamocarb</i>	<i>50 g/l</i> <i>400 g/l</i>
Purelo	05690	Globachem nv	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Diflufenican</i> <i>Prosulfocarb</i>	<i>14 g/l</i> <i>667 g/l</i>
Py Bug Killer Concentrate	05384	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10 g/l</i>
Py Bug Killer RTU	05382	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	<i>0.05 g/l</i>
Pyrethrum 5 EC	06255	Pelgar International	Pelgar International	Insecticide	EC	Professional	<i>Pyrethrins</i>	<i>50 g/l</i>
Pyrimala	05429	Servem Ltd	Servem Ltd	Fungicide	SC	Professional	<i>Pyrimethanil</i>	<i>400 g/l</i>
Pyrol Bug & Larvae Killer	05243	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>8.25 g/l</i> <i>0.045 g/l</i>
Pyrol Bug & Larvae Killer Concentrate	04667	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Insecticide	EC	Amateur	<i>Pyrethrins</i>	<i>4.59 g/l</i>
Pyrol Bug & Larvae Killer Concentrate	05242	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>825.3 g/l</i> <i>4.59 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pyrol Bug & Larvae Killer for Roses	05244	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	8.25 g/l
							<i>Pyrethrins</i>	0.045 g/l
Quad-Glob 200 SL	03180	Q-Chem NV	Q-Chem NV	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	200 g/l
Quantum	03432	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	TB	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Quantum Max SX	04044	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	250 g/kg
							<i>Tribenuron (-methyl)</i>	250 g/kg
Quick 5 EC	04904	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	EC	Professional	<i>Quizalofop-P-ethyl</i>	50 g/l
Quidam	05895	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Quilt Xcel	04816	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SE	Professional	<i>Azoxystrobin</i>	141.4 g/l
							<i>Propiconazole</i>	122.4 g/l
Radspor 400	01797	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dodine</i>	40 %w/w
Rambo 360	05777	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rambo Bio	05489	Unichem Limited	Unichem Limited	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Rambo RTU	03100	Sipcam U.K. Ltd	Unichem Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Rambo XL	05754	Unichem Limited	Unichem Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rancona i-Mix	05279	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Seed Dressing	ME	Professional	<i>Imazalil</i>	50 g/l
							<i>Ipraconazole</i>	20 g/l
Ranman Top	04497	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Cyazofamid</i>	160 g/l
Rapsan 500SC	05886	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i>	500 g/l
Rapsan Turbo	06007	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i>	375 g/l
							<i>Quinmerac</i>	125 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Rattler	04650	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>540 g/l</i>
Ravane	05536	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>
Raxil Star	05260	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopyram</i> <i>Prothioconazole</i> <i>Tebuconazole</i>	<i>20 g/l</i> <i>100 g/l</i> <i>60 g/l</i>
Ready to Use SBK Brushwood Killer	03956	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	<i>Triclopyr</i>	<i>3.6 g/l</i>
Redigo	03793	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i>	<i>100 g/l</i>
Redigo Pro	04985	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>150 g/l</i> <i>20 g/l</i>
Reflect	05462	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>	<i>125 g/l</i>
Regalis	03321	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	<i>10 %w/w</i>
Regalis Plus	05409	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	<i>10% w/w</i>
Reglone	02453	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	<i>200 g/l</i>
Reldan 22	03623	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	EC	Professional	<i>Chlorpyrifos-methyl</i>	<i>225 g/l</i>
Reliance	05426	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>
Relva Granules	04924	Certiplant N.V.	Belcrop N.V.	Herbicide	GR	Professional	<i>Propyzamide</i>	<i>40 g/kg</i>
Renew Chlorothalonil	05362	Renew Chemical Ltd	Renew Chemical UK Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Renovator Pro	05003	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>16.3% w/w</i> <i>0.49% w/w</i> <i>0.29% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Resolva 24 H	03077	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	<i>0.3 g/l</i> <i>8.3 g/l</i>
Resolva 24H Concentrate	03076	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	<i>4.5 g/l</i> <i>153 g/l</i>
Resolva Bug Killer Concentrate	04076	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.75 g/l</i>
Resolva Bug Killer Ready to Use	04077	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.015 g/l</i>
Resolva General Purpose Weedkiller	05893	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	<i>4.5 g/l</i> <i>153 g/l</i>
Resolva Lawn Weedkiller Extra Concentrate	05323	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>4.675 g/l</i> <i>37.5 g/l</i>
Resolva Lawn Weedkiller Extra Ready to Use	05324	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Resolva Moss Killer	05247	W. Neudorff GmbH KG	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Resolva Path & Patio	04488	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	<i>0.3 g/l</i> <i>8.3 g/l</i>
Resolva Path & Patio Concentrate	04489	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	<i>4.5 g/l</i> <i>153.0 g/l</i>
Resolva Pro Weedkiller	05892	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>8.39 g/l</i>
Resolva Rose 3 in 1	05951	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Resolva Super Strength Xtra Tough Concentrated	03962	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Resolva Weedkiller Super Concentrate Total Clear	03961	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Resolva Xtra Tough	05647	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	8.39 g/l
Resolva Xtra Tough Concentrate Liquid Shots	05602	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	151.4 g/l
Retro	03712	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Diquat (dibromide)</i>	200 g/l
Revus	05154	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Mandipropamid</i>	250 g/l
Revus Top	04524	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Difenoconazole</i> <i>Mandipropamid</i>	250 g/l 250 g/l
Rhino	04400	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Flutolanil</i>	460 g/l
Riber	05795	Life Scientific Limited	Life Scientific Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Ridomil Gold	02117	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	<i>Metalaxyl M</i>	465.2 g/l
Ridomil Gold MZ 68 WG	01516	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i> <i>Metalaxyl M</i>	64 %w/w 4.0 %w/w
Rigel	05280	Servem Ltd	Servem Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	50% w/w
Rimuron 25 WG	05064	Helm AG Ltd	Helm AG Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	250 g/kg
Rizolex	91166	Sumitomo Chemical Agro Europe SAS	Aventis Crop Science Ireland Ltd	Fungicide	DP	Professional	<i>Tolclofos-methyl</i>	10 %w/w
Rogor L40	91173	Cheminova A/S	Headland Agrochemicals Ltd	Insecticide	EC	Professional	<i>Dimethoate</i>	400 g/l
Rootkill Weedkiller Concentrate	05851	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Rosanil RTU	04799	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Rosate 360 TF	05761	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Rosate Green	04436	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roseclear Ultra	03269	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Fungicide/Insecticide	EC	Amateur	<i>Acetamiprid</i> <i>Triticonazole</i>	<i>2.5 g/l</i> <i>7.5 g/l</i>
Roseclear Ultra Gun!	03288	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	ME	Amateur	<i>Acetamiprid</i> <i>Triticonazole</i>	<i>0.05 g/l</i> <i>0.15 g/l</i>
RoseClear Ultra Gun! 2	05972	Arysta LifeScience Benelux SPRL	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Rosegarde	05400	Arysta LifeScience Benelux SPRL	Vitax Limited	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Roundup Biactive	02313	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Biactive XL	04660	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Biactive XLA	05266	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Fast Action Path & Drive Weedkiller	05447	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup First	04664	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>60 g/l</i>
Roundup Flex	04593	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>480 g/l</i>
Roundup Gel	04191	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup Gel Path	05728	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup Gold	02624	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Gold 450	02623	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Roundup Lawn Weedkiller	05678	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i>	0.16 g/l
							<i>Fluroxypyr</i>	0.32 g/l
							<i>MCPA</i>	1.6 g/l
Roundup Optima	04663	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	120 g/l
Roundup Optima Power	04661	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	240 g/l
Roundup Optima+	04662	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	170 g/l
Roundup Powermax	04534	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	720 g/kg
Roundup Pro Biactive	02314	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roundup Speed Ultra	06259	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Roundup Stump Killer	05449	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Roundup Tough	03726	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Roundup Ultra	04731	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Roundup XL	05161	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rover 500	04467	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l
Roxy 800 EC	05739	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Rubric	04444	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	125 g/l
Rudis	04665	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Prothioconazole</i>	480 g/l
Sabik-1.8%	04907	Servem Ltd	Servem Ltd	Acaricide/Insecticide	EC	Professional	<i>Abamectin</i>	18 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Sacron WG	04541	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	450 g/kg
Safari Lite WSB	02132	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	XX	Professional	<i>Lenacil</i> <i>Triflusalufuron</i>	750 g/kg 57 g/kg
Salsa	04725	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Ethametsulfuron methyl</i>	750 g/kg
Salvo	04120	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Savvy	03187	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	20 % w/w
Savvy Premium	05392	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
SBK Brushwood Killer	03955	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>Triclopyr</i>	48 g/l
Scab 480 SC	05733	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Captan</i>	480 g/l
Scab 80 WG	05732	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Captan</i>	800 g/kg
Scala	03916	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Pyrimethanil</i>	400 g/l
Scenic Gold	05556	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopicolide</i> <i>Fluoxastrobin</i>	200 g/l 150 g/l
Sceptre	03979	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>lambda-Cyhalothrin</i>	25 g/kg
Score 250 EC	04566	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Scorpio	02551	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Trifloxystrobin</i>	500 g/kg
Scotts Lawn Builder Lawn Food Plus Weed Control	05577	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i>	0.8% w/w 0.12% w/w
Season Long Path & Drive Weedkiller Concentrate	05446	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Seguris	05028	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	90 g/l
							<i>Isopyrazam</i>	125 g/l
Sempre	04207	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Sencorex Flow	04361	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Metribuzin</i>	600 g/l
Sentry 500	05744	Unichem Limited	Unichem Limited	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Sequoia	05915	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	120 g/l
Sercadis	04986	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	300 g/l
Serenade ASO	03847	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l
Sharmetrin	05948	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w
Sharp Turbo	06201	JT Agro Ltd	Cropthetics Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	200 g/l
							<i>Flufenacet</i>	400 g/l
Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Shirlan	04393	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Shiro	05641	UPL Europe Ltd	UPL Europe Ltd	Herbicide	WG	Professional	<i>Triflurosulfuron</i>	500 g/kg
Shotput	04071	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w
Signal 300ES	05700	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ES	Professional	<i>Cypermethrin</i>	300 g/l
Signum	03799	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i>	26.7 % w/w
							<i>Pyraclostrobin</i>	6.7 % w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Siltra Xpro	05257	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	<i>60 g/l</i>
							<i>Prothioconazole</i>	<i>200 g/l</i>
Sinclair Lawn Sand	05413	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	<i>7.7 g/kg</i>
Sipcam C50WG	04494	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>50% w/w</i>
Sirena	05408	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Metconazole</i>	<i>60 g/l</i>
Sirtaki CS	05923	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	<i>360 g/l</i>
Skyway Xpro	05259	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	<i>75 g/l</i>
							<i>Prothioconazole</i>	<i>100 g/l</i>
							<i>Tebuconazole</i>	<i>100 g/l</i>
SL567A	03106	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	<i>Metalaxyl M</i>	<i>465.2 g/l</i>
Slug & Snail Control	04200	W. Neudorff GmbH KG	Bayer Garden	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Slug & Snail Killer Pellets	04921	W. Neudorff GmbH KG	Rentokil Initial UK Ltd	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Slug Bait	03834	W. Neudorff GmbH KG	Bayer CropScience Limited	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Slug Death XL	03833	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Slug Killer Blue Mini Pellets	92377	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	<i>Metaldehyde</i>	<i>1.5 %w/w</i>
Slug Killer Granules	06239	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
SlugClear Ultra 3	05581	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Sluggo Slug & Snail Killer	04574	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Sluggo Slug & Snail Killer Ultra	05317	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>19.8 g/kg</i>
Slugrid	04728	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Slugtox	04962	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Amateur	<i>Metaldehyde</i>	5% w/w
Sluux HP	05557	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Ferric Phosphate</i>	29.7 g/kg
Smartfresh	02555	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	VP	Professional	<i>1-methylcyclopropene</i>	3.3 %w/w
SmartFresh ProTabs	05779	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	TB	Professional	<i>1-methylcyclopropene</i>	20 g/kg
Sniper	05385	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SE	Professional	<i>Desmedipham</i>	50 g/l
							<i>Ethofumesate</i>	200 g/l
							<i>Phenmedipham</i>	150 g/l
Solabiol Slug Killer	05419	W. Neudorff GmbH KG	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Solabiol Slug Killer	05952	De Sangosse SA	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg
Soleil	05359	Nufarm UK Limited	Interfarm UK Ltd	Fungicide	EC	Professional	<i>Bromuconazole</i>	167 g/l
							<i>Tebuconazole</i>	107 g/l
Solitaire	04219	Mitsui Agriscience International S.A./N.V.	Mitsui Chemicals Agro Inc.	Herbicide	SC	Professional	<i>Propyzamide</i>	400 g/l
Solo 500 SC	05688	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Sonido	05151	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Thiacloprid</i>	400 g/l
Sonis	05993	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Sparviero	04469	Sipcam Oxon SpA	Sipcam U.K. Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Speedline Pro	04975	Dow AgroSciences Ltd	Bayer CropScience Limited	Herbicide	SL	Professional	<i>Aminopyralid</i>	12.0 g/l
							<i>Triclopyr</i>	120.0 g/l
Spike	06200	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Epoxiconazole</i>	125 g/l
Spirodor	05934	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Chlorothalonil</i>	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Spitfire	05472	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	<i>5 g/l</i>
							<i>Fluroxypyr</i>	<i>100 g/l</i>
Splice	04448	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i>	<i>233 g/l</i>
							<i>Epoxiconazole</i>	<i>67 g/l</i>
Sporekill	92396	Nutrigain Ltd	Nutrigain Ltd	Disinfectant	SL	Professional	<i>Fatty Acid - C7-C20</i>	<i>421 g/l</i>
Sporgon 50 WP	05094	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Prochloraz</i>	<i>46% w/w</i>
Sporgon 50WP	91288	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Prochloraz</i>	<i>46 %w/w</i>
Sportak 45 EW	00644	BASF plc	BASF Ireland Ltd	Fungicide	EW	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Sportak 45 EW	05093	BASF plc	BASF Ireland Ltd	Fungicide	EW	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Sportak 45 HF	00566	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Whelehan Crop Protection	Herbicide	ME	Professional	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>
Stabilan 750	04767	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Stallion Sync Tech	05483	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	<i>30 g/l</i>
							<i>Pendimethalin</i>	<i>333 g/l</i>
Starane Hi-Load HL	04549	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>333 g/l</i>
Starane XL	02075	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	<i>2.5 g/l</i>
							<i>Fluroxypyr</i>	<i>100 g/l</i>
Stefes CCC 750	05863	Sparta Research Ltd	Sparta Research Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Stefonil	05351	Sparta Research Ltd	Stefes GmbH	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Steward	02603	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Insecticide	WG	Professional	<i>Indoxacarb</i>	<i>300 g/kg</i>
Stomp 400 SC	02879	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	<i>400 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Stomp Aqua	03750	BASF plc	BASF Ireland Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	<i>455 g/l</i>
Strand	03747	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	<i>125 g/l</i>
Stratos Ultra	04936	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Cycloxydim</i>	<i>100 g/l</i>
Stride DFF	05000	Unichem Limited	Unichem Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	<i>500 g/l</i>
Stroby WG	05092	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Kresoxim Methyl</i>	<i>50% w/w</i>
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Insecticide	EC	Professional	<i>Esfenvalerate</i>	<i>25 g/l</i>
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Interfarm UK Ltd	Herbicide	SC	Professional	<i>Flumioxazin</i>	<i>300 g/l</i>
Super Fast Weedkiller	05999	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Fatty Acid - C7-C20</i>	<i>3% w/w</i>
Super Strength Glyphosate	03618	Cheminova A/S	Bayer Garden	Herbicide	SG	Amateur	<i>Glyphosate</i>	<i>680 g/kg</i>
Supreme	04841	Mitsui Agriscience International S.A./N.V.	Mitsui Agriscience International S.A./N.V.	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Swift SC	02145	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Trifloxystrobin</i>	<i>500 g/l</i>
Switch	03761	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5 % w/w</i> <i>25.0 % w/w</i>
Sword	04248	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Clodinafop</i>	<i>240 g/l</i>
Synero	04058	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional	<i>Aminopyralid</i> <i>Fluroxypyr</i>	<i>30 g/l</i> <i>100 g/l</i>
Sythane 20 EW	04944	Dow AgroSciences Ltd	Landseer Ltd	Fungicide	EW	Professional	<i>Myclobutanil</i>	<i>200 g/l</i>
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fargro Limited	Fungicide	WP	Professional	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Tachigaren 70 WP	04941	Mitsui Chemicals Agro Inc.	Sumi-Agro Europe Ltd	Seed Dressing	WS	Professional	<i>Hymexazol</i>	700 g/kg
Tafari	05977	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	WG	Professional	<i>Pymetrozine</i>	50% w/w
Takumi SC	06060	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	SC	Professional	<i>Cyflufenamid</i>	100 g/l
Talisma EC	04711	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EC	Professional	<i>Cypermethrin</i>	80 g/l
Talius	04604	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	EC	Professional	<i>Proquinazid</i>	200 g/l
Talunex	04684	Detia Degesch GmbH	Detia Degesch GmbH	Miscellaneous	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Tandus	05836	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Tarza	05699	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	60 g/l
Target SC	01298	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Target WG	01506	UPL Europe Ltd	UPL Europe Ltd	Herbicide	WG	Professional	<i>Metamitron</i>	70 %w/w
Tebseme	05721	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	25 g/l
Tebucur 250 EW	04827	Globachem nv	Globachem nv	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Tebuzate 220 SL	03836	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SL	Professional	<i>Thiabendazole</i>	220 g/l
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Grupo Agrotecnologia - IBERFOL	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Teldor	02003	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Fenhexamid</i>	50 %w/w
Tempo	05601	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Temsa SC	05305	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotrione</i>	100 g/l
Teppeki	02683	ISK Biosciences Europe N.V.	ISK Biosciences Europe N.V.	Insecticide	WG	Professional	<i>Flonicamid</i>	500 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Teridox	04902	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Dimethachlor</i>	<i>500 g/l</i>
Tern 750 EC	04305	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropidin</i>	<i>750 g/l</i>
Terpal	04419	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i> <i>Mepiquat Chloride</i>	<i>155 g/l</i> <i>305 g/l</i>
Tesco Garden Bug Killer Spray	05383	Arysta LifeScience Benelux SPRL	Tesco Ireland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	<i>0.05 g/l</i>
Tesco Glyphosate Concentrated Weedkiller	03353	Barclay Chemicals Ltd	Tesco Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Tesco Slug Killer	92381	Doff Portland Ltd	Tesco Ireland Ltd	Molluscicide	RB	Amateur	<i>Metaldehyde</i>	<i>1.5 %w/w</i>
Tesco Systemic Path & Patio Weedkiller	05729	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Thistlex	03831	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>200 g/l</i> <i>200 g/l</i>
Thor	03991	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>
Thrust	04520	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i>	<i>344 g/l</i> <i>120 g/l</i>
Titus	03992	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	<i>25 % w/w</i>
Tizca	04398	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Tocata	03301	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Metrafenone</i>	<i>62.5 g/l</i> <i>200 g/l</i> <i>75 g/l</i>
Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Tonga	06285	Rotam Agrochemical Europe Ltd	Arysta LifeScience Great Britain Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	375 g/l
							<i>Tebuconazole</i>	125 g/l
Topik 240 EC	03802	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Clodinafop</i>	240 g/l
Toprex	05206	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator/Fungicide	SC	Professional	<i>Difenoconazole</i>	250 g/l
							<i>Paclobutrazol</i>	125 g/l
Touchdown Quattro	01956	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Tough Roundup Weedkiller Gel	05344	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	72 g/l
Tower	05425	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Chlorotoluron</i>	250 g/l
							<i>Di flufenican</i>	40 g/l
							<i>Pendimethalin</i>	300 g/l
Tracer	02649	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Spinosad</i>	480 g/l
Traciafin	06015	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Trailer	05858	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Transform	05342	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	WG	Professional	<i>Sulfoxaflor</i>	500 g/kg
Traxx	04960	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	5% w/w
Treoris	05310	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Chlorothalonil</i>	250 g/l
							<i>Penthiopyrad</i>	100 g/l
Trezac	06004	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Aminopyralid</i>	25.0 g/l
							<i>Halauxifen-methyl</i>	31.3 g/l
Trianum-P	05486	Koppert B.V.	Koppert B.V.	Fungicide	WG	Professional	<i>Trichoderma harzianum Strain T22</i>	1% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Tribe 500	05309	Euro Chemicals s.r.o.	Euro Chemicals s.r.o.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Trilogy	04246	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	15 g/l 115 g/l 75 g/l
Trinexis	05145	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Tropotox	03525	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPB</i>	400 g/l
Turfmaster	05313	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	19.5 g/l 245 g/l 43.3 g/l
Twinprop	04427	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>Mecoprop-P</i>	600 g/l
Typhoon 360	02501	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Ultima	03780	W. Neudorff GmbH KG	Unichem Limited	Herbicide	SL	Professional	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30 g/l 186.7 g/l
Ultima RTU	03781	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	4.95 g/l 31.02 g/l
Ultimate Slug & Snail Killer	05251	Doff Portland Ltd	Bayer Garden	Molluscicide	PE	Amateur	<i>Metaldehyde</i>	1.5 % w/w
Ultra All-in-One Bug Spray	04787	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
Ultraline	06235	JT Agro Ltd	Cropthetics Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Underclear	91488	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-DB</i> <i>Mecoprop-P</i>	250 g/l 25 g/l
Undersown	91489	Hygeia Chemicals Ltd	Bandon Agricultural Products Ltd	Herbicide	SL	Professional	<i>2,4-DB</i> <i>MCPA</i>	240 g/l 40 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
UNIPRO CTL	05944	Certiplant N.V.	Unichem Limited	Fungicide	SC	Professional	<i>Chlorothalonil</i>	<i>500 g/l</i>
Uproot	05976	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>2,4-D</i> <i>Triclopyr</i>	<i>93.0 g/l</i> <i>103.6 g/l</i>
Valbon	03411	Certis Europe BV	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Benthiavalicarb</i> <i>Mancozeb</i>	<i>17.5 g/kg</i> <i>700 g/kg</i>
Valdor Flex	05612	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Diflufenican</i> <i>Iodosulfuron-methyl-sodium</i>	<i>360 g/kg</i> <i>10 g/kg</i>
Vareon	03554	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Fungicide	EC	Professional	<i>Prochloraz</i> <i>Proquinazid</i> <i>Tebuconazole</i>	<i>320 g/l</i> <i>40 g/l</i> <i>160 g/l</i>
Variano Xpro	05701	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>40 g/l</i> <i>50 g/l</i> <i>100 g/l</i>
Velogy Era	05970	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i> <i>Prothioconazole</i>	<i>75 g/l</i> <i>150 g/l</i>
Velum Prime	05686	Bayer CropScience Limited	Bayer CropScience Limited	Nematicide	SC	Professional	<i>Fluopyram</i>	<i>400 g/l</i>
Vendetta	05227	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Fluazinam</i>	<i>150 g/l</i> <i>375 g/l</i>
Venture Extra	04447	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i> <i>Epoxiconazole</i>	<i>210 g/l</i> <i>75 g/l</i>
Venture Jewel	03848	BASF plc	BASF Ireland Ltd	Fungicide	TW	Professional	<i>Boscalid</i> <i>Epoxiconazole</i> <i>Epoxiconazole</i> <i>Metconazole</i>	<i>233 g/l - Pac</i> <i>37.5 g/l - Pac</i> <i>67 g/l - Pack</i> <i>27.5 g/l - Pac</i>
Venzar 500 SC	04805	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SC	Professional	<i>Lenacil</i>	<i>500 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Verdone Extra	05095	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	ME	Amateur	<i>Clopyralid</i>	5.34 g/l
							<i>Fluroxypyr</i>	10.68 g/l
							<i>MCPA</i>	53.4 g/l
Verdone Extra Ready to Use	05097	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i>	0.16 g/l
							<i>Fluroxypyr</i>	0.32 g/l
							<i>MCPA</i>	1.6 g/l
Verimark 20SC	05356	DuPont (UK) Ltd	DuPont (UK) Ltd	Insecticide	SC	Professional	<i>Cyantraniliprole</i>	200 g/l
Vertik	05071	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	100 g/l
							<i>Chlorothalonil</i>	500 g/l
Vertisan	05303	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	EC	Professional	<i>Penthiopyrad</i>	200 g/l
Verve Lawn Feed, Weed & Mosskiller	04793	The Scotts Company (UK) Ltd	B & Q plc	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
							<i>MCPA</i>	0.49% w/w
							<i>Mecoprop-P</i>	0.29% w/w
Verve Lawn Sand 2	05455	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 %w/w
Verve Rapid Action Ready to use Weedkiller	06240	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Verve Rootkilling Weedkiller	05648	Syngenta UK Ltd	B & Q plc	Herbicide	AL	Amateur	<i>Glyphosate</i>	8.39 g/l
Verve Slug and Snail Control	05932	The Scotts Company (UK) Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Vibrance Duo	06263	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
Vibrance Star	06153	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
							<i>Triticonazole</i>	20 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Vigon	05513	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	60 g/l
							<i>Flufenacet</i>	240 g/l
							<i>Flurtamone</i>	120 g/l
Vincit	00403	Cheminova A/S	Cheminova	Seed Dressing	LS	Professional	<i>Flutriafol</i>	25 g/l
							<i>Thiabendazole</i>	25 g/l
Vitax Glyphosate Concentrated Weedkiller	04547	Barclay Chemicals Ltd	Vitax Limited	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Vitax Glyphosate Weedkiller RTU	02996	Barclay Chemicals Ltd	Vitax Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Vitax Lawn Clear 2 Feed & Weed	05785	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i>	9.0 g/l
							<i>Clopyralid</i>	2.1 g/l
							<i>MCPA</i>	10.5 g/l
Vitax Lawn Clear 2 Ready to Use	05784	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	<i>2,4-D</i>	1.13 g/l
							<i>Clopyralid</i>	0.26 g/l
							<i>MCPA</i>	1.31 g/l
Vitax LawnClear 2	05783	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i>	27.0 g/l
							<i>Clopyralid</i>	6.3 g/l
							<i>MCPA</i>	31.5 g/l
Vitax Pepper Dust	05442	Vitax Limited	Vitax Limited	Repellant	DP	Amateur	<i>Pepper Dust</i>	100% w/w
Vitax Weedfree Ready to Use	04976	Sipcam U.K. Ltd	Vitax Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Vivando	05685	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Metrafenone</i>	500 g/l
Vivendi 200	05122	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	200 g/l
Volley	04516	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Vydate 10G	03698	DuPont (UK) Ltd	DuPont (UK) Ltd	Nematicide	GR	Professional	<i>Oxamyl</i>	100 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Wakil XL	05471	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	WG	Professional	<i>Cymoxanil</i>	<i>100 g/kg</i>
							<i>Fludioxonil</i>	<i>50 g/kg</i>
							<i>Metalaxyl M</i>	<i>175 g/kg</i>
Weedbuster Concentrate	03074	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>151.4 g/l</i>
WeedBuster Super Concentrate	03255	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Weedfree Express	06008	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Weedfree Home & Garden	05316	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Weedfree Plus	06009	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	<i>Maleic hydrazide</i>	<i>4.95 g/l</i>
							<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Weedfree Plus Concentrate	05924	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	SL	Amateur	<i>Maleic hydrazide</i>	<i>30 g/l</i>
							<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Weedfree RTU	03000	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Weedfree Zone	05769	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Weedkiller 360	05864	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Weedkiller 7.2	05866	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Weedkiller 90	05865	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Weedol Gun! Fast Acting Weedkiller	04521	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60.0 g/l</i>
Weedol Gun! Lawn Weedkiller	05098	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i>	<i>0.16 g/l</i>
							<i>Fluroxypyr</i>	<i>0.32 g/l</i>
							<i>MCPA</i>	<i>1.6 g/l</i>
Weedol Gun! Rootkill Plus	02465	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
							<i>Pyraflufen-ethyl</i>	<i>0.02 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Weedol Gun! Ultra Tough Weedkiller	05175	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Glyphosate Pyraflufen-ethyl	7.2 g/l 0.02 g/l
Weedol Lawn Weedkiller	05096	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	ME	Amateur	Clopyralid Fluroxypyr MCPA	5.34 g/l 10.68 g/l 53.4 g/l
Weedol Pathclear Weedkiller	05176	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SC	Amateur	Diflufenican Glyphosate	20 g/l 125 g/l
Weedol PS Pathclear Weedkiller	05438	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Diflufenican Glyphosate	0.576 g/l 3.6 g/l
Weedol Rootkill Plus	02464	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	SE	Amateur	Glyphosate Pyraflufen-ethyl	12 % w/v 0.033 % w/w
Weedol Ultra Tough Weedkiller	05174	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SE	Amateur	Glyphosate Pyraflufen-ethyl	12% w/v 0.033% w/v
Westland Lawn Feed, Weed and Moss Killer Granules	06248	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Westland Lawn Sand 2	05410	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7 g/kg
Westland Plant Rescue Fruit & Vegetable Bug Killer	04033	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	lambda-Cyhalothrin	0.015 g/l
Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer	04032	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	lambda-Cyhalothrin	0.75 g/l
Westland Rose Rescue	04801	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	Cypermethrin Myclobutanil	0.05 g/l 0.075 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Whorl	05740	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	280 g/l
							<i>Halauxifen-methyl</i>	12 g/l
Wilko Glyphosate Weedkiller	02998	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Wilko Lawn Feed, Weed and Moss Killer Treatment	06249	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Winby	05611	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Wing P	03590	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Dimethenamid-P</i>	212.5 g/l
							<i>Pendimethalin</i>	250g/l
Winger	05807	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
Xerton	05702	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	417 g/l
Zephyr	03792	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Prothioconazole</i>	175 g/l
							<i>Trifloxystrobin</i>	88 g/l
Zetanil WG	04492	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	45 g/kg
							<i>Mancozeb</i>	650 g/kg
Zetrola	05936	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Zorvec Enicade	05608	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	OD	Professional	<i>Oxathiapiprolin</i>	100 g/l
Zoxis	05348	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Zulu	05026	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>	125 g/l
Zypar	05800	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	OD	Professional	<i>Florasulam</i>	5.0 g/l
							<i>Halauxifen-methyl</i>	6.25 g/l

Chapter 2

Plant Protection Product Name Changes Accepted since “Pesticides 2018”

Product name changes accepted since "*Pesticides 2018*"

<u>Old Product Name</u>	<u>PCS No</u>	<u>New Product Name</u>
Bayer Garden Slug Killer	05612	Solabiol Slug Killer
Karate 2.5WG	03979	Sceptre
Maxicrop No. 2 Mosskiller & Conditioner	05149	Maxicrop Professional Moss Killer and Conditioner
Pistol Flex	05612	Valdor Flex
Provado Ultimate Bug Killer	04307	Provanto Ultimate Bug Killer

Chapter 3

Plant Protection Products listed in '*Pesticides 2018*' for which registrations expired or were rescinded between 1/1/18 and 1/1/19

Plant Protection Products whose registrations have expired or were revoked between 1/1/17 and 1/1/18

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Acamar WG	05281	Servem Ltd	Professional	Fungicide	31/12/2017	05/06/2018
Acanto	02158	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Acanto Prima	04043	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Acute	05170	Generica Europa Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Adexar	04324	BASF plc	Professional	Fungicide	31/03/2017	30/09/2018
Advanced Moss Killer	92327	Bayer CropScience Limited	Amateur	Herbicide	30/09/2017	31/03/2019
Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Professional	Herbicide	03/06/2017	03/06/2018
Alister	02844	Bayer CropScience Limited	Professional	Herbicide	31/12/2017	30/06/2019
Ally SX	02133	DuPont (UK) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Ambush	04509	DHM Agrochemicals Ltd.,	Professional	Insecticide	31/03/2017	30/09/2018
Apollo	04056	Adama Agricultural Solutions UK Ltd	Professional	Acaricide	31/03/2017	30/09/2018
Arbiter	05270	Barclay Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Asulox (Emergency Use)	05855	UPL Europe Ltd	Professional	Herbicide	30/09/2017	30/09/2017
Aviator Xpro	03687	Bayer CropScience Limited	Professional	Fungicide	31/03/2017	30/09/2018
Axial	02282	Syngenta UK Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Axial One	04132	Syngenta UK Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Aylora	05012	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
B&Q Path & Patio Weedkiller	04011	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
B&Q Path & Patio Weedkiller Concentrate	04014	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
B&Q Value Tough Action Weedkiller	04012	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
B&Q Weedkiller	04010	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
B&Q Weedkiller Concentrate	04013	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Baby Bio House Plant Insecticide	03330	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Bandock EW	04680	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Banspray	90140	Unichem Limited	Professional	Herbicide	31/03/2017	30/09/2018
Banweed Special Extra	92339	Bandon Agricultural Products Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Barclay Cyperssect XL	90170	Arysta LifeScience Benelux SPRL	Professional	Insecticide	31/03/2017	30/09/2018
Barclay Hurler	02905	Barclay Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Betanal Expert	03570	Bayer CropScience Limited	Professional	Herbicide	01/11/2017	01/05/2019
Bontima	03932	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Boogie Xpro	03689	Bayer CropScience Limited	Professional	Fungicide	31/03/2017	30/09/2018
Bramble Killer Ultra	03078	Barclay Chemicals Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Brogue	03993	Mitsui Agriscience International S.A./N.V.	Professional	Herbicide	31/12/2017	30/06/2019
Butisan S	90342	BASF plc	Professional	Herbicide	31/03/2017	30/09/2018
Cavron Green	04244	Hermoo Belgium N.V.	Professional	Fungicide	31/12/2017	05/06/2018
Cebara	04855	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Chipco Green	02714	Bayer CropScience Limited	Professional	Fungicide	31/12/2017	05/06/2018
Cielex	04644	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
CIPC	90486	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Cleave	05373	Adama Agricultural Solutions UK Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Credo	02503	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Croplink Avena	04601	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Croplink Methrin 100	04621	Croplink (Ireland) Ltd	Professional	Insecticide	31/03/2017	30/09/2018

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Croplink Reaper	04613	Croplink (Ireland) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Croplink Tebuconazole	04599	Croplink (Ireland) Ltd	Professional	Fungicide	31/12/2017	30/06/2018
Curzate M WG	02110	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Damine	02353	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Datura	04456	UPL Europe Ltd	Professional	Herbicide	03/06/2017	03/06/2018
Debut	00758	DuPont (UK) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Derrex	04495	W. Neudorff GmbH KG	Professional	Molluscicide	30/09/2017	31/03/2019
Doff 24/7 Superfast Weedkiller	05036	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Doxstar Pro	04202	Dow AgroSciences Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Dynamec (Emergency Use)	05830	Syngenta UK Ltd	Professional	Acaricide	29/07/2017	29/07/2017
Emerald Turf	05527	Agrigem Ltd	Professional	Fungicide	31/12/2017	05/06/2018
Ettu	05139	Euro Chemicals s.r.o.	Professional	Fungicide	31/12/2017	30/06/2019
Euro Lambda 100 CS	05137	Euro Chemicals s.r.o.	Professional	Insecticide	31/12/2017	30/06/2019
Farmco Aphicide Super	05282	Farmco Agritrading Ltd	Professional	Insecticide	31/03/2017	30/09/2018
Farmco Axis	04435	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Farmco Bixa-Pro	04716	Farmco Agritrading Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Farmco Docs	05127	Farmco Agritrading Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Farmco Penache	05099	Farmco Agritrading Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Farmco Rebel XT	04402	Farmco Agritrading Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Finalsan Moss & Algae Killer Concentrate	92383	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Finalsan Moss & Algae Killer RTU	92384	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Finalsan Weedkiller Concentrate	92382	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Finalsan Weedkiller RTU	92385	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Flora 50	05156	Euro Chemicals s.r.o.	Professional	Herbicide	31/12/2017	30/06/2019

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Flurox 180	04302	Stockton Europe Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Flurox 200	04303	Stockton Europe Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Frelizon	05306	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Furlong	04690	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Galileo	03015	DuPont (UK) Ltd	Professional	Fungicide	30/11/2017	30/11/2018
Gem Glyphosate Weed and Root Killer	02999	Barclay Chemicals Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
GF - 2463	04939	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Greenfly Killer	04308	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Green-up Moss Free Lawn Mosskiller	90718	Vitax Limited	Amateur	Herbicide	31/12/2017	30/06/2019
Grisu	04836	Sipcam Oxon SpA	Professional	Fungicide	31/12/2017	05/06/2018
Growing Success Advanced Bug Killer	92349	W. Neudorff GmbH KG	Amateur	Insecticide	30/09/2017	31/03/2019
Headland Relay	90728	Headland Agrochemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Heritage	02092	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018
High Load Mircam	02336	Nufarm UK Limited	Professional	Herbicide	31/03/2017	30/09/2018
House Plant Pest Killer	92251	Vitax Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Hygeia Lawn Feed, Weed and Mosskiller	03128	Hygeia Chemicals Ltd	Amateur	Herbicide	31/03/2017	30/09/2018
Hygrass	91727	Hygeia Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Hyprone Plus	91729	Hygeia Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Hysward	90500	Hygeia Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Intrex	04067	BASF plc	Professional	Fungicide	31/03/2017	30/09/2018
Intellis	05107	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Interface	04882	Bayer CropScience Limited	Professional	Fungicide	31/12/2017	05/06/2018
Iroxx	05253	W. Neudorff GmbH KG	Professional	Molluscicide	30/09/2017	31/03/2019
Katamaran	03628	BASF plc	Professional	Herbicide	31/03/2017	30/09/2018
Kinetic	92280	Helena Chemical Company	Professional	Adjuvant	31/12/2017	30/06/2019

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Knockdown Superfast Weedkiller	04832	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Lawn Weedkiller Ready to Use 2	04623	Nufarm UK Limited	Amateur	Herbicide	31/03/2017	30/09/2018
Legumex	04897	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Lexus 50 DF	02000	DuPont (UK) Ltd	Professional	Herbicide	13/12/2017	13/12/2018
Lexus Class	02258	DuPont (UK) Ltd	Professional	Herbicide	13/12/2017	13/12/2018
Lexus Millenium	02237	DuPont (UK) Ltd	Professional	Herbicide	13/12/2017	13/12/2018
Librax	04465	BASF plc	Professional	Fungicide	31/03/2017	30/09/2018
Lingo	03660	Belchim Crop Protection NV	Professional	Herbicide	03/06/2017	03/06/2018
Lorate	02689	DuPont (UK) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Luna Privilege (Emergency Use)	05831	Bayer CropScience Limited	Professional	Fungicide	29/07/2017	29/07/2017
Luna Privilege (Emergency Use)	05862	Bayer CropScience Limited	Professional	Fungicide	29/09/2017	29/09/2017
Mandarin Xpro	04556	Bayer CropScience Limited	Professional	Fungicide	31/03/2017	30/09/2018
Mascot Rayzor	04119	Bayer CropScience Limited	Professional	Fungicide	31/12/2017	05/06/2018
Mastercrop Bandit	91836	Glanbia Agribusiness	Professional	Herbicide	31/03/2017	30/09/2018
Micaraz	04856	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Mircam Super	02097	Nufarm UK Limited	Professional	Herbicide	31/03/2017	30/09/2018
Multirose Bug Killer	04272	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Nettleban EW	04681	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Oberon	02529	Bayer CropScience Limited	Professional	Insecticide	07/02/2017	07/08/2018
Orchid B	04612	Croplink (Ireland) Ltd	Professional	Fungicide	31/12/2017	30/06/2019
Organic Bug Free	00311	Bayer CropScience Limited	Amateur	Insecticide	30/09/2017	31/03/2019
Organic Fast Acting Weedkiller	04701	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Organic Moss & Algae Killer Concentrate	04700	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Organic Moss Control for Lawns Concentrate	04994	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Osmonds Pasturekleen	04611	Croplink (Ireland) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Pacifica	02241	Bayer CropScience Limited	Professional	Herbicide	31/12/2017	30/06/2018
Panto	04804	Pan Amenity Ltd	Professional	Fungicide	31/12/2017	05/06/2018
Pexan	04535	BASF plc	Professional	Fungicide	31/03/2017	30/09/2018
Pilot Ultra	02445	Nissan Chemical Europe	Professional	Herbicide	30/06/2017	31/12/2018
Pivotal	05458	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Polaca	05138	Euro Chemicals s.r.o.	Professional	Fungicide	31/12/2017	30/06/2019
Premier Amenity	92136	Hygeia Chemicals Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Profume	02641	Dow AgroSciences Ltd	Professional	Fumigant	30/06/2017	31/12/2018
Proquin 200	05146	Euro Chemicals s.r.o.	Professional	Fungicide	31/03/2017	30/09/2018
Provado Ultimate Bug Killer Concentrate 2	03601	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Provado Ultimate Bug Killer Ready to use	02810	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Provado Vine Weevil Killer 2	02622	Bayer CropScience Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Py Powder Insect Killer	90992	Vitax Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Py Spray Garden Insect Killer	90993	Vitax Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Py Spray Garden Insect Killer Concentrate	92257	Vitax Limited	Amateur	Insecticide	31/12/2017	30/06/2019
Pyrol Bug & Larvae Killer	04616	W. Neudorff GmbH KG	Amateur	Insecticide	30/09/2017	31/03/2019
Pyrol Bug & Larvae Killer for Roses	04817	W. Neudorff GmbH KG	Amateur	Insecticide	30/09/2017	31/03/2019
Ragtime	02967	Nufarm UK Ltd	Amateur	Herbicide	31/03/2017	30/09/2018
Rapport 500 SC	04783	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/03/2017	30/09/2018

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Raxil Star	04849	Bayer CropScience Limited	Professional	Seed Dressing	30/09/2017	31/03/2019
Re-Act	02362	Nufarm UK Limited	Professional	Herbicide	31/03/2017	30/09/2018
Rescue	03682	Syngenta UK Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Resolva Moss Killer	92417	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Rhino	04258	Certis Europe BV	Professional	Seed Dressing	31/12/2017	30/06/2019
Rogue	04887	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2017	30/06/2019
Rooting Powder	02033	Vitax Limited	Amateur	Growth Regulator	31/12/2017	30/06/2019
Rovral AquaFlo	02730	BASF plc	Professional	Seed Dressing	31/12/2017	05/06/2018
Rovral WG	02729	BASF plc	Professional	Fungicide	31/12/2017	05/06/2018
Scrubkiller EW	04682	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Seguris	04253	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Sherman	04373	Adama Agricultural Solutions UK Ltd	Professional	Herbicide	01/12/2017	01/06/2019
Signum (Emergency Use)	05720	BASF plc	Professional	Fungicide	03/02/2017	03/02/2017
Siltra Xpro	04083	Bayer CropScience Limited	Professional	Fungicide	31/03/2017	30/09/2018
Sitrine	91268	Arysta LifeScience Benelux SPRL	Professional	Insecticide	31/03/2017	30/09/2018
Skyway Xpro	04356	Bayer CropScience Limited	Professional	Fungicide	31/03/2017	30/09/2018
SlugClear Ultra 3	04972	The Scotts Company (UK) Ltd	Amateur	Molluscicide	31/03/2017	30/09/2018
Sluxx HP	03938	W. Neudorff GmbH KG	Professional	Molluscicide	30/09/2017	31/03/2019
Starane Gold	02074	Dow AgroSciences Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Stratos Ultra	91348	BASF plc	Professional	Herbicide	31/03/2017	30/09/2018
Surpass Pro	04470	Hermoo Belgium N.V.	Professional	Fungicide	31/12/2017	05/06/2018
Systhane 20 EW	03693	Dow AgroSciences Ltd	Professional	Fungicide	30/06/2017	31/12/2018
T 2 Green	02827	Nufarm UK Limited	Professional	Herbicide	31/03/2017	30/09/2018

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Terbel Triple EW	04679	Arysta LifeScience Benelux SPRL	Professional	Herbicide	31/12/2017	30/06/2019
Tesco Fast Acting Weedkiller	04803	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Theta	04586	Pan Agriculture Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Time's up Weedkiller	04038	W. Neudorff GmbH KG	Amateur	Herbicide	30/09/2017	31/03/2019
Time's up Weedkiller Concentrate	04039	W. Neudorff GmbH KG	Amateur/Professional	Herbicide	30/09/2017	31/03/2019
Top	05817	Pan Amenity Ltd	Professional	Fungicide	31/12/2017	05/06/2018
Transcend	92278	Helena Chemical Company	Professional	Adjuvant	31/12/2017	30/06/2019
Traxos	02443	Syngenta UK Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Treoris	04193	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Triathlon	04614	Croplink (Ireland) Ltd	Professional	Herbicide	31/03/2017	30/09/2018
Trust	05158	Generica Europa Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Vertisan	04148	DuPont (UK) Ltd	Professional	Fungicide	31/03/2017	30/09/2018
Verve Fast Acting Weedkiller	04833	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Verve Path & Patio Weedkiller	04551	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Verve Path & Patio Weedkiller Concentrate	04554	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Verve Root Killing Weedkiller	04550	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Verve Root Killing Weedkiller Concentrate	04553	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Verve Tough Weedkiller	04552	Syngenta UK Ltd	Amateur	Herbicide	31/12/2017	30/06/2019
Weedmaster	03200	Nufarm UK Ltd	Amateur	Herbicide	31/03/2017	30/09/2018
Weedol Gun! Superfast	92347	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Weedol Super Fast	92346	W. Neudorff GmbH KG	Amateur	Herbicide	31/03/2017	30/09/2018
Wizard	03112	UPL Europe Ltd	Professional	Herbicide	31/12/2017	30/06/2019
Zulu	03886	Syngenta UK Ltd	Professional	Fungicide	31/03/2017	30/09/2018

Chapter 4

Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2019

Plant Protection Products for which registrations have expired or have been or will be revoked and the use of which will become illegal during 2019.

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Acute	Generica Europa Ltd	05170	<i>Pinoxaden</i>	31/12/2017	30/06/2019
Addition	Generica Europa Ltd	05171	<i>Methylated Rapeseed Oil</i>	02/07/2018	31/12/2019
Advanced Moss Killer	Bayer CropScience Limited	92327	<i>Fatty Acid - C7-C20</i>	30/09/2017	31/03/2019
Alister	Bayer CropScience Limited	02844	<i>Diffenican</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	31/12/2017	30/06/2019
Amistar	Syngenta UK Ltd	01351	<i>Azoxystrobin</i>	31/03/2018	30/09/2019
Amistar Opti	Syngenta UK Ltd	03408	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	31/03/2018	30/09/2019
Amistrobin	Servem Ltd	04879	<i>Azoxystrobin</i>	31/03/2018	30/09/2019
Axial	Syngenta UK Ltd	02282	<i>Pinoxaden</i>	31/12/2017	30/06/2019
Axial One	Syngenta UK Ltd	04132	<i>Florasulam</i> <i>Pinoxaden</i>	31/12/2017	30/06/2019
Az-Tec	Unichem Limited	04889	<i>Azoxystrobin</i>	31/03/2018	30/09/2019
B&Q Path & Patio Weedkiller	Syngenta UK Ltd	04011	<i>Glyphosate</i>	31/12/2017	30/06/2019
B&Q Path & Patio Weedkiller Concentrate	Syngenta UK Ltd	04014	<i>Glyphosate</i>	31/12/2017	30/06/2019
B&Q Value Tough Action Weedkiller	Syngenta UK Ltd	04012	<i>Glyphosate</i>	31/12/2017	30/06/2019
B&Q Weedkiller	Syngenta UK Ltd	04010	<i>Glyphosate</i>	31/12/2017	30/06/2019
B&Q Weedkiller Concentrate	Syngenta UK Ltd	04013	<i>Glyphosate</i>	31/12/2017	30/06/2019
Baby Bio House Plant Insecticide	Bayer CropScience Limited	03330	<i>Thiacloprid</i>	31/12/2017	30/06/2019
Bandock EW	Arysta LifeScience Benelux SPRL	04680	<i>2,4-D</i> <i>Dicamba</i> <i>Triclopyr</i>	31/12/2017	30/06/2019
Berelex	Valent BioSciences	90246	<i>Gibberellic acid</i>	30/06/2018	31/12/2019

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Betanal Expert	Bayer CropScience Limited	03570	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/11/2017	01/05/2019
Bramble Killer Ultra	Barclay Chemicals Ltd	03078	<i>Glyphosate</i>	31/12/2017	30/06/2019
Broadway Star	Dow AgroSciences Ltd	05300	<i>Florasulam</i> <i>Pyroxsulam</i>	30/06/2018	31/12/2019
Brogue	Mitsui Agriscience International S.A./N.V.	03993		31/12/2017	30/06/2019
Bug Clear Ultra for Pots	The Scotts Company (UK) Ltd	02585	<i>Diquat (dibromide)</i> <i>Acetamiprid</i>	01/09/2018	31/12/2019
Buggy SG	Sipcam U.K. Ltd	02504	<i>Glyphosate</i>	15/03/2018	15/09/2019
CIPC	Arysta LifeScience Benelux SPRL	90486	<i>Chlorpropham</i>	31/12/2017	30/06/2019
Cleave	Adama Agricultural Solutions UK Ltd	05373	<i>Florasulam</i> <i>Fluroxypyr</i>	31/12/2017	30/06/2019
Consento	Bayer CropScience Limited	04344	<i>Fenamidone</i> <i>Propamocarb</i>	14/02/2019	14/11/2019
Croplink Avena	Croplink (Ireland) Ltd	04601	<i>Pinoxaden</i>	31/12/2017	30/06/2019
Curator	Syngenta UK Ltd	04504	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	31/03/2018	30/09/2019
Damine	Arysta LifeScience Benelux SPRL	02353	<i>2,4-D</i>	31/12/2017	30/06/2019
Derrex	W. Neudorff GmbH KG	04495	<i>Ferric Phosphate</i>	30/09/2017	31/03/2019
Dynamec (Emergency Use)	Syngenta UK Ltd	06292	<i>Abamectin</i>	02/02/2019	02/02/2019
Escapade	Generica Europa Ltd	05160	<i>Boscalid</i> <i>Epoxiconazole</i>	02/07/2018	31/12/2019
Ettu	Euro Chemicals s.r.o.	05139	<i>Epoxiconazole</i> <i>Metconazole</i>	31/12/2017	30/06/2019
Euro Lambda 100 CS	Euro Chemicals s.r.o.	05137	<i>lambda-Cyhalothrin</i>	31/12/2017	30/06/2019
Farmco Axis	Farmco Agritrading Ltd	04435	<i>Pinoxaden</i>	31/12/2017	30/06/2019
Farmco Azoxy SC	Farmco Agritrading Ltd	04947	<i>Azoxystrobin</i>	31/03/2018	30/09/2019
Farmco Lenzo Flo	Farmco Agritrading Ltd	04158	<i>Lenacil</i>	31/03/2018	30/09/2019
Fenomenal	Bayer CropScience Limited	04956	<i>Fenamidone</i> <i>Fosetyl (-aluminium)</i>	14/02/2019	14/11/2019

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Flora 50	Euro Chemicals s.r.o.	05156		31/12/2017	30/06/2019
			<i>Florasulam</i>		
Flurox 180	Stockton Europe Ltd	04302		31/12/2017	30/06/2019
			<i>Fluroxypyr</i>		
Flurox 200	Stockton Europe Ltd	04303		31/12/2017	30/06/2019
			<i>Fluroxypyr</i>		
Galaxy	Dow AgroSciences Ltd	02948		31/03/2018	30/09/2019
			<i>Clopyralid</i>		
			<i>Florasulam</i>		
			<i>Fluroxypyr</i>		
Gem Glyphosate Weed and Root Killer	Barclay Chemicals Ltd	02999		31/12/2017	30/06/2019
			<i>Glyphosate</i>		
GF - 2463	Dow AgroSciences Ltd	04939		31/12/2017	30/06/2019
			<i>Clopyralid</i>		
			<i>Florasulam</i>		
Globaztar SC	Globachem nv	04859		31/03/2018	30/09/2019
			<i>Azoxystrobin</i>		
Goal 2XL	Dow AgroSciences Ltd	01763		30/06/2018	31/12/2019
			<i>Oxyfluorfen</i>		
Goulding Weedkiller	Sipcam U.K. Ltd	05126		15/03/2018	15/09/2019
			<i>Glyphosate</i>		
Greenfly Killer	Bayer CropScience Limited	04308		31/12/2017	30/06/2019
			<i>Deltamethrin</i>		
Green-up Moss Free Lawn Mosskiller	Vitax Limited	90718		31/12/2017	30/06/2019
			<i>Ferrous Sulphate</i>		
Growing Success Advanced Bug Killer	W. Neudorff GmbH KG	92349		30/09/2017	31/03/2019
			<i>Pyrethrins</i>		
Heritage Maxx	Syngenta UK Ltd	03978		31/03/2018	30/09/2019
			<i>Azoxystrobin</i>		
Hexagon	Generica Europa Ltd	05152		02/07/2018	31/12/2019
			<i>Prothioconazole</i>		
			<i>Spiroxamine</i>		
House Plant Pest Killer	Vitax Limited	92251		31/12/2017	30/06/2019
			<i>Pyrethrins</i>		
Hussar	Bayer CropScience Limited	02207		01/04/2018	01/10/2019
			<i>Iodosulfuron-methyl-sodium</i>		
Hypoclear	McKenna (J.F) Ltd	92354		30/06/2018	31/12/2019
			<i>Sodium hypochlorite</i>		
Intern	Generica Europa Ltd	05164		02/07/2018	31/12/2019
			<i>Trinexapac ethyl</i>		
Iroxx	W. Neudorff GmbH KG	05253		30/09/2017	31/03/2019
			<i>Ferric Phosphate</i>		
Keystone	Syngenta UK Ltd	04526		30/06/2018	31/12/2019
			<i>Epoxiconazole</i>		
			<i>Isopyrazam</i>		
Kinetic	Helena Chemical Company	92280		31/12/2017	30/06/2019
			<i>Polyalkyleneoxide</i>		
			<i>Polyoxypropylene-polyoxyethylene glycol</i>		
Knockdown Path Weedkiller	Sipcam U.K. Ltd	03120		15/03/2018	15/09/2019
			<i>Glyphosate</i>		

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Knockdown Weedkiller	Sipcam U.K. Ltd	03121		15/03/2018	15/09/2019
Kyanite	Generica Europa Ltd	05168	<i>Glyphosate</i>	02/07/2018	31/12/2019
Landscaper Pro Weed Control + Fertilizer	The Scotts Company (UK) Ltd	04708	<i>Epoxiconazole</i> <i>Pyraclostrobin</i>	31/03/2018	30/09/2019
Legumex	Croplink (Ireland) Ltd	04897	<i>2,4-D</i> <i>Dicamba</i>	31/12/2017	30/06/2019
Life Scientific Azoxystrobin	Life Scientific Limited	04405	<i>2,4-DB</i> <i>MCPA</i>	31/03/2018	30/09/2019
Multirose Bug Killer	Bayer CropScience Limited	04272	<i>Azoxystrobin</i>	31/12/2017	30/06/2019
Nettleban EW	Arysta LifeScience Benelux SPRL	04681	<i>Thiacloprid</i>	31/12/2017	30/06/2019
Orchid B	Croplink (Ireland) Ltd	04612	<i>2,4-D</i> <i>Dicamba</i> <i>Triclopyr</i>	31/12/2017	30/06/2019
Organic Bug Free	Bayer CropScience Limited	00311	<i>Chlorothalonil</i>	30/09/2017	31/03/2019
Pathclear Gun! Weedkiller Plus Preventer	The Scotts Company (UK) Ltd	04797	<i>Fatty acid - C7 - C18 - potassium salt</i>	15/03/2018	15/09/2019
Pathclear Weedkiller LC	The Scotts Company (UK) Ltd	04795	<i>Diflufenican</i> <i>Glyphosate</i>	15/03/2018	15/09/2019
Pivotal	Dow AgroSciences Ltd	05458	<i>Diflufenican</i> <i>Glyphosate</i>	31/12/2017	30/06/2019
Polaca	Euro Chemicals s.r.o.	05138	<i>Fluroxypyr</i> <i>Triclopyr</i>	31/12/2017	30/06/2019
Promise	Generica Europa Ltd	05153	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Metrafenone</i>	02/07/2018	31/12/2019
Provado Ultimate Bug Killer Concentrate 2	Bayer CropScience Limited	03601	<i>Prothioconazole</i> <i>Tebuconazole</i>	31/12/2017	30/06/2019
Provado Ultimate Bug Killer Ready to use	Bayer CropScience Limited	02810	<i>Thiacloprid</i>	31/12/2017	30/06/2019
Provado Vine Weevil Killer 2	Bayer CropScience Limited	02622	<i>Thiacloprid</i>	31/12/2017	30/06/2019
Py Powder Insect Killer	Vitax Limited	90992	<i>Thiacloprid</i>	31/12/2017	30/06/2019
Py Spray Garden Insect Killer	Vitax Limited	90993	<i>Pyrethrins</i>	31/12/2017	30/06/2019
			<i>Pyrethrins</i>		

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Py Spray Garden Insect Killer Concentrate	Vitax Limited	92257		31/12/2017	30/06/2019
			<i>Pyrethrins</i>		
Pyrol Bug & Larvae Killer	W. Neudorff GmbH KG	04616		30/09/2017	31/03/2019
			<i>Pyrethrins</i>		
Pyrol Bug & Larvae Killer for Roses	W. Neudorff GmbH KG	04817		30/09/2017	31/03/2019
			<i>Pyrethrins</i>		
Raxil Star	Bayer CropScience Limited	04849		30/09/2017	31/03/2019
			<i>Fluopyram</i> <i>Prothioconazole</i> <i>Tebuconazole</i>		
Rescue	Syngenta UK Ltd	03682		31/12/2017	30/06/2019
			<i>Pinoxaden</i>		
Rhino	Certis Europe BV	04258		31/12/2017	30/06/2019
			<i>Flutolanil</i>		
Rogue	DHM Agrochemicals Ltd.,	04887		31/12/2017	30/06/2019
			<i>Pinoxaden</i>		
Rooting Powder	Vitax Limited	02033		31/12/2017	30/06/2019
			<i>1-Naphthylacetic acid</i>		
Scotts Lawn Builder Lawn Food plus Weed Control	The Scotts Company (UK) Ltd	04709		31/03/2018	30/09/2019
			<i>2,4-D</i> <i>Dicamba</i>		
Scrubkiller EW	Arysta LifeScience Benelux SPRL	04682		31/12/2017	30/06/2019
			<i>2,4-D</i> <i>Dicamba</i> <i>Triclopyr</i>		
Sherman	Adama Agricultural Solutions UK Ltd	04373		01/12/2017	01/06/2019
			<i>Pendimethalin</i>		
Sluxx HP	W. Neudorff GmbH KG	03938		30/09/2017	31/03/2019
			<i>Ferric Phosphate</i>		
Tachigaren 70 WP	Mitsui Chemicals Agro Inc.	91376		31/03/2018	30/09/2019
			<i>Hymexazol</i>		
Tazer	Nufarm UK Limited	04523		31/03/2018	30/09/2019
			<i>Azoxystrobin</i>		
Terbel Triple EW	Arysta LifeScience Benelux SPRL	04679		31/12/2017	30/06/2019
			<i>2,4-D</i> <i>Dicamba</i> <i>Triclopyr</i>		
Tesco Complete Weedkiller Spray	Sipcam U.K. Ltd	03123		15/03/2018	15/09/2019
			<i>Glyphosate</i>		
Tesco Systemic Path & Patio Weedkiller Spray	Sipcam U.K. Ltd	03122		15/03/2018	15/09/2019
			<i>Glyphosate</i>		
Tharsis	Generica Europa Ltd	05540		02/07/2018	31/12/2019
			<i>Tebuconazole</i>		
Theta	Pan Agriculture Ltd	04586		31/12/2017	30/06/2019
			<i>Mesotrione</i> <i>Terbuthylazine</i>		
Time's up Weedkiller	W. Neudorff GmbH KG	04038		30/09/2017	31/03/2019
			<i>Maleic hydrazide</i> <i>Pelargonic acid</i>		

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Time's up Weedkiller Concentrate	W. Neudorff GmbH KG	04039	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30/09/2017	31/03/2019
Transcend	Helena Chemical Company	92278	<i>Methylated Soyabean Oil</i> <i>Polyalkyleneoxide</i>	31/12/2017	30/06/2019
Traxos	Syngenta UK Ltd	02443	<i>Clodinafop</i> <i>Pinoxaden</i>	31/12/2017	30/06/2019
Tumbleweed	The Scotts Company (UK) Ltd	02506	<i>Glyphosate</i>	15/03/2018	15/09/2019
Tumbleweed Ready to Use	The Scotts Company (UK) Ltd	02507	<i>Glyphosate</i>	15/03/2018	15/09/2019
Venzar 80 % WP	DuPont (UK) Ltd	91507	<i>Lenacil</i>	31/03/2018	30/09/2019
Venzar Flowable	DuPont (UK) Ltd	91516	<i>Lenacil</i>	31/03/2018	30/09/2019
Vertik	Syngenta UK Ltd	04030	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	31/03/2018	30/09/2019
Verve Path & Patio Weedkiller	Syngenta UK Ltd	04551	<i>Glyphosate</i>	31/12/2017	30/06/2019
Verve Path & Patio Weedkiller Concentrate	Syngenta UK Ltd	04554	<i>Glyphosate</i>	31/12/2017	30/06/2019
Verve Root Killing Weedkiller	Syngenta UK Ltd	04550	<i>Glyphosate</i>	31/12/2017	30/06/2019
Verve Root Killing Weedkiller Concentrate	Syngenta UK Ltd	04553	<i>Glyphosate</i>	31/12/2017	30/06/2019
Verve Tough Weedkiller	Syngenta UK Ltd	04552	<i>Glyphosate</i>	31/12/2017	30/06/2019
Vitax Lawn Clear 2 Feed & Weed	Vitax Limited	05011	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	31/03/2018	30/09/2019
Vitax Lawn Clear 2 Ready to Use	Vitax Limited	05010	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	31/03/2018	30/09/2019
Vitax LawnClear 2	Vitax Limited	05009	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	31/03/2018	30/09/2019
Weedol Gun! Path & Patio Weedkiller	The Scotts Company (UK) Ltd	04798	<i>Diflufenican</i> <i>Glyphosate</i>	15/03/2018	15/09/2019
Weedol Path & Patio Weedkiller	The Scotts Company (UK) Ltd	04796	<i>Diflufenican</i> <i>Glyphosate</i>	15/03/2018	15/09/2019
Westland Autumn Lawn Feed and Mosskiller	Westland Horticulture Ltd	01688	<i>Ferrous Sulphate</i>	30/06/2018	31/12/2019

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Wizard	UPL Europe Ltd	03112	<i>Ethofumesate</i> <i>Phenmedipham</i>	31/12/2017	30/06/2019
Zoxis	Arysta LifeScience Benelux SPRL	04455	<i>Azoxystrobin</i>	31/03/2018	30/09/2019

Chapter 5

Marketing Companies

Company Name	Address	Tel	Fax
Adama Agricultural Solutions UK Ltd	Unit 15, Thatcham Business Village, Colthrop Way, Thatcham, Berkshire, RG19 4 LW, England	00441 730 265 798	00441-730 265 798
Agrigem Ltd	Gem House, Riverside Enterprise Park, Skellingthorpe Road, Saxilby, Lincoln, LN1 2FU, England	0044 8001 337849	
AgroFresh Holding France S.A.S.	23 - 25 avenue Mac-Mahon, 75017 Paris, France	0033489 829249	
Agropharm Ltd	Buckingham House, Church Road Penn, High WycombeBucks, HP10 8LN, England	00441494-811477	
Agrovista UK Ltd	Rutherford House, Nottingham Science & Technology Park, Nottingham, NG7 2PZ England	0044115 939 0202	0044115 939 8031
Albaugh Europe Sarl	Chemin de Raidillon, 1B, 1091 Grandvaux, Vaud, Switzerland	004420 35512580,	004420 7956 2001
Amega Sciences plc	Lancaster Way, Royal Oak Industrial Estate, Daventry, NN11 5PH England	00441327 704444	00441327 871154
Ambac Chemical UK Limited	Surrey Technology Centre, 40 Occam Road, The Surrey Research Park, Guilford, Surrey, GU2 7YG, England	00441-483-295780	00441-483-295781
Angus Horticulture Ltd	Polmood, Guthrie, Forfar, Angus, DD8 2TW, Scotland	0044-1241-829049	
Arysta Life Science S.A.S.	Route d'Artix, BP80, 64150 Nogueres, France	0033 559 609292	0033 559 609299
Arysta LifeScience Benelux SPRL	Rue de Renory 26/1, B-4102 Ougree, Belgium	0032 4385 9711	
B & Q plc	Chestnut Avenue, Chandler's Ford, Eastleigh, Hampshire, SO53 3LE, England	0044-2380-690000	
Bandon Agricultural Products Ltd	5-6 Bridge Street, Bandon, Co. Cork	023-8841115	
Barclay Chemicals Ltd	Tyrellstown Way, Damastown Industrial Estate, Mulhuddart, Dublin 15	01-8224555	01-8224678
BASF plc	P.O. 4 Earl Road, Cheadle Hulme, Cheadle, Cheshire, SK8 6QG, England	00441-61485-6222	00441-61486-0891
Bayer CropScience Limited	230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	0044-1223-226500	0044-1223-426240
Bayer CropScience Biologics GmbH	Inselstrasse 12, D-23999 Malchow/Poel, Germany	0049-38425-2323	
Bayer SAS	Environmental Science SAS, 230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	00441 223 226682	
Belchim Crop Protection Ltd	1b Fenice Court, Phoenix Park, Eaton Socon, St. Neots, Cambridgeshire, PE19 8EP, England	00441480403444	
Belchim Crop Protection NV	Technologielaan 7, B-1840, Londerzeel, Belgium	0032 5231 9659	
Belcrop N.V.	Tiensestraat 300, B-3400, Landen, Belgium	003211 598360	
Biocontrol Technologies S.L.	Avgda. Madrid, 215-217, entresol dreta A, Barcelona, 08014, Spain	0034 93409 1848	
CBC (Europe) S.r.l.	via E. Majorana 2, Nova Milanese (MB), 20834, Italy	0039 362 365079	
Certiplant N.V.	Lichtenberglaan 2045, B-3800, Sint-Truiden, Belgium	0032 1188 0392	0032 1170 7484
Certis Europe BV	C/o Suite 5, 1Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD, England	0044 845 3730 305	
Cheminova A/S	P.O. Box 9, DK-7620 Lemvig, Denmark	0044 1423 857852	
Ciech Sarzyna S.A	Chemikow 1 Str, 37-310 Nowa Sarzyna, Podkarpackie, Poland	0048 1724 07111	
Croplink (Ireland) Ltd	1 Aillwee Lane, Ballyvaughan, Co. Clare	065-7077331	065-7077334
DeSangosse Ltd	Hillside Mill, Quarry Lane, Swaffham Bulbeck, Cambridge, CB25 0LU, England	0044 1223 811215	
De Sangosse SA	Bonnel BP5, 47480 Pont du Casse, France	0033 553 693630	
Detia Degesch GmbH	Dr Werner-Freyberg-Strasse, D-69514 Laudenbach, Germany	0049 6201 708 305,	0049 6201 708 427
DHM Agrochemicals Ltd.,	Castle Lodge, Kilgobbin Road, Sandford, Dublin 18	01-2952377	01-2959399
Doff Portland Ltd	Aerial Way, Hucknall, Nottingham, NG 15 6DW, England	00441-15983 4312	00441-159638657
Douglas BLG BVBA	97, 4 th Floor, Rue Royale, 1000 Brussels, Belgium		
Dow AgroSciences	Latchmore Court, Brand Street, Hitchin, Hertfordshire, SG5 1NH, England	0044 1462 426645	
DuPont (UK) Ltd	Wedgewood Way, Stevenage, Hertfordshire, SG1 4QN, England	00441-438-734000	00441-438-734452
ECOspray Ltd	Grange Farm, Cockley Clay Road, Hillsborough, Thetford, Norfolk IP26 5BT, England	0044-1760-756100	0044-1760-756313
Evergreen Garden Care UK Ltd	Weyside Park, Catteshall Lane, Goldaming, Surrey, GU7 1XE, England	0044 1473 654613	

Company Name	Address	Tel	Fax
Everris Ltd	Epsilon House, West Road, Ipswich, IP3 9FJ, England	0044 1844 8094470	
Fargro Limited	Vinery Fields, Arundel Road, Poling, West Sussex, BN18 9PY, England	0044 1903 721591	
Farmco Agritrading Ltd	Annakisha, Mallow, Cork	022 57597,	022 57577
Finchimica S.p.A	via Lazio, 13 – 25025 Manerbio (BS), Italy	00 39030 938901	0039030 9389201
Fine Agrochemicals Ltd	Hillend House, Whittington, Worcester, WR5 2RL, England	00441--905-361810	
FMC Chemical s.p.r.l.	APG, Boulevard de la Plaine 9/3, B-1050 Brussels, Belgium	00322-645-9584	00322-645-9655
Freshpallet Ltd	Unit 6, Bearl, Stocksfield, Northumberland, NE43 7AJ, England	0044 1661 844866	
Globachem nv	Brustem Industriepark, Lichtenberglaan 2019, B-3800 Sint-Truiden, Belgium	0032 11785717	0032 11681565
Global Adjuvants Company Ltd	The Granary, 27c Silver street, Buckden, St Neots, Cambridgeshire, PE19 5TS England	00441480 810137	00441480 810335
Goldcrop Ltd	Springhill, Carrigtohill, Co. Cork	021-312211	021-313619
Gowan Comercio Internacional e Servicos Limitada	Avenida do Infante 50, Funchal – Maderia, 9004-521, Portugal	00351 2912 32484	
Grupo AgroTecnologia	Poligono Puente Alto, Parcel 57, 03300 Orihuela (Alicante) Spain	003496 6738232	0034965 302115
Headland Agrochemicals Ltd	Rectors Lane, Pentre, Deeside, Flintshire, CH5 2DH, England	0044 7775 503572	
Headland Amenity Limited	1010 Cambourne Business Park, Cambourne, Cambs. CB3 6DP, England	00441 223 597 834	00441 223 598052
Helm AG Ltd	Nordkanalstr. 28, Hamburg, D-20097, Germany	004940 23750	
Homebase Ltd	Avebury, Milton Keynes, MK9 2NW, England	0044 345640 7808	
Hygeia Chemicals Ltd	Oranmore, Co. Galway	091-794722	091-794738
I.A.B. SL	Avda. Paret del Patriarca 11-B Ap.30, 46113 Moncada Valencia, Spain	003496 1609842	003496 1609843
Iberfol S.L.	Ap. 273 Orihuela, 03300 Alicante, Spain	0034 966 738 232	
IGROX Ltd	77 Claydon Business Park, Great Blakenham, Ipswich, Suffolk, IP6 0NL, England	0044 1707 656555	
Indofil Industries Limited	Via Filippo Turati, 6, 20121 Milan, Italy	0091-22-666-37370	0091-22-283-22275
Industrias Afrasa, S.A.	Ciudad de Sevilla 53, 46988 – Pol.Ind. Fuentedel Jarro, Paterna (Valencia), Spain	0034 96132 1700	0034 96132 1716
Industrias Quimicas Del Valles S.A (IQV, S.A.)	C. Garbí 3, Pol. Ind. Can Volart · 08150 Parets del Vallès · BCN · Spain	00 34 935 708 721	00 34 93 579 17 22
ISK Biosciences Europe N.V.	Pegasus Park, De Kleetlaan 12B, B-1831 Diegem, Belgium	00322-6278600	
John Hall (Fertilisers) Ltd	Owen Street, Coalville, Leicestershire, LE67 3DE, England	00441 530 510060	
Juno (Plant Protection) Ltd	Little Mill Farm, Underlyn Lane, Marden, Kent, TN12 9AT, England	00441 580 765079	
Kapchem Ltd	Industrial Estate, Cappoquin, Co. Waterford	058-54396	058-54760
Koppert B.V.	Veilingweg 17, Postbus 155, 2650, AD Berkel en Rodenrijs, Netherlands	0031-105140444	0031-105115203
Kreglinger Europe N.V.	Grote Markt, 7, B-2000 Antwerp, Belgium	0032 32222 050	0032 32222 045
Lainco S.A.	Poligono Can Jordi, Avda, Bizet 8 – 12, 08191 Rubi, Barcelona, Spain	0034 935 862015	
Lawn Sand Task Force	C/O Barkwith Associates, North Hanger, Wickenby Airfield, Lincolnshire, LN3 5AX, England	0044 1673 885 333	
Life Scientific Limited	Nova UCD, Belfield Innovation Park, University College Dublin, Dublin 4	01 2832024	01 2832026
Lonza Cologne GmbH	Nattermannallee 1, Cologne, D-50829 Germany	+41 61 3168793	
Maxicrop UK Ltd	PO Box 6027, Corby, NN17 1ZH, England	0044 8700 115 117	0044 8700 115 118
McKenna (J.F) Ltd	66 Cathedral Road, Armagh, BT61 8AE, Northern Ireland	041-39222	041-35605
Microcide Ltd	Shepherds Grove, Stanton, Bury St Edmunds, Suffolk IP31 2AR, England	00441359 251077	00441359 251545

Company Name	Address	Tel	Fax
Mitsui Agriscience International S.A	Suite 26, Northwood House, Northwood Business Campus, Santry, Dublin 9	01 8624620	
Mitsui Chemicals Agro Inc.	1-19-1, Nihonbashi, Chuo-ku, Tokyo, 103-0027, Japan	00813 3285 1111	
Monsanto UK Ltd	P O Box 663, Cambourne, Cambridge, CB1 0LD, England	01-8250574	01-8250570
National Agrochemical Distributors Ltd	Blakes Cross, Lusk, Co. Dublin	01-8437808	01-8437909
Nissan Chemical Europe	Parc d'affaire de Crecy, 2 rue Claude Chappe, 69370 Saint Didier au Mont D'or, France	0033-437-644020	
Nisso Chemical Europe GmbH	Berliner Allee 42, 40212 Dusseldorf, Germany	0049211 130 66 8611,	0049-211-328231
Nomix Enviro, A Division of Frontier Agriculture Ltd	The Grain Silos, Weyhill Road, Andover, Hampshire, SP10 3NT, England	0044 -117- 9574574	0044-117-9563461
Novozymes France S.A.S.	Parc Technologique des Grillons – 60, route de Sartrouville – Bat.6, 78232 le Pecq Cedex – France	0033 13015 2840	003313015 1545
Nufarm UK Limited	Wyke, Bradford, West Yorkshire, BD12 9EJ, England	00441-274-694754	
Nutrigain Ltd	219 Buxton Road, Macclesfield, Cheshire, SK10 1NB, England	0044-772 163 9959	
OAT Agrio Co., Ltd.	1-3-1, Kanda, Ogawa-machi, Chiyoda-ku, Tokyo, 101-0052, Japan	0081 745 741131	
Omex Agriculture Ltd	Bardney Airfield, Tupholme, Lincoln, LN3 5TP, England	00441 526 396000	00441-526-396001
Oro Agri International Ltd	Bankastraat 75, 9715CJ Groningen, The Netherlands	0031 50820 0411	
Osmonds Ireland On Farm	Unit 4, Airton Road, Tallaght, Dublin 24	01 4667988	
Oxon Italia S.p.A.	Strada Provinciale Km 2.6, 27030 Mezzana Bigli (PV), Italy	0039-384-880945	0039-384-88457
Pan Amenity Ltd	8 Cromwell Mews, Station Road, St. Ives, Cambridgeshire, PE27 5HJ, England	00441 480 467790	
ProKlass Products Ltd	The Granary, 27c Silver Street, Buckden, St Neots, PE19 5TS, England	0044 1480 810137	
Proplan Plant Protection Company SL	C/Valle del Roncal 12 – Oficina 7, 28232 Las Rozas, Madrid, Spain	0034 9734 47673	
Psigma AB			
Punya Innovation ApS	Almevej 180, Gilleleje, DK-3250 Denmark	0045 4830 1727	
Pure Amenity Limited	Pure House, 64-66 Westwick Str. Norwich, NR2 4SZ, England	0044 845 4599413	
Q-Chem NV	Leeuwerweg 138, 3803 Sint – Truiden, Belgium	0032-1178 5717	0032-1168 1565
Quimicas Meristem S.L.	Ctra. Moncada-Naquera Km 1,7, Ap.30, 46113 Moncada, Valencia, Spain	0034 961 394511	
Renew Chemical Ltd	5th Floor Chancery House, Lislet Geoffroy Street, Port Louis, Mauritius	0044 7951 736257	
Rotam Agrochemical Europe Ltd	75 Cours Albert Thomas, 6e avenue/Bat D, Lyon, 69003, France	0033 177 044 778	
SBM Developpment SAS	111 Chemin du Petit Bois, 69130 Ecully, France	0033 4912 44427	
Seipasa S.A.	C/ Ciudad Dario, naves1-3-5 - 46250 Pol.Ind., La Creu L'Alcudia, Valencia, Spain	0034 962 541163	
Servem Ltd	Maxboley, Duncormick, Wexford	051 563530,	051 563531
SFP Europe	Espace des Remparts 10, Sion, 1950, Switzerland	004127 3290910	
Sharda Cropchem España S.L.	Edificio Atalayas Business Center, Carril Condomina nº 3, 12th Floor, 30006, Murcia, Spain	00 34 868 12 75 89	
Sharda Europe b.v.b.a	Jozef Mertansstraat 142, 1702 Dilbeek, Belgium	00322 4664444	
Sipcam U.K. Ltd	4c Archway House, The Lanterns, Melbourn Street, Royston, Herts, SG8 7BX, England	0044 1763 212100	
Societe Financiere de Pontarlier	Villa Celony, 1175 Montee d'Avignon, Aix en Provence, 13090, France	0033 442 527 211	
SP Sourcon-Padena GmbH	Sindelfinger str. 3, Tubingen, DE-72070, Germany	0039 3492115740	
Sparta Research Ltd	82 North Main Street, Bandon, Cork	0044 1865 883162	

Company Name	Address	Tel	Fax
Sphere Laboratories (London) Ltd	c/o Mainswood, Putley Common, Nr Ledbury, Herefordshire, HR8 2RF, England	0044 1531 670 517	
Spray Clear Environmental Ltd	14 B Stadium Business Park, Ballycoolin, Dublin 11	01-8829114	01-8829111
Sumitomo Chemical Agro Europe SA	Parc D'Affaires de Crecy (Telebase) 2, Rue Claude Chappe, 69370 St Didier-au-Mont-d'Or, Lyon, France	0033 478 643260,	0033 478 472545
Syngenta Bioline	Telstar Nursery, Holland Road, Little Clacton, Essex, CO16 9QG, England	00441-255-863216	
Syngenta Ireland Ltd	Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Co Waterford	051-331902	051-354748
Syngenta UK Ltd	CPC 4, Capital Park, Fulbourn, Cambridge, CB21 5XE, England	0044 1223 883479	
Taminco BVBA.	Pantserschipstraat 207, B-9000 Gent, Belgium	0032 9254 1411	0032 9254 1410
Terrachem	1A Mayflower Lodge, Cavetown, Croghan, Boyle, Roscommon	087 254 7534	
Thomas Elliott Fertilisers	Selby Place, Stanley Industrial Estate, Skelmersdale, Lancashire, WN8 8EF, England		
Unichem Limited	The Ward, Co. Dublin	01-8351499	01-8351284
United Phosphorus Limited	1st Floor, The Centre, Birchwood Park, Warrington, Cheshire, WA3 6YN, England	0044 1925 859008	00441-925-817425
Verdera Oy	P.O Box 5, FI-02271, Espoo, Finland	00358 10 217 3726	
Vitax Limited	Owen Street, Coalville, Leicester, LE67 3DE, England	00441 530 510060,	00441 530 510299
W. Neudorff GmbH KG	P. O. Box 1209, D-31857 Emmerthal, Germany	004418690243333	
Westland Horticulture Ltd	14 Granville Industrial Estate, Granville Road, Dungannon, Co. Tyrone, Northern Ireland	0044148 0443742	
Whelehan Crop Protection	Suite 12 Bunkilla Plaza, Bracetown Business Park, Clonee, Meath	01-8342233,	01-8362271
Xeda International S.A.	Z.A. de la Crau, 13670 St-Andiol, France	0033 490 902323	

Chapter 6

Index of product names by active substance

Product Index by Active Substance

1-methylcyclopropene

Smartfresh, SmartFresh ProTabs

1,4-dimethylnaphthalene

1,4 SIGHT

1-methylcyclopropene

Smartfresh, SmartFresh ProTabs

1-Naphthylacetic acid

Fixor, Obsthormon 24a

2,4-D

Croplink D50, D50, Depitox, Dioweed 50, DyWeed 50, Farmco 2-4D, Herboxone, Maton, Mortox 50, New Rate 2,4-D Ester, Salvo

2,4-D + Clopyralid + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

2,4-D + Dicamba

Evergreen Premium Plus Weed Control Lawn Food, Hygrass Extra, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

2,4-D + Dicamba + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

2,4-D + Dicamba + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

2,4-D + Dicamba + Fluroxypyr

Holster XL

2,4-D + Dicamba + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

2,4-D + Glyphosate

Kyleo

2,4-D + MCPA

Lupo

2,4-D + Triclopyr

Genoxone ZX EC, Uproot

Product index by Active Substance

2,4-DB

Butoxone DB, Embutone, Farmco Undersown, Headland Spruce

2,4-DB + MCPA

Clovermax, CloveX, DB Plus, Legumex DB, Mastercrop Undersown, Undersown

2,4-DB + Mecoprop-P

Underclear

6-benzyladenine

Configure, Exilis

Abamectin

Dynamec, Dynamec (Emergency Use), Sabik-1.8%

Acetamiprid

Bug Clear Ultra, Bug Clear Ultra Gun!, Bug Clear Ultra Vine Weevil Killer, Ceta SG, Gazelle SG, Insyst

Acetamiprid + Triticonazole

Roseclear Ultra, Roseclear Ultra Gun!

Acetic acid

Ecofective Path and Patio Weed + Moss Killer, Ecofective Weedblast, Garden Weedkiller, Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer, New-Way Weed Spray, New-Way Weed Spray RTU, Origins Weed Control, Roundup Speed Ultra, Verve Rapid Action Ready to use Weedkiller, Weedol Gun! Fast Acting Weedkiller

Aclonifen

Emerger

Aluminium ammonium sulfate

Doff Cat & Dog Repellant, Doff Pest Repel

Aluminium phosphide

Fumi-Gas T, Phostoxin Bag, Phostoxin Bag Blanket, Phostoxin Tablet, Talunex

Ametoctradin

Enervin SC

Ametoctradin + Mancozeb

Diablo

Amidosulfuron

Eagle

Amidosulfuron + Iodosulfuron-methyl-sodium + Mesosulfuron -

Pacifica Plus

Product Index by Active Substance

Aminopyralid + Fluroxypyr

Forefront, Synero

Aminopyralid + Halauxifen-methyl

Trezac

Aminopyralid + Propyzamide

Astrokerb

Aminopyralid + Triclopyr

Forefront T, Garlon Ultra, Icade, Speedline Pro

Ampelomyces Quisqualis

AQ 10

Azoxystrobin

Amistar, Azaka, Azoshy, Azoxystar, AZ-TEC, Chamane, Globaztar SC, Heritage, Heritage Maxx, Mirador, Zoxis

Azoxystrobin + Chlorothalonil

Amistar Opti, Curator, Ortiva Opti, Perseo, Vertik

Azoxystrobin + Cyproconazole

Comrade

Azoxystrobin + Difenoconazole

Amistar Top

Azoxystrobin + Fluazinam

Vendetta

Azoxystrobin + Propiconazole

Headway, Quilt Xcel

Bacillus amyloliquefaciens str. QST 713

Serenade ASO

Bacillus thuringiensis subspecies kurstaki EG 2348

Lepinox Plus

Beauveria bassiana GHA / ATCC 74040

Botanigard WP, Naturalis-L

Benalaxyl + Mancozeb

Galben M

Benfluralin

Bonalan

Bentazone

Basagran SG, Benta 480 SL

Product index by Active Substance

Benthiavalicarb + Mancozeb

Valbon

Benzovindiflupyr

Ceratavo Plus, Elatus Plus

Benzovindiflupyr + Prothioconazole

Elatus Era, Velogy Era

Bifenazate

Floramite 240 SC

Bixafen

Inception Xpro

Bixafen + Fluopyram + Prothioconazole

Ascra Xpro

Bixafen + Fluoxastrobin + Prothioconazole

Variano Xpro

Bixafen + Prothioconazole

Aviator Xpro, Mandarin Xpro, Siltra Xpro

Bixafen + Prothioconazole + Spiroxamine

Boogie Xpro

Bixafen + Prothioconazole + Tebuconazole

Skyway Xpro

Boscalid

Filan

Boscalid + Epoxiconazole

Cauldron, Deuce, Splice, Venture Extra

Boscalid + Epoxiconazole + Epoxiconazole + Metconazole

Venture Jewel

Boscalid + Pyraclostrobin

Bellis, Bigalo, Signum

Bromoxynil

Butryflow

Bromuconazole + Tebuconazole

Soleil

Bupirimate

Nimrod

Product Index by Active Substance

Captan

PP Captan 80-WG, Scab 480 SC, Scab 80 WG

Carboxin + Thiram

Anchor

Carfentrazone-ethyl

Spotlight Plus

Carfentrazone-ethyl + Mecoprop-P

Jewel, Platform S

Carfentrazone-ethyl + Metsulfuron (-methyl)

Ally Express

Chlorantraniliprole

Coragen

Chlormequat

7C Chlormequat, Barclay Holdup 750, CeCeCe 750, Ceraide, Farmco Chlormequat, Jadex-o-720, K2, Manipulator, Stabilan 750, Stefes CCC 750

Chlormequat + Imazaquin

Meteor

Chlorothalonil

Abringo, Balear 720 SC, Barclay Avoca, Bravado, Bravo 500, Cavaterra, Chlorthalis, CT 500, Daconil, Farmco Chlorothalonil, Joules, Jupital, Life Scientific Chlorothalonil, Muti-Star 500, Orchid B, Phyton, Renew Chlorothalonil, Rover 500, Spirodor, Stefonil, Supreme, UNIPRO CTL

Chlorothalonil + Azoxystrobin

Amistar Opti, Curator, Ortiva Opti, Perseo, Vertik

Chlorothalonil + Cyproconazole

Proceed

Chlorothalonil + Fludioxonil + Propiconazole

Instrata

Chlorothalonil + Flutriafol

Halo, Impact Excel

Chlorothalonil + Metalaxyl M

Folio Gold

Chlorothalonil + Penthiopyrad

Aylora, Treoris

Product index by Active Substance

Chlorothalonil + Proquinazid

Fielder SE

Chlorothalonil + Tebuconazole

Cigal Plus, Crafter, Fezan Plus, Tonga

Chlorotoluron + Diflufenican + Pendimethalin

Tower

Chlorpropham

CIPC, Gro-Stop 100, Gro-Stop Fog, Gro-Stop HN, Gro-Stop Innovator, Gro-Stop Ready, Neo Stop, Neo Stop 300 HN, Neo-Stop L500 HN

Chlorpyrifos-methyl

Reldan 22

Clethodim

Centurion Max

Clodinafop

Buguis, Ciclope, Sword, Topik 240 EC

Clofentezine

Apollo 50SC

Clomazone

Centium 360 CS, Gamit 36 CS, Sirtaki CS

Clomazone + Metribuzin

Metric

Clomazone + Pendimethalin

Stallion Sync Tech

Clopyralid

Beetshield 200, Clap, Cliophar 100, Cliophar 600 SL, Dow Shield 100, GF-2895, Lontrel 72SG, Vivendi 200

Clopyralid + 2,4-D + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

Clopyralid + Florasulam

Gartrel

Clopyralid + Florasulam + Fluroxypyr

Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Product Index by Active Substance

Clopyralid + Fluroxypyr + MCPA

Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Clopyralid + Picloram

Galera

Clopyralid + Triclopyr

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

Coniothyrium Minitans - Strain - CON/M/91-08

Contans WG

Copper oxychloride

Curenox 50 WP

Cyantraniliprole

Benevia 10 OD, Verimark 20SC

Cyazofamid

Ranman Top

Cycloxydim

Stratos Ultra

Cyflufenamid

Nissodium, Takumi SC

Cymoxanil

Cymbal 45, Cymbal Flow, Dauphin 45, Option, Sacron WG, Sipcam C50WG

Cymoxanil + Fluazinam

Grecale, Kunshi

Cymoxanil + Fludioxonil + Metalaxyl M

Wakil XL

Cymoxanil + Mancozeb

Curzate M, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

Cymoxanil + Propamocarb

Proxanil

Cymoxanil + Zoxamide

Lieto

Product index by Active Substance

Cypermethrin

Cythrin Concentrated Caterpillar Spray, Cythrin Concentrated Garden Pest Killer, Cythrin Garden Ready-to-Use, Forester, Garden Caterpillar Spray, Plant Pest Killer RTU, Py Bug Killer Concentrate, Py Bug Killer RTU, Signal 300ES, Talisma EC, Tesco Garden Bug Killer Spray, Ultra All-in-One Bug Spray

Cypermethrin + Myclobutanil

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Cyproconazole

Keypro

Cyproconazole + Azoxystrobin

Comrade

Cyproconazole + Chlorothalonil

Proceed

Cyproconazole + Penthiopyrad

Cielex

Cyproconazole + Trifloxystrobin

Escolta

Cyprodinil

Kayak

Cyprodinil + Fludioxonil

Switch

Cyprodinil + Isopyrazam

Bontima, Cebara, Concorde

Daminozide

B-Nine SG, Dazide Enhance

Dazomet

Basamid Granular

Deltamethrin

Deca 2.5% EC, Decis, Decis Protech, GAT Decline 2.5 EC, Granprotec, K-Obiol EC25, K-Obiol ULV 6, Polux, Provanto Ultimate Bug Killer

Deltamethrin + Tebuconazole

Multirose Concentrate 2

Desmedipham + Ethofumesate + Lenacil + Phenmedipham

Betanal MaxxPro

Product Index by Active Substance

Desmedipham + Ethofumesate + Phenmedipham

Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Dicamba

Dicash

Dicamba + 2,4-D

Evergreen Premium Plus Weed Control Lawn Food, Hygrass Extra, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

Dicamba + 2,4-D + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Dicamba + 2,4-D + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Dicamba + 2,4-D + Fluroxypyr

Holster XL

Dicamba + 2,4-D + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Dicamba + Ferrous Sulphate + Mecoprop-P

Hygeia Lawn Feed, Weed and Mosskiller

Dicamba + MCPA + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Dicamba + Mecoprop-P

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

Dichlorprop-P + MCPA + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

Product index by Active Substance

Difenoconazole

Alternet, Difcor 250 EC, Difend, Difo 25% EC, Interest, Mavita 250 EC, Narita, Score 250 EC

Difenoconazole + Azoxystrobin

Amistar Top

Difenoconazole + Fludioxonil

Difend Extra, Instrata Elite

Difenoconazole + Fludioxonil + Tebuconazole

Celest Trio

Difenoconazole + Mandipropamid

Revus Top

Difenoconazole + Paclobutrazol

Toprex

Difenoconazole + Propiconazole

Difure Pro

Difenoconazole + Tebuconazole

Magnello

Diflufenican

Diflanil 500 SC, Farmco Dazzle, Hurricane SC, Ossetia, Sempra, Solo 500 SC, Stride DFF

Diflufenican + Chlorotoluron + Pendimethalin

Tower

Diflufenican + Florasulam

Lector Delta

Diflufenican + Flufenacet

Arnold, Firebird, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Diflufenican + Flufenacet + Flurtamone

Vigon

Diflufenican + Flurtamone

Bacara

Diflufenican + Glyphosate

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Product Index by Active Substance

Diflufenican + Iodosulfuron-methyl-sodium

Valdor Flex

Diflufenican + Iodosulfuron-methyl-sodium + Mesosulfuron - methyl

Alister Flex

Diflufenican + Pendimethalin

Adept, Bulldog

Diflufenican + Prosulfocarb

Jura, Purelo

Dimethachlor

Teridox

Dimethenamid-P + Metazachlor + Quinmerac

Katamaran Turbo

Dimethenamid-P + Pendimethalin

Wing P

Dimethoate

Barclay Dimethosect, DimethoX, Farmco Dimex, Rogor L40

Dimethomorph

Dimix 500 SC, Paarity, Paraat, Rigel

Dimethomorph + Fluazinam

Hubble

Dimethomorph + Mancozeb

Acrobat MZ

Diquat (dibromide)

Beretta, Diqua, Diquash 200 SL, Di-Quattro, Dragoon Gold, Farmco Regal, Life Scientific Diquat, Mission 200 SL, Quad-Glob 200 SL, Reglone, Retro

Diquat (dibromide) + Glyphosate

Resolva 24 H, Resolva 24H Concentrate, Resolva General Purpose Weedkiller, Resolva Path & Patio, Resolva Path & Patio Concentrate

Dithianon

Dithianon WG

Dithianon + Potassium phosphonates

Delan Pro

Dodine

Radspor 400

Product index by Active Substance

Epoxiconazole

Farmco Epoxy, Inca, Opus, Opus Max, Rubric, Spike, Strand

Epoxiconazole + Boscalid

Cauldron, Deuce, Splice, Venture Extra

Epoxiconazole + Boscalid + Epoxiconazole + Metconazole

Venture Jewel, Venture Jewel

Epoxiconazole + Fenpropimorph

Opus Team

Epoxiconazole + Fenpropimorph + Kresoxim Methyl

Allegro Plus

Epoxiconazole + Fenpropimorph + Metrafenone

Capalo, Tocata

Epoxiconazole + Fenpropimorph + Pyraclostrobin

Diamant

Epoxiconazole + Fluxapyroxad

Adexar, Pexan

Epoxiconazole + Fluxapyroxad + Pyraclostrobin

Cerix

Epoxiconazole + Isopyrazam

Keystone, Micaraz, Seguris

Epoxiconazole + Metconazole

Gleam, Icarus, Osiris P

Epoxiconazole + Metrafenone

Ceando

Epoxiconazole + Prochloraz

Opus Star

Epoxiconazole + Pyraclostrobin

Lumen, Opera

Esfenvalerate

Sumi-Alpha

Ethametsulfuron methyl

Salsa

Ethephon

Cerone, Farmco Cerusite, Grassrooter, Padawan

Product Index by Active Substance

Ethephon + Mepiquat Chloride

Terpal

Ethofumesate

Barclay Keeper 200, Barclay Keeper 500, Ethosat 500, Nortron 50 SC, Oblix 500, Xerton

Ethofumesate + Desmedipham + Lenacil + Phenmedipham

Betanal MaxxPro

Ethofumesate + Desmedipham + Phenmedipham

Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Ethofumesate + Metamitron

Oblix MT

Ethoprophos

Mocap 15G

Ethylene

Biofresh Safestore

Etoxazole

Borneo

Fatty acid - C7 - C18 - potassium salt

Jaboland, Jabolim, Nakar, Tec-Bom

Fatty Acid - C7-C20

3 Hour Weedkiller, FLiPPER, Sporekill, Super Fast Weedkiller

Fenamidone + Fosetyl (-aluminium)

Fenomenal

Fenamidone + Propamocarb

Consento

Fenhexamid

Teldor

Fenoxaprop-P

Cheetah Extra, Farmco Wild Oats, Foxtrot EW

Fenpropidin

Patrol, Tern 750 EC, Winger

Fenpropimorph

Corbel

Fenpropimorph + Epoxiconazole

Opus Team

Product index by Active Substance

Fenpropimorph + Epoxiconazole + Kresoxim Methyl

Allegro Plus

Fenpropimorph + Epoxiconazole + Metrafenone

Capalo, Tocata

Fenpropimorph + Epoxiconazole + Pyraclostrobin

Diamant

Fenpropimorph + Pyraclostrobin

Jenton

Fenpyrazamine

Prolectus

Ferric Phosphate

Derrex, Doff Super Slug Killer, Erazo Zero Slug Killer, Growing Success Advanced Slug Killer, Growing Success Slug Killer Advanced, Iroxx, Origins Slug Control, Slug & Snail Control, Slug & Snail Killer Pellets, Slug Bait, Slug Death XL, Slug Killer Granules, SlugClear Ultra 3, Sluggo Slug & Snail Killer, Sluggo Slug & Snail Killer Ultra, Slugrid, Sluxx HP, Solabiol Slug Killer, Solabiol Slug Killer, Verve Slug and Snail

Ferrous Sulphate

Aftercut Mosskiller Plus, Doff Lawn Moss Killer, Elliott's Lawn Sand and Moss Killer, Evergreen Autumn Lawn Care, Green Up Lawn Sand, Greenmaster Autumn, Greentec Mosskiller Pro, J Arthur Bowers Lawn Sand 2, J Arthur Bower's Lawn Sand Mosskiller, Landscaper Pro Moss Control + Fertilizer, LSTF Amateur, LSTF Pro, Pestshield Lawn Moss Killer, Sinclair Lawn Sand, Verve Lawn Sand 2, Westland Lawn Sand 2

Ferrous Sulphate + 2,4-D + Dicamba + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Ferrous Sulphate + 2,4-D + Dicamba + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Ferrous Sulphate + Dicamba + Mecoprop-P

Hygeia Lawn Feed, Weed and Mosskiller

Ferrous Sulphate + MCPA + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Product Index by Active Substance

Ferrous Sulphate Heptahydrate

Aftercut All-In-One Autumn, Evergreen Liquid Feed & Moss, Evergreen Mosskill Liquid, Ferromex, Ferromex Mosskiller Concentrate, Maxicrop Mosskiller and Lawn Tonic, Maxicrop Professional Moss Killer and Conditioner

Flazasulfuron

Barrier, Chikara Weed Control, Pacaya, Paradise

Flonicamid

Teppeki

Florasulam

Boxer

Florasulam + Clopyralid

Gartrel

Florasulam + Clopyralid + Fluroxypyr

Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Florasulam + Diflufenican

Lector Delta

Florasulam + Fluroxypyr

Cabadex, Cleave, Envy, Spitfire, Starane XL

Florasulam + Halauxifen-methyl

Zypar

Florasulam + Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Ultra

Florasulam + Pyroxsulam

Broadway Star

Fluazifop-P (-butyl)

Fusilade Max

Fluazinam

Fluazinova, Fluazinova Duo, Frownside, Nando 500SC, Ohayo, Sentry 500, Shirlan, Tizca, Volley, Winby

Fluazinam + Azoxystrobin

Vendetta

Fluazinam + Cymoxanil

Grecale, Kunshi

Fluazinam + Dimethomorph

Hubble

Product index by Active Substance

Fludioxonil

Beret Gold, Maxim 100 FS, Medallion TL

Fludioxonil + Chlorothalonil + Propiconazole

Instrata

Fludioxonil + Cymoxanil + Metalaxyl M

Wakil XL

Fludioxonil + Cyprodinil

Switch

Fludioxonil + Difenconazole

Difend Extra, Instrata Elite

Fludioxonil + Difenconazole + Tebuconazole

Celest Trio

Fludioxonil + Fluxapyroxad + Triticonazole

Kinto Plus

Fludioxonil + Sedaxane

Vibrance Duo

Fludioxonil + Sedaxane + Triticonazole

A20882B, Vibrance Star

Flufenacet

Fence, Gorgon

Flufenacet + Diflufenican

Arnold, Firebird, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Flufenacet + Diflufenican + Flurtamone

Vigon

Flufenacet + Isoxaflutole

Cadou Star

Flufenacet + Picolinafen

Pontos

Flumioxazin

Digital, Guillotine, Sumimax

Fluopicolide + Fluoxastrobin

Scenic Gold

Fluopicolide + Propamocarb

Farmco Blight, Infinito, Infinito, Potato Blight Control

Product Index by Active Substance

Fluopyram

Luna Privilege, Velum Prime

Fluopyram + Bixafen + Prothioconazole

Ascra Xpro

Fluopyram + Prothioconazole

Propulse

Fluopyram + Prothioconazole + Tebuconazole

Raxil Star

Fluopyram + Trifloxystrobin

Exteris Stressgard

Fluoxastrobin + Bixafen + Prothioconazole

Variano Xpro

Fluoxastrobin + Fluopicolide

Scenic Gold

Fluoxastrobin + Prothioconazole

Fandango, Farmco Pro-Strob, Maestro, Mettle

Fluoxastrobin + Prothioconazole + Trifloxystrobin

Coyote

Fluroxypyr

Arbiter, Barclay Hudson, Binder, Croplink Reaper, Echo Pro, Flurostar 200, Fluxyr 200 EC, Hatchet Xtra, Hurler, Minstrel, New Hyflux, Osmonds Dock-Kleen, Starane Hi-Load HL, Tandus, Tomahawk 2

Fluroxypyr + 2,4-D + Dicamba

Holster XL

Fluroxypyr + 2,4-D + Dicamba + Ferrous Sulphate

Evergreen Complete 4in1 Lawn Feed

Fluroxypyr + Aminopyralid

Forefront, Synero

Fluroxypyr + Clopyralid + Florasulam

Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Fluroxypyr + Clopyralid + MCPA

Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Product index by Active Substance

Fluroxypyr + Florasulam

Cabadex, Cleave, Envy, Spitfire, Starane XL

Fluroxypyr + Halauxifen-methyl

Pixxaro, Whorl

Fluroxypyr + Metsulfuron (-methyl) + Thifensulfuron methyl

Omnera LQM, Provalia LQM

Fluroxypyr + Triclopyr

Doxstar Pro, Governor, Pivotal

Flurtamone + Diflufenican

Bacara

Flurtamone + Diflufenican + Flufenacet

Vigon

Flutolanil

Rhino

Flutriafol

Impact

Flutriafol + Chlorothalonil

Halo, Impact Excel

Flutriafol + Thiabendazole

Vincit

Fluxapyroxad

Allstar, Intrex, Sercadis

Fluxapyroxad + Epoxiconazole

Adexar, Pexan

Fluxapyroxad + Epoxiconazole + Pyraclostrobin

Cerix

Fluxapyroxad + Fludioxonil + Triticonazole

Kinto Plus

Fluxapyroxad + Metconazole

Librax

Fluxapyroxad + Pyraclostrobin

Priaxor EC

Folpet

Arizona, Phoenix

Product Index by Active Substance

Fosetyl (-aluminium)

PlantTrust

Fosetyl (-aluminium) + Fenamidone

Fenomenal

Fosetyl (-aluminium) + Propamocarb

Previcur Energy

Fosthiazate

Nemathorin 10G

Gamma-Cyhalothrin

Nexide CS

Garlic Extract

Eagle Green Care, ECOguard Granules, ECOguard Liquid, NEMGuard DE, NEMguard Granules, Nemguard Liquid

Gibberellin

GiBB Plus, Novagib

Gliocladium catenulatum

Prestop

Glyphosate

Ardee XL, Asteroid, Asteroid Biocare, Barbarian XL, Barclay Gallup Biograde 360, Barclay Gallup Biograde 450, Barclay Gallup Biograde Amenity, Barclay Gallup Hi-Aktiv, Clearall XL, Clinic TF, Clinic Up, Credit, Deadfast Plus Weedkiller RTU, Discman Biograde, Doff Advanced Maxi Strength Weedkiller, Doff Advanced Weedkiller, Doff Concentrate Weedkiller, Doff Glyphosate Weedkiller, Doff Glyphosate Weedkiller Concentrate, Doff Ivy & Brushwood Killer RTU, Doff Maxi Strength Glyphosate Weedkiller, Doff Path & Patio Weedkiller RTU, Doff Ready to Use Path and Patio weedkiller, Ecoplug Max, Envision, Fast Action Roundup Ready to Use Weedkiller, G360 Xtra, Gallup Biograde Weedkiller RTU, Gallup Home and Garden, Gallup XL, Garryowen XL, Glyfos Dakar, Glyfos Supreme XL, Helosate 450 SL, Hilite, Hytrol Glyphosate, Hytrol Total Liquid Ready to Use, Hytrol Total Liquid Weedkiller, Instore Glyphosate Weedkiller, Job Done General Purpose Weedkiller Concentrate, Job Done General Purpose Weedkiller Ready to Use, Knockdown Glyphosate Weedkiller, Landmaster 360 TF, Mizr XL, MON 79351, Monosate G, Nomix Conqueror Amenity, Ormond, Path & Drive Roundup Concentrate, Path, Patio & Drive Weedkiller Sachets, Pestshield Advanced Weedkiller, Pestshield Glyphosate Concentrated Weedkiller, Pestshield Path and Patio Weedkiller, Pestshield Weedkiller, Proliance Quattro, Rambo 360, Rambo Bio, Rambo RTU, Rambo XL, Rattler, Resolva Pro Weedkiller, Resolva Super Strength Xtra Tough Concentrated, Resolva Weedkiller Super Concentrate Total Clear, Resolva Xtra Tough, Resolva Xtra Tough Concentrate Liquid Shots, Rootkill Weedkiller Concentrate, Rosate 360 TF,

Product index by Active Substance

Rosate Green, Roundup Biactive, Roundup Biactive XL, Roundup Biactive XLA, Roundup Fast Action Path & Drive Weedkiller, Roundup First, Roundup Flex, Roundup Gel, Roundup Gel Path, Roundup Gold, Roundup Gold 450, Roundup Optima, Roundup Optima Power, Roundup Optima+, Roundup Powermax, Roundup Pro Biactive, Roundup Stump Killer, Roundup Tough, Roundup Ultra, Roundup XL, Super Strength Glyphosate, Tesco Glyphosate Concentrated Weedkiller, Tesco Systemic Path & Patio Weedkiller, Touchdown Quattro, Tough Roundup Weedkiller Gel, Typhoon 360, Verve Rootkilling Weedkiller, Vitax Glyphosate Concentrated Weedkiller, Vitax Glyphosate Weedkiller RTU, Vitax Weedfree Ready to Use, Weedbuster Concentrate, WeedBuster Super Concentrate, Weedfree Home & Garden, Weedfree RTU, Weedfree Zone, Weedkiller 360, Weedkiller 7.2, Weedkiller 90, Wilko Glyphosate Weedkiller

Glyphosate + 2,4-D

Kyleo

Glyphosate + Diflufenican

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Glyphosate + Diquat (dibromide)

Resolva 24 H, Resolva 24H Concentrate, Resolva General Purpose Weedkiller, Resolva Path & Patio, Resolva Path & Patio Concentrate

Glyphosate + Metamitron

New Hytrol

Glyphosate + Pyraflufen-ethyl

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Glyphosate + Sulfosulfuron

Nomix Blade, Nomix Dual

Halauxifen-methyl

GF-2573

Halauxifen-methyl + Aminopyralid

Trezac

Halauxifen-methyl + Florasulam

Zypar

Halauxifen-methyl + Fluroxypyr

Pixxaro, Whorl

Product Index by Active Substance

Halauxifen-methyl + Picloram

Belkar

Hymexazol

Tachigaren 70 WP

Imazalil

Fungazil 50 LS, Gavel

Imazalil + Ipconazole

Rancona i-Mix

Imazamox + Metazachlor

Cleranda

Imazamox + Pendimethalin

Nirvana

Imazaquin + Chlormequat

Meteor

Indoxacarb

Steward

Iodosulfuron-methyl-sodium + Amidosulfuron + Mesosulfuron -

Pacifica Plus

Iodosulfuron-methyl-sodium + Diflufenican

Valdor Flex

Iodosulfuron-methyl-sodium + Diflufenican + Mesosulfuron - methyl

Alister Flex

Ipconazole + Imazalil

Rancona i-Mix

Isopyrazam

Reflect, Zulu

Isopyrazam + Cyprodinil

Bontima, Cebara, Concorde

Isopyrazam + Epoxiconazole

Keystone, Micaraz, Seguris

Isopyrazam + Prothioconazole

Prizm

Isoxaben

Flexidor

Product index by Active Substance

Isoxaflutole + Flufenacet

Cadou Star

Kresoxim Methyl

Stroby WG

Kresoxim Methyl + Epoxiconazole + Fenpropimorph

Allegro Plus

lambda-Cyhalothrin

Eminentos 10 CS, Karate Zeon, Karis 10 CS, Laidir 10 CS, Life Scientific Lambda, Markate 50, Ninja 10CS, Ravane, Resolva Bug Killer Concentrate, Resolva Bug Killer Ready to Use, Sceptre, Sparviero, Westland Plant Rescue Fruit & Vegetable Bug Killer, Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer

Lenacil

Venzar 500 SC

Lenacil + Desmedipham + Ethofumesate + Phenmedipham

Betanal MaxxPro

Lenacil + Triflurosulfuron

Safari Lite WSB

Maleic hydrazide

Fazor Star, ITCAN SL 270

Maleic hydrazide + Pelargonic acid

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Maltodextrin

Eradicoat, Majestik

Mancozeb

Agrizeb, AVTAR 75 NT, Dithane 945, Dithane Dry Flowable Neotec, Manfil 75 WG, Manfil 80 WP, Penncozeb 80 WP, Penncozeb WDG

Mancozeb + Ametoctradin

Diablo

Mancozeb + Benalaxyl

Galben M

Mancozeb + Benthiavalicarb

Valbon

Mancozeb + Cymoxanil

Curzate M, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

Product Index by Active Substance

Mancozeb + Dimethomorph

Acrobat MZ

Mancozeb + Metalaxyl M

Ridomil Gold MZ 68 WG

Mancozeb + Zoxamide

Electis 75 WG

Mandipropamid

Revus

Mandipropamid + Difenoconazole

Revus Top

MCPA

Agritox, Agritox 500, Agroxone 50, Bandon MCPA 30, Easel, Haksar 500 SL, Hempacide 30, HY-MCPA 500, M50, Mastercrop MCPA 50, Mortone, NU46, POL-MCPA 500 SL

MCPA + 2,4-D

Lupo

MCPA + 2,4-D + Clopyralid

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

MCPA + 2,4-D + Dicamba + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

MCPA + 2,4-DB

Clovermax, CloveX, DB Plus, Legumex DB, Mastercrop Undersown, Undersown

MCPA + Clopyralid + Fluroxypyr

Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdona Extra, Verdona Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

MCPA + Dicamba + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

MCPA + Dichlorprop-P + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

MCPA + Ferrous Sulphate + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Product index by Active Substance

MCPA + Mecoprop-P

Cleanrun Pro

MCPB

Tropotox

Mecoprop-P

Compitox Plus, Duplosan KV, Farmco Duplex, Optica, Twinprop

Mecoprop-P + 2,4-D + Dicamba + Ferrous Sulphate

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Mecoprop-P + 2,4-D + Dicamba + MCPA

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Mecoprop-P + 2,4-DB

Underclear

Mecoprop-P + Carfentrazone-ethyl

Jewel, Platform S

Mecoprop-P + Dicamba

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

Mecoprop-P + Dicamba + Ferrous Sulphate

Hygeia Lawn Feed, Weed and Mosskiller

Mecoprop-P + Dicamba + MCPA

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Mecoprop-P + Dichlorprop-P + MCPA

Duplosan Super, Hymec Triple, Optica Trio

Mecoprop-P + Ferrous Sulphate + MCPA

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Product Index by Active Substance

Mecoprop-P + MCPA

Cleanrun Pro

Mepanipyrim

Frupica

Mepiquat Chloride + Ethephon

Terpal

Mepiquat Chloride + Prohexadione Calcium

Canopy

Mesosulfuron - methyl + Amidosulfuron + Iodosulfuron-methyl-sodium

Pacifica Plus

Mesosulfuron - methyl + Diflufenican + Iodosulfuron-methyl-sodium

Alister Flex

Mesosulfuron - methyl + Propoxycarbazone - sodium

Monolith

Mesotrione

Barracuda, Callisto, Cuter, Osorno, Temsa SC

Mesotrione + Nicosulfuron

Elumis

Mesotrione + Terbutylazine

Calaris, Click Premium, Croplink Maizekleen, Farmco Maize

Metalaxyl M

Ridomil Gold, SL567A

Metalaxyl M + Chlorothalonil

Folio Gold

Metalaxyl M + Cymoxanil + Fludioxonil

Wakil XL

Metalaxyl M + Mancozeb

Ridomil Gold MZ 68 WG

Metaldehyde

Axcela, Destroyer, Farmco Slugs, Gusto 3, Homebase Slug Killer, Hyslug, Lima Gold 5%, Metarex Inov, Pestshield Slug Killer Blue Mini Pellets, Slug Killer Blue Mini Pellets, Slugtox, Tesco Slug Killer, Traxx, Ultimate Slug & Snail Killer

Metam (-sodium)

Fumetham

Product index by Active Substance

Metamitron

Gloflo, Goltix 70 SC, Mitron WG, Target SC, Target WG

Metamitron + Ethofumesate

Oblix MT

Metamitron + Glyphosate

New Hytrol

Metarhizium anisoplice - ST BIPESCO 5/F52

Met 52 Granular, Met52 OD

Metazachlor

Butisan S, Rapsan 500SC

Metazachlor + Dimethenamid-P + Quinmerac

Katamaran Turbo

Metazachlor + Imazamox

Cleranda

Metazachlor + Quinmerac

Katamaran, Legion, Rapsan Turbo

Metconazole

Caramba, Juventus, Metfin, Plexeo 60, Sirena

Metconazole + Boscalid + Epoxiconazole + Epoxiconazole

Venture Jewel

Metconazole + Epoxiconazole

Gleam, Icarus, Osiris P

Metconazole + Fluxapyroxad

Librax

Methiocarb

Mesurool FS

Metobromuron

Proman

Metrafenone

Flexity, Vivando

Metrafenone + Epoxiconazole

Ceando

Metrafenone + Epoxiconazole + Fenpropimorph

Capalo, Tocata

Product Index by Active Substance

Metribuzin

Buzzin, Sencorex Flow, Sharmetrin, Shotput

Metribuzin + Clomazone

Metric

Metsulfuron (-methyl)

Ally SX, Cimarron, Croplink Empire, Ella SX, Finy, Lorate, Metro 20, Pike, Savvy, Savvy Premium

Metsulfuron (-methyl) + Carfentrazone-ethyl

Ally Express

Metsulfuron (-methyl) + Florasulam + Tribenuron (-methyl)

Ally Ultra

Metsulfuron (-methyl) + Fluroxypyr + Thifensulfuron methyl

Omnera LQM, Provalia LQM

Metsulfuron (-methyl) + Thifensulfuron methyl

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Myclobutanil

Systhane 20 EW

Myclobutanil + Cypermethrin

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Napropamide

Devrinol

Nicosulfuron

Accent

Nicosulfuron + Mesotrione

Elumis

Nicosulfuron + Thifensulfuron methyl

Collage

Oxamyl

Vydate 10G

Product index by Active Substance

Oxathiapiprolin

Zorvec Enicade

Paclobutrazol

Cultar, Pirouette

Paclobutrazol + Difenconazole

Toprex

Pelargonic acid

Beloukha Garden, Cleanlawn Moss Control for Lawns Concentrate, Doff 24/7 Fast Acting Weedkiller, Doff Concentrated Garden Path and Patio Weed Killer, Doff Concentrated Tough Weed Killer, Doff Garden Path and Patio Weed Killer, Doff Weed Killer, Katoun Gold, Neudorff Fast Acting Moss & Algae Killer, Neudorff Fast Acting Weedkiller, Origins Rapid Action Weedkiller, Resolva Moss Killer, Weedfree Express

Pelargonic acid + Maleic hydrazide

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Pendimethalin

Anthem, Fastnet, Most Micro, PDM 330 EC, Pendifin 400 SC, Sharpen 40% SC, Stomp 400 SC, Stomp Aqua

Pendimethalin + Chlorotoluron + Diflufenican

Tower

Pendimethalin + Clomazone

Stallion Sync Tech

Pendimethalin + Diflufenican

Adept, Bulldog

Pendimethalin + Dimethenamid-P

Wing P

Pendimethalin + Imazamox

Nirvana

Pendimethalin + Picolinafen

Flight

Penflufen

Emesto Prime DS

Penthiopyrad

Fontelis, Intellis, Vertisan

Product Index by Active Substance

Penthiopyrad + Chlorothalonil

Aylora, Treoris

Penthiopyrad + Cyproconazole

Cielex

Pepper Dust

Pepper Dust, Vitax Pepper Dust

Phenmedipham

Beetup Flo

Phenmedipham + Desmedipham + Ethofumesate

Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Phenmedipham + Desmedipham + Ethofumesate + Lenacil

Betanal MaxxPro

Picloram + Clopyralid

Galera

Picloram + Halauxifen-methyl

Belkar

Picolinafen + Flufenacet

Pontos

Picolinafen + Pendimethalin

Flight

Pinoxaden

Axial Pro

Pirimicarb

Aphox

Plant Oils / Rape seed oil

Bug Clear Fruit & Veg, Bug Clear Fruit & Veg Gun!, Bug Clear Gardener's Choice, Origins Bug Control

Plant Oils / Rape seed oil + Pyrethrins

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Potassium Hydrogen Carbonate

Kaligreen, Karma

Product index by Active Substance

Potassium phosphonates + Dithianon

Delan Pro

Prochloraz

Barclay Eyetak 40, Barclay Eyetak 450, Mirage, Mirage, Octave 50 WP, Prelude 20 LF, Prochlorus, Sporgon 50 WP, Sporgon 50WP, Sportak 45 EW, Sportak 45 EW, Sportak 45 HF

Prochloraz + Epoxiconazole

Opus Star

Prochloraz + Proquinazid + Tebuconazole

Vareon

Prochloraz + Tebuconazole

Grail, Orius P, Orius P

Prochloraz + Triticonazole

Kinto

Prohexadione Calcium

Regalis, Regalis Plus

Prohexadione Calcium + Mepiquat Chloride

Canopy

Prohexadione Calcium + Trinexapac ethyl

Medax Max

Propamocarb

Edipro, Proplant

Propamocarb + Cymoxanil

Proxanil

Propamocarb + Fenamidone

Consento

Propamocarb + Fluopicolide

Farmco Blight, Infinito, Infinito, Potato Blight Control

Propamocarb + Fosetyl (-aluminium)

Previcur Energy

Propaquizafop

Claw 100, Claw 100, Falcon, Farmco Zealot, Zetrola

Propiconazole

Banner Maxx, Banner Maxx II, Barclay Bolt XL, Barclay Propizole, Bumper, Farmco Tilt, Nimble Pro, Propi 25 EC

Product Index by Active Substance

Propiconazole + Azoxystrobin

Headway, Quilt Xcel

Propiconazole + Chlorothalonil + Fludioxonil

Instrata

Propiconazole + Difenconazole

Difure Pro

Propoxycarbazon - sodium + Mesosulfuron - methyl

Monolith

Propyzamide

Barclay Propyz, Barclay Propyzaflash, Kerb Flo, Relva Granules, Solitare

Propyzamide + Aminopyralid

Astrokerb

Proquinazid

Talius

Proquinazid + Chlorothalonil

Fielder SE

Proquinazid + Prochloraz + Tebuconazole

Vareon

Prosulfocarb

Defy, Quidam, Roxy 800 EC

Prosulfocarb + Diflufenican

Jura, Purelo

Prothioconazole

Decoy 250 EC, Pecari 250 EC, Pride, Proline, Protendo 250 EC, Redigo, Rudis, Traciafin, Ultraline

Prothioconazole + Benzovindiflupyr

Elatas Era, Velogy Era

Prothioconazole + Bixafen

Aviator Xpro, Mandarin Xpro, Siltra Xpro

Prothioconazole + Bixafen + Fluopyram

Ascra Xpro

Prothioconazole + Bixafen + Fluoxastrobin

Variano Xpro

Prothioconazole + Bixafen + Spiroxamine

Boogie Xpro

Product index by Active Substance

Prothioconazole + Bixafen + Tebuconazole

Skyway Xpro

Prothioconazole + Fluopyram

Propulse

Prothioconazole + Fluopyram + Tebuconazole

Raxil Star

Prothioconazole + Fluoxastrobin

Fandango, Farmco Pro-Strob, Maestro, Mettle

Prothioconazole + Fluoxastrobin + Trifloxystrobin

Coyote

Prothioconazole + Isopyrazam

Prizm

Prothioconazole + Spiroxamine

Farmco Input, Helix

Prothioconazole + Tebuconazole

Cello, Jade, Prosaro, Protefin, Redigo Pro

Prothioconazole + Trifloxystrobin

Zephyr

Pseudomonas sp. strain - DSMZ 13134

Proradix

Pymetrozine

Chess WG, Plenum, Tafari

Pyraclostrobin

Comet, Comet 200, Insignia, Modem, Modem 200

Pyraclostrobin + Boscalid

Bellis, Bigalo, Signum

Pyraclostrobin + Epoxiconazole

Lumen, Opera

Pyraclostrobin + Epoxiconazole + Fenpropimorph

Diamant

Pyraclostrobin + Epoxiconazole + Fluxapyroxad

Cerix

Pyraclostrobin + Fenpropimorph

Jenton

Product Index by Active Substance

Pyraclostrobin + Fluxapyroxad

Priaxor EC

Pyraflufen-ethyl + Glyphosate

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Pyrethrins

Advanced Bug Killer, Pyrethrum 5 EC, Pyrol Bug & Larvae Killer Concentrate

Pyrethrins + Plant Oils / Rape seed oil

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Pyridate

Lentagran WP

Pyrimethanil

Prymala, Scala

Pyriofenone

Property 180SC

Pyriproxyfen

HARPUN

Pyroxulam + Florasulam

Broadway Star

Quinmerac + Dimethenamid-P + Metazachlor

Katamaran Turbo

Quinmerac + Metazachlor

Katamaran, Legion, Rapsan Turbo

Quinoclamine

Mogeton

Quinoxifen

Fortress

Quizalofop-P-ethyl

Pilot Ultra, Quick 5 EC

Quizalofop-p-terfuryl

Panarex

Product index by Active Substance

Rimsulfuron

Rimuron 25 WG, Titus

Sedaxane + Fludioxonil

Vibrance Duo

Sedaxane + Fludioxonil + Triticonazole

A20882B, Vibrance Star

Silthiofam

Latitude, Latitude XL

S-Metolachlor

Dual Gold, Efica 960 EC

Spearmint oil

Biox-M

Spinosad

Conserve, Tracer

Spirotetramat

Batavia, Movento

Spiroxamine + Bixafen + Prothioconazole

Boogie Xpro

Spiroxamine + Prothioconazole

Farmco Input, Helix

Sulfosulfuron

Monitor

Sulfosulfuron + Glyphosate

Nomix Blade, Nomix Dual

Sulfoxaflor

Closer, Sequoia, Transform

Sulfuryl flouride

Profume

Sulphur

Headland Sulphur, Microthiol Special

Tebuconazole

Farmco Iconic, Fathom, Fezan, Folicur, Orius, Tarcza, Tebseme, Tebucur 250 EW, Tebusha 25% EW

Tebuconazole + Bixafen + Prothioconazole

Skyway Xpro

Product Index by Active Substance

Tebuconazole + Bromuconazole

Soleil

Tebuconazole + Chlorothalonil

Cigal Plus, Crafter, Fezan Plus, Tonga

Tebuconazole + Deltamethrin

Multirose Concentrate 2

Tebuconazole + Difenoconazole

Magnello

Tebuconazole + Difenoconazole + Fludioxonil

Celest Trio

Tebuconazole + Fluopyram + Prothioconazole

Raxil Star

Tebuconazole + Prochloraz

Grail, Orius P, Orius P

Tebuconazole + Prochloraz + Proquinazid

Vareon

Tebuconazole + Prothioconazole

Cello, Jade, Prosaro, Protefin, Redigo Pro

Tebuconazole + Trifloxystrobin

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fungus Fighter Plus, Fusion, Nativo 75 WG

Tebufenpyrad

Masai

Terbuthylazine + Mesotrione

Calaris, Click Premium, Croplink Maizekleen, Farmco Maize

Thiabendazole

Tebuzate 220 SL

Thiabendazole + Flutriafol

Vincit

Thiacloprid

Biscaya, CaLypso, Exemptor, Sonido

Thifensulfuron methyl

Harmony SX, Prospect SX

Thifensulfuron methyl + Fluroxypyr + Metsulfuron (-methyl)

Omnera LQM, Provalia LQM

Product index by Active Substance

Thifensulfuron methyl + Metsulfuron (-methyl)

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Thifensulfuron methyl + Nicosulfuron

Collage

Thifensulfuron methyl + Tribenuron (-methyl)

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Thiram

Agrichem Flowable Thiram

Thiram + Carboxin

Anchor

Tolclofos-methyl

Basilex Ultra, Rizolex

Tri-allate

Avadex Excel 15G, Avadex Factor

Tribenuron (-methyl)

Cameo SX, Farmco Zeus, Headland Triad, Nuance, Quantum, Thor, Trailer, Tribe 500, Tribe 75WG

Tribenuron (-methyl) + Florasulam + Metsulfuron (-methyl)

Ally Ultra

Tribenuron (-methyl) + Metsulfuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Tribenuron (-methyl) + Thifensulfuron methyl

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Trichoderma Asperellum (strain T34)

T34 Biocontrol

Trichoderma harzianum Strain T22

Trianum-P

Triclopyr

Ready to Use SBK Brushwood Killer, SBK Brushwood Killer

Triclopyr + 2,4-D

Genoxone ZX EC, Uproot

Product Index by Active Substance

Triclopyr + Aminopyralid

Forefront T, Garlon Ultra, Icade, Speedline Pro

Triclopyr + Clopyralid

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

Triclopyr + Fluroxypyr

Doxstar Pro, Governor, Pivotal

Trifloxystrobin

Scorpio, Swift SC

Trifloxystrobin + Cyproconazole

Escolta

Trifloxystrobin + Fluopyram

Exteris Stressgard

Trifloxystrobin + Fluoxastrobin + Prothioconazole

Coyote

Trifloxystrobin + Prothioconazole

Zephyr

Trifloxystrobin + Tebuconazole

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fungus Fighter Plus, Fusion, Nativo 75 WG

Triflusulfuron

Debut, Farmco Beet-Clean, Shiro

Triflusulfuron + Lenacil

Safari Lite WSB

Trinexapac ethyl

Cliplless, Cutaway, Farmco PGR, Freeze, Freeze NT, Life Scientific Trinex, Limitar, Maintain, Moddus, Moxa, Moxa EC, Moxa New, Next, Optimus, Primo Maxx, Primo Maxx II, Sonis, Tempo, Trinexis

Trinexapac ethyl + Prohexadione Calcium

Medax Max

Triticonazole

Fungus Clear Ultra, Fungus Clear Ultra Gun!

Triticonazole + Acetamiprid

Roseclear Ultra, Roseclear Ultra Gun!

Product index by Active Substance

Triticonazole + Fludioxonil + Fluxapyroxad

Kinto Plus

Triticonazole + Fludioxonil + Sedaxane

A20882B, Vibrance Star

Triticonazole + Prochloraz

Kinto

Tritosulfuron

Biathlon

Zoxamide + Cymoxanil

Lieto

Zoxamide + Mancozeb

Electis 75 WG

Chapter 7

List of off label approvals which have been granted up to 1/1/19 for use on food crops

Off-Label Extension of Authorisation for Minor uses (EAMU) - Food Crops as of 01 March 2019

Warning: Off-Label EAMU Approvals:

The use of any product in accordance with an off-label EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
	Fathom	04688	FMC Agro Ltd	Fungicide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	0.437 l/ha	0.437 l/ha	1	GS 20	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Cyprodinil</i>	<i>37.5 % w/w</i>	0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Proquinazid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Opti	05068	Syngenta UK Ltd	Fungicide			2.5 l/ha	2.5 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	Before senescence	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.9 l/ha	0.9 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Difenoconazole</i> <i>Azoxystrobin</i>	<i>125 g/l</i> <i>200 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Karma	05116	Certis Europe BV	Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.01kgs/5 litres water	-	-	-	0 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>										
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	3 days before harvest	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CIPC	03066	Arysta LifeScience Benelux SPRL	Herbicide			1.9 l/ha	3.8 l/ha	2 per crop	2 weeks after planting out	
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha*	1.26 l/ha*	3 per crop*	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	<i>450 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide	<i>Propamocarb</i>	<i>625 g/l</i>	1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kgs/ha	1.2 kgs / ha	3	7 days	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Basil</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					
<i>Beans - broad</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	125 g/l					
					<i>Azoxystrobin</i>	200 g/l					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	100 g/l					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Tepeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	0.14 kg/ha	1 per crop	14 days before harvest	14 days
					<i>Flonicamid</i>	500 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2 per crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide				3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wakil XL	05471	Syngenta UK Ltd	Seed Dressing			2.0 kg/tonne	2.0 kg/tonne	1 per batch	Before drilling	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
					<i>Cymoxanil</i>	<i>100 g/kg</i>					
					<i>Fludioxonil</i>	<i>50 g/kg</i>					
					<i>Metalaxyl M</i>	<i>175 g/kg</i>					
<i>Beans - french</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Clethodim</i>	<i>120 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.95 l/ha	0.95 l/ha	1	GS 20	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Beans - navy</i>											
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - runner</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.95 l/ha	0.95 l/ha	1	GS 20	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>											
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	0.3 l/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - red</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Beet - sugar</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	Before row closure	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Escolta	05681	Bayer CropScience Limited	Fungicide			0.35 l/ha	0.7 l/ha	2 per year	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>375 g/l</i>					
					<i>Cyproconazole</i>	<i>160 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			10 kg/ha	20 kgs/ha	2	Last application before September	-
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 mls/ha	2.49 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
Switch	03761	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Tracer	02649	Dow AgroSciences Ltd	Insecticide				200 ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	480 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	75 % w/w					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	200 g/kg					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	750 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
	Scala	03916	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Blackcurrants - protected</i>											
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>	70 g/ha	-	12	-	
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
Batavia	05905	Bayer CropScience Limited	Insecticide				0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide				0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide				1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide				1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide				1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide				1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>											
AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Ampelomyces Quisqualis</i>	58 %w/w	70 g/ha	-	-	12	-	
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg	0.6 kg/ha	3.0 kg/ha	5 per year		When leaves begin to discolour	
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg	1.0 kg/ha	3.0 kg/ha	-		N/A	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l	8 l/ha	48 l/ha	6			0 days
Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Spinosad</i>	480 g/l	200 ml/ha in 250L water	400 ml/ha	2 per year		3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Bigalo	06250	Globachem nv	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
	Steward	02603	DuPont (UK) Ltd	Insecticide			85 g/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
<i>Bush/Cane fruit plantations</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Post emergence GS 16-18. 6-8 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infito	04309	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Esfenvalerate</i>	<i>25 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Teppeki		02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	0.28 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Wing P		03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Before planting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>625 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Esfenvalerate</i>	<i>25 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	-	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.083l/ha	0.25 l/ha*		Before 4th trye leaf stage & 55 days before harvest	55 days
					<i>Clomazone</i>	<i>360 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	40 days before harvest	40 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
				<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
				<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.6 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.312 l/ha	0.625 l/ha	2 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 09	
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Systhane 20 EW	04944	Dow AgroSciences Ltd	Fungicide			0.45 l/ha	0.9 l/ha	2	14 days before harvest	14 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
<i>Chicory</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	-	Before GS 16	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	480 g/l					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Mancozeb</i>	64 %w/w					
					<i>Metalaxyl M</i>	4.0 %w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>										
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	21 days before harvest	21 days
Devrinol	05234	UPL Europe Ltd	Herbicide	<i>Thiacloprid</i>	<i>240 g/l</i>	2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Napropamide</i>	<i>450 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.5 kgs/m ³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>										
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
<i>Coriander</i>										
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
				<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
				<i>GHA / ATCC 74040</i>						
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus</i>	<i>1015.1 g/l</i>					
				<i>amyloliquefaciens str.</i>						
				<i>QST 713</i>						
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
Amistar	05072	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoxystar	05534	Life Scientific Limited	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Chamane	05002	UPL Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide				0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide				1.5 kg/ha	3.0 kg/ha	2 per crop	1 day before harvest	1 day
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i>	375 g/kg					
					<i>subspecies kurstaki EG</i>						
					<i>2348</i>						
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	200 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium</i>	2% w/w					
					<i>anisoplice - ST</i>						
					<i>BIPESCO 5/F52</i>						
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i>	1015.1 g/l					
					<i>amyloliquefaciens str.</i>						
					<i>QST 713</i>						
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis</i>	375 g/kg					
					<i>subspecies kurstaki EG</i>						
					<i>2348</i>						
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³			Pre-planting	
					<i>Metarhizium</i>	2% w/w					
					<i>anisoplice - ST</i>						
					<i>BIPESCO 5/F52</i>						
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i>	1015.1 g/l					
					<i>amyloliquefaciens str.</i>						
					<i>QST 713</i>						
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						
<i>Cress - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.2 l/ha	2	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
	Revus	05154	Syngenta UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
	Vivando	05685	BASF plc	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Damsons</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Dill</i>										
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
				<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before crop germination	
				<i>Aclonifen</i>	<i>600 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Elderberries</i>										
Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
				<i>Spirotetramat</i>	<i>100 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
				<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Fennel</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	CIPC	03066	Arysta LifeScience Benelux SPRL	Herbicide			1.8 l/ha	5.4 l/ha	3 per crop	GS 14	
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
	Folio Gold	02363	Syngenta UK Ltd	Fungicide	<i>Isoxaben</i>	<i>500 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			16.0 l/ha	80.0 l/ha	5	N/A	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>										
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
				<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
Batavia	05905	Bayer CropScience Limited	Insecticide				0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide				0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide				1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide				1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide				0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
					<i>Sulphur</i>	<i>80 %w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	73 mls/100 litres water	-	5		
	Scala	03916	BASF plc	Fungicide	<i>Dodine</i>	<i>40 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
	Stroby WG	05092	BASF plc	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Kresoxim Methyl</i>	<i>50% w/w</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>											
AQ 10	05801	CBC (Europe) S.r.l.	Fungicide		<i>Ampelomyces Quisqualis</i>	58 %w/w	70 g/ha	-	12	-	
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide		<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide		<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg	1.0 kgs/ha	3.0 kgs/ha	-	N/A	
Scala	03916	BASF plc	Fungicide		<i>Pyrimethanil</i>	400 g/l	2.0 l/ha	4.0 l/ha	2	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide		<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l	8 l/ha	48 l/ha	6		0 days
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide		<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	12% w/w 12% w/w	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
Tracer	02649	Dow AgroSciences Ltd	Insecticide		<i>Spinosad</i>	480 g/l	200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
<i>Grassland - seed crops</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide		<i>Deltamethrin</i>	15 g/l	420 mls/ha	1.26 l/ha	3	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CIPC	03066	Arysta LifeScience Benelux SPRL	Herbicide			1.9 l/ha	3.8 l/ha	2 per crop	2 weeks after planting out	
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 ml/ha	1.26 l/ha	3 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Azoxystrobin</i>	250 g/l	70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	58 %w/w					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	250 g/l					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	250 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
					<i>Thiacloprid</i>	480 g/l					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	250 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	450 g/l					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticide			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	18 g/l					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	250 g/l					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	400 g/l					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
	Paraat	03614	BASF plc	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>										
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	21 days before harvest	21 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Efica 960 EC	05942	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide				0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
Infinito	02532	Bayer CropScience Limited	Fungicide				1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection NV	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide				0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			12 mls/product/plant	-	1	Pre planting - 6 leaf stage	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.4 kg/ha	0.8 kg/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	5-21 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	-	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		28 days before harvest	28 days
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25.0 % w/w</i> <i>37.5 % w/w</i>	0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
	Systhane 20 EW	04944	Dow AgroSciences Ltd	Fungicide	<i>Myclobutanil</i>	<i>200 g/l</i>	0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
	Wing P	03590	BASF plc	Herbicide	<i>Dimethenamid-P</i> <i>Pendimethalin</i>	<i>212.5 g/l</i> <i>250g/l</i>	1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Sythane 20 EW	04944	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Linseed</i>											
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	500 ml/ha	1 per crop	GS 81	
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	200 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 l/ha	3.0 l/ha	-	N/A	
					<i>Bacillus thuringiensis</i>	375 g/kg					
					<i>subspecies kurstaki EG</i>						
					<i>2348</i>						
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 gms/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	200 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³			pre-planting	
					<i>Metarhizium</i>	2% w/w					
					<i>anisoplice - ST</i>						
					<i>BIPESCO 5/F52</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus</i>	1015.1 g/l					
					<i>amyloliquefaciens str.</i>						
					<i>QST 713</i>						
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Maize - Forage - open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage - under plastic</i>										
Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tassel/silk visible stage	
				<i>Pyraclostrobin</i>	<i>250 g/l</i>					
Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
				<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Grain - open ground</i>										
Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tassel/silk visible stage	
				<i>Pyraclostrobin</i>	<i>250 g/l</i>					
<i>Mange tout peas</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Mangolds</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Marrows</i>										
Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>200 g/l</i>					
				<i>Difenoconazole</i>	<i>125 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Mint</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Mushrooms</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			5ml/100 cubic metre	-	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Pyrethrum 5 EC	06255	Pelgar International	Insecticide			0.65 l/ha	1.95 l/ha	3 per crop	1 day before harvest	1 day
					<i>Pyrethrins</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mustard</i>										
Fathom	04688	FMC Agro Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	1.25 l/ha	1.25 l/ha	1	GS 65	21 days
<i>Oilseed Rape - spring</i>										
Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Clopyralid</i>	<i>267 g/l</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
				<i>Picloram</i>	<i>67 g/l</i>					
Proline	03786	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavdicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Onions - sets</i>											
	Fathom	04688	FMC Agro Ltd	Fungicide			0.066 l/ha	0.066 l/ha	1	Prior to planting	
					<i>Tebuconazole</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>											
Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide				2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
Fastnet	06253	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus anyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Vivendi 200	05122	UPL Europe Ltd	Herbicide				1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before crop germination	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
<i>Parsley - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i> <i>Azoxystrobin</i>	<i>125 g/l</i> <i>200 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
	Ceta SG	06252	Unichem Limited	Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Emerger	06190	Bayer CropScience Limited	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator	<i>Aclonifen</i>	<i>600 g/l</i>	5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide	<i>Maleic hydrazide</i>	<i>600 g/kg</i>	0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Isoxaben</i>	<i>500 g/l</i>	3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Metamitron</i>	<i>700 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.24 l/ha	0.24 l/ha	-	Pre-emergence	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Diflufenican</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.01kgs/5 litres water	-	2	-	0 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	2 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator			75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	75 days
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.325 l/ha	0.325 l/ha	1	After final harvest	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Tebuconazole</i>	<i>200 g/l</i>					
	Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Scala	03916	BASF plc	Fungicide			1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Proquinazid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - combining</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Teppeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	0.14 kg/ha	1 per crop	14 days before harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stallion Sync Tech	05483	FMC Chemical s.p.r.l.	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Pre-crop emergence	
					<i>Clomazone</i>	<i>30 g/l</i>					
					<i>Pendimethalin</i>	<i>333 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Teppeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	0.14 kg/ha	1 per crop	14 days before harvest	14 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Chilli - protected</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG</i> 2348	375 g/kg	1.0 kg/ha	3.0 kg/ha	-	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			16.0 l/ha	80.0 l/ha	5	N/A	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.3 l/ha	0.6 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Plums</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.6 l/ha	2 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - seed crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			670 ml/ha	1.34 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			5 l/ha	5 l/ha	1	GS 5	
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Potatoes - ware crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
<i>Pumpkins - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Radicchio</i>											
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.0 l/ha	1.0 l/ha	-		
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Isopyrazam</i>	<i>125 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Cycloxydim</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Oxamyl</i>	<i>100 g/kg</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
<i>Rape - fodder</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Pyrimala	05429	Servem Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Pyrimala	05429	Servem Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha		21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Tracer		02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	480 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	125 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	75 % w/w					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	200 g/kg					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>											
AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Ampelomyces Quisqualis</i>	58 %w/w	70 g/ha	-	-	12	-	
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour		
Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	400 g/l	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l	8 l/ha	48 l/ha	6		0 days	
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	12% w/w 12% w/w	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings		
Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Spinosad</i>	480 g/l	200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rhubarb</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.5 l/ha	2 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.4 l/ha	0.4 l/ha	1 per year	Dormant stage	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rocket</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	20% w/w					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	450 g/l					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	20 % w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i>	375 g/kg					
					<i>subspecies kurstaki EG</i>						
					<i>2348</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str.</i>	1015.1 g/l					
					<i>QST 713</i>						
<i>Rosemary</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str.</i>	1015.1 g/l					
					<i>QST 713</i>						
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i>	375 g/kg					
					<i>subspecies kurstaki EG</i>						
					<i>2348</i>						
	Masai	03585	BASF plc	Insecticide			375 g/ha	375 g/ha	1 per year	21 days before harvest	21 days
					<i>Tebufenpyrad</i>	200 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium</i>	2% w/w					
					<i>anisoplice - ST</i>						
					<i>BIPESCO 5/F52</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i>	1015.1 g/l					
					<i>amyloliquefaciens str.</i>						
					<i>QST 713</i>						
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	60 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Masai	03585	BASF plc	Insecticide			375 g/ha	375 g/ha	1 per year	21 days before harvest	21 days
					<i>Tebufenpyrad</i>	200 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - spring</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
<i>Sage</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Benfluralin</i>	<i>180 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	200 mls/ha	600 mls/ha	3		3 days
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>	0.8 l/ha	0.8 l/ha	-	Pre-emergence	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Squash - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chess WG	03365	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			125 ml/ha	250 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Tracer	02649	Dow AgroSciences Ltd	Insecticide			150 ml/ha in 200L water	450 ml/ha	3 per year	1 day before harvest	1 day
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2	1 day before harvest	1 day
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
					<i>Etoxazole</i>	<i>110 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chess WG	03365	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	3	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	150 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide							
					<i>Sulphur</i>	<i>80 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
	Sabik-1.8%	04907	Servem Ltd	Acaricide/Insecticid	<i>Bupirimate</i>	<i>250 g/l</i>	50 mls / 100 l water	4.0 l/ha	3	3 days before harvest	3 days
	Sequoia	05915	Dow AgroSciences Ltd	Insecticide	<i>Abamectin</i>	<i>18 g/l</i>	200 mls/ha	400 mls/ha	2	1 day before harvest	1 day
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Sulfoxaflor</i>	<i>120 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	0.19 l/ha	0.19 l/ha	1 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
					<i>Proquinazid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	35 days before harvest	35 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Quinoxifen</i>	<i>500 g/l</i>	0.25 l/ha	0.25 l/ha	-	pre-emergence	
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Clomazone</i>	<i>360 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha		N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sweetcorn</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Thyme</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			1.0 l/ha	4.0 l/ha	4	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			0.2L per 100L water	-	6 per crop	2 days before harvest	2 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide				2.5 kg/ha	7.5 kg/ha	-	3 days before harvest	3 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Scala	03916	BASF plc	Fungicide				0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
SL567A	03106	Syngenta UK Ltd	Fungicide				0.3 l/ha	0.9 l/ha	3 per crop		3 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Vivando	05685	BASF plc	Fungicide				0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	-	Before GS22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Empire Supreme	05061	Croplink (Ireland) Ltd	Herbicide			100 g/ha	100 g/ha	1 per crop	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	35 days before harvest	35 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Curennox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>	0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i>	<i>500 g/kg</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Wheat - durum</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide				1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide				1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide				1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide				1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stroby WG	05092	BASF plc	Fungicide			0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Whitecurrants - protected</i>											
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 8

**List of off label approvals which have been granted up to 1/1/19 for use on
Non - food crops**

Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops

01 March 2019

Warning: EAMU Approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves stage	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	1.5 l/ha	3.0 l/ha	2 per crop	Before first flower bud visible stage	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide	<i>Clopyralid</i>	<i>267 g/l</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
	Globalstar SC	05529	Globachem nv	Fungicide	<i>Picloram</i>	<i>67 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	Before GS 69	
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
	Plexeo 60	05926	Globachem nv	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Polux	05946	Galenika-Fitofarmacija	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	0.3 l/ha	1.2 l/ha	-	Before GS 69	
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Prosaro	04641	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Rapsan 500SC	05886	Globachem nv	Herbicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.5 l/ha	1.5 l/ha	-	GS 19	
	Reglone	02453	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	-	-	
	Salsa	04725	DuPont (UK) Ltd	Herbicide	<i>Diquat (dibromide)</i>	<i>200 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethamsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			1.5 l/ha	3.0 l/ha	2 per crop	before first flower bud visible stage	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Galera	05188	Dow AgroSciences Ltd	Herbicide			0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
					<i>Picloram</i>	<i>67 g/l</i>					
					<i>Clopyralid</i>	<i>267 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Chemical s.p.r.l.	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	Before GS 69	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
	Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Quinmerac</i> <i>Metazachlor</i>	<i>125 g/l</i> <i>375 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
	Plexeo 60	05926	Globachem nv	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Polux	05946	Galenika-Fitofarmacija	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	0.3 l/ha	1.2 l/ha	-	Before GS 69	
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Prosaro	04641	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide	<i>Tebuconazole</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>125 g/l</i>	2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
	Rapsan 500SC	05886	Globachem nv	Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	-	GS 19	
	Reglone	02453	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Salsa	04725	DuPont (UK) Ltd	Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Teridox	04902	Syngenta UK Ltd	Herbicide	<i>Dimethachlor</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	Pre-emergence	
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha			
	Agritox 500	05499	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Agroxone 50	05500	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Clofentezine</i>	<i>500 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>150 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Azaka	05218	Cheminova A/S	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>MCPA</i>	<i>300 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	-	
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha			
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide	<i>Prochloraz</i>	<i>400 g/l</i>	1.1 l/ha	2.2 l/ha	-	N/A	
	Barracuda	05967	Albaugh Europe Sarl	Herbicide	<i>Prochloraz</i>	<i>450 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Mesotrione</i>	<i>100 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Bellis	03798	BASF plc	Fungicide	<i>Spirotetramat</i>	<i>100 g/l</i>	0.8 kg/ha	3.2 kg/ha	4	N/A	
	Beretta	04835	Certiplant N.V.	Herbicide	<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
					<i>Lenacil</i>	<i>27 g/l</i>					
					<i>Phenmedipham</i>	<i>60 g/l</i>					
					<i>Ethofumesate</i>	<i>75 g/l</i>					
					<i>Desmedipham</i>	<i>47g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	-	N/A	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	N/A	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Centium 360 CS	05674	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chess WG	03365	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.6 kg/ha	-	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3 / season	N/A	
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-		
					<i>2,4-D</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	DimethoX	05118	DHM Agrochemicals Ltd.,	Insecticide			1.0 l/ha	-	-	-	
					<i>Dimethoate</i>	<i>400 g/l</i>					
	Diqua	03630	Sharda Europe b.v.b.a	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Diquash 200 SL	04181	Sharda Europe b.v.b.a	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Di-Quattro	04720	Arysta LifeScience Benelux SPRL	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha*	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Dragoon Gold	03174	Certiplant N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide							
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls product / 100 litres water	N/A	-	N/A	
					<i>Abamectin</i>	<i>18 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
	Echo Pro	05741	Unichem Limited	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>Propamocarb</i>	<i>722 g/l</i>	0.78 l/ha	0.78 l/ha	-	31st May	
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.8 kg/ha	18 kg/ha	10 per year	N/A	
	Emerger	06190	Bayer CropScience Limited	Herbicide	<i>Zoxamide</i>	<i>8.3 %w/w</i>	3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Mancozeb</i>	<i>66.7 %w/w</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Fandango	03787	Bayer CropScience Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide	<i>Prothioconazole</i>	<i>100 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide	<i>Fluoxastrobin</i>	<i>100 g/l</i>	3.0 l/ha	6.0 l/ha	-	N/A	
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	2.0 l/ha	4.0 l/ha	2		10 weeks
	Filan	04325	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Proquinazid</i>	<i>25 g/l</i>					
					<i>Boscalid</i>	<i>50 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	3	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			2.5 l/ha	2.5 l/ha	1	-	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-		
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
					<i>Sulphur</i>	<i>800 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Infito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Inka Max SX	04842	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha *	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha *	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mettle	03788	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-		
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Micaraz	05029	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Mission 200 SL	03175	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Mitron WG	01704	Hermoo Belgium N.V.	Herbicide			3.0 kg/ha	6.9 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	-	
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
	Nirvana	03063	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	Nortron 50 SC	02658	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.0 l/ha	1	N/A	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Oblix 500	05286	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha		N/A	
					<i>Prochloraz</i>	<i>267 g/l</i>					
					<i>Tebuconazole</i>	<i>133 g/l</i>					
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	4 per crop	9.0 kg/ha	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Patrol	04304	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	PlantTrust	04537	Everris Ltd	Fungicide			2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
					<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	-	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	N/A	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	-	N/A	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Cymoxanil</i>	<i>50 g/l</i>					
					<i>Propamocarb</i>	<i>400 g/l</i>					
	Quad-Glob 200 SL	03180	Q-Chem NV	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Reglone	02453	Syngenta UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Retro	03712	Syngenta UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kgs/ha	7.5 kgs/ha	3	-	
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Salvo	04120	UPL Europe Ltd	Herbicide			2.8 l/ha	2.8 l/ha	1 per year	-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Seguris	05028	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sentry 500	05744	Unichem Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Signum	03799	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Cymoxanil</i>	<i>50% w/w</i>					
					<i>Clomazone</i>	<i>360 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Desmedipham</i>	<i>50 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	N/A	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tafari	05977	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.6 kgs/ha	-	N/A	
					<i>Pymetrozine</i>	<i>50% w/w</i>					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Target SC	01298	UPL Europe Ltd	Herbicide			3.0 l/ha	7.0 l/ha	-	-	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Target WG	01506	UPL Europe Ltd	Herbicide			3.0 kg/ha	7.0 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tepeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	14 days pre harvest	
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Tem 750 EC	04305	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Thor	03991	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4		
					<i>Spinosad</i>	<i>480 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Winger	05807	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Fenpropidin</i>	<i>750 g/l</i>	0.75 l/ha	1.5 l/ha	-	N/A	
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide	<i>Trifloxystrobin</i> <i>Prothioconazole</i>	<i>88 g/l</i> <i>175 g/l</i>	2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>45 g/kg</i> <i>650 g/kg</i>	0.7 l/ha	1.4 l/ha	-	-	
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Azoxystrobin</i> <i>Isopyrazam</i>	<i>250 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			0.078 ml/plant	0.078 ml/plant	1	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Grassland - amenity</i>											
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Cycloxydim</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per year	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Ally SX	05590	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Butryflow	03659	Nufarm UK Limited	Herbicide			1.0 l/ha	1.0 l/ha	1		
					<i>Bromoxynil</i>	<i>401.58 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-		
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Empire	03051	Croplink (Ireland) Ltd	Herbicide			30 gms/ha	30 g/ha	-	N/A	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Finy	02360	UPL Europe Ltd	Herbicide			30 gms/ha	30 g/ha	1	N/A	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forefront	02793	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 / year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Aminopyralid</i>	<i>30 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
	Galaxy	05473	Dow AgroSciences Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
	Lorate	05591	DuPont (UK) Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	30 g/ha	30 g/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Minstrel	04782	UPL Europe Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	MON 79351	04009	Monsanto UK Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	4.5 l/ha	4.5 l/ha	-	-	
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>480 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	3.6 l/ha	3.6 l/ha	-	-	
	Naceto	05778	Globachem nv	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.3 l/ha	0.3 l/ha	-	-	
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide	<i>Diflufenican</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Flufenacet</i>	<i>400 g/l</i>	90 mls/ha	270 mls/ha	4	-	
	NU46	05501	Nufarm UK Limited	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Optica	02661	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Ormond	05661	Barclay Chemicals Ltd	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	3.7 l/ha	3.7 l/ha	1	-	
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide	<i>Glyphosate</i>	<i>490 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Narcissi</i>											
	Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	-	1.0 l/ha	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			100ml product/ 100 litres water	100ml product/ 100 litres water		Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			100ml per 100L water		1 per crop	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			100ml product/100L water		1 per crop	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Deuce	04993	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	After flower harvest	56 days
					<i>Epoxiconazole</i>	<i>67 g/l</i>					
					<i>Boscalid</i>	<i>233 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			100mls/100 litres water	100mls/100 litres water	1	Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Phyton	05019	UPL Europe Ltd	Fungicide			100ml per 100 litres water	100ml per 100 litres water	1 per crop	Pre-planting	
	Scala	03916	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500g/l</i>					
					<i>Pyrimethanil</i>	<i>400 g/l</i>	0.5 l per 100 l water				
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>50 g/l</i>					
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Propiconazole</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2		
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	1.0 l/ha		35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Mogeton	04943	Certis Europe BV	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	15 kg/ha	15 kg/ha	1 per year/crop		
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Quinoclamine</i>	<i>250 g/kg</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
	Scala	03916	BASF plc	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	0.5 l per 100 l water				
	Signum	03799	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1		30 days
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	2.8 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>720 g/l</i>					
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>450 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18 kg/ha	10 per year	N/A	
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide			3.0 l/ha	6.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>166 g/l</i>					
					<i>Tebuconazole</i>	<i>60 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Freeze	04517	Cheminova A/S	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Micaraz	05029	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa New	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>133 g/l</i>					
					<i>Prochloraz</i>	<i>267 g/l</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pexan	04967	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>59.4 g/l</i>					
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Seguris	05028	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Ethofumesate</i>	<i>200 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Desmedipham</i>	<i>50 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Propiconazole</i>	<i>250 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Etoazole</i>	<i>110 g/l</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Zoxamide</i>	<i>8.3 %w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.6 l/ha	2	N/A	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Mogeton	04943	Certis Europe BV	Herbicide			15 kg/ha	15 kg/ha	1 per year/crop	-	
	Paraat	03614	BASF plc	Fungicide	<i>Quinoclamine</i>	<i>250 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	7C Chlormequat	04744	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Azoxystrobin</i>	<i>200 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
	Azaka	05218	Cheminova A/S	Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Clofentezine</i>	<i>500 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
	Barclay Holdup 750	04743	Taminco BVBA.	Growth Regulator	<i>Azoxystrobin</i>	<i>250 g/l</i>	465ml in 10 L water	465ml in 10 L water			
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Chlormequat</i>	<i>750 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Beetup Flo	05272	UPL Europe Ltd	Herbicide	<i>Spirotetramat</i>	<i>100 g/l</i>	3.0 l/ha	6.0 l/ha	-	-	
	Butisan S	04631	BASF plc	Herbicide	<i>Phenmedipham</i>	<i>160 g/l</i>	1.5 l/ha	1.5 l/ha	-	Dormant period	
	CeCeCe 750	04736	BASF plc	Growth Regulator	<i>Metazachlor</i>	<i>500 g/l</i>	465 ml in 10 litre water	465 ml in 10 litre water	-	-	
	Centium 360 CS	05674	FMC Chemical s.p.r.l.	Herbicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			175 ml/ha	350 ml/ha	2	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Infito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>680 g/kg</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
	Revus	05154	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.6 l/ha	1.2 l/ha	2 per year	31st August	
	Sacron WG	04541	UPL Europe Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
	Sentry 500	05744	Unichem Limited	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide	<i>Cymoxanil</i>	<i>50% w/w</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
	Stabilan 750	04767	Nufarm UK Limited	Growth Regulator	<i>Clomazone</i>	<i>360 g/l</i>	465ml in 10 L water	465ml in 10 L water	-		
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Cyflufenamid</i>	<i>100 g/l</i>	0.25 l/ha	0.5 l/ha	2	-	
	Tizca	04398	Cheminova A/S	Fungicide	<i>Proquinazid</i>	<i>200 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Vivando	05685	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Metrafenone</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
	Azaka	05218	Cheminova A/S	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Dauphin 45	04542	Societe Financiere de Pontarlier	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			120 mls / 100 litres water		3 per year	-	-
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Palmas	04543	Societe Financiere de Pontarlier	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			12.5 g/100 litres water	-	6 / year	-	-
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	
	Bravado	06013	Novastar Link Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Bravo 500	03452	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	
	Cavaterra	05059	Certiplant N.V.	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Chlorothalonil</i>	<i>500 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Daconil	05748	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Proquinazid</i>	<i>25 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Mogeton	04943	Certis Europe BV	Herbicide			15 kg/ha	15 kg/ha	1 per year/crop	-	
					<i>Quinoclamine</i>	<i>250 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Abringo	04239	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
	Acrobat MZ	04059	BASF plc	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha			
	Agritox 500	05499	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Agroxone 50	05500	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide	<i>Bixafen</i>	<i>75 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Fungicide	<i>Chlorothalonil</i>	<i>720 g/l</i>	1.4 l/ha	2.8 l/ha	-	N/A	
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barclay Avoca	04458	Barclay Chemicals Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	35 days before harvest	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha			
					<i>Prochloraz</i>	<i>400 g/l</i>					
	Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Fungicide			1.1 l/ha	2.2 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>450 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
	Betanal MaxxPro	04266	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>47 g/l</i>					
					<i>Ethofumesate</i>	<i>75 g/l</i>					
					<i>Lenacil</i>	<i>27 g/l</i>					
					<i>Phenmedipham</i>	<i>60 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Blaster Pro	04263	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Bravado	06013	Novastar Link Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		35 days before harvest	
					<i>Propiconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calibre Max SX	03438	DuPont (UK) Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cameo Max SX	03135	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cavaterra	05059	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Daconil	05748	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-		
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>480 g/kg</i>					
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Eagle	04315	Bayer CropScience Limited	Herbicide			40 g/ha	40 g/ha	-	42 days before harvest	
					<i>Amidosulfuron</i>	<i>75% w/w</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18 kg/ha	10 per year	N/A	
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Fezan Plus	04468	Sipcam Oxon SpA	Fungicide			3.0 l/ha	6.0 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>60 g/l</i>					
					<i>Chlorothalonil</i>	<i>166 g/l</i>					
	Fielder SE	04251	DuPont (UK) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2		10 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Proquinazid</i>	<i>25 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Fixor	05252	Amvac Netherlands B.V	Growth Regulator			6ml per litre water	-	-	7 days before harvest	7 days
					<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fortress	02364	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Freeze	04517	Cheminova A/S	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Grail	02826	Nufarm UK Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
					<i>Prochloraz</i>	<i>300 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Headland Triad	03433	DuPont (UK) Ltd	Herbicide			10 g/ha	10 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	Before GS 61	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Inka Max SX	04842	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Joules	04784	Nufarm UK Limited	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Keystone	05025	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	N/A	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Bixafen</i> <i>Prothioconazole</i>	<i>60 g/l</i> <i>200 g/l</i>	2.1 kg/ha	8.4 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	8.0 kg/ha	-	-	
	Masai	03585	BASF plc	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/ha	1.5 kg/ha	1		
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	2.7 l/ha	2.7 l/ha	-	-	
	Metfin	05945	Finchimica S.p.A	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Micaraz	05029	Syngenta UK Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Isopyrazam</i> <i>Epoxiconazole</i>	<i>125 g/l</i> <i>90 g/l</i>	8.0 kgs/ha	-	-	-	
	Mirage	00412	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Sulphur</i> <i>Prochloraz</i>	<i>80 %w/w</i> <i>400 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Monitor	02076	Sumitomo Chemical Agro Europe SAS	Herbicide			25 g/ha	25 g/ha	-	-	
					<i>Sulfosulfuron</i>	<i>80% w/w</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa New	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Muti-Star 500	04812	Albaugh Europe Sarl	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Optimus	04704	Nufarm UK Limited	Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
	Orchid B	05058	Croplink (Ireland) Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orius P	03222	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>267 g/l</i>					
					<i>Tebuconazole</i>	<i>133 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Pexan	04967	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
					<i>Fluxapyroxad</i>	<i>59.4 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Phyton	05019	UPL Europe Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500g/l</i>					
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
	Riber	05795	Life Scientific Limited	Herbicide	<i>Prohexadione Calcium</i>	<i>10% w/w</i>	0.3 l/ha	0.3 l/ha	-	-	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>	2.5 kg/ha	7.5 kg/ha	-		
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Mancozeb</i>	<i>64 %w/w</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rover 500	04467	Sipcam Oxon SpA	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	2.0 l/ha	4.0 l/ha	-	N/A	
	Roxy 800 EC	05739	Globachem nv	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy	
	Salvo	04120	UPL Europe Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.8 l/ha	2.8 l/ha	1 per year	-	
	Scala	03916	BASF plc	Fungicide	<i>2,4-D</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
	Seguris	05028	Syngenta UK Ltd	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
	Sempre	04207	UPL Europe Ltd	Herbicide	<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Signum	03799	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sniper	05385	Adama Agricultural Solutions UK Ltd	Herbicide			1.3 l/ha	3.9 l/ha	-	N/A	
					<i>Desmedipham</i>	<i>50 g/l</i>					
					<i>Phenmedipham</i>	<i>150 g/l</i>					
					<i>Ethofumesate</i>	<i>200 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Supreme	04841	Mitsui Agriscience International S.A./N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	N/A	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Tepeeki	02683	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	.042 kg/ha	3 per year	21 days before harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thor	03991	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	UNIPRO CTL	05944	Certiplant N.V.	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.4 l/ha	1.0 l/ha	-	35 days before harvest	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Propiconazole</i>	<i>250 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Etoazole</i>	<i>110 g/l</i>	0.4 l/ha	1.0 l/ha		35 days before harvest	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Propiconazole</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Electis 75 WG	01821	Gowan Crop Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide	<i>Zoxamide</i>	<i>8.3 %w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.6 l/ha	2	N/A	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Plenum	02238	Adama Agricultural Solutions UK Ltd	Insecticide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.4 kg/ha	1.2 kg/ha	3 per crop	N/A	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Benta 480 SL	04206	Sharda Europe b.v.b.a	Herbicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbutylazine</i>	<i>330 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1 per crop	1.5 l/ha	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	-
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide							
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Eminentos 10 CS	04933	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	N/A	
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	3.6 l/ha	3.6 l/ha	-	-	
	Firebird	04221	Bayer CropScience Limited	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.3 l/ha	0.3 l/ha	-	N/A	
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide	<i>Diflufenican</i>	<i>200 g/l</i>	0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide	<i>Flufenacet</i>	<i>400 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Isoxaben</i>	<i>500 g/l</i>	2.5 l/ha	2.5 l/ha	-	N/A	
	G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Hurler	05077	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>450 g/l</i>	4.8 l/ha	4.8 l/ha	-	-	
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mitron WG	01704	Hermoo Belgium N.V.	Herbicide			3.0 kg/ha	6.9 kg/ha	-	-	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Target SC	01298	UPL Europe Ltd	Herbicide			7.0 l/ha	7.0 l/ha	1 / season	N/A	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Target WG	01506	UPL Europe Ltd	Herbicide			7.0 kgs/ha	7.0 kgs/ha	1	N/A	
					<i>Metamitron</i>	<i>70 %w/w</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9

List of Adjuvants included in the register on 1/1/19

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Addin	05140	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Addit	92435	Koppert B.V.	Koppert B.V.	EC	<i>Methylated Rapeseed Oil</i>	780.2 g/l
Addition	05171	Generica Europa Ltd	Generica Europa Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Addup	90027	Barclay Chemicals Ltd	Barclay Chemicals Ltd	EC	<i>Tallow amine ethoxylate</i>	800 g/l
Adigor	92268	Syngenta UK Ltd	Syngenta Ireland Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Adpro Squad	92468	Vivagro Sarl	Koppert UK Ltd	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Agral	90032	Syngenta UK Ltd	Syngenta Ireland Ltd	OL	<i>Alkylphenolethylene oxide condensate</i>	948 g/l
Anchor	00733	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-octylpyrrolidone</i> <i>Poly(vinylpyrrolidione/1-hexadecene)</i>	45.7 %w/w 15.0 %w/w
Arcano	92436	Sani Crop Protection	Sani Crop Protection	EC	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	480 g/l 450 g/l
Arma	00657	Interagro (UK) Ltd	Interagro (UK) Ltd	SL	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	500 g/l 500 g/l
Arma Plus	92270	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Alkylamine ethoxylate propoxylate</i> <i>Polyoxyethylene (20) sorbitan monolaurate</i>	500 g/l 400 g/l
AyeFlex	92451	Psigma AB	Psigma AB	SC	<i>Benzotriazine</i> <i>Locust Bean Gum</i> <i>Polyethyleneimine</i>	0.1% w/w 2.0% w/w 1.5% w/w
Backrow	92430	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Paraffin oils</i>	60% w/w
Banka	00710	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-octylpyrrolidone</i> <i>Poly(vinylpyrrolidione/1-hexadecene)</i>	14.6 %w/w 14.6 %w/w
Barclay Actol	92246	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Paraffin oils</i>	95 %w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Barclay Clinger	00921	Barclay Chemicals Ltd	Barclay Chemicals Ltd	SL	<i>Di-l-p-menthene</i>	902 g/l
Barclay Dryfast	90175	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Di-l-p-menthene</i> <i>Nonyl phenol ethylene oxide condensate</i>	334 g/l 100 g/l
Biopower	92144	Bayer CropScience Limited	Bayer CropScience Limited	SL	<i>Alkylethersulfate sodium salt</i>	265 g/l
Biosyl	92427	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Ethylene oxide condensate</i> <i>Polyether modified trisiloxane</i>	32.65 w/w 1% w/w
Bond	91298	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alkylphenylhydroxypolyoxyethylene</i> <i>Synthetic latex</i>	100 g/l 450 g/l
Boost	92446	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Ethylene oxide condensate</i> <i>Polyether modified trisiloxane</i>	32.6% w/w 1% w/w
Break-Thru S240	92312	Evonik Degussa GmbH	P.P. Products	SL	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	85 %w/w
Codacide Oil	90420	Microcide Ltd	Microcide Ltd	OL	<i>Vegetable Oil</i>	95 %w/w
Combo 3R	92464	De Sangosse Ltd	Whelehan Crop Protection	EC	<i>Alkoxyated alcohols</i>	750 g/l
Companion Gold	92288	AgroVista UK Ltd	AgroVista UK Ltd	SL	<i>Ammonium sulphate</i> <i>Polyacrylamide</i>	226 g/l 11.3 g/l
Contact	91927	Interagro (UK) Ltd	Novokem Ltd	EW	<i>Mineral Oil</i>	92 %w/w
Croplink Astra	04603	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	SL	<i>Alkoxyated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	500 g/l 500 g/l
Croplink Enhancer	04602	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Dash HC	92455	BASF plc	BASF Ireland Ltd	EC	<i>Fatty Acid Esters</i> <i>Fatty Alcohol Polyalkoxylate</i>	348.75 g/l 209.25 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Designer	01410	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i>	8.4 %w/w
					<i>Synthetic latex</i>	50 %w/w
Endurance	92449	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	750 g/l
Evoque	92448	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Fatty alcohol ethylene oxide condensate</i>	22.5 g/l
					<i>Methylated Rapeseed Oil</i>	652 g/l
					<i>Polyether modified trisiloxane</i>	112 g/l
					<i>Polyoxyethylene alcohols</i>	19.1 g/l
Farmco Diagor Oil	05144	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Farmco Slicker	92454	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Alkoxylated fatty amine</i>	480 g/l
					<i>Polyoxyethylene Monolaurate</i>	450 g/l
Fieldor Max	92469	Vivagro Sarl	Vivagro Sarl	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Foam Fighter	92398	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Dimethyl polysiloxane</i>	16 %w/w
Galion	91903	Amega Sciences plc	Amega Sciences plc	SL	<i>Ethylene oxide condensate</i>	60 %w/w
Hansa Add 1055	92438	Chemische Fabrik Tubingen (UK) Ltd	Chemische Fabrik Tubingen (UK) Ltd	SL	<i>Polyether modified trisiloxane</i>	83% w/w
Headland Diamond	92141	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Fortune	01158	Headland Agrochemicals Ltd	Novokem Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Guard 2000	00476	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	SL	<i>Synthetic latex</i>	52 %w/w
Headland Intake	00477	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	SL	<i>Alkylaminedicarboxylate monosodium salt</i>	5 %w/w
					<i>Propionic acid</i>	40 %w/w
Headland Zig Zag	92402	Headland Agrochemicals Ltd	Croplink (Ireland) Ltd	SL	<i>Polyether modified trisiloxane</i>	6.375 % w/v
					<i>Styrene-butadiene co-polymer</i>	36.5 % w/v
Herb-Assure	92471	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	750 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Herbi-Aktiv	92465	Global Adjuvants Ltd	Global Adjuvants Ltd	EC	<i>Ethylene oxide-propylene oxide copolymers</i>	57% w/w
Kantor	92355	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Alkoxylated triglycerides</i>	790 g/l
Kylix	92466	Vivagro Sarl	Vivagro Sarl	OD	<i>Methylated Rapeseed Oil</i>	57.7 % w/w
LI-700	91303	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkylphenylhydroxypolyoxyethylene</i> <i>Lecithin (Soya)</i> <i>Propionic acid</i>	100 g/l 350 g/l 350 g/l
MixR	91676	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	SL	<i>Alkyl ethoxylate</i>	75 %w/w
Newman Cropspray 11E	00491	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Mineral Oil</i>	99 %w/w
Optima	92463	Sani Crop Protection	Sani Crop Protection	SL	<i>Polyoxyethylene Monolaurate</i>	1000 g/l
Phase-II	92147	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Plant Oils / Rape seed oil</i>	842 g/l
Predict	92431	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	800 g/l
Presto	92445	Jouffray-Drillaud	Jouffray-Drillaud	EC	<i>alkyl polyglycoside</i>	435 g/l
Remix	92460	AgroVista UK Ltd	AgroVista UK Ltd	EC	<i>Paraffin oils</i>	732 g/l
Rheus	92276	Headland Agrochemicals Ltd	Croplink (Ireland) Ltd	SL	<i>Polyalkyleneoxide</i>	85 %w/w
Rigger	92439	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	842 g/l
Ryda	91926	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Tallow amine ethoxylate</i>	800 g/l
Sekur	92447	Sani Crop Protection	Sani Crop Protection	EC	<i>Amphoteric dipropionate surfactant</i> <i>Synthetic latex</i>	10% w/w 45% w/w
Siltex	92433	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Polyether modified trisiloxane</i>	18.9 % w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Siltex	92470	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL	<i>Ethylene oxide-propylene oxide copolymers</i>	250 g/l
					<i>Polyether modified trisiloxane</i>	41.5 g/l
					<i>Styrene-butadiene co-polymer</i>	70.2 g/l
Silwet 778	00759	Momentive Performance Materials GmbH	Arysta LifeScience UK & Ireland Ltd	EC	<i>Allyl polyethylene glycol methyl ether</i>	164 g/l
					<i>Polyalkyleneoxide</i>	655 g/l
					<i>Polyethylene polypropylene glycol</i>	204 g/l
Silwet L-77	00400	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Silwet L-77	00637	Momentive Performance Materials GmbH	Arysta LifeScience UK & Ireland Ltd	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Slippa	00760	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Allyl polyethylene glycol methyl ether</i>	164 g/l
					<i>Polyalkyleneoxide</i>	655 g/l
					<i>Polyethylene polypropylene glycol</i>	204 g/l
Solar Plus	92428	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Polyethylene polypropylene glycol</i>	70% w/w
Speedway Total	92459	Amega Sciences plc	Everris Ltd	SL	<i>Alkoxylated alcohols</i>	78% w/w
Sprayfast	91600	Taminco BVBA.	Taminco (UK) Ltd	EC	<i>Di-l-p-menthene</i>	34 %w/w
					<i>Nonyl phenol ethylene oxide condensate</i>	11 %w/w
Spraymate Activator 90	91297	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkoxylated alcohols</i>	750 g/l
Sprayseal	91930	Taminco BVBA.	DHM Agrochemicals Ltd.,	EW	<i>Di-l-p-menthene</i>	34 %w/w
					<i>Nonyl phenol ethylene oxide condensate</i>	11 %w/w
Spur	92452	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Polyether modified trisiloxane</i>	21 % w/w
Squadron	92462	EuroAgkem	EuroAgkem	SL	<i>Polyethylene polypropylene glycol</i>	70% w/w
Stamina	00655	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Alkoxylated fatty amine</i>	100 %w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Super Rapeeze MSO	92434	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC		
					<i>Methylated Rapeseed Oil</i>	842 g/l
Surfer	92461	Dow AgroSciences Ltd	Dow AgroSciences Ltd	SL		
					<i>2-ethyl Hexanol EO-PO</i>	72% w/w
Sward	00844	Amega Sciences plc	Amega Sciences plc	SL		
					<i>Polyalkyleneoxide</i>	152 g/l
Tarpoon	92426	Sani Crop Protection	Sani Crop Protection	EC		
					<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	800 g/l
Toil	01353	Interagro (UK) Ltd	Novokem Ltd	EC		
					<i>Plant Oils / Rape seed oil</i>	95 %w/w
Torpedo II	92243	DeSangosse Ltd	Whelehan Crop Protection	EC		
					<i>Alcohol Ethoxylate</i>	380 g/l
					<i>Alkoxylated fatty amine</i>	210 g/l
					<i>Polyalkylene glycol</i>	210 g/l
Torrent	00712	Interagro (UK) Ltd	Novokem Ltd	SL		
					<i>N-dodecylpyrrolidone</i>	13.1 %w/w
					<i>N-methylpyrrolidone</i>	20.2 %w/w
					<i>N-octylpyrrolidone</i>	20.2 %w/w
Transit	92453	DeSangosse Ltd	Whelehan Crop Protection	EC		
					<i>Alcohol Ethoxylate</i>	380 g/l
					<i>Alkoxylated fatty amine</i>	210 g/l
					<i>Polyalkylene glycol</i>	210 g/l
Validate	92262	DeSangosse Ltd	Whelehan Crop Protection	EC		
					<i>Alkyl ethoxylate</i>	25 %w/w
					<i>Esterified Vegetable oil</i>	25 %w/w
					<i>Lecithin (Soya)</i>	50 %w/w
Viking	92450	Amega Sciences plc	Agrimax Ltd	SL		
					<i>Alcohol Ethoxylate</i>	300 g/l
Warrior	92432	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL		
					<i>Alcohol Ethoxylate</i>	192 g/l
Wetcit	92457	Oro Agri International Ltd	Oro Agri International Ltd	SL		
					<i>Alcohol Ethoxylate</i>	8.15% w/w
Xcel	92458	Sani Crop Protection	Sani Crop Protection	SC		
					<i>Alkylpolysaccharides</i>	100 g/l
					<i>Ammonium sulphate</i>	450 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Zinzan	92467	Certis Europe BV	Certis Europe BV	SL	1,2 bis (2-ethylhexyloxy-carbonyl) ethanesulphonate	70% w/w