

---

*Off-Label Extension of Authorisation for Minor uses (EAMU) - Food Crops as of 04/04/2024*

*Warning: Off-Label EAMU Approvals:*

*The use of any product in accordance with an off-label EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.*

*Disclaimer*

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i>  | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|------------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Apples</i> |                     |               |  |                  |   |                |                       |                         |                            |                               |             |
|               | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V.     | Fungicide        |   |                | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|               |                     |               |  |                  | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                       |                         |                            |                               |             |
|               | Botrefin            | 06480         | Finchimica S.p.A                               | Fungicide        |   |                | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 3 days before harvest         | 3 days      |
|               |                     |               |  |                  | <i>Fludioxonil</i>                                      | 25% w/w        |                       |                         |                            |                               |             |
|               |                     |               |  |                  | <i>Cyprodinil</i>                                       | 37.5% w/w      |                       |                         |                            |                               |             |
|               | Cerone              | 03933         | Bayer CropScience Limited                      | Growth Regulator |   |                | 0.75 l/ha             | 0.75 l/ha               | -                          | 10 days before harvest        | 10 days     |
|               |                     |               |  |                  | <i>Ethephon</i>   | 480 g/l        |                       |                         |                            |                               |             |
|               | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide        |   |                | 2.0 kg/ha             | 8.0 kg/ha               | -                          | Before GS 07                  |             |
|               |                     |               |  |                  | <i>Copper oxychloride</i>                               | 87.8% w/w      |                       |                         |                            |                               |             |
|               | Fathom              | 04688         | FMC Agro Ltd                                   | Fungicide        |   |                | 0.325 l/ha            | 0.325 l/ha              | 1                          | After final harvest           |             |
|               |                     |               |  |                  | <i>Tebuconazole</i>                                     | 200 g/l        |                       |                         |                            |                               |             |
|               |                     |               |  |                  | <i>Tebuconazole</i>                                     | 200 g/l        |                       |                         |                            |                               |             |
|               | FLiPPER             | 05027         | Alpha Biopesticides Ltd                        | Insecticide      |   |                | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|               |                     |               |  |                  | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                       |                         |                            |                               |             |
|               | Mavita 250 EC       | 05941         | Syngenta UK Ltd                                | Fungicide        |   |                | 0.25 l/ha             | 1.0 l/ha                | -                          | 28 days before harvest        | 28 days     |
|               |                     |               |  |                  | <i>Difenoconazole</i>                                   | 250 g/l        |                       |                         |                            |                               |             |
|               | Score 250 EC        | 04566         | Syngenta UK Ltd                                | Fungicide        |   |                | 0.25 l/ha             | 1.0 l/ha                |                            | 28 days before harvest        | 28 days     |
|               |                     |               |  |                  | <i>Difenoconazole</i>                                   | 250 g/l        |                       |                         |                            |                               |             |
|               | Talius              | 04604         | Corteva Agriscience UK Ltd                     | Fungicide        |   |                | 0.25 l/ha             | 0.5 l/ha                | 2 per year                 | 49 days before harvest        | 49 days     |
|               |                     |               |  |                  | <i>Proquinazid</i>                                      | 200 g/l        |                       |                         |                            |                               |             |
|               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                       | Insecticide      |   |                | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                             | -           |
|               |                     |               |  |                  | <i>Fatty acid - C7 - C18 - potassium salt</i>           | 416 g/l        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i>                         | <i>Latest Time of Applic:</i>             | <i>PHI:</i> |
|------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|--|---|-------------|
| <i>Asparagus</i> |                     |               |                              |                 |  |                   |                       |                         |  |   |             |
|                  | Amistar Top         | 04582         | Syngenta UK Ltd              | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -  | Before senescence                         |             |
|                  |                     |               |                              |                 | <i>Difenoconazole</i>                          | <i>125 g/l</i>    |                       |                         |  |   |             |
|                  |                     |               |                              |                 | <i>Azoxystrobin</i>                            | <i>200 g/l</i>    |                       |                         |  |   |             |
|                  | Botrefin            | 06480         | Finchimica S.p.A             | Fungicide       |  |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop   | -   |             |
|                  |                     |               |                              |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |  |   |             |
|                  |                     |               |                              |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |  |   |             |
|                  | Clayton Gear        | 06607         | Clayton Plant Protection Ltd | Fungicide       |  |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop   | -   |             |
|                  |                     |               |                              |                 | <i>Fludioxonil</i>                             | <i>25.0% w/w</i>  |                       |                         |  |   |             |
|                  |                     |               |                              |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |  |   |             |
|                  | FLIPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |  |                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop   | -   |             |
|                  |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                       |                         |  |   |             |
|                  | Lentagran WP        | 05580         | Certis Belchim BV            | Herbicide       |  |                   | 2.0 kg/ha             | 4.0 kg/ha               | 2 - 1 to growing crop. 1 - post harvest underneath | 28 days before harvest                    | 28 days     |
|                  |                     |               |                              |                 | <i>Pyridate</i>                                | <i>45% w/w</i>    |                       |                         |  |   |             |
|                  | Mavita 250 EC       | 05941         | Syngenta UK Ltd              | Fungicide       |  |                   | 0.5 l/ha              | 1.0 l/ha                | -  | After harvest and before end of September |             |
|                  |                     |               |                              |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |  |   |             |
|                  | PDM 330 EC          | 03582         | BASF plc                     | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1  | Before crop emergence                     |             |
|                  |                     |               |                              |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |  |   |             |
|                  | Score 250 EC        | 04566         | Syngenta UK Ltd              | Fungicide       |  |                   | 0.5 l/ha              | 1.0 l/ha                |  | After harvest and before end of September |             |
|                  |                     |               |                              |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |  |   |             |
|                  | Sencorex Flow       | 04361         | Bayer CropScience Limited    | Herbicide       |  |                   | 0.9 l/ha              | 0.9 l/ha                | -  | Before end of dormancy                    |             |
|                  |                     |               |                              |                 | <i>Metribuzin</i>                              | <i>600 g/l</i>    |                       |                         |  |   |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6  |   | 0 days      |
|                  |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |  |   |             |
|                  | Stomp Aqua          | 03750         | BASF plc                     | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop   | Before crop emergence                     |             |
|                  |                     |               |                              |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |  |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>      | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|--------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Asparagus</i> |                     |               |                          |                 |   |                  |                       |                         |                            |                               |             |
|                  | Switch              | 06414         | Syngenta UK Ltd          | Fungicide       |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          |                               |             |
|                  |                     |               |                          |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                  |                     |               |                          |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L | Insecticide     |   |                  | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                  |                     |               |                          |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                      | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>                       | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|--|-----------------|--|--------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Aubergines - protected</i> |                     |               |  |                 |  |                                      |                       |                         |                            |                               |             |
|                               | Amistar             | 05072         | Syngenta UK Ltd                          | Fungicide       |  |                                      | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Amistar Top         | 04582         | Syngenta UK Ltd                          | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Ampect              | 06827         | Syngenta UK Ltd                          | Fungicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i>   | <i>200 g/l</i><br><i>125 g/l</i>     | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Azarius             | 06522         | JT Agro Ltd                              | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Azatin              | 06785         | Mitsui Agriscience International S.A/N.V | Insecticide     |  |                                      |                       |                         |                            | 3 days before harvest         | 3 days      |
|                               | Azofin              | 06637         | Finchimica S.p.A                         | Fungicide       | <i>Azadirachtin A</i><br><i>Azadirachtin A</i> | <i>26 g/L</i><br><i>26 g/L</i>       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Azoshy              | 05618         | Sharda Cropchem Espana S.L.              | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Azoxystar           | 05534         | Life Scientific Limited                  | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Botrefin            | 06480         | Finchimica S.p.A                         | Fungicide       | <i>Fludioxonil</i><br><i>Cyprodinil</i>        | <i>25% w/w</i><br><i>37.5% w/w</i>   | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                               | Chamane             | 05002         | UPL Holdings Cooperatief U.A.            | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd             | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               | Clayton Gear        | 06607         | Clayton Plant Protection Ltd             | Fungicide       | <i>Fludioxonil</i><br><i>Cyprodinil</i>        | <i>25.0% w/w</i><br><i>37.5% w/w</i> | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                    | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|---------------------------------------|-----------------|-------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Aubergines - protected</i> |                     |               |                                       |                 |                                     |                  |                       |                         |                            |                               |             |
|                               | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd          | Insecticide     |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                               |                     |               |                                       |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                               | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                                     |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Deltamethrin</i>                 | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                               | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                                     |                  | 16.0 l/ha             | 80.0 l/ha               | 5                          | N/A                           |             |
|                               |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i>          | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                               | Frupica             | 02128         | Certis Belchim BV                     | Fungicide       |                                     |                  | 0.9 L/ha              | 1.8 L/ha                | 2 per crop                 | 1 day before harvest          | 1 day       |
|                               |                     |               |                                       |                 | <i>Mepanipyrim</i>                  | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
|                               | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                               | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Karma               | 05116         | Certis Belchim BV                     | Fungicide       |                                     |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                               |                     |               |                                       |                 | <i>Potassium Hydrogen Carbonate</i> | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
|                               | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                               |                     |               |                                       |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                               | Nimrod              | 04964         | Adama Agricultural Solutions UK Ltd   | Fungicide       |                                     |                  | 2.0 l/ha              | 8.0 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Bupirimate</i>                   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Previcur Energy     | 04041         | Bayer CropScience Limited             | Fungicide       |                                     |                  | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                               |                     |               |                                       |                 | <i>Propamocarb</i>                  | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                               |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>         | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                               |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>         | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                               |                     |               |                                       |                 | <i>Propamocarb</i>                  | <i>530 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i>                   | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------------------------|---------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Aubergines - protected</i> |                     |                                 |                     |                 |   |                  |                       |                         |                            |                               |             |
| Revus                         | 05154               | Syngenta UK Ltd                 | Fungicide           |                 |   |                  | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |                                 |                     |                 | <i>Mandipropanid</i>                          | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Roubaix                       | 06720               | Rotam Agrochemical Europe Ltd   | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |                                 |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Scala                         | 03916               | BASF plc                        | Fungicide           |                 |   |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |                                 |                     |                 | <i>Pyrimethanil</i>                           | <i>400 g/l</i>   |                       |                         |                            |                               |             |
| Switch                        | 06414               | Syngenta UK Ltd                 | Fungicide           |                 |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                               |                     |                                 |                     |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                               |                     |                                 |                     |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
| Tec-Bom                       | 05040               | Grupo Agrotecnologia S.L        | Insecticide         |                 |   |                  | 1.84 ml/100L          | 92 l/ha                 | 5 per crop                 | -                             | -           |
|                               |                     |                                 |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |
| Teldor                        | 02003               | Bayer CropScience Limited       | Fungicide           |                 |   |                  | 1.5 kgs/ha            | 4.5 kgs/ha              | 3                          | 1 day before harvest          | 1 day       |
|                               |                     |                                 |                     |                 | <i>Fenhexamid</i>                             | <i>50 %w/w</i>   |                       |                         |                            |                               |             |
| Thaistar                      | 06649               | CAC GmbH                        | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |                                 |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Zoxis                         | 05348               | Arysta LifeScience Benelux SPRL | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |                                 |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                             | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                             | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                             |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                             | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                             |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                             | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                             |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>   |                       |                         |                            |                               |             |
|                             | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                 | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|---|-------------|
| <i>Baby leaf production</i> |                     |                               |                     |                 |                            |                  |                       |                         |                            |   |             |
| Clayton Gear                | 06607               | Clayton Plant Protection Ltd  | Fungicide           |                 |                            |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest                       | 7 days      |
|                             |                     |                               |                     |                 | <i>Cyprodinil</i>          | <i>37.5% w/w</i> |                       |                         |                            |   |             |
|                             |                     |                               |                     |                 | <i>Fludioxonil</i>         | <i>25.0% w/w</i> |                       |                         |                            |   |             |
|                             |                     |                               |                     |                 | <i>Cyprodinil</i>          | <i>37.5% w/w</i> |                       |                         |                            |   |             |
|                             |                     |                               |                     |                 | <i>Fludioxonil</i>         | <i>25.0% w/w</i> |                       |                         |                            |   |             |
| Clayton Occupy              | 06899               | Clayton Plant Protection Ltd  | Insecticide         |                 |                            |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 7 days before harvest                       | 7 days      |
|                             |                     |                               |                     |                 | <i>Spirotetramat</i>       | <i>150 g/l</i>   |                       |                         |                            |   |             |
| Cobalt                      | 06413               | Sharda Cropchem Espana S.L.   | Fungicide           |                 |                            |                  | 1.5 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest                      | 14 days     |
|                             |                     |                               |                     |                 | <i>Boscalid</i>            | <i>26.7% w/w</i> |                       |                         |                            |   |             |
|                             |                     |                               |                     |                 | <i>Pyraclostrobin</i>      | <i>6.7% w/w</i>  |                       |                         |                            |   |             |
| Decis Protech               | 05269               | Bayer CropScience Limited     | Insecticide         |                 |                            |                  | 830 mls/ha*           | 1.66 l/ha*              | 2 per crop*                | 7 days before harvest                       | 7 days      |
|                             |                     |                               |                     |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |   |             |
|                             |                     |                               |                     |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |   |             |
| Devrinol                    | 05234               | UPL Holdings Cooperatief U.A. | Herbicide           |                 |                            |                  | 0.85 l/ha             | 0.85 l/ha               | 1 per crop                 | Pre-planting                                |             |
|                             |                     |                               |                     |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |   |             |
| Dual Gold                   | 04192               | Syngenta UK Ltd               | Herbicide           |                 |                            |                  | 0.7 l/ha              | 1.4 l/ha                | -                          | 10 days post transplanting or 3rd true leaf |             |
|                             |                     |                               |                     |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |   |             |
| Eminentos 10 CS             | 04933               | FMC Agro Ltd                  | Insecticide         |                 |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                       | 7 days      |
|                             |                     |                               |                     |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |   |             |
| FLiPPER                     | 05027               | Alpha Biopesticides Ltd       | Insecticide         |                 |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -   |             |
|                             |                     |                               |                     |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |   |             |
| Gazelle SG                  | 03248               | Nisso Chemical Europe GmbH    | Insecticide         |                 |                            |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest                          | 3 days      |
|                             |                     |                               |                     |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |   |             |
| Globaztar AZT 250           | 07114               | Syngenta UK Ltd               | Fungicide           |                 |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                             |                     |                               |                     |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |   |             |
| Globaztar SC                | 05529               | Globachem nv                  | Fungicide           |                 |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                             |                     |                               |                     |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------------------------------|---------------------|-----------------|---|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |                                       |                     |                 |   |                 |                        |                         |                            |                               |             |
| Hill-Star                   | 06809               | Hillfield Trading and Investments Ltd | Fungicide           |                 |   |                 | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |                                       |                     |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                        |                         |                            |                               |             |
| Infinito                    | 04309               | Bayer CropScience Limited             | Fungicide           |                 |   |                 | 1.6 l/ha               | 1.6 l/ha                | 1 per crop                 | Before GS 49                  | 14 days     |
|                             |                     |                                       |                     |                 | <i>Propamocarb</i>  | <i>625 g/l</i>  |                        |                         |                            |                               |             |
|                             |                     |                                       |                     |                 | <i>Fluopicolide</i>                                       | <i>62.5 g/l</i> |                        |                         |                            |                               |             |
| Karate Zeon                 | 04084               | Syngenta UK Ltd                       | Insecticide         |                 |   |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
| Karis 10 CS                 | 04454               | FMC Agro Ltd                          | Insecticide         |                 |   |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
| Kerb Flo                    | 02830               | Corteva Agriscience UK Ltd            | Herbicide           |                 |   |                 | 1.875 l/ha             | 1.875 l/ha              | 1                          | 24 days before harvest        | 24 days     |
|                             |                     |                                       |                     |                 | <i>Propyzamide</i>  | <i>400 g/l</i>  |                        |                         |                            |                               |             |
| Laidir 10 CS                | 04932               | FMC Agro Ltd                          | Insecticide         |                 |   |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
| LALGUARD M52                | 04811               | Danstar Ferment AG                    | Insecticide         |                 |   |                 | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                             |                     |                                       |                     |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>   |                        |                         |                            |                               |             |
| Lepinox Plus                | 05254               | CBC (Europe) S.r.l.                   | Insecticide         |                 |   |                 | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                             |                     |                                       |                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                        |                         |                            |                               |             |
| Life Scientific Lam         | 04868               | Life Scientific Limited               | Insecticide         |                 |   |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
| LS TARAK                    | 07187               | Life Scientific Limited               | Insecticide         |                 |   |                 | 75 mls/ha              | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/L</i>  |                        |                         |                            |                               |             |
| Markate 50                  | 05001               | Globachem nv                          | Insecticide         |                 |   |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>   |                        |                         |                            |                               |             |
| Movento                     | 05349               | Bayer CropScience Limited             | Insecticide         |                 |   |                 | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>  |                        |                         |                            |                               |             |
| Ninja 10CS                  | 05178               | Syngenta UK Ltd                       | Insecticide         |                 |   |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |                                       |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                 | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |                               |                     |                 |  |                   |                       |                         |                            |                               |             |
| Oxe                         | 06463               | Albaugh TKI d.o.o             | Fungicide           |                 |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Pantha                      | 06445               | TerreChem Ltd                 | Fungicide           |                 |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Paraat                      | 03614               | BASF plc                      | Fungicide           |                 |  |                   | 0.36 kg/ha            | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |                               |                     |                 | <i>Dimethomorph</i>                            | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
| PDM 330 EC                  | 03582               | BASF plc                      | Herbicide           |                 |  |                   | 4.5 l/ha              | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                             |                     |                               |                     |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |                            |                               |             |
| Pendifin 400 SC             | 05731               | Finchimica S.p.A              | Herbicide           |                 |  |                   | 3.75 l/ha             | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                             |                     |                               |                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
| Percos                      | 03841               | BASF plc                      | Fungicide           |                 |  |                   | 1.5 l/ha              | 3.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |                               |                     |                 | <i>Dimethomorph</i>                            | <i>225 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |                               |                     |                 | <i>Ametoctradin</i>                            | <i>300 g/l</i>    |                       |                         |                            |                               |             |
| Perseus                     | 06476               | BASF plc                      | Fungicide           |                 |  |                   | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 18                         | 14 days     |
|                             |                     |                               |                     |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                             |                     |                               |                     |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
| Previcur Energy             | 04041               | Bayer CropScience Limited     | Fungicide           |                 |  |                   | 3 mls per sq m        | 6 mls per sq m          | -                          | Immediately post drilling     |             |
|                             |                     |                               |                     |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |                               |                     |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |                               |                     |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |                               |                     |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
| Ravane                      | 05536               | Globachem nv                  | Insecticide         |                 |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |                               |                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
| Roubaix                     | 06720               | Rotam Agrochemical Europe Ltd | Fungicide           |                 |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Serenade ASO                | 03847               | Bayer CropScience Limited     | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                             |                     |                               |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|------------------------------|-----------------|---|-------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |               |                              |                 |   |                   |                         |                         |                            |                               |             |
|                             | Signum              | 03799         | BASF plc                     | Fungicide       |   |                   | 1.5 kgs/ha              | 3.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                             |                     |               |                              |                 | <i>Pyraclostrobin</i>                         | <i>6.7 % w/w</i>  |                         |                         |                            |                               |             |
|                             |                     |               |                              |                 | <i>Boscalid</i>                               | <i>26.7 % w/w</i> |                         |                         |                            |                               |             |
|                             | Sonata              | 05802         | Bayer CropScience Limited    | Fungicide       |   |                   | 10 l/ha                 | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                             |                     |               |                              |                 | <i>Bacillus pumilus QST 2808</i>              | <i>14.35 g/l</i>  |                         |                         |                            |                               |             |
|                             | Sparviero           | 04469         | Sipcam Oxon SpA              | Insecticide     |   |                   | 75 ml/ha                | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |               |                              |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>    |                         |                         |                            |                               |             |
|                             | Stealth             | 06468         | Syngenta UK Ltd              | Insecticide     |   |                   | 75 mls/ha               | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                              |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>    |                         |                         |                            |                               |             |
|                             | Stomp 400 SC        | 02879         | BASF plc                     | Herbicide       |   |                   | 3.75 l/ha               | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                             |                     |               |                              |                 | <i>Pendimethalin</i>                          | <i>400 g/l</i>    |                         |                         |                            |                               |             |
|                             | Stomp Aqua          | 03750         | BASF plc                     | Herbicide       |   |                   | 3.3 l/ha                | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                             |                     |               |                              |                 | <i>Pendimethalin</i>                          | <i>455 g/l</i>    |                         |                         |                            |                               |             |
|                             | Stratos Ultra       | 04936         | BASF plc                     | Herbicide       |   |                   | 4.0 l/ha                | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                             |                     |               |                              |                 | <i>Cycloxydim</i>                             | <i>100 g/l</i>    |                         |                         |                            |                               |             |
|                             | Switch              | 06414         | Syngenta UK Ltd              | Fungicide       |   |                   | 0.8 kg/ha or 0.6 kg/ha* | 1.6 kg/ha or 1.2 kg/ha* | 2 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                              |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i>  |                         |                         |                            |                               |             |
|                             |                     |               |                              |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>    |                         |                         |                            |                               |             |
|                             | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |   |                   | 10 g/m3                 | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                             |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>    |                         |                         |                            |                               |             |
|                             |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>    |                         |                         |                            |                               |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |   |                   | 5.75 l/ha               | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                             |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>    |                         |                         |                            |                               |             |
|                             | Teldor              | 02003         | Bayer CropScience Limited    | Fungicide       |   |                   | 1.5 kgs/ha              | 3.0 kgs/ha              | 2                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                              |                 | <i>Fenhexamid</i>                             | <i>50 %w/w</i>    |                         |                         |                            |                               |             |
|                             | Thaistar            | 06649         | CAC GmbH                     | Fungicide       |   |                   | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |                              |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                             | Tracer              | 02649         | Corteva Agriscience UK Ltd      | Insecticide     |  |                   | 200 ml/ha             | 600 ml/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       | <i>Spinosad</i>                                | <i>480 g/l</i>    | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                             |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| <i>Basil</i>                |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd             | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       | <i>Beauveria bassiana GHA / ATCC 74040</i>     | <i>220 g/kg</i>   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                             |                     |               |                                 |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                             | Stratos Ultra       | 04936         | BASF plc                        | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                             | Teldor              | 02003         | Bayer CropScience Limited       | Fungicide       | <i>Cycloxydim</i>                              | <i>100 g/l</i>    | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                             |                     |               |                                 |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>   | <i>Content</i>                    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>    | <i>PHI:</i> |
|----------------------|---------------------|---------------|-----------------------------|-----------------|--|-----------------------------------|-----------------------|-------------------------|----------------------------|----------------------------------|-------------|
| <i>Beans - broad</i> |                     |               |                             |                 |  |                                   |                       |                         |                            |                                  |             |
|                      | Afinto              | 06733         | ISK Biosciences Europe N.V. | Insecticide     |  |                                   | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest              | 14 days     |
|                      | Amistar Top         | 04582         | Syngenta UK Ltd             | Fungicide       | <i>Flonicamid</i>  | <i>500 g/kg</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest           | 14 days     |
|                      | Centurion Max       | 04948         | Arysta Life Science S.A.S.  | Herbicide       | <i>Difenoconazole</i><br><i>Azoxystrobin</i>                       | <i>125 g/l</i><br><i>200 g/l</i>  | 1.0 l/ha              | 1.0 l/ha                | -                          | 30 days before harvest           | 30 days     |
|                      | Claw 100            | 05874         | DHM Agrochemicals Ltd.,     | Herbicide       | <i>Clethodim</i>   | <i>120 g/l</i>                    | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                      | FLIPPER             | 05027         | Alpha Biopesticides Ltd     | Insecticide     | <i>Propaquizafop</i>   | <i>100 g/l</i>                    | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                                |             |
|                      | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.         | Insecticide     | <i>Fatty Acid - C7-C20</i>   | <i>479.8 g/l</i>                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                              |             |
|                      | Perseus             | 06476         | BASF plc                    | Fungicide       | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>          | <i>375 g/kg</i>                   | 2.0 l/ha              | 2.0 l/ha                | 1 per crop                 | GS 89                            | 7 days      |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       | <i>Fluxapyroxad</i><br><i>Difenoconazole</i>                       | <i>75 g/l</i><br><i>50 g/l</i>    | 8 l/ha                | 48 l/ha                 | 6                          |                                  | 0 days      |
|                      | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L    | Insecticide     | <i>Bacillus amyloliquefaciens str. QST 713</i>                     | <i>1017.8 g/l</i>                 | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                | -           |
|                      | Teppeki             | 04399         | ISK Biosciences Europe N.V. | Insecticide     | <i>Fatty acid - C7 - C18 - potassium salt</i><br><i>Flonicamid</i> | <i>416 g/l</i><br><i>500 g/kg</i> | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest              | 14 days     |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|-------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beans - field</i> |                     |               |                                     |                 |  |                   |                       |                         |                            |                               |             |
|                      | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                |                            | Pre crop emergence            |             |
|                      |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Clayton Heed        | 06487         | Clayton Plant Protection Ltd        | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | Crozier             | 06482         | Barclay Chemicals Ltd               | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | Defy                | 04277         | Syngenta UK Ltd                     | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | FANTASIA            | 06952         | Albaugh TKI d.o.o                   | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/L</i>    |                       |                         |                            |                               |             |
|                      | LEES                | 06732         | Albaugh TKI d.o.o                   | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/L</i>    |                       |                         |                            |                               |             |
|                      | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                      |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                      | Peloton             | 06481         | Barclay Chemicals Ltd               | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|                      |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Professional        | 06262         | Sharda Cropchem Espana S.L.         | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | Roxy 800 EC         | 05739         | Globachem nv                        | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |               |                                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                      |                     |               |                                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                      | Stomp 400 SC        | 02879         | BASF plc                            | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                      |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Pre crop emergence            |             |
|                      |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>    | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-----------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|----------------------------------|-------------|
| <i>Beans - field</i>  |                     |               |                                   |                 |  |                   |                       |                         |                            |                                  |             |
|                       | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     | <i>Esfenvalerate</i>                           | <i>25 g/l</i>     | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest               |             |
| <i>Beans - french</i> |                     |               |                                   |                 |  |                   |                       |                         |                            |                                  |             |
|                       | Centurion Max       | 04948         | Arysta Life Science S.A.S.        | Herbicide       | <i>Clethodim</i>                               | <i>120 g/l</i>    | 1.0 l/ha              | 1.0 l/ha                | -                          | 30 days before harvest           | 30 days     |
|                       | Claw 100            | 05874         | DHM Agrochemicals Ltd.,           | Herbicide       | <i>Propaquizafop</i>                           | <i>100 g/l</i>    | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       | Dual Gold           | 04192         | Syngenta UK Ltd                   | Herbicide       | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing         |             |
|                       | Efica 960 EC        | 05942         | Syngenta UK Ltd                   | Herbicide       | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing         |             |
|                       | Fathom              | 04688         | FMC Agro Ltd                      | Fungicide       | <i>Tebuconazole</i>                            | <i>200 g/l</i>    | 0.95 l/ha             | 0.95 l/ha               | 1                          | GS 20                            |             |
|                       | FLiPPER             | 05027         | Alpha Biopesticides Ltd           | Insecticide     | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                                |             |
|                       | Perseus             | 06476         | BASF plc                          | Fungicide       | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     | 2.0 l/ha              | 2.0 l/ha                | 1 per crop                 | GS 89                            | 7 days      |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       | <i>Difenoconazole</i>                          | <i>50 g/l</i>     | 8 l/ha                | 48 l/ha                 | 6                          |                                  | 0 days      |
|                       | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                | -           |
|                       |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                                  |             |
| <i>Beans - navy</i>   |                     |               |                                   |                 |  |                   |                       |                         |                            |                                  |             |
|                       | Claw 100            | 05874         | DHM Agrochemicals Ltd.,           | Herbicide       | <i>Propaquizafop</i>                           | <i>100 g/l</i>    | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|----------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beans - runner</i> |                     |               |                            |                 |   |                   |                       |                         |                            |                               |             |
|                       | Centurion Max       | 04948         | Arysta Life Science S.A.S. | Herbicide       |   |                   | 1.0 l/ha              | 1.0 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                       |                     |               |                            |                 | <i>Clethodim</i>  | <i>120 g/l</i>    |                       |                         |                            |                               |             |
|                       | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |   |                   | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing      |             |
|                       |                     |               |                            |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                       | Efica 960 EC        | 05942         | Syngenta UK Ltd            | Herbicide       |   |                   | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing      |             |
|                       |                     |               |                            |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                       | Fathom              | 04688         | FMC Agro Ltd               | Fungicide       |   |                   | 0.95 l/ha             | 0.95 l/ha               | 1                          | GS 20                         |             |
|                       |                     |               |                            |                 | <i>Tebuconazole</i>                                       | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                       | FLiPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide     |   |                   | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                       |                     |               |                            |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i>  |                       |                         |                            |                               |             |
|                       | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |   |                   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                       |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Perseus             | 06476         | BASF plc                   | Fungicide       |   |                   | 2.0 l/ha              | 2.0 l/ha                | 1 per crop                 | GS 89                         | 7 days      |
|                       |                     |               |                            |                 | <i>Fluxapyroxad</i>                                       | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                       |                     |               |                            |                 | <i>Difenoconazole</i>                                     | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |   |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                       |                     |               |                            |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                       | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L   | Insecticide     |   |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                       |                     |               |                            |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beet - fodder</i> |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|                      | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a     | Insecticide     |  |                   | 300 mls/ha            | 300 mls/ha              | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>                            | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                      | Decis Protech       | 05269         | Bayer CropScience Limited | Insecticide     |  |                   | 500 mls/ha            | 500 mls/ha              | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>                            | <i>15 g/l</i>     |                       |                         |                            |                               |             |
|                      | Delta-Glob 25 EC    | 06302         | Globachem nv              | Insecticide     |  |                   | 300 mls/ha            | 300 mls/ha              |                            | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>                            | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                      | Difenofin           | 06218         | Finchimica S.p.A          | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                      | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                      |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                      | Efica 960 EC        | 05942         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|                      |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                      | GAT Decline 2.5 E   | 04422         | FMC Agro Ltd              | Insecticide     |  |                   | 300 mls/ha            | 300 mls/ha              | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>                            | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                      | Mavita 250 EC       | 05941         | Syngenta UK Ltd           | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                      | NEMGuard DE         | 05368         | ECOspray Ltd              | Nematicide      |  |                   | 10 kg/ha              | 10 kg/ha                | 1                          | At drilling                   |             |
|                      |                     |               |                           |                 | <i>Garlic Extract</i>                          | <i>450 g/kg</i>   |                       |                         |                            |                               |             |
|                      | Polux               | 05946         | Galenika-Fitofarmacija    | Insecticide     |  |                   | 0.3 l/ha              | 0.3 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>                            | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                      | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beet - red</i>   |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|                     | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                     |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                     | Efica 960 EC        | 05942         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|                     |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                     | Mitron WG           | 04683         | Hermoo Belgium N.V.       | Herbicide       |  |                   | 2.0 kg/ha             | 5.0 kg/ha               | 3 per crop                 | GS 18                         |             |
|                     |                     |               |                           |                 | <i>Metamitron</i>                              | <i>70% w/w</i>    |                       |                         |                            |                               |             |
|                     | NEMGuard DE         | 05368         | ECOSpray Ltd              | Nematicide      |  |                   | 10 kg/ha              | 10 kg/ha                | 1                          | At drilling                   |             |
|                     |                     |               |                           |                 | <i>Garlic Extract</i>                          | <i>450 g/kg</i>   |                       |                         |                            |                               |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                     |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
| <i>Beet - sugar</i> |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|                     | Difenofin           | 06218         | Finchimica S.p.A          | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                     |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                     | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                     |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                     | Efica 960 EC        | 05942         | Syngenta UK Ltd           | Herbicide       |  |                   | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|                     |                     |               |                           |                 | <i>S-Metolachlor</i>                           | <i>960 g/l</i>    |                       |                         |                            |                               |             |
|                     | Mavita 250 EC       | 05941         | Syngenta UK Ltd           | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                     |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                     | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                     |                     |               |                           |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                     |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beetroot</i> |                     |               |                               |                 |                       |                  |                       |                         |                            |                               |             |
|                 | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                 | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                 | Centurion Max       | 04948         | Arysta Life Science S.A.S.    | Herbicide       |                       |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | Before row closure            | 56 days     |
|                 |                     |               |                               |                 | <i>Clethodim</i>      | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|                 | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                 | Clayton Heed        | 06487         | Clayton Plant Protection Ltd  | Herbicide       |                       |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                               |                 | <i>Prosulfocarb</i>   | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                 | Crozier             | 06482         | Barclay Chemicals Ltd         | Herbicide       |                       |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                 |                     |               |                               |                 | <i>Prosulfocarb</i>   | <i>800 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beetroot</i> |                     |               |                                       |                 |                            |                  |                       |                         |                            |                               |             |
|                 | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                            |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                                       |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                 | Difenofin           | 06218         | Finchimica S.p.A                      | Fungicide       |                            |                  | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                                       |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Eminentos 10 CS     | 04933         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | FANTASIA            | 06952         | Albaugh TKI d.o.o                     | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                 | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                 |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                 | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH            | Insecticide     |                            |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                 |                     |               |                                       |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                 | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                 | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                            |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                 | Life Scientific Lam | 04868         | Life Scientific Limited               | Insecticide     |                            |                  | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | LS TARAK            | 07187         | Life Scientific Limited               | Insecticide     |                            |                  | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/L</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beetroot</i> |                     |               |                               |                 |                           |                   |                       |                         |                            |                               |             |
|                 | Markate 50          | 05001         | Globachem nv                  | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Mavita 250 EC       | 05941         | Syngenta UK Ltd               | Fungicide       |                           |                   | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A. | Fungicide       |                           |                   | 7.5 kg/ha             | 30 kg/ha                | 4 per crop                 | 0 days before harvest         | 0 days      |
|                 |                     |               |                               |                 | <i>Sulphur</i>            | <i>80% w/w</i>    |                       |                         |                            |                               |             |
|                 | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |                           |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Peloton             | 06481         | Barclay Chemicals Ltd         | Herbicide       |                           |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 |                     |               |                               |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                 | Perseus             | 06476         | BASF plc                      | Fungicide       |                           |                   | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                 |                     |               |                               |                 | <i>Fluxapyroxad</i>       | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       |                           |                   | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                 |                     |               |                               |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Ravane              | 05536         | Globachem nv                  | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       |                           |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Signum              | 03799         | BASF plc                      | Fungicide       |                           |                   | 1.0 kgs/ha            | 2.0 kgs/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                 | Sparviero           | 04469         | Sipcam Oxon SpA               | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beetroot</i> |                     |               |                                     |                 |   |                  |                       |                         |                            |                               |             |
|                 | Stealth             | 06468         | Syngenta UK Ltd                     | Insecticide     |   |                  | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Stratos Ultra       | 04936         | BASF plc                            | Herbicide       |   |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                                     |                 | <i>Cycloxydim</i>                             | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Switch              | 06414         | Syngenta UK Ltd                     | Fungicide       |   |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                                     |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                                     |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             |             |
|                 |                     |               |                                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |
|                 | Thaistar            | 06649         | CAC GmbH                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                     | Herbicide       |   |                  | 0.4 l/ha              | 0.4 l/ha                | -                          | Pre-emergence                 |             |
|                 |                     |               |                                     |                 | <i>Lenacil</i>                                | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                 | Volley              | 04516         | Adama Agricultural Solutions UK Ltd | Fungicide       |   |                  | 0.4 l/ha              | 0.4 l/ha                | 1 per crop                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                                     |                 | <i>Fluazinam</i>                              | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                 | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL     | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>                     | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|------------------------------------|-----------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Blackberries - field</i> |                     |               |  |                 |   |                                    |                       |                         |                            |                                |             |
|                             | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                                    | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                             | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                             | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       | <i>Difenoconazole</i><br><i>Azoxystrobin</i>            | <i>125 g/l</i><br><i>200 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                             | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd        | Acaricide       | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>                    | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest          | 9 days      |
|                             | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       | <i>Clofentezine</i><br><i>Azoxystrobin</i>              | <i>500 g/l</i><br><i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>                    | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                             | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       | <i>Cyprodinil</i><br><i>Fludioxonil</i>                 | <i>37.5% w/w</i><br><i>25% w/w</i> | 1.0 kg/ha             | 3.0 kg/ha               | 3 per year                 | 14 days before harvest         | 14 days     |
|                             | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       | <i>Clethodim</i>  | <i>120 g/l</i>                     | 2.0 l/ha              | 2.0 l/ha                | -                          | 30 days before harvest         | 30 days     |
|                             | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     | <i>Deltamethrin</i>                                     | <i>15 g/l</i>                      | 830 mls/ha            | 2.49 l/ha               | 3                          | 7 days before harvest          | 7 days      |
|                             | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i>                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                             | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i>   | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------------------------------|---------------------|---|-------------------|----------------|--------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Blackberries - field</i> |                     |                                       |                     |   |                   |                |                          |                         |                            |                               |             |
| Hill-Star                   | 06809               | Hillfield Trading and Investments Ltd | Fungicide           |   |                   |                | 1.0 l/ha                 | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
| Lepinox Plus                | 05254               | CBC (Europe) S.r.l.                   | Insecticide         | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>    |                | 1.0 kg/ha                | 3.0 kg/ha               | -                          | N/A                           |             |
| Microthiol Special          | 04757               | UPL Holdings Cooperatief U.A.         | Fungicide           | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                | 7.0 kg/ha                | 42 kg/ha                | 6 per crop                 | 0 days before harvest         | 0 days      |
| Nimrod                      | 04964               | Adama Agricultural Solutions UK Ltd   | Fungicide           | <i>Sulphur</i>  | <i>80% w/w</i>    |                | 1.0 l/ha                 | 4.0 l/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
| Pantha                      | 06445               | TerreChem Ltd                         | Fungicide           | <i>Bupirimate</i>   | <i>250 g/l</i>    |                | 1.0 l/ha                 | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
| Pirim                       | 06268               | Sharda Cropchem Espana S.L.           | Fungicide           | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>    |                | 2.0 l/ha                 | 4.0 l/ha                | 2 per year                 | 21 days before harvest        | 21 days     |
| Scala                       | 03916               | BASF plc                              | Fungicide           | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>    |                | 2.0 l/ha                 | 4.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
| Serenade ASO                | 03847               | Bayer CropScience Limited             | Fungicide           | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>    |                | 8 l/ha                   | 48 l/ha                 | 6                          |                               | 0 days      |
| Spotlight Plus              | 03294               | FMC Chemical s.p.r.l.                 | Herbicide           | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                | 0.8 l/ha                 | 1.6 l/ha                | -                          | 21 days before harvest        |             |
| Tec-Bom                     | 05040               | Grupo Agrotecnologia S.L              | Insecticide         | <i>Carfentrazone-ethyl</i>                                | <i>60 g/l</i>     |                | 11.5 l/ha                | 92 l/ha                 | 8 per crop                 | -                             | -           |
| Tracer                      | 02649               | Corteva Agriscience UK Ltd            | Insecticide         | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>    |                | 200 ml/ha in 1000L water | 400 ml/ha               | 2 per year                 | 1 day before harvest          | 1 day       |
|                             |                     |                                       |                     | <i>Spinosad</i>   | <i>480 g/l</i>    |                |                          |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Blackberries - protected</i> |                     |               |  |                 |   |                  |                       |                         |                            |                                |             |
|                                 | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                                 | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                                |             |
|                                 |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                                |             |
|                                 | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                                |             |
|                                 | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd        | Acaricide       |   |                  | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest          | 9 days      |
|                                 |                     |               |  |                 | <i>Clofentezine</i>                                     | <i>500 g/l</i>   |                       |                         |                            |                                |             |
|                                 | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                                 | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                 |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                                |             |
|                                 | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per year                 | 14 days before harvest         | 14 days     |
|                                 |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                                |             |
|                                 |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |                                |             |
|                                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                                |             |
|                                 | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                                |             |
|                                 | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd      | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>  | <i>Content</i>    | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|-------------------------------------|-----------------|---|-------------------|--------------------------|-------------------------|----------------------------|--|-------------|
| <i>Blackberries - protected</i> |                     |               |                                     |                 |   |                   |                          |                         |                            |  |             |
|                                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                 | Insecticide     |   |                   | 1.0 kg/ha                | 3.0 kg/ha               | -                          | N/A  |             |
|                                 |                     |               |                                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                          |                         |                            |  |             |
|                                 | Nimrod              | 04964         | Adama Agricultural Solutions UK Ltd | Fungicide       |   |                   | 1.0 l/ha                 | 4.0 l/ha                | 4 per crop                 | 7 days before harvest                              | 7 days      |
|                                 |                     |               |                                     |                 | <i>Bupirimate</i>   | <i>250 g/l</i>    |                          |                         |                            |  |             |
|                                 | Pantha              | 06445         | TerreChem Ltd                       | Fungicide       |   |                   | 1.0 l/ha                 | 2.0 l/ha                | -                          | 7 days before harvest                              | 7 days      |
|                                 |                     |               |                                     |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>    |                          |                         |                            |  |             |
|                                 | Scala               | 03916         | BASF plc                            | Fungicide       |   |                   | 2.0 l/ha                 | 4.0 l/ha                | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                                 |                     |               |                                     |                 | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>    |                          |                         |                            |  |             |
|                                 | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |   |                   | 8 l/ha                   | 48 l/ha                 | 6                          |  | 0 days      |
|                                 |                     |               |                                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                          |                         |                            |  |             |
|                                 | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.               | Herbicide       |   |                   | 0.8 l/ha                 | 1.6 l/ha                | -                          | 21 days before harvest                             | 21 days     |
|                                 |                     |               |                                     |                 | <i>Carfentrazone-ethyl</i>                                | <i>60 g/l</i>     |                          |                         |                            |  |             |
|                                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.        | Fungicide       |   |                   | 0.5 g/m2*                | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                                 |                     |               |                                     |                 | <i>Trichoderma Asperellum (strain T34)</i>                | <i>12% w/w</i>    |                          |                         |                            |  |             |
|                                 |                     |               |                                     |                 | <i>Trichoderma Asperellum (strain T34)</i>                | <i>12% w/w</i>    |                          |                         |                            |  |             |
|                                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     |   |                   | 11.5 l/ha                | 92 l/ha                 | 8 per crop                 | -  | -           |
|                                 |                     |               |                                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>    |                          |                         |                            |  |             |
|                                 | Teppeki             | 04399         | ISK Biosciences Europe N.V.         | Insecticide     |   |                   | 0.14 kg/ha               | 0.28 kg/ha              | 2 per crop                 | 3 days before harvest                              | 3 days      |
|                                 |                     |               |                                     |                 | <i>Fonicamid</i>  | <i>500 g/kg</i>   |                          |                         |                            |  |             |
|                                 | Tracer              | 02649         | Corteva Agriscience UK Ltd          | Insecticide     |   |                   | 200 ml/ha in 1000L water | 600 ml/ha               | 3 per year                 | 1 day before harvest                               | 1 day       |
|                                 |                     |               |                                     |                 | <i>Spinosad</i>   | <i>480 g/l</i>    |                          |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product</i> |                     |                 |                             |                | <i>Max Ind.</i> | <i>Max. Total</i> | <i>Max No of</i> | <i>Latest Time</i> |             |
|---------------------------------|----------------|---------------------|-----------------|-----------------------------|----------------|-----------------|-------------------|------------------|--------------------|-------------|
| <i>Name</i>                     | <i>PCS No</i>  | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Dose:</i>    | <i>Dose:</i>      | <i>Applic's:</i> | <i>of Applic:</i>  | <i>PHI:</i> |
| <i>Blackberries - protected</i> |                |                     |                 |                             |                |                 |                   |                  |                    |             |
| Trianum-P                       | 05486          | Koppert B.V.        | Fungicide       |                             |                | 15 kg/ha        | 30 kg/ha          | 2 per crop       | At propagation     |             |
|                                 |                |                     |                 | <i>Trichoderma</i>          | <i>1% w/w</i>  |                 |                   |                  |                    |             |
|                                 |                |                     |                 | <i>harzianum Strain T22</i> |                |                 |                   |                  |                    |             |
|                                 |                |                     |                 | <i>Trichoderma</i>          | <i>1% w/w</i>  |                 |                   |                  |                    |             |
|                                 |                |                     |                 | <i>harzianum Strain T22</i> |                |                 |                   |                  |                    |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|------------------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|---|----------------------------|--------------------------------|-------------|
| <i>Blackcurrants - field</i> |                     |               |  |                 |   |                |                       |   |                            |                                |             |
|                              | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                                      | 6 per year                 | GS 89                          |             |
|                              |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                       |   |                            |                                |             |
|                              | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha             | 3.0 kg/ha                                     | 5 per year                 | When leaves begin to discolour |             |
|                              |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                       |   |                            |                                |             |
|                              | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                                      | -                          | 30 days before harvest         | 30 days     |
|                              |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                       |   |                            |                                |             |
|                              | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.                | Herbicide       |   |                | 120 g/ha              | 120 g/ha                                      | 1 per year                 | Before bud burst               |             |
|                              |                     |               |  |                 | <i>Flazasulfuron</i>                                      | 25 % w/w       |                       |   |                            |                                |             |
|                              | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.5 kg/ha             | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest          | 3 days      |
|                              |                     |               |  |                 | <i>Pyraclostrobin</i>                                     | 6.7% w/w       |                       |   |                            |                                |             |
|                              |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |   |                            |                                |             |
|                              | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 400 ml/ha             | 800 ml/ha                                     | 2 per crop                 | 7 days before harvest          | 7 days      |
|                              |                     |               |  |                 | <i>Deltamethrin</i>                                       | 15 g/l         |                       |   |                            |                                |             |
|                              | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha             | 80.0 l/ha                                     | 8 per crop                 | -                              |             |
|                              |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                       |   |                            |                                |             |
|                              | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days pre harvest            | 14 days     |
|                              |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |   |                            |                                |             |
|                              | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | -                          | N/A                            |             |
|                              |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                       |   |                            |                                |             |
|                              | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha             | 42 kg/ha                                      | 6 per crop                 | 0 days before harvest          | 0 days      |
|                              |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                       |   |                            |                                |             |
|                              | Ninja 10CS          | 05178         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days before harvest         | 14 days     |
|                              |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |   |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i>               | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|-----------------------------|---------------------|-----------------|--|-------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Blackcurrants - field</i> |                     |                             |                     |                 |  |                   |                         |                         |                            |                               |             |
| Pirim                        | 06268               | Sharda Cropchem Espana S.L. | Fungicide           |                 |  |                   | 2.0 l/ha                | 4.0 l/ha                | 2 per year                 | 21 days before harvest        | 21 days     |
|                              |                     |                             |                     |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |                         |                            |                               |             |
| Scala                        | 03916               | BASF plc                    | Fungicide           |                 |  |                   | 2.0 l/ha                | 4.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                              |                     |                             |                     |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |                         |                            |                               |             |
| Serenade ASO                 | 03847               | Bayer CropScience Limited   | Fungicide           |                 |  |                   | 8 l/ha                  | 48 l/ha                 | 6                          |                               | 0 days      |
|                              |                     |                             |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |                         |                            |                               |             |
| Stealth                      | 06468               | Syngenta UK Ltd             | Insecticide         |                 |  |                   | 100 mls/ha              | 200 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                              |                     |                             |                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                         |                         |                            |                               |             |
| Tec-Bom                      | 05040               | Grupo Agrotecnologia S.L    | Insecticide         |                 |  |                   | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                              |                     |                             |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                         |                         |                            |                               |             |
| Tracer                       | 02649               | Corteva Agriscience UK Ltd  | Insecticide         |                 |  |                   | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 7 days before harvest         | 7 days      |
|                              |                     |                             |                     |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |                         |                            |                               |             |
| Valdor Solo                  | 06722               | ISK Biosciences Europe N.V. | Herbicide           |                 |  |                   | 120 g/ha                | 120 g/ha                | -                          | -                             |             |
|                              |                     |                             |                     |                 | <i>Flazasulfuron</i>                           | <i>25% w/w</i>    |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|----------------------------------|---------------------|---------------|--|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Blackcurrants - protected</i> |                     |               |  |                 |   |                |                         |                         |                            |                                |             |
|                                  | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha               | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                         |                         |                            |                                |             |
|                                  | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha               | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                  |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | 220 g/kg       |                         |                         |                            |                                |             |
|                                  | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha               | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                  |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                         |                         |                            |                                |             |
|                                  | Nimrod              | 04964         | Adama Agricultural Solutions UK Ltd        | Fungicide       |   |                | 1.0 l/ha                | 4.0 l/ha                | 4 per crop                 | 7 days before harvest          | 7 days      |
|                                  |                     |               |  |                 | <i>Bupirimate</i>                                       | 250 g/l        |                         |                         |                            |                                |             |
|                                  | Scala               | 03916         | BASF plc                                   | Fungicide       |   |                | 2.0 l/ha                | 4.0 l/ha                | 2 per crop                 | 21 days before harvest         | 21 days     |
|                                  |                     |               |  |                 | <i>Pyrimethanil</i>                                     | 400 g/l        |                         |                         |                            |                                |             |
|                                  | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                  | 48 l/ha                 | 6                          |                                | 0 days      |
|                                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>          | 1017.8 g/l     |                         |                         |                            |                                |             |
|                                  | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   |                | 10 g/m3                 | 10 g/m3                 | 1                          | Pre planting / sowing          |             |
|                                  |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>              | 12% w/w        |                         |                         |                            |                                |             |
|                                  |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>              | 12% w/w        |                         |                         |                            |                                |             |
|                                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                                  |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>           | 416 g/l        |                         |                         |                            |                                |             |
|                                  | Tracer              | 02649         | Corteva Agriscience UK Ltd                 | Insecticide     |   |                | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 3 days before harvest          | 3 days      |
|                                  |                     |               |  |                 | <i>Spinosad</i>   | 480 g/l        |                         |                         |                            |                                |             |
|                                  | Trianum-P           | 05486         | Koppert B.V.                               | Fungicide       |   |                | 15 kg/ha                | 30 kg/ha                | 2 per crop                 | At propagation                 |             |
|                                  |                     |               |  |                 | <i>Trichoderma harzianum Strain T22</i>                 | 1% w/w         |                         |                         |                            |                                |             |
|                                  |                     |               |  |                 | <i>Trichoderma harzianum Strain T22</i>                 | 1% w/w         |                         |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|---|----------------------------|--------------------------------|-------------|
| <i>Blueberries - field</i> |                     |               |  |                 |   |                |                       |   |                            |                                |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                                      | 6 per year                 | GS 89                          |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                       |   |                            |                                |             |
|                            | Batavia             | 05905         | Bayer CropScience Limited                  | Insecticide     |   |                | 0.75 l/ha             | 1.5 l/ha                                      | 2                          | Post harvest application       |             |
|                            |                     |               |  |                 | <i>Spirotetramat</i>                                      | 100 g/l        |                       |   |                            |                                |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha             | 3.0 kg/ha                                     | 5 per year                 | When leaves begin to discolour |             |
|                            |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                       |   |                            |                                |             |
|                            | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | 3 per year                 | 10 days before harvest         | 10 days     |
|                            |                     |               |  |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                       |   |                            |                                |             |
|                            |                     |               |  |                 | <i>Fludioxonil</i>  | 25% w/w        |                       |   |                            |                                |             |
|                            | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                                      | -                          | 30 days before harvest         | 30 days     |
|                            |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                       |   |                            |                                |             |
|                            | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.                | Herbicide       |   |                | 120 g/ha              | 120 g/ha                                      | 1 per year                 | Before bud burst               |             |
|                            |                     |               |  |                 | <i>Flazasulfuron</i>                                      | 25 % w/w       |                       |   |                            |                                |             |
|                            | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.5 kg/ha             | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest          | 3 days      |
|                            |                     |               |  |                 | <i>Pyraclostrobin</i>                                     | 6.7% w/w       |                       |   |                            |                                |             |
|                            |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |   |                            |                                |             |
|                            | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha             | 80.0 l/ha                                     | 8 per crop                 | -                              |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                       |   |                            |                                |             |
|                            | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | -                          | N/A                            |             |
|                            |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                       |   |                            |                                |             |
|                            | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha             | 42 kg/ha                                      | 6 per crop                 | 0 days before harvest          | 0 days      |
|                            |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                       |   |                            |                                |             |
|                            | Pirim               | 06268         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 2.0 l/ha              | 4.0 l/ha                                      | 2 per year                 | 21 days before harvest         | 21 days     |
|                            |                     |               |  |                 | <i>Pyrimethanil</i>                                       | 400 g/l        |                       |   |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|----------------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-------------------------|---|----------------------------|--|-------------|
| <i>Blueberries - field</i> |                     |               |                              |                 |  |                   |                         |   |                            |  |             |
|                            | Scala               | 03916         | BASF plc                     | Fungicide       |  |                   | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                             | 21 days     |
|                            |                     |               |                              |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |   |                            |  |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                  | 48 l/ha                                       | 6                          |  | 0 days      |
|                            |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |   |                            |  |             |
|                            | Signum              | 03799         | BASF plc                     | Fungicide       |  |                   | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest        |             |
|                            |                     |               |                              |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                         |   |                            |  |             |
|                            |                     |               |                              |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                         |   |                            |  |             |
|                            | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                   | 0.5 g/m2*               | 0.5 g/m2                                      | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                            |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                         |   |                            |  |             |
|                            |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                         |   |                            |  |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 11.5 l/ha               | 92 l/ha                                       | 8 per crop                 | -  | -           |
|                            |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                         |   |                            |  |             |
|                            | Tracer              | 02649         | Corteva Agriscience UK Ltd   | Insecticide     |  |                   | 200 ml/ha in 250L water | 400 ml/ha                                     | 2 per year                 | 3 days before harvest                              | 3 days      |
|                            |                     |               |                              |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |   |                            |  |             |
|                            | Valdor Solo         | 06722         | ISK Biosciences Europe N.V.  | Herbicide       |  |                   | 120 g/ha                | 120 g/ha                                      | -                          | -  |             |
|                            |                     |               |                              |                 | <i>Flazasulfuron</i>                           | <i>25% w/w</i>    |                         |   |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|--|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Blueberries - protected</i> |                     |               |  |                 |   |                |                         |                         |                            |                                |             |
|                                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha               | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                         |                         |                            |                                |             |
|                                | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha               | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                         |                         |                            |                                |             |
|                                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                | 0.8 kg/ha               | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest          | 3 days      |
|                                |                     |               |  |                 | <i>Fludioxonil</i>  | 25.0% w/w      |                         |                         |                            |                                |             |
|                                |                     |               |  |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                         |                         |                            |                                |             |
|                                | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha               | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                         |                         |                            |                                |             |
|                                | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha               | 3.0 kg/ha               | -                          | N/A                            |             |
|                                |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                         |                         |                            |                                |             |
|                                | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                  | 48 l/ha                 | 6                          |                                | 0 days      |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                         |                         |                            |                                |             |
|                                | Switch              | 06414         | Syngenta UK Ltd                            | Fungicide       |   |                | 0.8 kg/ha               | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest          | 3 days      |
|                                |                     |               |  |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                         |                         |                            |                                |             |
|                                |                     |               |  |                 | <i>Fludioxonil</i>  | 25% w/w        |                         |                         |                            |                                |             |
|                                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                                |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                         |                         |                            |                                |             |
|                                | Tracer              | 02649         | Corteva Agriscience UK Ltd                 | Insecticide     |   |                | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 3 days before harvest          | 3 days      |
|                                |                     |               |  |                 | <i>Spinosad</i>   | 480 g/l        |                         |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product</i> |                     |                 |                             |                | <i>Max Ind.</i>  | <i>Max. Total</i> | <i>Max No of</i> | <i>Latest Time</i> |             |
|--------------------------------|----------------|---------------------|-----------------|-----------------------------|----------------|------------------|-------------------|------------------|--------------------|-------------|
| <i>Name</i>                    | <i>PCS No</i>  | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Dose:</i>     | <i>Dose:</i>      | <i>Applic's:</i> | <i>of Applic:</i>  | <i>PHI:</i> |
| <i>Blueberries - protected</i> |                |                     |                 |                             |                |                  |                   |                  |                    |             |
| Triatum-P                      | 05486          | Koppert B.V.        | Fungicide       |                             |                | 15 g/1000 plants | -                 | 12 per year      | At cultivation     |             |
|                                |                |                     |                 | <i>Trichoderma</i>          | <i>1% w/w</i>  |                  |                   |                  |                    |             |
|                                |                |                     |                 | <i>harzianum Strain T22</i> |                |                  |                   |                  |                    |             |
|                                |                |                     |                 | <i>Trichoderma</i>          | <i>1% w/w</i>  |                  |                   |                  |                    |             |
|                                |                |                     |                 | <i>harzianum Strain T22</i> |                |                  |                   |                  |                    |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-----------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Broccoli</i> |                     |               |  |                 |   |                |                       |                         |                            |  |             |
|                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   | 250 g/kg       | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> |                |                       |                         |                            |  |             |
|                 | Bigalo              | 06250         | Globachem nv                               | Fungicide       |   |                | 1.0 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest                                       | 14 days     |
|                 |                     |               |  |                 | <i>Pyraclostrobin</i>                                   | 6.7% w/w       |                       |                         |                            |  |             |
|                 |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |                         |                            |  |             |
|                 | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.0 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest                                       | 14 days     |
|                 |                     |               |  |                 | <i>Pyraclostrobin</i>                                   | 6.7% w/w       |                       |                         |                            |  |             |
|                 |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |                         |                            |  |             |
|                 | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 7 days before harvest  | 7 days      |
|                 |                     |               |  |                 | <i>Deltamethrin</i>                                     | 15 g/l         |                       |                         |                            |  |             |
|                 | Difenofin           | 06218         | Finchimica S.p.A                           | Fungicide       |   |                | 0.5 l/ha              | 0.5 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|                 |                     |               |  |                 | <i>Difenoconazole</i>                                   | 250 g/l        |                       |                         |                            |  |             |
|                 | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha              | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                 |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                       |                         |                            |  |             |
|                 | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha              | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                 |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                       |                         |                            |  |             |
|                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -  |             |
|                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                       |                         |                            |  |             |
|                 | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.25 l/ha             | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                 |                     |               |  |                 | <i>Clomazone</i>  | 360 g/l        |                       |                         |                            |  |             |
|                 | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                | 1.6 l/ha              | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                 |                     |               |  |                 | <i>Propamocarb</i>                                      | 625 g/l        |                       |                         |                            |  |             |
|                 |                     |               |  |                 | <i>Fluopicolide</i>                                     | 62.5 g/l       |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>   | <i>Content</i>                    | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|-----------------|---------------------|---------------|-----------------------------------|-----------------|--|-----------------------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Broccoli</i> |                     |               |                                   |                 |  |                                   |                        |                         |                            |  |             |
|                 | LALGUARD M52        | 04811         | Danstar Ferment AG                | Insecticide     | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>   | <i>2% w/w</i>                     | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                       |             |
|                 | Lentagran WP        | 05580         | Certis Belchim BV                 | Herbicide       | <i>Pyridate</i>  | <i>45% w/w</i>                    | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                             | 42 days     |
|                 | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd        | Herbicide       | <i>Clopyralid</i>  | <i>600 g/l</i>                    | 0.33 l/ha              | 0.5 l/ha                | -                          | 6 weeks before harvest                             | 6 weeks     |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       | <i>Bacillus amyloliquefaciens str. QST 713</i>   | <i>1017.8 g/l</i>                 | 8 l/ha                 | 48 l/ha                 | 6                          |  | 0 days      |
|                 | Stratos Ultra       | 04936         | BASF plc                          | Herbicide       | <i>Cycloxydim</i>  | <i>100 g/l</i>                    | 2.0 l/ha               | 2.0 l/ha                | 1 per crop                 | Before edible part formed                          | 28 days     |
|                 | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     | <i>Esfenvalerate</i>   | <i>25 g/l</i>                     | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest                                 |             |
|                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       | <i>Trichoderma Asperellum (strain T34)</i><br><i>Trichoderma Asperellum (strain T34)</i> | <i>12% w/w</i><br><i>12% w/w</i>  | 0.5 g/m <sup>2</sup> * | 0.5 g/m <sup>2</sup>    | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>                    | 5.75 l/ha              | 51.75 l/ha              | 9 per crop                 | -  | -           |
|                 | Wing P              | 03590         | BASF plc                          | Herbicide       | <i>Dimethenamid-P</i><br><i>Pendimethalin</i>  | <i>212.5 g/l</i><br><i>250g/l</i> | 4.0 l/ha               | 4.0 l/ha                | -                          | 7 days after transplanting                         |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>             | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>              | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-------------------------|---------------------|---------------|--|-----------------|---|-----------------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Brussels sprouts</i> |                     |               |  |                 |   |                             |                        |                         |                            |  |             |
|                         | Afinto              | 06733         | ISK Biosciences Europe N.V.                | Insecticide     |   |                             | 0.14 kgs/ha            | 0.28 kgs/ha             | 2                          | 14 days pre harvest  | 14 days     |
|                         |                     |               |  |                 | <i>Flonicamid</i>                                       | <i>500 g/kg</i>             |                        |                         |                            |  |             |
|                         | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                             | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                         |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>             |                        |                         |                            |  |             |
|                         | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                             | 2.0 l/ha               | 2.0 l/ha                | -                          | 28 days before harvest                                       | 28 days     |
|                         |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>              |                        |                         |                            |  |             |
|                         | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                             | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                         |                     |               |  |                 | <i>S-Metolachlor</i>                                    | <i>960 g/l</i>              |                        |                         |                            |  |             |
|                         | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                             | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                         |                     |               |  |                 | <i>S-Metolachlor</i>                                    | <i>960 g/l</i>              |                        |                         |                            |  |             |
|                         | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                             | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                         |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i>            |                        |                         |                            |  |             |
|                         | Gamit 36 CS         | 05357         | FMC Chemical s.p.l.                        | Herbicide       |   |                             | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                         |                     |               |  |                 | <i>Clomazone</i>  | <i>360 g/l</i>              |                        |                         |                            |  |             |
|                         | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                             | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                         |                     |               |  |                 | <i>Propamocarb Fluopicolide</i>                         | <i>625 g/l<br/>62.5 g/l</i> |                        |                         |                            |  |             |
|                         | Insyst              | 03249         | Nisso Chemical Europe GmbH                 | Insecticide     |   |                             | 250 g/ha               | 250 g/ha                | 1                          | 21 days before harvest                                       | 21 days     |
|                         |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20 %w/w</i>              |                        |                         |                            |  |             |
|                         | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                             | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                         |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>        | <i>2% w/w</i>               |                        |                         |                            |  |             |
|                         | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd                 | Herbicide       |   |                             | 0.33 l/ha              | 0.5 l/ha                | -                          | GS 19  |             |
|                         |                     |               |  |                 | <i>Clopyralid</i>                                       | <i>600 g/l</i>              |                        |                         |                            |  |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------------|---------------------|---------------|-----------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Brussels sprouts</i>            |                     |               |                                   |                 |  |                   |                       |                         |                            |                               |             |
|                                    | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                                    |                     |               |                                   |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                                    | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |  |                   | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                                    |                     |               |                                   |                 | <i>Esfenvalerate</i>                           | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                                    | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       |  |                   | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                                    |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                                    |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                                    | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                                    |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                                    | Teppeki             | 04399         | ISK Biosciences Europe N.V.       | Insecticide     |  |                   | 0.14 kgs/ha           | 0.28 kgs/ha             | 2                          | 14 days pre harvest           | 14 days     |
|                                    |                     |               |                                   |                 | <i>Flonicamid</i>                              | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
|                                    | Wing P              | 03590         | BASF plc                          | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                                    |                     |               |                                   |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                               |             |
|                                    |                     |               |                                   |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                               |             |
| <i>Bush/Cane fruit plantations</i> |                     |               |                                   |                 |  |                   |                       |                         |                            |                               |             |
|                                    | Most Micro          | 04837         | Sipcam U.K. Ltd                   | Herbicide       |  |                   | 3.75 l/ha             | 3.75 l/ha               | 1 per year                 | N/A                           |             |
|                                    |                     |               |                                   |                 | <i>Pendimethalin</i>                           | <i>365 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                    | <i>PHI:</i> |
|--------------------------|---------------------|---------------|--|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Cabbage - chinese</i> |                     |               |  |                 |   |                 |                       |                         |                            |  |             |
|                          | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>  |                       |                         |                            |  |             |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>  |                       |                         |                            |  |             |
|                          | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                 | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                          |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i> |                       |                         |                            |  |             |
|                          | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Butisan S           | 04631         | BASF plc                                   | Herbicide       |   |                 | 1.0 l/ha              | 1.0 l/ha                | -                          | Post emergence GS 16-18. 6-8 days after planting |             |
|                          |                     |               |  |                 | <i>Metazachlor</i>                                      | <i>500 g/l</i>  |                       |                         |                            |  |             |
|                          | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -*                         | 14 days before harvest                           | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |  |             |
|                          | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd               | Insecticide     |   |                 | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 3 days before harvest                            | 3 days      |
|                          |                     |               |  |                 | <i>Spirotetramat</i>                                    | <i>150 g/l</i>  |                       |                         |                            |  |             |
|                          | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                 | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 7 days before harvest                            | 7 days      |
|                          |                     |               |  |                 | <i>Deltamethrin</i>                                     | <i>15 g/l</i>   |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|--------------------------|---------------------|---------------|---------------------------------------|-----------------|--|------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Cabbage - chinese</i> |                     |               |                                       |                 |  |                  |                        |                         |                            |  |             |
|                          | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.         | Herbicide       |  |                  | 2.8 l/ha               | 2.8 l/ha                | -                          | Before drilling or transplanting                             |             |
|                          |                     |               |                                       |                 | <i>Napropamide</i>                               | <i>450 g/l</i>   |                        |                         |                            |  |             |
|                          | Difenofin           | 06218         | Finchimica S.p.A                      | Fungicide       |  |                  | 0.5 l/ha               | 1.0 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|                          |                     |               |                                       |                 | <i>Difenoconazole</i>                            | <i>250 g/l</i>   |                        |                         |                            |  |             |
|                          | Dual Gold           | 04192         | Syngenta UK Ltd                       | Herbicide       |  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                          |                     |               |                                       |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |  |             |
|                          | Efica 960 EC        | 05942         | Syngenta UK Ltd                       | Herbicide       |  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                          |                     |               |                                       |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |  |             |
|                          | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |  |                  | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                          |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i>                       | <i>479.8 g/l</i> |                        |                         |                            |  |             |
|                          | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                 | Herbicide       |  |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                          |                     |               |                                       |                 | <i>Clomazone</i>                                 | <i>360 g/l</i>   |                        |                         |                            |  |             |
|                          | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/L</i>   |                        |                         |                            |  |             |
|                          | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |  |             |
|                          | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |  |             |
|                          | LALGUARD M52        | 04811         | Danstar Ferment AG                    | Insecticide     |  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                          |                     |               |                                       |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |  |             |
|                          | Lentagran WP        | 05580         | Certis Belchim BV                     | Herbicide       |  |                  | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                                       | 42 days     |
|                          |                     |               |                                       |                 | <i>Pyridate</i>                                  | <i>45% w/w</i>   |                        |                         |                            |  |             |
|                          | Mavita 250 EC       | 05941         | Syngenta UK Ltd                       | Fungicide       |  |                  | 0.5 l/ha               | 1.0 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|                          |                     |               |                                       |                 | <i>Difenoconazole</i>                            | <i>250 g/l</i>   |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|--------------------------|---------------------|---------------|-----------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Cabbage - chinese</i> |                     |               |                                   |                 |  |                   |                       |                         |                            |  |             |
|                          | Movento             | 05349         | Bayer CropScience Limited         | Insecticide     |  |                   | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 3 days before harvest                              | 3 days      |
|                          |                     |               |                                   |                 | <i>Spirotetramat</i>                           | <i>150 g/l</i>    |                       |                         |                            |  |             |
|                          | Oxe                 | 06463         | Albaugh TKI d.o.o                 | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                                   |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Pantha              | 06445         | TerreChem Ltd                     | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                                   |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd     | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                                   |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Score 250 EC        | 04566         | Syngenta UK Ltd                   | Fungicide       |  |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 21 days before harvest                             | 21 days     |
|                          |                     |               |                                   |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |  | 0 days      |
|                          |                     |               |                                   |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |  |             |
|                          | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |  |                   | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest                                 |             |
|                          |                     |               |                                   |                 | <i>Esfenvalerate</i>                           | <i>25 g/l</i>     |                       |                         |                            |  |             |
|                          | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       |  |                   | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                          |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                          |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                          | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -  | -           |
|                          |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |  |             |
|                          | Thaistar            | 06649         | CAC GmbH                          | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                                   |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL   | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                                   |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>              | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-----------------------|---------------------|---------------|--|-----------------|---|-----------------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Cabbage - head</i> |                     |               |  |                 |   |                             |                        |                         |                            |  |             |
|                       | Afinto              | 06733         | ISK Biosciences Europe N.V.                | Insecticide     |   |                             | 0.14 kgs/ha            | 0.28 kgs/ha             | 2                          | 14 days pre harvest  | 14 days     |
|                       | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       | <i>Flonicamid</i>                                       | <i>500 g/kg</i>             | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                       | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>             | 2.0 l/ha               | 2.0 l/ha                | -                          | 28 days before harvest                                       | 28 days     |
|                       | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       | <i>Clethodim</i>  | <i>120 g/l</i>              | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                       | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       | <i>S-Metolachlor</i>                                    | <i>960 g/l</i>              | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                       | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     | <i>S-Metolachlor</i>                                    | <i>960 g/l</i>              | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                       | Gamit 36 CS         | 05357         | FMC Chemical s.p.l.                        | Herbicide       | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i>            | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                       | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       | <i>Clomazone</i>  | <i>360 g/l</i>              | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                       | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     | <i>Propamocarb Fluopicolide</i>                         | <i>625 g/l<br/>62.5 g/l</i> | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                       | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd                 | Herbicide       | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>        | <i>2% w/w</i>               | 0.33 l/ha              | 0.5 l/ha                | -                          | 6 weeks before harvest                                       | 6 weeks     |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       | <i>Clopyralid</i>                                       | <i>600 g/l</i>              | 8 l/ha                 | 48 l/ha                 | 6                          |  | 0 days      |
|                       |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>          | <i>1017.8 g/l</i>           |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-----------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Cabbage - head</i> |                     |               |                                   |                 |   |                  |                       |                         |                            |  |             |
|                       | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |   |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest                                 |             |
|                       | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       | <i>Esfenvalerate</i>                          | <i>25 g/l</i>    | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                       |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   |                       |                         |                            |  |             |
|                       |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   |                       |                         |                            |  |             |
|                       | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -  | -           |
|                       |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |  |             |
|                       | Teppeki             | 04399         | ISK Biosciences Europe N.V.       | Insecticide     |   |                  | 0.14 kgs/ha           | 0.28 kgs/ha             | 2                          | 14 days pre harvest                                | 14 days     |
|                       |                     |               |                                   |                 | <i>Flonicamid</i>                             | <i>500 g/kg</i>  |                       |                         |                            |  |             |
|                       | Wing P              | 03590         | BASF plc                          | Herbicide       |   |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Before planting                                    |             |
|                       |                     |               |                                   |                 | <i>Pendimethalin</i>                          | <i>250g/l</i>    |                       |                         |                            |  |             |
|                       |                     |               |                                   |                 | <i>Dimethenamid-P</i>                         | <i>212.5 g/l</i> |                       |                         |                            |  |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Calabrese</i> |                     |               |  |                 |   |                |                        |                         |                            |  |             |
|                  | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                        |                         |                            |  |             |
|                  | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.0 kg/ha              | 3.0 kg/ha               | -                          | 14 days before harvest                                       | 14 days     |
|                  |                     |               |  |                 | <i>Pyraclostrobin</i>                                   | 6.7% w/w       |                        |                         |                            |  |             |
|                  |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                        |                         |                            |  |             |
|                  | Difenofin           | 06218         | Finchimica S.p.A                           | Fungicide       |   |                | 0.5 l/ha               | 0.5 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|                  |                     |               |  |                 | <i>Difenoconazole</i>                                   | 250 g/l        |                        |                         |                            |  |             |
|                  | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                  |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                        |                         |                            |  |             |
|                  | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                  |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                        |                         |                            |  |             |
|                  | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                  |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                        |                         |                            |  |             |
|                  | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                  |                     |               |  |                 | <i>Clomazone</i>  | 360 g/l        |                        |                         |                            |  |             |
|                  | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                  |                     |               |  |                 | <i>Propamocarb</i>                                      | 625 g/l        |                        |                         |                            |  |             |
|                  |                     |               |  |                 | <i>Fluopicolide</i>                                     | 62.5 g/l       |                        |                         |                            |  |             |
|                  | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                  |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>        | 2% w/w         |                        |                         |                            |  |             |
|                  | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                                       | 42 days     |
|                  |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w        |                        |                         |                            |  |             |
|                  | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd                 | Herbicide       |   |                | 0.33 l/ha              | 0.5 l/ha                | -                          | 6 weeks before harvest                                       | 6 weeks     |
|                  |                     |               |  |                 | <i>Clopyralid</i>                                       | 600 g/l        |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|-----------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Calabrese</i> |                     |               |                                   |                 |  |                   |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                  |                     |               |                                   |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                  | Stratos Ultra       | 04936         | BASF plc                          | Herbicide       |  |                   | 2.0 l/ha              | 2.0 l/ha                | 1 per crop                 | Before edible part formed     | 28 days     |
|                  |                     |               |                                   |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                  | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |  |                   | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                  |                     |               |                                   |                 | <i>Esfenvalerate</i>                           | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                  | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       |  |                   | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                  |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                  |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                  |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                  | Wing P              | 03590         | BASF plc                          | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                  |                     |               |                                   |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                               |             |
|                  |                     |               |                                   |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i>  | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|--|------------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Carrots</i> |                     |               |  |                  |   |                |                       |                         |                            |                               |             |
|                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide        |   | 250 g/kg       | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                |                     |               |  |                  | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> |                |                       |                         |                            |                               |             |
|                | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide        |   |                | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                |                     |               |  |                  | <i>Fludioxonil</i>                                      | 25% w/w        |                       |                         |                            |                               |             |
|                |                     |               |  |                  | <i>Cyprodinil</i>                                       | 37.5% w/w      |                       |                         |                            |                               |             |
|                | Cachet              | 06464         | Albaugh TKI d.o.o                          | Herbicide        |   |                | 0.24 l/ha             | 0.24 l/ha               | -                          | Pre-emergence                 |             |
|                |                     |               |  |                  | <i>Diflufenican</i>                                     | 500 g/l        |                       |                         |                            |                               |             |
|                | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide        |   |                | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                |                     |               |  |                  | <i>Clethodim</i>  | 120 g/l        |                       |                         |                            |                               |             |
|                | Chanon              | 06518         | Globachem nv                               | Herbicide        |   |                | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | 600 g/l        |                       |                         |                            |                               |             |
|                | Clayton Heed        | 06487         | Clayton Plant Protection Ltd               | Herbicide        |   |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                |                     |               |  |                  | <i>Prosulfocarb</i>                                     | 800 g/l        |                       |                         |                            |                               |             |
|                | Clayton Klondike    | 06807         | Clayton Plant Protection Ltd               | Herbicide        |   |                | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | 600 g/l        |                       |                         |                            |                               |             |
|                | Clever              | 06399         | Sharda Cropchem Espana S.L.                | Herbicide        |   |                | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | 600 g/l        |                       |                         |                            |                               |             |
|                | Crown MH            | 06589         | Kreglinger Europe NV                       | Growth Regulator |   |                | 11 l/ha               | 11 l/ha                 | 1 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |  |                  | <i>Maleic hydrazide</i>                                 | 270 g/l        |                       |                         |                            |                               |             |
|                | Crozier             | 06482         | Barclay Chemicals Ltd                      | Herbicide        |   |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |  |                  | <i>Prosulfocarb</i>                                     | 800 g/l        |                       |                         |                            |                               |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide      |   |                | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |  |                  | <i>Deltamethrin</i>                                     | 15 g/l         |                       |                         |                            |                               |             |
|                | Defy                | 04277         | Syngenta UK Ltd                            | Herbicide        |   |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |  |                  | <i>Prosulfocarb</i>                                     | 800 g/l        |                       |                         |                            |                               |             |
|                | Difenofin           | 06218         | Finchimica S.p.A                           | Fungicide        |   |                | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |  |                  | <i>Difenoconazole</i>                                   | 250 g/l        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                       | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------------|------------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|---|-------------|
| <i>Carrots</i> |                     |               |                                     |                  |                            |                  |                       |                         |                            |   |             |
| Emerger        |                     | 06190         | Bayer CropScience Limited           | Herbicide        |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12   |             |
| FANTASIA       |                     | 06952         | Albaugh TKI d.o.o                   | Herbicide        | <i>Aclonifen</i>           | <i>600 g/l</i>   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11   | 80 days     |
| Fazor Star     |                     | 03729         | UPL Holdings Cooperatief U.A.       | Growth Regulator | <i>Prosulfocarb</i>        | <i>800 g/L</i>   | 5.0 kg/ha             | 5.0 kg/ha               | 1 per crop                 | 21 days before harvest                              |             |
| Flexidor       |                     | 04963         | Corteva Agriscience UK Ltd          | Herbicide        | <i>Maleic hydrazide</i>    | <i>600 g/kg</i>  | 0.15 l/ha             | 0.15 l/ha               | 1 per year                 | Pre-emergence                                       |             |
| FLIPPER        |                     | 05027         | Alpha Biopesticides Ltd             | Insecticide      | <i>Isoxaben</i>            | <i>500 g/l</i>   | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -   |             |
| Force 20 CS    |                     | 06395         | Syngenta UK Ltd                     | Seed Dressing    | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> | 25 ml/100,000 seeds   | 25 ml/100,000 seeds     | 1 per batch                | Before drilling                                     |             |
| Fytosol        |                     | 06584         | Fytofend S.A.                       | Fungicide        | <i>Tefluthrin</i>          | <i>200 g/l</i>   | 4.0 l/ha              | 60.0 l/ha               | 15 per crop                | N/A   |             |
| Gamit 36 CS    |                     | 05357         | FMC Chemical s.p.l.                 | Herbicide        | <i>COS-OGA</i>             | <i>12.5 g/l</i>  | 0.083l/ha             | 0.25 l/ha*              |                            | Before 4th trye leaf stage & 55 days before harvest | 55 days     |
| Gazelle SG     |                     | 03248         | Nisso Chemical Europe GmbH          | Insecticide      | <i>Clomazone</i>           | <i>360 g/l</i>   | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July                            | 28 days     |
| Hurricane SC   |                     | 04357         | Adama Agricultural Solutions UK Ltd | Herbicide        | <i>Acetamiprid</i>         | <i>20 % w/w</i>  | 0.24 l/ha             | 0.24 l/ha               | -                          | Pre-emergence                                       |             |
| ITCAN SL 270   |                     | 06071         | Kreglinger Europe NV                | Growth Regulator | <i>Diflufenican</i>        | <i>500 g/l</i>   | 11 l/ha               | 11 l/ha                 | 1 per crop                 | 21 days before harvest                              | 21 days     |
| LEES           |                     | 06732         | Albaugh TKI d.o.o                   | Herbicide        | <i>Maleic hydrazide</i>    | <i>270 g/l</i>   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11   | 80 days     |
| Mavita 250 EC  |                     | 05941         | Syngenta UK Ltd                     | Fungicide        | <i>Prosulfocarb</i>        | <i>800 g/L</i>   | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest                              | 14 days     |
| Ostrich        |                     | 06907         | Albaugh TKI d.o.o                   | Herbicide        | <i>Difenoconazole</i>      | <i>250 g/l</i>   | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12   |             |
|                |                     |               |                                     |                  | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Carrots</i> |                     |               |                                     |                 |   |                |                       |                         |                            |                               |             |
|                | Peloton             | 06481         | Barclay Chemicals Ltd               | Herbicide       |   |                | 5.0 l/ha              | 5.0 l/ha                |                            | Before GS 11                  | 80 days     |
|                |                     |               |                                     |                 | <i>Prosulfocarb</i>                           | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                | Pilot Ultra         | 04955         | Nissan Chemical Europe              | Herbicide       |   |                | 2.5 l/ha              | 2.5 l/ha                | -                          | 40 days before harvest        | 40 days     |
|                |                     |               |                                     |                 | <i>Quizalofop-P-ethyl</i>                     | <i>50 g/l</i>  |                       |                         |                            |                               |             |
|                | Professional        | 06262         | Sharda Cropchem Espana S.L.         | Herbicide       |   |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                                     |                 | <i>Prosulfocarb</i>                           | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                | Roxy 800 EC         | 05739         | Globachem nv                        | Herbicide       |   |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                                     |                 | <i>Prosulfocarb</i>                           | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                | Score 250 EC        | 04566         | Syngenta UK Ltd                     | Fungicide       |   |                | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                |                     |               |                                     |                 | <i>Difenoconazole</i>                         | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                | Sencorex Flow       | 04361         | Bayer CropScience Limited           | Herbicide       |   |                | 0.255 l/ha            | 0.51 l/ha               | 3                          | Before GS 16                  | 28 days     |
|                |                     |               |                                     |                 | <i>Metribuzin</i>                             | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                |                     |               |                                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                       |                         |                            |                               |             |
|                | Volley              | 04516         | Adama Agricultural Solutions UK Ltd | Fungicide       |   |                | 0.2 l/ha              | 0.4 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                                     |                 | <i>Fluazinam</i>                              | <i>500 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>      | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|---------------------|---------------------|---------------|--|-----------------|---|---------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Cauliflowers</i> |                     |               |  |                 |   |                     |                        |                         |                            |  |             |
|                     | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                     | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                     |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg            |                        |                         |                            |  |             |
|                     | Difenofin           | 06218         | Finchimica S.p.A                           | Fungicide       |   |                     | 0.5 l/ha               | 0.5 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|                     |                     |               |  |                 | <i>Difenoconazole</i>                                   | 250 g/l             |                        |                         |                            |  |             |
|                     | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                     | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                     |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l             |                        |                         |                            |  |             |
|                     | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                     | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                     |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l             |                        |                         |                            |  |             |
|                     | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                     | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                     |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l           |                        |                         |                            |  |             |
|                     | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                     | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                     |                     |               |  |                 | <i>Clomazone</i>  | 360 g/l             |                        |                         |                            |  |             |
|                     | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                     | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                     |                     |               |  |                 | <i>Propamocarb Fluopicolide</i>                         | 625 g/l<br>62.5 g/l |                        |                         |                            |  |             |
|                     | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                     | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                     |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>        | 2% w/w              |                        |                         |                            |  |             |
|                     | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                     | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                                       | 42 days     |
|                     |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w             |                        |                         |                            |  |             |
|                     | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd                 | Herbicide       |   |                     | 0.33 l/ha              | 0.5 l/ha                | -                          | 6 weeks before harvest                                       | 6 weeks     |
|                     |                     |               |  |                 | <i>Clopyralid</i>                                       | 600 g/l             |                        |                         |                            |  |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                     | 8 l/ha                 | 48 l/ha                 | 6                          |  | 0 days      |
|                     |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>          | 1017.8 g/l          |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------------|---------------------|---------------|-----------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Cauliflowers</i> |                     |               |                                   |                 |   |                  |                       |                         |                            |  |             |
|                     | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |   |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest                                 |             |
|                     | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.      | Fungicide       | <i>Esfenvalerate</i>                          | <i>25 g/l</i>    | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                     |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   |                       |                         |                            |  |             |
|                     |                     |               |                                   |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   |                       |                         |                            |  |             |
|                     | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -  | -           |
|                     |                     |               |                                   |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |  |             |
|                     | Wing P              | 03590         | BASF plc                          | Herbicide       |   |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting                         |             |
|                     |                     |               |                                   |                 | <i>Pendimethalin</i>                          | <i>250g/l</i>    |                       |                         |                            |  |             |
|                     |                     |               |                                   |                 | <i>Dimethenamid-P</i>                         | <i>212.5 g/l</i> |                       |                         |                            |  |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|--|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |  |                 |   |                 |                       |                         |                            |                               |             |
|                 | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                 |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                 | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                 | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                 | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                 |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>  |                       |                         |                            |                               |             |
|                 | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days pre harvest           | 14 days     |
|                 |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>  |                       |                         |                            |                               |             |
|                 | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                 | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |  |                 | <i>Deltamethrin</i>                                     | <i>15 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |                                       |                 |                            |                  |                       |                         |                            |                               |             |
|                 | Defy                | 04277         | Syngenta UK Ltd                       | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  |             |
|                 |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                 | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.         | Herbicide       |                            |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Pre crop emergence            |             |
|                 |                     |               |                                       |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|                 | Eminentos 10 CS     | 04933         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                 |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                 | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH            | Insecticide     |                            |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                 |                     |               |                                       |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                 | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                 | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                            |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | Life Scientific Lam | 04868         | Life Scientific Limited               | Insecticide     |                            |                  | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                 | LS TARAK            | 07187         | Life Scientific Limited               | Insecticide     |                            |                  | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/L</i>   |                       |                         |                            |                               |             |
|                 | Markate 50          | 05001         | Globachem nv                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>50 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |                               |                 |                           |                 |                       |                         |                            |                               |             |
|                 | Mavita 250 EC       | 05941         | Syngenta UK Ltd               | Fungicide       |                           |                 | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       |                           |                 | 0.3 kg/ha             | 0.6 kg/ha               | * 2 per crop               | 21 days before harvest        | 21 days     |
|                 |                     |               |                               |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                 | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                 | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Perseus             | 06476         | BASF plc                      | Fungicide       |                           |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                 |                     |               |                               |                 | <i>Fluxapyroxad</i>       | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                 | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       |                           |                 | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                 |                     |               |                               |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                 | Professional        | 06262         | Sharda Cropchem Espana S.L.   | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  |             |
|                 |                     |               |                               |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                 | Ravane              | 05536         | Globachem nv                  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                 | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  |             |
|                 |                     |               |                               |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       |                           |                 | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                 |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Sencorex Flow       | 04361         | Bayer CropScience Limited     | Herbicide       |                           |                 | 0.255 l/ha            | 0.51 l/ha               | 3                          | Before GS 16                  | 28 days     |
|                 |                     |               |                               |                 | <i>Metribuzin</i>         | <i>600 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |                                     |                 |  |                   |                       |                         |                            |                               |             |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                 |                     |               |                                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                 | Signum              | 03799         | BASF plc                            | Fungicide       |  |                   | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                 |                     |               |                                     |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                 | Sparviero           | 04469         | Sipcam Oxon SpA                     | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Stealth             | 06468         | Syngenta UK Ltd                     | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Stratos Ultra       | 04936         | BASF plc                            | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                                     |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                 |                     |               |                                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                 | Thaistar            | 06649         | CAC GmbH                            | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                     | Herbicide       |  |                   | 0.4 l/ha              | 0.4 l/ha                | -                          | Pre-emergence                 |             |
|                 |                     |               |                                     |                 | <i>Lenacil</i>                                 | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                 | Volley              | 04516         | Adama Agricultural Solutions UK Ltd | Fungicide       |  |                   | 0.2 l/ha              | 0.4 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                                     |                 | <i>Fluazinam</i>                               | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                 | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL     | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                             | <i>Content</i>                       | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------|-----------------|--|--------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - field</i> |                     |               |                               |                 |  |                                      |                       |                         |                            |                               |             |
|                       | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |  |                                      | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i> | <i>250 g/l</i><br><i>125 g/l</i>     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Azarius             | 06522         | JT Agro Ltd                   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       | <i>Fludioxonil</i><br><i>Cyprodinil</i>      | <i>25.0% w/w</i><br><i>37.5% w/w</i> | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | 14 days before harvest        | 14 days     |
|                       | Clayton Heed        | 06487         | Clayton Plant Protection Ltd  | Herbicide       | <i>Prosulfocarb</i>                          | <i>800 g/l</i>                       | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS11                   | 50 days     |
|                       | Crozier             | 06482         | Barclay Chemicals Ltd         | Herbicide       | <i>Prosulfocarb</i>                          | <i>800 g/l</i>                       | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 50 days     |
|                       | Defy                | 04277         | Syngenta UK Ltd               | Herbicide       | <i>Prosulfocarb</i>                          | <i>800 g/l</i>                       | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS11                   | 50 days     |
|                       | Difenofin           | 06218         | Finchimica S.p.A              | Fungicide       | <i>Difenoconazole</i>                        | <i>250 g/l</i>                       | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i>           | <i>Substance</i> | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------------------------------|---------------------|---------------------------|------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - field</i> |                     |                                       |                     |                           |                  |                |                       |                         |                            |                               |             |
| Emerger               | 06190               | Bayer CropScience Limited             | Herbicide           |                           |                  |                | 1.0 l/ha              | 1.0 l/ha                | 1 per crop                 | 60 days before harvest        | 60 days     |
| Eminentos 10 CS       | 04933               | FMC Agro Ltd                          | Insecticide         | <i>Aclonifen</i>          | <i>600 g/l</i>   |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
| FANTASIA              | 06952               | Albaugh TKI d.o.o                     | Herbicide           | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS11                   | 50 days     |
| Globaztar AZT 250     | 07114               | Syngenta UK Ltd                       | Fungicide           | <i>Prosulfocarb</i>       | <i>800 g/L</i>   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
| Globaztar SC          | 05529               | Globachem nv                          | Fungicide           | <i>Azoxystrobin</i>       | <i>250 g/l</i>   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
| Hill-Star             | 06809               | Hillfield Trading and Investments Ltd | Fungicide           | <i>Azoxystrobin</i>       | <i>250 g/l</i>   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
| Karate Zeon           | 04084               | Syngenta UK Ltd                       | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
| Karis 10 CS           | 04454               | FMC Agro Ltd                          | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
| Laidir 10 CS          | 04932               | FMC Agro Ltd                          | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
| LEES                  | 06732               | Albaugh TKI d.o.o                     | Herbicide           | <i>Prosulfocarb</i>       | <i>800 g/L</i>   |                | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS11                   | 50 days     |
| Life Scientific Lam   | 04868               | Life Scientific Limited               | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
| LS TARAK              | 07187               | Life Scientific Limited               | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>100 g/L</i>   |                | 50 mls/ha             | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
| Markate 50            | 05001               | Globachem nv                          | Insecticide         | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>    |                | 50 ml/ha              | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
| Mavita 250 EC         | 05941               | Syngenta UK Ltd                       | Fungicide           | <i>Difenoconazole</i>     | <i>250 g/l</i>   |                | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - field</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|                       | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       |  |                   | 0.3 kg/ha             | 0.9 kg/ha               | * 3 per crop               | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Trifloxystrobin</i>                         | <i>250 g/kg</i>   |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Tebuconazole</i>                            | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |  |                   | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                       | Ostrich             | 06907         | Albaugh TKI d.o.o             | Herbicide       |  |                   | 1.0 l/ha              | 1.0 l/ha                | 1 per crop                 | 60 days before harvest        | 60 days     |
|                       |                     |               |                               |                 | <i>Aclonifen</i>                               | <i>600 g/l</i>    |                       |                         |                            |                               |             |
|                       | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | PDM 330 EC          | 03582         | BASF plc                      | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                       |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                       | Peloton             | 06481         | Barclay Chemicals Ltd         | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 50 days     |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Professional        | 06262         | Sharda Cropchem Espana S.L.   | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 50 days     |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Ravane              | 05536         | Globachem nv                  | Insecticide     |  |                   | 50 ml/ha              | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                       |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                       | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 50 days     |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                       |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|---------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - field</i> |                     |               |                                 |                 |   |                  |                       |                         |                            |                               |             |
|                       | Sparviero           | 04469         | Sipcam Oxon SpA                 | Insecticide     |   |                  | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                       | Stealth             | 06468         | Syngenta UK Ltd                 | Insecticide     |   |                  | 50 mls/ha             | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                       |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                       | Stomp Aqua          | 03750         | BASF plc                        | Herbicide       |   |                  | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                       |                     |               |                                 |                 | <i>Pendimethalin</i>                          | <i>455 g/l</i>   |                       |                         |                            |                               |             |
|                       | Switch              | 06414         | Syngenta UK Ltd                 | Fungicide       |   |                  | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                                 |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                       |                     |               |                                 |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                       | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             |             |
|                       |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |
|                       | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - protected</i> |                     |               |                                       |                 |                            |                  |                       |                         |                            |                               |             |
|                           | Amistar             | 05072         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Amistar Top         | 04582         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Difenoconazole</i>      | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                           | Ampect              | 06827         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Azarius             | 06522         | JT Agro Ltd                           | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Azofin              | 06637         | Finchimica S.p.A                      | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Azoshy              | 05618         | Sharda Cropchem Espana S.L.           | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Azoxystar           | 05534         | Life Scientific Limited               | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Chamane             | 05002         | UPL Holdings Cooperatief U.A.         | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd          | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                            |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                           |                     |               |                                       |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                           | FLiPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                            |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                           |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                           | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                           | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i>                   | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------------------------|---------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - protected</i> |                     |                                 |                     |                 |  |                   |                       |                         |                            |                               |             |
| Oxe                       | 06463               | Albaugh TKI d.o.o               | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Pantha                    | 06445               | TerreChem Ltd                   | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Roubaix                   | 06720               | Rotam Agrochemical Europe Ltd   | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Serenade ASO              | 03847               | Bayer CropScience Limited       | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          | -                             | 0 days      |
|                           |                     |                                 |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
| Tec-Bom                   | 05040               | Grupo Agrotecnologia S.L        | Insecticide         |                 |  |                   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                           |                     |                                 |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
| Thaistar                  | 06649               | CAC GmbH                        | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Zoxis                     | 05348               | Arysta LifeScience Benelux SPRL | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                           |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i>                                  | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>  | <i>Content</i>    | <i>Max Ind. Dose:</i>     | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|--|---------------------|-----------------|---|-------------------|---------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cherries</i>    |                     |  |                     |                 |   |                   |                           |                         |                            |                               |             |
| Afinto             | 06733               | ISK Biosciences Europe N.V.                    | Insecticide         |                 |   |                   | 0.14 kgs/ha               | 0.28 kgs/ha             | 2                          | 14 days pre harvest           | 14 days     |
|                    |                     |  |                     |                 | <i>Flonicamid</i>   | <i>500 g/kg</i>   |                           |                         |                            |                               |             |
| Amylo-X WG         | 06311               | Mitsui Agriscience International S.A./N.V.     | Fungicide           |                 |   |                   | 2.5 kg/ha                 | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                    |                     |  |                     |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | <i>250 g/kg</i>   |                           |                         |                            |                               |             |
| Clayton Gear       | 06607               | Clayton Plant Protection Ltd                   | Fungicide           |                 |   |                   | 0.2kg/ha during flowering | 1.8 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                    |                     |  |                     |                 | <i>Fludioxonil</i>  | <i>25.0% w/w</i>  |                           |                         |                            |                               |             |
|                    |                     |  |                     |                 | <i>Cyprodinil</i>   | <i>37.5% w/w</i>  |                           |                         |                            |                               |             |
| Curenox 50 WP      | 05829               | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide           |                 |   |                   | 2.0 kg/ha                 | 8.0 kg/ha               | -                          | Before GS 09                  |             |
|                    |                     |  |                     |                 | <i>Copper oxychloride</i>                                 | <i>87.8% w/w</i>  |                           |                         |                            |                               |             |
| FLiPPER            | 05027               | Alpha Biopesticides Ltd                        | Insecticide         |                 |   |                   | 10.0 l/ha                 | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                    |                     |  |                     |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i>  |                           |                         |                            |                               |             |
| Lepinox Plus       | 05254               | CBC (Europe) S.r.l.                            | Insecticide         |                 |   |                   | 1.0 kg/ha                 | 3.0 kg/ha               | -                          | N/A                           |             |
|                    |                     |  |                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                           |                         |                            |                               |             |
| Microthiol Special | 04757               | UPL Holdings Cooperatief U.A.                  | Fungicide           |                 |   |                   | 6.0 kg/ha                 | 12.0 kg/ha              | 2 per crop                 | 7 days before harvest         | 7 days      |
|                    |                     |  |                     |                 | <i>Sulphur</i>  | <i>80% w/w</i>    |                           |                         |                            |                               |             |
| Serenade ASO       | 03847               | Bayer CropScience Limited                      | Fungicide           |                 |   |                   | 8 l/ha                    | 48 l/ha                 | 6                          |                               | 0 days      |
|                    |                     |  |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                           |                         |                            |                               |             |
| Signum             | 03799               | BASF plc                                       | Fungicide           |                 |   |                   | 0.75 kg/ha                | 2.25 kg/ha              |                            | 7 days before harvest         | 7 days      |
|                    |                     |  |                     |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                           |                         |                            |                               |             |
|                    |                     |  |                     |                 | <i>Boscalid</i>   | <i>26.7 % w/w</i> |                           |                         |                            |                               |             |
| Switch             | 06414               | Syngenta UK Ltd                                | Fungicide           |                 |   |                   | 0.2 kg/ha or 0.6 kg/ha*   | 1.8 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                    |                     |  |                     |                 | <i>Fludioxonil</i>  | <i>25% w/w</i>    |                           |                         |                            |                               |             |
|                    |                     |  |                     |                 | <i>Cyprodinil</i>   | <i>37.5% w/w</i>  |                           |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|------------------------------|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cherries</i> |                     |               |                              |                 |   |                 |                       |                         |                            |                               |             |
|                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |   |                 | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                 |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>  |                       |                         |                            |                               |             |
|                 | Teppeki             | 04399         | ISK Biosciences Europe N.V.  | Insecticide     |   |                 | 0.14 kgs/ha           | 0.28 kgs/ha             | 2                          | 14 days pre harvest           | 14 days     |
|                 |                     |               |                              |                 | <i>Flonicamid</i>                             | <i>500 g/kg</i> |                       |                         |                            |                               |             |
| <i>Chicory</i>  |                     |               |                              |                 |   |                 |                       |                         |                            |                               |             |
|                 | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |   |                 | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                 |                     |               |                              |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>    | <i>220 g/kg</i> |                       |                         |                            |                               |             |
|                 | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd | Insecticide     |   |                 | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                              |                 | <i>Spirotetramat</i>                          | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|                 | Flexidor            | 04963         | Corteva Agriscience UK Ltd   | Herbicide       |   |                 | 0.2 l/ha              | 0.2 l/ha                | -                          | Before GS 16                  |             |
|                 |                     |               |                              |                 | <i>Isoxaben</i>                               | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                 | Movento             | 05349         | Bayer CropScience Limited    | Insecticide     |   |                 | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                              |                 | <i>Spirotetramat</i>                          | <i>150 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Chives</i> |                     |               |                              |                 |  |                   |                       |                         |                            |                               |             |
|               | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|               |                     |               |                              |                 | <i>Beauveria bassiana</i>                      | <i>220 g/kg</i>   |                       |                         |                            |                               |             |
|               |                     |               |                              |                 | <i>GHA / ATCC 74040</i>                        |                   |                       |                         |                            |                               |             |
|               | Clayton Heed        | 06487         | Clayton Plant Protection Ltd | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|               |                     |               |                              |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|               | Crozier             | 06482         | Barclay Chemicals Ltd        | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|               |                     |               |                              |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|               | FANTASIA            | 06952         | Albaugh TKI d.o.o            | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|               |                     |               |                              |                 | <i>Prosulfocarb</i>                            | <i>800 g/L</i>    |                       |                         |                            |                               |             |
|               | LEES                | 06732         | Albaugh TKI d.o.o            | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|               |                     |               |                              |                 | <i>Prosulfocarb</i>                            | <i>800 g/L</i>    |                       |                         |                            |                               |             |
|               | Peloton             | 06481         | Barclay Chemicals Ltd        | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|               |                     |               |                              |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|               |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|               | Stratos Ultra       | 04936         | BASF plc                     | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|               |                     |               |                              |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | Teldor              | 02003         | Bayer CropScience Limited    | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|               |                     |               |                              |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|               | Tracer              | 02649         | Corteva Agriscience UK Ltd   | Insecticide     |  |                   | 200 ml/ha             | 800 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                              |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>      | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-----------------|---------------------|---------------|--|-----------------|---|---------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Collards</i> |                     |               |  |                 |   |                     |                        |                         |                            |  |             |
|                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                     | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg            |                        |                         |                            |  |             |
|                 | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.              | Herbicide       |   |                     | 2.8 l/ha               | 2.8 l/ha                | -                          | Before drilling or transplanting                             |             |
|                 |                     |               |  |                 | <i>Napropamide</i>  | 450 g/l             |                        |                         |                            |  |             |
|                 | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                     | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                 |                     |               |  |                 | <i>S-Metolachlor</i>                                      | 960 g/l             |                        |                         |                            |  |             |
|                 | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                     | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                 |                     |               |  |                 | <i>S-Metolachlor</i>                                      | 960 g/l             |                        |                         |                            |  |             |
|                 | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                     | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l           |                        |                         |                            |  |             |
|                 | Gamit 36 CS         | 05357         | FMC Chemical s.p.l.                        | Herbicide       |   |                     | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                 |                     |               |  |                 | <i>Clomazone</i>  | 360 g/l             |                        |                         |                            |  |             |
|                 | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                     | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|                 |                     |               |  |                 | <i>Propamocarb Fluopicolide</i>                           | 625 g/l<br>62.5 g/l |                        |                         |                            |  |             |
|                 | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                     | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|                 |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w              |                        |                         |                            |  |             |
|                 | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                     | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                                       | 42 days     |
|                 |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w             |                        |                         |                            |  |             |
|                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                     | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A  |             |
|                 |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg            |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Collards</i>  |                     |               |                              |                 |  |                   |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                  |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                  | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                   | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                  |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                  |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |                               |             |
|                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                  |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
| <i>Coriander</i> |                     |               |                              |                 |  |                   |                       |                         |                            |                               |             |
|                  | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                  |                     |               |                              |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>     | <i>220 g/kg</i>   |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                  |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                  | Teldor              | 02003         | Bayer CropScience Limited    | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                  |                     |               |                              |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i>                              | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|--|---------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - field</i> |                     |  |                     |                 |   |                  |                       |                         |                            |                               |             |
| Amistar                   | 05072               | Syngenta UK Ltd                            | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Amistar Top               | 04582               | Syngenta UK Ltd                            | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |  |                     |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
| Ampect                    | 06827               | Syngenta UK Ltd                            | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Amylo-X WG                | 06311               | Mitsui Agriscience International S.A./N.V. | Fungicide           |                 |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                           |                     |  |                     |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
| Azarius                   | 06522               | JT Agro Ltd                                | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azofin                    | 06637               | Finchimica S.p.A                           | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azoshy                    | 05618               | Sharda Cropchem Espana S.L.                | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azoxystar                 | 05534               | Life Scientific Limited                    | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Chamane                   | 05002               | UPL Holdings Cooperatief U.A.              | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Clayton Augusta           | 06635               | Clayton Plant Protection Ltd               | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| FLIPPER                   | 05027               | Alpha Biopesticides Ltd                    | Insecticide         |                 |   |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                           |                     |  |                     |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
| Gamit 36 CS               | 05357               | FMC Chemical s.p.r.l.                      | Herbicide           |                 |   |                  | 0.25 l/ha             | 0.25 l/ha               | -                          | Before 2 true leaf stage      |             |
|                           |                     |  |                     |                 | <i>Clomazone</i>  | <i>360 g/l</i>   |                       |                         |                            |                               |             |
| Globaztar AZT 250         | 07114               | Syngenta UK Ltd                            | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |  |                     |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - field</i> |                     |               |                                       |                 |   |                   |                       |                         |                            |                               |             |
|                           | Globazar SC         | 05529         | Globachem nv                          | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Perseus             | 06476         | BASF plc                              | Fungicide       |   |                   | 0.6 l/ha              | 1.8 l/ha                | -                          | GS 89                         | 3 days      |
|                           |                     |               |                                       |                 | <i>Difenoconazole</i>                         | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Fluxapyroxad</i>                           | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                           | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Signum              | 03799         | BASF plc                              | Fungicide       |   |                   | 1.5 kg/ha             | 3.0 kg/ha               | 2 per crop                 | 1 day before harvest          | 1 day       |
|                           |                     |               |                                       |                 | <i>Boscalid</i>                               | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Pyraclostrobin</i>                         | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                           | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L              | Insecticide     |   |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                           |                     |               |                                       |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                           | Thaistar            | 06649         | CAC GmbH                              | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL       | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                      | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|--|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - protected</i> |                     |               |  |                 |                       |                  |                       |                         |                            |                               |             |
|                               | Amistar             | 05072         | Syngenta UK Ltd                          | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Amistar Top         | 04582         | Syngenta UK Ltd                          | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                               |                     |               |  |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                               | Ampect              | 06827         | Syngenta UK Ltd                          | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Azarius             | 06522         | JT Agro Ltd                              | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Azatin              | 06785         | Mitsui Agriscience International S.A/N.V | Insecticide     |                       |                  |                       |                         |                            | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                       |                         |                            |                               |             |
|                               |                     |               |  |                 | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                       |                         |                            |                               |             |
|                               | Azofin              | 06637         | Finchimica S.p.A                         | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Azoshy              | 05618         | Sharda Cropchem Espana S.L.              | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Azoxystar           | 05534         | Life Scientific Limited                  | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Botrefin            | 06480         | Finchimica S.p.A                         | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                               |                     |               |  |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                               | Chamane             | 05002         | UPL Holdings Cooperatief U.A.            | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd             | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Clayton Gear        | 06607         | Clayton Plant Protection Ltd             | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |  |                 | <i>Fludioxonil</i>    | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                               |                     |               |  |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|---------------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - protected</i> |                     |               |                                       |                 |   |                  |                       |                         |                            |                               |             |
|                               | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd          | Insecticide     |   |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                               |                     |               |                                       |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                               | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |   |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Deltamethrin</i>                                       | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                               | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |   |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                               |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                               | Frupica             | 02128         | Certis Belchim BV                     | Fungicide       |   |                  | 0.9 L/ha              | 1.8 L/ha                | 2 per crop                 | 1 day before harvest          | 1 day       |
|                               |                     |               |                                       |                 | <i>Mepanipyrim</i>  | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
|                               | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                               | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Karma               | 05116         | Certis Belchim BV                     | Fungicide       |   |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                               |                     |               |                                       |                 | <i>Potassium Hydrogen Carbonate</i>                       | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
|                               | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                   | Insecticide     |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                               |                     |               |                                       |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |
|                               | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |   |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                               |                     |               |                                       |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                               | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                               | Percos              | 03841         | BASF plc                              | Fungicide       |   |                  | 0.8 l/ha              | 2.4 l/ha                | 3 per crop                 | 1 day before harvest          | 1 day       |
|                               |                     |               |                                       |                 | <i>Ametoctradin</i>                                       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                               |                     |               |                                       |                 | <i>Dimethomorph</i>                                       | <i>225 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Courgettes - protected</i> |                     |               |                               |                 |  |                   |                       |                         |                            |  |             |
|                               | Previcur Energy     | 04041         | Bayer CropScience Limited     | Fungicide       |  |                   | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting                               |             |
|                               |                     |               |                               |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |  |             |
|                               |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |  |             |
|                               |                     |               |                               |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |  |             |
|                               |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |  |             |
|                               | Revus               | 05154         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest                              | 3 days      |
|                               |                     |               |                               |                 | <i>Mandipropamid</i>                           | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                               | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                               |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                               | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |  | 0 days      |
|                               |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |  |             |
|                               | Sonata              | 05802         | Bayer CropScience Limited     | Fungicide       |  |                   | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89  | 1 day       |
|                               |                     |               |                               |                 | <i>Bacillus pumilus QST 2808</i>               | <i>14.35 g/l</i>  |                       |                         |                            |  |             |
|                               | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest                              | 3 days      |
|                               |                     |               |                               |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |  |             |
|                               |                     |               |                               |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |  |             |
|                               | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.  | Fungicide       |  |                   | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                               |                     |               |                               |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                               |                     |               |                               |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L      | Insecticide     |  |                   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -  | -           |
|                               |                     |               |                               |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |  |             |
|                               | Teldor              | 02003         | Bayer CropScience Limited     | Fungicide       |  |                   | 1.5 kgs/ha            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest                               | 1 day       |
|                               |                     |               |                               |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |  |             |
|                               | Thaistar            | 06649         | CAC GmbH                      | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                               |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|---------------------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - protected</i> |                     |               |                                 |                 |                     |                |                       |                         |                            |                               |             |
|                               | Vivando             | 05685         | BASF plc                        | Fungicide       |                     |                | 0.2 l/ha              | 0.4 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                 |                 | <i>Metrafenone</i>  | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                               | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |                     |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                                 |                 | <i>Azoxystrobin</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Cranberries - field</i> |                     |               |  |                 |   |                |                        |                         |                            |                                |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |                                |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                            |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                        |                         |                            |                                |             |
|                            | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha               | 2.0 l/ha                | -                          | 30 days before harvest         | 30 days     |
|                            |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                        |                         |                            |                                |             |
|                            | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |                                |             |
|                            | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                   |             |
|                            |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |                                |             |
|                            | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                            |             |
|                            |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |                                |             |
|                            | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha              | 42 kg/ha                | 6 per crop                 | 0 days before harvest          | 0 days      |
|                            |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                        |                         |                            |                                |             |
|                            | Scala               | 03916         | BASF plc                                   | Fungicide       |   |                | 2.0 l/ha               | 4.0 l/ha                | 2 per crop                 | 21 days before harvest         | 21 days     |
|                            |                     |               |  |                 | <i>Pyrimethanil</i>                                       | 400 g/l        |                        |                         |                            |                                |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |                                | 0 days      |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |                                |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                            |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                        |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product</i> |                            |                 |                  |                | <i>Max Ind.</i>         | <i>Max. Total</i> | <i>Max No of</i> | <i>Latest Time</i>    |             |
|----------------------------|----------------|----------------------------|-----------------|------------------|----------------|-------------------------|-------------------|------------------|-----------------------|-------------|
| <i>Name</i>                | <i>PCS No</i>  | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i> | <i>Content</i> | <i>Dose:</i>            | <i>Dose:</i>      | <i>Applic's:</i> | <i>of Applic:</i>     | <i>PHI:</i> |
| <i>Cranberries - field</i> |                |                            |                 |                  |                |                         |                   |                  |                       |             |
| Tracer                     | 02649          | Corteva Agriscience UK Ltd | Insecticide     |                  |                | 200 ml/ha in 250L water | 400 ml/ha         | 2 per year       | 3 days before harvest | 3 days      |
|                            |                |                            |                 | <i>Spinosad</i>  | <i>480 g/l</i> |                         |                   |                  |                       |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Cranberries - protected</i> |                     |               |  |                 |   |                |                        |                         |                            |                                |             |
|                                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |                                |             |
|                                | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                        |                         |                            |                                |             |
|                                | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |                                |             |
|                                | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> |                         |                            | Pre-planting                   |             |
|                                |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |                                |             |
|                                | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha              | 3.0 kgs/ha              | -                          | N/A                            |             |
|                                |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |                                |             |
|                                | Scala               | 03916         | BASF plc                                   | Fungicide       |   |                | 2.0 l/ha               | 4.0 l/ha                | 2 per crop                 | 21 days before harvest         | 21 days     |
|                                |                     |               |  |                 | <i>Pyrimethanil</i>                                       | 400 g/l        |                        |                         |                            |                                |             |
|                                | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |                                | 0 days      |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |                                |             |
|                                | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   |                | 10 g/m <sup>3</sup>    | 10 g/m <sup>3</sup>     | 1                          | Pre planting / sowing          |             |
|                                |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                        |                         |                            |                                |             |
|                                |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                        |                         |                            |                                |             |
|                                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                                |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                        |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|------------------------------|-----------------|--|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cranberries - protected</i> |                     |               |                              |                 |  |                  |                       |                         |                            |                               |             |
|                                | Trianum-P           | 05486         | Koppert B.V.                 | Fungicide       |  |                  | 15 kg/ha              | 30 kg/ha                | 2 per crop                 | At propagation                |             |
|                                |                     |               |                              |                 | <i>Trichoderma harzianum Strain T22</i>    | <i>1% w/w</i>    |                       |                         |                            |                               |             |
|                                |                     |               |                              |                 | <i>Trichoderma harzianum Strain T22</i>    | <i>1% w/w</i>    |                       |                         |                            |                               |             |
| <i>Cress - field</i>           |                     |               |                              |                 |  |                  |                       |                         |                            |                               |             |
|                                | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |  |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                                |                     |               |                              |                 | <i>Beauveria bassiana GHA / ATCC 74040</i> | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd | Fungicide       |  |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                                |                     |               |                              |                 | <i>Cyprodinil</i>                          | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                                |                     |               |                              |                 | <i>Fludioxonil</i>                         | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                                | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |  |                  | 420 mls/ha            | 1.26 l/ha               | 3                          | 7 days before harvest         | 7 days      |
|                                |                     |               |                              |                 | <i>Deltamethrin</i>                        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                                | FLiPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |  |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                                |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                 | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                                | Switch              | 06414         | Syngenta UK Ltd              | Fungicide       |  |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                                |                     |               |                              |                 | <i>Fludioxonil</i>                         | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                                |                     |               |                              |                 | <i>Cyprodinil</i>                          | <i>37.5% w/w</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i>                            | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|--|---------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cucumbers - protected</i> |                     |  |                     |                 |                       |                  |                       |                         |                            |                               |             |
| Amistar                      | 05072               | Syngenta UK Ltd                          | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Amistar Top                  | 04582               | Syngenta UK Ltd                          | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |  |                     |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
| Ampect                       | 06827               | Syngenta UK Ltd                          | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Apollo 50SC                  | 04610               | Adama Agricultural Solutions UK Ltd      | Acaricide           |                 |                       |                  | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest         | 9 days      |
|                              |                     |  |                     |                 | <i>Clofentezine</i>   | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Azarius                      | 06522               | JT Agro Ltd                              | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azatin                       | 06785               | Mitsui Agriscience International S.A/N.V | Insecticide         |                 |                       |                  |                       |                         |                            | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                       |                         |                            |                               |             |
|                              |                     |  |                     |                 | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                       |                         |                            |                               |             |
| Azofin                       | 06637               | Finchimica S.p.A                         | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azoshy                       | 05618               | Sharda Cropchem Espana S.L.              | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Azoxystar                    | 05534               | Life Scientific Limited                  | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Botrefin                     | 06480               | Finchimica S.p.A                         | Fungicide           |                 |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                              |                     |  |                     |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
| Chamane                      | 05002               | UPL Holdings Cooperatief U.A.            | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Clayton Augusta              | 06635               | Clayton Plant Protection Ltd             | Fungicide           |                 |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |  |                     |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                    | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|---------------------------------------|---------------------|-----------------|-------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cucumbers - protected</i> |                     |                                       |                     |                 |                                     |                  |                       |                         |                            |                               |             |
| Clayton Gear                 | 06607               | Clayton Plant Protection Ltd          | Fungicide           |                 |                                     |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Fludioxonil</i>                  | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                              |                     |                                       |                     |                 | <i>Cyprodinil</i>                   | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
| Clayton Occupy               | 06899               | Clayton Plant Protection Ltd          | Insecticide         |                 |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                              |                     |                                       |                     |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Decis Protech                | 05269               | Bayer CropScience Limited             | Insecticide         |                 |                                     |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Deltamethrin</i>                 | <i>15 g/l</i>    |                       |                         |                            |                               |             |
| Frupica                      | 02128               | Certis Belchim BV                     | Fungicide           |                 |                                     |                  | 0.9 L/ha              | 1.8 L/ha                | 2 per crop                 | 1 day before harvest          | 1 day       |
|                              |                     |                                       |                     |                 | <i>Mepanipyrim</i>                  | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
| Globaztar AZT 250            | 07114               | Syngenta UK Ltd                       | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/L</i>   |                       |                         |                            |                               |             |
| Globaztar SC                 | 05529               | Globachem nv                          | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Hill-Star                    | 06809               | Hillfield Trading and Investments Ltd | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Karma                        | 05116               | Certis Belchim BV                     | Fungicide           |                 |                                     |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                              |                     |                                       |                     |                 | <i>Potassium Hydrogen Carbonate</i> | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
| Luna Privilege               | 05916               | Bayer CropScience Limited             | Fungicide           |                 |                                     |                  | 0.6 l/ha              | 1.2 l/ha                | 2                          | 1 day before harvest          | 1 day       |
|                              |                     |                                       |                     |                 | <i>Fluopyram</i>                    | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Movento                      | 05349               | Bayer CropScience Limited             | Insecticide         |                 |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                              |                     |                                       |                     |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Oxe                          | 06463               | Albaugh TKI d.o.o                     | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Pantha                       | 06445               | TerreChem Ltd                         | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Percos                       | 03841               | BASF plc                              | Fungicide           |                 |                                     |                  | 0.8 l/ha              | 2.4 l/ha                | 3 per crop                 | 1 day before harvest          | 1 day       |
|                              |                     |                                       |                     |                 | <i>Ametoctradin</i>                 | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |                                       |                     |                 | <i>Dimethomorph</i>                 | <i>225 g/l</i>   |                       |                         |                            |                               |             |
| Revus                        | 05154               | Syngenta UK Ltd                       | Fungicide           |                 |                                     |                  | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                              |                     |                                       |                     |                 | <i>Mandipropamid</i>                | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i>                   | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|------------------------------|---------------------|---------------------------------|---------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Cucumbers - protected</i> |                     |                                 |                     |                 |  |                   |                       |                         |                            |  |             |
| Roubaix                      | 06720               | Rotam Agrochemical Europe Ltd   | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                              |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
| Serenade ASO                 | 03847               | Bayer CropScience Limited       | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |  | 0 days      |
|                              |                     |                                 |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |  |             |
| Sonata                       | 05802               | Bayer CropScience Limited       | Fungicide           |                 |  |                   | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89  | 1 day       |
|                              |                     |                                 |                     |                 | <i>Bacillus pumilus QST 2808</i>               | <i>14.35 g/l</i>  |                       |                         |                            |  |             |
| Switch                       | 06414               | Syngenta UK Ltd                 | Fungicide           |                 |  |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest                              | 3 days      |
|                              |                     |                                 |                     |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |  |             |
|                              |                     |                                 |                     |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |  |             |
| T34 Biocontrol               | 05620               | Biocontrol Technologies S.L.    | Fungicide           |                 |  |                   | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                              |                     |                                 |                     |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                              |                     |                                 |                     |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
| Teldor                       | 02003               | Bayer CropScience Limited       | Fungicide           |                 |  |                   | 1.5 kgs/ha            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest                               | 1 day       |
|                              |                     |                                 |                     |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |  |             |
| Thaistar                     | 06649               | CAC GmbH                        | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                              |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
| Vivando                      | 05685               | BASF plc                        | Fungicide           |                 |  |                   | 0.2 l/ha              | 0.4 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                              |                     |                                 |                     |                 | <i>Metrafenone</i>                             | <i>500 g/l</i>    |                       |                         |                            |  |             |
| Zoxis                        | 05348               | Arysta LifeScience Benelux SPRL | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                              |                     |                                 |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |  |             |
| <i>Damsons</i>               |                     |                                 |                     |                 |  |                   |                       |                         |                            |  |             |
| Serenade ASO                 | 03847               | Bayer CropScience Limited       | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |  | 0 days      |
|                              |                     |                                 |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|---------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Dill</i>         |                     |               |                               |                 |  |                   |                       |                         |                            |                                |             |
|                     | Botanigard WP       | 06264         | Mycotech Europe Ltd           | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                              |             |
|                     |                     |               |                               |                 | <i>Beauveria bassiana</i>                      | <i>220 g/kg</i>   |                       |                         |                            |                                |             |
|                     |                     |               |                               |                 | <i>GHA / ATCC 74040</i>                        |                   |                       |                         |                            |                                |             |
|                     | Emerger             | 06190         | Bayer CropScience Limited     | Herbicide       |  |                   | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before crop germination        |             |
|                     |                     |               |                               |                 | <i>Aclonifen</i>                               | <i>600 g/l</i>    |                       |                         |                            |                                |             |
|                     | Ostrich             | 06907         | Albaugh TKI d.o.o             | Herbicide       |  |                   | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before crop germination        |             |
|                     |                     |               |                               |                 | <i>Aclonifen</i>                               | <i>600 g/l</i>    |                       |                         |                            |                                |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                                | 0 days      |
|                     |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                                |             |
|                     | Teldor              | 02003         | Bayer CropScience Limited     | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest          | 3 days      |
|                     |                     |               |                               |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                                |             |
| <i>Elderberries</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                                |             |
|                     | Batavia             | 05905         | Bayer CropScience Limited     | Insecticide     |  |                   | 0.75 l/ha             | 1.5 l/ha                | 2                          | Post harvest application       |             |
|                     |                     |               |                               |                 | <i>Spirotetramat</i>                           | <i>100 g/l</i>    |                       |                         |                            |                                |             |
|                     | Botanigard WP       | 06264         | Mycotech Europe Ltd           | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                     |                     |               |                               |                 | <i>Beauveria bassiana</i>                      | <i>220 g/kg</i>   |                       |                         |                            |                                |             |
|                     |                     |               |                               |                 | <i>GHA / ATCC 74040</i>                        |                   |                       |                         |                            |                                |             |
|                     | FLIPPER             | 05027         | Alpha Biopesticides Ltd       | Insecticide     |  |                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                     |                     |               |                               |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                       |                         |                            |                                |             |
|                     | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A. | Fungicide       |  |                   | 7.0 kg/ha             | 42 kg/ha                | 6 per crop                 | 0 days before harvest          | 0 days      |
|                     |                     |               |                               |                 | <i>Sulphur</i>                                 | <i>80% w/w</i>    |                       |                         |                            |                                |             |
|                     | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L      | Insecticide     |  |                   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                     |                     |               |                               |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                                |             |
|                     | Triatum-P           | 05486         | Koppert B.V.                  | Fungicide       |  |                   | 15 g/1000 plants      | -                       | 12 per year                | At cultivation                 |             |
|                     |                     |               |                               |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                       |                         |                            |                                |             |
|                     |                     |               |                               |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                       |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Endives</i> |                     |               |                              |                 |  |                   |                         |                         |                            |                               |             |
|                | Ceta SG             | 06252         | Unichem Limited              | Insecticide     |  |                   | 250 g/ha                | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                |                     |               |                              |                 | <i>Acetamiprid</i>                               | <i>20% w/w</i>    |                         |                         |                            |                               |             |
|                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd | Fungicide       |  |                   | 0.8 kg/ha               | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                              |                 | <i>Cyprodinil</i>                                | <i>37.5% w/w</i>  |                         |                         |                            |                               |             |
|                |                     |               |                              |                 | <i>Fludioxonil</i>                               | <i>25.0% w/w</i>  |                         |                         |                            |                               |             |
|                | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd | Insecticide     |  |                   | 0.5 l/ha                | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                              |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>    |                         |                         |                            |                               |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |  |                   | 420 mls/ha              | 1.26 l/ha               | 3                          | 7 days before harvest         | 7 days      |
|                |                     |               |                              |                 | <i>Deltamethrin</i>                              | <i>15 g/l</i>     |                         |                         |                            |                               |             |
|                | FLIPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |  |                   | 5.0 l/ha                | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                       | <i>479.8 g/l</i>  |                         |                         |                            |                               |             |
|                | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH   | Insecticide     |  |                   | 250 g/ha                | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                |                     |               |                              |                 | <i>Acetamiprid</i>                               | <i>20 % w/w</i>   |                         |                         |                            |                               |             |
|                | LALGUARD M52        | 04811         | Danstar Ferment AG           | Insecticide     |  |                   | 0.5 kgs/m <sup>3</sup>  | -                       | -                          | Pre-planting                  |             |
|                |                     |               |                              |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>     |                         |                         |                            |                               |             |
|                | Movento             | 05349         | Bayer CropScience Limited    | Insecticide     |  |                   | 0.5 l/ha                | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                              |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>    |                         |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                  | 48 l/ha                 | 6                          |                               | 0 days      |
|                |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>   | <i>1017.8 g/l</i> |                         |                         |                            |                               |             |
|                | Sonata              | 05802         | Bayer CropScience Limited    | Fungicide       |  |                   | 10 l/ha                 | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                |                     |               |                              |                 | <i>Bacillus pumilus QST 2808</i>                 | <i>14.35 g/l</i>  |                         |                         |                            |                               |             |
|                | Switch              | 06414         | Syngenta UK Ltd              | Fungicide       |  |                   | 0.8 kg/ha or 0.6 kg/ha* | 1.6 kg/ha or 1.2 kg/ha* |                            | 7 days before harvest         | 7 days      |
|                |                     |               |                              |                 | <i>Cyprodinil</i>                                | <i>37.5% w/w</i>  |                         |                         |                            |                               |             |
|                |                     |               |                              |                 | <i>Fludioxonil</i>                               | <i>25% w/w</i>    |                         |                         |                            |                               |             |
|                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 5.75 l/ha               | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>    | <i>416 g/l</i>    |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|---------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Fennel</i> |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|               | Botanigard WP       | 06264         | Mycotech Europe Ltd       | Insecticide     |  |                   | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|               |                     |               |                           |                 | <i>Beauveria bassiana</i>                      | <i>220 g/kg</i>   |                       |                         |                            |                               |             |
|               |                     |               |                           |                 | <i>GHA / ATCC 74040</i>                        |                   |                       |                         |                            |                               |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd   | Insecticide     |  |                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|               |                     |               |                           |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|               |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L  | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|               |                     |               |                           |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|               | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|               |                     |               |                           |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i>  | <i>Substance</i>        | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|------------------------------|------------------|-------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Garlic</i> |                     |               |                              |                  |                         |                  |                       |                         |                            |                               |             |
|               | Amistar Top         | 04582         | Syngenta UK Ltd              | Fungicide        |                         |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                              |                  | <i>Difenoconazole</i>   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                              |                  | <i>Azoxystrobin</i>     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|               | Basagran SG         | 05192         | BASF plc                     | Herbicide        |                         |                  | 1.1 kg/ha             | 1.1 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|               |                     |               |                              |                  | <i>Bentazone</i>        | <i>870 g/kg</i>  |                       |                         |                            |                               |             |
|               | Botrefin            | 06480         | Finchimica S.p.A             | Fungicide        |                         |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                              |                  | <i>Fludioxonil</i>      | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|               |                     |               |                              |                  | <i>Cyprodinil</i>       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|               | Centurion Max       | 04948         | Arysta Life Science S.A.S.   | Herbicide        |                         |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 56 days before harvest        | 56 days     |
|               |                     |               |                              |                  | <i>Clethodim</i>        | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|               | Chanon              | 06518         | Globachem nv                 | Herbicide        |                         |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Clayton Gear        | 06607         | Clayton Plant Protection Ltd | Fungicide        |                         |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                              |                  | <i>Fludioxonil</i>      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|               |                     |               |                              |                  | <i>Cyprodinil</i>       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|               | Clayton Heed        | 06487         | Clayton Plant Protection Ltd | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|               | Clayton Klondike    | 06807         | Clayton Plant Protection Ltd | Herbicide        |                         |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Clever              | 06399         | Sharda Cropchem Espana S.L.  | Herbicide        |                         |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Crown MH            | 06589         | Kreglinger Europe NV         | Growth Regulator |                         |                  | 8.9 l/ha              | 8.9 l/ha                | 1 per crop                 | GS 47                         | 4 days      |
|               |                     |               |                              |                  | <i>Maleic hydrazide</i> | <i>270 g/l</i>   |                       |                         |                            |                               |             |
|               | Crozier             | 06482         | Barclay Chemicals Ltd        | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 5th leaf visible       |             |
|               |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|               | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide      |                         |                  | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                              |                  | <i>Deltamethrin</i>     | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|               | Defy                | 04277         | Syngenta UK Ltd              | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd              | Herbicide        |                         |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|               |                     |               |                              |                  | <i>S-Metolachlor</i>    | <i>960 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i>  | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------|---------------------|---------------|----------------------------|------------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Garlic</i> |                     |               |                            |                  |                            |                  |                       |                         |                            |  |             |
|               | Efica 960 EC        | 05942         | Syngenta UK Ltd            | Herbicide        |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage                            |             |
|               |                     |               |                            |                  | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |  |             |
|               | Emerger             | 06190         | Bayer CropScience Limited  | Herbicide        |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12  |             |
|               |                     |               |                            |                  | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |  |             |
|               | FANTASIA            | 06952         | Albaugh TKI d.o.o          | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|               |                     |               |                            |                  | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |  |             |
|               | Flexidor            | 04963         | Corteva Agriscience UK Ltd | Herbicide        |                            |                  | 0.2 l/ha              | 0.2 l/ha                | 1 per year                 | After transplanting or beginning of root formation |             |
|               |                     |               |                            |                  | <i>Isoxaben</i>            | <i>500 g/l</i>   |                       |                         |                            |  |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide      |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -  |             |
|               |                     |               |                            |                  | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |  |             |
|               | Infinito            | 04309         | Bayer CropScience Limited  | Fungicide        |                            |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest                              | 7 days      |
|               |                     |               |                            |                  | <i>Propamocarb</i>         | <i>625 g/l</i>   |                       |                         |                            |  |             |
|               |                     |               |                            |                  | <i>Fluopicolide</i>        | <i>62.5 g/l</i>  |                       |                         |                            |  |             |
|               | ITCAN SL 270        | 06071         | Kreglinger Europe NV       | Growth Regulator |                            |                  | 8.9 l/ha              | 8.9 l/ha                | 1 per crop                 | GS 47  | 4 days      |
|               |                     |               |                            |                  | <i>Maleic hydrazide</i>    | <i>270 g/l</i>   |                       |                         |                            |  |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide      |                            |                  | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest                             | 21 days     |
|               |                     |               |                            |                  | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |  |             |
|               | LEES                | 06732         | Albaugh TKI d.o.o          | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|               |                     |               |                            |                  | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |  |             |
|               | Lentagran WP        | 05580         | Certis Belchim BV          | Herbicide        |                            |                  | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | Before 7 leaf stage                                |             |
|               |                     |               |                            |                  | <i>Pyridate</i>            | <i>45% w/w</i>   |                       |                         |                            |  |             |
|               | NEMGuard DE         | 05368         | ECOspray Ltd               | Nematicide       |                            |                  | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling  |             |
|               |                     |               |                            |                  | <i>Garlic Extract</i>      | <i>450 g/kg</i>  |                       |                         |                            |  |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd            | Insecticide      |                            |                  | 75 mls/ha             | 225 mls/ha              | 3                          | 21 days before harvest                             | 21 days     |
|               |                     |               |                            |                  | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |  |             |
|               | Ostrich             | 06907         | Albaugh TKI d.o.o          | Herbicide        |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12  |             |
|               |                     |               |                            |                  | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |  |             |
|               | Peloton             | 06481         | Barclay Chemicals Ltd      | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|               |                     |               |                            |                  | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|---------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Garlic</i> |                     |               |                             |                 |  |                   |                       |                         |                            |                                   |             |
|               | Professional        | 06262         | Sharda Cropchem Espana S.L. | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|               |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                                   |             |
|               | Roxy 800 EC         | 05739         | Globachem nv                | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|               |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                                   |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                                   | 0 days      |
|               |                     |               |                             |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                                   |             |
|               | Starane Hi-Load HL  | 04549         | Corteva Agriscience UK Ltd  | Herbicide       |  |                   | 0.3 l/ha              | 0.3 l/ha                |                            | Before GS 15                      |             |
|               |                     |               |                             |                 | <i>Fluroxypyr</i>                              | <i>333 g/l</i>    |                       |                         |                            |                                   |             |
|               | Stealth             | 06468         | Syngenta UK Ltd             | Insecticide     |  |                   | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest            | 21 days     |
|               |                     |               |                             |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                                   |             |
|               | Stomp 400 SC        | 02879         | BASF plc                    | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence             |             |
|               |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                                   |             |
|               | Stomp Aqua          | 03750         | BASF plc                    | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence             |             |
|               |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                                   |             |
|               | Switch              | 06414         | Syngenta UK Ltd             | Fungicide       |  |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest            | 21 days     |
|               |                     |               |                             |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |                                   |             |
|               |                     |               |                             |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                                   |             |
|               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L    | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                 | -           |
|               |                     |               |                             |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                                   |             |
|               | Wing P              | 03590         | BASF plc                    | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|               |                     |               |                             |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                                   |             |
|               |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                                   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Gherkin - protected</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                            | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                            | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                            | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                            |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                            | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Deltamethrin</i>                                     | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                            | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 16.0 l/ha             | 80.0 l/ha               | 5                          | N/A                           |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                            | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                 | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Gherkin - protected</i> |                     |               |                                       |                 |                                  |                  |                       |                         |                            |                               |             |
|                            | Globazar SC         | 05529         | Globachem nv                          | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Percos              | 03841         | BASF plc                              | Fungicide       |                                  |                  | 0.8 l/ha              | 2.4 l/ha                | 3 per crop                 | 1 day before harvest          | 1 day       |
|                            |                     |               |                                       |                 | <i>Ametoctradin</i>              | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                                       |                 | <i>Dimethomorph</i>              | <i>225 g/l</i>   |                       |                         |                            |                               |             |
|                            | Previcur Energy     | 04041         | Bayer CropScience Limited             | Fungicide       |                                  |                  | 3.0 l/ha              | 6.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Propamocarb</i>               | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>      | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                                       |                 | <i>Propamocarb</i>               | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>      | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                            | Revus               | 05154         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Mandipropamid</i>             | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Sonata              | 05802         | Bayer CropScience Limited             | Fungicide       |                                  |                  | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                            |                     |               |                                       |                 | <i>Bacillus pumilus QST 2808</i> | <i>14.35 g/l</i> |                       |                         |                            |                               |             |
|                            | Switch              | 06414         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                            |                     |               |                                       |                 | <i>Cyprodinil</i>                | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                            |                     |               |                                       |                 | <i>Fludioxonil</i>               | <i>25% w/w</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Gherkin - protected</i> |                     |               |                                 |                 |   |                |                       |                         |                            |  |             |
|                            | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.    | Fungicide       |   |                | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                            |                     |               |                                 |                 | <i>Trichoderma</i>                            | <i>12% w/w</i> |                       |                         |                            |  |             |
|                            |                     |               |                                 |                 | <i>Asperellum (strain T34)</i>                |                |                       |                         |                            |  |             |
|                            |                     |               |                                 |                 | <i>Trichoderma</i>                            | <i>12% w/w</i> |                       |                         |                            |  |             |
|                            |                     |               |                                 |                 | <i>Asperellum (strain T34)</i>                |                |                       |                         |                            |  |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |   |                | 1.84 ml/100L          | 92 l/ha                 | 5 per crop                 | -  | -           |
|                            |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                       |                         |                            |  |             |
|                            | Teldor              | 02003         | Bayer CropScience Limited       | Fungicide       |   |                | 1.5 kgs/ha            | 4.5 kgs/ha              | 3                          | 1 day before harvest                               | 1 day       |
|                            |                     |               |                                 |                 | <i>Fenhexamid</i>                             | <i>50 %w/w</i> |                       |                         |                            |  |             |
|                            | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                            |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i> |                       |                         |                            |  |             |
|                            | Vivando             | 05685         | BASF plc                        | Fungicide       |   |                | 0.2 l/ha              | 0.4 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                            |                     |               |                                 |                 | <i>Metrafenone</i>                            | <i>500 g/l</i> |                       |                         |                            |  |             |
|                            | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                            |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i> |                       |                         |                            |  |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|---|----------------------------|--------------------------------|-------------|
| <i>Gooseberries - field</i> |                     |               |  |                 |   |                |                       |   |                            |                                |             |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                                      | 6 per year                 | GS 89                          |             |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                       |   |                            |                                |             |
|                             | Batavia             | 05905         | Bayer CropScience Limited                  | Insecticide     |   |                | 0.75 l/ha             | 1.5 l/ha                                      | 2                          | Post harvest application       |             |
|                             |                     |               |  |                 | <i>Spirotetramat</i>                                      | 100 g/l        |                       |   |                            |                                |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha             | 3.0 kg/ha                                     | 5 per year                 | When leaves begin to discolour |             |
|                             |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                       |   |                            |                                |             |
|                             | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | 3 per year                 | 7 days before harvest          | 7 days      |
|                             |                     |               |  |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                       |   |                            |                                |             |
|                             |                     |               |  |                 | <i>Fludioxonil</i>  | 25% w/w        |                       |   |                            |                                |             |
|                             | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                                      | -                          | 30 days before harvest         | 30 days     |
|                             |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                       |   |                            |                                |             |
|                             | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.                | Herbicide       |   |                | 120 g/ha              | 120 g/ha                                      | 1 per year                 | Before bud burst               |             |
|                             |                     |               |  |                 | <i>Flazasulfuron</i>                                      | 25 % w/w       |                       |   |                            |                                |             |
|                             | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.5 kg/ha             | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest          | 3 days      |
|                             |                     |               |  |                 | <i>Pyraclostrobin</i>                                     | 6.7% w/w       |                       |   |                            |                                |             |
|                             |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |   |                            |                                |             |
|                             | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 400 ml/ha             | 800 ml/ha                                     | 2 per crop                 | 7 days before harvest          | 7 days      |
|                             |                     |               |  |                 | <i>Deltamethrin</i>                                       | 15 g/l         |                       |   |                            |                                |             |
|                             | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha             | 80.0 l/ha                                     | 8 per crop                 | -                              |             |
|                             |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                       |   |                            |                                |             |
|                             | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days pre harvest            | 14 days     |
|                             |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |   |                            |                                |             |
|                             | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | -                          | N/A                            |             |
|                             |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                       |   |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------------|-----------------|--|-------------------|-------------------------|---|----------------------------|---|-------------|
| <i>Gooseberries - field</i> |                     |               |                                 |                 |  |                   |                         |   |                            |   |             |
|                             | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.   | Fungicide       |  |                   | 7.0 kg/ha               | 42 kg/ha                                      | 6 per crop                 | 0 days before harvest                       | 0 days      |
|                             | Ninja 10CS          | 05178         | Syngenta UK Ltd                 | Insecticide     | <i>Sulphur</i>                                 | <i>80% w/w</i>    | 100 mls/ha              | 200 mls/ha                                    | 4                          | 14 days before harvest                      | 14 days     |
|                             | Pirim               | 06268         | Sharda Cropchem Espana S.L.     | Fungicide       | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 2.0 l/ha                | 4.0 l/ha                                      | 2 per year                 | 21 days before harvest                      | 21 days     |
|                             | Radspor 400         | 01797         | Arysta LifeScience Benelux SPRL | Fungicide       | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    | 73 mls/100 litres water | -   | 5                          |   |             |
|                             | Scala               | 03916         | BASF plc                        | Fungicide       | <i>Dodine</i>                                  | <i>40 %w/w</i>    | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    | 8 l/ha                  | 48 l/ha                                       | 6                          |   | 0 days      |
|                             | Signum              | 03799         | BASF plc                        | Fungicide       | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                             | Stealth             | 06468         | Syngenta UK Ltd                 | Insecticide     | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  | 100 mls/ha              | 200 mls/ha                                    | 4 per crop                 | 14 days before harvest                      | 14 days     |
|                             | Stroby WG           | 05092         | BASF plc                        | Fungicide       | <i>Boscalid</i>                                | <i>26.7 % w/w</i> | 0.2 kg/ha               | 0.6 kg/ha                                     | -                          | 14 days before harvest                      | 14 days     |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 11.5 l/ha               | 92 l/ha                                       | 8 per crop                 | -   | -           |
|                             | Tracer              | 02649         | Corteva Agriscience UK Ltd      | Insecticide     | <i>Kresoxim Methyl</i>                         | <i>50% w/w</i>    | 200 ml/ha in 250L water | 400 ml/ha                                     | 2 per year                 | 3 days before harvest                       | 3 days      |
|                             | Valdor Solo         | 06722         | ISK Biosciences Europe N.V.     | Herbicide       | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    | 120 g/ha                | 120 g/ha                                      | -                          | -   |             |
|                             |                     |               |                                 |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |   |                            |   |             |
|                             |                     |               |                                 |                 | <i>Flazasulfuron</i>                           | <i>25% w/w</i>    |                         |   |                            |   |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|--|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Gooseberries - protected</i> |                     |               |  |                 |   |                |                         |                         |                            |                                |             |
|                                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha               | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                         |                         |                            |                                |             |
|                                 | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha               | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                 |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                         |                         |                            |                                |             |
|                                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha               | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                         |                         |                            |                                |             |
|                                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kgs/ha              | 3.0 kgs/ha              | -                          | N/A                            |             |
|                                 |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                         |                         |                            |                                |             |
|                                 | Scala               | 03916         | BASF plc                                   | Fungicide       |   |                | 2.0 l/ha                | 4.0 l/ha                | 2                          | 21 days before harvest         | 21 days     |
|                                 |                     |               |  |                 | <i>Pyrimethanil</i>                                       | 400 g/l        |                         |                         |                            |                                |             |
|                                 | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                  | 48 l/ha                 | 6                          |                                | 0 days      |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                         |                         |                            |                                |             |
|                                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   |                | 10 g/m3                 | 10 g/m3                 | 1                          | Pre planting / sowing          |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                         |                         |                            |                                |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                         |                         |                            |                                |             |
|                                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                                 |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                         |                         |                            |                                |             |
|                                 | Tracer              | 02649         | Corteva Agriscience UK Ltd                 | Insecticide     |   |                | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 3 days before harvest          | 3 days      |
|                                 |                     |               |  |                 | <i>Spinosad</i>   | 480 g/l        |                         |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                        | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|---------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Gooseberries - protected</i> |                     |               |                           |                 |   |                |                       |                         |                            |                               |             |
|                                 | Trianum-P           | 05486         | Koppert B.V.              | Fungicide       |   |                | 15 g/1000 plants      | -                       | 12 per year                | At cultivation                |             |
|                                 |                     |               |                           |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |
|                                 |                     |               |                           |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |
| <i>Grassland - seed crops</i>   |                     |               |                           |                 |   |                |                       |                         |                            |                               |             |
|                                 | Decis Protech       | 05269         | Bayer CropScience Limited | Insecticide     |   |                | 420 mls/ha            | 1.26 l/ha               | 3                          | N/A                           |             |
|                                 |                     |               |                           |                 | <i>Deltamethrin</i>                     | <i>15 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                      | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                      |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                      | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                      |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                      | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                      |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                      | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd               | Insecticide     |   |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |  |                 | <i>Spirotetramat</i>                                    | <i>150 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|---|-------------|
| <i>Herbs - field</i> |                     |               |                                       |                 |                            |                  |                       |                         |                            |   |             |
|                      | Cobalt              | 06413         | Sharda Cropchem Espana S.L.           | Fungicide       |                            |                  | 1.5 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest                      | 14 days     |
|                      |                     |               |                                       |                 | <i>Boscalid</i>            | <i>26.7% w/w</i> |                       |                         |                            |   |             |
|                      |                     |               |                                       |                 | <i>Pyraclostrobin</i>      | <i>6.7% w/w</i>  |                       |                         |                            |   |             |
|                      | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                            |                  | 420 ml/ha             | 1.26 l/ha               | 3 per crop                 | 7 days before harvest                       | 7 days      |
|                      |                     |               |                                       |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |   |             |
|                      | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.         | Herbicide       |                            |                  | 0.85 l/ha             | 0.85 l/ha               | -                          | Pre crop emergence                          |             |
|                      |                     |               |                                       |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |   |             |
|                      | Dual Gold           | 04192         | Syngenta UK Ltd                       | Herbicide       |                            |                  | 0.7 l/ha              | 1.4 l/ha                | -                          | 10 days post transplanting or 3rd true leaf |             |
|                      |                     |               |                                       |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |   |             |
|                      | Eminentos 10 CS     | 04933         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                       | 7 days      |
|                      |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |   |             |
|                      | FLiPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -   |             |
|                      |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |   |             |
|                      | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                      |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |   |             |
|                      | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                      |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |   |             |
|                      | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                      |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |   |             |
|                      | Infinito            | 04309         | Bayer CropScience Limited             | Fungicide       |                            |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | Before GS 49                                | 14 days     |
|                      |                     |               |                                       |                 | <i>Propamocarb</i>         | <i>625 g/l</i>   |                       |                         |                            |   |             |
|                      |                     |               |                                       |                 | <i>Fluopicolide</i>        | <i>62.5 g/l</i>  |                       |                         |                            |   |             |
|                      | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                            |                  | 75 mls/ha             | 150 mls/ha              | 4                          | 7 days pre harvest                          | 7 days      |
|                      |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |   |             |
|                      | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                       | 7 days      |
|                      |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |   |             |
|                      | Kerb Flo            | 02830         | Corteva Agriscience UK Ltd            | Herbicide       |                            |                  | 1.875 l/ha            | 1.875 l/ha              | 1                          | 24 days before harvest                      | 24 days     |
|                      |                     |               |                                       |                 | <i>Propyzamide</i>         | <i>400 g/l</i>   |                       |                         |                            |   |             |
|                      |                     |               |                                       |                 | <i>Propyzamide</i>         | <i>400 g/l</i>   |                       |                         |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|--|----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |                           |                 |  |                |                        |                         |                            |                               |             |
|                      | Laidir 10 CS        | 04932         | FMC Agro Ltd              | Insecticide     |  |                | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                      | LALGUARD M52        | 04811         | Danstar Ferment AG        | Insecticide     | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i> | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                      |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>  |                        |                         |                            |                               |             |
|                      | Life Scientific Lam | 04868         | Life Scientific Limited   | Insecticide     |  |                | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i> |                        |                         |                            |                               |             |
|                      | LS TARAK            | 07187         | Life Scientific Limited   | Insecticide     |  |                | 75 mls/ha              | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/L</i> |                        |                         |                            |                               |             |
|                      | Markate 50          | 05001         | Globachem nv              | Insecticide     |  |                | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>  |                        |                         |                            |                               |             |
|                      | Movento             | 05349         | Bayer CropScience Limited | Insecticide     |  |                | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i> |                        |                         |                            |                               |             |
|                      | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |  |                | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i> |                        |                         |                            |                               |             |
|                      | Oxe                 | 06463         | Albaugh TKI d.o.o         | Fungicide       |  |                | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                           |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i> |                        |                         |                            |                               |             |
|                      | Pantha              | 06445         | TerreChem Ltd             | Fungicide       |  |                | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                           |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i> |                        |                         |                            |                               |             |
|                      | PDM 330 EC          | 03582         | BASF plc                  | Herbicide       |  |                | 4.5 l/ha               | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                      |                     |               |                           |                 | <i>Pendimethalin</i>                             | <i>330 g/l</i> |                        |                         |                            |                               |             |
|                      | Pendifin 400 SC     | 05731         | Finchimica S.p.A          | Herbicide       |  |                | 3.75 l/ha              | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                      |                     |               |                           |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i> |                        |                         |                            |                               |             |
|                      | Percos              | 03841         | BASF plc                  | Fungicide       |  |                | 1.5 l/ha               | 3.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>Dimethomorph</i>                              | <i>225 g/l</i> |                        |                         |                            |                               |             |
|                      |                     |               |                           |                 | <i>Ametoctradin</i>                              | <i>300 g/l</i> |                        |                         |                            |                               |             |
|                      | Perseus             | 06476         | BASF plc                  | Fungicide       |  |                | 2.0 l/ha               | 2.0 l/ha                | -                          | GS 49                         | 14 days     |
|                      |                     |               |                           |                 | <i>Fluxapyroxad</i>                              | <i>75 g/l</i>  |                        |                         |                            |                               |             |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>                            | <i>50 g/l</i>  |                        |                         |                            |                               |             |
|                      | Ravane              | 05536         | Globachem nv              | Insecticide     |  |                | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>  |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|                      | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                      | Scala               | 03916         | BASF plc                      | Fungicide       |  |                   | 1.33 l/ha             | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                               |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                      |                     |               |                               |                 | <i>Bacillus amyloliquifaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                      | Signum              | 03799         | BASF plc                      | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                      |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                      |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                      | Sparviero           | 04469         | Sipcam Oxon SpA               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stomp 400 SC        | 02879         | BASF plc                      | Herbicide       |  |                   | 3.75 l/ha             | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                      |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stomp Aqua          | 03750         | BASF plc                      | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                      |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stratos Ultra       | 04936         | BASF plc                      | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                      |                     |               |                               |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                      |                     |               |                               |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |                               |             |
|                      |                     |               |                               |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                               |             |
|                      | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L      | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                      |                     |               |                               |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                      | Teldor              | 02003         | Bayer CropScience Limited     | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | 2                          | 3 days before harvest         | 3 days      |
|                      |                     |               |                               |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                      | Thaistar            | 06649         | CAC GmbH                      | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |                                 |                 |                       |                  |                       |                         |                            |                               |             |
|                      | Tracer              | 02649         | Corteva Agriscience UK Ltd      | Insecticide     |                       |                  | 200 ml/ha             | 600 ml/ha               | 3 per year                 | 3 days before harvest         | 3 days      |
|                      |                     |               |                                 |                 | <i>Spinosad</i>       | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                      | Wing P              | 03590         | BASF plc                        | Herbicide       |                       |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Before transplanting          | 35 days     |
|                      |                     |               |                                 |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |
|                      |                     |               |                                 |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                      | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                                 |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - protected</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                          | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                          |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                          | AQ 10               | 06308         | CBC (Europe) S.r.l.                        | Fungicide       |   |                  | 70 g/ha               | -                       | 12                         | -                             |             |
|                          |                     |               |  |                 | <i>Ampelomyces Quisqualis</i>                           | <i>58% w/w</i>   |                       |                         |                            |                               |             |
|                          | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                          |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                          | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 0.6 kg/ha             | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                          |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------------|---------------|---------------------------------------|-----------------|--|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - protected</i> |                     |               |                                       |                 |  |                  |                        |                         |                            |                               |             |
|                          | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd          | Insecticide     |  |                  | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |                     |               |                                       |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>   |                        |                         |                            |                               |             |
|                          | Cobalt              | 06413         | Sharda Cropchem Espana S.L.           | Fungicide       |  |                  | 1.5 kg/ha              | 3.0 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Boscalid</i>                                  | <i>26.7% w/w</i> |                        |                         |                            |                               |             |
|                          |                     |               |                                       |                 | <i>Pyraclostrobin</i>                            | <i>6.7% w/w</i>  |                        |                         |                            |                               |             |
|                          | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |  |                  | 830 ml/ha              | 1.66 l/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |                     |               |                                       |                 | <i>Deltamethrin</i>                              | <i>15 g/l</i>    |                        |                         |                            |                               |             |
|                          | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.         | Herbicide       |  |                  | 0.85 l/ha              | 0.85 l/ha               | -                          | Pre crop emergence            |             |
|                          |                     |               |                                       |                 | <i>Napropamide</i>                               | <i>450 g/l</i>   |                        |                         |                            |                               |             |
|                          | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |  |                  | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                          |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i>                       | <i>479.8 g/l</i> |                        |                         |                            |                               |             |
|                          | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/L</i>   |                        |                         |                            |                               |             |
|                          | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                               |             |
|                          | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                               |             |
|                          | Kerb Flo            | 02830         | Corteva Agriscience UK Ltd            | Herbicide       |  |                  | 1.875 l/ha             | 1.875 l/ha              | 1                          | 24 days pre harvest           | 24 days     |
|                          |                     |               |                                       |                 | <i>Propyzamide</i>                               | <i>400 g/l</i>   |                        |                         |                            |                               |             |
|                          | LALGUARD M52        | 04811         | Danstar Ferment AG                    | Insecticide     |  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                          |                     |               |                                       |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                               |             |
|                          | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |  |                  | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |                     |               |                                       |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>   |                        |                         |                            |                               |             |
|                          | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                               |             |
|                          | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |  |                  | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|--------------------------|---------------------|---------------|-------------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Herbs - protected</i> |                     |               |                               |                 |   |                   |                       |                         |                            |  |             |
|                          | Paraat              | 03614         | BASF plc                      | Fungicide       |   |                   | 0.36 kg/ha            | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest                             | 14 days     |
|                          |                     |               |                               |                 | <i>Dimethomorph</i>                           | <i>500 g/kg</i>   |                       |                         |                            |  |             |
|                          | Percos              | 03841         | BASF plc                      | Fungicide       |   |                   | 1.5 l/ha              | 3.0 l/ha                | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                          |                     |               |                               |                 | <i>Ametoctradin</i>                           | <i>300 g/l</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Dimethomorph</i>                           | <i>225 g/l</i>    |                       |                         |                            |  |             |
|                          | Previcur Energy     | 04041         | Bayer CropScience Limited     | Fungicide       |   |                   | 3 mls per sq m        | 6 mls per sq m          | -                          | Immediately post drilling/<br>before transplanting |             |
|                          |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                   | <i>310 g/l</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                   | <i>310 g/l</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Propamocarb</i>                            | <i>530 g/l</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Propamocarb</i>                            | <i>530 g/l</i>    |                       |                         |                            |  |             |
|                          | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |   |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                               |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |  |             |
|                          | Scala               | 03916         | BASF plc                      | Fungicide       |   |                   | 1.33 l/ha             | 4.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                               |                 | <i>Pyrimethanil</i>                           | <i>400 g/l</i>    |                       |                         |                            |  |             |
|                          | Signum              | 03799         | BASF plc                      | Fungicide       |   |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 14 days before harvest                             |             |
|                          |                     |               |                               |                 | <i>Boscalid</i>                               | <i>26.7 % w/w</i> |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Pyraclostrobin</i>                         | <i>6.7 % w/w</i>  |                       |                         |                            |  |             |
|                          | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |   |                   | 0.6 kg/ha             | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                          |                     |               |                               |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i>  |                       |                         |                            |  |             |
|                          | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.  | Fungicide       |   |                   | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing                              |             |
|                          |                     |               |                               |                 | <i>Trichoderma</i>                            | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Asperellum (strain T34)</i>                |                   |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Trichoderma</i>                            | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                          |                     |               |                               |                 | <i>Asperellum (strain T34)</i>                |                   |                       |                         |                            |  |             |
|                          | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L      | Insecticide     |   |                   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -  | -           |
|                          |                     |               |                               |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>    |                       |                         |                            |  |             |
|                          | Thaistar            | 06649         | CAC GmbH                      | Fungicide       |   |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                          |                     |               |                               |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>    | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------------|---------------|---------------------------------|-----------------|---------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - protected</i> |                     |               |                                 |                 |                     |                 |                       |                         |                            |                               |             |
|                          | Tracer              | 02649         | Corteva Agriscience UK Ltd      | Insecticide     |                     |                 | 200 ml/ha             | 600 ml/ha               | 3 per year                 | 3 days before harvest         | 3 days      |
|                          | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |                     |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                                 |                 | <i>Spinosad</i>     | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                          |                     |               |                                 |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |
| <i>Hops</i>              |                     |               |                                 |                 |                     |                 |                       |                         |                            |                               |             |
|                          | Fytosol             | 06584         | Fytofend S.A.                   | Fungicide       |                     |                 | 4.0 l/ha              | 60.0 l/ha               | 15 per crop                | N/A                           |             |
|                          |                     |               |                                 |                 | <i>COS-OGA</i>      | <i>12.5 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                             | <i>Content</i>                     | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|-------------------------------|-----------------|--|------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |               |                               |                 |  |                                    |                       |                         |                            |                               |             |
|                    | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |  |                                    | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       | <i>Difenoconazole</i><br><i>Azoxystrobin</i> | <i>125 g/l</i><br><i>200 g/l</i>   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Azarius             | 06522         | JT Agro Ltd                   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       | <i>Cyprodinil</i><br><i>Fludioxonil</i>      | <i>37.5% w/w</i><br><i>25% w/w</i> | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                    | Butisan S           | 04631         | BASF plc                      | Herbicide       | <i>Metazachlor</i>                           | <i>500 g/l</i>                     | 1.0 l/ha              | 1.0 l/ha                | -                          | Pre-emergence                 |             |
|                    | Centurion Max       | 04948         | Arysta Life Science S.A.S.    | Herbicide       | <i>Clethodim</i>                             | <i>120 g/l</i>                     | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                    | Ceta SG             | 06252         | Unichem Limited               | Insecticide     | <i>Acetamiprid</i>                           | <i>20% w/w</i>                     | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days pre harvest           | 14 days     |
|                    | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i>                 | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|-------------------------------|---------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |                               |                     |                 |                            |                  |                       |                         |                            |                               |             |
| Clayton Gear       | 06607               | Clayton Plant Protection Ltd  | Fungicide           |                 |                            |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                    |                     |                               |                     |                 | <i>Fludioxonil</i>         | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                    |                     |                               |                     |                 | <i>Cyprodinil</i>          | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
| Clayton Heed       | 06487               | Clayton Plant Protection Ltd  | Herbicide           |                 |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Cobalt             | 06413               | Sharda Cropchem Espana S.L.   | Fungicide           |                 |                            |                  | 1.0 kg/ha             | 2.0 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Boscalid</i>            | <i>26.7% w/w</i> |                       |                         |                            |                               |             |
|                    |                     |                               |                     |                 | <i>Pyraclostrobin</i>      | <i>6.7% w/w</i>  |                       |                         |                            |                               |             |
| Crozier            | 06482               | Barclay Chemicals Ltd         | Herbicide           |                 |                            |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Decis Protech      | 05269               | Bayer CropScience Limited     | Insecticide         |                 |                            |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                    |                     |                               |                     |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
| Defy               | 04277               | Syngenta UK Ltd               | Herbicide           |                 |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Devrinol           | 05234               | UPL Holdings Cooperatief U.A. | Herbicide           |                 |                            |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Pre crop emergence            |             |
|                    |                     |                               |                     |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |                               |             |
| Difenofin          | 06218               | Finchimica S.p.A              | Fungicide           |                 |                            |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Eminentos 10 CS    | 04933               | FMC Agro Ltd                  | Insecticide         |                 |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| FANTASIA           | 06952               | Albaugh TKI d.o.o             | Herbicide           |                 |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
| Flexidor           | 04963               | Corteva Agriscience UK Ltd    | Herbicide           |                 |                            |                  | 0.15 l/ha             | 0.15 l/ha               | 1 per year                 | Pre-emergence                 |             |
|                    |                     |                               |                     |                 | <i>Isoxaben</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| FLIPPER            | 05027               | Alpha Biopesticides Ltd       | Insecticide         |                 |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                    |                     |                               |                     |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
| Gazelle SG         | 03248               | Nisso Chemical Europe GmbH    | Insecticide         |                 |                            |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                    |                     |                               |                     |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |               |                                       |                 |                           |                 |                       |                         |                            |                               |             |
|                    | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/L</i>  |                       |                         |                            |                               |             |
|                    | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                    | Goltix 70 SC        | 04668         | Adama Agricultural Solutions UK Ltd   | Herbicide       |                           |                 | 2.0 l/ha              | 5.0 l/ha                | -                          | Pre crop emergence            |             |
|                    |                     |               |                                       |                 | <i>Metamitron</i>         | <i>700 g/l</i>  |                       |                         |                            |                               |             |
|                    | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                    | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                    | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                    | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                    | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                    |                     |               |                                       |                 | <i>Prosulfocarb</i>       | <i>800 g/L</i>  |                       |                         |                            |                               |             |
|                    | Life Scientific Lam | 04868         | Life Scientific Limited               | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                    | LS TARAK            | 07187         | Life Scientific Limited               | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/L</i>  |                       |                         |                            |                               |             |
|                    | Markate 50          | 05001         | Globachem nv                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                    | Mavita 250 EC       | 05941         | Syngenta UK Ltd                       | Fungicide       |                           |                 | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                    | Nativo 75 WG        | 04642         | Bayer CropScience Limited             | Fungicide       |                           |                 | 0.3 kg/ha             | 0.9 kg/ha               | * 3 per crop               | 21 days before harvest        | 21 days     |
|                    |                     |               |                                       |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                    |                     |               |                                       |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                    | Ninja 10CS          | 05178         | Syngenta UK Ltd                       | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i>                 | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|-------------------------------|---------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |                               |                     |                 |  |                   |                       |                         |                            |                               |             |
| Oxe                | 06463               | Albaugh TKI d.o.o             | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Pantha             | 06445               | TerreChem Ltd                 | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| PDM 330 EC         | 03582               | BASF plc                      | Herbicide           |                 |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                    |                     |                               |                     |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |                            |                               |             |
| Peloton            | 06481               | Barclay Chemicals Ltd         | Herbicide           |                 |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
| Perseus            | 06476               | BASF plc                      | Fungicide           |                 |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                    |                     |                               |                     |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                    |                     |                               |                     |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
| Pilot Ultra        | 04955               | Nissan Chemical Europe        | Herbicide           |                 |  |                   | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                    |                     |                               |                     |                 | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
| Professional       | 06262               | Sharda Cropchem Espana S.L.   | Herbicide           |                 |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
| Rapsan 500SC       | 05886               | Globachem nv                  | Herbicide           |                 |  |                   | 1.0 l/ha              | 1.0 l/ha                | -                          | Pre-emergence                 |             |
|                    |                     |                               |                     |                 | <i>Metazachlor</i>                             | <i>500 g/l</i>    |                       |                         |                            |                               |             |
| Ravane             | 05536               | Globachem nv                  | Insecticide         |                 |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
| Roubaix            | 06720               | Rotam Agrochemical Europe Ltd | Fungicide           |                 |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Roxy 800 EC        | 05739               | Globachem nv                  | Herbicide           |                 |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                    |                     |                               |                     |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
| Score 250 EC       | 04566               | Syngenta UK Ltd               | Fungicide           |                 |  |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                    |                     |                               |                     |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Serenade ASO       | 03847               | Bayer CropScience Limited     | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                    |                     |                               |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |               |                                 |                 |   |                   |                       |                         |                            |                               |             |
|                    | Signum              | 03799         | BASF plc                        | Fungicide       |   |                   | 1.0 kg/ha             | 2.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                    |                     |               |                                 |                 | <i>Boscalid</i>                               | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                    |                     |               |                                 |                 | <i>Pyraclostrobin</i>                         | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                    | Sparviero           | 04469         | Sipcam Oxon SpA                 | Insecticide     |   |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stealth             | 06468         | Syngenta UK Ltd                 | Insecticide     |   |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stomp 400 SC        | 02879         | BASF plc                        | Herbicide       |   |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                    |                     |               |                                 |                 | <i>Pendimethalin</i>                          | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stomp Aqua          | 03750         | BASF plc                        | Herbicide       |   |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                    |                     |               |                                 |                 | <i>Pendimethalin</i>                          | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stratos Ultra       | 04936         | BASF plc                        | Herbicide       |   |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                    |                     |               |                                 |                 | <i>Cycloxydim</i>                             | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | Switch              | 06414         | Syngenta UK Ltd                 | Fungicide       |   |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                    |                     |               |                                 |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i>  |                       |                         |                            |                               |             |
|                    |                     |               |                                 |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>    |                       |                         |                            |                               |             |
|                    | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |   |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                    |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                    | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                    | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                 | Herbicide       |   |                   | 0.4 l/ha              | 0.4 l/ha                | -                          | Pre-emergence                 |             |
|                    |                     |               |                                 |                 | <i>Lenacil</i>                                | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                    | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|----------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Jerusalem Artichoke</i> |                     |               |                            |                 |  |                   |                       |                         |                            |                               |             |
|                            | Eminentos 10 CS     | 04933         | FMC Agro Ltd               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | FLiPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide     |  |                   | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                            |                     |               |                            |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                       |                         |                            |                               |             |
|                            | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH | Insecticide     |  |                   | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                            |                     |               |                            |                 | <i>Acetamiprid</i>                             | <i>20 % w/w</i>   |                       |                         |                            |                               |             |
|                            | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | Karis 10 CS         | 04454         | FMC Agro Ltd               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | Laidir 10 CS        | 04932         | FMC Agro Ltd               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | Life Scientific Lam | 04868         | Life Scientific Limited    | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | LS TARAK            | 07187         | Life Scientific Limited    | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/L</i>    |                       |                         |                            |                               |             |
|                            | Markate 50          | 05001         | Globachem nv               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                            | Ninja 10CS          | 05178         | Syngenta UK Ltd            | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                            | Perseus             | 06476         | BASF plc                   | Fungicide       |  |                   | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                            |                     |               |                            |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                            |                     |               |                            |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                            | Pilot Ultra         | 04955         | Nissan Chemical Europe     | Herbicide       |  |                   | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                            |                     |               |                            |                 | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                            | Ravane              | 05536         | Globachem nv               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                            |                     |               |                            |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>      | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Jerusalem Artichoke</i> |                     |               |                          |                 |   |                |                       |                         |                            |                               |             |
|                            | Sparviero           | 04469         | Sipcam Oxon SpA          | Insecticide     |   |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                          |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                            | Stealth             | 06468         | Syngenta UK Ltd          | Insecticide     |   |                | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |               |                          |                 | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                            | Stratos Ultra       | 04936         | BASF plc                 | Herbicide       |   |                | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                            |                     |               |                          |                 | <i>Cycloxydim</i>                             | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                            |                     |               |                          |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i> | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Kale</i> | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79  |             |
|             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                        |                         |                            |  |             |
|             | Difenofin           | 06218         | Finchimica S.p.A                           | Fungicide       |   |                | 0.5 l/ha               | 1.0 l/ha                | -                          | 21 days before harvest                                       | 21 days     |
|             |                     |               |  |                 | <i>Difenoconazole</i>                                   | 250 g/l        |                        |                         |                            |  |             |
|             | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|             |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                        |                         |                            |  |             |
|             | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|             |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                        |                         |                            |  |             |
|             | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -  |             |
|             |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                        |                         |                            |  |             |
|             | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|             |                     |               |  |                 | <i>Clomazone</i>  | 360 g/l        |                        |                         |                            |  |             |
|             | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49   | 14 days     |
|             |                     |               |  |                 | <i>Fluopicolide</i>                                     | 62.5 g/l       |                        |                         |                            |  |             |
|             |                     |               |  |                 | <i>Propamocarb</i>                                      | 625 g/l        |                        |                         |                            |  |             |
|             | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting   |             |
|             |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>        | 2% w/w         |                        |                         |                            |  |             |
|             | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest                                       | 42 days     |
|             |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w        |                        |                         |                            |  |             |
|             | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |  | 0 days      |
|             |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>          | 1017.8 g/l     |                        |                         |                            |  |             |
|             | Signum              | 03799         | BASF plc                                   | Fungicide       |   |                | 1.0 kg/ha              | 3.0 kg/ha               | 3 per crop                 | 14 days before harvest                                       | 14 days     |
|             |                     |               |  |                 | <i>Boscalid</i>   | 26.7 % w/w     |                        |                         |                            |  |             |
|             |                     |               |  |                 | <i>Pyraclostrobin</i>                                   | 6.7 % w/w      |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------------|---------------------|---------------|-------------------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Kale</i>                        |                     |               |                                     |                 |   |                |                       |                         |                            |                               |             |
|                                    | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS   | Insecticide     |   |                | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                                    | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.        | Fungicide       | <i>Esfenvalerate</i>                          | <i>25 g/l</i>  | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                                    |                     |               |                                     |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                                    |                     |               |                                     |                 | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                                    | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                                    | Tracer              | 02649         | Corteva Agriscience UK Ltd          | Insecticide     | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> | 12 mls/product/plant  | -                       | 1                          | Pre planting - 6 leaf stage   |             |
|                                    |                     |               |                                     |                 | <i>Spinosad</i>                               | <i>480 g/l</i> |                       |                         |                            |                               |             |
|                                    |                     |               |                                     |                 | <i>Spinosad</i>                               | <i>480 g/l</i> |                       |                         |                            |                               |             |
| <i>Kale - For animal feed only</i> |                     |               |                                     |                 |   |                |                       |                         |                            |                               |             |
|                                    | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |   |                | 3.3 l/ha              | 3.3 l/ha                | -                          |                               |             |
|                                    |                     |               |                                     |                 | <i>Pendimethalin</i>                          | <i>400 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Kohl-rabi</i> |                     |               |  |                 |   |                |                        |                         |                            |                               |             |
|                  | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |                               |             |
|                  | Butisan S           | 04631         | BASF plc                                   | Herbicide       |   |                | 1.0 l/ha               | 1.0 l/ha                | -                          | Pre-emergence                 |             |
|                  |                     |               |  |                 | <i>Metazachlor</i>  | 500 g/l        |                        |                         |                            |                               |             |
|                  | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd               | Insecticide     |   |                | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                  |                     |               |  |                 | <i>Spirotetramat</i>                                      | 150 g/l        |                        |                         |                            |                               |             |
|                  | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 500 ml/ha              | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                  |                     |               |  |                 | <i>Deltamethrin</i>                                       | 15 g/l         |                        |                         |                            |                               |             |
|                  | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 5.0 l/ha               | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                  |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |                               |             |
|                  | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                  |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |                               |             |
|                  | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                | 2.0 kg/ha              | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest        | 42 days     |
|                  |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w        |                        |                         |                            |                               |             |
|                  | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                  |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |                               |             |
|                  | Movento             | 05349         | Bayer CropScience Limited                  | Insecticide     |   |                | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                  |                     |               |  |                 | <i>Spirotetramat</i>                                      | 150 g/l        |                        |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |                               | 0 days      |
|                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |                               |             |
|                  | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS          | Insecticide     |   |                | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                  |                     |               |  |                 | <i>Esfenvalerate</i>                                      | 25 g/l         |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|------------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Kohl-rabi</i> |                     |               |                              |                 |   |                |                       |                         |                            |                               |             |
|                  | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |   |                | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                  |                     |               |                              |                 | <i>Trichoderma</i>                            | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                  |                     |               |                              |                 | <i>Asperellum (strain T34)</i>                |                |                       |                         |                            |                               |             |
|                  |                     |               |                              |                 | <i>Trichoderma</i>                            | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                  |                     |               |                              |                 | <i>Asperellum (strain T34)</i>                |                |                       |                         |                            |                               |             |
|                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                  |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------|---------------------|---------------|------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Leeks</i> |                     |               |                              |                 |   |                  |                       |                         |                            |                               |             |
|              | Butisan S           | 04631         | BASF plc                     | Herbicide       |   |                  | 1.5 l/ha              | 1.5 l/ha                | -                          | 5-21 days after planting      |             |
|              |                     |               |                              |                 | <i>Metazachlor</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|              | Clayton Heed        | 06487         | Clayton Plant Protection Ltd | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|              |                     |               |                              |                 | <i>Prosulfocarb</i>                                       | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|              | Crozier             | 06482         | Barclay Chemicals Ltd        | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 5th leaf visible       |             |
|              |                     |               |                              |                 | <i>Prosulfocarb</i>                                       | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|              | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |   |                  | 420 mls/ha            | 1.26 l/ha               | -                          | 3 days before harvest         | 3 days      |
|              |                     |               |                              |                 | <i>Deltamethrin</i>                                       | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|              | Defy                | 04277         | Syngenta UK Ltd              | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|              |                     |               |                              |                 | <i>Prosulfocarb</i>                                       | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|              | FANTASIA            | 06952         | Albaugh TKI d.o.o            | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|              |                     |               |                              |                 | <i>Prosulfocarb</i>                                       | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|              | Flexidor            | 04963         | Corteva Agriscience UK Ltd   | Herbicide       |   |                  | 0.3 l/ha              | 0.3 l/ha                | 1 per year                 | After transplanting           |             |
|              |                     |               |                              |                 | <i>Isoxaben</i>   | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|              | FLIPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |   |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|              |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|              | Force 20 CS         | 06395         | Syngenta UK Ltd              | Seed Dressing   |   |                  | 25 ml/100,000 seeds   | 25 ml/100,000 seeds     | 1 per batch                | Before drilling               |             |
|              |                     |               |                              |                 | <i>Tefluthrin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|              | Infinito            | 04309         | Bayer CropScience Limited    | Fungicide       |   |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 14 days before harvest        | 14 days     |
|              |                     |               |                              |                 | <i>Propamocarb</i>  | <i>625 g/l</i>   |                       |                         |                            |                               |             |
|              |                     |               |                              |                 | <i>Fluopicolide</i>                                       | <i>62.5 g/l</i>  |                       |                         |                            |                               |             |
|              | Karate Zeon         | 04084         | Syngenta UK Ltd              | Insecticide     |   |                  | 100 mls/ha            | 200 mls/ha              | 2 per crop                 | 7 days before harvest         | 7 days      |
|              |                     |               |                              |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|              | LEES                | 06732         | Albaugh TKI d.o.o            | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|              |                     |               |                              |                 | <i>Prosulfocarb</i>                                       | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|              | Lentagran WP        | 05580         | Certis Belchim BV            | Herbicide       |   |                  | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | 28 days before harvest        | 28 days     |
|              |                     |               |                              |                 | <i>Pyridate</i>   | <i>45% w/w</i>   |                       |                         |                            |                               |             |
|              | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.          | Insecticide     |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|              |                     |               |                              |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|--------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Leeks</i> |                     |               |                             |                 |  |                   |                       |                         |                            |                                   |             |
|              | Nativo 75 WG        | 04642         | Bayer CropScience Limited   | Fungicide       |  |                   | 0.36 kg/ha            | 0.36 kg/ha              | * 1 per crop               | 21 days before harvest            | 21 days     |
|              |                     |               |                             |                 | <i>Trifloxystrobin</i>                         | <i>250 g/kg</i>   |                       |                         |                            |                                   |             |
|              |                     |               |                             |                 | <i>Tebuconazole</i>                            | <i>500 g/kg</i>   |                       |                         |                            |                                   |             |
|              | NEMGuard DE         | 05368         | ECOspray Ltd                | Nematicide      |  |                   | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                       |             |
|              |                     |               |                             |                 | <i>Garlic Extract</i>                          | <i>450 g/kg</i>   |                       |                         |                            |                                   |             |
|              | Ninja 10CS          | 05178         | Syngenta UK Ltd             | Insecticide     |  |                   | 100 mls/ha            | 200 mls/ha              | 2                          | 7 days before harvest             | 7 days      |
|              |                     |               |                             |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                                   |             |
|              | Peloton             | 06481         | Barclay Chemicals Ltd       | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 5th leaf visible           |             |
|              |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                                   |             |
|              | Perseus             | 06476         | BASF plc                    | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                             | 14 days     |
|              |                     |               |                             |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                                   |             |
|              |                     |               |                             |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                                   |             |
|              | Professional        | 06262         | Sharda Cropchem Espana S.L. | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|              |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                                   |             |
|              | Roxy 800 EC         | 05739         | Globachem nv                | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|              |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                                   |             |
|              | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                                   | 0 days      |
|              |                     |               |                             |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                                   |             |
|              | Starane Hi-Load HL  | 04549         | Corteva Agriscience UK Ltd  | Herbicide       |  |                   | 0.3 l/ha              | 0.3 l/ha                |                            | 28 days before harvest            | 28 days     |
|              |                     |               |                             |                 | <i>Fluroxypyr</i>                              | <i>333 g/l</i>    |                       |                         |                            |                                   |             |
|              | Stealth             | 06468         | Syngenta UK Ltd             | Insecticide     |  |                   | 100 mls/ha            | 200 mls/ha              | 2 per crop                 | 7 days before harvest             | 7 days      |
|              |                     |               |                             |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                                   |             |
|              | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L    | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                 | -           |
|              |                     |               |                             |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                                   |             |
|              | Wing P              | 03590         | BASF plc                    | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|              |                     |               |                             |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                                   |             |
|              |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                                   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|---|-------------|
| <i>Lettuce - field</i> |                     |               |  |                 |   |                  |                       |                         |                            |   |             |
|                        | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                        |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |   |             |
|                        |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |   |             |
|                        | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                                       |             |
|                        |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |   |             |
|                        | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest                      | 14 days     |
|                        |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |   |             |
|                        | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -   |             |
|                        |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |   |             |
|                        | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest                       | 7 days      |
|                        |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |   |             |
|                        |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |   |             |
|                        | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest                          | 3 days      |
|                        |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>   |                       |                         |                            |   |             |
|                        | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest                       | 7 days      |
|                        |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |   |             |
|                        |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |   |             |
|                        | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                  | 0.7 l/ha              | 1.4 l/ha                | -                          | 10 days post transplanting or 3rd true leaf |             |
|                        |                     |               |  |                 | <i>S-Metolachlor</i>                                    | <i>960 g/l</i>   |                       |                         |                            |   |             |
|                        | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -   |             |
|                        |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |   |             |
|                        | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH                 | Insecticide     |   |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest                          | 3 days      |
|                        |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20 % w/w</i>  |                       |                         |                            |   |             |
|                        | Infinito            | 04309         | Bayer CropScience Limited                  | Fungicide       |   |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | Before GS 49                                | 14 days     |
|                        |                     |               |  |                 | <i>Fluopicolide</i>                                     | <i>62.5 g/l</i>  |                       |                         |                            |   |             |
|                        |                     |               |  |                 | <i>Propamocarb</i>                                      | <i>625 g/l</i>   |                       |                         |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i>              | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|---------------------|----------------------------|---------------------|-----------------|--|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - field</i> |                     |                            |                     |                 |  |                  |                        |                         |                            |                               |             |
| Karma                  | 05116               | Certis Belchim BV          | Fungicide           |                 |  |                  | 3.0 kg/ha              | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                        |                     |                            |                     |                 | <i>Potassium Hydrogen Carbonate</i>              | <i>850 g/kg</i>  |                        |                         |                            |                               |             |
| Kerb Flo               | 02830               | Corteva Agriscience UK Ltd | Herbicide           |                 |  |                  | 1.875 l/ha             | 1.875 l/ha              | 1                          | 24 days before harvest        | 24 days     |
|                        |                     |                            |                     |                 | <i>Propyzamide</i>                               | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| LALGUARD M52           | 04811               | Danstar Ferment AG         | Insecticide         |                 |  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                        |                     |                            |                     |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                               |             |
| Mavita 250 EC          | 05941               | Syngenta UK Ltd            | Fungicide           |                 |  |                  | 0.5 l/ha               | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |                            |                     |                 | <i>Difenoconazole</i>                            | <i>250 g/l</i>   |                        |                         |                            |                               |             |
| PDM 330 EC             | 03582               | BASF plc                   | Herbicide           |                 |  |                  | 4.5 l/ha               | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                        |                     |                            |                     |                 | <i>Pendimethalin</i>                             | <i>330 g/l</i>   |                        |                         |                            |                               |             |
| Pendifin 400 SC        | 05731               | Finchimica S.p.A           | Herbicide           |                 |  |                  | 3.75 l/ha              | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                        |                     |                            |                     |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Percos                 | 03841               | BASF plc                   | Fungicide           |                 |  |                  | 1.5 l/ha               | 3.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                        |                     |                            |                     |                 | <i>Ametoctradin</i>                              | <i>300 g/l</i>   |                        |                         |                            |                               |             |
|                        |                     |                            |                     |                 | <i>Dimethomorph</i>                              | <i>225 g/l</i>   |                        |                         |                            |                               |             |
| Scala                  | 03916               | BASF plc                   | Fungicide           |                 |  |                  | 1.33 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |                            |                     |                 | <i>Pyrimethanil</i>                              | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Score 250 EC           | 04566               | Syngenta UK Ltd            | Fungicide           |                 |  |                  | 0.5 l/ha               | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                        |                     |                            |                     |                 | <i>Difenoconazole</i>                            | <i>250 g/l</i>   |                        |                         |                            |                               |             |
| Stomp 400 SC           | 02879               | BASF plc                   | Herbicide           |                 |  |                  | 3.75 l/ha              | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                        |                     |                            |                     |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Stomp Aqua             | 03750               | BASF plc                   | Herbicide           |                 |  |                  | 3.3 l/ha               | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                        |                     |                            |                     |                 | <i>Pendimethalin</i>                             | <i>455 g/l</i>   |                        |                         |                            |                               |             |
| Switch                 | 06414               | Syngenta UK Ltd            | Fungicide           |                 |  |                  | 0.8 kg/ha              | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                        |                     |                            |                     |                 | <i>Fludioxonil</i>                               | <i>25% w/w</i>   |                        |                         |                            |                               |             |
|                        |                     |                            |                     |                 | <i>Cyprodinil</i>                                | <i>37.5% w/w</i> |                        |                         |                            |                               |             |
| Tec-Bom                | 05040               | Grupo Agrotecnologia S.L   | Insecticide         |                 |  |                  | 5.75 l/ha              | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                        |                     |                            |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>    | <i>416 g/l</i>   |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i>              | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|---------------------|----------------------------|---------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - field</i> |                     |                            |                     |                 |                       |                  |                       |                         |                            |                               |             |
| Teldor                 | 02003               | Bayer CropScience Limited  | Fungicide           |                 |                       |                  | 1.5 kgs/ha            | 3.0 kgs/ha              | 2 / crop                   | 3 days before harvest         | 3 days      |
|                        |                     |                            |                     |                 | <i>Fenhexamid</i>     | <i>50 %w/w</i>   |                       |                         |                            |                               |             |
| Tracer                 | 02649               | Corteva Agriscience UK Ltd | Insecticide         |                 |                       |                  | 200 ml/ha             | 600 ml/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                        |                     |                            |                     |                 | <i>Spinosad</i>       | <i>480 g/l</i>   |                       |                         |                            |                               |             |
| Wing P                 | 03590               | BASF plc                   | Herbicide           |                 |                       |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Before transplanting          | 35 days     |
|                        |                     |                            |                     |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                        |                     |                            |                     |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                    | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|------------------------------|-----------------|-------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - protected</i> |                     |               |                              |                 |                                     |                  |                       |                         |                            |                               |             |
|                            | Amistar Top         | 04582         | Syngenta UK Ltd              | Fungicide       |                                     |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                              |                 | <i>Difenoconazole</i>               | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                              |                 | <i>Azoxystrobin</i>                 | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                            | Azarius             | 06522         | JT Agro Ltd                  | Fungicide       |                                     |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |                              |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |                                     |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                            |                     |               |                              |                 | <i>Beauveria bassiana</i>           | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                            |                     |               |                              |                 | <i>GHA / ATCC 74040</i>             |                  |                       |                         |                            |                               |             |
|                            | Botrefin            | 06480         | Finchimica S.p.A             | Fungicide       |                                     |                  | 0.6 kg/ha             | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                            |                     |               |                              |                 | <i>Cyprodinil</i>                   | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                            |                     |               |                              |                 | <i>Fludioxonil</i>                  | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                            | Ceta SG             | 06252         | Unichem Limited              | Insecticide     |                                     |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                            |                     |               |                              |                 | <i>Acetamiprid</i>                  | <i>20% w/w</i>   |                       |                         |                            |                               |             |
|                            | Clayton Gear        | 06607         | Clayton Plant Protection Ltd | Fungicide       |                                     |                  | 0.6 kg/ha             | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                            |                     |               |                              |                 | <i>Cyprodinil</i>                   | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                            |                     |               |                              |                 | <i>Fludioxonil</i>                  | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                            | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |                                     |                  | 830 ml/ha             | 1.66 l/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                            |                     |               |                              |                 | <i>Deltamethrin</i>                 | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                            | FLiPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |                                     |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                            |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>          | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                            | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH   | Insecticide     |                                     |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                            |                     |               |                              |                 | <i>Acetamiprid</i>                  | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                            | Infinito            | 04309         | Bayer CropScience Limited    | Fungicide       |                                     |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 21 days before harvest        | 21 days     |
|                            |                     |               |                              |                 | <i>Fluopicolide</i>                 | <i>62.5 g/l</i>  |                       |                         |                            |                               |             |
|                            |                     |               |                              |                 | <i>Propamocarb</i>                  | <i>625 g/l</i>   |                       |                         |                            |                               |             |
|                            | Karma               | 05116         | Certis Belchim BV            | Fungicide       |                                     |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                            |                     |               |                              |                 | <i>Potassium Hydrogen Carbonate</i> | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
|                            | Kerb Flo            | 02830         | Corteva Agriscience UK Ltd   | Herbicide       |                                     |                  | 1.875 l/ha            | 1.875 l/ha              | 1                          | 24 days pre harvest           | 24 days     |
|                            |                     |               |                              |                 | <i>Propyzamide</i>                  | <i>400 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|----------------------------|---------------------|---------------|------------------------------|-----------------|--|------------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Lettuce - protected</i> |                     |               |                              |                 |  |                  |                        |                         |                            |  |             |
|                            | LALGUARD M52        | 04811         | Danstar Ferment AG           | Insecticide     |  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                       |             |
|                            |                     |               |                              |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |  |             |
|                            | Paraat              | 03614         | BASF plc                     | Fungicide       |  |                  | 0.36 kg/ha             | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest                             | 14 days     |
|                            |                     |               |                              |                 | <i>Dimethomorph</i>                              | <i>500 g/kg</i>  |                        |                         |                            |  |             |
|                            | Percos              | 03841         | BASF plc                     | Fungicide       |  |                  | 1.5 l/ha               | 3.0 l/ha                | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                            |                     |               |                              |                 | <i>Ametoctradin</i>                              | <i>300 g/l</i>   |                        |                         |                            |  |             |
|                            |                     |               |                              |                 | <i>Dimethomorph</i>                              | <i>225 g/l</i>   |                        |                         |                            |  |             |
|                            | Scala               | 03916         | BASF plc                     | Fungicide       |  |                  | 1.33 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                            |                     |               |                              |                 | <i>Pyrimethanil</i>                              | <i>400 g/l</i>   |                        |                         |                            |  |             |
|                            | Switch              | 06414         | Syngenta UK Ltd              | Fungicide       |  |                  | 0.6 kg/ha              | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                            |                     |               |                              |                 | <i>Cyprodinil</i>                                | <i>37.5% w/w</i> |                        |                         |                            |  |             |
|                            |                     |               |                              |                 | <i>Fludioxonil</i>                               | <i>25% w/w</i>   |                        |                         |                            |  |             |
|                            | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                  | 0.5 g/m <sup>2</sup> * | 0.5 g/m <sup>2</sup>    | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                            |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>       | <i>12% w/w</i>   |                        |                         |                            |  |             |
|                            |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>       | <i>12% w/w</i>   |                        |                         |                            |  |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                  | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -  | -           |
|                            |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>    | <i>416 g/l</i>   |                        |                         |                            |  |             |
|                            | Teldor              | 02003         | Bayer CropScience Limited    | Fungicide       |  |                  | 1.5 kgs/ha             | 3.0 kgs/ha              | 2 / crop                   | 3 days before harvest                              | 3 days      |
|                            |                     |               |                              |                 | <i>Fenhexamid</i>                                | <i>50 %w/w</i>   |                        |                         |                            |  |             |
|                            | Tracer              | 02649         | Corteva Agriscience UK Ltd   | Insecticide     |  |                  | 200 ml/ha              | 600 ml/ha               | 3 per crop                 | 3 days before harvest                              | 3 days      |
|                            |                     |               |                              |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|----------------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Linseed</i> |                     |               |                            |                 |                     |                |                       |                         |                            |                               |             |
|                | Butisan S           | 04631         | BASF plc                   | Herbicide       |                     |                | 1.5 l/ha              | 1.5 l/ha                | -                          | Before GS 19                  |             |
|                |                     |               |                            |                 | <i>Metazachlor</i>  | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited  | Insecticide     |                     |                | 500 ml/ha             | 500 ml/ha               | 1 per crop                 | GS 81                         |             |
|                |                     |               |                            |                 | <i>Deltamethrin</i> | <i>15 g/l</i>  |                       |                         |                            |                               |             |
|                | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd | Herbicide       |                     |                | 0.17 l/ha             | 0.17 l/ha               | -                          | Before GS 51                  |             |
|                |                     |               |                            |                 | <i>Clopyralid</i>   | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                | Rapsan 500SC        | 05886         | Globachem nv               | Herbicide       |                     |                | 1.5 l/ha              | 1.5 l/ha                | -                          | GS 19                         |             |
|                |                     |               |                            |                 | <i>Metazachlor</i>  | <i>500 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Loganberries - field</i> |                     |               |  |                 |   |                |                        |                         |                            |                                |             |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |                                |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                             |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                        |                         |                            |                                |             |
|                             | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                             |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |                                |             |
|                             | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                   |             |
|                             |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |                                |             |
|                             | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                            |             |
|                             |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |                                |             |
|                             | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha              | 42 kg/ha                | 6 per crop                 | 0 days before harvest          | 0 days      |
|                             |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                        |                         |                            |                                |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |                                | 0 days      |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |                                |             |
|                             | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.8 l/ha               | 1.6 l/ha                | -                          | 21 days before harvest         | 21 days     |
|                             |                     |               |  |                 | <i>Carfentrazone-ethyl</i>                                | 60 g/l         |                        |                         |                            |                                |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                             |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                        |                         |                            |                                |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Loganberries - protected</i> |                     |               |  |                 |   |                |                        |                         |                            |  |             |
|                                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89  |             |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |  |             |
|                                 | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour                     |             |
|                                 |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                        |                         |                            |  |             |
|                                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -  |             |
|                                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |  |             |
|                                 | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> |                         |                            | pre-planting                                       |             |
|                                 |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |  |             |
|                                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 l/ha               | 3.0 l/ha                | -                          | N/A  |             |
|                                 |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |  |             |
|                                 | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          | -  | 0 days      |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |  |             |
|                                 | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.8 l/ha               | 1.6 l/ha                | -                          | 21 days before harvest                             | 21 days     |
|                                 |                     |               |  |                 | <i>Carfentrazone-ethyl</i>                                | 60 g/l         |                        |                         |                            |  |             |
|                                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   |                | 0.5 g/m <sup>2</sup> * | 0.5 g/m <sup>2</sup>    | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                        |                         |                            |  |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                | 12% w/w        |                        |                         |                            |  |             |
|                                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -  | -           |
|                                 |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>         | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|---------------------------------------|-------------|
| <i>Loganberries - protected</i>     |                     |               |                                     |                 |  |                   |                       |                         |                            |                                       |             |
|                                     | Trianum-P           | 05486         | Koppert B.V.                        | Fungicide       |  |                   | 15 g/1000 plants      | -                       | 12 per year                | At cultivation                        |             |
|                                     |                     |               |                                     |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                       |                         |                            |                                       |             |
|                                     |                     |               |                                     |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                       |                         |                            |                                       |             |
| <i>Lupins</i>                       |                     |               |                                     |                 |  |                   |                       |                         |                            |                                       |             |
|                                     | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |  |                   | 3.75 l/ha             | 3.75 l/ha               |                            | Pre crop emergence                    |             |
|                                     |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                                       |             |
|                                     | Clayton Gear        | 06607         | Clayton Plant Protection Ltd        | Fungicide       |  |                   | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | -                                     |             |
|                                     |                     |               |                                     |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                                       |             |
|                                     |                     |               |                                     |                 | <i>Fludioxonil</i>                             | <i>25.0% w/w</i>  |                       |                         |                            |                                       |             |
|                                     | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |  |                   | 4.5 l/ha              | 4.5 l/ha                | 1                          | Before crop emergence                 |             |
|                                     |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>330 g/l</i>    |                       |                         |                            |                                       |             |
|                                     | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide       |  |                   | 3.75 l/ha             | 3.75 l/ha               | 1 per crop                 | Pre-crop emergence                    |             |
|                                     |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                                       |             |
|                                     | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                                       | 0 days      |
|                                     |                     |               |                                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                                       |             |
|                                     | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | Before crop emergence                 |             |
|                                     |                     |               |                                     |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                                       |             |
|                                     | Switch              | 06414         | Syngenta UK Ltd                     | Fungicide       |  |                   | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | -                                     |             |
|                                     |                     |               |                                     |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                                       |             |
|                                     |                     |               |                                     |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |                                       |             |
| <i>Maize - Forage - open ground</i> |                     |               |                                     |                 |  |                   |                       |                         |                            |                                       |             |
|                                     | Comet 200           | 03696         | BASF plc                            | Fungicide       |  |                   | 1.25 l/ha             | 2.5 l/ha                | 2                          | Tasel/silk visible stage (BBCH 51-59) |             |
|                                     |                     |               |                                     |                 | <i>Pyraclostrobin</i>                          | <i>200 g/l</i>    |                       |                         |                            |                                       |             |
|                                     | Modem 200           | 03695         | BASF plc                            | Fungicide       |  |                   | 1.25 l/ha             | 2.5 l/ha                | 2                          | Tasel/silk visible stage (BBCH 51-59) |             |
|                                     |                     |               |                                     |                 | <i>Pyraclostrobin</i>                          | <i>200 g/l</i>    |                       |                         |                            |                                       |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop Product</i>                   | <i>Max Ind.</i> | <i>Max. Total</i> | <i>Max No of</i> | <i>Latest Time</i>                     |             |               |                           |                 |  |                   |
|---------------------------------------|-----------------|-------------------|------------------|--|-------------|---------------|---------------------------|-----------------|--|-------------------|
| <i>Name</i>                           | <i>Dose:</i>    | <i>Dose:</i>      | <i>Applic's:</i> | <i>of Applic:</i>                      | <i>PHI:</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    |
| <i>Maize - Forage - under plastic</i> |                 |                   |                  |  |             |               |                           |                 |  |                   |
| Comet 200                             | 1.25 l/ha       | 2.5 l/ha          | 2                | Tassel/silk visible stage (BBCH 51-59) |             | 03696         | BASF plc                  | Fungicide       |  |                   |
|                                       |                 |                   |                  |  |             |               |                           |                 | <i>Pyraclostrobin</i>                          | <i>200 g/l</i>    |
| Modem 200                             | 1.25 l/ha       | 2.5 l/ha          | 2 per crop       | Tassel/silk visible stage (BBCH 51-59) |             | 03695         | BASF plc                  | Fungicide       |  |                   |
|                                       |                 |                   |                  |  |             |               |                           |                 | <i>Pyraclostrobin</i>                          | <i>200 g/l</i>    |
| <i>Mange tout peas</i>                |                 |                   |                  |  |             |               |                           |                 |  |                   |
| Serenade ASO                          | 8 l/ha          | 48 l/ha           | 6                |  | 0 days      | 03847         | Bayer CropScience Limited | Fungicide       |  |                   |
|                                       |                 |                   |                  |  |             |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |
| <i>Mangolds</i>                       |                 |                   |                  |  |             |               |                           |                 |  |                   |
| Mitron WG                             | 2.0 kg/ha       | 5.0 kg/ha         | 3 per crop       | GS 18                                  |             | 04683         | Hermoo Belgium N.V.       | Herbicide       |  |                   |
|                                       |                 |                   |                  |  |             |               |                           |                 | <i>Metamitron</i>                              | <i>70% w/w</i>    |
| Serenade ASO                          | 8 l/ha          | 48 l/ha           | 6                |  | 0 days      | 03847         | Bayer CropScience Limited | Fungicide       |  |                   |
|                                       |                 |                   |                  |  |             |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Marrows</i> |                     |               |                                       |                 |  |                   |                       |                         |                            |                               |             |
|                | Amistar             | 05072         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Amistar Top         | 04582         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Difenoconazole</i>                          | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                | Ampect              | 06827         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Azofin              | 06637         | Finchimica S.p.A                      | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/L</i>    |                       |                         |                            |                               |             |
|                | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Previcur Energy     | 04041         | Bayer CropScience Limited             | Fungicide       |  |                   | 3.0 l/ha              | 12.0 l/ha               | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                |                     |               |                                       |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited             | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                |                     |               |                                       |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                    | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------------|---------------|---------------------------------------|-----------------|-------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Melon - protected</i> |                     |               |                                       |                 |                                     |                  |                       |                         |                            |                               |             |
|                          | Amistar             | 05072         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Amistar Top         | 04582         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Difenoconazole</i>               | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                          | Ampect              | 06827         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Azofin              | 06637         | Finchimica S.p.A                      | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd          | Insecticide     |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                          | Globazar AZT 250    | 07114         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                          | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Karma               | 05116         | Certis Belchim BV                     | Fungicide       |                                     |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                          |                     |               |                                       |                 | <i>Potassium Hydrogen Carbonate</i> | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
|                          | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                          |                     |               |                                       |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                          | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Revus               | 05154         | Syngenta UK Ltd                       | Fungicide       |                                     |                  | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Mandipropamid</i>                | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                          |                     |               |                                       |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                          | Sonata              | 05802         | Bayer CropScience Limited             | Fungicide       |                                     |                  | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                          |                     |               |                                       |                 | <i>Bacillus pumilus QST 2808</i>    | <i>14.35 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>            | <i>Max. Total Dose:</i>   | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|--------------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|----------------------------------|---------------------------|----------------------------|--|-------------|
| <i>Melon - protected</i> |                     |               |                              |                 |  |                   |                                  |                           |                            |  |             |
|                          | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                   | 0.5 g/m2*                        | 0.5 g/m2                  | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                          |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                                  |                           |                            |  |             |
|                          |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                                  |                           |                            |  |             |
| <i>Mint</i>              |                     |               |                              |                 |  |                   |                                  |                           |                            |  |             |
|                          | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |  |                   | 0.6 kg/ha                        | 3.0 kg/ha                 | 5 per year                 | -  |             |
|                          |                     |               |                              |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>     | <i>220 g/kg</i>   |                                  |                           |                            |  |             |
|                          | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                           | 48 l/ha                   | 6                          |  | 0 days      |
|                          |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                                  |                           |                            |  |             |
|                          | Teldor              | 02003         | Bayer CropScience Limited    | Fungicide       |  |                   | 1.5 kgs/ha                       | 3.0 kgs/ha                |                            | 3 days before harvest                              | 3 days      |
|                          |                     |               |                              |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                                  |                           |                            |  |             |
| <i>Mushrooms</i>         |                     |               |                              |                 |  |                   |                                  |                           |                            |  |             |
|                          | Botanigard WP       | 06264         | Mycotech Europe Ltd          | Insecticide     |  |                   | 0.24 g per sq m grow area        | 0.96 g per sq m grow area | 4 per crop                 | -  | 0 days      |
|                          |                     |               |                              |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>     | <i>220 g/kg</i>   |                                  |                           |                            |  |             |
|                          | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |  |                   | 5ml/100 cubic metre              | -                         | 2 per crop                 | 3 days before harvest                              | 3 days      |
|                          |                     |               |                              |                 | <i>Deltamethrin</i>                            | <i>15 g/l</i>     |                                  |                           |                            |  |             |
|                          | FLIPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |  |                   | 1.6 ml in 62.5 ml water per m sq | ml per m sq               | 5 per crop                 | -  |             |
|                          |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                                  |                           |                            |  |             |
|                          |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  |                                  |                           |                            |  |             |
|                          | Pyrethrum 5 EC      | 06255         | Pelgar International         | Insecticide     |  |                   | 0.65 l/ha                        | 1.95 l/ha                 | 3 per crop                 | 1 day before harvest                               | 1 day       |
|                          |                     |               |                              |                 | <i>Pyrethrins</i>                              | <i>50 g/l</i>     |                                  |                           |                            |  |             |
|                          | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 1.84 ml/62.5L water/sq m         | 9.2 ml/sq m               | 5 per crop                 | -  | -           |
|                          |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                                  |                           |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>       | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|---------------|---------------------------|-----------------|------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Mustard</i>               |                     |               |                           |                 |                        |                |                       |                         |                            |                               |             |
|                              | Fathom              | 04688         | FMC Agro Ltd              | Fungicide       |                        |                | 1.25 l/ha             | 1.25 l/ha               | 1                          | GS 65                         | 21 days     |
|                              |                     |               |                           |                 | <i>Tebuconazole</i>    | <i>200 g/l</i> |                       |                         |                            |                               |             |
| <i>Oilseed Rape - spring</i> |                     |               |                           |                 |                        |                |                       |                         |                            |                               |             |
|                              | Olbran              | 06870         | Bayer CropScience Limited | Fungicide       |                        |                | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest        | 56 days     |
|                              |                     |               |                           |                 | <i>Prothioconazole</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                              | Profound            | 06869         | Bayer CropScience Limited | Fungicide       |                        |                | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest        | 56 days     |
|                              |                     |               |                           |                 | <i>Prothioconazole</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                              | Proline             | 03786         | Bayer CropScience Limited | Fungicide       |                        |                | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest        | 56 days     |
|                              |                     |               |                           |                 | <i>Prothioconazole</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|               | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|               | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 47                         |             |
|               |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|               | Basagran SG         | 05192         | BASF plc                                   | Herbicide       |   |                  | 1.1 kg/ha             | 1.1 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Bentazone</i>  | <i>870 g/kg</i>  |                       |                         |                            |                               |             |
|               | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|               |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|               | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 56 days before harvest        | 56 days     |
|               |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|               | Chanon              | 06518         | Globachem nv                               | Herbicide       |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |  |                 | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|               |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|               | Clayton Heed        | 06487         | Clayton Plant Protection Ltd               | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |  |                 | <i>Prosulfocarb</i>                                     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|               | Clayton Klondike    | 06807         | Clayton Plant Protection Ltd               | Herbicide       |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |  |                 | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Clever              | 06399         | Sharda Cropchem Espana S.L.                | Herbicide       |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|               |                     |               |  |                 | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|               | Crozier             | 06482         | Barclay Chemicals Ltd                      | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |  |                 | <i>Prosulfocarb</i>                                     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|               | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                  | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Deltamethrin</i>                                     | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|               | Defy                | 04277         | Syngenta UK Ltd                            | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |  |                 | <i>Prosulfocarb</i>                                     | <i>800 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------|---------------------|---------------|----------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Onions</i> |                     |               |                            |                 |                            |                  |                       |                         |                            |  |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage                            |             |
|               |                     |               |                            |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |  |             |
|               | Efica 960 EC        | 05942         | Syngenta UK Ltd            | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage                            |             |
|               |                     |               |                            |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |  |             |
|               | Emerger             | 06190         | Bayer CropScience Limited  | Herbicide       |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12  |             |
|               |                     |               |                            |                 | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |  |             |
|               | Fandango            | 03787         | Bayer CropScience Limited  | Fungicide       |                            |                  | 1.25 l/ha             | 5.0 l/ha                | 4 per crop                 | GS 47  |             |
|               |                     |               |                            |                 | <i>Prothioconazole</i>     | <i>100 g/l</i>   |                       |                         |                            |  |             |
|               |                     |               |                            |                 | <i>Fluoxastrobin</i>       | <i>100 g/l</i>   |                       |                         |                            |  |             |
|               | FANTASIA            | 06952         | Albaugh TKI d.o.o          | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|               |                     |               |                            |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |  |             |
|               | Flexidor            | 04963         | Corteva Agriscience UK Ltd | Herbicide       |                            |                  | 0.2 l/ha              | 0.2 l/ha                | 1 per year                 | After transplanting or beginning of root formation |             |
|               |                     |               |                            |                 | <i>Isoxaben</i>            | <i>500 g/l</i>   |                       |                         |                            |  |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -  |             |
|               |                     |               |                            |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |  |             |
|               | Force 20 CS         | 06395         | Syngenta UK Ltd            | Seed Dressing   |                            |                  | 25 ml/100,000 seeds   | 25 ml/100,000 seeds     | 1 per batch                | Before drilling                                    |             |
|               |                     |               |                            |                 | <i>Tefluthrin</i>          | <i>200 g/l</i>   |                       |                         |                            |  |             |
|               | Fytosol             | 06584         | Fytofend S.A.              | Fungicide       |                            |                  | 4.0 l/ha              | 60.0 l/ha               | 15 per crop                | N/A  |             |
|               |                     |               |                            |                 | <i>COS-OGA</i>             | <i>12.5 g/l</i>  |                       |                         |                            |  |             |
|               | Infinito            | 04309         | Bayer CropScience Limited  | Fungicide       |                            |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest                              | 7 days      |
|               |                     |               |                            |                 | <i>Propamocarb</i>         | <i>625 g/l</i>   |                       |                         |                            |  |             |
|               |                     |               |                            |                 | <i>Fluopicolide</i>        | <i>62.5 g/l</i>  |                       |                         |                            |  |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |                            |                  | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest                             | 21 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |  |             |
|               | LEES                | 06732         | Albaugh TKI d.o.o          | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|               |                     |               |                            |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |  |             |
|               | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd | Herbicide       |                            |                  | 0.33 l/ha             | 0.5 l/ha                | -                          | 6 weeks before harvest                             | 6 weeks     |
|               |                     |               |                            |                 | <i>Clopyralid</i>          | <i>600 g/l</i>   |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|---------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Onions</i> |                     |               |                             |                 |  |                   |                       |                         |                            |                                   |             |
|               | NEMGuard DE         | 05368         | ECOSpray Ltd                | Nematicide      |  |                   | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                       |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd             | Insecticide     | <i>Garlic Extract</i>                          | <i>450 g/kg</i>   | 75 mls/ha             | 225 mls/ha              | 3                          | 21 days before harvest            | 21 days     |
|               | Ostrich             | 06907         | Albaugh TKI d.o.o           | Herbicide       | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                             |             |
|               | Peloton             | 06481         | Barclay Chemicals Ltd       | Herbicide       | <i>Aclonifen</i>                               | <i>600 g/l</i>    | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible           |             |
|               | Professional        | 06262         | Sharda Cropchem Espana S.L. | Herbicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|               | Revus               | 05154         | Syngenta UK Ltd             | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 14 days before harvest            | 14 days     |
|               | Roxy 800 EC         | 05739         | Globachem nv                | Herbicide       | <i>Mandipropamid</i>                           | <i>250 g/l</i>    | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                      |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    | 8 l/ha                | 48 l/ha                 | 6                          |                                   | 0 days      |
|               | Starane Hi-Load HL  | 04549         | Corteva Agriscience UK Ltd  | Herbicide       | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> | 0.3 l/ha              | 0.3 l/ha                |                            | Before GS 15                      |             |
|               | Stealth             | 06468         | Syngenta UK Ltd             | Insecticide     | <i>Fluroxypyr</i>                              | <i>333 g/l</i>    | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest            | 21 days     |
|               | Switch              | 06414         | Syngenta UK Ltd             | Fungicide       | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest            | 21 days     |
|               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L    | Insecticide     | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                 | -           |
|               | Wing P              | 03590         | BASF plc                    | Herbicide       | <i>Fludioxonil</i>                             | <i>25% w/w</i>    | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|               |                     |               |                             |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                                   |             |
|               |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                                   |             |
|               |                     |               |                             |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                                   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i> |                     |               |                               |                 |                       |                  |                       |                         |                            |                               |             |
|                       | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                               |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                       | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Basagran SG         | 05192         | BASF plc                      | Herbicide       |                       |                  | 0.55 kg/ha            | 1.1 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Bentazone</i>      | <i>870 g/kg</i>  |                       |                         |                            |                               |             |
|                       | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       |                       |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                       | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                       | Clayton Heed        | 06487         | Clayton Plant Protection Ltd  | Herbicide       |                       |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>   | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                       | Crozier             | 06482         | Barclay Chemicals Ltd         | Herbicide       |                       |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 3rd true leaf          |             |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>   | <i>800 g/l</i>   |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|---------------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i> |                     |               |                                       |                 |   |                  |                       |                         |                            |                               |             |
|                       | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |   |                  | 420 mls/ha            | 1.26 l/ha               | 3                          | 3 days before harvest         | 3 days      |
|                       |                     |               |                                       |                 | <i>Deltamethrin</i>                                       | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                       | Defy                | 04277         | Syngenta UK Ltd                       | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                |                            | Before 3rd true leaf          |             |
|                       |                     |               |                                       |                 | <i>Prosulfocarb</i>                                       | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                       | FANTASIA            | 06952         | Albaugh TKI d.o.o                     | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|                       |                     |               |                                       |                 | <i>Prosulfocarb</i>                                       | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                       | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |   |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                       |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                       | Force 20 CS         | 06395         | Syngenta UK Ltd                       | Seed Dressing   |   |                  | 10 ml/100,000 seeds   | 10 ml/100,000 seeds     | 1 per batch                | Before drilling               |             |
|                       |                     |               |                                       |                 | <i>Tefluthrin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                       | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                       | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                                       |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                       | Infinito            | 04309         | Bayer CropScience Limited             | Fungicide       |   |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                                       |                 | <i>Fluopicolide</i>                                       | <i>62.5 g/l</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                                       |                 | <i>Propamocarb</i>  | <i>625 g/l</i>   |                       |                         |                            |                               |             |
|                       | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |   |                  | 75 mls/ha             | 150 mls/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                       | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide       |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|                       |                     |               |                                       |                 | <i>Prosulfocarb</i>                                       | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                       | Lentagran WP        | 05580         | Certis Belchim BV                     | Herbicide       |   |                  | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | 35 days before harvest        | 35 days     |
|                       |                     |               |                                       |                 | <i>Pyridate</i>   | <i>45% w/w</i>   |                       |                         |                            |                               |             |
|                       | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                   | Insecticide     |   |                  | 1.0 kg/ha             | 3.0 kg/ha               |                            | N/A                           |             |
|                       |                     |               |                                       |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|                       | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       |  |                   | 0.36 kg/ha            | 0.36 kg/ha              | * 1 per crop               | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Trifloxystrobin</i>                         | <i>250 g/kg</i>   |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Tebuconazole</i>                            | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 2                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                       | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Peloton             | 06481         | Barclay Chemicals Ltd         | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 3rd true leaf          |             |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Perseus             | 06476         | BASF plc                      | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 14 days     |
|                       |                     |               |                               |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|                       | Professional        | 06262         | Sharda Cropchem Espana S.L.   | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 13                  |             |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Revus               | 05154         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Mandipropamid</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                       | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 13                  |             |
|                       |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                       |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                       | Signum              | 03799         | BASF plc                      | Fungicide       |  |                   | 1.5 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                       | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i>       |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                             | Stomp Aqua          | 03750         | BASF plc                        | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 per crop                 | Before crop emergence         |             |
|                             | Switch              | 06414         | Syngenta UK Ltd                 | Fungicide       | <i>Pendimethalin</i>                           | <i>455 g/l</i>    | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |               |                                 |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                               |             |
|                             |                     |               |                                 |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |                               |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                             |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                             | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                             |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                             | Wing P              | 03590         | BASF plc                        | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence                 |             |
|                             |                     |               |                                 |                 | <i>Pendimethalin</i>                           | <i>250g/l</i>     |                       |                         |                            |                               |             |
|                             |                     |               |                                 |                 | <i>Dimethenamid-P</i>                          | <i>212.5 g/l</i>  |                       |                         |                            |                               |             |
|                             | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                             |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| <i>Onions - sets</i>        |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                             | Fathom              | 04688         | FMC Agro Ltd                    | Fungicide       |  |                   | 0.066 l/ha            | 0.066 l/ha              | 1                          | Prior to planting             |             |
|                             |                     |               |                                 |                 | <i>Tebuconazole</i>                            | <i>200 g/l</i>    |                       |                         |                            |                               |             |
| <i>Orchards - top fruit</i> |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                             | Most Micro          | 04837         | Sipcam U.K. Ltd                 | Herbicide       |  |                   | 3.75 l/ha             | 3.75 l/ha               | 1 per year                 | N/A                           |             |
|                             |                     |               |                                 |                 | <i>Pendimethalin</i>                           | <i>365 g/l</i>    |                       |                         |                            |                               |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                             |                     |               |                                 |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>                   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|---------------------|---------------|--|-----------------|---|----------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley - field</i> |                     |               |  |                 |   |                                  |                       |                         |                            |                               |             |
|                        | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i>            | <i>200 g/l</i><br><i>125 g/l</i> | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                        | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                        | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     | <i>Acetamiprid</i>                                      | <i>20% w/w</i>                   | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                        | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        | Emerger             | 06190         | Bayer CropScience Limited                  | Herbicide       | <i>Aclonifen</i>  | <i>600 g/l</i>                   | 2.5 l/ha              | 2.5 l/ha                | 1 per crop                 | Before crop germination       |             |
|                        | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i>                 | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|---------------------|---------------|---------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley - field</i> |                     |               |                                       |                 |  |                   |                       |                         |                            |                               |             |
|                        | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH            | Insecticide     |  |                   | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                        |                     |               |                                       |                 | <i>Acetamiprid</i>                             | <i>20 % w/w</i>   |                       |                         |                            |                               |             |
|                        | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/L</i>    |                       |                         |                            |                               |             |
|                        | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Serenade ASO        | 03847         | Bayer CropScience Limited             | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                        |                     |               |                                       |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                        | Stratos Ultra       | 04936         | BASF plc                              | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                        |                     |               |                                       |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                        | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L              | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                        |                     |               |                                       |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                        | Teldor              | 02003         | Bayer CropScience Limited             | Fungicide       |  |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                        |                     |               |                                       |                 | <i>Fenhexamid</i>                              | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                        | Thaistar            | 06649         | CAC GmbH                              | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL       | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley - protected</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                            | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                            | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                            | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                            |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                            | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                            |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>   |                       |                         |                            |                               |             |
|                            | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                            | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley - protected</i> |                     |               |                                       |                 |   |                  |                       |                         |                            |                               |             |
|                            | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH            | Insecticide     |   |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|                            | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       | <i>Acetamiprid</i>                            | <i>20 % w/w</i>  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/L</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Sonata              | 05802         | Bayer CropScience Limited             | Fungicide       | <i>Bacillus pumilus QST 2808</i>              | <i>14.35 g/l</i> | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L              | Insecticide     | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                            | Thaistar            | 06649         | CAC GmbH                              | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                            | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL       | Fungicide       | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|-------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                               |                 |                       |                  |                       |                         |                            |                               |             |
|                     | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                     |                     |               |                               |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                     | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azarius             | 06522         | JT Agro Ltd                   | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                     |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                     | Centurion Max       | 04948         | Arysta Life Science S.A.S.    | Herbicide       |                       |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                     |                     |               |                               |                 | <i>Clethodim</i>      | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|                     | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Chanon              | 06518         | Globachem nv                  | Herbicide       |                       |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                     |                     |               |                               |                 | <i>Aclonifen</i>      | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                     |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25.0% w/w</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                              |                 |                            |                  |                       |                         |                            |                               |             |
|                     | Clayton Heed        | 06487         | Clayton Plant Protection Ltd | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clayton Klondike    | 06807         | Clayton Plant Protection Ltd | Herbicide       |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                     |                     |               |                              |                 | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clever              | 06399         | Sharda Cropchem Espana S.L.  | Herbicide       |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                     |                     |               |                              |                 | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Crozier             | 06482         | Barclay Chemicals Ltd        | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                     | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |                            |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                     |                     |               |                              |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                     | Defy                | 04277         | Syngenta UK Ltd              | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                     | Difenofin           | 06218         | Finchimica S.p.A             | Fungicide       |                            |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                              |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Emerger             | 06190         | Bayer CropScience Limited    | Herbicide       |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                     |                     |               |                              |                 | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Eminentos 10 CS     | 04933         | FMC Agro Ltd                 | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                              |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                     | FANTASIA            | 06952         | Albaugh TKI d.o.o            | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                     | FLIPPER             | 05027         | Alpha Biopesticides Ltd      | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                     |                     |               |                              |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                     | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH   | Insecticide     |                            |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                     |                     |               |                              |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                     | Globaztar AZT 250   | 07114         | Syngenta UK Ltd              | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                              |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                     | Globaztar SC        | 05529         | Globachem nv                 | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                              |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                                       |                 |                           |                 |                       |                         |                            |                               |             |
|                     | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                     | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                     | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                     | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                     | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                     |                     |               |                                       |                 | <i>Prosulfocarb</i>       | <i>800 g/L</i>  |                       |                         |                            |                               |             |
|                     | Life Scientific Lam | 04868         | Life Scientific Limited               | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                     | LS TARAK            | 07187         | Life Scientific Limited               | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/L</i>  |                       |                         |                            |                               |             |
|                     | Markate 50          | 05001         | Globachem nv                          | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                     | Mavita 250 EC       | 05941         | Syngenta UK Ltd                       | Fungicide       |                           |                 | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                     | Nativo 75 WG        | 04642         | Bayer CropScience Limited             | Fungicide       |                           |                 | 0.3 kg/ha             | 0.9 kg/ha               | * 3 per crop               | 21 days before harvest        | 21 days     |
|                     |                     |               |                                       |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                     |                     |               |                                       |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                     | Ninja 10CS          | 05178         | Syngenta UK Ltd                       | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                     | Ostrich             | 06907         | Albaugh TKI d.o.o                     | Herbicide       |                           |                 | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                     |                     |               |                                       |                 | <i>Aclonifen</i>          | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                     | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                     | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|                     | Peloton             | 06481         | Barclay Chemicals Ltd         | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                     | Perseus             | 06476         | BASF plc                      | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                     | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       | <i>Difenoconazole</i>                          | <i>50 g/l</i>     | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                     | Professional        | 06262         | Sharda Cropchem Espana S.L.   | Herbicide       | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                     | Ravane              | 05536         | Globachem nv                  | Insecticide     | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>     | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                     | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       | <i>Difenoconazole</i>                          | <i>250 g/l</i>    | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                     | Sparviero           | 04469         | Sipcam Oxon SpA               | Insecticide     | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     | Stomp 400 SC        | 02879         | BASF plc                      | Herbicide       | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                     | Stomp Aqua          | 03750         | BASF plc                      | Herbicide       | <i>Pendimethalin</i>                           | <i>400 g/l</i>    | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                     |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i>                       | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|-------------------------------------|---------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |                                     |                     |                 |   |                  |                       |                         |                            |                               |             |
| Switch              | 06414               | Syngenta UK Ltd                     | Fungicide           |                 |   |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                     |                     |                                     |                     |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                     |                     |                                     |                     |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
| Tec-Bom             | 05040               | Grupo Agrotecnologia S.L            | Insecticide         |                 |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                     |                     |                                     |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |
| Thaistar            | 06649               | CAC GmbH                            | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |                                     |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Volley              | 04516               | Adama Agricultural Solutions UK Ltd | Fungicide           |                 |   |                  | 0.2 l/ha              | 0.4 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |                                     |                     |                 | <i>Fluazinam</i>                              | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Zoxis               | 05348               | Arysta LifeScience Benelux SPRL     | Fungicide           |                 |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |                                     |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                 | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                 |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                 | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                 | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       |   |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                 |                     |               |  |                 | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                 |                     |               |  |                 | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                 | Cachet              | 06464         | Albaugh TKI d.o.o                          | Herbicide       |   |                  | 0.24 l/ha             | 0.24 l/ha               | -                          | Pre-emergence                 |             |
|                 |                     |               |  |                 | <i>Diflufenican</i>                                     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                 | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                 |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|                 | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Chanon              | 06518         | Globachem nv                               | Herbicide       |   |                  | 1.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                 |                     |               |  |                 | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i>  | <i>Substance</i>        | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|------------------------------|------------------|-------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                              |                  |                         |                  |                       |                         |                            |                               |             |
| Clayton         | Augusta             | 06635         | Clayton Plant Protection Ltd | Fungicide        |                         |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                              |                  | <i>Azoxystrobin</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Clayton         | Gear                | 06607         | Clayton Plant Protection Ltd | Fungicide        |                         |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                              |                  | <i>Fludioxonil</i>      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                              |                  | <i>Cyprodinil</i>       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
| Clayton         | Heed                | 06487         | Clayton Plant Protection Ltd | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Clayton         | Klondike            | 06807         | Clayton Plant Protection Ltd | Herbicide        |                         |                  | 1.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                 |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
| Clayton         | Occupy              | 06899         | Clayton Plant Protection Ltd | Insecticide      |                         |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                              |                  | <i>Spirotetramat</i>    | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Clever          |                     | 06399         | Sharda Cropchem Espana S.L.  | Herbicide        |                         |                  | 1.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                 |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
| Cobalt          |                     | 06413         | Sharda Cropchem Espana S.L.  | Fungicide        |                         |                  | 1.0 kg/ha             | 2.0 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                              |                  | <i>Pyraclostrobin</i>   | <i>6.7% w/w</i>  |                       |                         |                            |                               |             |
|                 |                     |               |                              |                  | <i>Boscalid</i>         | <i>26.7% w/w</i> |                       |                         |                            |                               |             |
| Crown           | MH                  | 06589         | Kreglinger Europe NV         | Growth Regulator |                         |                  | 11 l/ha               | 11 l/ha                 | 1 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                              |                  | <i>Maleic hydrazide</i> | <i>270 g/l</i>   |                       |                         |                            |                               |             |
| Crozier         |                     | 06482         | Barclay Chemicals Ltd        | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Decis           | Protech             | 05269         | Bayer CropScience Limited    | Insecticide      |                         |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                              |                  | <i>Deltamethrin</i>     | <i>15 g/l</i>    |                       |                         |                            |                               |             |
| Defy            |                     | 04277         | Syngenta UK Ltd              | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Difenofin       |                     | 06218         | Finchimica S.p.A             | Fungicide        |                         |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                              |                  | <i>Difenoconazole</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Emerger         |                     | 06190         | Bayer CropScience Limited    | Herbicide        |                         |                  | 1.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                 |                     |               |                              |                  | <i>Aclonifen</i>        | <i>600 g/l</i>   |                       |                         |                            |                               |             |
| FANTASIA        |                     | 06952         | Albaugh TKI d.o.o            | Herbicide        |                         |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                              |                  | <i>Prosulfocarb</i>     | <i>800 g/L</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i>  | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------------------|------------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                                       |                  |                            |                  |                       |                         |                            |                               |             |
|                 | Fazor Star          | 03729         | UPL Holdings Cooperatief U.A.         | Growth Regulator |                            |                  | 5.0 kg/ha             | 5.0 kg/ha               | 1 per crop                 | 21 days before harvest        |             |
|                 |                     |               |                                       |                  | <i>Maleic hydrazide</i>    | <i>600 g/kg</i>  |                       |                         |                            |                               |             |
|                 | Flexidor            | 04963         | Corteva Agriscience UK Ltd            | Herbicide        |                            |                  | 0.15 l/ha             | 0.15 l/ha               | 1 per year                 | Pre-emergence                 |             |
|                 |                     |               |                                       |                  | <i>Isoxaben</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide      |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                 |                     |               |                                       |                  | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                 | Force 20 CS         | 06395         | Syngenta UK Ltd                       | Seed Dressing    |                            |                  | 25 ml/100,000 seeds   | 25 ml/100,000 seeds     | 1 per batch                | Before drilling               |             |
|                 |                     |               |                                       |                  | <i>Tefluthrin</i>          | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                 | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH            | Insecticide      |                            |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|                 |                     |               |                                       |                  | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                 | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide        |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                  | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                 | Globaztar SC        | 05529         | Globachem nv                          | Fungicide        |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                  | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Goltix 70 SC        | 04668         | Adama Agricultural Solutions UK Ltd   | Herbicide        |                            |                  | 2.0 l/ha              | 5.0 l/ha                | -                          | Pre crop emergence            |             |
|                 |                     |               |                                       |                  | <i>Metamitron</i>          | <i>700 g/l</i>   |                       |                         |                            |                               |             |
|                 | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide        |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                  | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                 | Hurricane SC        | 04357         | Adama Agricultural Solutions UK Ltd   | Herbicide        |                            |                  | 0.24 l/ha             | 0.24 l/ha               | -                          | Pre-emergence                 |             |
|                 |                     |               |                                       |                  | <i>Diflufenican</i>        | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                 | ITCAN SL 270        | 06071         | Kreglinger Europe NV                  | Growth Regulator |                            |                  | 11 l/ha               | 11 l/ha                 | 1 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                                       |                  | <i>Maleic hydrazide</i>    | <i>270 g/l</i>   |                       |                         |                            |                               |             |
|                 | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                 |                     |               |                                       |                  | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                 | Mavita 250 EC       | 05941         | Syngenta UK Ltd                       | Fungicide        |                            |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                       |                  | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>                     | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-------------------------------|-----------------|--|------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                               |                 |  |                                    |                       |                         |                            |                               |             |
|                 | Movento             | 05349         | Bayer CropScience Limited     | Insecticide     |  |                                    | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                 | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       | <i>Spirotetramat</i>                           | <i>150 g/l</i>                     | 0.3 kg/ha             | 0.9 kg/ha               | * 3 per crop               | 21 days before harvest        | 21 days     |
|                 | Ostrich             | 06907         | Albaugh TKI d.o.o             | Herbicide       | <i>Trifloxystrobin</i><br><i>Tebuconazole</i>  | <i>250 g/kg</i><br><i>500 g/kg</i> | 1.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                 | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       | <i>Aclonifen</i>                               | <i>600 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 | Peloton             | 06481         | Barclay Chemicals Ltd         | Herbicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                     | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                 | Perseus             | 06476         | BASF plc                      | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>                     | 2.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                 | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       | <i>Difenoconazole</i><br><i>Fluxapyroxad</i>   | <i>50 g/l</i><br><i>75 g/l</i>     | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                 | Professional        | 06262         | Sharda Cropchem Espana S.L.   | Herbicide       | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>                      | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>                     | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>                     | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       | <i>Prosulfocarb</i>                            | <i>800 g/l</i>                     | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       | <i>Difenoconazole</i>                          | <i>250 g/l</i>                     | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                 |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i>                  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                                 |                 |   |                   |                       |                         |                            |                               |             |
|                 | Signum              | 03799         | BASF plc                        | Fungicide       |   |                   | 1.0 kg/ha             | 2.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                 |                     |               |                                 |                 | <i>Boscalid</i>                               | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                                 |                 | <i>Pyraclostrobin</i>                         | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                 | Switch              | 06414         | Syngenta UK Ltd                 | Fungicide       |   |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                 |                     |               |                                 |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i>  |                       |                         |                            |                               |             |
|                 |                     |               |                                 |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>    |                       |                         |                            |                               |             |
|                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |   |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                 |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                 | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |   |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i>  | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>       | <i>Max. Total Dose:</i>  | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>    | <i>PHI:</i> |
|--------------|---------------------|---------------|--|------------------|---|----------------|-----------------------------|--------------------------|----------------------------|----------------------------------|-------------|
| <i>Pears</i> |                     |               |  |                  |   |                |                             |                          |                            |                                  |             |
|              | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V.     | Fungicide        |   |                | 2.5 kg/ha                   | 15 kg/ha                 | 6 per year                 | GS 89                            |             |
|              |                     |               |  |                  | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                             |                          |                            |                                  |             |
|              | Botrefin            | 06480         | Finchimica S.p.A                               | Fungicide        |   |                | 0.8 kg/ha                   | 2.4 kg/ha                | 3 per year                 | 3 days before harvest            | 3 days      |
|              |                     |               |  |                  | <i>Cyprodinil</i>                                       | 37.5% w/w      |                             |                          |                            |                                  |             |
|              |                     |               |  |                  | <i>Fludioxonil</i>                                      | 25% w/w        |                             |                          |                            |                                  |             |
|              | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide        |   |                | 2.0 kg/ha                   | 8.0 kg/ha                | -                          | Before GS 07                     |             |
|              |                     |               |  |                  | <i>Copper oxychloride</i>                               | 87.8% w/w      |                             |                          |                            |                                  |             |
|              | Exilis              | 04702         | Fine Agrochemicals Ltd                         | Growth Regulator |   |                | 75 ml per 10 litres water * | 5 ml per 10 litres water | 1 per year                 | Up to fruitlet diameter of 15 mm | 75 days     |
|              |                     |               |  |                  | <i>6-benzyladenine</i>                                  | 20.0 g/l       |                             |                          |                            |                                  |             |
|              |                     |               |  |                  | <i>6-benzyladenine</i>                                  | 20.0 g/l       |                             |                          |                            |                                  |             |
|              | Fathom              | 04688         | FMC Agro Ltd                                   | Fungicide        |   |                | 0.437 l/ha                  | 0.437 l/ha               | 1                          | GS 20                            |             |
|              |                     |               |  |                  | <i>Tebuconazole</i>                                     | 200 g/l        |                             |                          |                            |                                  |             |
|              |                     |               |  |                  | <i>Tebuconazole</i>                                     | 200 g/l        |                             |                          |                            |                                  |             |
|              | FLIPPER             | 05027         | Alpha Biopesticides Ltd                        | Insecticide      |   |                | 10.0 l/ha                   | 80.0 l/ha                | 8 per crop                 | -                                |             |
|              |                     |               |  |                  | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                             |                          |                            |                                  |             |
|              | Mavita 250 EC       | 05941         | Syngenta UK Ltd                                | Fungicide        |   |                | 0.25 l/ha                   | 1.0 l/ha                 | -                          | 28 days before harvest           | 28 days     |
|              |                     |               |  |                  | <i>Difenoconazole</i>                                   | 250 g/l        |                             |                          |                            |                                  |             |
|              | Scala               | 03916         | BASF plc                                       | Fungicide        |   |                | 1.125 l/ha                  | 4.5 l/ha                 | 4 per year                 | 56 days before harvest           | 56 days     |
|              |                     |               |  |                  | <i>Pyrimethanil</i>                                     | 400 g/l        |                             |                          |                            |                                  |             |
|              | Score 250 EC        | 04566         | Syngenta UK Ltd                                | Fungicide        |   |                | 0.25 l/ha                   | 1.0 l/ha                 |                            | 28 days before harvest           | 28 days     |
|              |                     |               |  |                  | <i>Difenoconazole</i>                                   | 250 g/l        |                             |                          |                            |                                  |             |
|              | Talius              | 04604         | Corteva Agriscience UK Ltd                     | Fungicide        |   |                | 0.25 l/ha                   | 0.5 l/ha                 | 2 per year                 | 49 days before harvest           | 49 days     |
|              |                     |               |  |                  | <i>Proquinazid</i>                                      | 200 g/l        |                             |                          |                            |                                  |             |
|              | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                       | Insecticide      |   |                | 11.5 l/ha                   | 92 l/ha                  | 8 per crop                 | -                                | -           |
|              |                     |               |  |                  | <i>Fatty acid - C7 - C18 - potassium salt</i>           | 416 g/l        |                             |                          |                            |                                  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>             | <i>Product Name</i> | <i>PCS No</i>                     | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------|---------------------|-----------------------------------|---------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peas - combining</i> |                     |                                   |                     |                 |  |                   |                       |                         |                            |                               |             |
| Afinto                  | 06733               | ISK Biosciences Europe N.V.       | Insecticide         |                 |  |                   | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest           | 14 days     |
|                         |                     |                                   |                     |                 | <i>Flonicamid</i>                              | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
| Cobalt                  | 06413               | Sharda Cropchem Espana S.L.       | Fungicide           |                 |  |                   | 1.0 kg/ha             | 2.0 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                         |                     |                                   |                     |                 | <i>Boscalid</i>                                | <i>26.7% w/w</i>  |                       |                         |                            |                               |             |
|                         |                     |                                   |                     |                 | <i>Pyraclostrobin</i>                          | <i>6.7% w/w</i>   |                       |                         |                            |                               |             |
| Serenade ASO            | 03847               | Bayer CropScience Limited         | Fungicide           |                 |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                         |                     |                                   |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
| Sumi-Alpha              | 02334               | Sumitomo Chemical Agro Europe SAS | Insecticide         |                 |  |                   | 330 mls/ha            | 330 mls/ha              | 2                          | 14 days pre harvest           |             |
|                         |                     |                                   |                     |                 | <i>Esfenvalerate</i>                           | <i>25 g/l</i>     |                       |                         |                            |                               |             |
| Teppeki                 | 04399               | ISK Biosciences Europe N.V.       | Insecticide         |                 |  |                   | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest           | 14 days     |
|                         |                     |                                   |                     |                 | <i>Flonicamid</i>                              | <i>500 g/kg</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>  | <i>Content</i>                      | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|-----------------------------------|-----------------|---|-------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peas - vining</i> |                     |               |                                   |                 |   |                                     |                       |                         |                            |                               |             |
|                      | Afinto              | 06733         | ISK Biosciences Europe N.V.       | Insecticide     |   |                                     | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest           | 14 days     |
|                      | Amistar Top         | 04582         | Syngenta UK Ltd                   | Fungicide       | <i>Flonicamid</i>   | <i>500 g/kg</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                      | Centurion Max       | 04948         | Arysta Life Science S.A.S.        | Herbicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i>  | <i>200 g/l</i><br><i>125 g/l</i>    | 1.0 l/ha              | 1.0 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                      | FLIPPER             | 05027         | Alpha Biopesticides Ltd           | Insecticide     | <i>Clethodim</i>  | <i>120 g/l</i>                      | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                      | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.               | Insecticide     | <i>Fatty Acid - C7-C20</i><br><i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>479.8 g/l</i><br><i>375 g/kg</i> | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       | <i>Bacillus amyloliquefaciens str. QST 713</i>  | <i>1017.8 g/l</i>                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                      | Stallion Sync Tech  | 05483         | FMC Agro Ltd                      | Herbicide       | <i>Pendimethalin</i><br><i>Clomazone</i>  | <i>333 g/l</i><br><i>30 g/l</i>     | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|                      | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     | <i>Esfenvalerate</i>  | <i>25 g/l</i>                       | 330 mls/ha            | 330 mls/ha              | 2                          | 14 days pre harvest           |             |
|                      | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L          | Insecticide     | <i>Fatty acid - C7 - C18 - potassium salt</i>   | <i>416 g/l</i>                      | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                      | Teppeki             | 04399         | ISK Biosciences Europe N.V.       | Insecticide     | <i>Flonicamid</i>   | <i>500 g/kg</i>                     | 0.14 kgs/ha           | 0.14 kgs/ha             | 1                          | 14 days pre harvest           | 14 days     |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|------------------------------|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peppers - Chilli - protected</i> |                     |               |                              |                 |   |                 |                       |                         |                            |                               |             |
|                                     | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd | Fungicide       |   |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                                     |                     |               |                              |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Globaztar AZT 250   | 07114         | Syngenta UK Ltd              | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                                     |                     |               |                              |                 | <i>Azoxystrobin</i>                                       | <i>250 g/L</i>  |                       |                         |                            |                               |             |
|                                     | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.          | Insecticide     |   |                 | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                              |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                       |                         |                            |                               |             |
|                                     | Oxe                 | 06463         | Albaugh TKI d.o.o            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                                     |                     |               |                              |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Pantha              | 06445         | TerreChem Ltd                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                                     |                     |               |                              |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |   |                 | 1.84 ml/100L          | 92 l/ha                 | 5 per crop                 | -                             | -           |
|                                     |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Thaistar            | 06649         | CAC GmbH                     | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                                     |                     |               |                              |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                             | <i>Content</i>                       | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|-------------------------------|-----------------|--|--------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peppers - protected</i> |                     |               |                               |                 |  |                                      |                       |                         |                            |                               |             |
|                            | Afinto              | 06733         | ISK Biosciences Europe N.V.   | Insecticide     |  |                                      | 10g per 100L water    | -                       | 2                          | 1 day pre harvest             | 1 day       |
|                            | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       | <i>Flonicamid</i>                            | <i>500 g/kg</i>                      | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i> | <i>200 g/l</i><br><i>125 g/l</i>     | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Azarius             | 06522         | JT Agro Ltd                   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       | <i>Cyprodinil</i><br><i>Fludioxonil</i>      | <i>37.5% w/w</i><br><i>25% w/w</i>   | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                            | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       | <i>Azoxystrobin</i>                          | <i>250 g/l</i>                       | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       | <i>Cyprodinil</i><br><i>Fludioxonil</i>      | <i>37.5% w/w</i><br><i>25.0% w/w</i> | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                            | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd  | Insecticide     | <i>Spirotetramat</i>                         | <i>150 g/l</i>                       | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------------------------------|---------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peppers - protected</i> |                     |                                       |                     |                 |   |                  |                       |                         |                            |                               |             |
| FLIPPER                    | 05027               | Alpha Biopesticides Ltd               | Insecticide         |                 |   |                  | 16.0 l/ha             | 80.0 l/ha               | 5                          | N/A                           |             |
|                            |                     |                                       |                     |                 | <i>Fatty Acid - C7-C20</i>                    | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
| Globaztar AZT 250          | 07114               | Syngenta UK Ltd                       | Fungicide           |                 |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |                                       |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/L</i>   |                       |                         |                            |                               |             |
| Globaztar SC               | 05529               | Globachem nv                          | Fungicide           |                 |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |                                       |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Hill-Star                  | 06809               | Hillfield Trading and Investments Ltd | Fungicide           |                 |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |                                       |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Karma                      | 05116               | Certis Belchim BV                     | Fungicide           |                 |   |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                            |                     |                                       |                     |                 | <i>Potassium Hydrogen Carbonate</i>           | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
| Movento                    | 05349               | Bayer CropScience Limited             | Insecticide         |                 |   |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |                                       |                     |                 | <i>Spirotetramat</i>                          | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Pantha                     | 06445               | TerreChem Ltd                         | Fungicide           |                 |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |                                       |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Previcur Energy            | 04041               | Bayer CropScience Limited             | Fungicide           |                 |   |                  | 6 mls per sq m        | 9 mls per sq m          | -                          | Before transplanting          |             |
|                            |                     |                                       |                     |                 | <i>Fosetyl (-aluminium)</i>                   | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |                                       |                     |                 | <i>Fosetyl (-aluminium)</i>                   | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |                                       |                     |                 | <i>Propamocarb</i>                            | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |                                       |                     |                 | <i>Propamocarb</i>                            | <i>530 g/l</i>   |                       |                         |                            |                               |             |
| Roubaix                    | 06720               | Rotam Agrochemical Europe Ltd         | Fungicide           |                 |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |                                       |                     |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Switch                     | 06414               | Syngenta UK Ltd                       | Fungicide           |                 |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                            |                     |                                       |                     |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                            |                     |                                       |                     |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                               |             |
| Tec-Bom                    | 05040               | Grupo Agrotecnologia S.L              | Insecticide         |                 |   |                  | 1.84 ml/100L          | 92 l/ha                 | 5 per crop                 | -                             | -           |
|                            |                     |                                       |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                               |             |
| Teldor                     | 02003               | Bayer CropScience Limited             | Fungicide           |                 |   |                  | 1.5 kgs/ha            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest          | 1 day       |
|                            |                     |                                       |                     |                 | <i>Fenhexamid</i>                             | <i>50 %w/w</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>    | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------------|-----------------|---------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peppers - protected</i> |                     |               |                                 |                 |                     |                 |                       |                         |                            |                               |             |
|                            | Teppeki             | 04399         | ISK Biosciences Europe N.V.     | Insecticide     |                     |                 | 10g per 100L water    | -                       | 2                          | 1 day pre harvest             | 1 day       |
|                            |                     |               |                                 |                 | <i>Flonicamid</i>   | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                            | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |                     |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                 |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                            | Vivando             | 05685         | BASF plc                        | Fungicide       |                     |                 | 0.3 l/ha              | 0.6 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                 |                 | <i>Metrafenone</i>  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                            | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |                     |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |                     |               |                                 |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i> | <i>Substance</i>  | <i>Content</i>    | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------|---------------------|---------------|--|-----------------|---|-------------------|----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Plums</i> |                     |               |  |                 |   |                   |                            |                         |                            |                               |             |
|              | Clayton Gear        | 06607         | Clayton Plant Protection Ltd                   | Fungicide       |   |                   | 0.2 kg/ha during flowering | 1.8 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|              |                     |               |  |                 | <i>Fludioxonil</i>  | <i>25.0% w/w</i>  |                            |                         |                            |                               |             |
|              |                     |               |  |                 | <i>Cyprodinil</i>   | <i>37.5% w/w</i>  |                            |                         |                            |                               |             |
|              | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide       |   |                   | 2.0 kg/ha                  | 8.0 kg/ha               | -                          | Before GS 07                  |             |
|              |                     |               |  |                 | <i>Copper oxychloride</i>                                 | <i>87.8% w/w</i>  |                            |                         |                            |                               |             |
|              | FLIPPER             | 05027         | Alpha Biopesticides Ltd                        | Insecticide     |   |                   | 10.0 l/ha                  | 80.0 l/ha               | 8 per crop                 | -                             |             |
|              |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i>  |                            |                         |                            |                               |             |
|              | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                            | Insecticide     |   |                   | 1.0 kg/ha                  | 3.0 kg/ha               | -                          | N/A                           |             |
|              |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                            |                         |                            |                               |             |
|              | Serenade ASO        | 03847         | Bayer CropScience Limited                      | Fungicide       |   |                   | 8 l/ha                     | 48 l/ha                 | 6                          |                               | 0 days      |
|              |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                            |                         |                            |                               |             |
|              | Signum              | 03799         | BASF plc                                       | Fungicide       |   |                   | 0.75 kg/ha                 | 2.25 kg/ha              | -                          | 7 days before harvest         | 7 days      |
|              |                     |               |  |                 | <i>Boscalid</i>   | <i>26.7 % w/w</i> |                            |                         |                            |                               |             |
|              |                     |               |  |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                            |                         |                            |                               |             |
|              | Switch              | 06414         | Syngenta UK Ltd                                | Fungicide       |   |                   | 0.2 kg/ha or 0.6 kg/ha*    | 1.8 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|              |                     |               |  |                 | <i>Cyprodinil</i>   | <i>37.5% w/w</i>  |                            |                         |                            |                               |             |
|              |                     |               |  |                 | <i>Fludioxonil</i>  | <i>25% w/w</i>    |                            |                         |                            |                               |             |
|              | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                       | Insecticide     |   |                   | 11.5 l/ha                  | 92 l/ha                 | 8 per crop                 | -                             | -           |
|              |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>    |                            |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|---------------|--|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Potatoes - seed crops</i> |                     |               |  |                 |  |                   |                       |                         |                            |                               |             |
|                              | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide       |  |                   | 1.0 kg/ha             | 6.0 kg/ha               | -                          | 8 days before harvest         | 8 days      |
|                              |                     |               |  |                 | <i>Copper oxychloride</i>                      | <i>87.8% w/w</i>  |                       |                         |                            |                               |             |
|                              | Decis Protech       | 05269         | Bayer CropScience Limited                      | Insecticide     |  |                   | 670 ml/ha             | 1.34 l/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                              |                     |               |  |                 | <i>Deltamethrin</i>                            | <i>15 g/l</i>     |                       |                         |                            |                               |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited                      | Fungicide       |  |                   | 5 l/ha                | 5 l/ha                  | 1                          | GS 5                          |             |
|                              |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
| <i>Potatoes - ware crops</i> |                     |               |  |                 |  |                   |                       |                         |                            |                               |             |
|                              | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide       |  |                   | 1.0 kg/ha             | 6.0 kg/ha               | -                          | 8 days before harvest         | 8 days      |
|                              |                     |               |  |                 | <i>Copper oxychloride</i>                      | <i>87.8% w/w</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>             | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Pumpkins - field</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|                         | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                         | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                         |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                         | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                         |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                         | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                         | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd      | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | Pantha              | 06445         | TerreChem Ltd                              | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | Perseus             | 06476         | BASF plc                                   | Fungicide       |   |                  | 0.6 l/ha              | 1.8 l/ha                | -                          | GS 89                         | 3 days      |
|                         |                     |               |  |                 | <i>Fluxapyroxad</i>                                     | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                         |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|                         | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd              | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                         |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                         | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             |             |
|                         |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>           | <i>416 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Pumpkins - protected</i> |                     |               |                                       |                 |  |                   |                       |                         |                            |                               |             |
|                             | Amistar             | 05072         | Syngenta UK Ltd                       | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | Amistar Top         | 04582         | Syngenta UK Ltd                       | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                       |                 | <i>Difenoconazole</i>                          | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |               |                                       |                 | <i>Azoxystrobin</i>                            | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                             | Ampect              | 06827         | Syngenta UK Ltd                       | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | FLiPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     | <i>Fatty Acid - C7-C20</i>                     | <i>479.8 g/l</i>  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                             | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/L</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | Previcur Energy     | 04041         | Bayer CropScience Limited             | Fungicide       | <i>Propamocarb</i>                             | <i>530 g/l</i>    | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                             |                     |               |                                       |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                             | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited             | Fungicide       | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> | 8 l/ha                | 48 l/ha                 | 6                          | -                             | 0 days      |
|                             | Sonata              | 05802         | Bayer CropScience Limited             | Fungicide       | <i>Bacillus pumilus QST 2808</i>               | <i>14.35 g/l</i>  | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Pumpkins - protected</i> |                     |               |                              |                 |  |                   |                       |                         |                            |  |             |
|                             | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                   | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                             |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                             |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                       |                         |                            |  |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -  | -           |
|                             |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |  |             |
| <i>Radicchio</i>            |                     |               |                              |                 |  |                   |                       |                         |                            |  |             |
|                             | Ceta SG             | 06252         | Unichem Limited              | Insecticide     |  |                   | 250 g/ha              | 500 g/ha                | 2 per crop                 | 3 days pre harvest                                 | 3 days      |
|                             |                     |               |                              |                 | <i>Acetamiprid</i>                             | <i>20% w/w</i>    |                       |                         |                            |  |             |
|                             | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH   | Insecticide     |  |                   | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest                                 | 3 days      |
|                             |                     |               |                              |                 | <i>Acetamiprid</i>                             | <i>20 % w/w</i>   |                       |                         |                            |  |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |  | 0 days      |
|                             |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Radish</i> |                     |               |  |                 |   |                  |                       |                         |                            |                               |             |
|               | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|               |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|               | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Butisan S           | 04631         | BASF plc                                   | Herbicide       |   |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | Pre-emergence                 |             |
|               |                     |               |  |                 | <i>Metazachlor</i>                                      | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|               | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Deltamethrin</i>                                     | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | FMC Agro Ltd                               | Insecticide     |   |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                               | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|               |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|               | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH                 | Insecticide     |   |                  | 200 g/ha              | 200 g/ha                | 1 per crop                 | GS 41 & before 31st July      | 28 days     |
|               |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|               | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|               | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd      | Fungicide       |   |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                               | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Agro Ltd                               | Insecticide     |   |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                               | <i>100 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Radish</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | FMC Agro Ltd                  | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited       | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | LS TARAK            | 07187         | Life Scientific Limited       | Insecticide     |  |                   | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/L</i>    |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv                  | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|               | Perseus             | 06476         | BASF plc                      | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|               |                     |               |                               |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|               | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       |  |                   | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|               |                     |               |                               |                 | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               | Rapsan 500SC        | 05886         | Globachem nv                  | Herbicide       |  |                   | 1.0 l/ha              | 1.0 l/ha                | -                          |                               |             |
|               |                     |               |                               |                 | <i>Metazachlor</i>                             | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|               | Ravane              | 05536         | Globachem nv                  | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|               |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|               | Signum              | 03799         | BASF plc                      | Fungicide       |  |                   | 1.0 kgs/ha            | 2.0 kgs/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Radish</i>        |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|                      | Sparviero           | 04469         | Sipcam Oxon SpA           | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stealth             | 06468         | Syngenta UK Ltd           | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                      |                     |               |                           |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L  | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                      |                     |               |                           |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
| <i>Rape - fodder</i> |                     |               |                           |                 |  |                   |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Raspberries - field</i> |                     |               |  |                 |   |                  |                       |                         |                            |                                |             |
|                            | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                            | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                                |             |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                                |             |
|                            | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                                |             |
|                            | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd        | Acaricide       |   |                  | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest          | 9 days      |
|                            |                     |               |  |                 | <i>Clofentezine</i>                                     | <i>500 g/l</i>   |                       |                         |                            |                                |             |
|                            | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                            |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>  |                       |                         |                            |                                |             |
|                            | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 30 days before harvest         | 30 days     |
|                            |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>   |                       |                         |                            |                                |             |
|                            | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                  | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i> |                       |                         |                            |                                |             |
|                            | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>   |                       |                         |                            |                                |             |
|                            | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd      | Fungicide       |   |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                                |             |
|                            | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                  | 7.0 kg/ha             | 42 kg/ha                | 6 per crop                 | 0 days before harvest          | 0 days      |
|                            |                     |               |  |                 | <i>Sulphur</i>  | <i>80% w/w</i>   |                       |                         |                            |                                |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Raspberries - field</i> |                     |               |                             |                 |  |                   |                         |                         |                            |                               |             |
|                            | Pantha              | 06445         | TerreChem Ltd               | Fungicide       |  |                   | 1.0 l/ha                | 2.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                            |                     |               |                             |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                         |                         |                            |                               |             |
|                            | Pirim               | 06268         | Sharda Cropchem Espana S.L. | Fungicide       |  |                   | 2.0 l/ha                | 4.0 l/ha                | 2 per year                 | 21 days before harvest        | 21 days     |
|                            |                     |               |                             |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |                         |                            |                               |             |
|                            | Scala               | 03916         | BASF plc                    | Fungicide       |  |                   | 2.0l/ha                 | 4.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                            |                     |               |                             |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |                         |                            |                               |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       |  |                   | 8 l/ha                  | 48 l/ha                 | 6                          |                               | 0 days      |
|                            |                     |               |                             |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |                         |                            |                               |             |
|                            | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.       | Herbicide       |  |                   | 0.8 l/ha                | 1.6 l/ha                | -                          | 21 days before harvest        |             |
|                            |                     |               |                             |                 | <i>Carfentrazone-ethyl</i>                     | <i>60 g/l</i>     |                         |                         |                            |                               |             |
|                            | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L    | Insecticide     |  |                   | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                            |                     |               |                             |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                         |                         |                            |                               |             |
|                            | Tracer              | 02649         | Corteva Agriscience UK Ltd  | Insecticide     |  |                   | 200ml/ha in 1000L water | 400 ml/ha               | 2 per year                 | 1 day before harvest          | 1 day       |
|                            |                     |               |                             |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>                     | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|--|-----------------|---|------------------------------------|-----------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Raspberries - protected</i> |                     |               |  |                 |   |                                    |                       |                         |                            |                                |             |
|                                | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                                    | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i><br><i>Difenoconazole</i>            | <i>250 g/l</i><br><i>125 g/l</i>   | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>                    | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd        | Acaricide       | <i>Clofentezine</i>                                     | <i>500 g/l</i>                     | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest          | 9 days      |
|                                | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     | <i>Beauveria bassiana GHA / ATCC 74040</i>              | <i>220 g/kg</i>                    | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide       | <i>Cyprodinil</i><br><i>Fludioxonil</i>                 | <i>37.5% w/w</i><br><i>25% w/w</i> | 1.0 kg/ha             | 3.0 kg/ha               | 3 per year                 | 14 days before harvest         | 14 days     |
|                                | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     | <i>Fatty Acid - C7-C20</i>                              | <i>479.8 g/l</i>                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                            | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/L</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd      | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |
|                                | Pantha              | 06445         | TerreChem Ltd                              | Fungicide       | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>                     | 1.0 l/ha              | 2.0 l/ha                | -                          | 7 days before harvest          | 7 days      |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|------------------------------|-----------------|--|-------------------|--------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Raspberries - protected</i> |                     |               |                              |                 |  |                   |                          |                         |                            |                               |             |
|                                | Scala               | 03916         | BASF plc                     | Fungicide       |  |                   | 2.0 l/ha                 | 4.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                                |                     |               |                              |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                          |                         |                            |                               |             |
|                                | Serenade ASO        | 03847         | Bayer CropScience Limited    | Fungicide       |  |                   | 8 l/ha                   | 48 l/ha                 | 6                          |                               | 0 days      |
|                                |                     |               |                              |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                          |                         |                            |                               |             |
|                                | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.        | Herbicide       |  |                   | 0.8 l/ha                 | 1.6 l/ha                |                            | 21 days before harvest        | 21 days     |
|                                |                     |               |                              |                 | <i>Carfentrazone-ethyl</i>                     | <i>60 g/l</i>     |                          |                         |                            |                               |             |
|                                | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |  |                   | 10 g/m3                  | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                                |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                          |                         |                            |                               |             |
|                                |                     |               |                              |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                          |                         |                            |                               |             |
|                                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L     | Insecticide     |  |                   | 11.5 l/ha                | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                                |                     |               |                              |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                          |                         |                            |                               |             |
|                                | Teppeki             | 04399         | ISK Biosciences Europe N.V.  | Insecticide     |  |                   | 0.14 kg/ha               | 0.28 kg/ha              | 2 per crop                 | 3 days before harvest         | 3 days      |
|                                |                     |               |                              |                 | <i>Flonicamid</i>                              | <i>500 g/kg</i>   |                          |                         |                            |                               |             |
|                                | Tracer              | 02649         | Corteva Agriscience UK Ltd   | Insecticide     |  |                   | 200 ml/ha in 1000L water | 600 ml/ha               | 3 per year                 | 1 day before harvest          | 1 day       |
|                                |                     |               |                              |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                          |                         |                            |                               |             |
|                                | Trianum-P           | 05486         | Koppert B.V.                 | Fungicide       |  |                   | 15 g/1000 plants         | -                       | 12 per year                | At cultivation                |             |
|                                |                     |               |                              |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                          |                         |                            |                               |             |
|                                |                     |               |                              |                 | <i>Trichoderma harzianum Strain T22</i>        | <i>1% w/w</i>     |                          |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|----------------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|---|----------------------------|--------------------------------|-------------|
| <i>Redcurrants - field</i> |                     |               |  |                 |   |                |                       |   |                            |                                |             |
|                            | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                                      | 6 per year                 | GS 89                          |             |
|                            |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                       |   |                            |                                |             |
|                            | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha             | 3.0 kg/ha                                     | 5 per year                 | When leaves begin to discolour |             |
|                            |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                       |   |                            |                                |             |
|                            | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                                      | -                          | 30 days before harvest         | 30 days     |
|                            |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                       |   |                            |                                |             |
|                            | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.                | Herbicide       |   |                | 120 g/ha              | 120 g/ha                                      | 1 per year                 | Before bud burst               |             |
|                            |                     |               |  |                 | <i>Flazasulfuron</i>                                      | 25 % w/w       |                       |   |                            |                                |             |
|                            | Cobalt              | 06413         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                | 1.5 kg/ha             | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest          | 3 days      |
|                            |                     |               |  |                 | <i>Pyraclostrobin</i>                                     | 6.7% w/w       |                       |   |                            |                                |             |
|                            |                     |               |  |                 | <i>Boscalid</i>   | 26.7% w/w      |                       |   |                            |                                |             |
|                            | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 400 ml/ha             | 800 ml/ha                                     | 2 per crop                 | 7 days before harvest          | 7 days      |
|                            |                     |               |  |                 | <i>Deltamethrin</i>                                       | 15 g/l         |                       |   |                            |                                |             |
|                            | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha             | 80.0 l/ha                                     | 8 per crop                 | -                              |             |
|                            |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                       |   |                            |                                |             |
|                            | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days pre harvest            | 14 days     |
|                            |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |   |                            |                                |             |
|                            | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha             | 3.0 kg/ha                                     | -                          | N/A                            |             |
|                            |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                       |   |                            |                                |             |
|                            | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha             | 42 kg/ha                                      | 6 per crop                 | 0 days before harvest          | 0 days      |
|                            |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                       |   |                            |                                |             |
|                            | Ninja 10CS          | 05178         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days before harvest         | 14 days     |
|                            |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |   |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i>               | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|----------------------------|---------------------|-----------------------------|---------------------|-----------------|--|-------------------|-------------------------|---|----------------------------|---|-------------|
| <i>Redcurrants - field</i> |                     |                             |                     |                 |  |                   |                         |   |                            |   |             |
| Pirim                      | 06268               | Sharda Cropchem Espana S.L. | Fungicide           |                 |  |                   | 2.0 l/ha                | 4.0 l/ha                                      | 2 per year                 | 21 days before harvest                      | 21 days     |
|                            |                     |                             |                     |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |   |                            |   |             |
| Scala                      | 03916               | BASF plc                    | Fungicide           |                 |  |                   | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                            |                     |                             |                     |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                         |   |                            |   |             |
| Serenade ASO               | 03847               | Bayer CropScience Limited   | Fungicide           |                 |  |                   | 8 l/ha                  | 48 l/ha                                       | 6                          |   | 0 days      |
|                            |                     |                             |                     |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |   |                            |   |             |
| Signum                     | 03799               | BASF plc                    | Fungicide           |                 |  |                   | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                            |                     |                             |                     |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                         |   |                            |   |             |
|                            |                     |                             |                     |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                         |   |                            |   |             |
| Stealth                    | 06468               | Syngenta UK Ltd             | Insecticide         |                 |  |                   | 100 mls/ha              | 200 mls/ha                                    | 4 per crop                 | 14 days before harvest                      | 14 days     |
|                            |                     |                             |                     |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                         |   |                            |   |             |
| Tec-Bom                    | 05040               | Grupo Agrotecnologia S.L    | Insecticide         |                 |  |                   | 11.5 l/ha               | 92 l/ha                                       | 8 per crop                 | -   | -           |
|                            |                     |                             |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                         |   |                            |   |             |
| Tracer                     | 02649               | Corteva Agriscience UK Ltd  | Insecticide         |                 |  |                   | 200 ml/ha in 250L water | 400 ml/ha                                     | 2 per year                 | 7 days before harvest                       | 7 days      |
|                            |                     |                             |                     |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |   |                            |   |             |
| Valdor Solo                | 06722               | ISK Biosciences Europe N.V. | Herbicide           |                 |  |                   | 120 g/ha                | 120 g/ha                                      | -                          | -   |             |
|                            |                     |                             |                     |                 | <i>Flazasulfuron</i>                           | <i>25% w/w</i>    |                         |   |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|--|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Redcurrants - protected</i> |                     |               |  |                 |   |                |                         |                         |                            |                                |             |
|                                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha               | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                         |                         |                            |                                |             |
|                                | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha               | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                                |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | 220 g/kg       |                         |                         |                            |                                |             |
|                                | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha               | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                                |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                         |                         |                            |                                |             |
|                                | Nimrod              | 04964         | Adama Agricultural Solutions UK Ltd        | Fungicide       |   |                | 1.0 l/ha                | 4.0 l/ha                | 4 per crop                 | 7 days before harvest          | 7 days      |
|                                |                     |               |  |                 | <i>Bupirimate</i>                                       | 250 g/l        |                         |                         |                            |                                |             |
|                                | Scala               | 03916         | BASF plc                                   | Fungicide       |   |                | 2.0 l/ha                | 4.0 l/ha                | 2 per crop                 | 21 days before harvest         | 21 days     |
|                                |                     |               |  |                 | <i>Pyrimethanil</i>                                     | 400 g/l        |                         |                         |                            |                                |             |
|                                | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                  | 48 l/ha                 | 6                          |                                | 0 days      |
|                                |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>          | 1017.8 g/l     |                         |                         |                            |                                |             |
|                                | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   |                | 10 g/m3                 | 10 g/m3                 | 1                          | Pre planting / sowing          |             |
|                                |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>              | 12% w/w        |                         |                         |                            |                                |             |
|                                |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>              | 12% w/w        |                         |                         |                            |                                |             |
|                                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                                |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>           | 416 g/l        |                         |                         |                            |                                |             |
|                                | Tracer              | 02649         | Corteva Agriscience UK Ltd                 | Insecticide     |   |                | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 3 days before harvest          | 3 days      |
|                                |                     |               |  |                 | <i>Spinosad</i>   | 480 g/l        |                         |                         |                            |                                |             |
|                                | Trianum-P           | 05486         | Koppert B.V.                               | Fungicide       |   |                | 15 kg/ha                | 30 kg/ha                | 2 per crop                 | At propagation                 |             |
|                                |                     |               |  |                 | <i>Trichoderma harzianum Strain T22</i>                 | 1% w/w         |                         |                         |                            |                                |             |
|                                |                     |               |  |                 | <i>Trichoderma harzianum Strain T22</i>                 | 1% w/w         |                         |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|----------------------------|-----------------|---|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rhubarb</i> |                     |               |                            |                 |   |                   |                       |                         |                            |                               |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited  | Insecticide     |   |                   | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                            |                 | <i>Deltamethrin</i>                                       | <i>15 g/l</i>     |                       |                         |                            |                               |             |
|                | Flexidor            | 04963         | Corteva Agriscience UK Ltd | Herbicide       |   |                   | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | Dormant stage                 |             |
|                |                     |               |                            |                 | <i>Isoxaben</i>   | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                | FLiPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide     |   |                   | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                |                     |               |                            |                 | <i>Fatty Acid - C7-C20</i>                                | <i>479.8 g/l</i>  |                       |                         |                            |                               |             |
|                | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |   |                   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
|                | PDM 330 EC          | 03582         | BASF plc                   | Herbicide       |   |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                |                     |               |                            |                 | <i>Pendimethalin</i>                                      | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |   |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                |                     |               |                            |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                | Stomp Aqua          | 03750         | BASF plc                   | Herbicide       |   |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                |                     |               |                            |                 | <i>Pendimethalin</i>                                      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L   | Insecticide     |   |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                |                     |               |                            |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | <i>416 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rocket</i> |                     |               |                               |                 |   |                |                         |                         |                            |                               |             |
|               | Botanigard WP       | 06264         | Mycotech Europe Ltd           | Insecticide     |   |                | 0.6 kg/ha               | 3.0 kg/ha               | 5 per year                 | -                             |             |
|               |                     |               |                               |                 | <i>Beauveria bassiana</i>                                 | 220 g/kg       |                         |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>GHA / ATCC 74040</i>                                   |                |                         |                         |                            |                               |             |
|               | Ceta SG             | 06252         | Unichem Limited               | Insecticide     |   |                | 250 g/ha                | 500 g/ha                | 2 per crop                 | 3 days pre harvest            | 3 days      |
|               |                     |               |                               |                 | <i>Acetamiprid</i>  | 20% w/w        |                         |                         |                            |                               |             |
|               | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |   |                | 0.6 kg/ha               | 1.2 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                               |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                         |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                         |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Fludioxonil</i>  | 25.0% w/w      |                         |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Fludioxonil</i>  | 25.0% w/w      |                         |                         |                            |                               |             |
|               | Devrinol            | 05234         | UPL Holdings Cooperatief U.A. | Herbicide       |   |                | 0.85 l/ha               | 0.85 l/ha               | 1 per crop                 | Pre-planting                  |             |
|               |                     |               |                               |                 | <i>Napropamide</i>  | 450 g/l        |                         |                         |                            |                               |             |
|               | FLiPPER             | 05027         | Alpha Biopesticides Ltd       | Insecticide     |   |                | 5.0 l/ha                | 45.0 l/ha               | 9 per crop                 | -                             |             |
|               |                     |               |                               |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                         |                         |                            |                               |             |
|               | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH    | Insecticide     |   |                | 250 g/ha                | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|               |                     |               |                               |                 | <i>Acetamiprid</i>  | 20 % w/w       |                         |                         |                            |                               |             |
|               | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.           | Insecticide     |   |                | 1.0 kg/ha               | 3.0 kg/ha               | -                          | N/A                           |             |
|               |                     |               |                               |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                         |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |   |                | 8 l/ha                  | 48 l/ha                 | 6                          |                               | 0 days      |
|               |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                         |                         |                            |                               |             |
|               | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |   |                | 0.8 kg/ha or 0.6 kg/ha* | 1.6 kg/ha or 1.2 kg/ha* | 2 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                               |                 | <i>Fludioxonil</i>  | 25% w/w        |                         |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Cyprodinil</i>   | 37.5% w/w      |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------|-----------------|--|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rosemary</i> |                     |               |                           |                 |  |                |                       |                         |                            |                               |             |
|                 | Botanigard WP       | 06264         | Mycotech Europe Ltd       | Insecticide     |  |                | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                 |                     |               |                           |                 | <i>Beauveria bassiana</i>                      | 220 g/kg       |                       |                         |                            |                               |             |
|                 |                     |               |                           |                 | <i>GHA / ATCC 74040</i>                        |                |                       |                         |                            |                               |             |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                 |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | 1017.8 g/l     |                       |                         |                            |                               |             |
|                 | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |  |                | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                 |                     |               |                           |                 | <i>Cycloxydim</i>                              | 100 g/l        |                       |                         |                            |                               |             |
|                 | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |  |                | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                 |                     |               |                           |                 | <i>Fenhexamid</i>                              | 50 %w/w        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>  | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--------------------------------|-------------|
| <i>Rubus Hybrid - field</i> |                     |               |  |                 |   |                |                        |                         |                            |                                |             |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89                          |             |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                        |                         |                            |                                |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour |             |
|                             |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                | 220 g/kg       |                        |                         |                            |                                |             |
|                             | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -                              |             |
|                             |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                        |                         |                            |                                |             |
|                             | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   |                | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                   |             |
|                             |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | 2% w/w         |                        |                         |                            |                                |             |
|                             | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                            |             |
|                             |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                        |                         |                            |                                |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                 | 48 l/ha                 | 6                          |                                | 0 days      |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                        |                         |                            |                                |             |
|                             | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |   |                | 0.8 l/ha               | 1.6 l/ha                | -                          | 21 days before harvest         |             |
|                             |                     |               |  |                 | <i>Carfentrazone-ethyl</i>                                | 60 g/l         |                        |                         |                            |                                |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -                              | -           |
|                             |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                        |                         |                            |                                |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|--|-----------------|---|----------------|------------------------|-------------------------|----------------------------|--|-------------|
| <i>Rubus Hybrid - protected</i> |                     |               |  |                 |   |                |                        |                         |                            |  |             |
|                                 | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   | 250 g/kg       | 2.5 kg/ha              | 15 kg/ha                | 6 per year                 | GS 89  |             |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   |                |                        |                         |                            |  |             |
|                                 | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   | 220 g/kg       | 0.6 kg/ha              | 3.0 kg/ha               | 5 per year                 | When leaves begin to discolour                     |             |
|                                 |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>                |                |                        |                         |                            |  |             |
|                                 | FLiPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   | 479.8 g/l      | 10.0 l/ha              | 80.0 l/ha               | 8 per crop                 | -  |             |
|                                 |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                |                |                        |                         |                            |  |             |
|                                 | LALGUARD M52        | 04811         | Danstar Ferment AG                         | Insecticide     |   | 2% w/w         | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                       |             |
|                                 |                     |               |  |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          |                |                        |                         |                            |  |             |
|                                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   | 375 g/kg       | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A  |             |
|                                 |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> |                |                        |                         |                            |  |             |
|                                 | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   | 1017.8 g/l     | 8 l/ha                 | 48 l/ha                 | 6                          |  | 0 days      |
|                                 |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            |                |                        |                         |                            |  |             |
|                                 | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |   | 60 g/l         | 0.8 l/ha               | 1.6 l/ha                | -                          | 21 days before harvest                             | 21 days     |
|                                 |                     |               |  |                 | <i>Carfentrazone-ethyl</i>                                |                |                        |                         |                            |  |             |
|                                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.               | Fungicide       |   | 12% w/w        | 0.5 g/m2*              | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                |                |                        |                         |                            |  |             |
|                                 |                     |               |  |                 | <i>Trichoderma Asperellum (strain T34)</i>                |                |                        |                         |                            |  |             |
|                                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   | 416 g/l        | 11.5 l/ha              | 92 l/ha                 | 8 per crop                 | -  | -           |
|                                 |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             |                |                        |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                        | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|---------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rubus Hybrid - protected</i> |                     |               |                           |                 |   |                |                       |                         |                            |                               |             |
|                                 | Trianum-P           | 05486         | Koppert B.V.              | Fungicide       |   |                | 15 kg/ha              | 30 kg/ha                | 2 per crop                 | At propagation                |             |
|                                 |                     |               |                           |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |
|                                 |                     |               |                           |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |
| <i>Rye - spring</i>             |                     |               |                           |                 |   |                |                       |                         |                            |                               |             |
|                                 | Compitox Plus       | 02843         | Nufarm UK Limited         | Herbicide       |   |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                                 |                     |               |                           |                 | <i>Mecoprop-P</i>                       | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                                 | Decis Protech       | 05269         | Bayer CropScience Limited | Insecticide     |   |                | 420 mls/ha            | 840 mls/ha              | 2                          | 30 days before harvest        | 30 days     |
|                                 |                     |               |                           |                 | <i>Deltamethrin</i>                     | <i>15 g/l</i>  |                       |                         |                            |                               |             |
|                                 | Defy                | 04277         | Syngenta UK Ltd           | Herbicide       |   |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                                 |                     |               |                           |                 | <i>Prosulfocarb</i>                     | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                                 | Duplosan KV         | 02842         | Nufarm UK Limited         | Herbicide       |   |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                                 |                     |               |                           |                 | <i>Mecoprop-P</i>                       | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                                 | Optica              | 02661         | Nufarm UK Limited         | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                                 |                     |               |                           |                 | <i>Mecoprop-P</i>                       | <i>600 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|------------------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rye - winter</i> |                     |               |                              |                 |                     |                |                       |                         |                            |                               |             |
|                     | Clayton Heed        | 06487         | Clayton Plant Protection Ltd | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | GS 21                         |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                     | Compitox Plus       | 02843         | Nufarm UK Limited            | Herbicide       |                     |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                              |                 | <i>Mecoprop-P</i>   | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                     | Crozier             | 06482         | Barclay Chemicals Ltd        | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                     | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a        | Insecticide     |                     |                | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                     |                     |               |                              |                 | <i>Deltamethrin</i> | <i>25 g/l</i>  |                       |                         |                            |                               |             |
|                     | Decis Protech       | 05269         | Bayer CropScience Limited    | Insecticide     |                     |                | 420 mls/ha            | 840 mls/ha              | 2                          | 30 days before harvest        | 30 days     |
|                     |                     |               |                              |                 | <i>Deltamethrin</i> | <i>15 g/l</i>  |                       |                         |                            |                               |             |
|                     | Defy                | 04277         | Syngenta UK Ltd              | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                     | Duplosan KV         | 02842         | Nufarm UK Limited            | Herbicide       |                     |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                              |                 | <i>Mecoprop-P</i>   | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                     | FANTASIA            | 06952         | Albaugh TKI d.o.o            | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/L</i> |                       |                         |                            |                               |             |
|                     | GAT Decline 2.5 E   | 04422         | FMC Agro Ltd                 | Insecticide     |                     |                | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                     |                     |               |                              |                 | <i>Deltamethrin</i> | <i>25 g/l</i>  |                       |                         |                            |                               |             |
|                     | LEES                | 06732         | Albaugh TKI d.o.o            | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/L</i> |                       |                         |                            |                               |             |
|                     | Optica              | 02661         | Nufarm UK Limited            | Herbicide       |                     |                | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                     |                     |               |                              |                 | <i>Mecoprop-P</i>   | <i>600 g/l</i> |                       |                         |                            |                               |             |
|                     | Peloton             | 06481         | Barclay Chemicals Ltd        | Herbicide       |                     |                | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                              |                 | <i>Prosulfocarb</i> | <i>800 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i> | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                               | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------|---------------------|---------------|---------------------------|-----------------|--|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Sage</i> |                     |               |                           |                 |  |                |                       |                         |                            |                               |             |
|             | Botanigard WP       | 06264         | Mycotech Europe Ltd       | Insecticide     |  |                | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|             |                     |               |                           |                 | <i>Beauveria bassiana</i>                      | 220 g/kg       |                       |                         |                            |                               |             |
|             |                     |               |                           |                 | <i>GHA / ATCC 74040</i>                        |                |                       |                         |                            |                               |             |
|             | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |  |                | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|             |                     |               |                           |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | 1017.8 g/l     |                       |                         |                            |                               |             |
|             | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |  |                | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|             |                     |               |                           |                 | <i>Cycloxydim</i>                              | 100 g/l        |                       |                         |                            |                               |             |
|             | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |  |                | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|             |                     |               |                           |                 | <i>Fenhexamid</i>                              | 50 %w/w        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                               |                 |                       |                  |                       |                         |                            |                               |             |
|                | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Amistar Top         | 04582         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Difenoconazole</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azarius             | 06522         | JT Agro Ltd                   | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Botrefin            | 06480         | Finchimica S.p.A              | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                | Centurion Max       | 04948         | Arysta Life Science S.A.S.    | Herbicide       |                       |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|                |                     |               |                               |                 | <i>Clethodim</i>      | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|                | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |                       |                  | 0.8 kg/ha             | 2.4 kg/ha               | 3 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                               |                 | <i>Fludioxonil</i>    | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                | Clayton Heed        | 06487         | Clayton Plant Protection Ltd  | Herbicide       |                       |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                |                     |               |                               |                 | <i>Prosulfocarb</i>   | <i>800 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                                       |                 |                            |                  |                       |                         |                            |                               |             |
|                | Crozier             | 06482         | Barclay Chemicals Ltd                 | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                            |                  | 500 mls/ha            | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                                       |                 | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                | Defy                | 04277         | Syngenta UK Ltd                       | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                | Difenofin           | 06218         | Finchimica S.p.A                      | Fungicide       |                            |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Eminentos 10 CS     | 04933         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                | FANTASIA            | 06952         | Albaugh TKI d.o.o                     | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                | FLIPPER             | 05027         | Alpha Biopesticides Ltd               | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                |                     |               |                                       |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                            |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |                            |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                | LEES                | 06732         | Albaugh TKI d.o.o                     | Herbicide       |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS11                   | 80 days     |
|                |                     |               |                                       |                 | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |                               |             |
|                | Lentagran WP        | 05580         | Certis Belchim BV                     | Herbicide       |                            |                  | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | 56 days before harvest        | 56 days     |
|                |                     |               |                                       |                 | <i>Pyridate</i>            | <i>45% w/w</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-----------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                             |                 |                           |                 |                       |                         |                            |                               |             |
|                | Life Scientific Lam | 04868         | Life Scientific Limited     | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                | LS TARAK            | 07187         | Life Scientific Limited     | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/L</i>  |                       |                         |                            |                               |             |
|                | Markate 50          | 05001         | Globachem nv                | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                | Mavita 250 EC       | 05941         | Syngenta UK Ltd             | Fungicide       |                           |                 | 0.5 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                | Nativo 75 WG        | 04642         | Bayer CropScience Limited   | Fungicide       |                           |                 | 0.3 kg/ha             | 0.9 kg/ha               | * 3 per crop               | 21 days before harvest        | 21 days     |
|                |                     |               |                             |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                |                     |               |                             |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd             | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                | Oxe                 | 06463         | Albaugh TKI d.o.o           | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                | Pantha              | 06445         | TerreChem Ltd               | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                | PDM 330 EC          | 03582         | BASF plc                    | Herbicide       |                           |                 | 4.0 l/ha              | 4.0 l/ha                | 1                          |                               |             |
|                |                     |               |                             |                 | <i>Pendimethalin</i>      | <i>330 g/l</i>  |                       |                         |                            |                               |             |
|                | Peloton             | 06481         | Barclay Chemicals Ltd       | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS 11                  | 80 days     |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                | Perseus             | 06476         | BASF plc                    | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|                |                     |               |                             |                 | <i>Difenoconazole</i>     | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                |                     |               |                             |                 | <i>Fluxapyroxad</i>       | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                | Pilot Ultra         | 04955         | Nissan Chemical Europe      | Herbicide       |                           |                 | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|                |                     |               |                             |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                | Professional        | 06262         | Sharda Cropchem Espana S.L. | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                | Ravane              | 05536         | Globachem nv                | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                               |                 |  |                   |                       |                         |                            |                               |             |
|                | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Roxy 800 EC         | 05739         | Globachem nv                  | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                               |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                | Score 250 EC        | 04566         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                | Signum              | 03799         | BASF plc                      | Fungicide       |  |                   | 1.0 kgs/ha            | 2.0 kgs/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                | Sparviero           | 04469         | Sipcam Oxon SpA               | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp 400 SC        | 02879         | BASF plc                      | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp Aqua          | 03750         | BASF plc                      | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                |                     |               |                               |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                | Stratos Ultra       | 04936         | BASF plc                      | Herbicide       |  |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                |                     |               |                               |                 | <i>Cycloxydim</i>                              | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3 per year                 | 7 days before harvest         | 7 days      |
|                |                     |               |                               |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                       |                         |                            |                               |             |
|                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L      | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                |                     |               |                               |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                | Thaistar            | 06649         | CAC GmbH                      | Fungicide       |  |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|------------------------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                                    |                 |                     |                |                       |                         |                            |                               |             |
|                | Zoxis               | 05348         | Arysta LifeScience Benelux<br>SPRL | Fungicide       |                     |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                    |                 | <i>Azoxystrobin</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i>  | <i>Substance</i>  | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|--|------------------|---|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Shallot</i> |                     |               |  |                  |   |                  |                       |                         |                            |                               |             |
|                | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide        |   |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |  |                  | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                |                     |               |  |                  | <i>Difenoconazole</i>                                   | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide        |   |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 47                         |             |
|                |                     |               |  |                  | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i>  |                       |                         |                            |                               |             |
|                | Basagran SG         | 05192         | BASF plc                                   | Herbicide        |   |                  | 1.1 kg/ha             | 1.1 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                |                     |               |  |                  | <i>Bentazone</i>  | <i>870 g/kg</i>  |                       |                         |                            |                               |             |
|                | Botrefin            | 06480         | Finchimica S.p.A                           | Fungicide        |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |  |                  | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |  |                  | <i>Fludioxonil</i>                                      | <i>25% w/w</i>   |                       |                         |                            |                               |             |
|                | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide        |   |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | 56 days before harvest        | 56 days     |
|                |                     |               |  |                  | <i>Clethodim</i>  | <i>120 g/l</i>   |                       |                         |                            |                               |             |
|                | Chanon              | 06518         | Globachem nv                               | Herbicide        |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd               | Fungicide        |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |  |                  | <i>Fludioxonil</i>                                      | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |  |                  | <i>Cyprodinil</i>                                       | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                | Clayton Heed        | 06487         | Clayton Plant Protection Ltd               | Herbicide        |   |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|                |                     |               |  |                  | <i>Prosulfocarb</i>                                     | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Klondike    | 06807         | Clayton Plant Protection Ltd               | Herbicide        |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd               | Insecticide      |   |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |  |                  | <i>Spirotetramat</i>                                    | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                | Clever              | 06399         | Sharda Cropchem Espana S.L.                | Herbicide        |   |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |  |                  | <i>Aclonifen</i>  | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                | Crown MH            | 06589         | Kreglinger Europe NV                       | Growth Regulator |   |                  | 8.9 l/ha              | 8.9 l/ha                | 1 per crop                 | GS 47                         | 4 days      |
|                |                     |               |  |                  | <i>Maleic hydrazide</i>                                 | <i>270 g/l</i>   |                       |                         |                            |                               |             |
|                | Crozier             | 06482         | Barclay Chemicals Ltd                      | Herbicide        |   |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 5th leaf visible       |             |
|                |                     |               |  |                  | <i>Prosulfocarb</i>                                     | <i>800 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i>  | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|----------------|---------------------|---------------|----------------------------|------------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Shallot</i> |                     |               |                            |                  |                            |                  |                       |                         |                            |  |             |
|                | Decis Protech       | 05269         | Bayer CropScience Limited  | Insecticide      |                            |                  | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                |                     |               |                            |                  | <i>Deltamethrin</i>        | <i>15 g/l</i>    |                       |                         |                            |  |             |
|                | Defy                | 04277         | Syngenta UK Ltd            | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|                |                     |               |                            |                  | <i>Prosulfocarb</i>        | <i>800 g/l</i>   |                       |                         |                            |  |             |
|                | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide        |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage                            |             |
|                |                     |               |                            |                  | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |  |             |
|                | Efica 960 EC        | 05942         | Syngenta UK Ltd            | Herbicide        |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage                            |             |
|                |                     |               |                            |                  | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |  |             |
|                | Emerger             | 06190         | Bayer CropScience Limited  | Herbicide        |                            |                  | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12  |             |
|                |                     |               |                            |                  | <i>Aclonifen</i>           | <i>600 g/l</i>   |                       |                         |                            |  |             |
|                | Fandango            | 03787         | Bayer CropScience Limited  | Fungicide        |                            |                  | 1.25 l/ha             | 5.0 l/ha                | 4 per crop                 | GS 47  |             |
|                |                     |               |                            |                  | <i>Prothioconazole</i>     | <i>100 g/l</i>   |                       |                         |                            |  |             |
|                |                     |               |                            |                  | <i>Fluoxastrobin</i>       | <i>100 g/l</i>   |                       |                         |                            |  |             |
|                | FANTASIA            | 06952         | Albaugh TKI d.o.o          | Herbicide        |                            |                  | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible                            |             |
|                |                     |               |                            |                  | <i>Prosulfocarb</i>        | <i>800 g/L</i>   |                       |                         |                            |  |             |
|                | Flexidor            | 04963         | Corteva Agriscience UK Ltd | Herbicide        |                            |                  | 0.2 l/ha              | 0.2 l/ha                | 1 per year                 | After transplanting or beginning of root formation |             |
|                |                     |               |                            |                  | <i>Isoxaben</i>            | <i>500 g/l</i>   |                       |                         |                            |  |             |
|                | FLIPPER             | 05027         | Alpha Biopesticides Ltd    | Insecticide      |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -  |             |
|                |                     |               |                            |                  | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |  |             |
|                | Force 20 CS         | 06395         | Syngenta UK Ltd            | Seed Dressing    |                            |                  | 25 ml/100,000 seeds   | 25 ml/100,000 seeds     | 1 per batch                | Before drilling                                    |             |
|                |                     |               |                            |                  | <i>Tefluthrin</i>          | <i>200 g/l</i>   |                       |                         |                            |  |             |
|                | Infinito            | 04309         | Bayer CropScience Limited  | Fungicide        |                            |                  | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest                              | 7 days      |
|                |                     |               |                            |                  | <i>Propamocarb</i>         | <i>625 g/l</i>   |                       |                         |                            |  |             |
|                |                     |               |                            |                  | <i>Fluopicolide</i>        | <i>62.5 g/l</i>  |                       |                         |                            |  |             |
|                | ITCAN SL 270        | 06071         | Kreglinger Europe NV       | Growth Regulator |                            |                  | 8.9 l/ha              | 8.9 l/ha                | 1 per crop                 | GS 47  | 4 days      |
|                |                     |               |                            |                  | <i>Maleic hydrazide</i>    | <i>270 g/l</i>   |                       |                         |                            |  |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide      |                            |                  | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest                             | 21 days     |
|                |                     |               |                            |                  | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Shallot</i> |                     |               |                             |                 |  |                   |                       |                         |                            |                               |             |
|                | LEES                | 06732         | Albaugh TKI d.o.o           | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/L</i>    |                       |                         |                            |                               |             |
|                | Lentagran WP        | 05580         | Certis Belchim BV           | Herbicide       |  |                   | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | Before 7 leaf stage           |             |
|                |                     |               |                             |                 | <i>Pyridate</i>                                | <i>45% w/w</i>    |                       |                         |                            |                               |             |
|                | Movento             | 05349         | Bayer CropScience Limited   | Insecticide     |  |                   | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                             |                 | <i>Spirotetramat</i>                           | <i>150 g/l</i>    |                       |                         |                            |                               |             |
|                | NEMGuard DE         | 05368         | ECOSpray Ltd                | Nematicide      |  |                   | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                   |             |
|                |                     |               |                             |                 | <i>Garlic Extract</i>                          | <i>450 g/kg</i>   |                       |                         |                            |                               |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd             | Insecticide     |  |                   | 75 mls/ha             | 225 mls/ha              | 4                          | 21 days before harvest        | 21 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Ostrich             | 06907         | Albaugh TKI d.o.o           | Herbicide       |  |                   | 2.5 l/ha              | 2.5 l/ha                | 2 per crop                 | GS 12                         |             |
|                |                     |               |                             |                 | <i>Aclonifen</i>                               | <i>600 g/l</i>    |                       |                         |                            |                               |             |
|                | Peloton             | 06481         | Barclay Chemicals Ltd       | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before 5th leaf visible       |             |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                | Professional        | 06262         | Sharda Cropchem Espana S.L. | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                  |             |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                | Roxy 800 EC         | 05739         | Globachem nv                | Herbicide       |  |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 15                  |             |
|                |                     |               |                             |                 | <i>Prosulfocarb</i>                            | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                |                     |               |                             |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                | Starane Hi-Load HL  | 04549         | Corteva Agriscience UK Ltd  | Herbicide       |  |                   | 0.3 l/ha              | 0.3 l/ha                |                            | Before GS 15                  |             |
|                |                     |               |                             |                 | <i>Fluroxypyr</i>                              | <i>333 g/l</i>    |                       |                         |                            |                               |             |
|                | Stealth             | 06468         | Syngenta UK Ltd             | Insecticide     |  |                   | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                             |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp 400 SC        | 02879         | BASF plc                    | Herbicide       |  |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp Aqua          | 03750         | BASF plc                    | Herbicide       |  |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                |                     |               |                             |                 | <i>Pendimethalin</i>                           | <i>455 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i>            | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|----------------|---------------------|--------------------------|---------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Shallot</i> |                     |                          |                     |                 |   |                  |                       |                         |                            |                                   |             |
| Switch         | 06414               | Syngenta UK Ltd          | Fungicide           |                 |   |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 21 days before harvest            | 21 days     |
|                |                     |                          |                     |                 | <i>Fludioxonil</i>                            | <i>25% w/w</i>   |                       |                         |                            |                                   |             |
|                |                     |                          |                     |                 | <i>Cyprodinil</i>                             | <i>37.5% w/w</i> |                       |                         |                            |                                   |             |
| Tec-Bom        | 05040               | Grupo Agrotecnologia S.L | Insecticide         |                 |   |                  | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                                 | -           |
|                |                     |                          |                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |                                   |             |
| Wing P         | 03590               | BASF plc                 | Herbicide           |                 |   |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|                |                     |                          |                     |                 | <i>Dimethenamid-P</i>                         | <i>212.5 g/l</i> |                       |                         |                            |                                   |             |
|                |                     |                          |                     |                 | <i>Pendimethalin</i>                          | <i>250g/l</i>    |                       |                         |                            |                                   |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------|-----------------|--|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach</i> |                     |               |                               |                 |  |                  |                       |                         |                            |                               |             |
|                | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Botanigard WP       | 06264         | Mycotech Europe Ltd           | Insecticide     |  |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                |                     |               |                               |                 | <i>Beauveria bassiana GHA / ATCC 74040</i> | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |  |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                               |                 | <i>Cyprodinil</i>                          | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |                               |                 | <i>Fludioxonil</i>                         | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd  | Insecticide     |  |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                               |                 | <i>Spirotetramat</i>                       | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                | Devrinol            | 05234         | UPL Holdings Cooperatief U.A. | Herbicide       |  |                  | 0.85 l/ha             | 0.85 l/ha               | -                          | Pre crop emergence            |             |
|                |                     |               |                               |                 | <i>Napropamide</i>                         | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|                | Eminentos 10 CS     | 04933         | FMC Agro Ltd                  | Insecticide     |  |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                | FLIPPER             | 05027         | Alpha Biopesticides Ltd       | Insecticide     |  |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                |                     |               |                               |                 | <i>Fatty Acid - C7-C20</i>                 | <i>479.8 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------------------|-----------------|--|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach</i> |                     |               |                                       |                 |  |                 |                        |                         |                            |                               |             |
|                | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |  |                 | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/L</i>  |                        |                         |                            |                               |             |
|                | Globaztar SC        | 05529         | Globachem nv                          | Fungicide       |  |                 | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                 | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                | Infinito            | 04309         | Bayer CropScience Limited             | Fungicide       |  |                 | 1.6 l/ha               | 1.6 l/ha                | 1 per crop                 | Before GS 49                  | 14 days     |
|                |                     |               |                                       |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i> |                        |                         |                            |                               |             |
|                |                     |               |                                       |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>  |                        |                         |                            |                               |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd                       | Insecticide     |  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Karis 10 CS         | 04454         | FMC Agro Ltd                          | Insecticide     |  |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Laidir 10 CS        | 04932         | FMC Agro Ltd                          | Insecticide     |  |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | LALGUARD M52        | 04811         | Danstar Ferment AG                    | Insecticide     |  |                 | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                |                     |               |                                       |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>   |                        |                         |                            |                               |             |
|                | Life Scientific Lam | 04868         | Life Scientific Limited               | Insecticide     |  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | LS TARAK            | 07187         | Life Scientific Limited               | Insecticide     |  |                 | 75 mls/ha              | 150 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/L</i>  |                        |                         |                            |                               |             |
|                | Markate 50          | 05001         | Globachem nv                          | Insecticide     |  |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>   |                        |                         |                            |                               |             |
|                | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |  |                 | 0.5 l/ha               | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                                       |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>  |                        |                         |                            |                               |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd                       | Insecticide     |  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                                       |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |  |                 | 1.0 l/ha               | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-------------------------|-------------------------|----------------------------|--|-------------|
| <i>Spinach</i> |                     |               |                               |                 |  |                   |                         |                         |                            |  |             |
|                | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |  |                   | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                         |                         |                            |  |             |
|                | Perseus             | 06476         | BASF plc                      | Fungicide       |  |                   | 2.0 l/ha                | 2.0 l/ha                | -                          | GS 49  | 14 days     |
|                |                     |               |                               |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                         |                         |                            |  |             |
|                | Previcur Energy     | 04041         | Bayer CropScience Limited     | Fungicide       |  |                   | 3 mls per sq m          | 6 mls per sq m          | -                          | Immediately post drilling                          |             |
|                |                     |               |                               |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Fosetyl (-aluminium)</i>                    | <i>310 g/l</i>    |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Propamocarb</i>                             | <i>530 g/l</i>    |                         |                         |                            |  |             |
|                | Ravane              | 05536         | Globachem nv                  | Insecticide     |  |                   | 75 ml/ha                | 150 ml/ha               | 4 per crop                 | 7 days before harvest                              | 7 days      |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                         |                         |                            |  |             |
|                | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd | Fungicide       |  |                   | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest                             | 14 days     |
|                |                     |               |                               |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                         |                         |                            |  |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                  | 48 l/ha                 | 6                          |  | 0 days      |
|                |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |                         |                            |  |             |
|                | Sparviero           | 04469         | Sipcam Oxon SpA               | Insecticide     |  |                   | 75 ml/ha                | 150 ml/ha               | 4                          | 7 days before harvest                              | 7 days      |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                         |                         |                            |  |             |
|                | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     |  |                   | 75 mls/ha               | 150 mls/ha              | 4 per crop                 | 7 days before harvest                              | 7 days      |
|                |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                         |                         |                            |  |             |
|                | Switch              | 06414         | Syngenta UK Ltd               | Fungicide       |  |                   | 0.8 kg/ha or 0.6 kg/ha* | 1.6 kg/ha or 1.2 kg/ha* | 2 per crop                 | 7 days before harvest                              | 7 days      |
|                |                     |               |                               |                 | <i>Cyprodinil</i>                              | <i>37.5% w/w</i>  |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Fludioxonil</i>                             | <i>25% w/w</i>    |                         |                         |                            |  |             |
|                | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.  | Fungicide       |  |                   | 0.5 g/m2*               | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                |                     |               |                               |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                         |                         |                            |  |             |
|                |                     |               |                               |                 | <i>Trichoderma Asperellum (strain T34)</i>     | <i>12% w/w</i>    |                         |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach</i> |                     |               |                                 |                 |   |                |                       |                         |                            |                               |             |
|                | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                       |                         |                            |                               |             |
|                | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |   |                | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                | Tracer              | 02649         | Corteva Agriscience UK Ltd      | Insecticide     |   |                | 200 mls/ha            | 600 mls/ha              | 3                          |                               | 3 days      |
|                |                     |               |                                 |                 | <i>Spinosad</i>                               | <i>480 g/l</i> |                       |                         |                            |                               |             |
|                | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                 | Herbicide       |   |                | 0.8 l/ha              | 0.8 l/ha                | -                          | Pre-emergence                 |             |
|                |                     |               |                                 |                 | <i>Lenacil</i>                                | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |   |                | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                 |                 | <i>Azoxystrobin</i>                           | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|-------------------------------|-----------------|--|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach beet</i> |                     |               |                               |                 |  |                  |                       |                         |                            |                               |             |
|                     | Amistar             | 05072         | Syngenta UK Ltd               | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Ampect              | 06827         | Syngenta UK Ltd               | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azofin              | 06637         | Finchimica S.p.A              | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azoshy              | 05618         | Sharda Cropchem Espana S.L.   | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Azoxystar           | 05534         | Life Scientific Limited       | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Botanigard WP       | 06264         | Mycotech Europe Ltd           | Insecticide     |  |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                     |                     |               |                               |                 | <i>Beauveria bassiana GHA / ATCC 74040</i> | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                     | Chamane             | 05002         | UPL Holdings Cooperatief U.A. | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd  | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | Clayton Gear        | 06607         | Clayton Plant Protection Ltd  | Fungicide       |  |                  | 0.8 kg/ha             | 1.6 kg/ha               | 2 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                               |                 | <i>Fludioxonil</i>                         | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
|                     |                     |               |                               |                 | <i>Cyprodinil</i>                          | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                     | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd  | Insecticide     |  |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                               |                 | <i>Spirotetramat</i>                       | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                     | FLiPPER             | 05027         | Alpha Biopesticides Ltd       | Insecticide     |  |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                     |                     |               |                               |                 | <i>Fatty Acid - C7-C20</i>                 | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|                     | Globaztar AZT 250   | 07114         | Syngenta UK Ltd               | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                     | Globaztar SC        | 05529         | Globachem nv                  | Fungicide       |  |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                               |                 | <i>Azoxystrobin</i>                        | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------------------|-----------------|--|------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach beet</i> |                     |               |                                       |                 |  |                  |                         |                         |                            |                               |             |
|                     | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |  |                  | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     | LALGUARD M52        | 04811         | Danstar Ferment AG                    | Insecticide     | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                         |                         |                            |                               |             |
|                     |                     |               |                                       |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    | 0.5 kgs/m <sup>3</sup>  | -                       | -                          | Pre-planting                  |             |
|                     | Movento             | 05349         | Bayer CropScience Limited             | Insecticide     |  |                  | 0.5 l/ha                | 1.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                                       |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>   |                         |                         |                            |                               |             |
|                     | Oxe                 | 06463         | Albaugh TKI d.o.o                     | Fungicide       |  |                  | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                         |                         |                            |                               |             |
|                     | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |  |                  | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                         |                         |                            |                               |             |
|                     | Perseus             | 06476         | BASF plc                              | Fungicide       |  |                  | 2.0 l/ha                | 2.0 l/ha                | -                          | GS 49                         | 14 days     |
|                     |                     |               |                                       |                 | <i>Difenoconazole</i>                            | <i>50 g/l</i>    |                         |                         |                            |                               |             |
|                     |                     |               |                                       |                 | <i>Fluxapyroxad</i>                              | <i>75 g/l</i>    |                         |                         |                            |                               |             |
|                     | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |  |                  | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                         |                         |                            |                               |             |
|                     | Switch              | 06414         | Syngenta UK Ltd                       | Fungicide       |  |                  | 0.8 kg/ha or 0.6 kg/ha* | 1.6 kg/ha or 1.2 kg/ha* | 2 per crop                 | 7 days before harvest         | 7 days      |
|                     |                     |               |                                       |                 | <i>Cyprodinil</i>                                | <i>37.5% w/w</i> |                         |                         |                            |                               |             |
|                     |                     |               |                                       |                 | <i>Fludioxonil</i>                               | <i>25% w/w</i>   |                         |                         |                            |                               |             |
|                     | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L              | Insecticide     |  |                  | 5.75 l/ha               | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                     |                     |               |                                       |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>    | <i>416 g/l</i>   |                         |                         |                            |                               |             |
|                     | Thaistar            | 06649         | CAC GmbH                              | Fungicide       |  |                  | 1.0 l/ha                | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                       |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                         |                         |                            |                               |             |
|                     | Tracer              | 02649         | Corteva Agriscience UK Ltd            | Insecticide     |  |                  | 200 mls/ha              | 600 mls/ha              | 3                          |                               | 3 days      |
|                     |                     |               |                                       |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                         |                         |                            |                               |             |
|                     | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                       | Herbicide       |  |                  | 0.8 l/ha                | 0.8 l/ha                | -                          | Pre-emergence                 |             |
|                     |                     |               |                                       |                 | <i>Lenacil</i>                                   | <i>500 g/l</i>   |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|------------------------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach beet</i> |                     |               |                                    |                 |                     |                |                       |                         |                            |                               |             |
|                     | Zoxis               | 05348         | Arysta LifeScience Benelux<br>SPRL | Fungicide       |                     |                | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                    |                 | <i>Azoxystrobin</i> | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                   | <i>Function</i> | <i>Substance</i>                 | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------------|-----------------|----------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Squash - protected</i> |                     |               |                                       |                 |                                  |                  |                       |                         |                            |                               |             |
|                           | Amistar             | 05072         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Amistar Top         | 04582         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Difenoconazole</i>            | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                           | Ampect              | 06827         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Azofin              | 06637         | Finchimica S.p.A                      | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Decis Protech       | 05269         | Bayer CropScience Limited             | Insecticide     |                                  |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Deltamethrin</i>              | <i>15 g/l</i>    |                       |                         |                            |                               |             |
|                           | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                       | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|                           | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Pantha              | 06445         | TerreChem Ltd                         | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Previcur Energy     | 04041         | Bayer CropScience Limited             | Fungicide       |                                  |                  | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                           |                     |               |                                       |                 | <i>Propamocarb</i>               | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>      | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Propamocarb</i>               | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                       |                 | <i>Fosetyl (-aluminium)</i>      | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                           | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd         | Fungicide       |                                  |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                                       |                 | <i>Azoxystrobin</i>              | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Sonata              | 05802         | Bayer CropScience Limited             | Fungicide       |                                  |                  | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                           |                     |               |                                       |                 | <i>Bacillus pumilus QST 2808</i> | <i>14.35 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>          | <i>Function</i> | <i>Substance</i>               | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|------------------------------|-----------------|--------------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Squash - protected</i> |                     |               |                              |                 |                                |                |                       |                         |                            |                               |             |
|                           | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L. | Fungicide       |                                |                | 10 g/m3               | 10 g/m3                 | 1                          | Pre planting / sowing         |             |
|                           |                     |               |                              |                 | <i>Trichoderma</i>             | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                              |                 | <i>Asperellum (strain T34)</i> |                |                       |                         |                            |                               |             |
|                           |                     |               |                              |                 | <i>Trichoderma</i>             | <i>12% w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                              |                 | <i>Asperellum (strain T34)</i> |                |                       |                         |                            |                               |             |
|                           | Vivando             | 05685         | BASF plc                     | Fungicide       |                                |                | 0.2 l/ha              | 0.4 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                              |                 | <i>Metrafenone</i>             | <i>500 g/l</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - field</i> |                     |               |  |                 |   |                |                       |                         |                            |                               |             |
|                             | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                             |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | 250 g/kg       |                       |                         |                            |                               |             |
|                             | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd        | Acaricide       |   |                | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest         | 9 days      |
|                             |                     |               |  |                 | <i>Clofentezine</i>                                     | 500 g/l        |                       |                         |                            |                               |             |
|                             | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                 | <i>Azoxystrobin</i>                                     | 250 g/l        |                       |                         |                            |                               |             |
|                             | Botanigard WP       | 06264         | Mycotech Europe Ltd                        | Insecticide     |   |                | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                             |                     |               |  |                 | <i>Beauveria bassiana GHA / ATCC 74040</i>              | 220 g/kg       |                       |                         |                            |                               |             |
|                             | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                | 2.0 l/ha              | 2.0 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                             |                     |               |  |                 | <i>Clethodim</i>  | 120 g/l        |                       |                         |                            |                               |             |
|                             | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 500 ml/ha             | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                 | <i>Deltamethrin</i>                                     | 15 g/l         |                       |                         |                            |                               |             |
|                             | Dual Gold           | 04192         | Syngenta UK Ltd                            | Herbicide       |   |                | 0.7 l/ha              | 1.3 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                             |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                       |                         |                            |                               |             |
|                             | Efica 960 EC        | 05942         | Syngenta UK Ltd                            | Herbicide       |   |                | 0.7 l/ha              | 1.3 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                             |                     |               |  |                 | <i>S-Metolachlor</i>                                    | 960 g/l        |                       |                         |                            |                               |             |
|                             | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -                             |             |
|                             |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                              | 479.8 g/l      |                       |                         |                            |                               |             |
|                             | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                | 125 ml/ha             | 250 ml/ha               | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                               | 100 g/l        |                       |                         |                            |                               |             |
|                             | Karma               | 05116         | Certis Belchim BV                          | Fungicide       |   |                | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                             |                     |               |  |                 | <i>Potassium Hydrogen Carbonate</i>                     | 850 g/kg       |                       |                         |                            |                               |             |
|                             | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                | 7.0 kg/ha             | 42 kg/ha                | 6 per crop                 | 0 days before harvest         | 0 days      |
|                             |                     |               |  |                 | <i>Sulphur</i>  | 80% w/w        |                       |                         |                            |                               |             |
|                             | Takumi SC           | 06060         | Nisso Chemical Europe GmbH                 | Fungicide       |   |                | 0.15 l/ha             | 0.3 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                 | <i>Cyflufenamid</i>                                     | 100 g/l        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                              | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|----------------------------|-----------------|---|----------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - field</i> |                     |               |                            |                 |   |                |                         |                         |                            |                               |             |
|                             | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L   | Insecticide     |   |                | 11.5 l/ha               | 92 l/ha                 | 8 per crop                 | -                             | -           |
|                             |                     |               |                            |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i> |                         |                         |                            |                               |             |
|                             | Tracer              | 02649         | Corteva Agriscience UK Ltd | Insecticide     |   |                | 150 ml/ha in 200L water | 450 ml/ha               | 3 per year                 | 1 day before harvest          | 1 day       |
|                             |                     |               |                            |                 | <i>Spinosad</i>                               | <i>480 g/l</i> |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                      | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|-------------------------------------|-----------------|---|------------------|-----------------------|-------------------------|----------------------------|--|-------------|
| <i>Strawberries - protected</i> |                     |               |                                     |                 |   |                  |                       |                         |                            |  |             |
|                                 | Apollo 50SC         | 04610         | Adama Agricultural Solutions UK Ltd | Acaricide       |   |                  | 0.4 l/ha              | 0.4 l/ha                | 1 per year                 | 9 days before harvest                              | 9 days      |
|                                 | Azarius             | 06522         | JT Agro Ltd                         | Fungicide       | <i>Clofentezine</i>                           | <i>500 g/l</i>   | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest                              | 3 days      |
|                                 | Benevia 10 OD       | 05354         | Headland Agrochemicals Ltd          | Insecticide     | <i>Azoxystrobin</i>                           | <i>250 g/l</i>   | 0.75 l/ha             | 1.5 l/ha                | 2                          | 1 day before harvest                               | 1 day       |
|                                 | Decis Protech       | 05269         | Bayer CropScience Limited           | Insecticide     | <i>Cyantraniliprole</i>                       | <i>100 g/l</i>   | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest                              | 3 days      |
|                                 | FLIPPER             | 05027         | Alpha Biopesticides Ltd             | Insecticide     | <i>Deltamethrin</i>                           | <i>15 g/l</i>    | 10.0 l/ha             | 80.0 l/ha               | 8 per crop                 | -  |             |
|                                 | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     | <i>Fatty Acid - C7-C20</i>                    | <i>479.8 g/l</i> | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 3 days before harvest                              | 3 days      |
|                                 | Karma               | 05116         | Certis Belchim BV                   | Fungicide       | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>   | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest                               | 1 day       |
|                                 | Sequoia             | 05915         | Corteva Agriscience UK Ltd          | Insecticide     | <i>Potassium Hydrogen Carbonate</i>           | <i>850 g/kg</i>  | 200 mls/ha            | 400 mls/ha              | 2                          | 1 day before harvest                               | 1 day       |
|                                 | T34 Biocontrol      | 05620         | Biocontrol Technologies S.L.        | Fungicide       | <i>Sulfoxaflor</i>                            | <i>120 g/l</i>   | 0.5 g/m2*             | 0.5 g/m2                | 1                          | Immediately after sowing seeds or rooting cuttings |             |
|                                 | Takumi SC           | 06060         | Nisso Chemical Europe GmbH          | Fungicide       | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   | 0.15 l/ha             | 0.3 l/ha                | 2 per crop                 | 3 days before harvest                              | 3 days      |
|                                 | Talius              | 04604         | Corteva Agriscience UK Ltd          | Fungicide       | <i>Trichoderma Asperellum (strain T34)</i>    | <i>12% w/w</i>   | 0.19 l/ha             | 0.19 l/ha               | 1 per crop                 | 3 days before harvest                              | 3 days      |
|                                 | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L            | Insecticide     | <i>Cyflufenamid</i>                           | <i>100 g/l</i>   | 11.5 l/ha             | 92 l/ha                 | 8 per crop                 | -  | -           |
|                                 |                     |               |                                     |                 | <i>Proquinazid</i>                            | <i>200 g/l</i>   |                       |                         |                            |  |             |
|                                 |                     |               |                                     |                 | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>   |                       |                         |                            |  |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                        | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|---------------------|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - protected</i> |                     |               |                     |                 |   |                |                       |                         |                            |                               |             |
|                                 | Trianum-P           | 05486         | Koppert B.V.        | Fungicide       |   |                | 15 g/1000 plants      | -                       | 12 per year                | At cultivation                |             |
|                                 |                     |               |                     |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |
|                                 |                     |               |                     |                 | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i> |                     |               |  |                 |   |                 |                       |                         |                            |                               |             |
|               | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|               |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|               | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                 | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|               |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|               | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Benevia 10 OD       | 05354         | Headland Agrochemicals Ltd                 | Insecticide     |   |                 | 0.75 l/ha             | 1.5 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Cyantraniliprole</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|               |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>  |                       |                         |                            |                               |             |
|               | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days pre harvest           | 14 days     |
|               |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>  |                       |                         |                            |                               |             |
|               | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i> |                     |               |  |                 |                            |                  |                       |                         |                            |                               |             |
|               | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd                   | Insecticide     |                            |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Spirotetramat</i>       | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|               | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide       |                            |                  | 1 kg/ha               | 6 kg/ha                 | -                          | 8 days before harvest         | 8 days      |
|               |                     |               |  |                 | <i>Copper oxychloride</i>  | <i>87.8% w/w</i> |                       |                         |                            |                               |             |
|               | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.                  | Herbicide       |                            |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Pre crop emergence            |             |
|               |                     |               |  |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|               | Difenofin           | 06218         | Finchimica S.p.A                               | Fungicide       |                            |                  | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|               |                     |               |  |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd                                | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|               |                     |               |  |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|               | Efica 960 EC        | 05942         | Syngenta UK Ltd                                | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|               |                     |               |  |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | FMC Agro Ltd                                   | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd                        | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|               |                     |               |  |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|               | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                          | Herbicide       |                            |                  | 0.25 l/ha             | 0.25 l/ha               | -                          | pre-emergence                 |             |
|               |                     |               |  |                 | <i>Clomazone</i>           | <i>360 g/l</i>   |                       |                         |                            |                               |             |
|               | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH                     | Insecticide     |                            |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|               | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                                | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|               | Globaztar SC        | 05529         | Globachem nv                                   | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd          | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd                                | Insecticide     |                            |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i> |                     |               |                               |                 |   |                 |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Agro Ltd                  | Insecticide     |   |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | FMC Agro Ltd                  | Insecticide     |   |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.           | Insecticide     |   |                 | 1.0 kg/ha             | 3.0 kg/ha               |                            | N/A                           |             |
|               |                     |               |                               |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited       | Insecticide     |   |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | LS TARAK            | 07187         | Life Scientific Limited       | Insecticide     |   |                 | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/L</i>  |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv                  | Insecticide     |   |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Mavita 250 EC       | 05941         | Syngenta UK Ltd               | Fungicide       |   |                 | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|               |                     |               |                               |                 | <i>Difenoconazole</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A. | Fungicide       |   |                 | 7.5 kg/ha             | 30 kg/ha                | 4 per crop                 | 0 days before harvest         | 0 days      |
|               |                     |               |                               |                 | <i>Sulphur</i>  | <i>80% w/w</i>  |                       |                         |                            |                               |             |
|               | Movento             | 05349         | Bayer CropScience Limited     | Insecticide     |   |                 | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                               |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|               | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       |   |                 | 0.36 kg/ha            | 0.72 kg/ha              | * 2 per crop               | 21 days before harvest        | 21 days     |
|               |                     |               |                               |                 | <i>Trifloxystrobin</i>                                    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Tebuconazole</i>                                       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |   |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|---------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i> |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|               | Perseus             | 06476         | BASF plc                        | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|               |                     |               |                                 |                 | <i>Difenoconazole</i>                          | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               |                     |               |                                 |                 | <i>Fluxapyroxad</i>                            | <i>75 g/l</i>     |                       |                         |                            |                               |             |
|               | Pilot Ultra         | 04955         | Nissan Chemical Europe          | Herbicide       |  |                   | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|               |                     |               |                                 |                 | <i>Quizalofop-P-ethyl</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               | Ravane              | 05536         | Globachem nv                    | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                      | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|               | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd   | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|               | Score 250 EC        | 04566         | Syngenta UK Ltd                 | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|               |                     |               |                                 |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|               |                     |               |                                 |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|               | Signum              | 03799         | BASF plc                        | Fungicide       |  |                   | 1.0 kgs/ha            | 2.0 kgs/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|               |                     |               |                                 |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|               | Sparviero           | 04469         | Sipcam Oxon SpA                 | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | Stealth             | 06468         | Syngenta UK Ltd                 | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|               | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|               |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|               | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|               | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                 | Herbicide       |  |                   | 0.4 l/ha              | 0.4 l/ha                | -                          | Pre-emergence                 |             |
|               |                     |               |                                 |                 | <i>Lenacil</i>                                 | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|               | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|--|-----------------|---|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Sweetcorn</i> |                     |               |  |                 |   |                |                       |                         |                            |                               |             |
|                  | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 89                         |             |
|                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i>   | 250 g/kg       |                       |                         |                            |                               |             |
|                  | Batavia             | 05905         | Bayer CropScience Limited                  | Insecticide     |   |                | 0.75 l/ha             | 1.5 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                  |                     |               |  |                 | <i>Spirotetramat</i>                                      | 100 g/l        |                       |                         |                            |                               |             |
|                  | Decis Protech       | 05269         | Bayer CropScience Limited                  | Insecticide     |   |                | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                  |                     |               |  |                 | <i>Deltamethrin</i>                                       | 15 g/l         |                       |                         |                            |                               |             |
|                  | FLIPPER             | 05027         | Alpha Biopesticides Ltd                    | Insecticide     |   |                | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|                  |                     |               |  |                 | <i>Fatty Acid - C7-C20</i>                                | 479.8 g/l      |                       |                         |                            |                               |             |
|                  | Karate Zeon         | 04084         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 ml/ha             | 400 ml/ha               | 4                          | 7 days before harvest         |             |
|                  |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |                         |                            |                               |             |
|                  | Lentagran WP        | 05580         | Certis Belchim BV                          | Herbicide       |   |                | 2.0 kg/ha             | 2.0 kg/ha               | 1 per crop                 | 42 days before harvest        | 42 days     |
|                  |                     |               |  |                 | <i>Pyridate</i>   | 45% w/w        |                       |                         |                            |                               |             |
|                  | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                        | Insecticide     |   |                | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                  |                     |               |  |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | 375 g/kg       |                       |                         |                            |                               |             |
|                  | Ninja 10CS          | 05178         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 ml/ha             | 400 ml/ha               | 4                          | 7 days before harvest         |             |
|                  |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited                  | Fungicide       |   |                | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                  |                     |               |  |                 | <i>Bacillus amyloliquefaciens str. QST 713</i>            | 1017.8 g/l     |                       |                         |                            |                               |             |
|                  | Stealth             | 06468         | Syngenta UK Ltd                            | Insecticide     |   |                | 100 mls/ha            | 400 mls/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                  |                     |               |  |                 | <i>lambda-Cyhalothrin</i>                                 | 100 g/l        |                       |                         |                            |                               |             |
|                  | Stomp Aqua          | 03750         | BASF plc                                   | Herbicide       |   |                | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                  |                     |               |  |                 | <i>Pendimethalin</i>                                      | 455 g/l        |                       |                         |                            |                               |             |
|                  | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L                   | Insecticide     |   |                | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             |             |
|                  |                     |               |  |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>             | 416 g/l        |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Sweetcorn</i> |                     |               |                           |                 |                           |                  |                       |                         |                            |                               |             |
|                  | Wing P              | 03590         | BASF plc                  | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence                 |             |
|                  |                     |               |                           |                 | <i>Dimethenamid-P</i>     | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                  |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>250g/l</i>    |                       |                         |                            |                               |             |
| <i>Thyme</i>     |                     |               |                           |                 |                           |                  |                       |                         |                            |                               |             |
|                  | Botanigard WP       | 06264         | Mycotech Europe Ltd       | Insecticide     |                           |                  | 0.6 kg/ha             | 3.0 kg/ha               | 5 per year                 | -                             |             |
|                  |                     |               |                           |                 | <i>Beauveria bassiana</i> | <i>220 g/kg</i>  |                       |                         |                            |                               |             |
|                  |                     |               |                           |                 | <i>GHA / ATCC 74040</i>   |                  |                       |                         |                            |                               |             |
|                  | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                  |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                  | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                           |                  | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                  |                     |               |                           |                 | <i>Fenhexamid</i>         | <i>50 %w/w</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                      | <i>Function</i>  | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i>                 | <i>Max. Total Dose:</i>               | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--|------------------|-----------------------|------------------|---------------------------------------|---------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - protected</i> |                     |               |  |                  |                       |                  |                                       |                                       |                            |                               |             |
|                             | Amistar             | 05072         | Syngenta UK Ltd                          | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Amistar Top         | 04582         | Syngenta UK Ltd                          | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Difenoconazole</i> | <i>125 g/l</i>   |                                       |                                       |                            |                               |             |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>200 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Ampect              | 06827         | Syngenta UK Ltd                          | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Azarius             | 06522         | JT Agro Ltd                              | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Azatin              | 06785         | Mitsui Agriscience International S.A/N.V | Insecticide      |                       |                  |                                       |                                       |                            | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                                       |                                       |                            |                               |             |
|                             |                     |               |  |                  | <i>Azadirachtin A</i> | <i>26 g/L</i>    |                                       |                                       |                            |                               |             |
|                             | Azofin              | 06637         | Finchimica S.p.A                         | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Azoshy              | 05618         | Sharda Cropchem Espana S.L.              | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Azoxystar           | 05534         | Life Scientific Limited                  | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Botrefin            | 06480         | Finchimica S.p.A                         | Fungicide        |                       |                  | 1.0 kg/ha                             | 3.0 kg/ha                             | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Cyprodinil</i>     | <i>37.5% w/w</i> |                                       |                                       |                            |                               |             |
|                             |                     |               |  |                  | <i>Fludioxonil</i>    | <i>25% w/w</i>   |                                       |                                       |                            |                               |             |
|                             | Cerone              | 03933         | Bayer CropScience Limited                | Growth Regulator |                       |                  | 100 ml in 100 litre water. To run off | 100 ml in 100 litre water. To run off | 1 per crop                 | 5 days before harvest         | 5 days      |
|                             |                     |               |  |                  | <i>Ethephon</i>       | <i>480 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Chamane             | 05002         | UPL Holdings Cooperatief U.A.            | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd             | Fungicide        |                       |                  | 1.0 l/ha                              | 3.0 l/ha                              | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |  |                  | <i>Azoxystrobin</i>   | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                         | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                    | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------------------------------|---------------------|-----------------|-------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - protected</i> |                     |                                       |                     |                 |                                     |                  |                       |                         |                            |                               |             |
| Clayton Gear                | 06607               | Clayton Plant Protection Ltd          | Fungicide           |                 |                                     |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Cyprodinil</i>                   | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                             |                     |                                       |                     |                 | <i>Fludioxonil</i>                  | <i>25.0% w/w</i> |                       |                         |                            |                               |             |
| Clayton Occupy              | 06899               | Clayton Plant Protection Ltd          | Insecticide         |                 |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |                                       |                     |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Coragen                     | 05295               | FMC Agro Ltd                          | Insecticide         |                 |                                     |                  | 250 ml/ha             | 500 ml/ha               | -                          | 1 day before harvest          | 1 day       |
|                             |                     |                                       |                     |                 | <i>Chlorantraniliprole</i>          | <i>200 g/l</i>   |                       |                         |                            |                               |             |
| Decis Protech               | 05269               | Bayer CropScience Limited             | Insecticide         |                 |                                     |                  | 830 ml/ha             | 2.49 l/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Deltamethrin</i>                 | <i>15 g/l</i>    |                       |                         |                            |                               |             |
| Frupica                     | 02128               | Certis Belchim BV                     | Fungicide           |                 |                                     |                  | 0.9 L/ha              | 1.8 L/ha                | 2 per crop                 | 1 day before harvest          | 1 day       |
|                             |                     |                                       |                     |                 | <i>Mepanipyrim</i>                  | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
| Globaztar AZT 250           | 07114               | Syngenta UK Ltd                       | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/L</i>   |                       |                         |                            |                               |             |
| Globaztar SC                | 05529               | Globachem nv                          | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Hill-Star                   | 06809               | Hillfield Trading and Investments Ltd | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Karma                       | 05116               | Certis Belchim BV                     | Fungicide           |                 |                                     |                  | 3.0 kg/ha             | 24.0 kg/ha              | 8 per crop                 | 1 day before harvest          | 1 day       |
|                             |                     |                                       |                     |                 | <i>Potassium Hydrogen Carbonate</i> | <i>850 g/kg</i>  |                       |                         |                            |                               |             |
| Luna Privilege              | 05916               | Bayer CropScience Limited             | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 4.0 l/ha                | 4                          | 1 day before harvest          | 1 day       |
|                             |                     |                                       |                     |                 | <i>Fluopyram</i>                    | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Movento                     | 05349               | Bayer CropScience Limited             | Insecticide         |                 |                                     |                  | 0.5 l/ha              | 2.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |                                       |                     |                 | <i>Spirotetramat</i>                | <i>150 g/l</i>   |                       |                         |                            |                               |             |
| Nimrod                      | 04964               | Adama Agricultural Solutions UK Ltd   | Fungicide           |                 |                                     |                  | 2.0 l/ha              | 8.0 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Bupirimate</i>                   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Option                      | 04722               | Corteva Agriscience UK Ltd            | Fungicide           |                 |                                     |                  | 0.4 kg/ha             | 1.6 kg/ha               | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Cymoxanil</i>                    | <i>600 g/kg</i>  |                       |                         |                            |                               |             |
| Oxe                         | 06463               | Albaugh TKI d.o.o                     | Fungicide           |                 |                                     |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                       |                     |                 | <i>Azoxystrobin</i>                 | <i>250 g/l</i>   |                       |                         |                            |                               |             |

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i>                   | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>     | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------------------------|---------------------|-----------------|----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - protected</i> |                     |                                 |                     |                 |                      |                  |                       |                         |                            |                               |             |
| Pantha                      | 06445               | TerreChem Ltd                   | Fungicide           |                 |                      |                  | 1.0 l/ha              | -                       | 3.0 l/ha                   | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Azoxystrobin</i>  | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Percos                      | 03841               | BASF plc                        | Fungicide           |                 |                      |                  | 0.8 l/ha              | 2.4 l/ha                | 3 per crop                 | 1 day before harvest          | 1 day       |
|                             |                     |                                 |                     |                 | <i>Ametoctradin</i>  | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                             |                     |                                 |                     |                 | <i>Dimethomorph</i>  | <i>225 g/l</i>   |                       |                         |                            |                               |             |
| Revus                       | 05154               | Syngenta UK Ltd                 | Fungicide           |                 |                      |                  | 0.6 l/ha              | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Mandipropamid</i> | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Roubaix                     | 06720               | Rotam Agrochemical Europe Ltd   | Fungicide           |                 |                      |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3days       |
|                             |                     |                                 |                     |                 | <i>Azoxystrobin</i>  | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Scala                       | 03916               | BASF plc                        | Fungicide           |                 |                      |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Pyrimethanil</i>  | <i>400 g/l</i>   |                       |                         |                            |                               |             |
| Switch                      | 06414               | Syngenta UK Ltd                 | Fungicide           |                 |                      |                  | 1.0 kg/ha             | 3.0 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Cyprodinil</i>    | <i>37.5% w/w</i> |                       |                         |                            |                               |             |
|                             |                     |                                 |                     |                 | <i>Fludioxonil</i>   | <i>25% w/w</i>   |                       |                         |                            |                               |             |
| Teldor                      | 02003               | Bayer CropScience Limited       | Fungicide           |                 |                      |                  | 1.5 kgs/ha            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest          | 1 day       |
|                             |                     |                                 |                     |                 | <i>Fenhexamid</i>    | <i>50 %w/w</i>   |                       |                         |                            |                               |             |
| Thaistar                    | 06649               | CAC GmbH                        | Fungicide           |                 |                      |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Azoxystrobin</i>  | <i>250 g/l</i>   |                       |                         |                            |                               |             |
| Vivando                     | 05685               | BASF plc                        | Fungicide           |                 |                      |                  | 0.45 l/ha             | 0.9 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Metrafenone</i>   | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Zoxis                       | 05348               | Arysta LifeScience Benelux SPRL | Fungicide           |                 |                      |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |                                 |                     |                 | <i>Azoxystrobin</i>  | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|---------------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Triticale</i> |                     |               |                                 |                 |                              |                 |                       |                         |                            |                               |             |
|                  | Clayton Heed        | 06487         | Clayton Plant Protection Ltd    | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | GS 21                         |             |
|                  |                     |               |                                 |                 | <i>Prosulfocarb</i>          | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                  | Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL | Herbicide       |                              |                 | 0.12 l/ha             | 0.12 l/ha               | -                          | Before GS 33                  |             |
|                  |                     |               |                                 |                 | <i>Clopyralid</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                  | Compitox Plus       | 02843         | Nufarm UK Limited               | Herbicide       |                              |                 | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                  |                     |               |                                 |                 | <i>Mecoprop-P</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                  | Crozier             | 06482         | Barclay Chemicals Ltd           | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                  |                     |               |                                 |                 | <i>Prosulfocarb</i>          | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                  | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a           | Insecticide     |                              |                 | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                  |                     |               |                                 |                 | <i>Deltamethrin</i>          | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|                  | Decis Protech       | 05269         | Bayer CropScience Limited       | Insecticide     |                              |                 | 420 mls/ha            | 840 mls/ha              | 2                          | 30 days before harvest        | 30 days     |
|                  |                     |               |                                 |                 | <i>Deltamethrin</i>          | <i>15 g/l</i>   |                       |                         |                            |                               |             |
|                  | Defy                | 04277         | Syngenta UK Ltd                 | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | -                          | Before GS22                   |             |
|                  |                     |               |                                 |                 | <i>Prosulfocarb</i>          | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                  | Duplosan KV         | 02842         | Nufarm UK Limited               | Herbicide       |                              |                 | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                  |                     |               |                                 |                 | <i>Mecoprop-P</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                  | Empire Supreme      | 05061         | Croplink (Ireland) Ltd          | Herbicide       |                              |                 | 100 g/ha              | 100 g/ha                | 1 per crop                 | Before GS 39                  |             |
|                  |                     |               |                                 |                 | <i>Thifensulfuron methyl</i> | <i>400 g/kg</i> |                       |                         |                            |                               |             |
|                  |                     |               |                                 |                 | <i>Metsulfuron (-methyl)</i> | <i>40 g/kg</i>  |                       |                         |                            |                               |             |
|                  | FANTASIA            | 06952         | Albaugh TKI d.o.o               | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                  |                     |               |                                 |                 | <i>Prosulfocarb</i>          | <i>800 g/L</i>  |                       |                         |                            |                               |             |
|                  | Finish SX           | 02329         | DuPont (UK) Ltd                 | Herbicide       |                              |                 | 75 g/ha               | 75 g/ha                 | 1                          | Before GS 39                  |             |
|                  |                     |               |                                 |                 | <i>Metsulfuron (-methyl)</i> | <i>67 g/kg</i>  |                       |                         |                            |                               |             |
|                  |                     |               |                                 |                 | <i>Thifensulfuron methyl</i> | <i>333 g/kg</i> |                       |                         |                            |                               |             |
|                  | GAT Decline 2.5 E   | 04422         | FMC Agro Ltd                    | Insecticide     |                              |                 | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                  |                     |               |                                 |                 | <i>Deltamethrin</i>          | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|                  | Harmony M SX        | 02330         | DuPont (UK) Ltd                 | Herbicide       |                              |                 | 100 g/ha              | 100 g/ha                | 1                          | Before GS 39                  |             |
|                  |                     |               |                                 |                 | <i>Thifensulfuron methyl</i> | <i>400 g/kg</i> |                       |                         |                            |                               |             |
|                  |                     |               |                                 |                 | <i>Metsulfuron (-methyl)</i> | <i>40 g/kg</i>  |                       |                         |                            |                               |             |
|                  | LEES                | 06732         | Albaugh TKI d.o.o               | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                  |                     |               |                                 |                 | <i>Prosulfocarb</i>          | <i>800 g/L</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|----------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Triticale</i> |                     |               |                            |                 |                              |                 |                       |                         |                            |                               |             |
|                  | Lontrel 600         | 04914         | Corteva Agriscience UK Ltd | Herbicide       |                              |                 | 0.12 l/ha             | 0.12 l/ha               | -                          | Before GS 33                  |             |
|                  |                     |               |                            |                 | <i>Clopyralid</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                  | Optica              | 02661         | Nufarm UK Limited          | Herbicide       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                  |                     |               |                            |                 | <i>Mecoprop-P</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                  | Peloton             | 06481         | Barclay Chemicals Ltd      | Herbicide       |                              |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                  |                     |               |                            |                 | <i>Prosulfocarb</i>          | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                  | Presite SX          | 02888         | DuPont (UK) Ltd            | Herbicide       |                              |                 | 75 g/ha               | 75 g/ha                 | 1                          | Before GS 39                  |             |
|                  |                     |               |                            |                 | <i>Metsulfuron (-methyl)</i> | <i>67 g/kg</i>  |                       |                         |                            |                               |             |
|                  |                     |               |                            |                 | <i>Thifensulfuron methyl</i> | <i>333 g/kg</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>  | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|---|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i> |                     |               |  |                 |   |                 |                       |                         |                            |                               |             |
|               | Amistar             | 05072         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Amistar Top         | 04582         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Difenoconazole</i>                                   | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|               | Ampect              | 06827         | Syngenta UK Ltd                            | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Amylo-X WG          | 06311         | Mitsui Agriscience International S.A./N.V. | Fungicide       |   |                 | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 | GS 79                         |             |
|               |                     |               |  |                 | <i>Bacillus amyloliquefaciens subsp. plantarum D747</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|               | Azarius             | 06522         | JT Agro Ltd                                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azofin              | 06637         | Finchimica S.p.A                           | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azoshy              | 05618         | Sharda Cropchem Espana S.L.                | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Azoxystar           | 05534         | Life Scientific Limited                    | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Benevia 10 OD       | 05354         | Headland Agrochemicals Ltd                 | Insecticide     |   |                 | 0.75 l/ha             | 1.5 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Cyantraniliprole</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Centurion Max       | 04948         | Arysta Life Science S.A.S.                 | Herbicide       |   |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | 48 days before harvest        | 48 days     |
|               |                     |               |  |                 | <i>Clethodim</i>  | <i>120 g/l</i>  |                       |                         |                            |                               |             |
|               | Ceta SG             | 06252         | Unichem Limited                            | Insecticide     |   |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days pre harvest           | 14 days     |
|               |                     |               |  |                 | <i>Acetamiprid</i>                                      | <i>20% w/w</i>  |                       |                         |                            |                               |             |
|               | Chamane             | 05002         | UPL Holdings Cooperatief U.A.              | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Clayton Augusta     | 06635         | Clayton Plant Protection Ltd               | Fungicide       |   |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>                                     | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                            | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i> |                     |               |  |                 |                            |                  |                       |                         |                            |                               |             |
|               | Clayton Occupy      | 06899         | Clayton Plant Protection Ltd                   | Insecticide     |                            |                  | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |  |                 | <i>Spirotetramat</i>       | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|               | Curenox 50 WP       | 05829         | Industrias Quimicas Del Valles S.A (IQV, S.A.) | Fungicide       |                            |                  | 1 kg/ha               | 6 kg/ha                 | -                          | 8 days before harvest         | 8 days      |
|               |                     |               |  |                 | <i>Copper oxychloride</i>  | <i>87.8% w/w</i> |                       |                         |                            |                               |             |
|               | Devrinol            | 05234         | UPL Holdings Cooperatief U.A.                  | Herbicide       |                            |                  | 1.25 l/ha             | 1.25 l/ha               | -                          | Pre crop emergence            |             |
|               |                     |               |  |                 | <i>Napropamide</i>         | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|               | Difenofin           | 06218         | Finchimica S.p.A                               | Fungicide       |                            |                  | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|               |                     |               |  |                 | <i>Difenoconazole</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd                                | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|               |                     |               |  |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|               | Efica 960 EC        | 05942         | Syngenta UK Ltd                                | Herbicide       |                            |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|               |                     |               |  |                 | <i>S-Metolachlor</i>       | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | FMC Agro Ltd                                   | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | FLIPPER             | 05027         | Alpha Biopesticides Ltd                        | Insecticide     |                            |                  | 5.0 l/ha              | 45.0 l/ha               | 9 per crop                 | -                             |             |
|               |                     |               |  |                 | <i>Fatty Acid - C7-C20</i> | <i>479.8 g/l</i> |                       |                         |                            |                               |             |
|               | Gazelle SG          | 03248         | Nisso Chemical Europe GmbH                     | Insecticide     |                            |                  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Acetamiprid</i>         | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|               | Globaztar AZT 250   | 07114         | Syngenta UK Ltd                                | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/L</i>   |                       |                         |                            |                               |             |
|               | Globaztar SC        | 05529         | Globachem nv                                   | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Hill-Star           | 06809         | Hillfield Trading and Investments Ltd          | Fungicide       |                            |                  | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd                                | Insecticide     |                            |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Agro Ltd                                   | Insecticide     |                            |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |  |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i> |                     |               |                               |                 |                           |                 |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | FMC Agro Ltd                  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited       | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | LS TARAK            | 07187         | Life Scientific Limited       | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/L</i>  |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv                  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Mavita 250 EC       | 05941         | Syngenta UK Ltd               | Fungicide       |                           |                 | 0.5 l/ha              | 0.5 l/ha                | -                          | 28 days before harvest        | 28 days     |
|               |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A. | Fungicide       |                           |                 | 7.5 kg/ha             | 30 kg/ha                | 4 per crop                 | 0 days before harvest         | 0 days      |
|               |                     |               |                               |                 | <i>Sulphur</i>            | <i>80% w/w</i>  |                       |                         |                            |                               |             |
|               | Movento             | 05349         | Bayer CropScience Limited     | Insecticide     |                           |                 | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                               |                 | <i>Spirotetramat</i>      | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|               | Nativo 75 WG        | 04642         | Bayer CropScience Limited     | Fungicide       |                           |                 | 0.36 kg/ha            | 0.72 kg/ha              | * 2 per crop               | 21 days before harvest        | 21 days     |
|               |                     |               |                               |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Oxe                 | 06463         | Albaugh TKI d.o.o             | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Pantha              | 06445         | TerreChem Ltd                 | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Perseus             | 06476         | BASF plc                      | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | GS 49                         | 7 days      |
|               |                     |               |                               |                 | <i>Fluxapyroxad</i>       | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                               |                 | <i>Difenoconazole</i>     | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Pilot Ultra         | 04955         | Nissan Chemical Europe        | Herbicide       |                           |                 | 2.5 l/ha              | 2.5 l/ha                | -                          | 60 days before harvest        | 60 days     |
|               |                     |               |                               |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Ravane              | 05536         | Globachem nv                  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                               |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|---------------------------------|-----------------|--|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i>     |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                   | Roubaix             | 06720         | Rotam Agrochemical Europe Ltd   | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                   | Score 250 EC        | 04566         | Syngenta UK Ltd                 | Fungicide       |  |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                   |                     |               |                                 |                 | <i>Difenoconazole</i>                          | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                   | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                 | 6                          |                               | 0 days      |
|                   |                     |               |                                 |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |                         |                            |                               |             |
|                   | Signum              | 03799         | BASF plc                        | Fungicide       |  |                   | 1.0 kgs/ha            | 2.0 kgs/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                   |                     |               |                                 |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                   | Sparviero           | 04469         | Sipcam Oxon SpA                 | Insecticide     |  |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                   | Stealth             | 06468         | Syngenta UK Ltd                 | Insecticide     |  |                   | 150 mls/ha            | 450 mls/ha              | 4 per crop                 | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                   | Tec-Bom             | 05040         | Grupo Agrotecnologia S.L        | Insecticide     |  |                   | 5.75 l/ha             | 51.75 l/ha              | 9 per crop                 | -                             | -           |
|                   |                     |               |                                 |                 | <i>Fatty acid - C7 - C18 - potassium salt</i>  | <i>416 g/l</i>    |                       |                         |                            |                               |             |
|                   | Thaistar            | 06649         | CAC GmbH                        | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                   | Venzar 500 SC       | 04805         | DuPont (UK) Ltd                 | Herbicide       |  |                   | 0.4 l/ha              | 0.4 l/ha                | -                          | Pre-emergence                 |             |
|                   |                     |               |                                 |                 | <i>Lenacil</i>                                 | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                   | Zoxis               | 05348         | Arysta LifeScience Benelux SPRL | Fungicide       |  |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                   |                     |               |                                 |                 | <i>Azoxystrobin</i>                            | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| <i>Watermelon</i> |                     |               |                                 |                 |  |                   |                       |                         |                            |                               |             |
|                   | Sonata              | 05802         | Bayer CropScience Limited       | Fungicide       |  |                   | 10 l/ha               | 60 l/ha                 | 6 per crop                 | GS 89                         | 1 day       |
|                   |                     |               |                                 |                 | <i>Bacillus pumilus QST 2808</i>               | <i>14.35 g/l</i>  |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|---------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Wheat - durum</i>  |                     |               |                           |                 |                              |                 |                       |                         |                            |                               |             |
|                       | Decis Protech       | 05269         | Bayer CropScience Limited | Insecticide     |                              |                 | 420 mls/ha            | 840 mls/ha              | 2                          | 30 days before harvest        | 30 days     |
|                       |                     |               |                           |                 | <i>Deltamethrin</i>          | <i>15 g/l</i>   |                       |                         |                            |                               |             |
| <i>Wheat - spring</i> |                     |               |                           |                 |                              |                 |                       |                         |                            |                               |             |
|                       | Ally Express        | 02259         | FMC Agro Ltd              | Herbicide       |                              |                 | 50 g/ha               | 50 g/ha                 | 1                          | GS 32                         |             |
|                       |                     |               |                           |                 | <i>Metsulfuron (-methyl)</i> | <i>100 g/kg</i> |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Carfentrazone-ethyl</i>   | <i>400 g/kg</i> |                       |                         |                            |                               |             |

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>           | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|------------------------------|---------------------|---------------|-------------------------------|-----------------|--|-------------------|-----------------------|---|----------------------------|---|-------------|
| <i>Whitecurrants - field</i> |                     |               |                               |                 |  |                   |                       |   |                            |   |             |
|                              | Centurion Max       | 04948         | Arysta Life Science S.A.S.    | Herbicide       |  |                   | 2.0 l/ha              | 2.0 l/ha                                      | -                          | 30 days before harvest                      | 30 days     |
|                              |                     |               |                               |                 | <i>Clethodim</i>                               | <i>120 g/l</i>    |                       |   |                            |   |             |
|                              | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.   | Herbicide       |  |                   | 120 g/ha              | 120 g/ha                                      | 1 per year                 | Before bud burst                            |             |
|                              |                     |               |                               |                 | <i>Flazasulfuron</i>                           | <i>25 % w/w</i>   |                       |   |                            |   |             |
|                              | Cobalt              | 06413         | Sharda Cropchem Espana S.L.   | Fungicide       |  |                   | 1.5 kg/ha             | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest                       | 3 days      |
|                              |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7% w/w</i>  |                       |   |                            |   |             |
|                              |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7% w/w</i>   |                       |   |                            |   |             |
|                              | Decis Protech       | 05269         | Bayer CropScience Limited     | Insecticide     |  |                   | 400 ml/ha             | 800 ml/ha                                     | 2 per crop                 | 7 days before harvest                       | 7 days      |
|                              |                     |               |                               |                 | <i>Deltamethrin</i>                            | <i>15 g/l</i>     |                       |   |                            |   |             |
|                              | Karate Zeon         | 04084         | Syngenta UK Ltd               | Insecticide     |  |                   | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days pre harvest                         | 14 days     |
|                              |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |   |                            |   |             |
|                              | Microthiol Special  | 04757         | UPL Holdings Cooperatief U.A. | Fungicide       |  |                   | 7.0 kg/ha             | 42 kg/ha                                      | 6 per crop                 | 0 days before harvest                       | 0 days      |
|                              |                     |               |                               |                 | <i>Sulphur</i>                                 | <i>80% w/w</i>    |                       |   |                            |   |             |
|                              | Ninja 10CS          | 05178         | Syngenta UK Ltd               | Insecticide     |  |                   | 100 mls/ha            | 200 mls/ha                                    | 4                          | 14 days before harvest                      | 14 days     |
|                              |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |   |                            |   |             |
|                              | Pirim               | 06268         | Sharda Cropchem Espana S.L.   | Fungicide       |  |                   | 2.0 l/ha              | 4.0 l/ha                                      | 2 per year                 | 21 days before harvest                      | 21 days     |
|                              |                     |               |                               |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                       |   |                            |   |             |
|                              | Scala               | 03916         | BASF plc                      | Fungicide       |  |                   | 2.0 l/ha              | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                              |                     |               |                               |                 | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    |                       |   |                            |   |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited     | Fungicide       |  |                   | 8 l/ha                | 48 l/ha                                       | 6                          |   | 0 days      |
|                              |                     |               |                               |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                       |   |                            |   |             |
|                              | Signum              | 03799         | BASF plc                      | Fungicide       |  |                   | 1.5 kgs/ha            | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                              |                     |               |                               |                 | <i>Pyraclostrobin</i>                          | <i>6.7 % w/w</i>  |                       |   |                            |   |             |
|                              |                     |               |                               |                 | <i>Boscalid</i>                                | <i>26.7 % w/w</i> |                       |   |                            |   |             |
|                              | Stealth             | 06468         | Syngenta UK Ltd               | Insecticide     |  |                   | 100 mls/ha            | 200 mls/ha                                    | 4 per crop                 | 14 days before harvest                      | 14 days     |
|                              |                     |               |                               |                 | <i>lambda-Cyhalothrin</i>                      | <i>100 g/l</i>    |                       |   |                            |   |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>                               | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------------|---------------------|---------------|-----------------------------|-----------------|--|-------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Whitecurrants - field</i>     |                     |               |                             |                 |  |                   |                         |                         |                            |                               |             |
|                                  | Stroby WG           | 05092         | BASF plc                    | Fungicide       |  |                   | 0.2 kg/ha               | 0.6 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                                  | Tracer              | 02649         | Corteva Agriscience UK Ltd  | Insecticide     | <i>Kresoxim Methyl</i>                         | <i>50% w/w</i>    | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 7 days before harvest         | 7 days      |
|                                  | Valdor Solo         | 06722         | ISK Biosciences Europe N.V. | Herbicide       | <i>Spinosad</i>                                | <i>480 g/l</i>    | 120 g/ha                | 120 g/ha                | -                          | -                             |             |
|                                  |                     |               |                             |                 | <i>Flazasulfuron</i>                           | <i>25% w/w</i>    |                         |                         |                            |                               |             |
| <i>Whitecurrants - protected</i> |                     |               |                             |                 |  |                   |                         |                         |                            |                               |             |
|                                  | Scala               | 03916         | BASF plc                    | Fungicide       |  |                   | 2.0 l/ha                | 4.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                                  | Serenade ASO        | 03847         | Bayer CropScience Limited   | Fungicide       | <i>Pyrimethanil</i>                            | <i>400 g/l</i>    | 8 l/ha                  | 48 l/ha                 | 6                          |                               | 0 days      |
|                                  |                     |               |                             |                 | <i>Bacillus amyloliquefaciens str. QST 713</i> | <i>1017.8 g/l</i> |                         |                         |                            |                               |             |
|                                  | Tracer              | 02649         | Corteva Agriscience UK Ltd  | Insecticide     |  |                   | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 3 days before harvest         | 3 days      |
|                                  |                     |               |                             |                 | <i>Spinosad</i>                                | <i>480 g/l</i>    |                         |                         |                            |                               |             |

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**