
Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops

07/03/2024

Warning: EAMU Approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	900 mls/ha		Before GS 69	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Boscalid</i>	<i>50 % w/w</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
	Olbran	06870	Bayer CropScience Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pecari Extra	06574	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Profound	06869	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4 per crop	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS 65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebulink	07027	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Thaistar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Ultralegend	06471	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	Before GS 69	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
					<i>Quinmerac</i>	<i>125 g/l</i>					
					<i>Metazachlor</i>	<i>375 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Olbran	06870	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pecari Extra	06574	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Profound	06869	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide			2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Sirena	05408	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	75 mls/ha	225 mls/ha	4 per crop	Before GS 69	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebulink	07027	Sharda Cropchem Espana S.L.	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Thaistar	06649	CAC GmbH	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Turret 60	06384	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Ultralegend	06471	JT Agro Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>125 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Binder	06737	DHM Agrochemicals Ltd.,	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			0.7l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Colorado	07240	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Folpet</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
	Croplink Reaper	07079	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
	Cuter	05857	Industrias Afrasa S.A.	Herbicide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cymbal 45	04647	Certis Belchim BV	Fungicide	<i>Cymoxanil</i>	<i>45% w/w</i>	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha		During dormancy only	
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.78 l/ha	0.78 l/ha	-	31st May	
	Duplosan KV	02842	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	1.8 l/ha	1.8 l/ha			
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide	<i>Propamocarb</i>	<i>722 g/l</i>	1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.78 l/ha	0.78 l/ha	-	31st May	
	Emerger	06190	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forge	06721	Pan Agriculture Ltd	Insecticide			250 g/ha	250 g/ha	1 per year	N/A	
					<i>Acetamiprid</i>	<i>20% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Belchim BV	Fungicide			0.9 L/ha	1.8 L/ha	2	-	
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Grazon Pro	05182	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Inka Max SX	04842	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
					<i>MCPA</i>	<i>500 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mettle	03788	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-		
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	N/A	
					<i>Sulphur</i>	<i>80% w/w</i>					
	Minstrel	04782	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nettleclear Ultra	07053	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Oblix 500	05823	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Olbran	06870	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Option	04722	Corteva Agriscience UK Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	1 per year	3.0 l/ha	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Patrol	04304	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PlantTrust	04537	Everris Ltd	Fungicide			2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
					<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>					
	POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	N/A	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Profound	06869	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proman	04450	Certis Belchim BV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scrub Clear	06923	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Scrubkiller Ultra	06734	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sirionova	06280	Finchimica S.p.A	Herbicide			0.48 l/ha	0.48 l/ha	-	PHI - 23 days outdoor. 13 days indoor	
					<i>Flufenacet</i>	<i>500 g/l</i>					
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Talius	04604	Corteva Agriscience UK Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tebulink	07027	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Tern 750 EC	04305	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	Thaistar	06649	CAC GmbH	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	-	
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>	20 g/ha	20 g/ha	-	-	
	UniPro MCPA 50%	07198	Ciech Sarzyna S.A	Herbicide	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>	2.7 l/ha	2.7 l/ha	-	-	
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	1.0 l/ha	1.0 l/ha	-	-	
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Waran	06583	Agro Trade GmbH	Herbicide	<i>Fluazinam</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Wing P	03590	BASF plc	Herbicide	<i>Fluazinam</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha	-	N/A	
	Winger	05807	DHM Agrochemicals Ltd.,	Fungicide	<i>Pendimethalin</i>	<i>250g/l</i>	0.5 l/ha	1.0 l/ha	-	-	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Dimethenamid-P</i>	<i>212.5 g/l</i>	0.75 l/ha	1.5 l/ha	-	N/A	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Fenpropidin</i>	<i>750 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			0.078 ml/plant	0.078 ml/plant	1		
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Forge	06721	Pan Agriculture Ltd	Insecticide			0.185 g/plant	0.185 g/plant	1	N/A	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grazon Pro	05182	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Nettleclear Ultra	07053	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Scrub Clear	06923	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Scrubkiller Ultra	06734	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Grassland - amenity</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Ally SX	05590	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Binder	06737	DHM Agrochemicals Ltd.,	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cachet	06464	Albaugh TKI d.o.o	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Clearall XL	06736	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	07079	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Galaxy	05473	Corteva Agriscience UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Grass Care Pro	06772	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
	Kingston	06514	Life Scientific Limited	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Lorate	05591	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>					
	M50	07092	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
					<i>MCPA</i>	<i>500 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Minstrel	04782	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Moraine	06768	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>	Most Micro	04837	Sipeam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Ormond	05661	Barelay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	-	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powermax	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Santro	06684	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	End of September	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Sempre	04207	UPL Holdings Cooperatief U.A.	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stride DFF	06819	UPL Holdings Cooperatief U.A.	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	UniPro MCPA 50%	07198	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Universe	06493	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Narcissi</i>											
	Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					
<i>Ornamental - bulbs-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l per 100 l water				
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
	Scala	03916	BASF plc	Fungicide	<i>Glyphosate</i>	<i>360 g/l</i>	0.5 l per 100 l water				
	Signum	03799	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	-	
	Bellis	03798	BASF plc	Fungicide	<i>Bixafen</i> <i>Prothioconazole</i>	<i>75 g/l</i> <i>150 g/l</i>	0.8 kg/ha	3.2 kg/ha	4	N/A	
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide	<i>Pyraclostrobin</i> <i>Boscalid</i>	<i>12.8 %w/w</i> <i>25.2%w/w</i>	1.5 l/ha	3.0 l/ha	2 per crop	-	
	Cadou Star	03439	Bayer CropScience Limited	Herbicide	<i>Prothioconazole</i> <i>Bixafen</i> <i>Spiroxamine</i>	<i>100 g/l</i> <i>50 g/l</i> <i>250 g/l</i>	0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
	Caramba	03954	BASF plc	Fungicide	<i>Isoxaflutole</i> <i>Flufenacet</i>	<i>100 g/kg</i> <i>480 g/kg</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Colorado	07240	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Comet 200	03696	BASF plc	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Controlla	06448	JT Agro Ltd	Fungicide	<i>Pyraclostrobin</i> <i>Cymoxanil</i>	<i>200 g/l</i> <i>45% w/w</i>	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
	Cymbal 45	04647	Certis Belchim BV	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Lentagran WP	05580	Certis Belchim BV	Herbicide	<i>Folpet</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
	Life Scientific Trine	04872	Life Scientific Limited	Growth Regulator	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Limitar	05047	Certiplant N.V.	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Metfin	05945	Finchimica S.p.A	Fungicide	<i>Fluoxastrobin</i>	<i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Moddus	03849	Syngenta UK Ltd	Growth Regulator	<i>Folpet</i>	<i>500 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
	Modem 200	03695	BASF plc	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Olbran	06870	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Profound	06869	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Cymoxanil</i>	<i>50 g/l</i>					
					<i>Propamocarb</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tebulink	07027	Sharda Cropchem Espana S.L.	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Terplex	05487	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>200 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Tridus	06894	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Turret 60	06384	Globachem nv	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Trifloxystrobin</i> <i>Prothioconazole</i>	<i>88 g/l</i> <i>175 g/l</i>	0.75 l/ha	1.5 l/ha	-	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
	Signum	03799	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	7C Chlormequat	04744	Taminco BV	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	-	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Barclay Holdup 750	04743	Taminco BV	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Beetup Flo	05272	UPL Holdings Cooperatief U.A.	Herbicide			3.0 l/ha	6.0 l/ha	-	-	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide			2.5 l/ha	6.0 l/ha	-	N/A	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			465 ml in 10 litre water	465 ml in 10 litre water	-	-	
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	2	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre-crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			0.225 L/ha	0.45 L/ha	2 per year	GS 89	
					<i>Fluopyram</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			5.0 kg/ha	10.0 kg/ha	2 per crop	N/A	
					<i>Sulphur</i>	<i>80% w/w</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	Corteva Agriscience UK Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Proman	04450	Certis Belchim BV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2 per year	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
	Sacron WG	04541	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Sirionova	06280	Finchimica S.p.A	Herbicide	<i>Cymoxanil</i>	<i>50% w/w</i>	0.48 l/ha	0.48 l/ha	-	Pre weed emergence	
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide	<i>Flufenacet</i>	<i>500 g/l</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
	Stabilan 750	04767	Nufarm UK Limited	Growth Regulator	<i>Clomazone</i>	<i>360 g/l</i>	465ml in 10 L water	465ml in 10 L water	-		
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Chloromequat</i>	<i>750 g/l</i>	90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
	Sunfire	05497	Mitsui Agriscience International S.A/N.V	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.48 l/ha	0.48 l/ha	-	Before weed emergence	
	Taegro	06601	Novozymes A/S	Fungicide	<i>Flufenacet</i>	<i>500 g/l</i>	0.37 kg/ha	3.7 kg/ha	10 per crop	1 day before harvest	1 day
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Bacillus amyloliquefaciens strain FZB24</i>	<i>130 g/kg</i>	0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
	Talius	04604	Corteva Agriscience UK Ltd	Fungicide	<i>Cyflufenamid</i>	<i>100 g/l</i>	0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC GmbH	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	-	
					<i>Spinosad</i>	<i>480 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	-	
	AQ 10	06308	CBC (Europe) S.r.l.	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	70 g/ha	-	12	-	
	Azaka	05218	FMC Agro Ltd	Fungicide	<i>Ampelomyces Quisqualis</i>	<i>58% w/w</i>	1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide	<i>Spirotetramat</i>	<i>100 g/l</i>	2.5 l/ha	6.0 l/ha	-	N/A	
	CeCeCe 750	04736	BASF plc	Growth Regulator	<i>Phenmedipham</i>	<i>160 g/l</i>	0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide	<i>Chloromequat</i>	<i>750 g/l</i>	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
	Coupon	06271	Globachem nv	Growth Regulator	<i>Boscalid</i>	<i>26.7% w/w</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Pyraclostrobin</i>	<i>6.7% w/w</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	120 mls / 100 litres water		3 per year	-	-
	Difenofin	06218	Finchimica S.p.A	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>	1.6 l/ha	1.6 l/ha	-	-	
					<i>Propamocarb</i>	<i>625 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			0.225 L/ha	0.45 L/ha	2 per year	GS 89	
					<i>Fluopyram</i>	<i>500 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	Corteva Agriscience UK Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3 per year	14 days before harvest	14 days
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Taegro	06601	Novozymes A/S	Fungicide			0.37 kg/ha	4.44 kg/ha	12 per crop	1 day before harvest	1 day
					<i>Bacillus amyloliquefaciens strain FZB24</i>	<i>130 g/kg</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
	Blaster Pro	04263	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
	Cachet	06464	Albaugh TKI d.o.o	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Colorado	07240	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Folpet</i>	<i>500 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Cymbal 45	04647	Certis Belchim BV	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Eagle	04315	Bayer CropScience Limited	Herbicide			40 g/ha	40 g/ha	-	42 days before harvest	
					<i>Amidosulfuron</i>	<i>75% w/w</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Fixor	05252	Certiplant N.V.	Growth Regulator			6ml per litre water	-	-	7 days before harvest	7 days
					<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Belchim BV	Fungicide			0.9 L/ha	1.8 L/ha	2	-	
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Grazon Pro	05182	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Inka Max SX	04842	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trine	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
					<i>MCPA</i>	<i>500 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nettleclear Ultra	07053	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Pendimethalin</i>	<i>250 g/l</i>					
					<i>Imazamox</i>	<i>16.7 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Olbran	06870	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Optimus	04704	Nufarm UK Limited	Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
	Osettia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Profound	06869	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Cymoxanil</i>	<i>50 g/l</i>					
					<i>Propamocarb</i>	<i>400 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Scrub Clear	06923	Corteva Agriscience UK Ltd	Herbicide			1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Scrubkiller Ultra	06734	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Sempre	04207	UPL Holdings Cooperatief U.A.	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebulink	07027	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Terplex	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tridus	06894	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	UniPro MCPA 50%	07198	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i> <i>Propamocarb</i> <i>Fosetyl (-aluminium)</i> <i>Propamocarb</i>	<i>310 g/l</i> <i>530 g/l</i> <i>310 g/l</i> <i>530 g/l</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
	Signum	03799	BASF plc	Fungicide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7 % w/w</i> <i>6.7 % w/w</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
	Vivando	05685	BASF plc	Fungicide	<i>Dodine</i>	<i>40 %w/w</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.1 kg/ha	1.1 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Binder	06737	DHM Agrochemicals Ltd.,	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cachet	06464	Albaugh TKI d.o.o	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1 per crop	1.5 l/ha	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	-
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Clearall XL	06736	DHM Agrochemicals Ltd.,	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide							
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	07079	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	225 mls/ha	-	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Moraine	06768	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powermax	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Holdings Cooperatief U.A.	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	-	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.