

Chapter 10

List of products/crops for which off label approvals have been granted up to 1/1/11

Current list of off-label approvals as of

24 January 2011

Warning: Off-Label Approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.

Disclaimer

The Department of Agriculture and Food maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Asparagus</i>											
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	4.0 l/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			0.22 l/100 litres water	-	2	2 days before harvest	2 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	2	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs / ha	3	7 days	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	6	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Beans - broad</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			3.125 l/ha	6.25 l/ha	2	8 weeks before harvest	
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week pre harvest interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide			3.0 l/ha	6.0 l/ha	2	56 days pre-harvest	56 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	pre emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Orchid B	03369	Croplink (Ireland) Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	8 weeks pre-harvest	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - french</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beans - runner</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - fodder</i>											
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
	Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
					<i>Quinoxifen</i>	<i>500 g/l</i>					
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - red</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>											
	Opera	01633	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	6 weeks before harvest	
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			10 kg/ha	20 kgs/ha	2	Last application before September	-
					<i>Sulphur</i>	<i>80 %w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>										
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - Protected</i>											
Masai	03585	BASF plc	Insecticide				375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Blackcurrants</i>											
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide				0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide				2 l/ha	4 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebuconazole</i>	<i>200 g/kg</i>					
	Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymid</i>	<i>50 g/l</i>	3 l/ha	6 l/ha	2	7 days before harvest	7 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	1	42 days before harvest	
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Insys	03249	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	250 g/ha	1	21 days before harvest	21 days
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide				85 gms/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide								
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Bush/Cane fruit plantations</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	365 days	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Draza Elite	01793	Bayer CropScience Limited	Molluscicide			4 kgs/ha	4 kgs/ha	1	14 days before harvest	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Movento	04101	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymid</i>	<i>50 g/l</i>	3 l/ha	6 l/ha	2	7 days before harvest	7 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Chlorothalonil</i>	<i>500 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	1	42 days before harvest	
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Mancozeb</i>	<i>64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	28 days
					<i>Metribuzin</i>	<i>70 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			2 kgs/ha	4 kgs/ha	2	30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	1	50 days pre harvest	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Cherries</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	3	4.5 kgs/ha	14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Collards</i>											
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Coriander</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Courgettes - Field</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>											
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	2 days before harvest	2 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Imaz 200 EC	03571	AgriChem B.V.	Fungicide			50 mls product / 100 litres water	-	3 / crop	72 hours before harvest	3 days
					<i>Imazalil</i>	<i>200 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Cranberries</i>											
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebuconazole</i>	<i>200 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Damsons</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Dill</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Acrobat MZ	00670	BASF plc	Fungicide	<i>Mancozeb</i>	<i>667 g/kg</i>	2.4 kgs/ha	19.2 kgs/ha	8	7 days pre harvest	
				<i>Dimethomorph</i>	<i>75 g/kg</i>					
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide	<i>Linuron</i>	<i>450 g/l</i>	2.1 l/ha	2.1 l/ha	1	N/A	
Agritox	04160	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	1	-	
Agritox 50	03505	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	6.6 l/ha	-	N/A	
Agroxone 50	03523	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	-	-	
Aliette	90046	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>80 %w/w</i>	-	3.75 kgs/ha	-		
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
Aramo	03099	BASF plc	Herbicide	<i>Tepraloxydim</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	1	3 weeks	
Arelon 500	02457	Nufarm UK Limited	Herbicide	<i>Isoproturon</i>	<i>500 g/l</i>	3.0 l/ha	3.0 l/ha	1		
Betanal Expert	03570	Bayer CropScience Limited	Herbicide	<i>Ethofumesate</i>	<i>151 g/l</i>	1.5 l/ha	4.5 l/ha	3		
				<i>Phenmedipham</i>	<i>75 g/l</i>					
				<i>Desmedipham</i>	<i>25 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	0.8 l/ha	2		
Boxer	02048	Dow AgroSciences	Herbicide	<i>Florasulam</i>	<i>50 g/l</i>	0.15 l/ha	0.15 l/ha	-	N/A	
Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	5.0 l/ha	20.0 l/ha	4	-	

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	N/A	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Flufenacet</i>	<i>480 g/kg</i>					
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
Callisto	02587	Syngenta Crop Protection UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
				<i>Mesotrione</i>	<i>100 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Captan 50	00684	Sipcam U.K. Ltd	Fungicide			5.5 kgs/ha	66 kgs/ha	12	-	
				<i>Captan</i>	<i>50 %w/w</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Contest	90578	BASF plc	Insecticide			100 ml/ha	260 ml/ha			
				<i>alpha-Cypermethrin</i>	<i>150 g/kg</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3 / season	N/A	
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Croplink Clopyralid	04171	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Curzate M WG	02110	DuPont (UK) Ltd	Fungicide			2.5 kgs/ha	5 kgs/ha	2	N/A	
				<i>Mancozeb</i>	<i>68 %w/w</i>					
				<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
D50	02366	Nufarm UK Ltd	Herbicide							
				<i>2,4-D</i>	<i>500 g/l</i>					
Decis EC	90496	Bayer CropScience Limited	Insecticide				500 mls/ha			
				<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Dithane 945	91652	Dow AgroSciences	Fungicide			2.25 kgs/ha			7 days pre harvest	
				<i>Mancozeb</i>	<i>80 %w/w</i>					
Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide			5.0 kgs/ha	10 kgs/ha	2	N/A	
				<i>Methiocarb</i>	<i>3 %w/w</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls product / 100 litres water	N/A	-	N/A	
				<i>Abamectin</i>	<i>18 g/l</i>					
Fandango	03787	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
				<i>Prothioconazole</i>	<i>100 g/l</i>					
				<i>Fluoxastrobin</i>	<i>100 g/l</i>					
Fieldguard	02458	Nufarm UK Limited	Herbicide			3.0 l/ha	3.0 l/ha	1	-	-
				<i>Isoproturon</i>	<i>500 g/l</i>					
Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
				<i>Metrafenone</i>	<i>300 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	3.0 l/ha	3		
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	3	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
				<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	-	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			5.0 l/ha	10.0 l/ha	2 / crop	Before weeds reach one true leaf stage	
				<i>Metamitron</i>	<i>700 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
				<i>Sulphur</i>	<i>800 g/l</i>					
Helix	03789	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2	N/A	
				<i>Prothioconazole</i>	<i>160 g/l</i>					
				<i>Spiroxamine</i>	<i>300 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Larke	04185	Nufarm UK Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-		
				<i>MCPA</i>	<i>750 g/l</i>					
Lontrel 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>					
Lyric	00946	DuPont (UK) Ltd	Fungicide			0.8 l/ha	0.8 l/ha	1 / season	N/A	
				<i>Flusilazole</i>	<i>250 g/l</i>					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MB 500	91840	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	2		
				<i>Carbendazim</i>	<i>500 g/l</i>					
MCPA 50	04170	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Merit Turf	02896	Bayer Environmental Science SA	Insecticide			30 kgs/ha	30 kgs/ha	1 / year	N/A	
				<i>Imidacloprid</i>	<i>0.5 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>										
Mettle	03788	Bayer CropScience Limited	Fungicide	<i>Fluoxastrobin</i>	<i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-		
				<i>Prothioconazole</i>	<i>100 g/l</i>					
Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>	0.4 l/ha	1.2 l/ha	3	N/A	
				<i>Tebuconazole</i>	<i>500 g/kg</i>					
New Destrol	92258	Spray Chem Ltd	Herbicide	<i>Amitrole (Aminotriazole)</i>	<i>40 %w/w</i>	300 gms/200yds/year	300gms/200yds/year			
Nortron 50 SC	02658	Bayer CropScience Limited	Herbicide	<i>Ethofumesate</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	1	N/A	
PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
Perfekthion	90831	BASF plc	Insecticide	<i>Dimethoate</i>	<i>400 g/l</i>		1.7 l/ha			
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kg/ha	1.2 kg/ha	3	-	
Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide	<i>Propiconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	N/A	
Punch C	00536	DuPont (UK) Ltd	Fungicide	<i>Carbendazim</i>	<i>125 g/l</i>	0.8 l/ha	1.25 l/ha			
				<i>Flusilazole</i>	<i>250 g/l</i>					
Pyramin DF	91001	BASF plc	Herbicide	<i>Chloridazon</i>	<i>65 %w/w</i>	5.0 kgs/ha	5.0 kgs/ha	1	N/A	
Retro	03712	Syngenta Crop Protection UK Ltd	Herbicide	<i>Diquat (dibromide)</i>	<i>200 g/l</i>	4.0 l/ha		1		
Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	2.5 kgs/ha	7.5 kgs/ha	3	7 days pre harvest	
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>											
	Ronstar Liquid	91181	Bayer CropScience Limited	Herbicide			8.0 l/ha	8.0 l/ha	1 / season	N/A	
					<i>Oxadiazon</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kg/ha	2.67 kgs/ha	4	7 days before harvest	
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Salvo	04120	AgriChem B.V.	Herbicide			2.8 l/ha	2.8 l/ha	1 / year	-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Shirlan	00609	ISK Biosciences	Fungicide			400 mls/ha	4.0 l/ha	10	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Starane 2	01807	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	N/A	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Talius	02216	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	N/A	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
					<i>Famoxadone</i>	<i>250 g/kg</i>					
					<i>Cymoxanil</i>	<i>250 g/kg</i>					
	Teppeki	02683	ISK Biosciences	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	14 days pre harvest	
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest - Nurseries</i>											
Tern 750 EC	00598	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2		
					<i>Fenpropidin</i>	<i>750 g/l</i>					
Tolkan Liquid	02500	Bayer CropScience Limited	Herbicide				3.0 l/ha	3.0 l/ha	1		
					<i>Isoproturon</i>	<i>500 g/l</i>					
Topple 10	91432	United Phosphorus Limited	Insecticide				500 mls/ha	1750 mls/ha/season	-	N/A	
					<i>Cypermethrin</i>	<i>100 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide				200 ml/ha	800 ml/ha	4		
					<i>Spinosad</i>	<i>480 g/l</i>					
Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 / season	N/A	
					<i>Lenacil</i>	<i>440 g/l</i>					
Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide				2.5 l/ha	5.0 l/ha	2	-	
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
Volley	02807	Makhteshim Agan (UK) Ltd	Fungicide				400 ml/ha	4.0 l/ha	10		
					<i>Fluazinam</i>	<i>500 g/l</i>					
Whelehan Shield	04178	Whelehan Crop Protection	Herbicide				2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
Wizard	03112	AgriChem B.V.	Herbicide				3.0 l/ha	9.0 l/ha	3		
					<i>Ethofumesate</i>	<i>100 g/l</i>					
					<i>Phenmedipham</i>	<i>80 g/l</i>					
<i>Forestry</i>											
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide				3.3 l/ha	3.3 l/ha	1	N/A	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide	<i>Tepraloxymim</i>	<i>50 g/l</i>	2 l / ha	12 l/ha	6	14 days before harvest	14 days
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Emerger	90569	Bayer CropScience Limited	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.0 l/ha	2.5 l/ha	2	before roots start emerging	
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.0 l/ha	6.0 l/ha	3	14 days before harvest	
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Chlorothalonil</i> <i>Metalaxyl M</i>	<i>500 g/l</i> <i>37.5 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	2.0 l/ha	2.0 l/ha	1	Before 7 leaf stage	
	Rovral WG	02729	BASF plc	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	10 l/ha	-		every 7 days	0 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>										
Imaz 200 EC	03571	AgriChem B.V.	Fungicide			50 mls product / 100 litres water	-	3 / crop	72 hours before harvest	3 days
				<i>Imazalil</i>	<i>200 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>											
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2 l/ha	4 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Grassland - amenity</i>											
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls / ha	2 / year	N/A	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	200 l/ha	Every 7 days to harvest		
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	3 days before harvest	3 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	
				<i>Propyzamide</i>	<i>400 g/l</i>					
Paraat	03614	BASF plc	Fungicide			2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide							
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide			500 g/1000 l water	-	-	14 days before harvest	14 days
				<i>Pirimicarb</i>	<i>500 g/kg</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2	Pre transplantation	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3	14 days pre harvest	14 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide							
				<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide	<i>Pendimethalin</i>	<i>330 g/l</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Inter row crops</i>											
	Ronstar Liquid	91181	Bayer CropScience Limited	Herbicide			4.0 l/ha	8.0 l/ha	2	31st January	
					<i>Oxadiazon</i>	<i>250 g/l</i>					
<i>Jerusalem Artichoke</i>											
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
Aramo	03099	BASF plc		Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd		Herbicide			2.0 l/ha	2.0 l/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd		Insecticide			0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc		Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd		Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc		Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences		Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Draza Elite	01793	Bayer CropScience Limited	Molluscicide			4 kg/ha	4 kg/ha	-	14 days before harvest	14 days
					<i>Methiocarb</i>	<i>3 %w/w</i>					
	Movento	04101	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Leeks</i>											
	Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	6.0 kgs/ha	3	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Paraat	03614	BASF plc	Fungicide				2.0 l/ha	6.0 l/ha	3	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide				0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide				3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				0.7 l/ha	1.4 l/ha	2	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide								
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Proplant	01529	Agriphar S.A.	Fungicide			1.5 l/ha	4.5 l/ha	3	21 days pre harvest	21 days
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide							
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Loganberries</i>											
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1	Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Maize - Forage</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Contrast	01028	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days pre harvest	
					<i>Carbendazim</i>	<i>125 g/l</i>					
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Lyric	00946	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days	
					<i>Flusilazole</i>	<i>250 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Platoon 200	02615	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel silk visible stage	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Punch C	00536	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	28 days before harvest	
					<i>Flusilazole</i>	<i>250 g/l</i>					
					<i>Carbendazim</i>	<i>125 g/l</i>					
	Sanction 25	01652	DuPont (UK) Ltd	Fungicide			0.625 l/ha	1.25 l/ha	2	4 weeks before harvest	4 weeks
					<i>Flusilazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mange Tout Peas</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mangolds</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Marrows</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mint</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Narcissi</i>											
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			100 mls/product / 100 litres water	-	1	7 days	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebuzate 220 SL	03836	AgriChem B.V.	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	16 kgs/ha	8 / crop	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		Before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Folio Gold	02363	Syngenta Crop Protection UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta Crop Protection UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	21 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Onions - sets</i>											
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha	2	before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					
<i>Orchards - top fruit</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Boxer	02048	Dow AgroSciences	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
				<i>Florasulam</i>	<i>50 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
				<i>Ethofumesate</i>	<i>151 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			0.22 litres/100 litres water	-	-	7 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1		6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>										
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxym</i>	<i>50 g/l</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
				<i>Ethofumesate</i>	<i>151 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Flufenacet</i>	<i>480 g/kg</i>					
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
				<i>Metrafenone</i>	<i>300 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²			
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>										
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	-	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
				<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
				<i>Mancozeb</i>	<i>700 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
				<i>Etoxazole</i>	<i>110 g/l</i>					
Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			0.22 litres/100 litres water	-	-	7 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.4 l/ha	1.0 l/ha	-	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			300 mls product /m ³	300 mls product /m ³	1	Before planting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Famoxadone</i>	<i>250 g/kg</i>					
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
<i>Ornamental - protected</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3 / crop	N/A	
				<i>Thiacloprid</i>	<i>480 g/l</i>					
<i>Ornamental - seedling-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days before harvest	
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxymid</i>	<i>50 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			0.22 litres/100 litres water	-	-	7 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls product /m ²	6 mls product /m ²	2	3 days before harvesting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product</i>						<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>										
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide			0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
				<i>Cymoxanil</i>	<i>250 g/kg</i>					
				<i>Famoxadone</i>	<i>250 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	Pre emerge use only	
				<i>Linuron</i>	<i>450 g/l</i>					
Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	6.6 l/ha	-	N/A	
				<i>MCPA</i>	<i>500 g/l</i>					
Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Betanal Expert	03570	Bayer CropScience Limited	Herbicide			1.5 l/ha	4.5 l/ha	-	N/A	
				<i>Desmedipham</i>	<i>25 g/l</i>					
				<i>Ethofumesate</i>	<i>151 g/l</i>					
				<i>Phenmedipham</i>	<i>75 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Boxer	02048	Dow AgroSciences	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
				<i>Florasulam</i>	<i>50 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1		6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
				<i>Isoxaflutole</i>	<i>100 g/kg</i>					
				<i>Flufenacet</i>	<i>480 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
				<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
				<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide	<i>Copper oxychloride</i>	<i>50 %w/w</i>	4 kgs/100 litres water	8 kgs/ha/year	2	-	
D50	02366	Nufarm UK Ltd	Herbicide	<i>2,4-D</i>	<i>500 g/l</i>					
Depitox	02365	Nufarm UK Ltd	Herbicide	<i>2,4-D</i>	<i>500 g/l</i>	2.8 l/ha	2.8 l/ha	-		
Dow MCPA Amine	04088	Dow AgroSciences	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	3.3 l/ha	3.3 l/ha	-	-	-
Eagle	00573	Bayer CropScience Limited	Herbicide	<i>Amidosulfuron</i>	<i>75 %w/w</i>	40 gms/ha	40 gms/ha	1	42 days	42 days
Flexity	03225	BASF plc	Fungicide	<i>Metrafenone</i>	<i>300 g/l</i>	0.5 l/ha	1.0 l/ha	2	-	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2	14 days before harvest	
Fortress	02364	Dow AgroSciences	Fungicide	<i>Quinoxifen</i>	<i>500 g/l</i>	0.3 l/ha	0.6 l/ha	2	N/A	
Frupica	02128	Certis Europe BV	Fungicide	<i>Mepanipyrim</i>	<i>449.4 g/l</i>	0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide	<i>Metamitron</i>	<i>700 g/l</i>	5.0 l/ha	10.0 l/ha	2 / crop	Before weeds reach one true leaf stage	
Grazon 90	90698	Dow AgroSciences	Herbicide	<i>Triclopyr</i>	<i>240 g/l</i>	4.0 l/ha	4.0 l/ha	1	42 days	42 days
				<i>Clopyralid</i>	<i>60 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Larke	04185	Nufarm UK Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-		
				<i>MCPA</i>	<i>750 g/l</i>					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide			3.3 l/ha	3.3 l/ha	-	-	
				<i>MCPA</i>	<i>500 g/l</i>					
Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	N/A	
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kg/ha	1.5 kg/ha	1		
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA 50	04170	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha			
				<i>MCPA</i>	<i>500 g/l</i>					
MCPA Amine 500	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	-	-
				<i>MCPA</i>	<i>500 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			8.0 kgs/ha	-	-		
				<i>Sulphur</i>	<i>80 %w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			300 mls product /m ³	300 mls product /m ³	1	Before planting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
				<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days before harvest	
				<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>										
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
				<i>Glyphosate</i>	<i>360 g/l</i>					
Salvo	04120	AgriChem B.V.	Herbicide			2.8 l/ha	2.8 l/ha	1 / year	-	
				<i>2,4-D</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
				<i>Indoxacarb</i>	<i>300 g/kg</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Stratos Ultra	91348	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		4 weeks
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	-	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Tanos	01398	DuPont (UK) Ltd	Fungicide				0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
					<i>Famoxadone</i>	<i>250 g/kg</i>					
					<i>Cymoxanil</i>	<i>250 g/kg</i>					
Valbon	03411	Certis Europe BV	Fungicide				1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 day re-entry period	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			4 mls/100 l/water	4 mls/100 l/water	1 per crop	-	
				<i>Clofentezine</i>	<i>500 g/l</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
				<i>Etoxazole</i>	<i>110 g/l</i>					
Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			0.22 litres/100 litres water	-	-	7 days before harvest	
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.4 l/ha	1.0 l/ha		35 days before harvest	
				<i>Propiconazole</i>	<i>250 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Cuprene 50	90465	Sipcam U.K. Ltd	Fungicide			4 kgs/100 litres water	8 kgs/ha/year	2	-	
				<i>Copper oxychloride</i>	<i>50 %w/w</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.6 l/ha	2	N/A	
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			300 mls product /m ³	300 mls product /m ³	1	Before planting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
Signum	03799	BASF plc	Fungicide				1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide				1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Tanos	01398	DuPont (UK) Ltd	Fungicide				0.7 kgs/ha	4.2 kgs/ha	6	14 days pre harvest	14 days
					<i>Cymoxanil</i>	<i>250 g/kg</i>					
					<i>Famoxadone</i>	<i>250 g/kg</i>					
<i>Parsley - Field</i>											
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide				0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>											
Revus	02789	Syngenta Crop Protection UK Ltd	Fungicide				0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>										
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2	2nd true leaf unfolded	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor	03729	Crompton (Uniroyal Chemical) Registrations Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			3.0 l/ha	3.0 l/ha	1 / crop	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide			2.25 kgs/ha	-	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3l/ha	1.3 l/ha	1 / crop	No later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Sencorex WG	91237	Bayer CropScience Limited	Herbicide			300 gms/ha	600 g/ha	3	no later than 6th true leaf unfolded and 60 days before harv	28 days
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Metribuzin</i>	<i>70 %w/w</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	1.0 l/ha	3.0 l/ha	3	7 days before harvest	
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide	<i>Flumioxazin</i>	<i>300 g/l</i>	90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Pears</i>											
	Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
	Serenade ASO	03847	AgraQuest Inc	Fungicide	<i>Tebuconazole</i>	<i>200 g/kg</i>	10 l/ha	-	every 7 days		0 days
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 l/ha	2.4 l/ha	3	3 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - combining</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			3.125 l/ha	6.25 l/ha	2	6 weeks before harvest	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	6 weeks before harvest	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CT 500	03406	DHM Agrochemicals Ltd.,	Fungicide			3.0 l/ha	6.0 l/ha	2	42 days pre-harvest	42 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Orchid B	03369	Croplink (Ireland) Ltd	Fungicide			3.0 l/ha	6.0 l/ha	2	8 week Pre harvest Interval	8 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	6 weeks pre-harvest	6 weeks
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
<i>Peas - vining</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Peppers - Chilli - Protected</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	03233	Bayer CropScience Limited	Fungicide			3 mls/m ²	6 mls/m ²	2		
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Previcur-N	90876	Bayer CropScience Limited	Fungicide			2.2 l/ha	8.8 l/ha	4	3 days before harvest	3 days
				<i>Propamocarb</i>	<i>722 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Potatoes - Seed crops</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Potatoes - Ware crops</i>											
	Amistar Opti	02162	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta Crop Protection UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Radicchio</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ridomil Gold	02117	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	Not later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta Crop Protection UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 l/ha	3.0 l/ha	1	90 days before harvest	90 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Raspberries - Protected</i>											
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	14 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rhubarb</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Rocket</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Rosemary</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Rubus Hybrid</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Rye - spring</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	5.0 l/ha	5.0 l/ha	1	GS 21	
	Duplosan KV	02842	Nufarm UK Limited	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	K 2	92087	Taminco N.V.	Growth Regulator	<i>Mecoprop-P</i>	<i>600 g/l</i>	1.8 l/ha	1.8 l/ha			
	Mircam	02271	Nufarm UK Ltd	Herbicide	<i>Chlormequat</i>	<i>620 g/l</i>	5.0 l/ha	5.0 l/ha	1	GS 31	
	Mircam Super	02097	Nufarm UK Ltd	Herbicide	<i>Mecoprop-P</i>	<i>150 g/l</i>	3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Dicamba</i>	<i>18.7 g/l</i>					
					<i>MCPA</i>	<i>22.6 %w/w</i>					
					<i>Dicamba</i>	<i>2.8 %w/w</i>					
					<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
	Opera	01633	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2	Before GS 71	
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
<i>Sage</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb WDG	92072	Cerexagri S.A.	Fungicide							
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>										
Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
				<i>Oxamyl</i>	<i>10 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Acrobat MZ	00670	BASF plc	Fungicide			2.0 kgs/ha	16.0 kgs/ha	8	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Bravo 500	00198	Syngenta Crop Protection UK Ltd	Fungicide			2 l/ha	12 l/ha	6	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	90569	Bayer CropScience Limited	Herbicide			2.0 l/ha	2.5 l/ha		before roots start emerging	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Previcur Energy	03233	Bayer CropScience Limited	Fungicide			2.5 l/ha	7.5 l/ha	3	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Spinach Beet</i>											
	Tracer	02649	Dow AgroSciences	Insecticide			12 mls/product/plant		1	Pre-planting 6 leaf stage	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
				<i>Quinoxifen</i>	<i>500 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
				<i>Bupirimate</i>	<i>250 g/l</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
	Aphox	90070	Syngenta Crop Protection UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
	Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide	<i>Pirimicarb</i>	<i>500 g/kg</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Etoazole</i>	<i>110 g/l</i>	0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
	Dynamec	02640	Syngenta Crop Protection UK Ltd	Acaricide/Insecticid	<i>Thiacloprid</i>	<i>480 g/l</i>	50 mls/product/100 litres water	-	3	3 days before harvest	3 days
	Fortress	02364	Dow AgroSciences	Fungicide	<i>Abamectin</i>	<i>18 g/l</i>	0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
	Masai	03585	BASF plc	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
	Microthiol Special	90548	Cerexagri S.A.	Fungicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
	Oberon	02529	Bayer CropScience Limited	Insecticide	<i>Bupirimate</i>	<i>250 g/l</i>	50mls /100 litres water	-	2 / crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Sweetcorn</i>											
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Thyme</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>										
Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	1.35 l/ha	3 / crop	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
				<i>Ethephon</i>	<i>480 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before 1st node detectable	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Defy	02706	Syngenta Crop Protection UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
					<i>Thifensulfuron (-methyl)</i>	<i>400 g/kg</i>					
	K 2	92087	Taminco N.V.	Growth Regulator			1.8 l/ha	1.8 l/ha			
					<i>Chlormequat</i>	<i>620 g/l</i>					
	Larke	04185	Nufarm UK Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>750 g/l</i>					
	M 50	04169	DHM Agrochemicals Ltd.,	Herbicide			3.3 l/ha	3.3 l/ha	2	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	MCPA 50	04170	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	MCPA Amine 500	03504	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	-
					<i>MCPA</i>	<i>500 g/l</i>					
	Mircam	02271	Nufarm UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 31	
					<i>Dicamba</i>	<i>18.7 g/l</i>					
					<i>Mecoprop-P</i>	<i>150 g/l</i>					
	Mircam Super	02097	Nufarm UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
					<i>MCPA</i>	<i>22.6 %w/w</i>					
					<i>Dicamba</i>	<i>2.8 %w/w</i>					
	Opera	01633	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2	Before GS 71	
					<i>Pyraclostrobin</i>	<i>133 g/l</i>					
					<i>Epoxiconazole</i>	<i>50 g/l</i>					
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron (-methyl)</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 73	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta Crop Protection UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta Crop Protection UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vydate 10G	91518	DuPont (UK) Ltd	Insecticide			90 gms / 100 m row	90 gms / 100 m row	1	Before drilling	
					<i>Oxamyl</i>	<i>10 %w/w</i>					
<i>Wheat - spring</i>											
	Marina	03975	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Before leaf sheath erect stage	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta Crop Protection UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta Crop Protection UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Syngenta Crop Protection UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	01178	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 / year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	AgraQuest Inc	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning Off-Label approvals:

The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.