

## **Chapter 7**

**List of off label approvals which have been granted up to 1/1/14 for use on  
Food Crops**

---

# *Current list of off-label approvals for use on Food Crops as of 10 February 2014*

## *Warning: Off-Label Approvals:*

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

## *Disclaimer*

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Apples - Post harvest</i>											
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			100 mls per 100 litres water	-	5 per crop	2 days before harvest	2 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CIPC	90486	Agriphar S.A.	Herbicide			2.8 l/ha	2.8 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest (protected crops), 21 days (field)	14 days (prote
					<i>Iprodione</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs / ha	3	7 days	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Beans - broad</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Anthem	04761	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	pre emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane 945	03705	Indofil Industries Limited	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
<i>Beans - french</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - runner</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - fodder</i>											
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - red</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			10 kg/ha	20 kgs/ha	2	Last application before September	-
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5 % w/w</i> <i>25.0 % w/w</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			1.5 l/ha	-	4 per crop	7 days before harvest	7 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants</i>										
Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
				<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide				1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide				1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide				1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide				1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide				1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>										
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Tepraloxymid</i>	<i>50 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Iprodione</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			85 g/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Bush/Cane fruit plantations</i>											
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	365 days	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2	14 days	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
Butisan S	90342	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide				4 kgs/ha	4 kgs/ha	1	14 days before harvest	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Movento	04101	Bayer CropScience Limited	Insecticide				0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Infinito	02532	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i> <i>Bacillus subtilis</i>	<i>500 g/l</i> <i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Esfenvalerate</i>	<i>25 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wing P	03590	BASF plc	Herbicide	<i>Pendimethalin</i> <i>Dimethenamid-P</i>	<i>250g/l</i> <i>212.5 g/l</i>	4.0 l/ha	4.0 l/ha	-	Before planting	

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	Before head formation	
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Tepraloxymid</i>	<i>50 g/l</i>	0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Iprodione</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Aphox	90070	Syngenta UK Ltd	Insecticide				420 g/ha			14 days before harvest	14 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide				0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
Butisan S	90342	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha		Pre-emergence of crop	
					<i>Metazachlor</i>	<i>500 g/l</i>					
Caramba	03954	BASF plc	Fungicide				1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide				300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide				5 kgs/ha	10 kgs/ha		Before GS 33	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Falcon	00392	Makhteshim Agan (UK) Ltd	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves stage	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
Filan	04325	BASF plc	Fungicide				0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
					<i>Boscalid</i>	<i>50 % w/w</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.5 l/ha	-	Up to and including most seeds green stage	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				1.5 l/ha	3.0 l/ha	2 per crop	Before first flower bud visible stage	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Galileo	03015	DuPont (UK) Ltd	Fungicide				1.0 l/ha	1.0 l/ha	1 per crop	Before GS 69	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide				300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	225 ml/ha	4	6 weeks before harvest	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Magnello	04118	Syngenta UK Ltd	Fungicide				0.8 l/ha	1.6 l/ha	2	Before GS 60	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide				0.15 kg/ha	0.15 kg/ha	1	GS 59	
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Proline	03786	Bayer CropScience Limited	Fungicide				0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
Prosaro	02106	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
					<i>Tebuconazole</i>	<i>12.8 %w/w</i>					
Reglone	02453	Syngenta UK Ltd	Dessicant				3.0 l/ha	3.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
Salsa	04725	DuPont (UK) Ltd	Herbicide				25 g/ha	25 g/ha	-	90 days before harvest	90 days
					<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>					
Tebucur 250 EW	04827	Helm AG Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	Before GS 65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide				1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aphox	90070	Syngenta UK Ltd	Insecticide			420 g/ha			14 days before harvest	14 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	Aramo	03099	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	1 per crop	Before end of November or before crop has 9 true leaves	
					<i>Tepraloxymid</i>	<i>50 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	2.0 l/ha		Before end of January in year of harvest	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Draza Elite	01793	Bayer CropScience Limited	Molluscicide			5 kgs/ha	10 kgs/ha		Before GS 33	
					<i>Methiocarb</i>	<i>3 %w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
Falcon	00392	Makhteshim Agan (UK) Ltd	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	
Filan	04325	BASF plc	Fungicide		<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide		<i>Boscalid</i>	<i>50 % w/w</i>	1.0 l/ha	2.5 l/ha	-	Up to and including most seeds green stage	
Fusilade Max	01472	Syngenta UK Ltd	Herbicide		<i>Tebuconazole</i>	<i>250 g/l</i>	1.5 l/ha	3.0 l/ha	2 per crop	before first flower bud visible stage	
Galileo	03015	DuPont (UK) Ltd	Fungicide		<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	1.0 l/ha	1.0 l/ha	1 per crop	Before GS 69	
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide		<i>Picoxystrobin</i>	<i>250 g/l</i>	300 mls/ha	1200 mls/ha	-	Before GS 69	
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>Deltamethrin</i>	<i>25 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
Kerb 50 W	02831	Dow AgroSciences	Herbicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.7 kg/ha	1.7 kg/ha	1 per crop	Before 1st February in year of harvest	
Kerb Flo	02830	Dow AgroSciences	Herbicide		<i>Propyzamide</i>	<i>50 %w/w</i>	2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide		<i>Propyzamide</i>	<i>400 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
Magnello	04118	Syngenta UK Ltd	Fungicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
Plenum	02238	Syngenta UK Ltd	Insecticide		<i>Difenoconazole</i>	<i>100 g/l</i>	0.15 kg/ha	0.15 kg/ha	1	GS 59	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	02106	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>12.8 %w/w</i>					
					<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide			2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Reglone	02453	Syngenta UK Ltd	Dessicant			3.0 l/ha	3.0 l/ha	-	-	
					<i>Diquat (dibromide)</i>	<i>200 g/l</i>					
	Salsa	04725	DuPont (UK) Ltd	Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
					<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>					
	Tebucur 250 EW	04827	Helm AG Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS 65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Fazor	03729	Chemtura Europe Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.35 l/ha	0.7 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>										
Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
				<i>S-Metolachlor</i>	<i>960 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Chlorothalonil</i>	<i>500 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
				<i>Pyridate</i>	<i>45 % w/w</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
				<i>Mancozeb</i>	<i>64 %w/w</i>					
				<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
				<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide	<i>Esfenvalerate</i>	25 g/l	165 mls/ha	330 mls/ha	2	7 days pre harvest	

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - Field</i>											
	Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
					<i>Linuron</i>	<i>450 g/l</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	1	50 days pre harvest	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10.0 l/ha	200.0 l/ha	-	-	-
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Cherries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.312 l/ha	0.625 l/ha	-	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Systhane 20 EW	03693	Dow AgroSciences	Fungicide			0.68 l/ha	2.33 l/ha	-	21 days before harvest	21 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
<i>Chives</i>											
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>S-Metolachlor</i>	960 g/l	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Pyridate</i>	45 % w/w	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	500 g/l	10 l/ha	-	every 7 days	0 days	
					<i>Bacillus subtilis</i>	1.34% w/w					
<i>Coriander</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	1.34% w/w	10 l/ha	-	every 7 days	0 days	
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	50 %w/w	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
<i>Courgettes - Field</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	250 g/l	80 mls/100 litres water	-	3	3 days before harvest	3 days
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	75% w/w	2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Mandipropamid</i>	250 g/l	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>											
	Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	2 days before harvest	2 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs / ha	1.2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Cranberries</i>											
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Damsons</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Dill</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>											
	Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Linuron</i>	<i>450 g/l</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Forestry</i>											
	Anthem	04761	Makhteshim Agan (UK) Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
<i>Gherkin - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>											
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide				1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide				1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide				1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide				0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
					<i>Sulphur</i>	<i>80 %w/w</i>					
Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide				1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide				1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
Radspor 400	01797	Agriphar S.A.	Fungicide				73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>										
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Grassland - amenity</i>										
Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls / ha	2 / year	N/A	
				<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	200 l/ha	Every 7 days to harvest		
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Afalon Liquid	02839	Makhteshim Agan (UK) Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
					<i>Linuron</i>	<i>450 g/l</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	3 days before harvest	3 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CIPC	90486	Agriphar S.A.	Herbicide			2.8 l/ha	2.8 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Datura	04456	AgriChem B.V.	Herbicide			1.2 l/ha	1.2 l/ha	-	Pre-emergence	
					<i>Linuron</i>	<i>500 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin Boscalid</i>	<i>6.7 % w/w 26.7 % w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide							
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aphox	90070	Syngenta UK Ltd	Insecticide			500 g/1000 l water	-	-	14 days before harvest	14 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	CIPC	90486	Agriphar S.A.	Herbicide			2.8 l/ha	2.8 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest	14 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling/ before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>											
	Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3	14 days pre harvest	14 days
	Scala	03916	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Signum	03799	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Boscalid</i> <i>Pyraclostrobin</i> <i>Spinosad</i>	<i>26.7 % w/w</i> <i>6.7 % w/w</i> <i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Defy	02706	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>330 g/l</i>	0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide				0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
Anthem	04761	Makhteshim Agan (UK) Ltd	Herbicide				3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Aramo	03099	BASF plc	Herbicide				1.5 l/ha	1.5 l/ha	1	Before head formation	
					<i>Tepraloxym</i>	<i>50 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide				2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Rovral AquaFlo	02730	BASF plc	Seed Dressing				5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.5 l/ha	3	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide				200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>										
Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
				<i>Metazachlor</i>	<i>500 g/l</i>					
Draza Elite	01793	Bayer CropScience Limited	Molluscicide			4 kg/ha	4 kg/ha	-	14 days before harvest	14 days
				<i>Methiocarb</i>	<i>3 %w/w</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Movento	04101	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
				<i>Spirotetramat</i>	<i>150 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha		8 weeks before harvest	8 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide			2.0 kg/ha	2.0 kg/ha	1	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid				50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide				1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Paraat	03614	BASF plc	Fungicide				0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide				1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Metalaxyl M Mancozeb</i>	<i>4.0 %w/w 64 %w/w</i>					
Scala	03916	BASF plc	Fungicide				1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide				200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries</i>											
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Lupins</i>											
	Anthem	04761	Makhteshim Agan (UK) Ltd	Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	4.5 l/ha	4.5 l/ha	1	Before crop emergence	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pendimethalin</i>	<i>330 g/l</i>	10 l/ha	-	every 7 days		0 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Maize - Forage - Open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
	Comet 200	03696	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
	Modem	02355	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
	Modem 200	03695	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage - under plastic</i>											
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Grain - open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
<i>Mange Tout Peas</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Mangolds</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Marrows</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			6 mls per sq m	9 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
<i>Mint</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Narcissi</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			100ml product/ 100 litres water	100ml product/ 100 litres water		Pre-planting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Tebuzate 220 SL	03836	AgriChem B.V.	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					
<i>Oilseed Rape - spring</i>											
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	02106	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
					<i>Tebuconazole</i>	<i>12.8 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		Before 5th leaf is visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	28 days before harvest	28 days
					<i>Tepraloxym</i>	<i>50 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>										
Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	365 days	
				<i>Tepraloxydim</i>	<i>50 g/l</i>					
Dow Shield 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
				<i>Clopyralid</i>	<i>100 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
				<i>Pendimethalin</i>	<i>365 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Parsley - Field</i>										
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>										
Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5 % w/w</i> <i>25.0 % w/w</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
	Aramo	03099	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Coragen	03079	DuPont (UK) Ltd	Insecticide			175 mls/ha	350 mls/ha	2 / year	45 days before harvest	45 days
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Fazor	03729	Chemtura Europe Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Goltix Flowable	02333	Feinchemie Schwebda GmbH	Herbicide			3.0 l/ha	3.0 l/ha	1 / crop	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	14 days before harvest	14 days
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator	<i>Thiacloprid</i>	<i>480 g/l</i>	75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	4 per year	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Peas - combining</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SA	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SA	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Peppers - Chilli - Protected</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticide			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
				<i>Spiromesifen</i>	<i>240 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			6 mls per sq m	9 mls per sq m	-	Before transplanting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
<i>Potatoes - Seed crops</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Potatoes - Ware crops</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	5 weeks before harvest	5 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
<i>Radicchio</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Raspberries - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	1 per year	Before bud burst	
	Corbel	90438	BASF plc	Fungicide	<i>Flazasulfuron</i>	<i>25 % w/w</i>	1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	1.4 kg per 1000L water	-	-	28 days before harvest	28 days
	Masai	03585	BASF plc	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Mancozeb</i>	<i>750 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
	Scala	03916	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					
<i>Rhubarb</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Rocket</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Rosemary</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Roses</i>											
	Radspor 400	01797	Agriphar S.A.	Fungicide			73 ml/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid</i>											
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
<i>Rye - spring</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	K 2	92087	Taminco BVBA.	Growth Regulator			1.8 l/ha	1.8 l/ha			
					<i>Chlormequat</i>	<i>620 g/l</i>					
	Mircam Super	02097	Nufarm UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Dicamba</i>	<i>2.8 %w/w</i>					
					<i>MCPA</i>	<i>22.6 %w/w</i>					
					<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
				<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Defy	02706	Syngenta UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha		80 days pre harvest	80 days
				<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
				<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
				<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2	14 days before harvest	14 days
				<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>400 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Aramo	03099	BASF plc	Herbicide	<i>Tepraloxydim</i>	<i>50 g/l</i>	1.5 l/ha	1.5 l/ha	1	4 weeks before harvest	4 weeks
	Bravo 500	03452	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Curator	04504	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>400 g/l</i>	2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	4.0 l/ha	4.0 l/ha		before 5th leaf is visible	
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Folio Gold	02363	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>37.5 g/l</i>	2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
	Jupital	04503	Syngenta UK Ltd	Fungicide	<i>Chlorothalonil</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
	Lentagran WP	03082	Belchim Crop Protection Ltd	Herbicide	<i>Pyridate</i>	<i>45 % w/w</i>	2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
	Rovral WG	02729	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach Beet</i>											
	Met 52 Granular	04811	Novozymes Biologicals FR S.A	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Squash - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12. 0 l/ha	-	14 days before harvest	14 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chess WG	03365	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
Aphox	90070	Syngenta UK Ltd	Insecticide		<i>Azoxystrobin</i>	<i>250 g/l</i>	750 g/ha	1.5 kgs/ha	2	3 days before harvest	3 days
Borneo	04235	Sumitomo Chemical Agro Europe SA	Acaricide		<i>Pirimicarb</i>	<i>500 g/kg</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited	Insecticide		<i>Etoazole</i>	<i>110 g/l</i>	0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
Chess WG	03365	Syngenta UK Ltd	Insecticide		<i>Thiacloprid</i>	<i>480 g/l</i>	0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid		<i>Pymetrozine</i>	<i>50 %w/w</i>	50 mls/product/100 litres water	-	3	3 days before harvest	3 days
Fortress	02364	Dow AgroSciences	Fungicide		<i>Abamectin</i>	<i>18 g/l</i>	0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
Masai	03585	BASF plc	Insecticide		<i>Quinoxifen</i>	<i>500 g/l</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
Microthiol Special	90548	Cerexagri S.A.	Fungicide		<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Nimrod	90789	Makhteshim Agan (UK) Ltd	Fungicide		<i>Sulphur</i>	<i>80 %w/w</i>	1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
Oberon	02529	Bayer CropScience Limited	Insecticide		<i>Bupirimate</i>	<i>250 g/l</i>	50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Sweetcorn</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Thyme</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2/crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Curzate M WG	02110	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 %w/w</i>					
	Dithane 945	03705	Indofil Industries Limited	Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Electis 75 WG	01821	Gowan Comercio International e Servicos	Fungicide			1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	90548	Cerexagri S.A.	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Option	01832	DuPont (UK) Ltd	Fungicide			0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	2.5 kg/ha	7.5 kg/ha	-	3 days before harvest	3 days
	Scala	03916	BASF plc	Fungicide	<i>Metalaxyl M</i> <i>Mancozeb</i>	<i>4.0 %w/w</i> <i>64 %w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.3 l/ha	0.9 l/ha	3 per crop		3 days
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i> <i>Fenhexamid</i>	<i>465.2 g/l</i> <i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
	Agritox	04160	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	1	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 50	03505	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before 1st node detectable	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	03523	Nufarm UK Limited	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Bumper	03292	Makhteshim Agan (UK) Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	02706	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dow MCPA Amine	04088	Dow AgroSciences	Herbicide			3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	04617	Nufarm UK Limited	Herbicide			2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>750 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
Finish SX	02329	DuPont (UK) Ltd	Herbicide				75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
Galileo	03015	DuPont (UK) Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide				250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide				100 g/ha	100 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
K 2	92087	Taminco BVBA.	Growth Regulator				1.8 l/ha	1.8 l/ha			
					<i>Chlormequat</i>	<i>620 g/l</i>					
Larke	04185	Nufarm UK Ltd	Herbicide				2.2 l/ha	2.2 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>750 g/l</i>					
M 50	04169	DHM Agrochemicals Ltd.,	Herbicide				3.3 l/ha	3.3 l/ha	2	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
Mastercrop MCPA	04222	Hygeia Chemicals Ltd	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
MCPA 50	04170	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha		Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					
Mircam Super	02097	Nufarm UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>Dicamba</i>	<i>2.8 %w/w</i>					
					<i>MCPA</i>	<i>22.6 %w/w</i>					
					<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
NU46	03504	Nufarm UK Limited	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	-
					<i>MCPA</i>	<i>500 g/l</i>					
Optica	02661	Nufarm UK Limited	Herbicide				2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
POL-MCPA 500 S	04471	Zakłady Chemiczne "Organika-Sarżyna" Spółka Akcyjna	Herbicide				3.3 l/ha	3.3 l/ha	-	Before GS 31	
					<i>MCPA</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	<i>250 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aramo	03099	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1	3 weeks before harvest	3 weeks
					<i>Tepraloxydim</i>	<i>50 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dursban 4	90541	Dow AgroSciences	Insecticide			1.5 l/ha	1.5 l/ha	1	60 days before harvest	60 days
					<i>Chlorpyrifos</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	00329	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	1	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	Apollo	04056	Makhteshim Agan (UK) Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	1 per year	Before bud burst	
	Corbel	90438	BASF plc	Fungicide	<i>Flazasulfuron</i>	<i>25 % w/w</i>	1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	1.4 kg per 1000L water	-	-	28 days before harvest	28 days
	Masai	03585	BASF plc	Insecticide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
	Penncozeb 80 WP	03609	Cerexagri S.A.S	Fungicide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	Cerexagri S.A.S	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Mancozeb</i>	<i>750 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
	Scala	03916	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stroby WG	03154	BASF plc	Fungicide			0.2 kgs/ha	0.6 kgs/ha	3 per year	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*