

## **Chapter 7**

**List of off label approvals which have been granted up to 1/1/17 for use on food crops**



---

**Current list of off-label approvals for use on Food Crops as of** **31 January 2017**

**Warning: Off-Label Approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

**Disclaimer**

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Apples - Post harvest</i>											
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	Before senescence	
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	Before senescence	
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls/100 litres water	-	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			100 mls per 100 litres water	-	5 per crop	2 days before harvest	2 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.06 kgs/100 litres water	0.18 kgs/ha	3 / crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Rovral WG	02729	BASF plc	Fungicide			67 g/100 litres water	-	5	2 days pre harvest	2 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest (protected crops), 21 days (field)	14 days (prote
					<i>Iprodione</i>	<i>500 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Pymetrozine</i>	<i>50 %w/w</i>	0.4 kgs/ha	1.2 kgs / ha	3	7 days	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>	3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days before harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Basil</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - broad</i>											
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide				3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stomp 400 SC	02879	BASF plc	Herbicide				3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Wakil XL	05471	Syngenta UK Ltd	Seed Dressing				2.0 kg/tonne	2.0 kg/tonne	1 per batch	Before drilling	
					<i>Metalaxyl M</i>	<i>175 g/kg</i>					
					<i>Fludioxonil</i>	<i>50 g/kg</i>					
					<i>Cymoxanil</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - french</i>											
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beans - navy</i>											
	Claw 100	05444	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
<i>Beans - runner</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>											
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days before harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - red</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Beet - sugar</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide				0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
Fusilade Max	01472	Syngenta UK Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide				10 kg/ha	20 kgs/ha	2	Last application before September	-
					<i>Sulphur</i>	<i>80 %w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
	CaLypso	02441	Bayer CropScience Limited	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	1.5 l/ha	-	4 per crop	7 days before harvest	7 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Iprodione</i>	<i>500 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Masai	03585	BASF plc	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	375 gms/ha	375 g/ha	1 / year	21 days before harvest	
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Tebufenpyrad</i>	<i>200 g/kg</i>	0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
	Rovral WG	02729	BASF plc	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	1.0 kg/ha	4.0 kgs/ha	4	7 days before harvest	7 days
	Scala	03916	BASF plc	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries</i>											
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Blackberries - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	10 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants</i>											
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
				<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Grisu	04836	Oxon Italia SpA	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
	Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Mancozeb</i>	<i>64 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Rovral WG	02729	BASF plc	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	0.67 kg/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1	21 days before harvest	21 days
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			85 g/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussel sprouts</i>											
Wing P	03590	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Bush/Cane fruit plantations</i>											
Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	14 days	
	Butisan S	90342	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 l/ha	1.5 l/ha	1	6 weeks	6 weeks
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
	Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Clomazone</i>	<i>360 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Movento	04101	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Pymetrozine</i>	<i>50 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha		21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Globazar SC	04859	Globachem nv	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Mancozeb</i>	<i>64 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Iprodione</i>	<i>500 g/l</i>	10 l/ha	-	every 7 days		0 days
Wing P	03590	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
				<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	Before planting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	2.25 l/ha		21 days before harvest	21 days
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Grisu	04836	Oxon Italia SpA	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	3.0 l/ha	3 per crop	14 days before harvest	14 days
Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>500 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Lentagran WP	03082	Belchim Crop Protection NV	Herbicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide	<i>Pyridate</i>	<i>45 % w/w</i>	2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
Rovral WG	02729	BASF plc	Fungicide	<i>Mancozeb</i>	<i>64 %w/w</i>	0.67 kgs/ha	2.01 kgs/ha	3	14 days pre harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	10 l/ha	-	every 7 days		0 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.25 l/ha	-	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Globazar SC	04859	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wing P	03590	BASF plc	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - Field</i>											
	Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
					<i>Linuron</i>	<i>450 g/l</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - Field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
<i>Celery - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10.0 l/ha	200.0 l/ha	-		-
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.312 l/ha	0.625 l/ha	-	14 days before harvest	14 days
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
	Sythane 20 EW	03693	Dow AgroSciences	Fungicide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7 % w/w</i> <i>6.7 % w/w</i>	0.68 l/ha	2.33 l/ha	-	21 days before harvest	21 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
<i>Chives</i>											
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Cycloxydim</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
	Tracer	02649	Dow AgroSciences	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infinito	02532	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide	<i>Propamocarb</i>	<i>625 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Pyridate</i>	<i>45 % w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Rovral AquaFlo	02730	BASF plc	Seed Dressing	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>	10 l/ha	-	every 7 days	0 days	
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Coriander</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days	0 days	
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Field</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			80 mls/100 litres water	-	3	3 days before harvest	3 days
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - Protected</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Plenum	02238	Syngenta UK Ltd	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.4 kgs / ha	1,2 kgs/ha	3	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Pymetrozine</i>	<i>50 %w/w</i>	3 mls per sq m	6 mls per sq m	-	Before transplanting	
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Fosetyl (-aluminium)</i> <i>Fosetyl (-aluminium)</i> <i>Propamocarb</i> <i>Propamocarb</i>	<i>310 g/l</i> <i>310 g/l</i> <i>530 g/l</i> <i>530 g/l</i>	0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25.0 % w/w</i> <i>37.5 % w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Globazar SC	04859	Globachem nv	Fungicide			100ml per 100l water	300ml per 300l water	3 per year	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Life Scientific Azox	04405	Life Scientific Limited	Fungicide			80ml per 100L water		3 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kgs/ha	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4	3 days pre harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Damsons</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Dill</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Endives</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Fennel</i>											
	Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			1.35 l/ha	1.35 l/ha	-	60 days before harvest	60 days
					<i>Linuron</i>	<i>450 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Garlic Extract</i>	<i>450 g/kg</i>	75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
	Pyramin DF	04264	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/ha	1.4 kg/ha	-	Before GS 13	
	Rovral WG	02729	BASF plc	Fungicide	<i>Chloridazon</i>	<i>65% w/w</i>	0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Iprodione</i>	<i>750 g/kg</i>	10 l/ha	-	every 7 days		0 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Vertik	04030	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Wing P	03590	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
<i>Gherkin - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>										
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
				<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
				<i>Fenpropimorph</i>	<i>750 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
				<i>Sulphur</i>	<i>80 %w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
				<i>Mancozeb</i>	<i>750 g/kg</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
	Scala	03916	BASF plc	Fungicide	<i>Dodine</i>	<i>40 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	10 l/ha	-	every 7 days		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
	Stroby WG	05092	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
	Switch	03761	Syngenta UK Ltd	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Afalon Liquid	02839	Adama Agricultural Solutions UK Ltd	Herbicide			2.1 l/ha	2.1 l/ha	1	90 days before harvest	90 days
					<i>Linuron</i>	<i>450 g/l</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
					<i>Chlorpropham</i>	<i>400 g/l</i>					
	Datura	04456	UPL Europe Ltd	Herbicide			1.2 l/ha	1.2 l/ha	-	Pre-emergence	
					<i>Linuron</i>	<i>500 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fenomenal	04956	Bayer CropScience Limited	Fungicide			2.5 kg/ha	5.0 kg/ha	2 per crop	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
					<i>Fenamidone</i>	<i>60 g/kg</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Kerb Flo	02830	Dow AgroSciences	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
				<i>Propyzamide</i>	<i>400 g/l</i>					
				<i>Propyzamide</i>	<i>400 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
				<i>Pendimethalin</i>	<i>400 g/l</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Rovral WG	02729	BASF plc	Fungicide			0.33 kgs/ha	-	3	21 days pre harvest	21 days
				<i>Iprodione</i>	<i>750 g/kg</i>					
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide							
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
CIPC	90486	Arysta LifeScience Benelux SPRL	Herbicide			2.8 l/ha	2.8 l/ha	1		
				<i>Chlorpropham</i>	<i>400 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid			50 mls/product/100 litres water	-	4	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
Fenomenal	04956	Bayer CropScience Limited	Fungicide			2.5 kg/ha	5.0 kg/ha	2 per crop	BBCH 42	
				<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
				<i>Fenamidone</i>	<i>60 g/kg</i>					
Grisu	04836	Oxon Italia SpA	Fungicide			0.5 l/ha	1.5 l/ha	3 per crop	14 days before harvest	14 days
				<i>Iprodione</i>	<i>500 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling/ before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - Protected</i>											
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			33 g/100 litres water	-	3	14 days pre harvest	14 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Decis	02693	Bayer CropScience Limited	Insecticide	<i>Fenpropimorph</i>	<i>750 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Deltamethrin</i>	<i>25 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	04859	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metamitron</i>	<i>700 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>										
Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
				<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
				<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
				<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Corbel	90438	BASF plc	Fungicide				1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
Decis	02693	Bayer CropScience Limited	Insecticide				300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Ravane	05536	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Sparviero	04469	Oxon Italia SpA	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stratos Ultra	04936	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide				0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.2 l/ha	0.2 l/ha	1 / crop	7 days before harvest	7 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	42 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Rovral AquaFlo	02730	BASF plc	Seed Dressing			5.0 l/tonne seed	5.0 l/tonne seed	1	Prior to drilling /planting	
					<i>Iprodione</i>	<i>500 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Movento	04101	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	10 l/ha	-	every 7 days		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Basagran	02341	BASF plc	Herbicide			0.75 l/ha	1.5 l/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.4 kg/ha	0.8 kg/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Butisan S	90342	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha		8 weeks before harvest	8 weeks
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	28 days before harvest	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>										
NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
				<i>Garlic Extract</i>	<i>450 g/kg</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
				<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	1	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Fenomenal	04956	Bayer CropScience Limited	Fungicide			2.5 kg/ha	5.0 kg/ha	2 per crop	21 days before harvest	21 days
					<i>Fenamidone</i>	<i>60 g/kg</i>					
					<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globazar SC	04859	Globachem nv	Fungicide			1.0 l/ha	1.0 l/ha	1 per crop	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Life Scientific Azox	04405	Life Scientific Limited	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST</i>	<i>2% w/w</i>					
					<i>BIPESCO 5/F52</i>						
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Field</i>											
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3	7 days before harvest	7 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	1.0 l/ha	1	7 days post transplanting	7 days post tra
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid				50 mls/product/100 litres water	-	4	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
Fenomenal	04956	Bayer CropScience Limited	Fungicide				2.5 kg/ha	5.0 kg/ha	2 per crop	BBCH 42	
					<i>Fenamidone</i>	<i>60 g/kg</i>					
					<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Globaztar SC	04859	Globachem nv	Fungicide				1.0 l/ha	1.0 l/ha	1 per crop	14 days after transplanting	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Kerb Flo	02830	Dow AgroSciences	Herbicide				1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
Life Scientific Azox	04405	Life Scientific Limited	Fungicide				1.0 l/ha	1.0 l/ha	1 per crop	7 days after transplanting	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Paraat	03614	BASF plc	Fungicide				0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kgs/ha	3	14 days before harvest	14 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide				1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Scala	03916	BASF plc	Fungicide				1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - Protected</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.7 kg/ha	1.4 kg/ha	2	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Linseed</i>											
	Butisan S	90342	BASF plc	Herbicide			1.5 l/ha*	1.5 l/ha*	-	Before 10th true leaf stage*	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Devrinol	91627	UPL Europe Ltd	Herbicide			2.8 l/ha	2.8 l/ha	-	Pre-emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
<i>Loganberries</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Maize - Forage - Open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Forage - under plastic</i>											
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Grain - open ground</i>											
	Comet	02354	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
<i>Mange Tout Peas</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
<i>Mangolds</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
<i>Marrows</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>	3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	10 l/ha	-	every 7 days		0 days
<i>Melon - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>	6 mls per sq m	9 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mint</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Oilseed Rape - spring</i>											
	Galera	05188	Dow AgroSciences	Herbicide			0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
					<i>Picloram</i>	<i>67 g/l</i>					
					<i>Clopyralid</i>	<i>267 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	02106	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha		56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>12.8 % w/w</i>					
					<i>Tebuconazole</i>	<i>12.8 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	3	14 days before harvest	
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Pyramin DF	04264	BASF plc	Herbicide			1.4 kg/ha	1.4 kg/ha	-	Before GS 13	
					<i>Chloridazon</i>	<i>65% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Starane Hi-Load H	04549	Dow AgroSciences	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Basagran	02341	BASF plc	Herbicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>480 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha		14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pyramin DF	04264	BASF plc	Herbicide			1.4 kg/ha	1.4 kg/ha	-	Before GS 13	
					<i>Chloridazon</i>	<i>65% w/w</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	21 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
<i>Orchards - top fruit</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - Field</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	0.6 l/ha	1.2 l/ha	2	7 days pre harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	10 l/ha	-	every 7 days		0 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Bacillus subtilis</i>	<i>1.34% w/w</i>	4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Cycloxydim</i>	<i>100 g/l</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Parsley - Protected</i>											
	Revus	02789	Syngenta UK Ltd	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	1	7 days pre harvest	7 days

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4		10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3 l/ha	3 l/ha	1	8 weeks before harvest	8 weeks
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Movento	04101	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.6 l/ha	2 per crop	8 weeks before harvest	8 weeks
					<i>Spirotetramat</i>	<i>150 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Nativo 75 WG	03226	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.375 l/ha	0.75 l/ha	-	14 days before harvest	14 days
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator	<i>Thiacloprid</i>	<i>480 g/l</i>	7.5 l/ha *	7.5 l/ha	1 per year	Up to fruitlet diameter of 15 mm	
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.8 l/ha	3	After final harvest but before final leaf fall	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			125 gms/1 m crown height		1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3	3 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
<i>Peas - combining</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stallion Sync Tech	05483	FMC Chemical s.p.r.l.	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Pre-crop emergence	
					<i>Clomazone</i>	<i>30 g/l</i>					
					<i>Pendimethalin</i>	<i>333 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
<i>Peppers - Chilli - Protected</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticide			50 mls/product/100 litres water	-	5	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Globazar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Oberon	02529	Bayer CropScience Limited	Insecticide			50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.04 kgs/100 l water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			6 mls per sq m	9 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-	7 days before harvest	
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.3 l/ha	0.6 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
<i>Potatoes - Seed crops</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Azoxystrobin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - Ware crops</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			0.8 l/ha	2.4 l/ha	-	7 days pre-harvest	7 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
<i>Pumpkins - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
<i>Radicchio</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globazar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries</i>										
Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistrobin	04879	Servem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	7 days before harvest	
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
				<i>Clofentezine</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
				<i>Thiacloprid</i>	<i>480 g/l</i>					
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
				<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days before harvest	28 days
				<i>Pymetrozine</i>	<i>50 %w/w</i>					
Pyrimala	05429	Servem Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2	7 days before harvest	7 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Scala	03916	BASF plc	Fungicide			2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
				<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistrobin	04879	Servem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2	10 days before harvest	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Pyrimala	05429	Servem Ltd	Fungicide			2.0 l/ha	4.0 l/ha	2	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Rana	05283	Servem Ltd	Insecticide			0.25 l/ha	-	0.75 l/ha	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	14 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	2	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants</i>											
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Rhubarb</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Rocket</i>											
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rosemary</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Rubus Hybrid</i>										
Folicur 250 EW	00468	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	3 per year	14 days before harvest	14 days
				<i>Tebuconazole</i>	<i>250 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
				<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - spring</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Cyprodinil</i>	<i>300 g/kg</i>					
					<i>Picoxystrobin</i>	<i>80 g/kg</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	<i>250 g/l</i>					
	GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Mircam Super	02097	Nufarm UK Limited	Herbicide			3.0 l/ha	3.0 l/ha	1	GS 31	
					<i>MCPA</i>	<i>22.6 %w/w</i>					
					<i>Dicamba</i>	<i>2.8 %w/w</i>					
					<i>Mecoprop-P</i>	<i>20.9 %w/w</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	8 weeks before harvest	56 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per year	10 days before harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	03761	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3	7 days before harvest	
					<i>Cyprodinil</i>	<i>37.5 % w/w</i>					
					<i>Fludioxonil</i>	<i>25.0 % w/w</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Opti	03408	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Bravo 500	03452	Syngenta UK Ltd	Fungicide			2.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Curator	04504	Syngenta UK Ltd	Fungicide			2.5 l/ha	5.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>80 g/l</i>					
					<i>Chlorothalonil</i>	<i>400 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Folio Gold	02363	Syngenta UK Ltd	Fungicide			2.0 l/ha	6.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
					<i>Metalaxyl M</i>	<i>37.5 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	4 weeks before harvest	28 days
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Grisu	04836	Oxon Italia SpA	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Iprodione</i>	<i>500 g/l</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Jupital	04503	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	03082	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45 % w/w</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pyramin DF	04264	BASF plc	Herbicide			1.4 kg/ha	1.4 kg/ha	-	Before GS 13	
					<i>Chloridazon</i>	<i>65% w/w</i>					
	Rovral WG	02729	BASF plc	Fungicide			0.67 kgs/ha	2.67 kgs/ha	4	21 days pre harvest	21 days
					<i>Iprodione</i>	<i>750 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavdicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Vertik	04030	Syngenta UK Ltd	Fungicide			2.0 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>100 g/l</i>					
					<i>Chlorothalonil</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fenomenal	04956	Bayer CropScience Limited	Fungicide			2.5 kg/ha	5.0 kg/ha	2 per crop	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
					<i>Fenamidone</i>	<i>60 g/kg</i>					
	Infinito	02532	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.l.	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-		every 7 days	0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Spinach Beet</i>											
	Fenomenal	04956	Bayer CropScience Limited	Fungicide			2.5 kg/ha	5.0 kg/ha	2 per crop	21 days before harvest	21 days
					<i>Fenamidone</i>	<i>60 g/kg</i>					
					<i>Fosetyl (-aluminium)</i>	<i>600 g/kg</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Tracer	02649	Dow AgroSciences	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar Flowable	91516	DuPont (UK) Ltd	Herbicide			5 l/ha	5 l/ha	1	Pre-emergence	
					<i>Lenacil</i>	<i>440 g/l</i>					
<i>Squash - Protected</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistrobin	04879	Servem Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	3 days before harvest	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chess WG	03365	Syngenta UK Ltd	Insecticide			0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Life Scientific Azox	04405	Life Scientific Limited	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Masai	03585	BASF plc	Insecticide			375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Rana	05283	Servem Ltd	Insecticide			0.25 l/ha	-	0.5 l/ha	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Amistar	01351	Syngenta UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days pre-harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistrobin	04879	Servem Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4	3 days before harvest	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide				500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
					<i>Etoazole</i>	<i>110 g/l</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.25 l/ha	0.50 l/ha	2	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chess WG	03365	Syngenta UK Ltd	Insecticide				0.4 kg/ha	1.2 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
Dynamec	02640	Syngenta UK Ltd	Acaricide/Insecticid				50 mls/product/100 litres water	-	3	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					
Fortress	02364	Dow AgroSciences	Fungicide				0.25 l/ha	0.5 l/ha	2	14 days before harvest	14 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
Globazar SC	04859	Globachem nv	Fungicide				1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Life Scientific Azox	04405	Life Scientific Limited	Fungicide				1.0 l/ha	4.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Masai	03585	BASF plc	Insecticide				375 gms/ha	375 g/ha	1 / year	21 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide								
					<i>Sulphur</i>	<i>80 %w/w</i>					
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	3	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Oberon	02529	Bayer CropScience Limited	Insecticide				50mls per 100 litres water	-	2 per crop	3 days before harvest	3 days
					<i>Spiromesifen</i>	<i>240 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Rana	05283	Servem Ltd	Insecticide			0.25 l/ha	-	0.5 l/ha	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Sabik-1.8%	04907	Servem Ltd	Acaricide/Insecticid			50 mls / 100 l water	4.0 l/ha	3	3 days before harvest	3 days
					<i>Abamectin</i>	<i>18 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days before harvest	10 days
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	
	Corbel	90438	BASF plc	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Fenpropimorph</i>	<i>750 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Fortress	02364	Dow AgroSciences	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Quinoxifen</i>	<i>500 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha		N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Movento	04101	Bayer CropScience Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.3 l/ha	0.6 l/ha	2 per crop	8 weeks before harvest	8 weeks
					<i>Spirotetramat</i>	<i>150 g/l</i>					

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Sweetcorn</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
<i>Thyme</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	01351	Syngenta UK Ltd	Fungicide			100 mls / 100 litres water	300 mls / 300 litres water	3	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.45 l/ha	0.9 l/ha	2/crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Coragen	05295	DuPont (UK) Ltd	Insecticide			250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Curzate M WG	02110	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 %w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Electis 75 WG	01821	Gowan Comercio Internacional e Servicos Limitada	Fungicide			1.8 kg/ha	5.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Zoxamide</i>	<i>8.3 %w/w</i>					
					<i>Mancozeb</i>	<i>66.7 %w/w</i>					
	Globaztar SC	04859	Globachem nv	Fungicide			100ml per 100l water	300ml per 300l water	3 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Life Scientific Azox	04405	Life Scientific Limited	Fungicide			100 ml per 100L water		3 per crop	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Nimrod	90789	Adama Agricultural Solutions UK Ltd	Fungicide			0.2L per 100L water	-	6 per crop	2 days before harvest	2 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.06 kgs/100 litres water	-	3	3 days before harvest	3 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					
	Revus	02789	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			0.3 l/ha	0.9 l/ha	3 per crop		3 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - Protected</i>											
	Vivando	05685	BASF plc	Fungicide	<i>Metrafenone</i>	500 g/l	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Acanto Prima	04043	DuPont (UK) Ltd	Fungicide			2.5 kg/ha	4.0 kg/ha	2 per crop*	Before GS 73	
					<i>Picoxystrobin</i>	80 g/kg					
					<i>Cyprodinil</i>	300 g/kg					
	Barclay Bolt XL	04102	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	250 g/l					
	Barclay Propizole	04099	Barclay Chemicals Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
					<i>Propiconazole</i>	250 g/l					
	Bumper	03292	Adama Agricultural Solutions UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	35 days
					<i>Propiconazole</i>	250 g/l					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	600 g/l					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	600 g/l					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	25 g/l					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		before GS 85	
					<i>Deltamethrin</i>	25 g/l					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	-	Before GS22	
					<i>Prosulfocarb</i>	800 g/l					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	600 g/l					
	Empire Supreme	05061	Croplink (Ireland) Ltd	Herbicide			100 g/ha	100 g/ha	1 per crop	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	40 g/kg					
					<i>Thifensulfuron methyl</i>	400 g/kg					
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	67 g/kg					
					<i>Thifensulfuron methyl</i>	333 g/kg					
	Galileo	03015	DuPont (UK) Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	GS 71	
					<i>Picoxystrobin</i>	250 g/l					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	GAT Decline 2.5 E	04422	GAT Microencapsulation AG	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide	<i>Deltamethrin</i>	<i>25 g/l</i>	100 g/ha	100 g/ha	1	Before GS 39	
	Mircam Super	02097	Nufarm UK Limited	Herbicide	<i>Thifensulfuron methyl</i> <i>Metsulfuron (-methyl)</i>	<i>400 g/kg</i> <i>40 g/kg</i>	3.0 l/ha	3.0 l/ha	1	GS 31	
	Optica	02661	Nufarm UK Limited	Herbicide	<i>MCPA</i> <i>Mecoprop-P</i> <i>Dicamba</i>	<i>22.6 %w/w</i> <i>20.9 %w/w</i> <i>2.8 %w/w</i>	2.0 l/ha	2.0 l/ha	-	Before GS 33	
	Presite SX	02888	DuPont (UK) Ltd	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	75 g/ha	75 g/ha	1	Before GS 39	
	Propi 25 EC	04205	Sharda Europe b.v.b.a	Fungicide	<i>Thifensulfuron methyl</i> <i>Metsulfuron (-methyl)</i>	<i>333 g/kg</i> <i>67 g/kg</i>	0.5 l/ha	1.0 l/ha	2 per crop	Before GS 71	
	Twinprop	04427	DHM Agrochemicals Ltd.,	Herbicide	<i>Propiconazole</i> <i>Mecoprop-P</i>	<i>250 g/l</i> <i>600 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	01351	Syngenta UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4	10 days pre harvest	10 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha	2	7 days before harvest	
					<i>Thiacloprid</i>	<i>240 g/l</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	28 days before harvest	28 days
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Eminentos 10 CS	04933	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fortress	02364	Dow AgroSciences	Fungicide			0.3 l/ha	0.4 l/ha	2	28 days pre harvest	28 days
					<i>Quinoxifen</i>	<i>500 g/l</i>					
	Gazelle	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Chemical s.p.r.l.	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	GAT Microencapsulation AG	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Movento	04101	Bayer CropScience Limited	Insecticide			0.3 l/ha	0.6 l/ha	2 per crop	8 weeks before harvest	8 weeks
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	02445	Nissan Chemical Europe	Herbicide			2.5 l/ha	3.75 l/ha	2	16 weeks pre harvest	16 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Rudis	04665	Bayer CropScience Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	21 days before harvest	21 days
					<i>Prothioconazole</i>	<i>480 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
					<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
	Sparviero	04469	Oxon Italia SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>											
	Apollo	04056	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	1.2 l/ha	3	14 days pre harvest	14 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	CaLypso	02441	Bayer CropScience Limited	Insecticide			0.25 l/ha	0.75 l/ha	3	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Corbel	90438	BASF plc	Fungicide			1.0 l/ha	3.0 l/ha	3	2 weeks before harvest	2 weeks
					<i>Fenpropimorph</i>	<i>750 g/l</i>					
	Fusilade Max	01472	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1	Before flowering or after harvest	
					<i>Fluazifop-P (-butyl)</i>	<i>125 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Masai	03585	BASF plc	Insecticide			1.5 kgs/ha	1.5 kgs/ha	-	7 days before harvest	
					<i>Tebufenpyrad</i>	<i>200 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Plenum	02238	Syngenta UK Ltd	Insecticide			0.4 kgs/ha	1.2 kgs/ha	3	28 days pre harvest	28 days
					<i>Pymetrozine</i>	<i>50 %w/w</i>					

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants</i>										
Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			10 l/ha	-	every 7 days		0 days
				<i>Bacillus subtilis</i>	<i>1.34% w/w</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
Stroby WG	05092	BASF plc	Fungicide			0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
				<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
Tracer	02649	Dow AgroSciences	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
				<i>Spinosad</i>	<i>480 g/l</i>					

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

