

# **Plant Protection Products 2017**

**Issued by**

**Pesticide Control Division  
Department of Agriculture, Food & the Marine  
Backweston Laboratory Campus  
Young's Cross  
Celbridge  
Co. Kildare**

**February 2017**



## Content

|                     |                                                                                                                                                                                                                      |            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Introduction</b> |                                                                                                                                                                                                                      | <i>iii</i> |
| <b>Legislation</b>  |                                                                                                                                                                                                                      | <i>v</i>   |
| <b>Chapter 1</b>    | <b>List of plant protection products</b>                                                                                                                                                                             | <b>1</b>   |
| <b>Chapter 2</b>    | <b>Name changes accepted since publication of <i>Pesticides 2016</i></b>                                                                                                                                             | <b>77</b>  |
| <b>Chapter 3</b>    | <b>Plant Protection Products listed in <i>Pesticides 2016</i> for which registrations expired or were rescinded between 1/1/16 and 1/1/17</b>                                                                        | <b>81</b>  |
| <b>Chapter 4</b>    | <b>Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2017.</b> | <b>91</b>  |
| <b>Chapter 5</b>    | <b>Marketing Companies</b>                                                                                                                                                                                           | <b>101</b> |
| <b>Chapter 6</b>    | <b>Product name index by active substance</b>                                                                                                                                                                        | <b>109</b> |
| <b>Chapter 7</b>    | <b>List of off-label approvals have been granted up to 1/1/17 for use on food crops</b>                                                                                                                              | <b>129</b> |
| <b>Chapter 8</b>    | <b>List of off-label approvals have been granted up to 1/1/17 for use on non-food crops</b>                                                                                                                          | <b>243</b> |
| <b>Chapter 9</b>    | <b>List of Adjuvants included on the register on 1/1/17</b>                                                                                                                                                          | <b>335</b> |



## INTRODUCTION

This book contains the list of plant protection products that may be placed on the market and used in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009

Chapter 1 contains an alphabetical listing of the plant protection products registered on 1 January 2017. For each product, the following information is provided -

- ◆ its authorization, clearance, notification or permission to market number,
- ◆ the holder of the authorization, clearance, notification or permission to market,
- ◆ the marketing company
- ◆ the function of the product (*e.g.* herbicide, fungicide *etc.*),
- ◆ its formulation type (*e.g.* WP – wettable powder, EC – emulsifiable concentrate),
- ◆ the identity and content of each active substance in the product

Chapter 2 contains a list of the plant protection products for which a name change was accepted during 2016. Both the former and current names are provided.

Chapter 3 contains a list of the plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has expired or has been rescinded during 2016.

Chapter 4 contains a list of plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2017. The list contains the date of revocation of the registration and the date from which the use of the product will be illegal. Stocks of these products at wholesale or retail level after the registration revocation date or at user level after the use by date must be disposed of in an appropriate manner.

Chapter 5 contains the list of companies to which authorization, clearance or permission to market certificates have been issued or from which notifications have been accepted for products listed in this book, together with the

companies responsible for the marketing of the products. Addresses, and, where available, telephone and tele-facsimile numbers have been included.

Chapter 6 consists of an index of all products on the market on 1 January 2017, arranged by active substance.

Chapter 7 consists of a list of products for which off-label approvals for use on particular food crops have been granted up to 1/1/2017. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Chapter 8 consists of a list of products for which off-label approvals for use on non-food crops have been granted up to 1/1/2017. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

### Warning: Off-Label Approvals

Use of a plant protection product in accordance with an off-label approval is entirely at the risk of the user.

The directions for use provided on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9 consists of an alphabetical listing of adjuvants that on 1 January 2017 were included on the product register

### Active substances

The current status of over 1300 active substances can be found on the EU Pesticides database at the following link.

[http://ec.europa.eu/sanco\\_pesticides/public/?event=activesubstance.selection](http://ec.europa.eu/sanco_pesticides/public/?event=activesubstance.selection)

Detailed information on the status of active substances under Reg (EC) No 1107/2009 including, classification, EU maximum residue levels, toxicological information, Member states in which the substance is authorised at national level is included.

This publication is issued for the guidance of the reader. While every effort has been made to ensure that the information provided is complete and accurate, it must not be construed as being a definitive statement of the pesticide products that can be marketed or used.

The formal register of plant protection products that may be marketed and used is dynamic in nature. In cases of doubt, readers are advised to contact the –

**Pesticide Controls Division  
Department of Agriculture, Food and the Marine**

**Telephone Number      01-615 7552  
Facsimile Number        01-615 7575  
Electronic Mail          pcs@agriculture.gov.ie**

Details of currently registered PPP's and the crops on which they may be used can be obtained on the PCS website at [www.pcs.agriculture.ie](http://www.pcs.agriculture.ie)

Information on the arrangements for the authorization of plant protection products, together with relevant application forms and guidance documentation can be obtained on application made to the Regulatory and Enforcement Unit of the Pesticide Control Division, at the following address -

**Department of Agriculture, Food and the Marine  
Backweston Campus  
Youngs Cross  
Celbridge  
Co Kildare**

## LEGISLATION

Current statutory provisions require that prior to their marketing and use, plant protection products (PPP's) are authorized to ensure a high level of protection for humans, animals and the environment. To avoid damage to the health of those handling PPPs and ensure that the health of consumers is not compromised, it is essential that such products be used in accordance with label instructions, which, where relevant, include precautions to prevent damage to health or to the environment. The effectiveness of PPPs and their safety to crops is also assessed as part of the authorization process.

PPPs offered for sale are inspected at both wholesale and retail distribution levels, to ensure that the products on the market have been authorized, notified or granted a permission to market, in accordance with the legislation and to ensure that they are correctly packaged and labelled. In addition PPPs are sampled for subsequent analysis, to ensure that the products sold or supplied conform to the approved specification of the product authorized, notified or granted permission to market. A key element of the inspection programme undertaken involves inspections at farm level, and inspections of other end user's premises.

Agricultural produce offered for sale is routinely sampled and analyzed for its pesticide residue content. Produce found to contain residues exceeding Maximum Residue Levels (MRLs) may be destroyed at the owner's expense and without payment of compensation. In accordance with the relevant statutory provisions, offenders are liable to imprisonment, to being fined or to both. The presence of excessive residues is indicative of misuse of the PPPs concerned. The immediate and long-term health risks for consumers exposed to such residues are well established.

It should be noted that although the authorization system in place for plant protection products includes the consideration of the performance of products, in terms of their effectiveness and safety to crops, such evaluations have only been completed for plant protection products authorized since 1 October 1994. Notified and cleared plant protection products, or those granted a permission to market, at an earlier date have not been checked, by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine with regard to their effectiveness for the purpose intended.

Users of plant protection products, are reminded that label instructions concerning the handling of PPPs and the use of protective clothing and

equipment, must be carefully followed to avoid damage to the health of those concerned with their use. The adherence to label instructions concerning rates and timing of applications is essential to ensure that consumers are not at put risk from the presence of excessive residues in treated crops. It is especially important that the prescribed intervals between last application and harvest be observed. Strict adherence to label instructions on method and manner of use and on disposal of packaging is necessary to avoid contamination of the environment and to prevent damage to wildlife.

The use of plant protection products in a manner other than that provided for on product labels is an offence that is subject to prosecution.

Only PPPs included in the formal register maintained by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine may be sold and used. However stocks of PPPs for which the relevant authorization, clearance, notification or permission to market has been recently withdrawn may still be available in some retail outlets. Retail distributors are advised to dispose of such stocks as soon as possible either through sale or safe disposal.

## Other Publications

### Pesticide Residues in Food

Pesticide Residues in Food is an annual publication containing the results of the national control programme for pesticide residues in food, carried out by the Pesticide Controls Division. The programme is aimed at ensuring that consumers are not exposed to unacceptable pesticide residues. The programme also serves to identify incidents of unauthorised use and as a means to check that pesticides are being correctly applied to crops. The control programme in place involves the sampling of imported and domestic produce of plant and animal origin.

### Pesticide Usage Survey

To date Pesticide Usage surveys have been published, on grassland and fodder crops, arable crops, vegetable crops and mushrooms. These surveys have been carried out to quantify the amounts and types of pesticides being used on different

**crops. The data generated provides critical information for use in assessing the impact of pesticide use on the environment and will be of great benefit in ensuring the sustainable development of the sector.**

**Further surveys are planned for 2017.**

**Copies of the Pesticide Residues in Food and the Pesticide Usage surveys are available on our website at [www.pcs.agriculture.gov.ie](http://www.pcs.agriculture.gov.ie)**



# **Chapter 1**

## **List of Plant Protection Products**



| <i>Product Name</i>        | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                     | <i>Content</i>                     |
|----------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|---------------------------------------------|------------------------------------|
| 3 Hour Weedkiller          | 92328         | Bayer CropScience Limited           | Bayer Garden                        | Herbicide        | AL                      | Amateur          | <i>Fatty Acid - C7-C20</i>                  | <i>3 %w/w</i>                      |
| 7C Chloromequat            | 04744         | Taminco BVBA.                       | Taminco BVBA.                       | Growth Regulator | SL                      | Professional     | <i>Chloromequat</i>                         | <i>750 g/l</i>                     |
| A12877S                    | 04829         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>                           | <i>8.39 g/l</i>                    |
| Abringo                    | 04239         | Certiplant N.V.                     | Belcrop N.V.                        | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                       | <i>500 g/l</i>                     |
| Acamar WG                  | 05281         | Servem Ltd                          | Servem Ltd                          | Fungicide        | WG                      | Professional     | <i>Iprodione</i>                            | <i>750 g/kg</i>                    |
| Acanto                     | 02158         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Fungicide        | SC                      | Professional     | <i>Picoxystrobin</i>                        | <i>250 g/l</i>                     |
| Acanto Prima               | 04043         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Fungicide        | SG                      | Professional     | <i>Cyprodinil</i><br><i>Picoxystrobin</i>   | <i>300 g/kg</i><br><i>80 g/kg</i>  |
| Accent                     | 03842         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide        | WG                      | Professional     | <i>Nicosulfuron</i>                         | <i>750 g/kg</i>                    |
| Accurate                   | 02872         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide        | WG                      | Professional     | <i>Metsulfuron (-methyl)</i>                | <i>20 %w/w</i>                     |
| Acrobat MZ                 | 04059         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | WG                      | Professional     | <i>Dimethomorph</i><br><i>Mancozeb</i>      | <i>75 g/kg</i><br><i>667 g/kg</i>  |
| Acute                      | 05170         | Generica Europa Ltd                 | Generica Europa Ltd                 | Herbicide        | EC                      | Professional     | <i>Pinoxaden</i>                            | <i>100 g/l</i>                     |
| Adexar                     | 04324         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i><br><i>Fluxapyroxad</i> | <i>62.5 g/l</i><br><i>62.5 g/l</i> |
| Advanced Bug Killer        | 92348         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Insecticide      | EC                      | Amateur          | <i>Pyrethrins</i>                           | <i>4.59 g/l</i>                    |
| Advanced Moss Killer       | 92327         | Bayer CropScience Limited           | Bayer Garden                        | Herbicide        | AL                      | Amateur          | <i>Fatty Acid - C7-C20</i>                  | <i>3 % w/w</i>                     |
| Afalon Liquid              | 02839         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SC                      | Professional     | <i>Linuron</i>                              | <i>450 g/l</i>                     |
| Aftercut Autumn All in One | 05209         | Westland Horticulture Ltd           | Westland Horticulture Ltd           | Herbicide        | GR                      | Amateur          | <i>Ferrous Sulphate</i>                     | <i>32.3% w/w</i>                   |
| Agrichem Flowable Thiram   | 00166         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Seed Dressing    | SC                      | Professional     | <i>Thiram</i>                               | <i>600 g/l</i>                     |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                                                  | <i>Content</i>                                      |
|---------------------|---------------|---------------------------------|---------------------------------|-----------------|-------------------------|------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Agritox             | 05498         | Nufarm UK Limited               | Nufarm UK Limited               | Herbicide       | SL                      | Professional     | <i>MCPA</i>                                                                              | <i>500 g/l</i>                                      |
| Agritox 500         | 05499         | Nufarm UK Limited               | Nufarm UK Limited               | Herbicide       | SL                      | Professional     | <i>MCPA</i>                                                                              | <i>500 g/l</i>                                      |
| Agrizeb             | 03633         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Fungicide       | WP                      | Professional     | <i>Mancozeb</i>                                                                          | <i>800 g/kg</i>                                     |
| Agroxone 50         | 05500         | Nufarm UK Limited               | Hygeia Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>MCPA</i>                                                                              | <i>500 g/l</i>                                      |
| Alister             | 02844         | Bayer CropScience Limited       | Bayer CropScience Limited       | Herbicide       | OD                      | Professional     | <i>Diflufenican</i><br><i>Iodosulfuron-methyl-sodium</i><br><i>Mesosulfuron - methyl</i> | <i>150 g/l</i><br><i>3 g/l</i><br><i>9 g/l</i>      |
| Alister Flex        | 05183         | Bayer CropScience Limited       | Bayer CropScience Limited       | Herbicide       | OD                      | Professional     | <i>Diflufenican</i><br><i>Iodosulfuron-methyl-sodium</i><br><i>Mesosulfuron - methyl</i> | <i>120 g/l</i><br><i>7.5 g/l</i><br><i>9 g/l</i>    |
| Allegro Plus        | 02371         | BASF plc                        | BASF Ireland Ltd                | Fungicide       | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Fenpropimorph</i><br><i>Kresoxim Methyl</i>                   | <i>125 g/l</i><br><i>150 g/l</i><br><i>125 g/l</i>  |
| Ally Express        | 02259         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd            | Herbicide       | WG                      | Professional     | <i>Carfentrazone-ethyl</i><br><i>Metsulfuron (-methyl)</i>                               | <i>400 g/kg</i><br><i>100 g/kg</i>                  |
| Ally Max SX         | 03435         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd            | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Tribenuron (-methyl)</i>                              | <i>143 g/kg</i><br><i>143 g/kg</i>                  |
| Ally SX             | 02133         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd            | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>                                                             | <i>200 g/kg</i>                                     |
| Ally Ultra          | 05075         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Herbicide       | SG                      | Professional     | <i>Florasulam</i><br><i>Metsulfuron (-methyl)</i><br><i>Tribenuron (-methyl)</i>         | <i>105 g/kg</i><br><i>83 g/kg</i><br><i>83 g/kg</i> |
| Ambush              | 04509         | DHM Agrochemicals Ltd.,         | DHM Agrochemicals Ltd.,         | Insecticide     | EC                      | Professional     | <i>Cypermethrin</i>                                                                      | <i>100 g/l</i>                                      |
| Amistar             | 01351         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>                                                                      | <i>250 g/l</i>                                      |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                      | <i>Marketing Company</i>                         | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i> |
|---------------------|---------------|--------------------------------------------------|--------------------------------------------------|-----------------|-------------------------|------------------|-------------------------|----------------|
| Amistar Opti        | 03408         | Syngenta UK Ltd                                  | Syngenta Ireland Ltd                             | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>     | 80 g/l         |
|                     |               |                                                  |                                                  |                 |                         |                  | <i>Chlorothalonil</i>   | 400 g/l        |
| Amistrobin          | 04879         | Servem Ltd                                       | Servem Ltd                                       | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>     | 250 g/l        |
| Anchor              | 01247         | Arysta LifeScience Great Britain Ltd             | Arysta LifeScience Great Britain Ltd             | Seed Dressing   | FS                      | Professional     | <i>Carboxin</i>         | 200 g/l        |
|                     |               |                                                  |                                                  |                 |                         |                  | <i>Thiram</i>           | 200 g/l        |
| Anthem              | 04761         | Adama Agricultural Solutions UK Ltd              | Adama Agricultural Solutions UK Ltd              | Herbicide       | SC                      | Professional     | <i>Pendimethalin</i>    | 400 g/l        |
| Aphox               | 03795         | Syngenta UK Ltd                                  | Syngenta Ireland Ltd                             | Insecticide     | WG                      | Professional     | <i>Pirimicarb</i>       | 500 g/kg       |
| Apollo              | 04056         | Adama Agricultural Solutions UK Ltd              | Adama Agricultural Solutions UK Ltd              | Acaricide       | SC                      | Professional     | <i>Clofentezine</i>     | 500 g/l        |
| Arbiter             | 05270         | Barclay Chemicals Ltd                            | Barclay Chemicals Ltd                            | Herbicide       | EC                      | Professional     | <i>Fluroxypyr</i>       | 200 g/l        |
| Ardee XL            | 05571         | Barclay Chemicals Ltd                            | Barclay Chemicals Ltd                            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>       | 360 g/l        |
| Arizona             | 04555         | Adama Agricultural Solutions UK Ltd              | Adama Agricultural Solutions UK Ltd              | Fungicide       | SC                      | Professional     | <i>Folpet</i>           | 500 g/l        |
| Ascra Xpro          | 05240         | Bayer CropScience Limited                        | Bayer CropScience Limited                        | Fungicide       | EC                      | Professional     | <i>Bixafen</i>          | 65 g/l         |
|                     |               |                                                  |                                                  |                 |                         |                  | <i>Fluopyram</i>        | 65 g/l         |
|                     |               |                                                  |                                                  |                 |                         |                  | <i>Prothioconazole</i>  | 130 g/l        |
| Asteroid            | 01990         | Cheminova A/S                                    | Headland Agrochemicals Ltd                       | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>       | 360 g/l        |
| Asteroid Biocare    | 03936         | Cheminova A/S                                    | Headland Agrochemicals Ltd                       | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>       | 360 g/l        |
| Astrokerb           | 05322         | Dow AgroSciences                                 | Dow AgroSciences                                 | Herbicide       | SC                      | Professional     | <i>Aminopyralid</i>     | 6.3 g/l        |
|                     |               |                                                  |                                                  |                 |                         |                  | <i>Propyzamide</i>      | 500 g/l        |
| Avadex Excel 15G    | 04710         | Gowan Comercio Internacional e Servicos Limitada | Gowan Comercio Internacional e Servicos Limitada | Herbicide       | GR                      | Professional     | <i>Tri-allate</i>       | 15.63% w/w     |

| <i>Product Name</i>                     | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i>   |
|-----------------------------------------|---------------|---------------------------------|---------------------------------|-----------------|-------------------------|------------------|-------------------------|------------------|
| Aviator Xpro                            | 03687         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide       | EC                      | Professional     | <i>Bixafen</i>          | <i>75 g/l</i>    |
|                                         |               |                                 |                                 |                 |                         |                  | <i>Prothioconazole</i>  | <i>150 g/l</i>   |
| Axcela                                  | 04839         | Lonza Cologne GmbH              | Lonza Cologne GmbH              | Molluscicide    | GB                      | Professional     | <i>Metaldehyde</i>      | <i>30 g/kg</i>   |
| Axial                                   | 02282         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Herbicide       | EC                      | Professional     | <i>Pinoxaden</i>        | <i>100 g/l</i>   |
| Axial One                               | 04132         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Herbicide       | EC                      | Professional     | <i>Florasulam</i>       | <i>5 g/l</i>     |
|                                         |               |                                 |                                 |                 |                         |                  | <i>Pinoxaden</i>        | <i>45 g/l</i>    |
| Aylora                                  | 05012         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>   | <i>250 g/l</i>   |
|                                         |               |                                 |                                 |                 |                         |                  | <i>Penthiopyrad</i>     | <i>100 g/l</i>   |
| Azaka                                   | 05218         | Cheminova A/S                   | Headland Agrochemicals Ltd      | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>     | <i>250 g/l</i>   |
| Az-Tec                                  | 04889         | Unichem Limited                 | Unichem Limited                 | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>     | <i>250 g/l</i>   |
| B&Q Path & Patio Weedkiller             | 04011         | Syngenta UK Ltd                 | B & Q plc                       | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| B&Q Path & Patio Weedkiller Concentrate | 04014         | Syngenta UK Ltd                 | B & Q plc                       | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>       | <i>151.4 g/l</i> |
| B&Q Value Tough Action Weedkiller       | 04012         | Syngenta UK Ltd                 | B & Q plc                       | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| B&Q Weedkiller                          | 04010         | Syngenta UK Ltd                 | B & Q plc                       | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| B&Q Weedkiller Concentrate              | 04013         | Syngenta UK Ltd                 | B & Q plc                       | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>       | <i>151.4 g/l</i> |
| Baby Bio House Plant Insecticide        | 03330         | Bayer CropScience Limited       | Bayer CropScience Limited       | Insecticide     | AL                      | Amateur          | <i>Thiacloprid</i>      | <i>0.15 g/l</i>  |
| Bacara                                  | 04317         | Bayer CropScience Limited       | Bayer CropScience Limited       | Herbicide       | SC                      | Professional     | <i>Diflufenican</i>     | <i>100 g/l</i>   |
|                                         |               |                                 |                                 |                 |                         |                  | <i>Flurtamone</i>       | <i>250 g/l</i>   |
| Balear 720 SC                           | 04411         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>   | <i>720 g/l</i>   |

| <i>Product Name</i>             | <i>PCS No</i> | <i>Authorization Holder</i>      | <i>Marketing Company</i>         | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>   | <i>Content</i>   |
|---------------------------------|---------------|----------------------------------|----------------------------------|-----------------|-------------------------|------------------|---------------------------|------------------|
| Bandock EW                      | 04680         | Arysta LifeScience Benelux SPRL  | Arysta LifeScience Benelux SPRL  | Herbicide       | EW                      | Professional     | <i>2,4-D</i>              | <i>200 g/l</i>   |
|                                 |               |                                  |                                  |                 |                         |                  | <i>Dicamba</i>            | <i>85 g/l</i>    |
|                                 |               |                                  |                                  |                 |                         |                  | <i>Triclopyr</i>          | <i>65 g/l</i>    |
| Bandon MCPA 30                  | 03751         | Hygeia Chemicals Ltd             | Bandon Agricultural Products Ltd | Herbicide       | SL                      | Professional     | <i>MCPA</i>               | <i>300 g/l</i>   |
| Banner Maxx                     | 02715         | Syngenta UK Ltd                  | Syngenta Ireland Ltd             | Fungicide       | EC                      | Professional     | <i>Propiconazole</i>      | <i>156 g/l</i>   |
| Banspray                        | 90140         | Unichem Limited                  | Unichem Limited                  | Herbicide       | SL                      | Professional     | <i>Dicamba</i>            | <i>10.79 g/l</i> |
|                                 |               |                                  |                                  |                 |                         |                  | <i>MCPA</i>               | <i>99.80 g/l</i> |
|                                 |               |                                  |                                  |                 |                         |                  | <i>Mecoprop-P</i>         | <i>91.5 g/l</i>  |
| Banweed Special Extra           | 92339         | Bandon Agricultural Products Ltd | Bandon Agricultural Products Ltd | Herbicide       | SL                      | Professional     | <i>Dicamba</i>            | <i>10.79 g/l</i> |
|                                 |               |                                  |                                  |                 |                         |                  | <i>MCPA</i>               | <i>99.80 g/l</i> |
|                                 |               |                                  |                                  |                 |                         |                  | <i>Mecoprop-P</i>         | <i>91.50 g/l</i> |
| Barbarian XL                    | 05572         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>         | <i>360 g/l</i>   |
| Barclay Avoca                   | 04458         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |
| Barclay Bolt XL                 | 04102         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Fungicide       | EC                      | Professional     | <i>Propiconazole</i>      | <i>250 g/l</i>   |
| Barclay Cypersect XL            | 90170         | Arysta LifeScience Benelux SPRL  | Barclay Chemicals Ltd            | Insecticide     | EC                      | Professional     | <i>Cypermethrin</i>       | <i>10.8 %w/w</i> |
| Barclay Dimethosect             | 90172         | Cheminova A/S                    | Barclay Chemicals Ltd            | Insecticide     | EC                      | Professional     | <i>Dimethoate</i>         | <i>400 g/l</i>   |
| Barclay D-Quat                  | 03974         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Dessicant       | SL                      | Professional     | <i>Diquat (dibromide)</i> | <i>200 g/l</i>   |
| Barclay Eyetak 40               | 90177         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Fungicide       | EC                      | Professional     | <i>Prochloraz</i>         | <i>400 g/l</i>   |
| Barclay Eyetak 450              | 01953         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Fungicide       | EC                      | Professional     | <i>Prochloraz</i>         | <i>450 g/l</i>   |
| Barclay Gallup Biograde 360     | 02126         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>         | <i>360 g/l</i>   |
| Barclay Gallup Biograde 450     | 02434         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>         | <i>450 g/l</i>   |
| Barclay Gallup Biograde Amenity | 02910         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>         | <i>360 g/l</i>   |

| <i>Product Name</i>      | <i>PCS No</i> | <i>Authorization Holder</i>       | <i>Marketing Company</i>         | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                  | <i>Content</i>                      |
|--------------------------|---------------|-----------------------------------|----------------------------------|------------------|-------------------------|------------------|------------------------------------------|-------------------------------------|
| Barclay Gallup Hi-Aktiv  | 02435         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                        | <i>490 g/l</i>                      |
| Barclay Holdup 750       | 04743         | Taminco BVBA.                     | Barclay Chemicals Ltd            | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>                       | <i>750 g/l</i>                      |
| Barclay Hudson           | 02915         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                        | <i>180 g/l</i>                      |
| Barclay Hurler           | 02905         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                        | <i>200 g/l</i>                      |
| Barclay Keeper 200       | 02134         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | EC                      | Professional     | <i>Ethofumesate</i>                      | <i>200 g/l</i>                      |
| Barclay Keeper 500       | 02338         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | SC                      | Professional     | <i>Ethofumesate</i>                      | <i>500 g/l</i>                      |
| Barclay Propizole        | 04099         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Fungicide        | EC                      | Professional     | <i>Propiconazole</i>                     | <i>250 g/l</i>                      |
| Barclay Propyz           | 04006         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                       | <i>400 g/l</i>                      |
| Barclay Propyzaflash     | 04007         | Barclay Chemicals Ltd             | Barclay Chemicals Ltd            | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                       | <i>400 g/l</i>                      |
| Basagran                 | 02341         | BASF plc                          | BASF Ireland Ltd                 | Herbicide        | SL                      | Professional     | <i>Bentazone</i>                         | <i>480 g/l</i>                      |
| Basagran SG              | 05192         | BASF plc                          | BASF Ireland Ltd                 | Herbicide        | SG                      | Professional     | <i>Bentazone</i>                         | <i>870 g/kg</i>                     |
| Basamid Granular         | 90213         | Kanesho Soil Treatment BVBA       | Certis Europe BV                 | Sterilant        | GR                      | Professional     | <i>Dazomet</i>                           | <i>97 %w/w</i>                      |
| Basilex Ultra            | 04815         | Sumitomo Chemical Agro Europe SAS | Interfarm UK Ltd                 | Fungicide        | SC                      | Professional     | <i>Tolclofos-methyl</i>                  | <i>500 g/l</i>                      |
| Bayer Garden Slug Killer | 05419         | W. Neudorff GmbH KG               | Bayer Garden                     | Molluscicide     | RB                      | Amateur          | <i>Ferric Phosphate</i>                  | <i>10 g/kg</i>                      |
| Beetshield               | 04632         | DHM Agrochemicals Ltd.,           | DHM Agrochemicals Ltd.,          | Herbicide        | SL                      | Professional     | <i>Clopyralid</i>                        | <i>100 g/l</i>                      |
| Bellis                   | 03798         | BASF plc                          | BASF Ireland Ltd                 | Fungicide        | WG                      | Professional     | <i>Boscalid</i><br><i>Pyraclostrobin</i> | <i>25.2%w/w</i><br><i>12.8 %w/w</i> |
| Benta 480 SL             | 04206         | Sharda Europe b.v.b.a             | Sharda Worldwide Exports Pvt Ltd | Herbicide        | SL                      | Professional     | <i>Bentazone</i>                         | <i>480 g/l</i>                      |
| Berelex                  | 90246         | Valent BioSciences                | Valent BioSciences               | Growth Regulator | TB                      | Professional     | <i>Gibberellic acid</i>                  | <i>9.7 %w/w</i>                     |



| <i>Product Name</i>                    | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>    | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                                            | <i>Content</i>                      |
|----------------------------------------|---------------|-----------------------------|-----------------------------|------------------|-------------------------|------------------|------------------------------------------------------------------------------------|-------------------------------------|
| Beret Gold                             | 04278         | Syngenta UK Ltd             | Syngenta Ireland Ltd        | Seed Dressing    | FS                      | Professional     | <i>Fludioxonil</i>                                                                 | 25 g/l                              |
| Beret Multi                            | 03040         | Syngenta UK Ltd             | Syngenta Ireland Ltd        | Seed Dressing    | FS                      | Professional     | <i>Fludioxonil</i><br><i>Flutriafol</i>                                            | 25 g/l<br>25 g/l                    |
| Beretta                                | 04835         | Certiplant N.V.             | Belcrop N.V.                | Herbicide        | SL                      | Professional     | <i>Diquat (dibromide)</i>                                                          | 200 g/l                             |
| Betanal Expert                         | 03570         | Bayer CropScience Limited   | Bayer CropScience Limited   | Herbicide        | EC                      | Professional     | <i>Desmedipham</i><br><i>Ethofumesate</i><br><i>Phenmedipham</i>                   | 25 g/l<br>151 g/l<br>75 g/l         |
| Betanal MaxxPro                        | 04266         | Bayer CropScience Limited   | Bayer CropScience Limited   | Herbicide        | OD                      | Professional     | <i>Desmedipham</i><br><i>Ethofumesate</i><br><i>Lenacil</i><br><i>Phenmedipham</i> | 47g/l<br>75 g/l<br>27 g/l<br>60 g/l |
| Biathlon                               | 01913         | BASF plc                    | BASF Ireland Ltd            | Herbicide        | WG                      | Professional     | <i>Tritosulfuron</i>                                                               | 714.0 g/kg                          |
| Binder                                 | 05113         | DHM Agrochemicals Ltd.,     | DHM Agrochemicals Ltd.,     | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                                                                  | 200 g/l                             |
| Bio Blast Fruit & Vegetable Bug Killer | 05361         | Agropharm Ltd               | Rentokil Initial UK Ltd     | Insecticide      | AL                      | Amateur          | <i>Pyrethrins</i>                                                                  | 0.2 g/l                             |
| Bio Blast Rose & Flower Bug Killer     | 05360         | Agropharm Ltd               | Rentokil Initial UK Ltd     | Insecticide      | AL                      | Amateur          | <i>Pyrethrins</i>                                                                  | 0.2 g/l                             |
| Biofresh Safestore                     | 04732         | Freshpallet Ltd             | Freshpallet Ltd             | Growth Regulator | GA                      | Professional     | <i>Ethylene</i>                                                                    | 99.9% v/v                           |
| Biox-M                                 | 05431         | Xeda International S.A.     | Juno (Plant Protection) Ltd | Growth Regulator | HN                      | Professional     | <i>Spearmint oil</i>                                                               | 100% w/w                            |
| Biplay SX                              | 03434         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd        | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Tribenuron (-methyl)</i>                        | 111 g/kg<br>222 g/kg                |
| Biscaya                                | 03602         | Bayer CropScience Limited   | Bayer CropScience Limited   | Insecticide      | OD                      | Professional     | <i>Thiacloprid</i>                                                                 | 240 g/l                             |
| Blaster Pro                            | 04263         | Dow AgroSciences            | Dow AgroSciences            | Herbicide        | EC                      | Professional     | <i>Clopyralid</i><br><i>Triclopyr</i>                                              | 60 g/l<br>240 g/l                   |

| <i>Product Name</i>         | <i>PCS No</i> | <i>Authorization Holder</i>                | <i>Marketing Company</i>                   | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                        | <i>Content</i>               |
|-----------------------------|---------------|--------------------------------------------|--------------------------------------------|------------------|-------------------------|------------------|----------------------------------------------------------------|------------------------------|
| B-Nine SG                   | 03412         | Arysta LifeScience Great Britain Ltd       | Certis Europe BV                           | Growth Regulator | WG                      | Professional     |                                                                |                              |
| Bontima                     | 03932         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide        | EC                      | Professional     | <i>Daminozide</i>                                              | 85 %w/w                      |
| Boogie Xpro                 | 03689         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Fungicide        | EC                      | Professional     | <i>Cyprodinil</i><br><i>Isopyrazam</i>                         | 187.5 g/l<br>62.5 g/l        |
| Borneo                      | 04235         | Sumitomo Chemical Agro Europe SAS          | Interfarm UK Ltd                           | Acaricide        | SC                      | Professional     | <i>Bixafen</i><br><i>Prothioconazole</i><br><i>Spiroxamine</i> | 50 g/l<br>100 g/l<br>250 g/l |
| Boudha                      | 04443         | Rotam Agrochemical Europe Ltd              | Rotam Agrochemical Europe Ltd              | Herbicide        | WG                      | Professional     | <i>Etoxazole</i>                                               | 110 g/l                      |
| Boxer                       | 02048         | Dow AgroSciences                           | Dow AgroSciences                           | Herbicide        | SC                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Tribenuron (-methyl)</i>    | 250 g/kg<br>250 g/kg         |
| Bramble Killer Ultra        | 03078         | Barclay Chemicals Ltd                      | Barclay Chemicals Ltd                      | Herbicide        | AL                      | Amateur          | <i>Florasulam</i>                                              | 50 g/l                       |
| Bravo 500                   | 03452         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide        | SC                      | Professional     | <i>Glyphosate</i>                                              | 7.2 g/l                      |
| Broadway Star               | 05300         | Dow AgroSciences                           | Dow AgroSciences                           | Herbicide        | WG                      | Professional     | <i>Chlorothalonil</i>                                          | 500 g/l                      |
| Brogue                      | 03993         | Mitsui Agriscience International S.A./N.V. | Mitsui Agriscience International S.A./N.V. | Dessicant        | SL                      | Professional     | <i>Florasulam</i><br><i>Pyroxsulam</i>                         | 1.4% w/w<br>7.1% w/w         |
| Bug Clear Fruit & Veg       | 05007         | The Scotts Company (UK) Ltd                | The Scotts Company (UK) Ltd                | Insecticide      | EC                      | Amateur          | <i>Diquat (dibromide)</i>                                      | 200 g/l                      |
| Bug Clear Fruit & Veg Gun!  | 05008         | The Scotts Company (UK) Ltd                | The Scotts Company (UK) Ltd                | Insecticide      | AL                      | Amateur          | <i>Plant Oils / Rape seed oil</i>                              | 777 g/l                      |
| Bug Clear Gardener's Choice | 05456         | The Scotts Company (UK) Ltd                | The Scotts Company (UK) Ltd                | Insecticide      | AL                      | Amateur          | <i>Plant Oils / Rape seed oil</i>                              | 17 g/l                       |
| Bug Clear Ultra             | 02388         | The Scotts Company (UK) Ltd                | The Scotts Company (UK) Ltd                | Insecticide      | SL                      | Amateur          | <i>Plant Oils / Rape seed oil</i>                              | 17 g/l                       |
| Bug Clear Ultra for Pots    | 02585         | The Scotts Company (UK) Ltd                | The Scotts Company (UK) Ltd                | Insecticide      | PR                      | Amateur          | <i>Acetamiprid</i>                                             | 0.5 %w/w                     |
|                             |               |                                            |                                            |                  |                         |                  | <i>Acetamiprid</i>                                             | 4 %w/w                       |

| <i>Product Name</i>                | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                     |
|------------------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------------|------------------------------------|
| Bug Clear Ultra Gun!               | 02520         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Insecticide     | ME                      | Amateur          | <i>Acetamiprid</i>                                          | <i>0.05 g/l</i>                    |
| Bug Clear Ultra Vine Weevil Killer | 02386         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Insecticide     | SL                      | Amateur          | <i>Acetamiprid</i>                                          | <i>5 g/l</i>                       |
| Buggy SG                           | 02504         | Sipcam U.K. Ltd                     | Sipcam U.K. Ltd                     | Herbicide       | WG                      | Professional     | <i>Glyphosate</i>                                           | <i>360 g/kg</i>                    |
| Bulldog                            | 05651         | Oxon Italia SpA                     | Sipcam U.K. Ltd                     | Herbicide       | CS                      | Professional     | <i>Diflufenican</i><br><i>Pendimethalin</i>                 | <i>15.6 g/l</i><br><i>313 g/l</i>  |
| Bumper                             | 03292         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide       | EC                      | Professional     | <i>Propiconazole</i>                                        | <i>250 g/l</i>                     |
| Butisan S                          | 90342         | BASF plc                            | BASF Ireland Ltd                    | Herbicide       | SC                      | Professional     | <i>Metazachlor</i>                                          | <i>500 g/l</i>                     |
| Butoxone DB                        | 02968         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide       | SL                      | Professional     | <i>2,4-DB</i>                                               | <i>400 g/l</i>                     |
| Butryflow                          | 03659         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide       | SC                      | Professional     | <i>Bromoxynil</i>                                           | <i>401.58 g/l</i>                  |
| Buzzin                             | 05490         | Sharda Europe b.v.b.a               | Sharda Europe b.v.b.a               | Herbicide       | WG                      | Professional     | <i>Metribuzin</i>                                           | <i>700 g/kg</i>                    |
| Cabadex                            | 03749         | Dow AgroSciences                    | Headland Agrochemicals Ltd          | Herbicide       | SE                      | Professional     | <i>Florasulam</i><br><i>Fluroxypyr</i>                      | <i>2.5 g/l</i><br><i>100 g/l</i>   |
| Cadou Star                         | 03439         | Bayer CropScience Limited           | Bayer CropScience Limited           | Herbicide       | WG                      | Professional     | <i>Flufenacet</i><br><i>Isoxaflutole</i>                    | <i>480 g/kg</i><br><i>100 g/kg</i> |
| Calaris                            | 02711         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide       | SC                      | Professional     | <i>Mesotrione</i><br><i>Terbuthylazine</i>                  | <i>70 g/l</i><br><i>330 g/l</i>    |
| Calibre Max SX                     | 03438         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide       | SG                      | Professional     | <i>Thifensulfuron methyl</i><br><i>Tribenuron (-methyl)</i> | <i>400 g/kg</i><br><i>100 g/kg</i> |
| Calibre SX                         | 03436         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Herbicide       | SG                      | Professional     | <i>Thifensulfuron methyl</i><br><i>Tribenuron (-methyl)</i> | <i>333 g/kg</i><br><i>167 g/kg</i> |
| Callisto                           | 02587         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide       | SL                      | Professional     | <i>Mesotrione</i>                                           | <i>100 g/l</i>                     |

| <i>Product Name</i>   | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                            | <i>Content</i>                                     |
|-----------------------|---------------|-----------------------------|---------------------------|------------------|-------------------------|------------------|--------------------------------------------------------------------|----------------------------------------------------|
| CaLypso               | 02441         | Bayer CropScience Limited   | Bayer CropScience Limited | Insecticide      | SC                      | Professional     | <i>Thiacloprid</i>                                                 | <i>480 g/l</i>                                     |
| Cameo Max SX          | 03135         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd      | Herbicide        | WG                      | Professional     | <i>Thifensulfuron methyl</i><br><i>Tribenuron (-methyl)</i>        | <i>250 g/kg</i><br><i>250 g/kg</i>                 |
| Cameo SX              | 03431         | DuPont (UK) Ltd             | DuPont (UK) Ltd           | Herbicide        | SG                      | Professional     | <i>Tribenuron (-methyl)</i>                                        | <i>500 g/kg</i>                                    |
| Canopy                | 04404         | BASF plc                    | BASF Ireland Ltd          | Growth Regulator | SC                      | Professional     | <i>Mepiquat Chloride</i><br><i>Prohexadione Calcium</i>            | <i>300 g/l</i><br><i>50 g/l</i>                    |
| Capalo                | 02718         | BASF plc                    | BASF Ireland Ltd          | Fungicide        | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Fenpropimorph</i><br><i>Metrafenone</i> | <i>62.5 g/l</i><br><i>200 g/l</i><br><i>75 g/l</i> |
| Caramba               | 03954         | BASF plc                    | BASF Ireland Ltd          | Fungicide        | EC                      | Professional     | <i>Metconazole</i>                                                 | <i>60 g/l</i>                                      |
| Careca                | 04525         | UPL Europe Ltd              | UPL Europe Ltd            | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                                                 | <i>500 g/l</i>                                     |
| Catapult              | 92282         | Bayer CropScience Limited   | Bayer Garden              | Repellant        | AL                      | Amateur          | <i>Aluminium ammonium sulfate</i>                                  | <i>10.4 g/l</i>                                    |
| Cauldron              | 03971         | BASF plc                    | BASF Ireland Ltd          | Fungicide        | OD                      | Professional     | <i>Boscalid</i><br><i>Epoxiconazole</i>                            | <i>140 g/l</i><br><i>50 g/l</i>                    |
| Cavaterra             | 05059         | Certiplant N.V.             | Terrachem                 | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                                              | <i>500 g/l</i>                                     |
| Cavron Green          | 04244         | Hermoo Belgium N.V.         | Belcrop N.V.              | Fungicide        | SC                      | Professional     | <i>Iprodione</i>                                                   | <i>250 g/l</i>                                     |
| CDA Vanquish Biactive | 04355         | Monsanto UK Ltd             | Bayer CropScience Limited | Herbicide        | UL                      | Professional     | <i>Glyphosate</i>                                                  | <i>120 g/l</i>                                     |
| Ceando                | 04391         | BASF plc                    | BASF Ireland Ltd          | Fungicide        | SC                      | Professional     | <i>Epoxiconazole</i><br><i>Metrafenone</i>                         | <i>83 g/l</i><br><i>100 g/l</i>                    |
| Cebara                | 04855         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Fungicide        | EC                      | Professional     | <i>Cyprodinil</i><br><i>Isopyrazam</i>                             | <i>187.5 g/l</i><br><i>62.5 g/l</i>                |
| CeCeCe 750            | 04736         | BASF plc                    | BASF Ireland Ltd          | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>                                                 | <i>750 g/l</i>                                     |

| <i>Product Name</i>  | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>      | <i>Content</i> |
|----------------------|---------------|---------------------------------|---------------------------------|------------------|-------------------------|------------------|------------------------------|----------------|
| Celest Trio          | 04190         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Seed Dressing    | FS                      | Professional     | <i>Difenoconazole</i>        | 25 g/l         |
|                      |               |                                 |                                 |                  |                         |                  | <i>Fludioxonil</i>           | 25 g/l         |
|                      |               |                                 |                                 |                  |                         |                  | <i>Tebuconazole</i>          | 10 g/l         |
| Cello                | 02766         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide        | EC                      | Professional     | <i>Prothioconazole</i>       | 103 g/l        |
|                      |               |                                 |                                 |                  |                         |                  | <i>Spiroxamine</i>           | 263 g/l        |
|                      |               |                                 |                                 |                  |                         |                  | <i>Tebuconazole</i>          | 105 g/l        |
| Centurion Max        | 04948         | Arysta Life Science S.A.S.      | Arysta Life Science S.A.S.      | Herbicide        | EC                      | Professional     | <i>Clethodim</i>             | 120 g/l        |
| Ceraide              | 04741         | Taminco BVBA.                   | DHM Agrochemicals Ltd.,         | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>           | 620 g/l        |
| Cerix                | 04382         | BASF plc                        | BASF Ireland Ltd                | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i>         | 41.6 g/l       |
|                      |               |                                 |                                 |                  |                         |                  | <i>Fluxapyroxad</i>          | 41.6 g/l       |
|                      |               |                                 |                                 |                  |                         |                  | <i>Pyraclostrobin</i>        | 66.6 g/l       |
| Cerone               | 03933         | Bayer CropScience Limited       | Bayer CropScience Limited       | Growth Regulator | SL                      | Professional     | <i>Ethephon</i>              | 480 g/l        |
| Cheetah Extra        | 04314         | Bayer CropScience Limited       | Bayer CropScience Limited       | Herbicide        | EW                      | Professional     | <i>Fenoxaprop-P</i>          | 69 g/l         |
| Cherokee             | 02878         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide        | SE                      | Professional     | <i>Chlorothalonil</i>        | 375 g/l        |
|                      |               |                                 |                                 |                  |                         |                  | <i>Cyproconazole</i>         | 50 g/l         |
|                      |               |                                 |                                 |                  |                         |                  | <i>Propiconazole</i>         | 62.5 g/l       |
| Chess WG             | 03365         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Insecticide      | WG                      | Professional     | <i>Pymetrozine</i>           | 50 %w/w        |
| Chikara Weed Control | 04203         | ISK Biosciences Europe N.V.     | Belchim Crop Protection Ltd     | Herbicide        | WG                      | Professional     | <i>Flazasulfuron</i>         | 25 % w/w       |
| Chipco Green         | 02714         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide        | SC                      | Professional     | <i>Iprodione</i>             | 255 g/l        |
| Chlorthalis          | 05193         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>        | 500 g/l        |
| Choir                | 03648         | Nufarm UK Limited               | Nufarm UK Limited               | Herbicide        | WG                      | Professional     | <i>Metsulfuron (-methyl)</i> | 7 %w/w         |
|                      |               |                                 |                                 |                  |                         |                  | <i>Thifensulfuron methyl</i> | 68 %w/w        |
| Cielex               | 04644         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Fungicide        | SC                      | Professional     | <i>Cyproconazole</i>         | 60 g/l         |
|                      |               |                                 |                                 |                  |                         |                  | <i>Penthiopyrad</i>          | 150 g/l        |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                             | <i>Content</i>           |
|---------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|-----------------------------------------------------|--------------------------|
| Cimarron            | 02845         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide        | TB                      | Professional     | <i>Metsulfuron (-methyl)</i>                        | 500 g/kg                 |
| CIPC                | 90486         | Arysta LifeScience Benelux SPRL     | Unichem Limited                     | Herbicide        | EC                      | Professional     | <i>Chlorpropham</i>                                 | 400 g/l                  |
| Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | DHM Agrochemicals Ltd.,             | Herbicide        | EC                      | Professional     | <i>Propaquizafop</i>                                | 100 g/l                  |
| Cleanrun Pro        | 03926         | The Scotts Company (UK) Ltd         | Everris Ltd                         | Herbicide        | GR                      | Professional     | <i>MCPA</i><br><i>Mecoprop-P</i>                    | 0.49 % w/w<br>0.29 % w/w |
| Clearall XL         | 05766         | DHM Agrochemicals Ltd.,             | DHM Agrochemicals Ltd.,             | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                   | 360 g/l                  |
| Cleave              | 05373         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SE                      | Professional     | <i>Florasulam</i><br><i>Fluroxypyr</i>              | 2.5 g/l<br>100 g/l       |
| Cleranda            | 05054         | BASF plc                            | BASF Ireland Ltd                    | Herbicide        | SC                      | Professional     | <i>Imazamox</i><br><i>Metazachlor</i>               | 17.5 g/l<br>375.0 g/l    |
| Cliophar 100        | 04899         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Herbicide        | SL                      | Professional     | <i>Clopyralid</i>                                   | 100 g/l                  |
| Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Herbicide        | SL                      | Professional     | <i>Clopyralid</i>                                   | 600 g/l                  |
| Cliplash            | 04577         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Growth Regulator | ME                      | Professional     | <i>Trinexapac ethyl</i>                             | 120 g/l                  |
| Clovermax           | 04773         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional     | <i>2,4-DB</i><br><i>MCPA</i>                        | 240 g/l<br>40 g/l        |
| CloveX              | 04705         | DHM Agrochemicals Ltd.,             | DHM Agrochemicals Ltd.,             | Herbicide        | SL                      | Professional     | <i>2,4-DB</i><br><i>MCPA</i>                        | 240 g/l<br>40 g/l        |
| Collage             | 05273         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Herbicide        | OD                      | Professional     | <i>Nicosulfuron</i><br><i>Thifensulfuron methyl</i> | 60 g/l<br>4 g/l          |
| Comet               | 02354         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Pyraclostrobin</i>                               | 250 g/l                  |
| Comet 200           | 03696         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Pyraclostrobin</i>                               | 200 g/l                  |
| Compitox Plus       | 02843         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional     | <i>Mecoprop-P</i>                                   | 600 g/l                  |

| <i>Product Name</i>                     | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>   | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                             | <i>Content</i>             |
|-----------------------------------------|---------------|-----------------------------|----------------------------|-----------------|-------------------------|------------------|-----------------------------------------------------|----------------------------|
| Connacht Gold Feed, Weed and Mosskiller | 03334         | Unichem Limited             | Unichem Limited            | Herbicide       | GR                      | Amateur          | <i>2,4-D</i>                                        | <i>0.32 %w/w</i>           |
|                                         |               |                             |                            |                 |                         |                  | <i>Ferrous Sulphate</i>                             | <i>16.6 %w/w</i>           |
|                                         |               |                             |                            |                 |                         |                  | <i>Mecoprop-P</i>                                   | <i>0.32 %w/w</i>           |
| Consento                                | 04344         | Bayer CropScience Limited   | Bayer CropScience Limited  | Fungicide       | SC                      | Professional     | <i>Fenamidone</i>                                   | <i>75 g/l</i>              |
|                                         |               |                             |                            |                 |                         |                  | <i>Propamocarb</i>                                  | <i>375 g/l</i>             |
| Conserve                                | 03728         | Dow AgroSciences            | Fargro Limited             | Insecticide     | SC                      | Professional     | <i>Spinosad</i>                                     | <i>120 g/l</i>             |
| Contans WG                              | 03287         | Bayer CropScience Limited   | Bayer CropScience Limited  | Fungicide       | WG                      | Professional     | <i>Coniothyrium Minitans - Strain - CON/M/91-08</i> | <i>1 x 10<sup>12</sup></i> |
| Coragen                                 | 05295         | DuPont (UK) Ltd             | DuPont (UK) Ltd            | Insecticide     | SC                      | Professional     | <i>Chlorantraniliprole</i>                          | <i>200 g/l</i>             |
| Corbel                                  | 90438         | BASF plc                    | BASF Ireland Ltd           | Fungicide       | EC                      | Professional     | <i>Fenpropimorph</i>                                | <i>750 g/l</i>             |
| Couraze                                 | 03466         | Cheminova A/S               | Headland Agrochemicals Ltd | Insecticide     | GR                      | Professional     | <i>Imidacloprid</i>                                 | <i>5 %w/w</i>              |
| Coyote                                  | 03790         | Bayer CropScience Limited   | Bayer CropScience Limited  | Fungicide       | EC                      | Professional     | <i>Fluoxastrobin</i>                                | <i>75 g/l</i>              |
|                                         |               |                             |                            |                 |                         |                  | <i>Prothioconazole</i>                              | <i>150 g/l</i>             |
|                                         |               |                             |                            |                 |                         |                  | <i>Trifloxystrobin</i>                              | <i>75 g/l</i>              |
| Credit                                  | 02932         | Nufarm UK Limited           | Nufarm UK Limited          | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>                                   | <i>540 g/l</i>             |
| Credo                                   | 02503         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd       | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>                               | <i>500 g/l</i>             |
|                                         |               |                             |                            |                 |                         |                  | <i>Picoxystrobin</i>                                | <i>100 g/l</i>             |
| Croplink Avena                          | 04601         | Croplink (Ireland) Ltd      | Croplink (Ireland) Ltd     | Herbicide       | EC                      | Professional     | <i>Pinoxaden</i>                                    | <i>100 g/l</i>             |
| Croplink D50                            | 04600         | Croplink (Ireland) Ltd      | Croplink (Ireland) Ltd     | Herbicide       | SL                      | Professional     | <i>2,4-D</i>                                        | <i>500 g/l</i>             |
| Croplink Empire                         | 03051         | Croplink (Ireland) Ltd      | Croplink (Ireland) Ltd     | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>                        | <i>200 g/kg</i>            |
| Croplink Liberty                        | 05134         | Croplink (Ireland) Ltd      | Croplink (Ireland) Ltd     | Herbicide       | SL                      | Professional     | <i>Dicamba</i>                                      | <i>84 g/l</i>              |
|                                         |               |                             |                            |                 |                         |                  | <i>Mecoprop-P</i>                                   | <i>600 g/l</i>             |

| <i>Product Name</i>                     | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                      | <i>Content</i>        |
|-----------------------------------------|---------------|---------------------------------|---------------------------------|------------------|-------------------------|------------------|----------------------------------------------|-----------------------|
| Croplink Maizekleen                     | 04598         | Croplink (Ireland) Ltd          | Croplink (Ireland) Ltd          | Herbicide        | SC                      | Professional     | <i>Mesotrione</i><br><i>Terbutylazine</i>    | 70 g/l<br>330 g/l     |
| Croplink Methrin 100                    | 04621         | Croplink (Ireland) Ltd          | Croplink (Ireland) Ltd          | Insecticide      | EC                      | Professional     | <i>Cypermethrin</i>                          | 100 g/l               |
| Croplink Reaper                         | 04613         | Croplink (Ireland) Ltd          | Croplink (Ireland) Ltd          | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                            | 200 g/l               |
| Croplink Tebuconazole                   | 04599         | Croplink (Ireland) Ltd          | Croplink (Ireland) Ltd          | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                          | 250 g/l               |
| CT 500                                  | 05302         | DHM Agrochemicals Ltd.,         | DHM Agrochemicals Ltd.,         | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                        | 500 g/l               |
| Cultar                                  | 90464         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Growth Regulator | SC                      | Professional     | <i>Paclobutrazol</i>                         | 250 g/l               |
| Curator                                 | 04504         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide        | SC                      | Professional     | <i>Azoxystrobin</i><br><i>Chlorothalonil</i> | 80 g/l<br>400 g/l     |
| Curzate M                               | 90478         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Fungicide        | WP                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>          | 4.5 %w/w<br>68 %w/w   |
| Curzate M WG                            | 02110         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd            | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>          | 4.5 % w/w<br>68 %w/w  |
| Curzate M WG                            | 04723         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>          | 4.5 % w/w<br>68 % w/w |
| Cutaway                                 | 03683         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Growth Regulator | SL                      | Professional     | <i>Trinexapac ethyl</i>                      | 121 g/l               |
| Cymbal 45                               | 04647         | Belchim Crop Protection Ltd     | Whelehan Crop Protection        | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i>                             | 45% w/w               |
| Cythrin Concentrated Caterpillar Spray  | 04363         | Arysta LifeScience Benelux SPRL | Unichem Limited                 | Insecticide      | ME                      | Amateur          | <i>Cypermethrin</i>                          | 10.0 g/l              |
| Cythrin Concentrated Garden Pest Killer | 04362         | Arysta LifeScience Benelux SPRL | Unichem Limited                 | Insecticide      | ME                      | Amateur          | <i>Cypermethrin</i>                          | 10.0 g/l              |
| Cythrin Garden Ready-to-Use             | 04786         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Insecticide      | AL                      | Amateur          | <i>Cypermethrin</i>                          | 0.05 g/l              |
| D50                                     | 02366         | Nufarm UK Limited               | Nufarm UK Limited               | Herbicide        | SL                      | Professional     | <i>2,4-D</i>                                 | 500 g/l               |



| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>      | <i>Marketing Company</i>         | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                           | <i>Content</i>                   |
|---------------------|---------------|----------------------------------|----------------------------------|------------------|-------------------------|------------------|---------------------------------------------------|----------------------------------|
| Damine              | 02353         | Arysta LifeScience Benelux SPRL  | Arysta LifeScience Benelux SPRL  | Herbicide        | SL                      | Professional     | <i>2,4-D</i>                                      | <i>500 g/l</i>                   |
| Datura              | 04456         | UPL Europe Ltd                   | UPL Europe Ltd                   | Herbicide        | SC                      | Professional     | <i>Linuron</i>                                    | <i>500 g/l</i>                   |
| Dauphin 45          | 04542         | Societe Financiere de Pontarlier | Societe Financiere de Pontarlier | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i>                                  | <i>450 g/kg</i>                  |
| Dazide Enhance      | 03852         | Fine Agrochemicals Ltd           | Fargro Limited                   | Growth Regulator | WG                      | Professional     | <i>Daminozide</i>                                 | <i>85 % w/w</i>                  |
| DB Plus             | 90493         | Hygeia Chemicals Ltd             | Hygeia Chemicals Ltd             | Herbicide        | SL                      | Professional     | <i>2,4-DB</i><br><i>MCPA</i>                      | <i>240 g/l</i><br><i>40 g/l</i>  |
| Debut               | 00758         | DuPont (UK) Ltd                  | DuPont (UK) Ltd                  | Herbicide        | WG                      | Professional     | <i>Triflurosulfuron</i>                           | <i>50 %w/w</i>                   |
| Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a            | Sharda Europe b.v.b.a            | Insecticide      | EC                      | Professional     | <i>Deltamethrin</i>                               | <i>25 g/l</i>                    |
| Decis               | 02693         | Bayer CropScience Limited        | Bayer CropScience Limited        | Insecticide      | EC                      | Professional     | <i>Deltamethrin</i>                               | <i>25 g/l</i>                    |
| Dedicate            | 05614         | Bayer CropScience Limited        | Bayer CropScience Limited        | Fungicide        | SC                      | Professional     | <i>Tebuconazole</i><br><i>Trifloxystrobin</i>     | <i>200 g/l</i><br><i>100 g/l</i> |
| Defi Evo            | 05690         | Globachem nv                     | Globachem nv                     | Herbicide        | EC                      | Professional     | <i>Diflufenican</i><br><i>Prosulfocarb</i>        | <i>14 g/l</i><br><i>667 g/l</i>  |
| Defy                | 04277         | Syngenta UK Ltd                  | Syngenta Ireland Ltd             | Herbicide        | EC                      | Professional     | <i>Prosulfocarb</i>                               | <i>800 g/l</i>                   |
| Delan Pro           | 05684         | BASF plc                         | BASF Ireland Ltd                 | Fungicide        | SC                      | Professional     | <i>Dithianon</i><br><i>Potassium phosphonates</i> | <i>125 g/l</i><br><i>561 g/l</i> |
| Depitox             | 02365         | Nufarm UK Limited                | Nufarm UK Limited                | Herbicide        | SL                      | Professional     | <i>2,4-D</i>                                      | <i>500 g/l</i>                   |
| Derrex              | 04495         | W. Neudorff GmbH KG              | Certis Europe BV                 | Molluscicide     | GB                      | Professional     | <i>Ferric Phosphate</i>                           | <i>29.7 g/kg</i>                 |
| Deuce               | 04993         | BASF plc                         | BASF Ireland Ltd                 | Fungicide        | SC                      | Professional     | <i>Boscalid</i><br><i>Epoxiconazole</i>           | <i>233 g/l</i><br><i>67 g/l</i>  |
| Devrinol            | 91627         | UPL Europe Ltd                   | UPL Europe Ltd                   | Herbicide        | SC                      | Professional     | <i>Napropamide</i>                                | <i>450 g/l</i>                   |

| <i>Product Name</i>      | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                               | <i>Content</i>                            |
|--------------------------|---------------|---------------------------------|---------------------------------|-----------------|-------------------------|------------------|-----------------------------------------------------------------------|-------------------------------------------|
| D-Foliate                | 03985         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd           | Dessicant       | SL                      | Professional     | <i>Diquat (dibromide)</i>                                             | 200 g/l                                   |
| Diablo                   | 05133         | BASF plc                        | BASF Ireland Ltd                | Fungicide       | WG                      | Professional     | <i>Ametoctradin</i><br><i>Mancozeb</i>                                | 80 g/kg<br>480 g/kg                       |
| Diamant                  | 01981         | BASF plc                        | BASF Ireland Ltd                | Fungicide       | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Fenpropimorph</i><br><i>Pyraclostrobin</i> | 42.9 g/l<br>214.3 g/l<br>114.3 g/l        |
| Dicophar                 | 04557         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Herbicide       | SL                      | Professional     | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>    | 70 g/l<br>20 g/l<br>70 g/l<br>42 g/l      |
| Dicophar Lawn Weedkiller | 05478         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Herbicide       | SL                      | Amateur          | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>    | 70 g/l<br>20 g/l<br>70 g/l<br>42 g/l      |
| Dicophar RTU             | 04558         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Herbicide       | AL                      | Amateur          | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>    | 0.7 g/l<br>0.2 g/l<br>0.7 g/l<br>0.42 g/l |
| Difcor 250 EC            | 04983         | Globachem nv                    | Q-Chem NV                       | Fungicide       | EC                      | Professional     | <i>Difenoconazole</i>                                                 | 250 g/l                                   |
| Difend                   | 04794         | Globachem nv                    | Globachem nv                    | Seed Dressing   | FS                      | Professional     | <i>Difenoconazole</i>                                                 | 30 g/l                                    |
| Difend Extra             | 05470         | Globachem nv                    | Globachem nv                    | Seed Dressing   | FS                      | Professional     | <i>Difenoconazole</i><br><i>Fludioxonil</i>                           | 25 g/l<br>25 g/l                          |
| Diflanil 500 SC          | 04358         | Q-Chem NV                       | DHM Agrochemicals Ltd.,         | Herbicide       | SC                      | Professional     | <i>Diflufenican</i>                                                   | 500 g/l                                   |
| Difo 25% EC              | 04891         | Sharda Europe b.v.b.a           | Sharda Europe b.v.b.a           | Fungicide       | EC                      | Professional     | <i>Difenoconazole</i>                                                 | 250 g/l                                   |
| Difure Pro               | 05334         | Globachem nv                    | Globachem nv                    | Fungicide       | EC                      | Professional     | <i>Difenoconazole</i><br><i>Propiconazole</i>                         | 150 g/l<br>150 g/l                        |

| <i>Product Name</i>               | <i>PCS No</i> | <i>Authorization Holder</i>          | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>   |
|-----------------------------------|---------------|--------------------------------------|---------------------------------|-----------------|-------------------------|------------------|-----------------------------------------------|------------------|
| Digital                           | 03147         | Sumitomo Chemical Agro Europe SAS    | Interfarm UK Ltd                | Herbicide       | SC                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Flumioxazin</i>                            | <i>300 g/l</i>   |
| DimethoX                          | 05118         | DHM Agrochemicals Ltd.,              | DHM Agrochemicals Ltd.,         | Insecticide     | EC                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Dimethoate</i>                             | <i>400 g/l</i>   |
| Dioweed 50                        | 02719         | Nufarm UK Limited                    | UPL Europe Ltd                  | Herbicide       | SL                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>2,4-D</i>                                  | <i>500 g/l</i>   |
| Diqua                             | 03630         | Sharda Europe b.v.b.a                | Sharda Europe b.v.b.a           | Herbicide       | SL                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Diquat (dibromide)</i>                     | <i>200 g/l</i>   |
| Diquash 200 SL                    | 04181         | Sharda Europe b.v.b.a                | Sharda Europe b.v.b.a           | Herbicide       | SL                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Diquat (dibromide)</i>                     | <i>200 g/l</i>   |
| Di-Quattro                        | 04720         | Arysta LifeScience Benelux SPRL      | Arysta LifeScience Benelux SPRL | Herbicide       | SL                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Diquat (dibromide)</i>                     | <i>200 g/l</i>   |
| Discman Biograde                  | 02786         | Barclay Chemicals Ltd                | Barclay Chemicals Ltd           | Herbicide       | SL                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Glyphosate</i>                             | <i>216 g/l</i>   |
| Dithane 945                       | 03705         | Indofil Industries (Netherlands) B.V | Whelehan Crop Protection        | Fungicide       | WP                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Mancozeb</i>                               | <i>80 % w/w</i>  |
| Dithane Dry Flowable Neotec       | 03707         | Indofil Industries (Netherlands) B.V | Whelehan Crop Protection        | Fungicide       | WG                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Mancozeb</i>                               | <i>75% w/w</i>   |
| Dithianon WG                      | 02523         | BASF plc                             | BASF Ireland Ltd                | Fungicide       | WG                      | Professional     |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Dithianon</i>                              | <i>700 g/kg</i>  |
| Doff 24/7 Superfast Weedkiller    | 05036         | W. Neudorff GmbH KG                  | Doff Portland Ltd               | Herbicide       | AL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Pelargonic acid</i>                        | <i>31.02 g/l</i> |
| Doff Cat & Dog Repellant          | 92369         | Sphere Laboratories (London) Ltd     | Doff Portland Ltd               | Repellant       | SL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Aluminium ammonium sulfate</i>             | <i>10.4 g/l</i>  |
| Doff Glyphosate Weedkiller        | 04997         | Barclay Chemicals Ltd                | Doff Portland Ltd               | Herbicide       | AL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Glyphosate</i>                             | <i>7.2 g/l</i>   |
| Doff Greenfly and Blackfly Killer | 01754         | Doff Portland Ltd                    | Doff Portland Ltd               | Insecticide     | SL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>2.0 %w/w</i>  |
| Doff Ivy & Brushwood Killer RTU   | 04998         | Barclay Chemicals Ltd                | Doff Portland Ltd               | Herbicide       | AL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Glyphosate</i>                             | <i>7.2 g/l</i>   |
| Doff Lawn Moss Killer             | 05479         | Angus Horticulture Ltd               | Doff Portland Ltd               | Herbicide       | GR                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Ferrous Sulphate</i>                       | <i>7.7% w/w</i>  |
| Doff Lawn Mosskiller Spray        | 92353         | Omex Agriculture Ltd                 | Doff Portland Ltd               | Herbicide       | SL                      | Amateur          |                                               |                  |
|                                   |               |                                      |                                 |                 |                         |                  | <i>Ferrous Sulphate</i>                       | <i>2 %w/w</i>    |

| <i>Product Name</i>                      | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i> | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>           | <i>Content</i> |
|------------------------------------------|---------------|---------------------------------|--------------------------|-----------------------|-------------------------|------------------|-----------------------------------|----------------|
| Doff Lawn Weedkiller                     | 05376         | Hygeia Chemicals Ltd            | Doff Portland Ltd        | Herbicide             | AL                      | Amateur          | <i>Dicamba</i>                    | 0.4675 g/l     |
|                                          |               |                                 |                          |                       |                         |                  | <i>Mecoprop-P</i>                 | 3.75 g/l       |
| Doff Maxi Strength Glyphosate Weedkiller | 04995         | Barclay Chemicals Ltd           | Doff Portland Ltd        | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                 | 360 g/l        |
| Doff Path & Patio Weedkiller RTU         | 04996         | Barclay Chemicals Ltd           | Doff Portland Ltd        | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                 | 7.2 g/l        |
| Doff Pest Repel                          | 05424         | Doff Portland Ltd               | Doff Portland Ltd        | Repellant             | AL                      | Amateur          | <i>Aluminium ammonium sulfate</i> | 10.4 g/l       |
| Doff Rose Shield Bug & Fungus Killer     | 04989         | Arysta LifeScience Benelux SPRL | Doff Portland Ltd        | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i>               | 0.05 g/l       |
|                                          |               |                                 |                          |                       |                         |                  | <i>Myclobutanil</i>               | 0.075 g/l      |
| Doff Super Slug Killer                   | 04319         | W. Neudorff GmbH KG             | Doff Portland Ltd        | Molluscicide          | GB                      | Amateur          | <i>Ferric Phosphate</i>           | 10 g/kg        |
| Doff Systemic Fungus Control             | 01957         | Doff Portland Ltd               | Unichem Limited          | Fungicide             | AL                      | Amateur          | <i>Myclobutanil</i>               | 0.06 g/l       |
| Dow Shield 100                           | 03861         | Dow AgroSciences                | Dow AgroSciences         | Herbicide             | SL                      | Professional     | <i>Clopyralid</i>                 | 100 g/l        |
| Doxstar Pro                              | 04202         | Dow AgroSciences                | Whelehan Crop Protection | Herbicide             | EC                      | Professional     | <i>Fluroxypyr</i>                 | 150 g/l        |
|                                          |               |                                 |                          |                       |                         |                  | <i>Triclopyr</i>                  | 150 g/l        |
| Doxstar Pro                              | 05459         | Dow AgroSciences                | Whelehan Crop Protection | Herbicide             | EC                      | Professional     | <i>Fluroxypyr</i>                 | 150 g/l        |
|                                          |               |                                 |                          |                       |                         |                  | <i>Triclopyr</i>                  | 150 g/l        |
| Dragoon Gold                             | 03174         | Certiplant N.V.                 | Belcrop N.V.             | Herbicide             | SL                      | Professional     | <i>Diquat (dibromide)</i>         | 200 g/l        |
| Dual Gold                                | 04192         | Syngenta UK Ltd                 | Syngenta Ireland Ltd     | Herbicide             | EC                      | Professional     | <i>S-Metolachlor</i>              | 960 g/l        |
| Duplosan KV                              | 02842         | Nufarm UK Limited               | Nufarm UK Limited        | Herbicide             | SL                      | Professional     | <i>Mecoprop-P</i>                 | 600 g/l        |
| Duplosan Super                           | 04853         | Nufarm UK Limited               | Nufarm UK Limited        | Herbicide             | SL                      | Professional     | <i>Dichlorprop-P</i>              | 310 g/l        |
|                                          |               |                                 |                          |                       |                         |                  | <i>MCPA</i>                       | 160 g/l        |
|                                          |               |                                 |                          |                       |                         |                  | <i>Mecoprop-P</i>                 | 160 g/l        |

| <i>Product Name</i>                    | <i>PCS No</i> | <i>Authorization Holder</i>                         | <i>Marketing Company</i>                            | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i>     | <i>Active Substance</i>                           | <i>Content</i>                      |
|----------------------------------------|---------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------|-------------------------|----------------------|---------------------------------------------------|-------------------------------------|
| Dynamec                                | 02640         | Syngenta UK Ltd                                     | Syngenta Bioline                                    | Acaricide/Insecticide | EC                      | Professional         | <i>Abamectin</i>                                  | <i>18 g/l</i>                       |
| DyWeed 50                              | 05301         | DHM Agrochemicals Ltd.,                             | DHM Agrochemicals Ltd.,                             | Herbicide             | SL                      | Professional         | <i>2,4-D</i>                                      | <i>500 g/l</i>                      |
| Eagle                                  | 04315         | Bayer CropScience Limited                           | Bayer CropScience Limited                           | Herbicide             | WG                      | Professional         | <i>Amidosulfuron</i>                              | <i>75% w/w</i>                      |
| Eagle Green Care                       | 92367         | ECOspray Ltd                                        | ECOspray Ltd                                        | Nematicide            | SL                      | Professional         | <i>Garlic Extract</i>                             | <i>99.9 %w/w</i>                    |
| Earth Matters Insect Killer            | 92403         | Agropharm Ltd                                       | Westland Horticulture Ltd                           | Insecticide           | AL                      | Amateur              | <i>Pyrethrins</i>                                 | <i>0.2 g/l</i>                      |
| Easel                                  | 05502         | Nufarm UK Limited                                   | Nufarm UK Limited                                   | Herbicide             | SG                      | Professional         | <i>MCPA</i>                                       | <i>750 g/l</i>                      |
| ECOguard Granules                      | 92304         | ECOspray Ltd                                        | ECOspray Ltd                                        | Insecticide           | GR                      | Amateur/Professional | <i>Garlic Extract</i>                             | <i>45 %w/w</i>                      |
| ECOguard Liquid                        | 92305         | ECOspray Ltd                                        | ECOspray Ltd                                        | Insecticide           | EC                      | Amateur/Professional | <i>Garlic Extract</i>                             | <i>99.9 %w/w</i>                    |
| Edipro                                 | 03889         | Arysta LifeScience Benelux SPRL                     | Arysta LifeScience Benelux SPRL                     | Fungicide             | SL                      | Professional         | <i>Propamocarb</i>                                | <i>722 g/l</i>                      |
| Elatus Era                             | 05379         | Syngenta UK Ltd                                     | Syngenta Ireland Ltd                                | Fungicide             | EC                      | Professional         | <i>Benzovindiflupyr</i><br><i>Prothioconazole</i> | <i>75 g/l</i><br><i>150 g/l</i>     |
| Elatus Plus                            | 05380         | Syngenta UK Ltd                                     | Syngenta Ireland Ltd                                | Fungicide             | EC                      | Professional         | <i>Benzovindiflupyr</i>                           | <i>100 g/l</i>                      |
| Electis 75 WG                          | 01821         | Gowan Comercio Internacional e<br>Servicos Limitada | Gowan Comercio Internacional e<br>Servicos Limitada | Fungicide             | WG                      | Professional         | <i>Mancozeb</i><br><i>Zoxamide</i>                | <i>66.7 %w/w</i><br><i>8.3 %w/w</i> |
| Elliott's Lawn Sand and Moss<br>Killer | 05415         | John Hall (Fertilisers) Ltd                         | Thomas Elliott Fertilisers                          | Herbicide             | GR                      | Amateur              | <i>Ferrous Sulphate</i>                           | <i>14.1% w/w</i>                    |
| Elumis                                 | 04189         | Syngenta UK Ltd                                     | Syngenta Ireland Ltd                                | Herbicide             | OD                      | Professional         | <i>Mesotrione</i><br><i>Nicosulfuron</i>          | <i>75 g/l</i><br><i>30 g/l</i>      |
| Embutone                               | 04831         | Nufarm UK Limited                                   | Nufarm UK Limited                                   | Herbicide             | SL                      | Professional         | <i>2,4-DB</i>                                     | <i>400 g/l</i>                      |
| Emerald Turf                           | 05527         | Agrigem Ltd                                         | Agrigem Ltd                                         | Fungicide             | SC                      | Professional         | <i>Iprodione</i>                                  | <i>255 g/l</i>                      |
| Eminentos 10 CS                        | 04933         | GAT Microencapsulation AG                           | GAT Microencapsulation AG                           | Insecticide           | CS                      | Professional         | <i>lambda-Cyhalothrin</i>                         | <i>100 g/l</i>                      |

| <i>Product Name</i>          | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                      | <i>Content</i>                         |
|------------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|--------------------------------------------------------------|----------------------------------------|
| Empire Supreme               | 05061         | Croplink (Ireland) Ltd              | Croplink (Ireland) Ltd              | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i> | 40 g/kg<br>400 g/kg                    |
| Envision                     | 01991         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                            | 450 g/l                                |
| Eradicoat                    | 05211         | Certis Europe BV                    | Certis Europe BV                    | Insecticide      | SL                      | Professional     | <i>Maltodextrin</i>                                          | 598 g/l                                |
| Ergon                        | 03818         | Rotam Agrochemical Europe Ltd       | Rotam Agrochemical Europe Ltd       | Herbicide        | WG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i> | 68 g/kg<br>682 g/kg                    |
| Escapade                     | 05160         | Generica Europa Ltd                 | Generica Europa Ltd                 | Fungicide        | SC                      | Professional     | <i>Boscalid</i><br><i>Epoxiconazole</i>                      | 233 g/l<br>67 g/l                      |
| Ethosat 500                  | 02666         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SC                      | Professional     | <i>Ethofumesate</i>                                          | 500 g/l                                |
| Ettu                         | 05139         | Euro Chemicals s.r.o.               | Euro Chemicals s.r.o.               | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i><br><i>Metconazole</i>                   | 37.5 g/l<br>27.5 g/l                   |
| Euro Lambda 100 CS           | 05137         | Euro Chemicals s.r.o.               | Euro Chemicals s.r.o.               | Insecticide      | CS                      | Professional     | <i>lambda-Cyhalothrin</i>                                    | 100 g/l                                |
| Evergreen Autumn Lawn Care   | 05005         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Herbicide        | GR                      | Amateur          | <i>Ferrous Sulphate</i>                                      | 16.3% w/w                              |
| Evergreen Complete 4 in 1    | 04724         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Herbicide        | GR                      | Amateur          | <i>Ferrous Sulphate</i><br><i>MCPA</i><br><i>Mecoprop-P</i>  | 16.3 % w/w<br>0.49 % w/w<br>0.29 % w/w |
| Evergreen Feed and Weed      | 03927         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Herbicide        | GR                      | Amateur          | <i>MCPA</i><br><i>Mecoprop-P</i>                             | 0.49% w/w<br>0.29% w/w                 |
| Evergreen Liquid Feed & Moss | 05653         | Omex Agriculture Ltd                | The Scotts Company (UK) Ltd         | Herbicide        | SL                      | Amateur          | <i>Ferrous Sulphate</i><br><i>Heptahydrate</i>               | 381.15 g/l                             |
| Exilis                       | 04702         | Fine Agrochemicals Ltd              | Fine Agrochemicals Ltd              | Growth Regulator | SL                      | Professional     | <i>6-benzyladenine</i>                                       | 20.0 g/l                               |
| Falcon                       | 04740         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | EC                      | Professional     | <i>Propaquizafop</i>                                         | 100 g/l                                |

| <i>Product Name</i>   | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i>  |
|-----------------------|---------------|-----------------------------|---------------------------|------------------|-------------------------|------------------|-------------------------|-----------------|
| Fandango              | 03787         | Bayer CropScience Limited   | Bayer CropScience Limited | Fungicide        | EC                      | Professional     | <i>Fluoxastrobin</i>    | <i>100 g/l</i>  |
|                       |               |                             |                           |                  |                         |                  | <i>Prothioconazole</i>  | <i>100 g/l</i>  |
| Farmco 2-4D           | 04433         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | SL                      | Professional     | <i>2,4-D</i>            | <i>500 g/l</i>  |
| Farmco Aphicide Super | 05282         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Insecticide      | EC                      | Professional     | <i>Cypermethrin</i>     | <i>100 g/l</i>  |
| Farmco Axis           | 04435         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | EC                      | Professional     | <i>Pinoxaden</i>        | <i>100 g/l</i>  |
| Farmco Azoxy SC       | 04947         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Fungicide        | SC                      | Professional     | <i>Azoxystrobin</i>     | <i>250 g/l</i>  |
| Farmco Beet-Clean     | 05125         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | WG                      | Professional     | <i>Triflusalufuron</i>  | <i>50% w/w</i>  |
| Farmco Bixa-Pro       | 04716         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Fungicide        | EC                      | Professional     | <i>Bixafen</i>          | <i>60 g/l</i>   |
|                       |               |                             |                           |                  |                         |                  | <i>Prothioconazole</i>  | <i>200 g/l</i>  |
| Farmco Blight         | 04971         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Fungicide        | SC                      | Professional     | <i>Fluopicolide</i>     | <i>62.5 g/l</i> |
|                       |               |                             |                           |                  |                         |                  | <i>Propamocarb</i>      | <i>625 g/l</i>  |
| Farmco Cerusite       | 04636         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Growth Regulator | SL                      | Professional     | <i>Ethephon</i>         | <i>480 g/l</i>  |
| Farmco Chlormequat    | 05594         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>      | <i>500 g/l</i>  |
| Farmco Chlorothalonil | 05593         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>   | <i>500 g/l</i>  |
| Farmco Dazzle         | 05297         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | SC                      | Professional     | <i>Diflufenican</i>     | <i>500 g/l</i>  |
| Farmco Dimex          | 04735         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Insecticide      | EC                      | Professional     | <i>Dimethoate</i>       | <i>400 g/l</i>  |
| Farmco Docs           | 05127         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>       | <i>150 g/l</i>  |
|                       |               |                             |                           |                  |                         |                  | <i>Triclopyr</i>        | <i>150 g/l</i>  |
| Farmco Duplex         | 04418         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Herbicide        | SL                      | Professional     | <i>Mecoprop-P</i>       | <i>600 g/l</i>  |
| Farmco Epoxy          | 05284         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd    | Fungicide        | SC                      | Professional     | <i>Epoxiconazole</i>    | <i>125 g/l</i>  |

| <i>Product Name</i>    | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i> | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                 |
|------------------------|---------------|-----------------------------|--------------------------|------------------|-------------------------|------------------|-------------------------------------------------------------|--------------------------------|
| Farmco Grazing Special | 05121         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | EC                      | Professional     | <i>Clopyralid</i><br><i>Triclopyr</i>                       | 60 g/l<br>240 g/l              |
| Farmco Iconic          | 05308         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                                         | 250 g/l                        |
| Farmco Input           | 04692         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Fungicide        | EC                      | Professional     | <i>Prothioconazole</i><br><i>Spiroxamine</i>                | 160 g/l<br>300 g/l             |
| Farmco Lenzo Flo       | 04158         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | SC                      | Professional     | <i>Lenacil</i>                                              | 440 g/l                        |
| Farmco Maize           | 04157         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | SC                      | Professional     | <i>Mesotrione</i><br><i>Terbuthylazine</i>                  | 70 g/l<br>330 g/l              |
| Farmco Marigold        | 04901         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | EC                      | Professional     | <i>Clopyralid</i><br><i>Florasulam</i><br><i>Fluroxypyr</i> | 80.0 g/l<br>2.5 g/l<br>144 g/l |
| Farmco Penache         | 05099         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i><br><i>Penthiopyrad</i>                | 250 g/l<br>100 g/l             |
| Farmco PGR             | 04906         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                                     | 250 g/l                        |
| Farmco Pro-Strob       | 04770         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Fungicide        | EC                      | Professional     | <i>Fluoxastrobin</i><br><i>Prothioconazole</i>              | 100 g/l<br>100 g/l             |
| Farmco Rebel XT        | 04402         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>                                | 200 g/kg                       |
| Farmco Regal           | 04627         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Dessicant        | SL                      | Professional     | <i>Diquat (dibromide)</i>                                   | 200 g/l                        |
| Farmco Slugs           | 05676         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Molluscicide     | RB                      | Professional     | <i>Metaldehyde</i>                                          | 3% w/w                         |
| Farmco Thistles        | 05124         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Herbicide        | SL                      | Professional     | <i>Clopyralid</i><br><i>Triclopyr</i>                       | 200 g/l<br>200 g/l             |
| Farmco Tilt            | 04500         | Farmco Agritrading Ltd      | Farmco Agritrading Ltd   | Fungicide        | EC                      | Professional     | <i>Propiconazole</i>                                        | 250 g/l                        |



| <i>Product Name</i>                         | <i>PCS No</i> | <i>Authorization Holder</i>          | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>         | <i>Content</i> |
|---------------------------------------------|---------------|--------------------------------------|---------------------------|------------------|-------------------------|------------------|---------------------------------|----------------|
| Farmco Trio                                 | 04460         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | SC                      | Professional     | <i>Desmedipham</i>              | 15 g/l         |
|                                             |               |                                      |                           |                  |                         |                  | <i>Ethofumesate</i>             | 115 g/l        |
|                                             |               |                                      |                           |                  |                         |                  | <i>Phenmedipham</i>             | 75 g/l         |
| Farmco Tuskar                               | 04403         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>    | 40 g/kg        |
|                                             |               |                                      |                           |                  |                         |                  | <i>Thifensulfuron methyl</i>    | 400 g/kg       |
| Farmco Undersown                            | 04905         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | SL                      | Professional     | <i>2,4-DB</i>                   | 400 g/l        |
| Farmco Wild Oats                            | 04925         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | EW                      | Professional     | <i>Fenoxaprop-P</i>             | 69 g/l         |
| Farmco Zealot                               | 05299         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | EC                      | Professional     | <i>Propaquizafop</i>            | 100 g/l        |
| Farmco Zeus                                 | 05132         | Farmco Agritrading Ltd               | Farmco Agritrading Ltd    | Herbicide        | WG                      | Professional     | <i>Tribenuron (-methyl)</i>     | 500 g/kg       |
| Fast Action Roundup Ready to Use Weedkiller | 01669         | Monsanto UK Ltd                      | Monsanto Ireland Ltd      | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>               | 7.2 g/l        |
| Fast Action Roundup XL                      | 03726         | Monsanto UK Ltd                      | Monsanto Ireland Ltd      | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>               | 7.2 g/l        |
| Fazor Star                                  | 03729         | Arysta LifeScience Great Britain Ltd | Whelehan Crop Protection  | Growth Regulator | SG                      | Professional     | <i>Maleic hydrazide</i>         | 600 g/kg       |
| Fenomenal                                   | 04956         | Bayer CropScience Limited            | Bayer CropScience Limited | Fungicide        | WG                      | Professional     | <i>Fenamidone</i>               | 60 g/kg        |
|                                             |               |                                      |                           |                  |                         |                  | <i>Fosetyl (-aluminium)</i>     | 600 g/kg       |
| Fezan                                       | 03639         | Sipcam U.K. Ltd                      | Sipcam U.K. Ltd           | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>             | 250 g/l        |
| Fezan Plus                                  | 04468         | Oxon Italia SpA                      | Sipcam U.K. Ltd           | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>           | 166 g/l        |
|                                             |               |                                      |                           |                  |                         |                  | <i>Tebuconazole</i>             | 60 g/l         |
| Fielder SE                                  | 04251         | DuPont (UK) Ltd                      | DuPont (UK) Ltd           | Fungicide        | SE                      | Professional     | <i>Chlorothalonil</i>           | 500 g/l        |
|                                             |               |                                      |                           |                  |                         |                  | <i>Proquinazid</i>              | 25 g/l         |
| Filan                                       | 04325         | BASF plc                             | BASF Ireland Ltd          | Fungicide        | WG                      | Professional     | <i>Boscalid</i>                 | 50 % w/w       |
| Finale 150                                  | 04464         | Bayer CropScience Limited            | Bayer CropScience Limited | Herbicide        | SL                      | Professional     | <i>Glufosinate (- ammonium)</i> | 150 g/l        |

| <i>Product Name</i>                      | <i>PCS No</i> | <i>Authorization Holder</i>          | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                      | <i>Content</i>                    |
|------------------------------------------|---------------|--------------------------------------|---------------------------|------------------|-------------------------|------------------|--------------------------------------------------------------|-----------------------------------|
| Finalsan Moss & Algae Killer Concentrate | 92383         | W. Neudorff GmbH KG                  | Vitax Limited             | Herbicide        | EC                      | Amateur          | <i>Pelargonic acid</i>                                       | <i>186.7 g/l</i>                  |
| Finalsan Moss & Algae Killer RTU         | 92384         | W. Neudorff GmbH KG                  | Vitax Limited             | Herbicide        | AL                      | Amateur          | <i>Pelargonic acid</i>                                       | <i>31 g/l</i>                     |
| Finalsan Weedkiller Concentrate          | 92382         | W. Neudorff GmbH KG                  | Vitax Limited             | Herbicide        | EC                      | Amateur          | <i>Pelargonic acid</i>                                       | <i>186.7 g/l</i>                  |
| Finalsan Weedkiller RTU                  | 92385         | W. Neudorff GmbH KG                  | Vitax Limited             | Herbicide        | AL                      | Amateur          | <i>Pelargonic acid</i>                                       | <i>31.02 g/l</i>                  |
| Finish SX                                | 02329         | DuPont (UK) Ltd                      | DuPont (Ireland) Ltd      | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i> | <i>67 g/kg</i><br><i>333 g/kg</i> |
| Finy                                     | 02360         | UPL Europe Ltd                       | UPL Europe Ltd            | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>                                 | <i>200 g/kg</i>                   |
| Firebird                                 | 04221         | Bayer CropScience Limited            | Bayer CropScience Limited | Herbicide        | SC                      | Professional     | <i>Diflufenican</i><br><i>Flufenacet</i>                     | <i>200 g/l</i><br><i>400 g/l</i>  |
| Fixor                                    | 05252         | Amvac Netherlands B.V                | Belcrop N.V.              | Growth Regulator | SL                      | Professional     | <i>1-Naphthylacetic acid</i>                                 | <i>100 g/l</i>                    |
| Flexity                                  | 03225         | BASF plc                             | BASF Ireland Ltd          | Fungicide        | SC                      | Professional     | <i>Metrafenone</i>                                           | <i>300 g/l</i>                    |
| Flight                                   | 02524         | BASF plc                             | BASF Ireland Ltd          | Herbicide        | SC                      | Professional     | <i>Pendimethalin</i><br><i>Picolinafen</i>                   | <i>330 g/l</i><br><i>7.5 g/l</i>  |
| Flora 50                                 | 05156         | Euro Chemicals s.r.o.                | Euro Chemicals s.r.o.     | Herbicide        | SC                      | Professional     | <i>Florasulam</i>                                            | <i>50 g/l</i>                     |
| Floramite 240 SC                         | 02949         | Arysta LifeScience Great Britain Ltd | Certis Europe BV          | Acaricide        | SC                      | Professional     | <i>Bifenazate</i>                                            | <i>240 g/l</i>                    |
| Fluazinova                               | 05508         | Novafito S.p.A                       | Barclay Chemicals Ltd     | Fungicide        | SC                      | Professional     | <i>Fluazinam</i>                                             | <i>500 g/l</i>                    |
| Flurostar 200                            | 02950         | Globachem nv                         | Globachem nv              | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                                            | <i>200 g/l</i>                    |
| Flurox 180                               | 04302         | Stockton Europe Ltd                  | Stockton Europe Ltd       | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                                            | <i>180 g/l</i>                    |
| Flurox 200                               | 04303         | Stockton Europe Ltd                  | Stockton Europe Ltd       | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                                            | <i>200 g/l</i>                    |

| <i>Product Name</i>     | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                     | <i>Content</i>                    |
|-------------------------|---------------|---------------------------------|---------------------------------|------------------|-------------------------|------------------|---------------------------------------------|-----------------------------------|
| Folicur 250 EW          | 00468         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                         | <i>250 g/l</i>                    |
| Folio Gold              | 02363         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i><br><i>Metalaxyl M</i> | <i>500 g/l</i><br><i>37.5 g/l</i> |
| Forefront               | 02793         | Dow AgroSciences                | Dow AgroSciences                | Herbicide        | EO                      | Professional     | <i>Aminopyralid</i><br><i>Fluroxypyr</i>    | <i>30 g/l</i><br><i>100 g/l</i>   |
| Forefront T             | 03800         | Dow AgroSciences                | Whelehan Crop Protection        | Herbicide        | EW                      | Professional     | <i>Aminopyralid</i><br><i>Triclopyr</i>     | <i>30 g/l</i><br><i>240 g/l</i>   |
| Forester                | 02533         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Insecticide      | EW                      | Professional     | <i>Cypermethrin</i>                         | <i>100 g/l</i>                    |
| Fortress                | 02364         | Dow AgroSciences                | Dow AgroSciences                | Fungicide        | SC                      | Professional     | <i>Quinoxifen</i>                           | <i>500 g/l</i>                    |
| Foundation              | 05123         | Nufarm UK Limited               | Headland Agrochemicals Ltd      | Herbicide        | SL                      | Professional     | <i>Dicamba</i><br><i>Mecoprop-P</i>         | <i>84 g/l</i><br><i>600 g/l</i>   |
| Foxtrot EW              | 03858         | Cheminova A/S                   | Headland Agrochemicals Ltd      | Herbicide        | EW                      | Professional     | <i>Fenoxaprop-P</i>                         | <i>69 g/l</i>                     |
| Freeze                  | 04517         | Cheminova A/S                   | DHM Agrochemicals Ltd.,         | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                     | <i>250 g/l</i>                    |
| Frelizon                | 05306         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Fungicide        | SC                      | Professional     | <i>Penthiopyrad</i><br><i>Picoxystrobin</i> | <i>160 g/l</i><br><i>80 g/l</i>   |
| Frownicide              | 04394         | ISK Biosciences Europe N.V.     | ISK Biosciences Europe N.V.     | Fungicide        | SC                      | Professional     | <i>Fluazinam</i>                            | <i>500 g/l</i>                    |
| Frupica                 | 02128         | Certis Europe BV                | Certis Europe BV                | Fungicide        | SC                      | Professional     | <i>Mepanipyrim</i>                          | <i>449.4 g/l</i>                  |
| Fumetham                | 01340         | Lainco S.A.                     | Lainco S.A.                     | Sterilant        | SL                      | Professional     | <i>Metam (-sodium)</i>                      | <i>510 g/l</i>                    |
| Fungazil 50 LS          | 01544         | Certis Europe BV                | Certis Europe BV                | Seed Dressing    | LS                      | Professional     | <i>Imazalil</i>                             | <i>50 g/l</i>                     |
| Fungus Clear Ultra      | 04981         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd     | Fungicide        | EC                      | Amateur          | <i>Triticonazole</i>                        | <i>10.2 g/l</i>                   |
| Fungus Clear Ultra Gun! | 04982         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd     | Fungicide        | AL                      | Amateur          | <i>Triticonazole</i>                        | <i>0.15 g/l</i>                   |

| <i>Product Name</i>              | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>                           | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>     | <i>Content</i>   |
|----------------------------------|---------------|---------------------------------|----------------------------------------------------|-----------------|-------------------------|------------------|-----------------------------|------------------|
| Fungus Fighter Plus              | 05443         | Bayer CropScience Limited       | Bayer Garden                                       | Fungicide       | AL                      | Amateur          | <i>Tebuconazole</i>         | <i>0.125 g/l</i> |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Trifloxystrobin</i>      | <i>0.125 g/l</i> |
| Furlong                          | 04690         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                                    | Fungicide       | SC                      | Professional     | <i>Cyproconazole</i>        | <i>80 g/l</i>    |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Picoxystrobin</i>        | <i>200 g/l</i>   |
| Fusilade Max                     | 01472         | Syngenta UK Ltd                 | Syngenta Ireland Ltd                               | Herbicide       | EC                      | Professional     | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>   |
| Galaxy                           | 02948         | Dow AgroSciences                | Dow AgroSciences                                   | Herbicide       | EC                      | Professional     | <i>Clopyralid</i>           | <i>80 g/l</i>    |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Florasulam</i>           | <i>2.5 g/l</i>   |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Fluroxypyr</i>           | <i>144 g/l</i>   |
| Galben M                         | 91973         | FMC Chemical s.p.r.l.           | Belchim Crop Protection Ltd                        | Fungicide       | WP                      | Professional     | <i>Benalaxyl</i>            | <i>8 %w/w</i>    |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Mancozeb</i>             | <i>65 %w/w</i>   |
| Galera                           | 05188         | Dow AgroSciences                | Dow AgroSciences                                   | Herbicide       | SL                      | Professional     | <i>Clopyralid</i>           | <i>267 g/l</i>   |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Picloram</i>             | <i>67 g/l</i>    |
| Galileo                          | 03015         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd                               | Fungicide       | SC                      | Professional     | <i>Picoxystrobin</i>        | <i>250 g/l</i>   |
| Gallup Biograde Weedkiller RTU   | 02588         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd                              | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>           | <i>7.2 g/l</i>   |
| Gallup Home and Garden           | 04738         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd                              | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>           | <i>360 g/l</i>   |
| Gallup XL                        | 05570         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd                              | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>           | <i>360 g/l</i>   |
| Gamit 36 CS                      | 05357         | FMC Chemical s.p.r.l.           | Headland Agrochemicals Ltd                         | Herbicide       | CS                      | Professional     | <i>Clomazone</i>            | <i>360 g/l</i>   |
| Garden Caterpillar Spray         | 03637         | Arysta LifeScience Benelux SPRL | Hygeia Chemicals Ltd                               | Insecticide     | ME                      | Amateur          | <i>Cypermethrin</i>         | <i>10 g/l</i>    |
| Garden Super Strength Weedkiller | 05225         | Cheminova A/S                   | Bayer Garden                                       | Herbicide       | SG                      | Amateur          | <i>Glyphosate</i>           | <i>68% w/w</i>   |
| Garlon Ultra                     | 04473         | Dow AgroSciences                | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | SL                      | Professional     | <i>Aminopyralid</i>         | <i>12 g/l</i>    |
|                                  |               |                                 |                                                    |                 |                         |                  | <i>Triclopyr</i>            | <i>120 g/l</i>   |
| Garryowen XL                     | 05660         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd                              | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>           | <i>360 g/l</i>   |

| <i>Product Name</i>                 | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                    | <i>Content</i>       |
|-------------------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|--------------------------------------------|----------------------|
| GAT Decline 2.5 EC                  | 04422         | GAT Microencapsulation AG           | GAT Microencapsulation AG           | Insecticide      | EC                      | Professional     | <i>Deltamethrin</i>                        | 25 g/l               |
| Gaucho                              | 01386         | Bayer CropScience Limited           | Bayer CropScience Limited           | Seed Dressing    | WP                      | Professional     | <i>Imidacloprid</i>                        | 70 %w/w              |
| Gavel                               | 05089         | Certis Europe BV                    | Certis Europe BV                    | Fungicide        | SL                      | Professional     | <i>Imazalil</i>                            | 100 g/l              |
| Gazelle                             | 03248         | Nisso Chemical Europe GmbH          | Certis Europe BV                    | Insecticide      | WP                      | Professional     | <i>Acetamiprid</i>                         | 20 % w/w             |
| Gem Glyphosate Weed and Root Killer | 02999         | Barclay Chemicals Ltd               | Joseph Metcalf Ltd                  | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>                          | 7.2 g/l              |
| Genoxone ZX EC                      | 03915         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Herbicide        | EC                      | Professional     | <i>2,4-D</i><br><i>Triclopyr</i>           | 93 g/l<br>103.6 g/l  |
| GF - 2463                           | 04939         | Dow AgroSciences                    | Dow AgroSciences                    | Herbicide        | SC                      | Professional     | <i>Clopyralid</i><br><i>Florasulam</i>     | 300 g/l<br>25 g/l    |
| GF-2895                             | 04914         | Dow AgroSciences                    | Dow AgroSciences                    | Herbicide        | SL                      | Professional     | <i>Clopyralid</i>                          | 600 g/l              |
| GiBB Plus                           | 05340         | Globachem nv                        | Globachem nv                        | Growth Regulator | SL                      | Professional     | <i>Gibberellin</i>                         | 10.0 g/l             |
| Gleam                               | 04420         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i><br><i>Metconazole</i> | 37.5 g/l<br>27.5 g/l |
| Globaztar SC                        | 04859         | Globachem nv                        | Globachem nv                        | Fungicide        | SC                      | Professional     | <i>Azoxystrobin</i>                        | 250 g/l              |
| Gloflo                              | 04873         | DHM Agrochemicals Ltd.,             | DHM Agrochemicals Ltd.,             | Herbicide        | SC                      | Professional     | <i>Metamitron</i>                          | 700 g/l              |
| Glyfos Care Concentrate             | 02695         | Cheminova A/S                       | Hygeia Chemicals Ltd                | Herbicide        | SL                      | Amateur          | <i>Glyphosate</i>                          | 120 g/l              |
| Glyfos Care Ready to Use            | 02696         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide        | SL                      | Amateur          | <i>Glyphosate</i>                          | 7.2 g/l              |
| Glyfos Dakar                        | 02966         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide        | SG                      | Professional     | <i>Glyphosate</i>                          | 68 %w/w              |
| Goal 2XL                            | 01763         | Dow AgroSciences                    | Whelehan Crop Protection            | Herbicide        | EC                      | Professional     | <i>Oxyfluorfen</i>                         | 240 g/l              |
| Goltix 70 SC                        | 04668         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SC                      | Professional     | <i>Metamitron</i>                          | 700 g/l              |

| <i>Product Name</i>                                  | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i> | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                      | <i>Content</i>                                              |
|------------------------------------------------------|---------------|-----------------------------|--------------------------|-----------------|-------------------------|------------------|--------------------------------------------------------------|-------------------------------------------------------------|
| Goulding Slug Killer Pellets                         | 05023         | Doff Portland Ltd           | Allegro Ltd              | Molluscicide    | RB                      | Amateur          | <i>Metaldehyde</i>                                           | <i>1.5% w/w</i>                                             |
| Goulding Weedkiller                                  | 05126         | Sipcam U.K. Ltd             | Hygeia Chemicals Ltd     | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                                            | <i>7.2 g/l</i>                                              |
| Gouldings Lawnfeed, Weed and Mosskiller              | 03060         | Hygeia Chemicals Ltd        | Hygeia Chemicals Ltd     | Herbicide       | GR                      | Amateur          | <i>2,4-D</i><br><i>Ferrous Sulphate</i><br><i>Mecoprop-P</i> | <i>0.46 %w/w</i><br><i>19.77 %w/w</i><br><i>0.46 %w/w</i>   |
| Grail                                                | 02826         | Nufarm UK Limited           | Nufarm UK Limited        | Fungicide       | EC                      | Professional     | <i>Prochloraz</i><br><i>Tebuconazole</i>                     | <i>300 g/l</i><br><i>200 g/l</i>                            |
| Grazon 90                                            | 04261         | Dow AgroSciences            | Whelehan Crop Protection | Herbicide       | EC                      | Professional     | <i>Clopyralid</i><br><i>Triclopyr</i>                        | <i>60 g/l</i><br><i>240 g/l</i>                             |
| Grazon Pro                                           | 05182         | Dow AgroSciences            | Whelehan Crop Protection | Herbicide       | EC                      | Professional     | <i>Clopyralid</i><br><i>Triclopyr</i>                        | <i>60.0 g/l</i><br><i>240.0 g/l</i>                         |
| Green Up Feed & Weed plus Mosskiller                 | 02261         | Vitax Limited               | Vitax Limited            | Herbicide       | MG                      | Amateur          | <i>2,4-D</i><br><i>Ferrous Sulphate</i><br><i>Mecoprop-P</i> | <i>0.225 %w/w</i><br><i>18.00 %w/w</i><br><i>0.225 %w/w</i> |
| Green Up Lawn Sand                                   | 05414         | Vitax Limited               | Vitax Limited            | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>                                      | <i>14.1% w/w</i>                                            |
| Greenfly Killer                                      | 04308         | Bayer CropScience Limited   | Bayer Garden             | Insecticide     | EW                      | Amateur          | <i>Deltamethrin</i>                                          | <i>15.0 g/l</i>                                             |
| GreenForce Clover Lawn Weedkiller                    | 05102         | Hygeia Chemicals Ltd        | Hygeia Chemicals Ltd     | Herbicide       | SL                      | Amateur          | <i>Dicamba</i><br><i>Mecoprop-P</i>                          | <i>4.675 g/l</i><br><i>37.5 g/l</i>                         |
| GreenForce Dandelion & Daisy Weedkiller              | 05103         | Hygeia Chemicals Ltd        | Hygeia Chemicals Ltd     | Herbicide       | SL                      | Amateur          | <i>Dicamba</i><br><i>Mecoprop-P</i>                          | <i>4.675 g/l</i><br><i>37.5 g/l</i>                         |
| GreenForce Dandelion & Daisy Weedkiller Ready to Use | 05106         | Hygeia Chemicals Ltd        | Hygeia Chemicals Ltd     | Herbicide       | AL                      | Amateur          | <i>Dicamba</i><br><i>Mecoprop-P</i>                          | <i>0.4675 g/l</i><br><i>3.75 g/l</i>                        |

| <i>Product Name</i>                     | <i>PCS No</i> | <i>Authorization Holder</i>       | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i> |
|-----------------------------------------|---------------|-----------------------------------|---------------------------|------------------|-------------------------|------------------|-------------------------|----------------|
| GreenForce Lawn Weedkiller              | 05101         | Hygeia Chemicals Ltd              | Hygeia Chemicals Ltd      | Herbicide        | SL                      | Amateur          | <i>Dicamba</i>          | 4.675 g/l      |
|                                         |               |                                   |                           |                  |                         |                  | <i>Mecoprop-P</i>       | 37.5 g/l       |
| GreenForce Lawn Weedkiller & Feed       | 05104         | Hygeia Chemicals Ltd              | Hygeia Chemicals Ltd      | Herbicide        | SL                      | Amateur          | <i>Dicamba</i>          | 4.675 g/l      |
|                                         |               |                                   |                           |                  |                         |                  | <i>Mecoprop-P</i>       | 37.5 g/l       |
| GreenForce Lawn Weedkiller Ready to Use | 05105         | Hygeia Chemicals Ltd              | Hygeia Chemicals Ltd      | Herbicide        | AL                      | Amateur          | <i>Dicamba</i>          | 0.4675 g/l     |
|                                         |               |                                   |                           |                  |                         |                  | <i>Mecoprop-P</i>       | 3.75 g/l       |
| Greenmaster Autumn                      | 05004         | The Scotts Company (UK) Ltd       | Everris Ltd               | Herbicide        | GR                      | Professional     | <i>Ferrous Sulphate</i> | 16.3% w/w      |
| Greentec Mosskiller Pro                 | 05085         | Headland Amenity Limited          | Headland Amenity Limited  | Herbicide        | GR                      | Professional     | <i>Ferrous Sulphate</i> | 16.8% w/w      |
| Green-up Moss Free Lawn Mosskiller      | 90718         | Vitax Limited                     | Vitax Limited             | Herbicide        | SP                      | Amateur          | <i>Ferrous Sulphate</i> | 55.5 %w/w      |
| Grisu                                   | 04836         | Oxon Italia SpA                   | Sipcam U.K. Ltd           | Fungicide        | SC                      | Professional     | <i>Iprodione</i>        | 500 g/l        |
| Gro-Stop 100                            | 03115         | Certis Europe BV                  | Certis Europe BV          | Growth Regulator | HN                      | Professional     | <i>Chlorpropham</i>     | 300 g/l        |
| Gro-Stop Fog                            | 03114         | Certis Europe BV                  | Certis Europe BV          | Growth Regulator | HN                      | Professional     | <i>Chlorpropham</i>     | 300 g/l        |
| Gro-Stop HN                             | 03113         | Certis Europe BV                  | Certis Europe BV          | Growth Regulator | HN                      | Professional     | <i>Chlorpropham</i>     | 300 g/l        |
| Gro-Stop Innovator                      | 03116         | Certis Europe BV                  | Certis Europe BV          | Growth Regulator | HN                      | Professional     | <i>Chlorpropham</i>     | 300 g/l        |
| Gro-Stop Ready                          | 04828         | Certis Europe BV                  | Certis Europe BV          | Growth Regulator | EW                      | Professional     | <i>Chlorpropham</i>     | 120 g/l        |
| Growing Success Advanced Bug Killer     | 92349         | W. Neudorff GmbH KG               | W. Neudorff GmbH KG       | Insecticide      | AL                      | Amateur          | <i>Pyrethrins</i>       | 0.045g/l       |
| Growing Success Advanced Slug Killer    | 02121         | W. Neudorff GmbH KG               | Westland Horticulture Ltd | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i> | 10 g/kg        |
| Guillotine                              | 03146         | Sumitomo Chemical Agro Europe SAS | Interfarm UK Ltd          | Herbicide        | SC                      | Professional     | <i>Flumioxazin</i>      | 300 g/l        |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                | <i>Marketing Company</i>                   | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>      | <i>Content</i>  |
|---------------------|---------------|--------------------------------------------|--------------------------------------------|-----------------|-------------------------|------------------|------------------------------|-----------------|
| Gusto 3             | 03666         | Adama Agricultural Solutions UK Ltd        | Adama Agricultural Solutions UK Ltd        | Molluscicide    | RB                      | Professional     |                              |                 |
|                     |               |                                            |                                            |                 |                         |                  | <i>Metaldehyde</i>           | <i>3 %w/w</i>   |
| Halo                | 00651         | Cheminova A/S                              | Cheminova                                  | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>        | <i>375 g/l</i>  |
|                     |               |                                            |                                            |                 |                         |                  | <i>Flutriafol</i>            | <i>47 g/l</i>   |
| Harmony M SX        | 02330         | DuPont (UK) Ltd                            | DuPont (Ireland) Ltd                       | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i> | <i>40 g/kg</i>  |
|                     |               |                                            |                                            |                 |                         |                  | <i>Thifensulfuron methyl</i> | <i>400 g/kg</i> |
| Harmony Max SX      | 02883         | DuPont (UK) Ltd                            | DuPont (UK) Ltd                            | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i> | <i>29 g/kg</i>  |
|                     |               |                                            |                                            |                 |                         |                  | <i>Thifensulfuron methyl</i> | <i>429 g/kg</i> |
| Harmony SX          | 02283         | DuPont (UK) Ltd                            | DuPont (Ireland) Ltd                       | Herbicide       | SG                      | Professional     | <i>Thifensulfuron methyl</i> | <i>500 g/kg</i> |
| Hatchet Xtra        | 02733         | Mitsui Agriscience International S.A./N.V. | Mitsui Agriscience International S.A./N.V. | Herbicide       | EC                      | Professional     |                              |                 |
|                     |               |                                            |                                            |                 |                         |                  | <i>Fluroxypyr</i>            | <i>200 g/l</i>  |
| Headland Relay      | 90728         | Headland Agrochemicals Ltd                 | Headland Agrochemicals Ltd                 | Herbicide       | SL                      | Professional     | <i>Dicamba</i>               | <i>25 g/l</i>   |
|                     |               |                                            |                                            |                 |                         |                  | <i>MCPA</i>                  | <i>200 g/l</i>  |
|                     |               |                                            |                                            |                 |                         |                  | <i>Mecoprop-P</i>            | <i>200 g/l</i>  |
| Headland Spruce     | 04772         | Nufarm UK Limited                          | Headland Agrochemicals Ltd                 | Herbicide       | SL                      | Professional     | <i>2,4-DB</i>                | <i>400 g/l</i>  |
| Headland Sulphur    | 90731         | Headland Agrochemicals Ltd                 | Headland Agrochemicals Ltd                 | Fungicide       | SC                      | Professional     | <i>Sulphur</i>               | <i>800 g/l</i>  |
| Headland Triad      | 03433         | DuPont (UK) Ltd                            | Headland Agrochemicals Ltd                 | Herbicide       | TB                      | Professional     | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |
| Headway             | 03557         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide       | EC                      | Professional     | <i>Azoxystrobin</i>          | <i>62.5 g/l</i> |
|                     |               |                                            |                                            |                 |                         |                  | <i>Propiconazole</i>         | <i>104 g/l</i>  |
| Helix               | 03789         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Fungicide       | EC                      | Professional     | <i>Prothioconazole</i>       | <i>160 g/l</i>  |
|                     |               |                                            |                                            |                 |                         |                  | <i>Spiroxamine</i>           | <i>300 g/l</i>  |
| Helosate 450 SL     | 04539         | Helm AG Ltd                                | Helm AG Ltd                                | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>            | <i>450 g/l</i>  |
| Hempacide 30        | 03531         | Hygeia Chemicals Ltd                       | Goldcrop Ltd                               | Herbicide       | SL                      | Professional     | <i>MCPA</i>                  | <i>300 g/l</i>  |
| Herboxone           | 02416         | Nufarm UK Limited                          | Nufarm UK Limited                          | Herbicide       | SL                      | Professional     | <i>2,4-D</i>                 | <i>500 g/l</i>  |



| <i>Product Name</i>                      | <i>PCS No</i> | <i>Authorization Holder</i>                        | <i>Marketing Company</i>                           | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                                           |
|------------------------------------------|---------------|----------------------------------------------------|----------------------------------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------------|----------------------------------------------------------|
| Heritage                                 | 02092         | Syngenta UK Ltd                                    | Syngenta Ireland Ltd                               | Fungicide       | WG                      | Professional     | <i>Azoxystrobin</i>                                         | <i>500 g/l</i>                                           |
| Heritage Maxx                            | 03978         | Syngenta UK Ltd                                    | Syngenta Ireland Ltd                               | Fungicide       | DC                      | Professional     | <i>Azoxystrobin</i>                                         | <i>95 g/l</i>                                            |
| Hexagon                                  | 05152         | Generica Europa Ltd                                | Generica Europa Ltd                                | Fungicide       | EC                      | Professional     | <i>Prothioconazole</i><br><i>Spiroxamine</i>                | <i>160 g/l</i><br><i>300 g/l</i>                         |
| High Load Mircam                         | 02336         | Nufarm UK Limited                                  | Nufarm UK Limited                                  | Herbicide       | SL                      | Professional     | <i>Dicamba</i><br><i>Mecoprop-P</i>                         | <i>80 g/l</i><br><i>600 g/l</i>                          |
| Hilite                                   | 02455         | Nomix Enviro,A Division of Frontier AgricultureLtd | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | UL                      | Professional     | <i>Glyphosate</i>                                           | <i>144 g/l</i>                                           |
| Holster XL                               | 04854         | Barclay Chemicals Ltd                              | Barclay Chemicals Ltd                              | Herbicide       | EC                      | Professional     | <i>2,4-D</i><br><i>Dicamba</i><br><i>Fluroxypyr</i>         | <i>285 g/l</i><br><i>52.5 g/l</i><br><i>105 g/l</i>      |
| Homebase Autumn Lawn Feed and Mosskiller | 05006         | The Scotts Company (UK) Ltd                        | Homebase Ltd                                       | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>                                     | <i>16.3% w/w</i>                                         |
| Homebase Lawn Feed, Weed and Mosskiller  | 02647         | The Scotts Company (UK) Ltd                        | Texas Homecare (Ireland) Ltd                       | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | <i>16.3 %w/w</i><br><i>0.49 %w/w</i><br><i>0.29 %w/w</i> |
| Homebase Lawn Weedkiller                 | 05326         | Hygeia Chemicals Ltd                               | Homebase Ltd                                       | Herbicide       | AL                      | Professional     | <i>Dicamba</i><br><i>Mecoprop-P</i>                         | <i>0.4675 g/l</i><br><i>3.75 g/l</i>                     |
| Homebase Slug Killer                     | 05022         | Doff Portland Ltd                                  | Homebase Ltd                                       | Molluscicide    | GB                      | Amateur          | <i>Metaldehyde</i>                                          | <i>1.5% w/w</i>                                          |
| House Plant Pest Killer                  | 92251         | Vitax Limited                                      | Goulding Garden Care Ltd                           | Insecticide     | AL                      | Amateur          | <i>Pyrethrins</i>                                           | <i>0.01 %w/w</i>                                         |
| Hubble                                   | 05288         | Adama Agricultural Solutions UK Ltd                | Adama Agricultural Solutions UK Ltd                | Fungicide       | SC                      | Professional     | <i>Dimethomorph</i><br><i>Fluazinam</i>                     | <i>200 g/l</i><br><i>200 g/l</i>                         |
| Hurler                                   | 05077         | Barclay Chemicals Ltd                              | Barclay Chemicals Ltd                              | Herbicide       | EC                      | Professional     | <i>Fluroxypyr</i>                                           | <i>200 g/l</i>                                           |

| <i>Product Name</i>                   | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>               | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>           | <i>Content</i>      |
|---------------------------------------|---------------|-------------------------------------|----------------------------------------|-----------------|-------------------------|------------------|-----------------------------------|---------------------|
| Hurricane SC                          | 04357         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd    | Herbicide       | SC                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Diflufenican</i>               | <i>500 g/l</i>      |
| Hussar                                | 02207         | Bayer CropScience Limited           | Bayer CropScience Limited              | Herbicide       | WG                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Iodosulfuron-methyl-sodium</i> | <i>5 %w/w</i>       |
| Hygeia Lawn Feed, Weed and Mosskiller | 03128         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | GR                      | Amateur          |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dicamba</i>                    | <i>0.04 %w/w</i>    |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Ferrous Sulphate</i>           | <i>16.2 % w/w</i>   |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>0.375 %w/w</i>   |
| Hygeia Lawn Feed, Weed and Mosskiller | 05228         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | GR                      | Amateur          |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dicamba</i>                    | <i>0.04675 % w/</i> |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Ferrous Sulphate</i>           | <i>16.3 % w/w</i>   |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>0.375 % w/w</i>  |
| Hygrass                               | 91727         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | SL                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dicamba</i>                    | <i>18.7 g/l</i>     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>150 g/l</i>      |
| Hymec Triple                          | 03890         | Nufarm UK Limited                   | Hygeia Chemicals Ltd                   | Herbicide       | SL                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dichlorprop-P</i>              | <i>310 g/l</i>      |
|                                       |               |                                     |                                        |                 |                         |                  | <i>MCPA</i>                       | <i>160 g/l</i>      |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>130 g/l</i>      |
| Hypoclear                             | 92354         | McKenna (J.F) Ltd                   | McKenna (J.F) Ltd                      | Bactericide     | SL                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Sodium hypochlorite</i>        | <i>14 % w/w</i>     |
| Hyprone Plus                          | 91729         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | SL                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dicamba</i>                    | <i>10.79 g/l</i>    |
|                                       |               |                                     |                                        |                 |                         |                  | <i>MCPA</i>                       | <i>99.80 g/l</i>    |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>91.50 g/l</i>    |
| Hyslug                                | 04747         | Doff Portland Ltd                   | Hygeia Chemicals Ltd                   | Molluscicide    | RB                      | Amateur          |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Metaldehyde</i>                | <i>1.5 % w/w</i>    |
| Hysward                               | 90500         | Hygeia Chemicals Ltd                | National Agrochemical Distributors Ltd | Herbicide       | SL                      | Professional     |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Dicamba</i>                    | <i>18.9 g/l</i>     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>MCPA</i>                       | <i>106 g/l</i>      |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Mecoprop-P</i>                 | <i>97 g/l</i>       |
| Hytrol                                | 03701         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | SG                      | Amateur          |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Glyphosate</i>                 | <i>9.6 g/l</i>      |
| Hytrol Glyphosate                     | 02560         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                   | Herbicide       | SL                      | Amateur          |                                   |                     |
|                                       |               |                                     |                                        |                 |                         |                  | <i>Glyphosate</i>                 | <i>162 g/l</i>      |

| <i>Product Name</i>                 | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>      | <i>Content</i> |
|-------------------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|------------------------------|----------------|
| Hytrol Lawn Weedkiller              | 04655         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide       | SL                      | Amateur          | <i>Dicamba</i>               | 4.675 g/l      |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Mecoprop-P</i>            | 37.5 g/l       |
| Hytrol Lawn Weedkiller Ready to Use | 04656         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide       | AL                      | Amateur          | <i>Dicamba</i>               | 0.4675 g/l     |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Mecoprop-P</i>            | 3.75 g/l       |
| Hytrol Nettle Killer                | 05100         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide       | SL                      | Amateur          | <i>Dicamba</i>               | 4.675 g/l      |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Mecoprop-P</i>            | 37.5 g/l       |
| Hytrol Total Liquid Ready to Use    | 04546         | Barclay Chemicals Ltd               | Hygeia Chemicals Ltd                | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>            | 7.2 g/l        |
| Hytrol Total Liquid Weedkiller      | 04545         | Barclay Chemicals Ltd               | Hygeia Chemicals Ltd                | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>            | 90 g/l         |
| Icade                               | 04249         | Dow AgroSciences                    | Dow AgroSciences                    | Herbicide       | SL                      | Professional     | <i>Aminopyralid</i>          | 12 g/l         |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Triclopyr</i>             | 120 g/l        |
| Icarus                              | 04421         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | EC                      | Professional     | <i>Epoxiconazole</i>         | 37.5 g/l       |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Metconazole</i>           | 25.0 g/l       |
| Imidasect 5GR                       | 04676         | Sharda Europe b.v.b.a               | Fargro Limited                      | Insecticide     | GR                      | Professional     | <i>Imidacloprid</i>          | 50 g/kg        |
| Impact                              | 90512         | Cheminova A/S                       | Cheminova                           | Fungicide       | SC                      | Professional     | <i>Flutriafol</i>            | 125 g/l        |
| Impact Excel                        | 00221         | Cheminova A/S                       | DHM Agrochemicals Ltd.,             | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>        | 300 g/l        |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Flutriafol</i>            | 47 g/l         |
| Imtrex                              | 04067         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | EC                      | Professional     | <i>Fluxapyroxad</i>          | 62.5 g/l       |
| Inca                                | 04457         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide       | SC                      | Professional     | <i>Epoxiconazole</i>         | 125 g/l        |
| Infinito                            | 02532         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide       | SC                      | Professional     | <i>Fluopicolide</i>          | 62.5 g/l       |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Propamocarb</i>           | 625 g/l        |
| Inka Max SX                         | 04842         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Herbicide       | SG                      | Professional     | <i>Thifensulfuron methyl</i> | 250 g/kg       |
|                                     |               |                                     |                                     |                 |                         |                  | <i>Tribenuron (-methyl)</i>  | 250 g/kg       |

| <i>Product Name</i>           | <i>PCS No</i> | <i>Authorization Holder</i>      | <i>Marketing Company</i>         | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                             | <i>Content</i>                  |
|-------------------------------|---------------|----------------------------------|----------------------------------|------------------|-------------------------|------------------|---------------------------------------------------------------------|---------------------------------|
| Insignia                      | 02280         | BASF plc                         | BASF Ireland Ltd                 | Fungicide        | WG                      | Professional     | <i>Pyraclostrobin</i>                                               | 200 g/kg                        |
| Instore Glyphosate Weedkiller | 02997         | Barclay Chemicals Ltd            | Barclay Chemicals Ltd            | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>                                                   | 7.2 g/l                         |
| Instrata                      | 05186         | Syngenta UK Ltd                  | Syngenta Ireland Ltd             | Fungicide        | SE                      | Professional     | <i>Chlorothalonil</i><br><i>Fludioxonil</i><br><i>Propiconazole</i> | 362 g/l<br>14.5 g/l<br>56.9 g/l |
| Insys                         | 03249         | Nisso Chemical Europe GmbH       | Certis Europe BV                 | Insecticide      | WP                      | Professional     | <i>Acetamiprid</i>                                                  | 20 %w/w                         |
| Intellis                      | 05107         | DuPont (UK) Ltd                  | DuPont (UK) Ltd                  | Fungicide        | EC                      | Professional     | <i>Penthiopyrad</i>                                                 | 200 g/l                         |
| Intercept                     | 01389         | Bayer CropScience Limited        | Everris Ltd                      | Insecticide      | GR                      | Professional     | <i>Imidacloprid</i>                                                 | 5 %w/w                          |
| Interface                     | 04882         | Bayer CropScience Limited        | Bayer CropScience Limited        | Fungicide        | SC                      | Professional     | <i>Iprodione</i><br><i>Trifloxystrobin</i>                          | 256 g/l<br>16 g/l               |
| Intern                        | 05164         | Generica Europa Ltd              | Generica Europa Ltd              | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                                             | 250 g/l                         |
| Iroxx                         | 05253         | W. Neudorff GmbH KG              | Certis Europe BV                 | Molluscicide     | GB                      | Professional     | <i>Ferric Phosphate</i>                                             | 29.7 g/kg                       |
| Jaboland                      | 05039         | I.A.B. SL                        | I.A.B. SL                        | Insecticide      | SL                      | Professional     | <i>Fatty acid - C7 - C18 - potassium salt</i>                       | 416 g/l                         |
| Jabolim                       | 05041         | I.A.B. SL                        | Quimicas Meristem S.L.           | Insecticide      | SL                      | Professional     | <i>Fatty acid - C7 - C18 - potassium salt</i>                       | 416 g/l                         |
| Jadex-o-720                   | 04771         | Societe Financiere de Pontarlier | Societe Financiere de Pontarlier | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>                                                  | 720 g/l                         |
| Jenton                        | 02172         | BASF plc                         | BASF Ireland Ltd                 | Fungicide        | EC                      | Professional     | <i>Fenpropimorph</i><br><i>Pyraclostrobin</i>                       | 375 g/l<br>100 g/l              |
| Jewel                         | 02953         | FMC Chemical s.p.r.l.            | Everris Ltd                      | Herbicide        | SG                      | Professional     | <i>Carfentrazone-ethyl</i><br><i>Mecoprop-P</i>                     | 15 g/kg<br>600 g/kg             |
| Joules                        | 04784         | Nufarm UK Limited                | Nufarm UK Limited                | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                                               | 500 g/l                         |
| Judo                          | 05035         | Cheminova A/S                    | Headland Agrochemicals Ltd       | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                                                  | 400 g/l                         |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>   | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i>     | <i>Active Substance</i>                                         | <i>Content</i>                                     |
|---------------------|---------------|-----------------------------|----------------------------|------------------|-------------------------|----------------------|-----------------------------------------------------------------|----------------------------------------------------|
| Jupital             | 04503         | Syngenta UK Ltd             | Syngenta Ireland Ltd       | Fungicide        | SC                      | Professional         | <i>Chlorothalonil</i>                                           | <i>500 g/l</i>                                     |
| Jura                | 05554         | Globachem nv                | Globachem nv               | Herbicide        | EC                      | Professional         | <i>Diffenican</i><br><i>Prosulfocarb</i>                        | <i>14 g/l</i><br><i>667 g/l</i>                    |
| K2                  | 04742         | Taminco BVBA.               | DHM Agrochemicals Ltd.,    | Growth Regulator | SL                      | Professional         | <i>Chlormequat</i>                                              | <i>620 g/l</i>                                     |
| Kalahari            | 04100         | Barclay Chemicals Ltd       | Barclay Chemicals Ltd      | Dessicant        | SL                      | Professional         | <i>Diquat (dibromide)</i>                                       | <i>200 g/l</i>                                     |
| Kaligreen           | 92412         | OAT Agrico Co., Ltd.        | Arysta Life Science S.A.S. | Fungicide        | SP                      | Amateur/Professional | <i>Potassium Hydrogen Carbonate</i>                             | <i>820 g/kg</i>                                    |
| Karate 2.5 WG       | 03979         | Syngenta UK Ltd             | Syngenta Ireland Ltd       | Insecticide      | WG                      | Professional         | <i>lambda-Cyhalothrin</i>                                       | <i>25 g/kg</i>                                     |
| Karate Zeon         | 04084         | Syngenta UK Ltd             | Syngenta Ireland Ltd       | Insecticide      | CS                      | Professional         | <i>lambda-Cyhalothrin</i>                                       | <i>100 g/l</i>                                     |
| Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.       | Headland Agrochemicals Ltd | Insecticide      | CS                      | Professional         | <i>lambda-Cyhalothrin</i>                                       | <i>100 g/l</i>                                     |
| Katamaran           | 03628         | BASF plc                    | BASF Ireland Ltd           | Herbicide        | SC                      | Professional         | <i>Metazachlor</i><br><i>Quinmerac</i>                          | <i>375 g/l</i><br><i>125 g/l</i>                   |
| Katamaran Turbo     | 04931         | BASF plc                    | BASF Ireland Ltd           | Herbicide        | SE                      | Professional         | <i>Dimethenamid-P</i><br><i>Metazachlor</i><br><i>Quinmerac</i> | <i>200 g/l</i><br><i>200 g/l</i><br><i>100 g/l</i> |
| Kerb 50 W           | 02831         | Dow AgroSciences            | Dow AgroSciences           | Herbicide        | WP                      | Professional         | <i>Propyzamide</i>                                              | <i>50 %w/w</i>                                     |
| Kerb Flo            | 02830         | Dow AgroSciences            | Dow AgroSciences           | Herbicide        | SC                      | Professional         | <i>Propyzamide</i>                                              | <i>400 g/l</i>                                     |
| Kerb Granules       | 02955         | Barclay Chemicals Ltd       | Barclay Chemicals Ltd      | Herbicide        | GR                      | Professional         | <i>Propyzamide</i>                                              | <i>40 g/kg</i>                                     |
| Keypro              | 05589         | Sharda Europe b.v.b.a       | Sharda Europe b.v.b.a      | Fungicide        | SL                      | Professional         | <i>Cyproconazole</i>                                            | <i>100 g/l</i>                                     |
| Keystone            | 04526         | Syngenta UK Ltd             | Syngenta Ireland Ltd       | Fungicide        | SC                      | Professional         | <i>Epoxiconazole</i><br><i>Isopyrazam</i>                       | <i>99 g/l</i><br><i>125 g/l</i>                    |
| Kinto               | 02550         | BASF plc                    | BASF Ireland Ltd           | Seed Dressing    | FS                      | Professional         | <i>Prochloraz</i><br><i>Triticonazole</i>                       | <i>60 g/l</i><br><i>20 g/l</i>                     |

| <i>Product Name</i>                      | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>    | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                      |
|------------------------------------------|---------------|-----------------------------|-----------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------------|-------------------------------------|
| Knockdown Glyphosate Weedkiller          | 04068         | Barclay Chemicals Ltd       | Doff Portland Ltd           | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>                                           | 90 g/l                              |
| Knockdown Path Weedkiller                | 03120         | Sipcam U.K. Ltd             | Doff Portland Ltd           | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                                           | 7.2 g/l                             |
| Knockdown Superfast Weedkiller           | 04832         | W. Neudorff GmbH KG         | Doff Portland Ltd           | Herbicide       | AL                      | Amateur          | <i>Pelargonic acid</i>                                      | 31.02 g/l                           |
| Knockdown Weedkiller                     | 03121         | Sipcam U.K. Ltd             | Doff Portland Ltd           | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                                           | 7.2 g/l                             |
| K-Obiol EC25                             | 03641         | Bayer CropScience Limited   | Bayer CropScience Limited   | Insecticide     | EC                      | Professional     | <i>Deltamethrin</i>                                         | 25 g/l                              |
| K-Obiol ULV 6                            | 03642         | Bayer CropScience Limited   | Bayer CropScience Limited   | Insecticide     | UL                      | Professional     | <i>Deltamethrin</i>                                         | 6 g/l                               |
| Kunshi                                   | 04785         | ISK Biosciences Europe N.V. | Belchim Crop Protection Ltd | Fungicide       | WG                      | Professional     | <i>Cymoxanil</i><br><i>Fluazinam</i>                        | 250 g/kg<br>375 g/kg                |
| Kyanite                                  | 05168         | Generica Europa Ltd         | Generica Europa Ltd         | Fungicide       | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Pyraclostrobin</i>               | 62.5 g/l<br>80 g/l                  |
| Kyleo                                    | 05271         | Nufarm UK Limited           | Nufarm UK Limited           | Herbicide       | SL                      | Professional     | <i>2,4-D</i><br><i>Glyphosate</i>                           | 160 g/l<br>240 g/l                  |
| Laidir 10 CS                             | 04932         | GAT Microencapsulation AG   | GAT Microencapsulation AG   | Insecticide     | CS                      | Professional     | <i>lambda-Cyhalothrin</i>                                   | 100 g/l                             |
| Landscaper Pro Feed Weed Mosskiller      | 05587         | The Scotts Company (UK) Ltd | Everris Ltd                 | Herbicide       | GR                      | Professional     | <i>Ferrous Sulphate</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 16.3% w/w<br>0.49% w/w<br>0.29% w/w |
| Landscaper Pro Moss Control + Fertilizer | 92371         | The Scotts Company (UK) Ltd | Everris Ltd                 | Herbicide       | GR                      | Professional     | <i>Ferrous Sulphate</i>                                     | 21.7 % w/w                          |
| Landscaper Pro Weed Control + Fertilizer | 04708         | The Scotts Company (UK) Ltd | Everris Ltd                 | Herbicide       | GR                      | Professional     | <i>2,4-D</i><br><i>Dicamba</i>                              | 0.8% w/w<br>0.12% w/w               |
| Latitude                                 | 02226         | Monsanto UK Ltd             | Monsanto Ireland Ltd        | Seed Dressing   | FS                      | Professional     | <i>Silthiofam</i>                                           | 125 g/l                             |

| <i>Product Name</i>            | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                   |
|--------------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------------|----------------------------------|
| Latitude XL                    | 04721         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Seed Dressing   | FS                      | Professional     | <i>Silthiofam</i>                                           | 125 g/l                          |
| Lawn Weedkiller Ready to Use 2 | 04623         | Nufarm UK Limited                   | Bayer Garden                        | Herbicide       | SL                      | Amateur          | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>          | 0.55 g/l<br>4.53 g/l<br>4.20 g/l |
| Lector                         | 04818         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide       | SC                      | Professional     | <i>Florasulam</i>                                           | 50 g/l                           |
| Legion                         | 05179         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide       | SC                      | Professional     | <i>Metazachlor</i><br><i>Quinmerac</i>                      | 375 g/l<br>125 g/l               |
| Legumex                        | 04897         | Croplink (Ireland) Ltd              | Croplink (Ireland) Ltd              | Herbicide       | SL                      | Professional     | <i>2,4-DB</i><br><i>MCPA</i>                                | 240 g/l<br>40 g/l                |
| Legumex DB                     | 90605         | Hygeia Chemicals Ltd                | Croplink (Ireland) Ltd              | Herbicide       | SL                      | Professional     | <i>2,4-DB</i><br><i>MCPA</i>                                | 240 g/l<br>40 g/l                |
| Lentagran WP                   | 03082         | Belchim Crop Protection NV          | Whelehan Crop Protection            | Herbicide       | WP                      | Professional     | <i>Pyridate</i>                                             | 45 % w/w                         |
| Lepinox Plus                   | 05254         | CBC (Europe) S.r.l.                 | Fargro Limited                      | Insecticide     | WP                      | Professional     | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>   | 375 g/kg                         |
| Lexus 50 DF                    | 02000         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide       | WG                      | Professional     | <i>Flupyrulfuron Methyl</i>                                 | 500 g/kg                         |
| Lexus Class                    | 02258         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide       | WG                      | Professional     | <i>Carfentrazone-ethyl</i><br><i>Flupyrulfuron Methyl</i>   | 333 g/kg<br>167 g/kg             |
| Lexus Millenium                | 02237         | DuPont (UK) Ltd                     | DuPont (Ireland) Ltd                | Herbicide       | WG                      | Professional     | <i>Flupyrulfuron Methyl</i><br><i>Thifensulfuron methyl</i> | 100 g/kg<br>400 g/kg             |
| Librax                         | 04465         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | EC                      | Professional     | <i>Fluxapyroxad</i><br><i>Metconazole</i>                   | 62.5 g/l<br>45.0 g/l             |
| Librax                         | 04968         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | EC                      | Professional     | <i>Fluxapyroxad</i><br><i>Metconazole</i>                   | 62.5 g/l<br>45.0 g/l             |

| <i>Product Name</i>            | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                            | <i>Content</i>                                                   |
|--------------------------------|---------------|---------------------------------|---------------------------|------------------|-------------------------|------------------|--------------------------------------------------------------------|------------------------------------------------------------------|
| Life Scientific Azoxystrobin   | 04405         | Life Scientific Limited         | Life Scientific Limited   | Fungicide        | SC                      | Professional     | <i>Azoxystrobin</i>                                                | <i>250 g/l</i>                                                   |
| Life Scientific Chlorothalonil | 04449         | Life Scientific Limited         | Life Scientific Limited   | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                                              | <i>500 g/l</i>                                                   |
| Life Scientific Diquat         | 04461         | Life Scientific Limited         | Life Scientific Limited   | Herbicide        | SL                      | Professional     | <i>Diquat (dibromide)</i>                                          | <i>200 g/l</i>                                                   |
| Life Scientific Lambda         | 04868         | Life Scientific Limited         | Life Scientific Limited   | Insecticide      | CS                      | Professional     | <i>lambda-Cyhalothrin</i>                                          | <i>100 g/l</i>                                                   |
| Life Scientific Trinex         | 04872         | Life Scientific Limited         | Life Scientific Limited   | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                                            | <i>250 g/l</i>                                                   |
| Lima Gold 3%                   | 05533         | Sharda Europe b.v.b.a           | Sharda Europe b.v.b.a     | Molluscicide     | GB                      | Professional     | <i>Metaldehyde</i>                                                 | <i>3% w/w</i>                                                    |
| Lima Gold 5%                   | 04961         | Sharda Europe b.v.b.a           | Sharda Europe b.v.b.a     | Molluscicide     | GB                      | Professional     | <i>Metaldehyde</i>                                                 | <i>5% w/w</i>                                                    |
| Limitar                        | 05047         | Certiplant N.V.                 | Belcrop N.V.              | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                                            | <i>250 g/l</i>                                                   |
| Lingo                          | 03660         | Belchim Crop Protection NV      | Whelehan Crop Protection  | Herbicide        | ZC                      | Professional     | <i>Clomazone</i><br><i>Linuron</i>                                 | <i>45 g/l</i><br><i>250 g/l</i>                                  |
| Longbow                        | 04559         | Arysta LifeScience Benelux SPRL | Bayer CropScience Limited | Herbicide        | SL                      | Professional     | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | <i>70 g/l</i><br><i>20 g/l</i><br><i>70 g/l</i><br><i>42 g/l</i> |
| Lorate                         | 02689         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd      | Herbicide        | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>                                       | <i>200 g/kgs</i>                                                 |
| LSTF Amateur                   | 05083         | Lawn Sand Task Force            | Lawn Sand Task Force      | Herbicide        | GR                      | Amateur          | <i>Ferrous Sulphate</i>                                            | <i>7.7 % w/w</i>                                                 |
| LSTF Pro                       | 05082         | Lawn Sand Task Force            | Lawn Sand Task Force      | Herbicide        | GR                      | Professional     | <i>Ferrous Sulphate</i>                                            | <i>7.7 % w/w</i>                                                 |
| Lumen                          | 02702         | BASF plc                        | BASF Ireland Ltd          | Fungicide        | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Pyraclostrobin</i>                      | <i>62.5 g/l</i><br><i>80 g/l</i>                                 |
| Lupo                           | 02979         | Nufarm UK Limited               | Nufarm UK Limited         | Herbicide        | SL                      | Professional     | <i>2,4-D</i><br><i>MCPA</i>                                        | <i>345 g/l</i><br><i>345 g/l</i>                                 |
| M50                            | 05505         | DHM Agrochemicals Ltd.,         | DHM Agrochemicals Ltd.,   | Herbicide        | SG                      | Professional     | <i>MCPA</i>                                                        | <i>500 g/l</i>                                                   |



| <i>Product Name</i>  | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>   | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>   | <i>Content</i>  |
|----------------------|---------------|-----------------------------|----------------------------|------------------|-------------------------|------------------|---------------------------|-----------------|
| Maestro              | 04850         | Bayer CropScience Limited   | Bayer CropScience Limited  | Fungicide        | EC                      | Professional     | <i>Fluoxastrobin</i>      | <i>100 g/l</i>  |
|                      |               |                             |                            |                  |                         |                  | <i>Prothioconazole</i>    | <i>100 g/l</i>  |
| Magnello             | 04118         | Syngenta UK Ltd             | Syngenta Ireland Ltd       | Fungicide        | EC                      | Professional     | <i>Difenoconazole</i>     | <i>100 g/l</i>  |
|                      |               |                             |                            |                  |                         |                  | <i>Tebuconazole</i>       | <i>250 g/l</i>  |
| Maintain             | 05365         | Cheminova A/S               | Headland Agrochemicals Ltd | Growth Regulator | ME                      | Professional     | <i>Trinexapac ethyl</i>   | <i>120 g/l</i>  |
| Majestik             | 05677         | Certis Europe BV            | Certis Europe BV           | Insecticide      | SL                      | Professional     | <i>Maltodextrin</i>       | <i>598 g/l</i>  |
| Mandarin Xpro        | 04556         | Bayer CropScience Limited   | Bayer CropScience Limited  | Fungicide        | EC                      | Professional     | <i>Bixafen</i>            | <i>60 g/l</i>   |
|                      |               |                             |                            |                  |                         |                  | <i>Prothioconazole</i>    | <i>200 g/l</i>  |
| Manfil 75 WG         | 03598         | Indofil Industries Limited  | Headland Agrochemicals Ltd | Fungicide        | WG                      | Professional     | <i>Mancozeb</i>           | <i>75 % w/w</i> |
| Manfil 80 WP         | 03563         | Indofil Industries Limited  | Headland Agrochemicals Ltd | Fungicide        | WP                      | Professional     | <i>Mancozeb</i>           | <i>800 g/kg</i> |
| Manipulator          | 05445         | Taminco BVBA.               | DHM Agrochemicals Ltd.,    | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>        | <i>620 g/l</i>  |
| Markate 50           | 05001         | Globachem nv                | DHM Agrochemicals Ltd.,    | Insecticide      | EC                      | Professional     | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |
| Masai                | 03585         | BASF plc                    | BASF Ireland Ltd           | Insecticide      | WP                      | Professional     | <i>Tebufenpyrad</i>       | <i>200 g/kg</i> |
| Mascot Rayzor        | 04119         | Bayer CropScience Limited   | Rigby Taylor Ltd           | Fungicide        | SC                      | Professional     | <i>Iprodione</i>          | <i>255 g/l</i>  |
| Mastercrop Bandit    | 91836         | Glanbia Agribusiness        | Glanbia Agribusiness       | Herbicide        | SL                      | Professional     | <i>Dicamba</i>            | <i>12 g/l</i>   |
|                      |               |                             |                            |                  |                         |                  | <i>MCPA</i>               | <i>169 g/l</i>  |
|                      |               |                             |                            |                  |                         |                  | <i>Mecoprop-P</i>         | <i>62.5 g/l</i> |
| Mastercrop MCPA 50   | 05510         | Hygeia Chemicals Ltd        | Glanbia plc.               | Herbicide        | SL                      | Professional     | <i>MCPA</i>               | <i>500 g/l</i>  |
| Mastercrop Undersown | 91839         | Hygeia Chemicals Ltd        | Glanbia plc                | Herbicide        | SL                      | Professional     | <i>2,4-DB</i>             | <i>240 g/l</i>  |
|                      |               |                             |                            |                  |                         |                  | <i>MCPA</i>               | <i>40 g/l</i>   |
| Maton                | 02720         | Nufarm UK Limited           | Nufarm UK Limited          | Herbicide        | EC                      | Professional     | <i>2,4-D</i>              | <i>600 g/l</i>  |

| <i>Product Name</i>                       | <i>PCS No</i> | <i>Authorization Holder</i>                | <i>Marketing Company</i>                   | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                          | <i>Content</i>             |
|-------------------------------------------|---------------|--------------------------------------------|--------------------------------------------|------------------|-------------------------|------------------|--------------------------------------------------|----------------------------|
| Maxicrop Mosskiller and Lawn Tonic        | 05150         | Maxicrop UK Ltd                            | Maxicrop UK Ltd                            | Herbicide        | SL                      | Amateur          | <i>Ferrous Sulphate Heptahydrate</i>             | <i>375 g/l</i>             |
| Maxicrop No.2 Moss Killer and Conditioner | 05149         | Maxicrop UK Ltd                            | Maxicrop UK Ltd                            | Herbicide        | SL                      | Professional     | <i>Ferrous Sulphate Heptahydrate</i>             | <i>375 g/l</i>             |
| Maxim 100 FS                              | 04226         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Seed Dressing    | FS                      | Professional     | <i>Fludioxonil</i>                               | <i>100 g/l</i>             |
| Medallion TL                              | 04188         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide        | SC                      | Professional     | <i>Fludioxonil</i>                               | <i>125 g/l</i>             |
| Medax Max                                 | 05507         | BASF plc                                   | BASF Ireland Ltd                           | Growth Regulator | WG                      | Professional     | <i>Prohexadione Calcium Trinexapac ethyl</i>     | <i>50 g/kg<br/>75 g/kg</i> |
| Menara                                    | 01258         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide        | EC                      | Professional     | <i>Cyproconazole<br/>Propiconazole</i>           | <i>160 g/l<br/>250 g/l</i> |
| Merit Turf                                | 02896         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Insecticide      | GR                      | Professional     | <i>Imidacloprid</i>                              | <i>0.5 %w/w</i>            |
| Mesuroil FS                               | 04082         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Seed Dressing    | FS                      | Professional     | <i>Methiocarb</i>                                | <i>500 g/l</i>             |
| Met 52 Granular                           | 04811         | Novozymes France S.A.S.                    | Fargro Limited                             | Insecticide      | GR                      | Professional     | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>              |
| Metarex Inov                              | 04852         | De Sangosse SA                             | Bayer CropScience Limited                  | Molluscicide     | GB                      | Professional     | <i>Metaldehyde</i>                               | <i>40 g/kg</i>             |
| Meteor                                    | 04750         | BASF plc                                   | BASF Ireland Ltd                           | Growth Regulator | SL                      | Professional     | <i>Chlormequat<br/>Imazaquin</i>                 | <i>368 g/l<br/>0.8 g/l</i> |
| Metro 20                                  | 02863         | Mitsui Agriscience International S.A./N.V. | Mitsui Agriscience International S.A./N.V. | Herbicide        | WG                      | Professional     | <i>Metsulfuron (-methyl)</i>                     | <i>20 %w/w</i>             |
| Mettle                                    | 03788         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Fungicide        | EC                      | Professional     | <i>Fluoxastrobin<br/>Prothioconazole</i>         | <i>100 g/l<br/>100 g/l</i> |
| Micaraz                                   | 04856         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide        | SC                      | Professional     | <i>Epoxiconazole<br/>Isopyrazam</i>              | <i>90 g/l<br/>125 g/l</i>  |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                            | <i>Content</i>                                          |
|---------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|----------------------------------------------------|---------------------------------------------------------|
| Microthiol Special  | 90548         | UPL Europe Ltd                      | UPL Europe Ltd                      | Fungicide        | WG                      | Professional     | <i>Sulphur</i>                                     | <i>80 %w/w</i>                                          |
| Minstrel            | 04782         | UPL Europe Ltd                      | UPL Europe Ltd                      | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                                  | <i>200 g/l</i>                                          |
| Mirage              | 00412         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide        | EC                      | Professional     | <i>Prochloraz</i>                                  | <i>400 g/l</i>                                          |
| Mircam Plus         | 05017         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional     | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | <i>19.5 g/l</i><br><i>245 g/l</i><br><i>43.3 g/l</i>    |
| Mircam Super        | 02097         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional     | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | <i>2.8 %w/w</i><br><i>22.6 %w/w</i><br><i>20.9 %w/w</i> |
| Mission 200 SL      | 03175         | UPL Europe Ltd                      | UPL Europe Ltd                      | Herbicide        | SL                      | Professional     | <i>Diquat (dibromide)</i>                          | <i>200 g/l</i>                                          |
| Mitron WG           | 01704         | Hermoo Belgium N.V.                 | Hermoo Belgium N.V.                 | Herbicide        | WG                      | Professional     | <i>Metamitron</i>                                  | <i>70 %w/w</i>                                          |
| Mizr                | 03835         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                  | <i>360 g/l</i>                                          |
| Mizr XL             | 05162         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                  | <i>360 g/l</i>                                          |
| Mocap 15G           | 04005         | Amvac Netherlands B.V               | Certis Europe BV                    | Nematicide       | GR                      | Professional     | <i>Ethoprophos</i>                                 | <i>150 g/kg</i>                                         |
| Moddus              | 03849         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                            | <i>250 g/l</i>                                          |
| Modem               | 02355         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Pyraclostrobin</i>                              | <i>250 g/l</i>                                          |
| Modem 200           | 03695         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Pyraclostrobin</i>                              | <i>200 g/l</i>                                          |
| Mogeton             | 04943         | Certis Europe BV                    | Certis Europe BV                    | Herbicide        | WP                      | Professional     | <i>Quinoclamine</i>                                | <i>250 g/kg</i>                                         |
| MON 78273           | 02228         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                  | <i>540 g/l</i>                                          |
| MON 79351           | 04009         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                  | <i>480 g/l</i>                                          |
| MON 79632           | 02619         | Monsanto UK Ltd                     | Monsanto Ireland Ltd                | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                  | <i>360 g/l</i>                                          |

| <i>Product Name</i>          | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>    | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>                      |
|------------------------------|---------------|---------------------------------|-----------------------------|-----------------------|-------------------------|------------------|-----------------------------------------------|-------------------------------------|
| Monitor                      | 02076         | Monsanto UK Ltd                 | Monsanto Ireland Ltd        | Herbicide             | WG                      | Professional     | <i>Sulfosulfuron</i>                          | <i>80% w/w</i>                      |
| Monosate G                   | 05605         | Monsanto UK Ltd                 | Monsanto Ireland Ltd        | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                             | <i>360 g/l</i>                      |
| Mortone                      | 03529         | Hygeia Chemicals Ltd            | Hygeia Chemicals Ltd        | Herbicide             | SL                      | Professional     | <i>MCPA</i>                                   | <i>300 g/l</i>                      |
| Mortox 50                    | 02635         | Nufarm UK Limited               | Hygeia Chemicals Ltd        | Herbicide             | SL                      | Professional     | <i>2,4-D</i>                                  | <i>500 g/l</i>                      |
| Mosgo Lawn & Turf Mosskiller | 92321         | Omex Agriculture Ltd            | Hygeia Chemicals Ltd        | Herbicide             | SL                      | Amateur          | <i>Ferrous Sulphate</i>                       | <i>16.4 %</i>                       |
| Most Micro                   | 04837         | Sipcam U.K. Ltd                 | Sipcam U.K. Ltd             | Herbicide             | CS                      | Professional     | <i>Pendimethalin</i>                          | <i>365 g/l</i>                      |
| Movento                      | 04101         | Bayer CropScience Limited       | Bayer CropScience Limited   | Insecticide           | OD                      | Professional     | <i>Spirotetramat</i>                          | <i>150 g/l</i>                      |
| Moxa                         | 04915         | Globachem nv                    | Globachem nv                | Growth Regulator      | EC                      | Professional     | <i>Trinexapac ethyl</i>                       | <i>250 g/l</i>                      |
| Moximate 725 WG              | 04670         | Indofil Industries Limited      | Indofil Industries Limited  | Fungicide             | WG                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>           | <i>4.5% w/w</i><br><i>68% w/w</i>   |
| Moximate 725 WP              | 04514         | Indofil Industries Limited      | Indofil Industries Limited  | Fungicide             | WP                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>           | <i>4.5% w/w</i><br><i>68% w/w</i>   |
| Multirose Bug Killer         | 04272         | Bayer CropScience Limited       | Bayer Garden                | Insecticide           | AL                      | Amateur          | <i>Thiacloprid</i>                            | <i>0.15 g/l</i>                     |
| Multirose Concentrate 2      | 05314         | Bayer CropScience Limited       | Bayer Garden                | Fungicide/Insecticide | SE                      | Amateur          | <i>Deltamethrin</i><br><i>Tebuconazole</i>    | <i>0.5 g/l</i><br><i>10 g/l</i>     |
| Multirose2                   | 04800         | Arysta LifeScience Benelux SPRL | Bayer Garden                | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i><br><i>Myclobutanil</i>    | <i>0.05 g/l</i><br><i>0.075 g/l</i> |
| Muti-Star 500                | 04812         | Albaugh Europe Sarl             | Albaugh Europe Sarl         | Fungicide             | SC                      | Professional     | <i>Chlorothalonil</i>                         | <i>500 g/l</i>                      |
| Nakar                        | 05042         | I.A.B. SL                       | Seipasa S.A.                | Insecticide           | SL                      | Professional     | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>416 g/l</i>                      |
| Nando 500SC                  | 05387         | Nufarm UK Limited               | Nufarm UK Limited           | Fungicide             | SC                      | Professional     | <i>Fluazinam</i>                              | <i>500 g/l</i>                      |
| Narita                       | 04950         | Globachem nv                    | Belchim Crop Protection Ltd | Fungicide             | EC                      | Professional     | <i>Difenoconazole</i>                         | <i>250 g/l</i>                      |

| <i>Product Name</i>  | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i>     | <i>Active Substance</i>                    | <i>Content</i> |
|----------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|----------------------|--------------------------------------------|----------------|
| Nativo 75 WG         | 03226         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide        | WG                      | Professional         | <i>Tebuconazole</i>                        | 500 g/kg       |
|                      |               |                                     |                                     |                  |                         |                      | <i>Trifloxystrobin</i>                     | 250 g/kg       |
| Naturalis-L          | 04187         | CBC (Europe) S.r.l.                 | Fargro Limited                      | Insecticide      | OD                      | Professional         | <i>Beauveria bassiana GHA / ATCC 74040</i> | 7.16 % w/w     |
| Nautile DG           | 04540         | UPL Europe Ltd                      | UPL Europe Ltd                      | Fungicide        | WG                      | Professional         | <i>Cymoxanil</i>                           | 5% w/w         |
|                      |               |                                     |                                     |                  |                         |                      | <i>Mancozeb</i>                            | 68% w/w        |
| Navigate             | 05667         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Herbicide        | SC                      | Professional         | <i>Diflufenican</i>                        | 200 g/l        |
|                      |               |                                     |                                     |                  |                         |                      | <i>Flufenacet</i>                          | 400 g/l        |
| Nemathorin 10G       | 02867         | ISK Biosciences Europe N.V.         | Syngenta Ireland Ltd                | Nematicide       | FG                      | Professional         | <i>Fosthiazate</i>                         | 10 %w/w        |
| NEMGuard DE          | 05368         | ECOspray Ltd                        | Certis Europe BV                    | Nematicide       | GR                      | Professional         | <i>Garlic Extract</i>                      | 450 g/kg       |
| NEMguard Granules    | 92306         | ECOspray Ltd                        | ECOspray Ltd                        | Nematicide       | EC                      | Amateur/Professional | <i>Garlic Extract</i>                      | 45 % w/w       |
| Nemguard Liquid      | 92307         | ECOspray Ltd                        | ECOspray Ltd                        | Nematicide       | EC                      | Amateur/Professional | <i>Garlic Extract</i>                      | 99 %w/w        |
| Neo Stop             | 03065         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Growth Regulator | DP                      | Professional         | <i>Chlorpropham</i>                        | 1 % w/w        |
| Neo Stop 300 HN      | 05213         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Growth Regulator | HN                      | Professional         | <i>Chlorpropham</i>                        | 300 g/l        |
| Neo-Stop L500 HN     | 03053         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Growth Regulator | HN                      | Professional         | <i>Chlorpropham</i>                        | 500g/l         |
| Nettleban EW         | 04681         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Herbicide        | EW                      | Professional         | <i>2,4-D</i>                               | 200 g/l        |
|                      |               |                                     |                                     |                  |                         |                      | <i>Dicamba</i>                             | 85 g/l         |
|                      |               |                                     |                                     |                  |                         |                      | <i>Triclopyr</i>                           | 65 g/l         |
| New Hyflux           | 05268         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide        | EC                      | Professional         | <i>Fluroxypyr</i>                          | 200 g/l        |
| New Rate 2,4-D Ester | 02721         | Nufarm UK Limited                   | Hygeia Chemicals Ltd                | Herbicide        | EC                      | Professional         | <i>2,4-D</i>                               | 600 g/l        |
| Nexide CS            | 04238         | Cheminova A/S                       | Headland Agrochemicals Ltd          | Insecticide      | CS                      | Professional         | <i>Gamma-Cyhalothrin</i>                   | 60 g/l         |
| Nimrod               | 90789         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide        | EC                      | Professional         | <i>Bupirimate</i>                          | 250 g/l        |

| <i>Product Name</i>     | <i>PCS No</i> | <i>Authorization Holder</i>                        | <i>Marketing Company</i>                           | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                  | <i>Content</i>                                     |
|-------------------------|---------------|----------------------------------------------------|----------------------------------------------------|-----------------|-------------------------|------------------|----------------------------------------------------------|----------------------------------------------------|
| Ninja 10CS              | 05178         | Syngenta UK Ltd                                    | Syngenta Ireland Ltd                               | Insecticide     | CS                      | Professional     | <i>lambda-Cyhalothrin</i>                                | <i>100 g/l</i>                                     |
| Nirvana                 | 03063         | BASF plc                                           | BASF Ireland Ltd                                   | Herbicide       | EC                      | Professional     | <i>Imazamox</i><br><i>Pendimethalin</i>                  | <i>16.7 g/l</i><br><i>250 g/l</i>                  |
| Nissodium               | 05514         | Nisso Chemical Europe GmbH                         | Certis Europe BV                                   | Fungicide       | EW                      | Professional     | <i>Cyflufenamid</i>                                      | <i>50 g/l</i>                                      |
| Nomix Blade             | 03854         | Nomix Enviro,A Division of Frontier AgricultureLtd | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | EW                      | Professional     | <i>Glyphosate</i><br><i>Sulfosulfuron</i>                | <i>120 g/l</i><br><i>2.22 g/l</i>                  |
| Nomix Conqueror Amenity | 05332         | Nomix Enviro,A Division of Frontier AgricultureLtd | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | UL                      | Professional     | <i>Glyphosate</i>                                        | <i>144 g/l</i>                                     |
| Nomix Dual              | 03080         | Nomix Enviro,A Division of Frontier AgricultureLtd | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | EW                      | Professional     | <i>Glyphosate</i><br><i>Sulfosulfuron</i>                | <i>120 g/l</i><br><i>2.22 g/l</i>                  |
| Nortron 50 SC           | 02658         | Bayer CropScience Limited                          | Bayer CropScience Limited                          | Herbicide       | SC                      | Professional     | <i>Ethofumesate</i>                                      | <i>500 g/l</i>                                     |
| NU46                    | 05501         | Nufarm UK Limited                                  | Nufarm UK Limited                                  | Herbicide       | SL                      | Professional     | <i>MCPA</i>                                              | <i>500 g/l</i>                                     |
| Oberon                  | 02529         | Bayer CropScience Limited                          | Bayer CropScience Limited                          | Insecticide     | SC                      | Professional     | <i>Spiromesifen</i>                                      | <i>240 g/l</i>                                     |
| Oblix 500               | 05286         | UPL Europe Ltd                                     | UPL Europe Ltd                                     | Herbicide       | SC                      | Professional     | <i>Ethofumesate</i>                                      | <i>500 g/l</i>                                     |
| Octave 50 WP            | 90798         | BASF plc                                           | BASF Ireland Ltd                                   | Fungicide       | WP                      | Professional     | <i>Prochloraz</i>                                        | <i>46 %w/w</i>                                     |
| Ohayo                   | 05610         | ISK Biosciences Europe N.V.                        | ISK Biosciences Europe N.V.                        | Fungicide       | SC                      | Professional     | <i>Fluazinam</i>                                         | <i>500 g/l</i>                                     |
| Opera                   | 05190         | BASF plc                                           | BASF Ireland Ltd                                   | Fungicide       | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Pyraclostrobin</i>            | <i>50 g/l</i><br><i>133 g/l</i>                    |
| Optica                  | 02661         | Nufarm UK Limited                                  | Hygeia Chemicals Ltd                               | Herbicide       | SL                      | Professional     | <i>Mecoprop-P</i>                                        | <i>600 g/l</i>                                     |
| Optica Trio             | 05337         | Nufarm UK Limited                                  | Headland Agrochemicals Ltd                         | Herbicide       | SL                      | Professional     | <i>Dichlorprop-P</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | <i>310 g/l</i><br><i>160 g/l</i><br><i>130 g/l</i> |

| <i>Product Name</i>                        | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>                    |
|--------------------------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|-----------------------------------------------|-----------------------------------|
| Optimus                                    | 04704         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Growth Regulator | EC                      | Professional     |                                               |                                   |
|                                            |               |                                     |                                     |                  |                         |                  | <i>Trinexapac ethyl</i>                       | <i>175 g/l</i>                    |
| Option                                     | 04722         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i>                              | <i>600 g/kg</i>                   |
| Opus                                       | 04326         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | SC                      | Professional     | <i>Epoxiconazole</i>                          | <i>125 g/l</i>                    |
| Opus Max                                   | 04437         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i>                          | <i>83 g/l</i>                     |
| Opus Star                                  | 03314         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | DC                      | Professional     | <i>Epoxiconazole</i><br><i>Prochloraz</i>     | <i>62.5 g/l</i><br><i>225 g/l</i> |
| Opus Team                                  | 01003         | BASF plc                            | BASF Ireland Ltd                    | Fungicide        | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Fenpropimorph</i>  | <i>84 g/l</i><br><i>250 g/l</i>   |
| Orchid B                                   | 04612         | Croplink (Ireland) Ltd              | Croplink (Ireland) Ltd              | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                         | <i>500 g/l</i>                    |
| Orchid B                                   | 05058         | Croplink (Ireland) Ltd              | Croplink (Ireland) Ltd              | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                         | <i>500 g/l</i>                    |
| Organic Bug Free                           | 00311         | Bayer CropScience Limited           | Bayer Garden                        | Insecticide      | AL                      | Amateur          | <i>Fatty acid - C7 - C18 - potassium salt</i> | <i>2 %w/w</i>                     |
| Organic Fast Acting Weedkiller             | 04701         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Herbicide        | AL                      | Amateur          | <i>Pelargonic acid</i>                        | <i>31.02 g/l</i>                  |
| Organic Moss & Algae Killer Concentrate    | 04700         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Herbicide        | EC                      | Amateur          | <i>Pelargonic acid</i>                        | <i>186.7 g/l</i>                  |
| Organic Moss Control for Lawns Concentrate | 04994         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Herbicide        | EC                      | Amateur          | <i>Pelargonic acid</i>                        | <i>186.7 g/l</i>                  |
| Orius 20 EW                                | 02618         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                           | <i>200 g/l</i>                    |
| Orius P                                    | 03222         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide        | EW                      | Professional     | <i>Prochloraz</i><br><i>Tebuconazole</i>      | <i>267 g/l</i><br><i>133 g/l</i>  |
| Ormond                                     | 05661         | Barclay Chemicals Ltd               | Barclay Chemicals Ltd               | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                             | <i>490 g/l</i>                    |

| <i>Product Name</i>                    | <i>PCS No</i> | <i>Authorization Holder</i>            | <i>Marketing Company</i>               | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>           | <i>Content</i> |
|----------------------------------------|---------------|----------------------------------------|----------------------------------------|------------------|-------------------------|------------------|-----------------------------------|----------------|
| Osiris P                               | 04425         | BASF plc                               | BASF Ireland Ltd                       | Fungicide        | EC                      | Professional     | <i>Epoxiconazole</i>              | 56.25 g/l      |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Metconazole</i>                | 41.25 g/l      |
| Osmonds Dock-Kleen                     | 05743         | Croplink (Ireland) Ltd                 | Osmonds Ireland On Farm                | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>                 | 200 g/l        |
| Osmonds Pasturekleen                   | 04611         | Croplink (Ireland) Ltd                 | Osmonds Ireland On Farm                | Herbicide        | SL                      | Professional     | <i>Dicamba</i>                    | 25 g/l         |
|                                        |               |                                        |                                        |                  |                         |                  | <i>MCPA</i>                       | 200 g/l        |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Mecoprop-P</i>                 | 200 g/l        |
| Paarity                                | 04871         | National Agrochemical Distributors Ltd | National Agrochemical Distributors Ltd | Fungicide        | WP                      | Professional     | <i>Dimethomorph</i>               | 500 g/kg       |
| Pacifica                               | 02241         | Bayer CropScience Limited              | Bayer CropScience Limited              | Herbicide        | WG                      | Professional     | <i>Iodosulfuron-methyl-sodium</i> | 10 g/kg        |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Mesosulfuron - methyl</i>      | 30 g/kg        |
| Pacifica Plus                          | 05537         | Bayer CropScience Limited              | Bayer CropScience Limited              | Herbicide        | WG                      | Professional     | <i>Amidosulfuron</i>              | 50 g/kg        |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Iodosulfuron-methyl-sodium</i> | 10 g/kg        |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Mesosulfuron - methyl</i>      | 30 g/kg        |
| Padawan                                | 04814         | Societe Financiere de Pontarlier       | SFP Europe                             | Growth Regulator | SL                      | Professional     | <i>Ethephon</i>                   | 480 g/l        |
| Palmas                                 | 04543         | Societe Financiere de Pontarlier       | Societe Financiere de Pontarlier       | Fungicide        | WP                      | Professional     | <i>Cymoxanil</i>                  | 4.5% w/w       |
|                                        |               |                                        |                                        |                  |                         |                  | <i>Mancozeb</i>                   | 68% w/w        |
| Panto                                  | 04804         | Pan Amenity Ltd                        | Pan Amenity Ltd                        | Fungicide        | SC                      | Professional     | <i>Iprodione</i>                  | 255 g/l        |
| Paraat                                 | 03614         | BASF plc                               | BASF Ireland Ltd                       | Fungicide        | WP                      | Professional     | <i>Dimethomorph</i>               | 500 g/kg       |
| Paradise                               | 05239         | Pan Amenity Ltd                        | Pan Amenity Ltd                        | Herbicide        | WG                      | Professional     | <i>Flazasulfuron</i>              | 25% w/w        |
| Path & Drive Roundup Concentrate       | 05448         | Monsanto UK Ltd                        | Monsanto Roundup Lawn and Garden       | Herbicide        | SL                      | Amateur          | <i>Glyphosate</i>                 | 170 g/l        |
| Path, Patio & Drive Weedkiller Sachets | 05051         | Cheminova A/S                          | Bayer Garden                           | Herbicide        | SG                      | Amateur          | <i>Glyphosate</i>                 | 68% w/w        |



| <i>Product Name</i>                           | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>    | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>         | <i>Content</i>    |
|-----------------------------------------------|---------------|---------------------------------|-----------------------------|-----------------------|-------------------------|------------------|---------------------------------|-------------------|
| Pathclear Gun! Weedkiller Plus Preventer      | 04797         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd | Herbicide             | AL                      | Amateur          | <i>Diflufenican</i>             | <i>0.576 g/l</i>  |
|                                               |               |                                 |                             |                       |                         |                  | <i>Glyphosate</i>               | <i>3.6 g/l</i>    |
| Pathclear Weedkiller LC                       | 04795         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd | Herbicide             | SC                      | Amateur          | <i>Diflufenican</i>             | <i>20 g/l</i>     |
|                                               |               |                                 |                             |                       |                         |                  | <i>Glyphosate</i>               | <i>125 g/l</i>    |
| Patrol                                        | 04304         | Syngenta UK Ltd                 | Syngenta Ireland Ltd        | Fungicide             | EC                      | Professional     | <i>Fenpropidin</i>              | <i>750 g/l</i>    |
| PDM 330 EC                                    | 03582         | BASF plc                        | BASF Ireland Ltd            | Herbicide             | EC                      | Professional     | <i>Pendimethalin</i>            | <i>330 g/l</i>    |
| Pearl                                         | 05604         | Agrigem Ltd                     | Agrigem Ltd                 | Herbicide             | SL                      | Professional     | <i>Glufosinate (- ammonium)</i> | <i>150 g/l</i>    |
| Pelican Delta                                 | 03758         | Cheminova A/S                   | Headland Agrochemicals Ltd  | Herbicide             | WG                      | Professional     | <i>Diflufenican</i>             | <i>60% w/w</i>    |
|                                               |               |                                 |                             |                       |                         |                  | <i>Metsulfuron (-methyl)</i>    | <i>6% w/w</i>     |
| Pendifin 400 SC                               | 05731         | Finchimica S.p.A                | Finchimica S.p.A            | Herbicide             | SC                      | Professional     | <i>Pendimethalin</i>            | <i>400 g/l</i>    |
| Penncozeb 80 WP                               | 03609         | UPL Europe Ltd                  | UPL Europe Ltd              | Fungicide             | WP                      | Professional     | <i>Mancozeb</i>                 | <i>800 g/kg</i>   |
| Penncozeb WDG                                 | 03608         | UPL Europe Ltd                  | UPL Europe Ltd              | Fungicide             | WG                      | Professional     | <i>Mancozeb</i>                 | <i>750 g/kg</i>   |
|                                               |               |                                 |                             |                       |                         |                  | <i>Pepper Dust</i>              | <i>100% w/w</i>   |
| Pepper Dust                                   | 05441         | Bayer CropScience Limited       | Bayer Garden                | Repellant             | DP                      | Amateur          |                                 |                   |
| Pestshield 2 in 1 Bug & Fungus Control        | 04990         | Arysta LifeScience Benelux SPRL | 151 Products Ltd            | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i>             | <i>0.05 g/l</i>   |
|                                               |               |                                 |                             |                       |                         |                  | <i>Myclobutanil</i>             | <i>0.075 g/l</i>  |
| Pestshield Glyphosate Concentrated Weedkiller | 04844         | Barclay Chemicals Ltd           | 151 Products Ltd            | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>               | <i>90 g/l</i>     |
|                                               |               |                                 |                             |                       |                         |                  |                                 |                   |
| Pestshield New Formula Lawn Weedkiller        | 05328         | Hygeia Chemicals Ltd            | 151 Products Ltd            | Herbicide             | AL                      | Amateur          | <i>Dicamba</i>                  | <i>0.4675 g/l</i> |
|                                               |               |                                 |                             |                       |                         |                  | <i>Mecoprop-P</i>               | <i>3.75 g/l</i>   |
| Pestshield Path and Patio Weedkiller          | 04834         | Barclay Chemicals Ltd           | 151 Products Ltd            | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>               | <i>7.2 g/l</i>    |
|                                               |               |                                 |                             |                       |                         |                  |                                 |                   |

| <i>Product Name</i>                      | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                         | <i>Content</i>                     |
|------------------------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|-------------------------------------------------|------------------------------------|
| Pestshield Slug Killer Blue Mini Pellets | 05021         | Doff Portland Ltd                   | 151 Products Ltd                    | Molluscicide    | RB                      | Amateur          | <i>Metaldehyde</i>                              | <i>1.5% w/w</i>                    |
| Pestshield Weedkiller                    | 04321         | Barclay Chemicals Ltd               | Barclay Chemicals Ltd               | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                               | <i>7.2 g/l</i>                     |
| Pexan                                    | 04535         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | EC                      | Professional     | <i>Epoxiconazole</i><br><i>Fluxapyroxad</i>     | <i>62.5 g/l</i><br><i>59.4 g/l</i> |
| Phoenix                                  | 04453         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide       | SC                      | Professional     | <i>Folpet</i>                                   | <i>500 g/l</i>                     |
| Phostoxin Bag                            | 04686         | Detia Degesch GmbH                  | Detia Degesch GmbH                  | Fumigant        | GE                      | Professional     | <i>Aluminium phosphide</i>                      | <i>57% w/w</i>                     |
| Phostoxin Bag Blanket                    | 04687         | Detia Degesch GmbH                  | Detia Degesch GmbH                  | Fumigant        | GE                      | Professional     | <i>Aluminium phosphide</i>                      | <i>57% w/w</i>                     |
| Phostoxin Tablet                         | 04685         | Detia Degesch GmbH                  | Detia Degesch GmbH                  | Fumigant        | GE                      | Professional     | <i>Aluminium phosphide</i>                      | <i>56% w/w</i>                     |
| Phyton                                   | 05019         | UPL Europe Ltd                      | UPL Europe Ltd                      | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>                           | <i>500g/l</i>                      |
| Pike                                     | 02122         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide       | WG                      | Professional     | <i>Metsulfuron (-methyl)</i>                    | <i>20 %w/w</i>                     |
| Pilot Ultra                              | 02445         | Nissan Chemical Europe              | Nissan Chemical Europe              | Herbicide       | SC                      | Professional     | <i>Quizalofop-P-ethyl</i>                       | <i>50 g/l</i>                      |
| Pistol                                   | 04312         | Bayer CropScience Limited           | Bayer CropScience Limited           | Herbicide       | SC                      | Professional     | <i>Diflufenican</i><br><i>Glyphosate</i>        | <i>40 g/l</i><br><i>250 g/l</i>    |
| Pivotal                                  | 05458         | Dow AgroSciences                    | Whelehan Crop Protection            | Herbicide       | EC                      | Professional     | <i>Fluroxypyr</i><br><i>Triclopyr</i>           | <i>150 g/l</i><br><i>150 g/l</i>   |
| Pixxaro                                  | 05525         | Dow AgroSciences                    | Dow AgroSciences                    | Herbicide       | EC                      | Professional     | <i>Fluroxypyr</i><br><i>Halauxifen-methyl</i>   | <i>280 g/l</i><br><i>12 g/l</i>    |
| PlantTrust                               | 04537         | Everris Ltd                         | Everris Ltd                         | Fungicide       | CG                      | Professional     | <i>Fosetyl (-aluminium)</i>                     | <i>165 g/kg</i>                    |
| Platform S                               | 02954         | FMC Chemical s.p.r.l.               | Belchim Crop Protection Ltd         | Herbicide       | WG                      | Professional     | <i>Carfentrazone-ethyl</i><br><i>Mecoprop-P</i> | <i>1.5 %w/w</i><br><i>60 % w/w</i> |
| Plenum                                   | 02238         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Insecticide     | WG                      | Professional     | <i>Pymetrozine</i>                              | <i>50 %w/w</i>                     |

| <i>Product Name</i>   | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                            | <i>Content</i>                                       |
|-----------------------|---------------|-----------------------------|---------------------------|-----------------|-------------------------|------------------|--------------------------------------------------------------------|------------------------------------------------------|
| Polaca                | 05138         | Euro Chemicals s.r.o.       | Euro Chemicals s.r.o.     | Fungicide       | SE                      | Professional     | <i>Epoxiconazole</i><br><i>Fenpropimorph</i><br><i>Metrafenone</i> | <i>62.5 g/l</i><br><i>200 g/l</i><br><i>75.0 g/l</i> |
| POL-MCPA 500 SL       | 05494         | Ciech Sarzyna S.A           | Ciech Sarzyna S.A         | Herbicide       | SL                      | Professional     | <i>MCPA</i>                                                        | <i>500 g/l</i>                                       |
| Potato Blight Control | 05339         | Bayer CropScience Limited   | Bayer Garden              | Fungicide       | SC                      | Amateur          | <i>Fluopicolide</i><br><i>Propamocarb</i>                          | <i>62.5 g/l</i><br><i>625 g/l</i>                    |
| PP Captan 80-WG       | 04018         | Arysta Life Science S.A.S.  | Sipcam U.K. Ltd           | Fungicide       | WG                      | Professional     | <i>Captan</i>                                                      | <i>80% w/w</i>                                       |
| Prairie               | 03516         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i><br><i>Propiconazole</i>                      | <i>250 g/l</i><br><i>62.5 g/l</i>                    |
| Praxys                | 03510         | Dow AgroSciences            | Everris Ltd               | Herbicide       | EC                      | Professional     | <i>Clopyralid</i><br><i>Florasulam</i><br><i>Fluroxypyr</i>        | <i>80 g/l</i><br><i>2.5 g/l</i><br><i>100 g/l</i>    |
| Prelude 20 LF         | 00499         | BASF plc                    | BASF Ireland Ltd          | Seed Dressing   | LS                      | Professional     | <i>Prochloraz</i>                                                  | <i>200 g/l</i>                                       |
| Premazor Turbo        | 05673         | Q-Chem NV                   | Q-Chem NV                 | Herbicide       | SC                      | Professional     | <i>Diflufenican</i><br><i>Glyphosate</i>                           | <i>40 g/l</i><br><i>250 g/l</i>                      |
| Premier Amenity       | 92136         | Hygeia Chemicals Ltd        | Hygeia Chemicals Ltd      | Herbicide       | SL                      | Professional     | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>                 | <i>18.9 g/l</i><br><i>106 g/l</i><br><i>97 g/l</i>   |
| Presite Max SX        | 04342         | DuPont (UK) Ltd             | DuPont (UK) Ltd           | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i>       | <i>29 g/kg</i><br><i>429 g/kg</i>                    |
| Presite SX            | 02888         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd      | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i>       | <i>67 g/kg</i><br><i>333 g/kg</i>                    |
| Prestop               | 04367         | Verdera Oy                  | Everris Ltd               | Fungicide       | WP                      | Professional     | <i>Gliocladium catenulatum</i>                                     | <i>32% w/w</i>                                       |
| Previcur Energy       | 04041         | Bayer CropScience Limited   | Bayer CropScience Limited | Fungicide       | SL                      | Professional     | <i>Fosetyl (-aluminium)</i><br><i>Propamocarb</i>                  | <i>310 g/l</i><br><i>530 g/l</i>                     |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>       | <i>Marketing Company</i>         | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>                    |
|---------------------|---------------|-----------------------------------|----------------------------------|------------------|-------------------------|------------------|-----------------------------------------------|-----------------------------------|
| Priaxor EC          | 05264         | BASF plc                          | BASF Ireland Ltd                 | Fungicide        | EC                      | Professional     | <i>Fluxapyroxad</i><br><i>Pyraclostrobin</i>  | <i>75 g/l</i><br><i>150 g/l</i>   |
| Primo Maxx          | 03879         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Growth Regulator | SL                      | Professional     | <i>Trinexapac ethyl</i>                       | <i>121 g/l</i>                    |
| Primo Maxx II       | 05401         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Growth Regulator | SL                      | Professional     | <i>Trinexapac ethyl</i>                       | <i>116.4 g/l</i>                  |
| Proceed             | 05519         | Sharda Europe b.v.b.a             | Sharda Europe b.v.b.a            | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i><br><i>Cyproconazole</i> | <i>375 g/l</i><br><i>40 g/l</i>   |
| Profilux            | 05588         | Belchim Crop Protection Ltd       | Belchim Crop Protection Ltd      | Fungicide        | WG                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>           | <i>45 g/kg</i><br><i>680 g/kg</i> |
| Profume             | 02641         | Dow AgroSciences                  | Dow AgroSciences                 | Fumigant         | GA                      | Professional     | <i>Sulfuryl flouride</i>                      | <i>99.8 % w/w</i>                 |
| Prolectus           | 04758         | Sumitomo Chemical Agro Europe SAS | Interfarm UK Ltd                 | Fungicide        | WG                      | Professional     | <i>Fenpyrazamine</i>                          | <i>500 g/kg</i>                   |
| Proliance Quattro   | 03710         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                             | <i>360 g/l</i>                    |
| Proline             | 03786         | Bayer CropScience Limited         | Bayer CropScience Limited        | Fungicide        | EC                      | Professional     | <i>Prothioconazole</i>                        | <i>250 g/l</i>                    |
| Proman              | 04450         | Belchim Crop Protection NV        | Belchim Crop Protection Ltd      | Herbicide        | SC                      | Professional     | <i>Metobromuron</i>                           | <i>500 g/l</i>                    |
| Promise             | 05153         | Generica Europa Ltd               | Generica Europa Ltd              | Fungicide        | EC                      | Professional     | <i>Prothioconazole</i><br><i>Tebuconazole</i> | <i>125 g/l</i><br><i>125 g/l</i>  |
| Proper Flo          | 04265         | Globachem nv                      | Globachem nv                     | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                            | <i>400 g/l</i>                    |
| Property 180SC      | 05275         | ISK Biosciences Europe N.V.       | Belchim Crop Protection Ltd      | Fungicide        | SC                      | Professional     | <i>Pyriofenone</i>                            | <i>180 g/l</i>                    |
| Propi 25 EC         | 04205         | Sharda Europe b.v.b.a             | Sharda Worldwide Exports Pvt Ltd | Fungicide        | EC                      | Professional     | <i>Propiconazole</i>                          | <i>250 g/l</i>                    |
| Proplant            | 03994         | Arysta LifeScience Benelux SPRL   | Arysta LifeScience Benelux SPRL  | Fungicide        | SL                      | Professional     | <i>Propamocarb</i>                            | <i>722 g/l</i>                    |
| Proquin 200         | 05146         | Euro Chemicals s.r.o.             | Euro Chemicals s.r.o.            | Fungicide        | EC                      | Professional     | <i>Proquinazid</i>                            | <i>200 g/l</i>                    |

| <i>Product Name</i>                       | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>                           | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>                        |
|-------------------------------------------|---------------|---------------------------------|----------------------------------------------------|-----------------|-------------------------|------------------|-----------------------------------------------|---------------------------------------|
| Proradix                                  | 05338         | SP Sourcon-Padena GmbH          | SP Sourcon-Padena GmbH                             | Fungicide       | WP                      | Professional     | <i>Pseudomonas sp. strain - DSMZ 13134</i>    | <i>1 x 10<sup>10</sup> cfu/g</i>      |
| Prosaro                                   | 02106         | Bayer CropScience Limited       | Bayer CropScience Limited                          | Fungicide       | EC                      | Professional     | <i>Prothioconazole</i><br><i>Tebuconazole</i> | <i>12.8 % w/w</i><br><i>12.8 %w/w</i> |
| Prospect SX                               | 02284         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd                               | Herbicide       | SG                      | Professional     | <i>Thifensulfuron methyl</i>                  | <i>500 g/kg</i>                       |
| Prova                                     | 04262         | Certiplant N.V.                 | Nomix Enviro,A Division of Frontier AgricultureLtd | Herbicide       | SC                      | Professional     | <i>Propyzamide</i>                            | <i>400 g/l</i>                        |
| Provado Ultimate Bug Killer               | 04307         | Bayer CropScience Limited       | Bayer Garden                                       | Insecticide     | AL                      | Amateur          | <i>Deltamethrin</i>                           | <i>0.0075 g/l</i>                     |
| Provado Ultimate Bug Killer Concentrate 2 | 03601         | Bayer CropScience Limited       | Bayer Garden                                       | Insecticide     | SE                      | Amateur          | <i>Thiacloprid</i>                            | <i>9 g/l</i>                          |
| Provado Ultimate Bug Killer Ready to use  | 02810         | Bayer CropScience Limited       | Bayer Garden                                       | Insecticide     | AL                      | Amateur          | <i>Thiacloprid</i>                            | <i>0.15 g/l</i>                       |
| Provado Vine Weevil Killer 2              | 02622         | Bayer CropScience Limited       | Bayer Garden                                       | Insecticide     | SE                      | Amateur          | <i>Thiacloprid</i>                            | <i>9 g/l</i>                          |
| Proxanil                                  | 04639         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL                    | Fungicide       | SC                      | Professional     | <i>Cymoxanil</i><br><i>Propamocarb</i>        | <i>50 g/l</i><br><i>400 g/l</i>       |
| Py Bug Killer RTU                         | 05382         | Arysta LifeScience Benelux SPRL | Vitax Limited                                      | Insecticide     | AL                      | Amateur          | <i>Cypermethrin</i>                           | <i>0.05 g/l</i>                       |
| Py Powder Insect Killer                   | 90992         | Vitax Limited                   | Goulding Garden Care Ltd                           | Insecticide     | DP                      | Amateur          | <i>Pyrethrins</i>                             | <i>0.2 %w/w</i>                       |
| Py Spray Garden Insect Killer             | 90993         | Vitax Limited                   | Goulding Garden Care Ltd                           | Insecticide     | EC                      | Amateur          | <i>Pyrethrins</i>                             | <i>10 g/l</i>                         |
| Py Spray Garden Insect Killer Concentrate | 92257         | Vitax Limited                   | Goulding Garden Care Ltd                           | Insecticide     | EC                      | Amateur          | <i>Pyrethrins</i>                             | <i>1 %w/w</i>                         |
| Pyramin DF                                | 04264         | BASF plc                        | BASF Ireland Ltd                                   | Herbicide       | WG                      | Professional     | <i>Chloridazon</i>                            | <i>65% w/w</i>                        |
| Pyrethrum 5 EC                            | 92317         | Agropharm Ltd                   | Agropharm Ltd                                      | Insecticide     | EC                      | Professional     | <i>Pyrethrins</i>                             | <i>50 g/l</i>                         |
| Pyrimala                                  | 05429         | Servem Ltd                      | Servem Ltd                                         | Fungicide       | SC                      | Professional     | <i>Pyrimethanil</i>                           | <i>400 g/l</i>                        |

| <i>Product Name</i>                   | <i>PCS No</i> | <i>Authorization Holder</i>          | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                     | <i>Content</i>                       |
|---------------------------------------|---------------|--------------------------------------|---------------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------------|--------------------------------------|
| Pyrol Bug & Larvae Killer             | 04616         | W. Neudorff GmbH KG                  | W. Neudorff GmbH KG             | Insecticide     | AL                      | Amateur          | <i>Pyrethrins</i>                                           | <i>0.045 g/l</i>                     |
| Pyrol Bug & Larvae Killer Concentrate | 04667         | W. Neudorff GmbH KG                  | W. Neudorff GmbH KG             | Insecticide     | EC                      | Amateur          | <i>Pyrethrins</i>                                           | <i>4.59 g/l</i>                      |
| Pyrol Bug & Larvae Killer for Roses   | 04817         | W. Neudorff GmbH KG                  | W. Neudorff GmbH KG             | Insecticide     | AL                      | Amateur          | <i>Pyrethrins</i>                                           | <i>0.045 g/l</i>                     |
| Quad-Glob 200 SL                      | 03180         | Q-Chem NV                            | Q-Chem NV                       | Herbicide       | SL                      | Professional     | <i>Diquat (dibromide)</i>                                   | <i>200 g/l</i>                       |
| Quantum                               | 03432         | DuPont (UK) Ltd                      | DuPont (UK) Ltd                 | Herbicide       | TB                      | Professional     | <i>Tribenuron (-methyl)</i>                                 | <i>500 g/kg</i>                      |
| Quantum Max SX                        | 04044         | DuPont (UK) Ltd                      | DuPont (Ireland) Ltd            | Herbicide       | WG                      | Professional     | <i>Thifensulfuron methyl</i><br><i>Tribenuron (-methyl)</i> | <i>250 g/kg</i><br><i>250 g/kg</i>   |
| Quick 5 EC                            | 04904         | Sharda Europe b.v.b.a                | Sharda Europe b.v.b.a           | Herbicide       | EC                      | Professional     | <i>Quizalofop-P-ethyl</i>                                   | <i>50 g/l</i>                        |
| Quilt Xcel                            | 04816         | Syngenta UK Ltd                      | Syngenta Ireland Ltd            | Fungicide       | SE                      | Professional     | <i>Azoxystrobin</i><br><i>Propiconazole</i>                 | <i>141.4 g/l</i><br><i>122.4 g/l</i> |
| Radspor 400                           | 01797         | Arysta LifeScience Benelux SPRL      | Arysta LifeScience Benelux SPRL | Fungicide       | SC                      | Professional     | <i>Dodine</i>                                               | <i>40 %w/w</i>                       |
| Ragtime                               | 02967         | Nufarm UK Ltd                        | Nufarm UK Ltd                   | Herbicide       | SL                      | Amateur          | <i>2,4-D</i><br><i>Dicamba</i>                              | <i>4.82 g/l</i><br><i>1.68 g/l</i>   |
| Rambo Bio                             | 05489         | Unichem Limited                      | Unichem Limited                 | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>                                           | <i>360 g/l</i>                       |
| Rambo RTU                             | 03100         | Sipcam U.K. Ltd                      | Unichem Limited                 | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                                           | <i>7.2 g/l</i>                       |
| Rana                                  | 05283         | Servem Ltd                           | Servem Ltd                      | Insecticide     | SC                      | Professional     | <i>Thiacloprid</i>                                          | <i>480 g/l</i>                       |
| Rancona i-Mix                         | 05279         | Arysta LifeScience Great Britain Ltd | Whelehan Crop Protection        | Seed Dressing   | ME                      | Professional     | <i>Imazalil</i><br><i>Ipconazole</i>                        | <i>50 g/l</i><br><i>20 g/l</i>       |
| Ranman Top                            | 04497         | ISK Biosciences Europe N.V.          | Belchim Crop Protection Ltd     | Fungicide       | SC                      | Professional     | <i>Cyazofamid</i>                                           | <i>160 g/l</i>                       |
| Rapport 500 SC                        | 04783         | DHM Agrochemicals Ltd.,              | DHM Agrochemicals Ltd.,         | Herbicide       | SC                      | Professional     | <i>Metazachlor</i>                                          | <i>500 g/l</i>                       |

| <i>Product Name</i>               | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                           | <i>Content</i>                                          |
|-----------------------------------|---------------|-----------------------------|---------------------------|------------------|-------------------------|------------------|-------------------------------------------------------------------|---------------------------------------------------------|
| Rattler                           | 04650         | Nufarm UK Limited           | Nufarm UK Limited         | Herbicide        | SL                      | Professional     | <i>Glyphosate</i>                                                 | <i>540 g/l</i>                                          |
| Ravane                            | 05536         | Globachem nv                | DHM Agrochemicals Ltd.,   | Insecticide      | EC                      | Professional     | <i>lambda-Cyhalothrin</i>                                         | <i>50 g/l</i>                                           |
| Raxil Star                        | 04849         | Bayer CropScience Limited   | Bayer CropScience Limited | Seed Dressing    | FS                      | Professional     | <i>Fluopyram</i><br><i>Prothioconazole</i><br><i>Tebuconazole</i> | <i>20 g/l</i><br><i>100 g/l</i><br><i>60 g/l</i>        |
| Re-Act                            | 02362         | Nufarm UK Limited           | Everris Ltd               | Herbicide        | SL                      | Professional     | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>                | <i>2.8 %w/w</i><br><i>22.6 %w/w</i><br><i>20.9 %w/w</i> |
| Ready to Use SBK Brushwood Killer | 03956         | Vitax Limited               | Vitax Limited             | Herbicide        | AL                      | Amateur          | <i>Triclopyr</i>                                                  | <i>3.6 g/l</i>                                          |
| Redigo                            | 03793         | Bayer CropScience Limited   | Bayer CropScience Limited | Seed Dressing    | FS                      | Professional     | <i>Prothioconazole</i>                                            | <i>100 g/l</i>                                          |
| Redigo Deter                      | 03794         | Bayer CropScience Limited   | Bayer CropScience Limited | Seed Dressing    | FS                      | Professional     | <i>Clothianidin</i><br><i>Prothioconazole</i>                     | <i>250 g/l</i><br><i>50 g/l</i>                         |
| Redigo Pro                        | 04985         | Bayer CropScience Limited   | Bayer CropScience Limited | Seed Dressing    | FS                      | Professional     | <i>Prothioconazole</i><br><i>Tebuconazole</i>                     | <i>150 g/l</i><br><i>20 g/l</i>                         |
| Reflect                           | 05462         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Fungicide        | EC                      | Professional     | <i>Isopyrazam</i>                                                 | <i>125 g/l</i>                                          |
| Regalis                           | 03321         | BASF plc                    | BASF Ireland Ltd          | Growth Regulator | WG                      | Professional     | <i>Prohexadione Calcium</i>                                       | <i>10 %w/w</i>                                          |
| Regalis Plus                      | 05409         | BASF plc                    | BASF Ireland Ltd          | Growth Regulator | WG                      | Professional     | <i>Prohexadione Calcium</i>                                       | <i>10% w/w</i>                                          |
| Reglone                           | 02453         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Dessicant        | SL                      | Professional     | <i>Diquat (dibromide)</i>                                         | <i>200 g/l</i>                                          |
| Reldan 22                         | 03623         | Dow AgroSciences            | Dow AgroSciences          | Insecticide      | EC                      | Professional     | <i>Chlorpyrifos-methyl</i>                                        | <i>225 g/l</i>                                          |
| Relva                             | 04031         | Certiplant N.V.             | Belcrop N.V.              | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>                                                | <i>400 g/l</i>                                          |
| Relva Granules                    | 04924         | Certiplant N.V.             | Belcrop N.V.              | Herbicide        | GR                      | Professional     | <i>Propyzamide</i>                                                | <i>40 g/kg</i>                                          |
| Renew Chlorothalonil              | 05362         | Renew Chemical Ltd          | Renew Chemical UK Ltd     | Fungicide        | SC                      | Professional     | <i>Chlorothalonil</i>                                             | <i>500 g/l</i>                                          |

| <i>Product Name</i>                            | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>   | <i>Content</i>    |
|------------------------------------------------|---------------|-----------------------------|---------------------------|-----------------|-------------------------|------------------|---------------------------|-------------------|
| Renovator Pro                                  | 05003         | The Scotts Company (UK) Ltd | Everris Ltd               | Herbicide       | GR                      | Professional     | <i>Ferrous Sulphate</i>   | <i>16.3% w/w</i>  |
|                                                |               |                             |                           |                 |                         |                  | <i>MCPA</i>               | <i>0.49% w/w</i>  |
|                                                |               |                             |                           |                 |                         |                  | <i>Mecoprop-P</i>         | <i>0.29% w/w</i>  |
| Rescue                                         | 03682         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Herbicide       | EC                      | Professional     | <i>Pinoxaden</i>          | <i>45 g/l</i>     |
| Resolva 24 H                                   | 03077         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | AL                      | Amateur          | <i>Diquat (dibromide)</i> | <i>0.3 g/l</i>    |
|                                                |               |                             |                           |                 |                         |                  | <i>Glyphosate</i>         | <i>8.3 g/l</i>    |
| Resolva 24H Concentrate                        | 03076         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | SL                      | Amateur          | <i>Diquat (dibromide)</i> | <i>4.5 g/l</i>    |
|                                                |               |                             |                           |                 |                         |                  | <i>Glyphosate</i>         | <i>153 g/l</i>    |
| Resolva Bug Killer Concentrate                 | 04076         | Syngenta UK Ltd             | Westland Horticulture Ltd | Insecticide     | ME                      | Amateur          | <i>lambda-Cyhalothrin</i> | <i>0.75 g/l</i>   |
| Resolva Bug Killer Ready to Use                | 04077         | Syngenta UK Ltd             | Westland Horticulture Ltd | Insecticide     | ME                      | Amateur          | <i>lambda-Cyhalothrin</i> | <i>0.015 g/l</i>  |
| Resolva Lawn Weedkiller Extra Concentrate      | 05323         | Hygeia Chemicals Ltd        | Westland Horticulture Ltd | Herbicide       | SL                      | Amateur          | <i>Dicamba</i>            | <i>4.675 g/l</i>  |
|                                                |               |                             |                           |                 |                         |                  | <i>Mecoprop-P</i>         | <i>37.5 g/l</i>   |
| Resolva Lawn Weedkiller Extra Ready to Use     | 05324         | Hygeia Chemicals Ltd        | Westland Horticulture Ltd | Herbicide       | AL                      | Amateur          | <i>Dicamba</i>            | <i>0.4675 g/l</i> |
|                                                |               |                             |                           |                 |                         |                  | <i>Mecoprop-P</i>         | <i>3.75 g/l</i>   |
| Resolva Moss Killer                            | 92417         | W. Neudorff GmbH KG         | Westland Horticulture Ltd | Herbicide       | AL                      | Amateur          | <i>Pelargonic acid</i>    | <i>31.02 g/l</i>  |
| Resolva Path & Patio                           | 04488         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | AL                      | Amateur          | <i>Diquat (dibromide)</i> | <i>0.3 g/l</i>    |
|                                                |               |                             |                           |                 |                         |                  | <i>Glyphosate</i>         | <i>8.3 g/l</i>    |
| Resolva Path & Patio Concentrate               | 04489         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | SL                      | Amateur          | <i>Diquat (dibromide)</i> | <i>4.5 g/l</i>    |
|                                                |               |                             |                           |                 |                         |                  | <i>Glyphosate</i>         | <i>153.0 g/l</i>  |
| Resolva Super Strength Xtra Tough Concentrated | 03962         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>         | <i>360 g/l</i>    |
| Resolva Total Clear                            | 04490         | Syngenta UK Ltd             | Westland Horticulture Ltd | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>         | <i>8.4 g/l</i>    |



| <i>Product Name</i>                              | <i>PCS No</i> | <i>Authorization Holder</i>       | <i>Marketing Company</i>         | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                       | <i>Content</i>        |
|--------------------------------------------------|---------------|-----------------------------------|----------------------------------|-----------------------|-------------------------|------------------|-----------------------------------------------|-----------------------|
| Resolva Weedkiller Super Concentrate Total Clear | 03961         | Syngenta UK Ltd                   | Westland Horticulture Ltd        | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                             | 360 g/l               |
| Resolva Xtra Tough                               | 04760         | Syngenta UK Ltd                   | Westland Horticulture Ltd        | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                             | 8.4 g/l               |
| Retro                                            | 03712         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Diquat (dibromide)</i>                     | 200 g/l               |
| Revus                                            | 02789         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Fungicide             | SC                      | Professional     | <i>Mandipropamid</i>                          | 250 g/l               |
| Revus Top                                        | 04524         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Fungicide             | SC                      | Professional     | <i>Difenoconazole</i><br><i>Mandipropamid</i> | 250 g/l<br>250 g/l    |
| Rhino                                            | 04258         | Certis Europe BV                  | Whelehan Crop Protection         | Seed Dressing         | SC                      | Professional     | <i>Flutolanil</i>                             | 460 g/l               |
| Ridomil Gold                                     | 02117         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Fungicide             | SL                      | Professional     | <i>Metalaxyl M</i>                            | 465.2 g/l             |
| Ridomil Gold MZ 68 WG                            | 01516         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Fungicide             | WG                      | Professional     | <i>Mancozeb</i><br><i>Metalaxyl M</i>         | 64 %w/w<br>4.0 %w/w   |
| Rigel                                            | 05280         | Servem Ltd                        | Servem Ltd                       | Fungicide             | WP                      | Professional     | <i>Dimethomorph</i>                           | 50% w/w               |
| Riza                                             | 02429         | Cheminova A/S                     | Headland Agrochemicals Ltd       | Fungicide             | EW                      | Professional     | <i>Tebuconazole</i>                           | 250 g/l               |
| Rizolex                                          | 91166         | Sumitomo Chemical Agro Europe SAS | Aventis Crop Science Ireland Ltd | Fungicide             | DP                      | Professional     | <i>Tolclofos-methyl</i>                       | 10 %w/w               |
| Rocca                                            | 03867         | Syngenta UK Ltd                   | Syngenta Ireland Ltd             | Fungicide             | EC                      | Professional     | <i>Cyprodinil</i><br><i>Propiconazole</i>     | 250 g/l<br>62.5 g/l   |
| Rogor L40                                        | 91173         | Cheminova A/S                     | Headland Agrochemicals Ltd       | Insecticide           | EC                      | Professional     | <i>Dimethoate</i>                             | 400 g/l               |
| Rogue                                            | 04887         | DHM Agrochemicals Ltd.,           | DHM Agrochemicals Ltd.,          | Herbicide             | EC                      | Professional     | <i>Pinoxaden</i>                              | 100 g/l               |
| Rooting Powder                                   | 02033         | Vitax Limited                     | Vitax Limited                    | Growth Regulator      | DP                      | Amateur          | <i>1-Naphthylacetic acid</i>                  | 0.3 %w/w              |
| Rosanil RTU                                      | 04799         | Arysta LifeScience Benelux SPRL   | Arysta LifeScience Benelux SPRL  | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i><br><i>Myclobutanil</i>    | 0.05 g/l<br>0.075 g/l |

| <i>Product Name</i>                         | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>         | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                    | <i>Content</i>                      |
|---------------------------------------------|---------------|---------------------------------|----------------------------------|-----------------------|-------------------------|------------------|--------------------------------------------|-------------------------------------|
| Rosate Green                                | 04436         | Albaugh Europe Sarl             | Albaugh Europe Sarl              | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>360 g/l</i>                      |
| Roseclear Ultra                             | 03269         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd      | Fungicide/Insecticide | EC                      | Amateur          | <i>Acetamiprid</i><br><i>Triticonazole</i> | <i>2.5 g/l</i><br><i>7.5 g/l</i>    |
| Roseclear Ultra Gun!                        | 03288         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd      | Fungicide/Insecticide | ME                      | Amateur          | <i>Acetamiprid</i><br><i>Triticonazole</i> | <i>0.05 g/l</i><br><i>0.15 g/l</i>  |
| Rosegarde                                   | 05400         | Arysta LifeScience Benelux SPRL | Vitax Limited                    | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i><br><i>Myclobutanil</i> | <i>0.05 g/l</i><br><i>0.075 g/l</i> |
| Roundup Advance                             | 04595         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>480 g/l</i>                      |
| Roundup Biactive                            | 02313         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>360 g/l</i>                      |
| Roundup Biactive XL                         | 04660         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>360 g/l</i>                      |
| Roundup Biactive XLA                        | 05266         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                          | <i>360 g/l</i>                      |
| Roundup Fast Action Path & Drive Weedkiller | 05447         | Monsanto UK Ltd                 | Monsanto Roundup Lawn and Garden | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                          | <i>7.2 g/l</i>                      |
| Roundup First                               | 04664         | Monsanto UK Ltd                 | Monsanto Roundup Lawn and Garden | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                          | <i>60 g/l</i>                       |
| Roundup Flex                                | 04593         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>480 g/l</i>                      |
| Roundup GC Weedkiller                       | 02316         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                          | <i>120 g/l</i>                      |
| Roundup Gel                                 | 04191         | Monsanto UK Ltd                 | Monsanto Roundup Lawn and Garden | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                          | <i>7.2 g/l</i>                      |
| Roundup Gel Path                            | 05728         | Monsanto UK Ltd                 | The Scotts Company (UK) Ltd      | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                          | <i>7.2 g/l</i>                      |
| Roundup Gold                                | 01778         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SC                      | Professional     | <i>Glyphosate</i>                          | <i>450 g/l</i>                      |
| Roundup Gold                                | 02624         | Monsanto UK Ltd                 | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                          | <i>360 g/l</i>                      |

| <i>Product Name</i>     | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>         | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                               | <i>Content</i>                  |
|-------------------------|---------------|-----------------------------|----------------------------------|-----------------------|-------------------------|------------------|-------------------------------------------------------|---------------------------------|
| Roundup Gold 450        | 02623         | Monsanto UK Ltd             | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                                     | 450 g/l                         |
| Roundup Lawn Weedkiller | 05678         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd      | Herbicide             | AL                      | Amateur          | <i>Clopyralid</i><br><i>Fluroxypyr</i><br><i>MCPA</i> | 0.16 g/l<br>0.32 g/l<br>1.6 g/l |
| Roundup Optima          | 04663         | Monsanto UK Ltd             | Monsanto Roundup Lawn and Garden | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                                     | 120 g/l                         |
| Roundup Optima Power    | 04661         | Monsanto UK Ltd             | Monsanto Roundup Lawn and Garden | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                                     | 240 g/l                         |
| Roundup Optima+         | 04662         | Monsanto UK Ltd             | Monsanto Roundup Lawn and Garden | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                                     | 170 g/l                         |
| Roundup Powermax        | 04534         | Monsanto UK Ltd             | Monsanto Ireland Ltd             | Herbicide             | SG                      | Professional     | <i>Glyphosate</i>                                     | 720 g/kg                        |
| Roundup Pro Biactive    | 02314         | Monsanto UK Ltd             | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                                     | 360 g/l                         |
| Roundup ProVantage      | 04594         | Monsanto UK Ltd             | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                                     | 480 g/l                         |
| Roundup Stump Killer    | 05449         | Monsanto UK Ltd             | Monsanto Roundup Lawn and Garden | Herbicide             | SL                      | Amateur          | <i>Glyphosate</i>                                     | 360 g/l                         |
| Roundup XL              | 05161         | Monsanto UK Ltd             | Monsanto Ireland Ltd             | Herbicide             | SL                      | Professional     | <i>Glyphosate</i>                                     | 360 g/l                         |
| Rover 500               | 04467         | Oxon Italia SpA             | Sipcam U.K. Ltd                  | Fungicide             | SC                      | Professional     | <i>Chlorothalonil</i>                                 | 500 g/l                         |
| Rovral AquaFlo          | 02730         | BASF plc                    | BASF Ireland Ltd                 | Seed Dressing         | SC                      | Professional     | <i>Iprodione</i>                                      | 500 g/l                         |
| Rovral WG               | 02729         | BASF plc                    | BASF Ireland Ltd                 | Fungicide             | WG                      | Professional     | <i>Iprodione</i>                                      | 750 g/kg                        |
| Rubric                  | 04444         | Cheminova A/S               | Headland Agrochemicals Ltd       | Fungicide             | SC                      | Professional     | <i>Epoxiconazole</i>                                  | 125 g/l                         |
| Rudis                   | 04665         | Bayer CropScience Limited   | Bayer CropScience Limited        | Fungicide             | SC                      | Professional     | <i>Prothioconazole</i>                                | 480 g/l                         |
| Sabik-1.8%              | 04907         | Servem Ltd                  | Servem Ltd                       | Acaricide/Insecticide | EC                      | Professional     | <i>Abamectin</i>                                      | 18 g/l                          |

| <i>Product Name</i>                             | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>       | <i>Content</i> |
|-------------------------------------------------|---------------|---------------------------------|---------------------------------|-----------------|-------------------------|------------------|-------------------------------|----------------|
| Sacron WG                                       | 04541         | UPL Europe Ltd                  | UPL Europe Ltd                  | Fungicide       | WG                      | Professional     | <i>Cymoxanil</i>              | 450 g/kg       |
| Safari Lite WSB                                 | 02132         | DuPont (UK) Ltd                 | DuPont (Ireland) Ltd            | Herbicide       | XX                      | Professional     | <i>Lenacil</i>                | 750 g/kg       |
|                                                 |               |                                 |                                 |                 |                         |                  | <i>Triflurosulfuron</i>       | 57 g/kg        |
| Salsa                                           | 04725         | DuPont (UK) Ltd                 | DuPont (UK) Ltd                 | Herbicide       | SG                      | Professional     | <i>Ethametsulfuron methyl</i> | 750 g/kg       |
| Salvo                                           | 04120         | UPL Europe Ltd                  | UPL Europe Ltd                  | Herbicide       | SL                      | Professional     | <i>2,4-D</i>                  | 500 g/l        |
| Savvy                                           | 03187         | Rotam Agrochemical Europe Ltd   | Rotam Agrochemical Europe Ltd   | Herbicide       | WG                      | Professional     | <i>Metsulfuron (-methyl)</i>  | 20 % w/w       |
| Savvy Premium                                   | 05392         | Rotam Agrochemical Europe Ltd   | Rotam Agrochemical Europe Ltd   | Herbicide       | SG                      | Professional     | <i>Metsulfuron (-methyl)</i>  | 200 g/kg       |
| SBK Brushwood Killer                            | 03955         | Vitax Limited                   | Vitax Limited                   | Herbicide       | SL                      | Amateur          | <i>Triclopyr</i>              | 48 g/l         |
| Scala                                           | 03916         | BASF plc                        | BASF Ireland Ltd                | Fungicide       | SC                      | Professional     | <i>Pyrimethanil</i>           | 400 g/l        |
| Score 250 EC                                    | 04566         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide       | EC                      | Professional     | <i>Difenoconazole</i>         | 250 g/l        |
| Scorpio                                         | 02551         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide       | WG                      | Professional     | <i>Trifloxystrobin</i>        | 500 g/kg       |
| Scotts Lawn Builder Lawn Food plus Weed Control | 04709         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd     | Herbicide       | GR                      | Amateur          | <i>2,4-D</i>                  | 0.8% w/w       |
|                                                 |               |                                 |                                 |                 |                         |                  | <i>Dicamba</i>                | 0.12% w/w      |
| Scotts Lawn Builder Plus Moss Control           | 92314         | The Scotts Company (UK) Ltd     | The Scotts Company (UK) Ltd     | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>       | 24.4 %w/w      |
| Scrubkiller EW                                  | 04682         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Herbicide       | EW                      | Professional     | <i>2,4-D</i>                  | 200 g/l        |
|                                                 |               |                                 |                                 |                 |                         |                  | <i>Dicamba</i>                | 85 g/l         |
|                                                 |               |                                 |                                 |                 |                         |                  | <i>Triclopyr</i>              | 65 g/l         |
| Scutchout Plus                                  | 04409         | Cheminova A/S                   | Hygeia Chemicals Ltd            | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>             | 360 g/l        |
| Season Long Path & Drive Weedkiller Concentrate | 05446         | Bayer CropScience Limited       | Bayer Garden                    | Herbicide       | SC                      | Amateur          | <i>Diflufenican</i>           | 40 g/l         |
|                                                 |               |                                 |                                 |                 |                         |                  | <i>Glyphosate</i>             | 250 g/l        |

| <i>Product Name</i>    | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>  | <i>Content</i> |
|------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|--------------------------|----------------|
| Seguris                | 04253         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Fungicide       | SC                      | Professional     | <i>Epoxiconazole</i>     | 90 g/l         |
|                        |               |                                     |                                     |                 |                         |                  | <i>Isopyrazam</i>        | 125 g/l        |
| Sempra                 | 04207         | UPL Europe Ltd                      | UPL Europe Ltd                      | Herbicide       | SC                      | Professional     | <i>Diflufenican</i>      | 500 g/l        |
| Sencorex Flow          | 04361         | Bayer CropScience Limited           | Bayer CropScience Limited           | Herbicide       | SC                      | Professional     | <i>Metribuzin</i>        | 600 g/l        |
| Serenade ASO           | 03847         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide       | SC                      | Professional     | <i>Bacillus subtilis</i> | 1.34% w/w      |
| Sharpen 40% SC         | 04847         | Sharda Europe b.v.b.a               | Sharda Europe b.v.b.a               | Herbicide       | SC                      | Professional     | <i>Pendimethalin</i>     | 400 g/l        |
| Sherman                | 04373         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide       | EC                      | Professional     | <i>Pendimethalin</i>     | 330 g/l        |
| Shirlan                | 04393         | ISK Biosciences Europe N.V.         | Syngenta Ireland Ltd                | Fungicide       | SC                      | Professional     | <i>Fluazinam</i>         | 500 g/l        |
| Shotput                | 04071         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide       | WG                      | Professional     | <i>Metribuzin</i>        | 70 % w/w       |
| Signum                 | 03799         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | WG                      | Professional     | <i>Boscalid</i>          | 26.7 % w/w     |
|                        |               |                                     |                                     |                 |                         |                  | <i>Pyraclostrobin</i>    | 6.7 % w/w      |
| Signum (Emergency Use) | 05720         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | WG                      | Professional     | <i>Boscalid</i>          | 26.7% w/w      |
|                        |               |                                     |                                     |                 |                         |                  | <i>Pyraclostrobin</i>    | 6.7% w/w       |
| Siltra Xpro            | 04083         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide       | EC                      | Professional     | <i>Bixafen</i>           | 60 g/l         |
|                        |               |                                     |                                     |                 |                         |                  | <i>Prothioconazole</i>   | 200 g/l        |
| Sipcam C50WG           | 04494         | Oxon Italia SpA                     | Sipcam U.K. Ltd                     | Fungicide       | WG                      | Professional     | <i>Cymoxanil</i>         | 50% w/w        |
| Sirena                 | 05408         | Globachem nv                        | Globachem nv                        | Fungicide       | EC                      | Professional     | <i>Metconazole</i>       | 60 g/l         |
| Sitrine                | 91268         | Arysta LifeScience Benelux SPRL     | Unichem Limited                     | Insecticide     | EC                      | Professional     | <i>Cypermethrin</i>      | 100 g/l        |
| Skyway Xpro            | 04356         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide       | EC                      | Professional     | <i>Bixafen</i>           | 75 g/l         |
|                        |               |                                     |                                     |                 |                         |                  | <i>Prothioconazole</i>   | 100 g/l        |
|                        |               |                                     |                                     |                 |                         |                  | <i>Tebuconazole</i>      | 100 g/l        |

| <i>Product Name</i>              | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>     | <i>Content</i>   |
|----------------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|------------------|-----------------------------|------------------|
| Skyway Xpro                      | 05259         | Bayer CropScience Limited           | Bayer CropScience Limited           | Fungicide        | EC                      | Professional     | <i>Bixafen</i>              | <i>75 g/l</i>    |
|                                  |               |                                     |                                     |                  |                         |                  | <i>Prothioconazole</i>      | <i>100 g/l</i>   |
|                                  |               |                                     |                                     |                  |                         |                  | <i>Tebuconazole</i>         | <i>100 g/l</i>   |
| SL567A                           | 03106         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Fungicide        | SL                      | Professional     | <i>Metalaxyl M</i>          | <i>465.2 g/l</i> |
| Slug & Snail Control             | 04200         | W. Neudorff GmbH KG                 | Bayer Garden                        | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Slug & Snail Killer Pellets      | 04921         | W. Neudorff GmbH KG                 | Rentokil Initial UK Ltd             | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Slug Bait                        | 03834         | W. Neudorff GmbH KG                 | Bayer CropScience Limited           | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Slug Death XL                    | 03833         | W. Neudorff GmbH KG                 | Vitax Limited                       | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Slug Killer Blue Mini Pellets    | 92377         | Doff Portland Ltd                   | Doff Portland Ltd                   | Molluscicide     | RB                      | Amateur          | <i>Metaldehyde</i>          | <i>1.5 %w/w</i>  |
| Slugclear Ultra                  | 03270         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Molluscicide     | RB                      | Amateur          | <i>Metaldehyde</i>          | <i>3 %w/w</i>    |
| SlugClear Ultra 3                | 04972         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Molluscicide     | RB                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Sluggo Slug & Snail Killer       | 04574         | W. Neudorff GmbH KG                 | W Neudorff (UK) Ltd                 | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Sluggo Slug & Snail Killer Ultra | 05317         | W. Neudorff GmbH KG                 | W Neudorff (UK) Ltd                 | Molluscicide     | RB                      | Amateur          | <i>Ferric Phosphate</i>     | <i>19.8 g/kg</i> |
| Slugrid                          | 04728         | W. Neudorff GmbH KG                 | Vitax Limited                       | Molluscicide     | GR                      | Amateur          | <i>Ferric Phosphate</i>     | <i>10 g/kg</i>   |
| Slugtox                          | 04962         | Sharda Europe b.v.b.a               | Sharda Europe b.v.b.a               | Molluscicide     | GB                      | Amateur          | <i>Metaldehyde</i>          | <i>5% w/w</i>    |
| Sluxx HP                         | 03938         | W. Neudorff GmbH KG                 | Certis Europe BV                    | Molluscicide     | GB                      | Professional     | <i>Ferric Phosphate</i>     | <i>29.7 g/kg</i> |
| Smartfresh                       | 02555         | AgroFresh Holding France S.A.S.     | AgroFresh Holding France S.A.S.     | Growth Regulator | VP                      | Professional     | <i>1-methylcyclopropene</i> | <i>3.3 %w/w</i>  |
| Sniper                           | 05385         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SE                      | Professional     | <i>Desmedipham</i>          | <i>50 g/l</i>    |
|                                  |               |                                     |                                     |                  |                         |                  | <i>Ethofumesate</i>         | <i>200 g/l</i>   |
|                                  |               |                                     |                                     |                  |                         |                  | <i>Phenmedipham</i>         | <i>150 g/l</i>   |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                | <i>Marketing Company</i>   | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>    | <i>Content</i>   |
|---------------------|---------------|--------------------------------------------|----------------------------|------------------|-------------------------|------------------|----------------------------|------------------|
| Soleil              | 05359         | Nufarm UK Limited                          | Interfarm UK Ltd           | Fungicide        | EC                      | Professional     | <i>Bromuconazole</i>       | <i>167 g/l</i>   |
|                     |               |                                            |                            |                  |                         |                  | <i>Tebuconazole</i>        | <i>107 g/l</i>   |
| Solitare            | 04219         | Mitsui Agriscience International S.A./N.V. | Mitsui Chemicals Agro Inc. | Herbicide        | SC                      | Professional     | <i>Propyzamide</i>         | <i>400 g/l</i>   |
| Sonido              | 05151         | Bayer CropScience Limited                  | Bayer CropScience Limited  | Seed Dressing    | FS                      | Professional     | <i>Thiacloprid</i>         | <i>400 g/l</i>   |
| Sparviero           | 04469         | Oxon Italia SpA                            | Sipcam U.K. Ltd            | Insecticide      | CS                      | Professional     | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>   |
| Speedline Pro       | 04975         | Dow AgroSciences                           | Bayer CropScience Limited  | Herbicide        | SL                      | Professional     | <i>Aminopyralid</i>        | <i>12.0 g/l</i>  |
|                     |               |                                            |                            |                  |                         |                  | <i>Triclopyr</i>           | <i>120.0 g/l</i> |
| Spitfire            | 04703         | Dow AgroSciences                           | Dow AgroSciences           | Herbicide        | SE                      | Professional     | <i>Florasulam</i>          | <i>5 g/l</i>     |
|                     |               |                                            |                            |                  |                         |                  | <i>Fluroxypyr</i>          | <i>100 g/l</i>   |
| Splice              | 04448         | BASF plc                                   | BASF Ireland Ltd           | Fungicide        | SC                      | Professional     | <i>Boscalid</i>            | <i>233 g/l</i>   |
|                     |               |                                            |                            |                  |                         |                  | <i>Epoxiconazole</i>       | <i>67 g/l</i>    |
| Sporekill           | 92396         | Nutrigain Ltd                              | Nutrigain Ltd              | Disinfectant     | SL                      | Professional     | <i>Fatty Acid - C7-C20</i> | <i>421 g/l</i>   |
| Sporgon 50WP        | 91288         | BASF plc                                   | BASF Ireland Ltd           | Fungicide        | WP                      | Professional     | <i>Prochloraz</i>          | <i>46 %w/w</i>   |
| Sportak 45 EW       | 00644         | BASF plc                                   | BASF Ireland Ltd           | Fungicide        | EW                      | Professional     | <i>Prochloraz</i>          | <i>450 g/l</i>   |
| Sportak 45 HF       | 00566         | BASF plc                                   | BASF Ireland Ltd           | Fungicide        | EC                      | Professional     | <i>Prochloraz</i>          | <i>450 g/l</i>   |
| Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Whelehan Crop Protection   | Herbicide        | ME                      | Professional     | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>    |
| Stabilan 750        | 04767         | Nufarm UK Limited                          | Nufarm UK Limited          | Growth Regulator | SL                      | Professional     | <i>Chlormequat</i>         | <i>750 g/l</i>   |
| Stallion Sync Tech  | 05483         | FMC Chemical s.p.r.l.                      | Headland Agrochemicals Ltd | Herbicide        | CS                      | Professional     | <i>Clomazone</i>           | <i>30 g/l</i>    |
|                     |               |                                            |                            |                  |                         |                  | <i>Pendimethalin</i>       | <i>333 g/l</i>   |
| Starane Gold        | 02074         | Dow AgroSciences                           | Dow AgroSciences           | Herbicide        | SE                      | Professional     | <i>Florasulam</i>          | <i>1.0 g/l</i>   |
|                     |               |                                            |                            |                  |                         |                  | <i>Fluroxypyr</i>          | <i>100 g/l</i>   |
| Starane Hi-Load HL  | 04549         | Dow AgroSciences                           | Dow AgroSciences           | Herbicide        | EC                      | Professional     | <i>Fluroxypyr</i>          | <i>333 g/l</i>   |

| <i>Product Name</i>               | <i>PCS No</i> | <i>Authorization Holder</i>       | <i>Marketing Company</i>   | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i>   |
|-----------------------------------|---------------|-----------------------------------|----------------------------|-----------------|-------------------------|------------------|-------------------------|------------------|
| Starane XL                        | 02075         | Dow AgroSciences                  | Dow AgroSciences           | Herbicide       | SE                      | Professional     | <i>Florasulam</i>       | <i>2.5 g/l</i>   |
|                                   |               |                                   |                            |                 |                         |                  | <i>Fluroxypyr</i>       | <i>100 g/l</i>   |
| Stefonil                          | 05351         | Sparta Research Ltd               | Stefes GmbH                | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>   | <i>500 g/l</i>   |
| Stereo 312.5 EC                   | 03866         | Syngenta UK Ltd                   | Syngenta Ireland Ltd       | Fungicide       | EC                      | Professional     | <i>Cyprodinil</i>       | <i>250 g/l</i>   |
|                                   |               |                                   |                            |                 |                         |                  | <i>Propiconazole</i>    | <i>62.5 g/l</i>  |
| Steward                           | 02603         | DuPont (UK) Ltd                   | DuPont (Ireland) Ltd       | Insecticide     | WG                      | Professional     | <i>Indoxacarb</i>       | <i>300 g/kg</i>  |
| Stomp 400 SC                      | 02879         | BASF plc                          | BASF Ireland Ltd           | Herbicide       | SC                      | Professional     | <i>Pendimethalin</i>    | <i>400 g/l</i>   |
| Stomp Aqua                        | 03750         | BASF plc                          | BASF Ireland Ltd           | Herbicide       | CS                      | Professional     | <i>Pendimethalin</i>    | <i>455 g/l</i>   |
| Strand                            | 03747         | Headland Agrochemicals Ltd        | Headland Agrochemicals Ltd | Fungicide       | SC                      | Professional     | <i>Epoxiconazole</i>    | <i>125 g/l</i>   |
| Stratos Ultra                     | 04936         | BASF plc                          | BASF Ireland Ltd           | Herbicide       | EC                      | Professional     | <i>Cycloxydim</i>       | <i>100 g/l</i>   |
| Stratos Ultra                     | 91348         | BASF plc                          | BASF Ireland Ltd           | Herbicide       | EC                      | Professional     | <i>Cycloxydim</i>       | <i>100 g/l</i>   |
| Stride DFF                        | 05000         | Unichem Limited                   | Unichem Limited            | Herbicide       | SC                      | Professional     | <i>Diflufenican</i>     | <i>500 g/l</i>   |
| Stroby WG                         | 05092         | BASF plc                          | BASF Ireland Ltd           | Fungicide       | WG                      | Professional     | <i>Kresoxim Methyl</i>  | <i>50% w/w</i>   |
| Sumi-Alpha                        | 02334         | Sumitomo Chemical Agro Europe SAS | Interfarm UK Ltd           | Insecticide     | EC                      | Professional     | <i>Esfenvalerate</i>    | <i>25 g/l</i>    |
| Sumimax                           | 02764         | Sumitomo Chemical Agro Europe SAS | Interfarm UK Ltd           | Herbicide       | SC                      | Professional     | <i>Flumioxazin</i>      | <i>300 g/l</i>   |
| Super Strength Glyphosate         | 03618         | Cheminova A/S                     | Bayer Garden               | Herbicide       | SG                      | Amateur          | <i>Glyphosate</i>       | <i>680 g/kg</i>  |
| Superfast Long Lasting Weedkiller | 04572         | W. Neudorff GmbH KG               | W. Neudorff GmbH KG        | Herbicide       | AL                      | Amateur          | <i>Maleic hydrazide</i> | <i>4.95 g/l</i>  |
|                                   |               |                                   |                            |                 |                         |                  | <i>Pelargonic acid</i>  | <i>31.02 g/l</i> |



| <i>Product Name</i>                           | <i>PCS No</i> | <i>Authorization Holder</i>                | <i>Marketing Company</i>                   | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                    | <i>Content</i> |
|-----------------------------------------------|---------------|--------------------------------------------|--------------------------------------------|-----------------|-------------------------|------------------|--------------------------------------------|----------------|
| Superfast Long Lasting Weedkiller Concentrate | 04571         | W. Neudorff GmbH KG                        | W. Neudorff GmbH KG                        | Herbicide       | SL                      | Amateur          | <i>Maleic hydrazide</i>                    | 30 g/l         |
|                                               |               |                                            |                                            |                 |                         |                  | <i>Pelargonic acid</i>                     | 186.7 g/l      |
| Supreme                                       | 04841         | Mitsui Agriscience International S.A./N.V. | Mitsui Agriscience International S.A./N.V. | Fungicide       | SC                      | Professional     | <i>Chlorothalonil</i>                      | 500 g/l        |
| Surpass Pro                                   | 04470         | Hermoo Belgium N.V.                        | Headland Amenity Limited                   | Fungicide       | SC                      | Professional     | <i>Iprodione</i>                           | 250 g/l        |
| Swift SC                                      | 02145         | Bayer CropScience Limited                  | Bayer CropScience Limited                  | Fungicide       | SC                      | Professional     | <i>Trifloxystrobin</i>                     | 500 g/l        |
| Switch                                        | 03761         | Syngenta UK Ltd                            | Syngenta Ireland Ltd                       | Fungicide       | WG                      | Professional     | <i>Cyprodinil</i>                          | 37.5 % w/w     |
|                                               |               |                                            |                                            |                 |                         |                  | <i>Fludioxonil</i>                         | 25.0 % w/w     |
| Sword                                         | 04248         | Adama Agricultural Solutions UK Ltd        | Adama Agricultural Solutions UK Ltd        | Herbicide       | EC                      | Professional     | <i>Clodinafop</i>                          | 240 g/l        |
| Synero                                        | 04058         | Dow AgroSciences                           | Dow AgroSciences                           | Herbicide       | EO                      | Professional     | <i>Aminopyralid</i>                        | 30 g/l         |
|                                               |               |                                            |                                            |                 |                         |                  | <i>Fluroxypyr</i>                          | 100 g/l        |
| Systhane 20 EW                                | 03693         | Dow AgroSciences                           | Dow AgroSciences                           | Fungicide       | EW                      | Professional     | <i>Myclobutanil</i>                        | 200 g/l        |
| T 2 Green                                     | 02827         | Nufarm UK Limited                          | Nufarm UK Limited                          | Herbicide       | SL                      | Professional     | <i>Dicamba</i>                             | 2.8 % w/w      |
|                                               |               |                                            |                                            |                 |                         |                  | <i>MCPA</i>                                | 22.6 %w/w      |
|                                               |               |                                            |                                            |                 |                         |                  | <i>Mecoprop-P</i>                          | 20.9 % w/w     |
| T34 Biocontrol                                | 05620         | Biocontrol Technologies S.L.               | Fargro Limited                             | Fungicide       | WP                      | Professional     | <i>Trichoderma Asperellum (strain T34)</i> | 12% w/w        |
| Tachigaren 70 WP                              | 91376         | Mitsui Chemicals Agro Inc.                 | Mitsui Chemicals Agro Inc.                 | Seed Dressing   | WP                      | Professional     | <i>Hymexazol</i>                           | 70 %w/w        |
| Talisma EC                                    | 04711         | Arysta LifeScience Benelux SPRL            | Arysta LifeScience Benelux SPRL            | Insecticide     | EC                      | Professional     | <i>Cypermethrin</i>                        | 80 g/l         |
| Talius                                        | 04604         | DuPont (UK) Ltd                            | DuPont (UK) Ltd                            | Fungicide       | EC                      | Professional     | <i>Proquinazid</i>                         | 200 g/l        |
| Talunex                                       | 04684         | Detia Degesch GmbH                         | Detia Degesch GmbH                         | Miscellaneous   | GE                      | Professional     | <i>Aluminium phosphide</i>                 | 56% w/w        |
| Target SC                                     | 01298         | UPL Europe Ltd                             | UPL Europe Ltd                             | Herbicide       | SC                      | Professional     | <i>Metamitron</i>                          | 700 g/l        |

| <i>Product Name</i>             | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                            | <i>Content</i>                                   |
|---------------------------------|---------------|---------------------------------|---------------------------------|------------------|-------------------------|------------------|----------------------------------------------------|--------------------------------------------------|
| Target WG                       | 01506         | UPL Europe Ltd                  | UPL Europe Ltd                  | Herbicide        | WG                      | Professional     | <i>Metamitron</i>                                  | <i>70 %w/w</i>                                   |
| Tazer                           | 04523         | Nufarm UK Limited               | Nufarm UK Limited               | Fungicide        | SC                      | Professional     | <i>Azoxystrobin</i>                                | <i>250 g/l</i>                                   |
| Tebucur 250 EW                  | 04827         | Globachem nv                    | Globachem nv                    | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                                | <i>250 g/l</i>                                   |
| Tebusha 25% EW                  | 04884         | Sharda Europe b.v.b.a           | Sharda Europe b.v.b.a           | Fungicide        | EW                      | Professional     | <i>Tebuconazole</i>                                | <i>250 g/l</i>                                   |
| Tebuzate 220 SL                 | 03836         | UPL Europe Ltd                  | UPL Europe Ltd                  | Fungicide        | SL                      | Professional     | <i>Thiabendazole</i>                               | <i>220 g/l</i>                                   |
| Tec-Bom                         | 05040         | I.A.B. SL                       | Iberfol S.L.                    | Insecticide      | SL                      | Professional     | <i>Fatty acid - C7 - C18 - potassium salt</i>      | <i>416 g/l</i>                                   |
| Teldor                          | 02003         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide        | WG                      | Professional     | <i>Fenhexamid</i>                                  | <i>50 %w/w</i>                                   |
| Tempo                           | 05601         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Growth Regulator | EC                      | Professional     | <i>Trinexapac ethyl</i>                            | <i>250 g/l</i>                                   |
| Temsa SC                        | 05305         | Globachem nv                    | Globachem nv                    | Herbicide        | SC                      | Professional     | <i>Mesotrione</i>                                  | <i>100 g/l</i>                                   |
| Teppeki                         | 02683         | ISK Biosciences Europe N.V.     | ISK Biosciences Europe N.V.     | Insecticide      | WG                      | Professional     | <i>Flonicamid</i>                                  | <i>500 g/kg</i>                                  |
| Terbel Triple EW                | 04679         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Herbicide        | EW                      | Professional     | <i>2,4-D</i><br><i>Dicamba</i><br><i>Triclopyr</i> | <i>200 g/l</i><br><i>85 g/l</i><br><i>65 g/l</i> |
| Teridox                         | 04902         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Herbicide        | EC                      | Professional     | <i>Dimethachlor</i>                                | <i>500 g/l</i>                                   |
| Tern 750 EC                     | 04305         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide        | EC                      | Professional     | <i>Fenpropidin</i>                                 | <i>750 g/l</i>                                   |
| Terpal                          | 04419         | BASF plc                        | BASF Ireland Ltd                | Growth Regulator | SL                      | Professional     | <i>Ethephon</i><br><i>Mepiquat Chloride</i>        | <i>155 g/l</i><br><i>305 g/l</i>                 |
| Tesco Bug Killer Spray          | 02446         | Doff Portland Ltd               | Tesco Ireland Ltd               | Insecticide      | SL                      | Amateur          | <i>Fatty acid - C7 - C18 - potassium salt</i>      | <i>2.0 %w/w</i>                                  |
| Tesco Complete Weedkiller Spray | 03123         | Sipcam U.K. Ltd                 | Tesco Ireland Ltd               | Herbicide        | AL                      | Amateur          | <i>Glyphosate</i>                                  | <i>7.2 g/l</i>                                   |
| Tesco Fast Acting Weedkiller    | 04803         | W. Neudorff GmbH KG             | Tesco Ireland Ltd               | Herbicide        | AL                      | Amateur          | <i>Pelargonic acid</i>                             | <i>31.02 g/l</i>                                 |

| <i>Product Name</i>                          | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>   | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i>     | <i>Active Substance</i>                                            | <i>Content</i>                |
|----------------------------------------------|---------------|-----------------------------|----------------------------|-----------------|-------------------------|----------------------|--------------------------------------------------------------------|-------------------------------|
| Tesco Glyphosate Concentrated Weedkiller     | 03353         | Barclay Chemicals Ltd       | Tesco Ireland Ltd          | Herbicide       | SL                      | Amateur              | <i>Glyphosate</i>                                                  | 90 g/l                        |
| Tesco Mosskiller Gun                         | 92351         | Omex Agriculture Ltd        | Tesco Ireland Ltd          | Herbicide       | SL                      | Amateur              | <i>Ferrous Sulphate</i>                                            | 2.0 %w/w                      |
| Tesco Slug Killer                            | 92381         | Doff Portland Ltd           | Tesco Ireland Ltd          | Molluscicide    | RB                      | Amateur              | <i>Metaldehyde</i>                                                 | 1.5 %w/w                      |
| Tesco Systemic Path & Patio Weedkiller Spray | 03122         | Sipcam U.K. Ltd             | Tesco Ireland Ltd          | Herbicide       | AL                      | Amateur              | <i>Glyphosate</i>                                                  | 7.2 g/l                       |
| Tharsis                                      | 05540         | Generica Europa Ltd         | Generica Europa Ltd        | Fungicide       | EW                      | Professional         | <i>Tebuconazole</i>                                                | 250 g/l                       |
| Theta                                        | 04586         | Pan Agriculture Ltd         | Pan Agriculture Ltd        | Herbicide       | SC                      | Professional         | <i>Mesotrione</i><br><i>Terbuthylazine</i>                         | 70 g/l<br>330 g/l             |
| Thistlex                                     | 03831         | Dow AgroSciences            | Whelehan Crop Protection   | Herbicide       | SL                      | Professional         | <i>Clopyralid</i><br><i>Triclopyr</i>                              | 200 g/l<br>200 g/l            |
| Thor                                         | 03991         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd       | Herbicide       | WG                      | Professional         | <i>Tribenuron (-methyl)</i>                                        | 500 g/kg                      |
| Thrust                                       | 04520         | Nufarm UK Limited           | Nufarm UK Limited          | Herbicide       | SL                      | Professional         | <i>2,4-D</i><br><i>Dicamba</i>                                     | 344 g/l<br>120 g/l            |
| Time's up Weedkiller                         | 04038         | W. Neudorff GmbH KG         | W. Neudorff GmbH KG        | Herbicide       | SL                      | Amateur              | <i>Maleic hydrazide</i><br><i>Pelargonic acid</i>                  | 5.0 g/l<br>31.02 g/l          |
| Time's up Weedkiller Concentrate             | 04039         | W. Neudorff GmbH KG         | W. Neudorff GmbH KG        | Herbicide       | SL                      | Amateur/Professional | <i>Maleic hydrazide</i><br><i>Pelargonic acid</i>                  | 30 g/l<br>186.7 g/l           |
| Titus                                        | 03992         | DuPont (UK) Ltd             | DuPont (UK) Ltd            | Herbicide       | WG                      | Professional         | <i>Rimsulfuron</i>                                                 | 25 % w/w                      |
| Tizca                                        | 04398         | Cheminova A/S               | Headland Agrochemicals Ltd | Fungicide       | SC                      | Professional         | <i>Fluazinam</i>                                                   | 500 g/l                       |
| Tocata                                       | 03301         | BASF plc                    | BASF Ireland Ltd           | Fungicide       | SE                      | Professional         | <i>Epoxiconazole</i><br><i>Fenpropimorph</i><br><i>Metrafenone</i> | 62.5 g/l<br>200 g/l<br>75 g/l |

| <i>Product Name</i>          | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>            | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                 | <i>Content</i> |
|------------------------------|---------------|-------------------------------------|-------------------------------------|----------------------------|-------------------------|------------------|-----------------------------------------|----------------|
| Tomahawk 2                   | 05043         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide                  | EC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Fluroxypyr</i>                       | <i>200 g/l</i> |
| Topik 240 EC                 | 03802         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide                  | EC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Clodinafop</i>                       | <i>240 g/l</i> |
| Toprex                       | 05206         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Growth Regulator/Fungicide | SC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Difenoconazole</i>                   | <i>250 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Paclobutrazol</i>                    | <i>125 g/l</i> |
| Touchdown Quattro            | 01956         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide                  | SL                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Glyphosate</i>                       | <i>360 g/l</i> |
| Tough Roundup Weedkiller Gel | 05344         | Monsanto UK Ltd                     | The Scotts Company (UK) Ltd         | Herbicide                  | AL                      | Amateur          |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Glyphosate</i>                       | <i>72 g/l</i>  |
| Tower                        | 05425         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide                  | SC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Chlorotoluron</i>                    | <i>250 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Diflufenican</i>                     | <i>40 g/l</i>  |
|                              |               |                                     |                                     |                            |                         |                  | <i>Pendimethalin</i>                    | <i>300 g/l</i> |
| Tracer                       | 02649         | Dow AgroSciences                    | Dow AgroSciences                    | Insecticide                | SC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Spinosad</i>                         | <i>480 g/l</i> |
| Traxos                       | 02443         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Herbicide                  | EC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Clodinafop</i>                       | <i>100 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Pinoxaden</i>                        | <i>100 g/l</i> |
| Traxx                        | 04960         | Sharda Europe b.v.b.a               | Sharda Europe b.v.b.a               | Molluscicide               | GB                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Metaldehyde</i>                      | <i>5% w/w</i>  |
| Treoris                      | 04193         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Fungicide                  | SC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Chlorothalonil</i>                   | <i>250 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Penthiopyrad</i>                     | <i>100 g/l</i> |
| Trianum-P                    | 05486         | Koppert B.V.                        | Koppert B.V.                        | Fungicide                  | WG                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Trichoderma harzianum Strain T22</i> | <i>1% w/w</i>  |
| Triathlon                    | 04614         | Croplink (Ireland) Ltd              | Croplink (Ireland) Ltd              | Herbicide                  | SL                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Dicamba</i>                          | <i>25 g/l</i>  |
|                              |               |                                     |                                     |                            |                         |                  | <i>MCPA</i>                             | <i>200 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Mecoprop-P</i>                       | <i>200 g/l</i> |
| Trilogy                      | 04246         | UPL Europe Ltd                      | UPL Europe Ltd                      | Herbicide                  | SC                      | Professional     |                                         |                |
|                              |               |                                     |                                     |                            |                         |                  | <i>Desmedipham</i>                      | <i>15 g/l</i>  |
|                              |               |                                     |                                     |                            |                         |                  | <i>Ethofumesate</i>                     | <i>115 g/l</i> |
|                              |               |                                     |                                     |                            |                         |                  | <i>Phenmedipham</i>                     | <i>75 g/l</i>  |

| <i>Product Name</i>          | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i>  | <i>Formulation Type</i> | <i>User Type</i>     | <i>Active Substance</i>                            | <i>Content</i>                  |
|------------------------------|---------------|-------------------------------------|-------------------------------------|------------------|-------------------------|----------------------|----------------------------------------------------|---------------------------------|
| Trinexis                     | 05145         | Arysta LifeScience Benelux SPRL     | Arysta LifeScience Benelux SPRL     | Growth Regulator | EC                      | Professional         | <i>Trinexapac ethyl</i>                            | 250 g/l                         |
| Tropotox                     | 03525         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional         | <i>MCPB</i>                                        | 400 g/l                         |
| Trust                        | 05158         | Generica Europa Ltd                 | Generica Europa Ltd                 | Fungicide        | SC                      | Professional         | <i>Chlorothalonil</i><br><i>Penthiopyrad</i>       | 250 g/l<br>100 g/l              |
| Tumbleweed                   | 02506         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Herbicide        | SL                      | Amateur              | <i>Glyphosate</i>                                  | 120 g/l                         |
| Tumbleweed Ready to Use      | 02507         | The Scotts Company (UK) Ltd         | The Scotts Company (UK) Ltd         | Herbicide        | AL                      | Amateur              | <i>Glyphosate</i>                                  | 7.2 g/l                         |
| Turfmaster                   | 05313         | Nufarm UK Limited                   | Nufarm UK Limited                   | Herbicide        | SL                      | Professional         | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 19.5 g/l<br>245 g/l<br>43.3 g/l |
| Twinprop                     | 04427         | DHM Agrochemicals Ltd.,             | DHM Agrochemicals Ltd.,             | Herbicide        | SL                      | Professional         | <i>Mecoprop-P</i>                                  | 600 g/l                         |
| Typhoon 360                  | 02501         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Herbicide        | SL                      | Professional         | <i>Glyphosate</i>                                  | 360 g/l                         |
| Ultima                       | 03780         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Herbicide        | SL                      | Amateur/Professional | <i>Maleic hydrazide</i><br><i>Pelargonic acid</i>  | 30 g/l<br>186.7 g/l             |
| Ultima RTU                   | 03781         | W. Neudorff GmbH KG                 | W. Neudorff GmbH KG                 | Herbicide        | SL                      | Amateur              | <i>Maleic hydrazide</i><br><i>Pelargonic acid</i>  | 4.95 g/l<br>31.02 g/l           |
| Ultimate Slug & Snail Killer | 05251         | Doff Portland Ltd                   | Bayer Garden                        | Molluscicide     | PE                      | Amateur              | <i>Metaldehyde</i>                                 | 1.5 % w/w                       |
| Ultra All-in-One Bug Spray   | 04787         | Arysta LifeScience Benelux SPRL     | Doff Portland Ltd                   | Insecticide      | AL                      | Amateur              | <i>Cypermethrin</i>                                | 0.05 g/l                        |
| Underclear                   | 91488         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide        | SL                      | Professional         | <i>2,4-DB</i><br><i>Mecoprop-P</i>                 | 250 g/l<br>25 g/l               |
| Undersown                    | 91489         | Hygeia Chemicals Ltd                | Bandon Agricultural Products Ltd    | Herbicide        | SL                      | Professional         | <i>2,4-DB</i><br><i>MCPA</i>                       | 240 g/l<br>40 g/l               |

| <i>Product Name</i>                    | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>    | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                                 | <i>Content</i>                                                     |
|----------------------------------------|---------------|-----------------------------|-----------------------------|-----------------|-------------------------|------------------|---------------------------------------------------------|--------------------------------------------------------------------|
| Unichem Lawn Feed, Weed and Mosskiller | 03130         | Unichem Limited             | Unichem Limited             | Herbicide       | GR                      | Amateur          | 2,4-D<br>Ferrous Sulphate<br>Mecoprop-P                 | 0.32 %w/w<br>16.6 %w/w<br>0.32 %w/w                                |
| Valbon                                 | 03411         | Certis Europe BV            | Whelehan Crop Protection    | Fungicide       | WG                      | Professional     | Benthiavalicarb<br>Mancozeb                             | 17.5 g/kg<br>700 g/kg                                              |
| Vareon                                 | 03554         | DuPont (UK) Ltd             | DuPont (Ireland) Ltd        | Fungicide       | EC                      | Professional     | Prochloraz<br>Proquinazid<br>Tebuconazole               | 320 g/l<br>40 g/l<br>160 g/l                                       |
| Vendetta                               | 05227         | Cheminova A/S               | Headland Agrochemicals Ltd  | Fungicide       | SC                      | Professional     | Azoxystrobin<br>Fluazinam                               | 150 g/l<br>375 g/l                                                 |
| Venture Extra                          | 04447         | BASF plc                    | BASF Ireland Ltd            | Fungicide       | SC                      | Professional     | Boscalid<br>Epoiconazole                                | 210 g/l<br>75 g/l                                                  |
| Venture Jewel                          | 03848         | BASF plc                    | BASF Ireland Ltd            | Fungicide       | TW                      | Professional     | Boscalid<br>Epoiconazole<br>Epoiconazole<br>Metconazole | 233 g/l - Pac<br>37.5 g/l - Pac<br>67 g/l - Pack<br>27.5 g/l - Pac |
| Venzar 80 % WP                         | 91507         | DuPont (UK) Ltd             | Interchem Ltd               | Herbicide       | WP                      | Professional     | Lenacil                                                 | 80 %w/w                                                            |
| Venzar Flowable                        | 91516         | DuPont (UK) Ltd             | DuPont (UK) Ltd             | Herbicide       | SC                      | Professional     | Lenacil                                                 | 440 g/l                                                            |
| Verdone Extra                          | 05095         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | ME                      | Amateur          | Clopyralid<br>Fluroxypyr<br>MCPA                        | 5.34 g/l<br>10.68 g/l<br>53.4 g/l                                  |
| Verdone Extra Ready to Use             | 05097         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | Clopyralid<br>Fluroxypyr<br>MCPA                        | 0.16 g/l<br>0.32 g/l<br>1.6 g/l                                    |
| Verimark 20SC                          | 05356         | DuPont (UK) Ltd             | DuPont (UK) Ltd             | Insecticide     | SC                      | Professional     | Cyantraniliprole                                        | 200 g/l                                                            |

| <i>Product Name</i>                       | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>  | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i> | <i>Content</i>   |
|-------------------------------------------|---------------|-----------------------------|---------------------------|-----------------|-------------------------|------------------|-------------------------|------------------|
| Vertik                                    | 04030         | Syngenta UK Ltd             | Syngenta Ireland Ltd      | Fungicide       | SC                      | Professional     | <i>Azoxystrobin</i>     | <i>100 g/l</i>   |
|                                           |               |                             |                           |                 |                         |                  | <i>Chlorothalonil</i>   | <i>500 g/l</i>   |
| Vertisan                                  | 04148         | DuPont (UK) Ltd             | DuPont (UK) Ltd           | Fungicide       | EC                      | Professional     | <i>Penthiopyrad</i>     | <i>200 g/l</i>   |
| Verve Fast Acting Weedkiller              | 04833         | W. Neudorff GmbH KG         | B & Q plc                 | Herbicide       | AL                      | Amateur          | <i>Pelargonic acid</i>  | <i>31.02</i>     |
| Verve Lawn Feed, Weed & Mosskiller        | 04793         | The Scotts Company (UK) Ltd | B & Q plc                 | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i> | <i>16.3% w/w</i> |
|                                           |               |                             |                           |                 |                         |                  | <i>MCPA</i>             | <i>0.49% w/w</i> |
|                                           |               |                             |                           |                 |                         |                  | <i>Mecoprop-P</i>       | <i>0.29% w/w</i> |
| Verve Path & Patio Weedkiller             | 04551         | Syngenta UK Ltd             | B & Q plc                 | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| Verve Path & Patio Weedkiller Concentrate | 04554         | Syngenta UK Ltd             | B & Q plc                 | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>       | <i>151.4 g/l</i> |
| Verve Root Killing Weedkiller             | 04550         | Syngenta UK Ltd             | B & Q plc                 | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| Verve Root Killing Weedkiller Concentrate | 04553         | Syngenta UK Ltd             | B & Q plc                 | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>       | <i>151.4 g/l</i> |
| Verve Tough Weedkiller                    | 04552         | Syngenta UK Ltd             | B & Q plc                 | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>8.4 g/l</i>   |
| Vigon                                     | 05513         | Bayer CropScience Limited   | Bayer CropScience Limited | Herbicide       | SC                      | Professional     | <i>Diflufenican</i>     | <i>60 g/l</i>    |
|                                           |               |                             |                           |                 |                         |                  | <i>Flufenacet</i>       | <i>240 g/l</i>   |
|                                           |               |                             |                           |                 |                         |                  | <i>Flurtamone</i>       | <i>120 g/l</i>   |
| Vincit                                    | 00403         | Cheminova A/S               | Cheminova                 | Seed Dressing   | LS                      | Professional     | <i>Flutriafol</i>       | <i>25 g/l</i>    |
|                                           |               |                             |                           |                 |                         |                  | <i>Thiabendazole</i>    | <i>25 g/l</i>    |
| Vitax Glyphosate Concentrated Weedkiller  | 04547         | Barclay Chemicals Ltd       | Vitax Limited             | Herbicide       | SL                      | Amateur          | <i>Glyphosate</i>       | <i>90 g/l</i>    |
| Vitax Glyphosate Weedkiller RTU           | 02996         | Barclay Chemicals Ltd       | Vitax Limited             | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>       | <i>7.2 g/l</i>   |

| <i>Product Name</i>             | <i>PCS No</i> | <i>Authorization Holder</i>         | <i>Marketing Company</i>            | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                 | <i>Content</i>                   |
|---------------------------------|---------------|-------------------------------------|-------------------------------------|-----------------|-------------------------|------------------|-----------------------------------------|----------------------------------|
| Vitax Lawn Clear 2 Feed & Weed  | 05011         | Vitax Limited                       | Vitax Limited                       | Herbicide       | SL                      | Amateur          | 2,4-D<br>Clopyralid<br>MCPA             | 9.0 g/l<br>2.1 g/l<br>10.5 g/l   |
| Vitax Lawn Clear 2 Ready to Use | 05010         | Vitax Limited                       | Vitax Limited                       | Herbicide       | AL                      | Amateur          | 2,4-D<br>Clopyralid<br>MCPA             | 1.13 g/l<br>0.26 g/l<br>1.31 g/l |
| Vitax LawnClear 2               | 05009         | Vitax Limited                       | Vitax Limited                       | Herbicide       | SL                      | Amateur          | 2,4-D<br>Clopyralid<br>MCPA             | 27.0 g/l<br>6.3 g/l<br>31.5 g/l  |
| Vitax Pepper Dust               | 05442         | Vitax Limited                       | Vitax Limited                       | Repellant       | DP                      | Amateur          | Pepper Dust                             | 100% w/w                         |
| Vitax Weedfree Ready to Use     | 04976         | Sipcam U.K. Ltd                     | Vitax Limited                       | Herbicide       | AL                      | Amateur          | Glyphosate                              | 7.2 g/l                          |
| Vivando                         | 05685         | BASF plc                            | BASF Ireland Ltd                    | Fungicide       | SC                      | Professional     | Metrafenone                             | 500 g/l                          |
| Vivendi 200                     | 05122         | UPL Europe Ltd                      | UPL Europe Ltd                      | Herbicide       | SL                      | Professional     | Clopyralid                              | 200 g/l                          |
| Volley                          | 04516         | Adama Agricultural Solutions UK Ltd | Adama Agricultural Solutions UK Ltd | Fungicide       | SC                      | Professional     | Fluazinam                               | 500 g/l                          |
| Vydate 10G                      | 03698         | DuPont (UK) Ltd                     | DuPont (UK) Ltd                     | Nematicide      | GR                      | Professional     | Oxamyl                                  | 100 g/kg                         |
| Wakil XL                        | 05471         | Syngenta UK Ltd                     | Syngenta Ireland Ltd                | Seed Dressing   | WG                      | Professional     | Cymoxanil<br>Fludioxonil<br>Metalaxyl M | 100 g/kg<br>50 g/kg<br>175 g/kg  |
| Weedbuster                      | 02846         | Syngenta UK Ltd                     | Westland Horticulture Ltd           | Herbicide       | AL                      | Amateur          | Glyphosate                              | 8.4 g/l                          |
| Weedbuster Concentrate          | 03074         | Syngenta UK Ltd                     | Westland Horticulture Ltd           | Herbicide       | SL                      | Amateur          | Glyphosate                              | 151.4 g/l                        |
| WeedBuster Super Concentrate    | 03255         | Syngenta UK Ltd                     | Westland Horticulture Ltd           | Herbicide       | SL                      | Amateur          | Glyphosate                              | 360 g/l                          |
| Weedfree                        | 03702         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide       | SG                      | Amateur          | Glyphosate                              | 9.6 %w/w                         |
| Weedfree Home & Garden          | 05316         | Hygeia Chemicals Ltd                | Hygeia Chemicals Ltd                | Herbicide       | SL                      | Amateur          | Glyphosate                              | 360 g/l                          |



| <i>Product Name</i>                 | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>    | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                               | <i>Content</i>                    |
|-------------------------------------|---------------|-----------------------------|-----------------------------|-----------------|-------------------------|------------------|-------------------------------------------------------|-----------------------------------|
| Weedfree Plus                       | 04408         | Cheminova A/S               | Hygeia Chemicals Ltd        | Herbicide       | SL                      | Professional     | <i>Glyphosate</i>                                     | 360 g/l                           |
| Weedfree RTU                        | 03000         | Barclay Chemicals Ltd       | Hygeia Chemicals Ltd        | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i>                                     | 7.2 g/l                           |
| Weedmaster                          | 03200         | Nufarm UK Ltd               | Nufarm UK Ltd               | Herbicide       | AL                      | Amateur          | <i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i>    | 0.55 g/l<br>4.53 g/l<br>4.20 g/l  |
| Weedol 2                            | 02584         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | SG                      | Amateur          | <i>Diquat (dibromide)</i>                             | 5.0 % w/w                         |
| Weedol Gun! Fast Acting Weedkiller  | 04521         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Acetic acid</i>                                    | 60.0 g/l                          |
| Weedol Gun! Lawn Weedkiller         | 05098         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Professional     | <i>Clopyralid</i><br><i>Fluroxypyr</i><br><i>MCPA</i> | 0.16 g/l<br>0.32 g/l<br>1.6 g/l   |
| Weedol Gun! Path & Patio Weedkiller | 04798         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Diflufenican</i><br><i>Glyphosate</i>              | 0.576 g/l<br>3.6 g/l              |
| Weedol Gun! Rootkill Plus           | 02465         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i><br><i>Pyraflufen-ethyl</i>          | 7.2 g/l<br>0.02 g/l               |
| Weedol Gun! Superfast               | 92347         | W. Neudorff GmbH KG         | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Pelargonic acid</i>                                | 31.02 g/l                         |
| Weedol Gun! Ultra Tough Weedkiller  | 05175         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Glyphosate</i><br><i>Pyraflufen-ethyl</i>          | 7.2 g/l<br>0.02 g/l               |
| Weedol Lawn Weedkiller              | 05096         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | ME                      | Amateur          | <i>Clopyralid</i><br><i>Fluroxypyr</i><br><i>MCPA</i> | 5.34 g/l<br>10.68 g/l<br>53.4 g/l |
| Weedol Path & Patio Weedkiller      | 04796         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | SC                      | Amateur          | <i>Diflufenican</i><br><i>Glyphosate</i>              | 20 g/l<br>125 g/l                 |

| <i>Product Name</i>                                      | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i>    | <i>Function</i> | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>   | <i>Content</i> |
|----------------------------------------------------------|---------------|-----------------------------|-----------------------------|-----------------|-------------------------|------------------|---------------------------|----------------|
| Weedol Pathclear Weedkiller                              | 05176         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | SC                      | Amateur          | <i>Diflufenican</i>       | 20 g/l         |
|                                                          |               |                             |                             |                 |                         |                  | <i>Glyphosate</i>         | 125 g/l        |
| Weedol PS Pathclear Weedkiller                           | 05438         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | AL                      | Amateur          | <i>Diflufenican</i>       | 0.576 g/l      |
|                                                          |               |                             |                             |                 |                         |                  | <i>Glyphosate</i>         | 3.6 g/l        |
| Weedol Rootkill Plus                                     | 02464         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | SE                      | Amateur          | <i>Glyphosate</i>         | 12 % w/v       |
|                                                          |               |                             |                             |                 |                         |                  | <i>Pyraflufen-ethyl</i>   | 0.033 % w/w    |
| Weedol Super Fast                                        | 92346         | W. Neudorff GmbH KG         | The Scotts Company (UK) Ltd | Herbicide       | EC                      | Amateur          | <i>Pelargonic acid</i>    | 186.7 g/l      |
| Weedol Ultra Tough Weedkiller                            | 05174         | The Scotts Company (UK) Ltd | The Scotts Company (UK) Ltd | Herbicide       | SE                      | Amateur          | <i>Glyphosate</i>         | 12% w/v        |
|                                                          |               |                             |                             |                 |                         |                  | <i>Pyraflufen-ethyl</i>   | 0.033% w/v     |
| Westland Aftercut All in One                             | 04809         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>2,4-D</i>              | 0.562 % w/w    |
|                                                          |               |                             |                             |                 |                         |                  | <i>Ferrous Sulphate</i>   | 33.7 % w/w     |
|                                                          |               |                             |                             |                 |                         |                  | <i>Mecoprop-P</i>         | 0.562 % w/w    |
| Westland Autumn Lawn Feed and Mosskiller                 | 01688         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>   | 32.3 %w/w      |
| Westland Feed and Mosskiller                             | 01781         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>   | 32.3 %w/w      |
| Westland Lawn Feed, Weed & Mosskiller                    | 01687         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>2,4-D</i>              | 0.562 %w/w     |
|                                                          |               |                             |                             |                 |                         |                  | <i>Ferrous Sulphate</i>   | 33.7 %w/w      |
|                                                          |               |                             |                             |                 |                         |                  | <i>Mecoprop-P</i>         | 0.562 %w/w     |
| Westland Lawn Sand                                       | 92413         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>   | 8.3 % w/w      |
| Westland Lawn Sand 2                                     | 05410         | Westland Horticulture Ltd   | Westland Horticulture Ltd   | Herbicide       | GR                      | Amateur          | <i>Ferrous Sulphate</i>   | 7.7 g/kg       |
| Westland Plant Rescue Fruit & Vegetable Bug Killer       | 04033         | Syngenta UK Ltd             | Westland Horticulture Ltd   | Insecticide     | ME                      | Amateur          | <i>lambda-Cyhalothrin</i> | 0.015 g/l      |
| Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer | 04032         | Syngenta UK Ltd             | Westland Horticulture Ltd   | Insecticide     | ME                      | Amateur          | <i>lambda-Cyhalothrin</i> | 0.75 g/l       |

| <i>Product Name</i>         | <i>PCS No</i> | <i>Authorization Holder</i>     | <i>Marketing Company</i>        | <i>Function</i>       | <i>Formulation Type</i> | <i>User Type</i> | <i>Active Substance</i>                          | <i>Content</i>                      |
|-----------------------------|---------------|---------------------------------|---------------------------------|-----------------------|-------------------------|------------------|--------------------------------------------------|-------------------------------------|
| Westland Rose Rescue        | 04801         | Arysta LifeScience Benelux SPRL | Westland Horticulture Ltd       | Fungicide/Insecticide | AL                      | Amateur          | <i>Cypermethrin</i><br><i>Myclobutanil</i>       | <i>0.05 g/l</i><br><i>0.075 g/l</i> |
| Wilko Glyphosate Weedkiller | 02998         | Barclay Chemicals Ltd           | Barclay Chemicals Ltd           | Herbicide             | AL                      | Amateur          | <i>Glyphosate</i>                                | <i>7.2 g/l</i>                      |
| Winby                       | 05611         | ISK Biosciences Europe N.V.     | ISK Biosciences Europe N.V.     | Fungicide             | SC                      | Professional     | <i>Fluazinam</i>                                 | <i>500 g/l</i>                      |
| Wing P                      | 03590         | BASF plc                        | BASF Ireland Ltd                | Herbicide             | EC                      | Professional     | <i>Dimethenamid-P</i><br><i>Pendimethalin</i>    | <i>212.5 g/l</i><br><i>250g/l</i>   |
| Wizard                      | 03112         | UPL Europe Ltd                  | UPL Europe Ltd                  | Herbicide             | EC                      | Professional     | <i>Ethofumesate</i><br><i>Phenmedipham</i>       | <i>100 g/l</i><br><i>80 g/l</i>     |
| Zephyr                      | 03792         | Bayer CropScience Limited       | Bayer CropScience Limited       | Fungicide             | SC                      | Professional     | <i>Prothioconazole</i><br><i>Trifloxystrobin</i> | <i>175 g/l</i><br><i>88 g/l</i>     |
| Zetanil WG                  | 04492         | Oxon Italia SpA                 | Sipcam U.K. Ltd                 | Fungicide             | WG                      | Professional     | <i>Cymoxanil</i><br><i>Mancozeb</i>              | <i>45 g/kg</i><br><i>650 g/kg</i>   |
| Zoxis                       | 04455         | Arysta LifeScience Benelux SPRL | Arysta LifeScience Benelux SPRL | Fungicide             | SC                      | Professional     | <i>Azoxystrobin</i>                              | <i>250 g/l</i>                      |
| Zulu                        | 03886         | Syngenta UK Ltd                 | Syngenta Ireland Ltd            | Fungicide             | EC                      | Professional     | <i>Isopyrazam</i>                                | <i>125 g/l</i>                      |



## **Chapter 2**

### **Plant Protection Product Name Changes Accepted since “Pesticides 2016”**



**Product name changes accepted since "Pesticides 2016"**

| <u>Old Product Name</u>            | <u>PCS No</u> | <u>New Product Name</u>            |
|------------------------------------|---------------|------------------------------------|
| Headland Rhino                     | 92276         | Rheus                              |
| Impulse I                          | 92459         | Speedway Total                     |
| Weedol Gun! Groundclear Weedkiller | 05175         | Weedol Gun! Ultra Tough Weedkiller |
| Weedol Groundclear Weedkiller      | 05174         | Weedol Ultra Tough Weedkiller      |

## **Chapter 3**

**Plant Protection Products listed in '*Pesticides 2016*' for which registrations expired or were rescinded between 1/1/16 and 1/1/17**





## ***Plant Protection Products whose registrations have expired or were revoked between 1/1/16 and 1/1/17***

| <i><b>Product Name</b></i>          | <i><b>PCS No</b></i> | <i><b>Company Name</b></i>                       | <i><b>User Type</b></i> | <i><b>Function Description</b></i> | <i><b>Registration expiry date</b></i> | <i><b>Product use illegal from</b></i> |
|-------------------------------------|----------------------|--------------------------------------------------|-------------------------|------------------------------------|----------------------------------------|----------------------------------------|
| Acorn Barbarian                     | 02517                | Barclay Chemicals Ltd                            | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Acron                               | 02295                | Nufarm UK Limited                                | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Amistar Pro                         | 01026                | Syngenta UK Ltd                                  | Professional            | Fungicide                          | 31/03/2016                             | 30/09/2017                             |
| Aphox                               | 90070                | Syngenta UK Ltd                                  | Professional            | Insecticide                        | 30/04/2016                             | 16/09/2016                             |
| Ardee                               | 05229                | Barclay Chemicals Ltd                            | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Arelon 500                          | 02457                | Nufarm UK Limited                                | Professional            | Herbicide                          | 30/09/2016                             | 30/09/2017                             |
| Aspect                              | 02488                | Syngenta UK Ltd                                  | Professional            | Fungicide                          | 31/03/2016                             | 30/09/2017                             |
| Asulox (Emergency Use)              | 05613                | UPL Europe Ltd                                   | Professional            | Herbicide                          | 30/09/2016                             | 30/09/2016                             |
| Avadex BW                           | 90128                | Gowan Comercio Internacional e Servicos Limitada | Professional            | Herbicide                          | 31/03/2016                             | 30/09/2017                             |
| B&Q Autumn Lawncare                 | 92135                | The Scotts Company (UK) Ltd                      | Amateur                 | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| B&Q Lawn Care, Feed Weed Mosskiller | 02646                | The Scotts Company (UK) Ltd                      | Amateur                 | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Bacara                              | 01186                | Bayer CropScience Limited                        | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Ban Dock                            | 90135                | Arysta LifeScience Benelux SPRL                  | Professional            | Herbicide                          | 31/03/2016                             | 30/09/2017                             |
| Barclay Clinch XL                   | 90168                | Cheminova A/S                                    | Professional            | Insecticide                        | 01/03/2016                             | 31/03/2016                             |
| Barclay Gallup 360                  | 02044                | Barclay Chemicals Ltd                            | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Barclay Gallup Amenity              | 02911                | Barclay Chemicals Ltd                            | Professional            | Herbicide                          | 31/12/2016                             | 30/06/2018                             |
| Basta                               | 90216                | Bayer CropScience Limited                        | Professional            | Herbicide                          | 31/03/2016                             | 30/09/2017                             |
| Beam                                | 01175                | Bayer CropScience Limited                        | Professional            | Fungicide                          | 31/12/2016                             | 30/06/2018                             |
| Binder                              | 05114                | DHM Agrochemicals Ltd.,                          | Professional            | Herbicide                          | 31/03/2016                             | 30/09/2017                             |
| Bio Glyphosate                      | 02309                | Bayer CropScience Limited                        | Amateur                 | Herbicide                          | 31/12/2016                             | 30/06/2018                             |

| <i>Product Name</i>             | <i>PCS No</i> | <i>Company Name</i>             | <i>User Type</i>     | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|---------------------------------|---------------|---------------------------------|----------------------|-----------------------------|---------------------------------|---------------------------------|
| Bio Glyphosate Ready to Use     | 02311         | Bayer CropScience Limited       | Amateur              | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Blutron                         | 05291         | Agform Ltd                      | Professional         | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Blutron Plus                    | 05292         | Agform Ltd                      | Professional         | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Broadway Star                   | 04313         | Dow AgroSciences                | Professional         | Herbicide                   | 30/06/2016                      | 31/12/2017                      |
| BugClear Gun! For Fruit and Veg | 92332         | The Scotts Company (UK) Ltd     | Amateur              | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| Cleansweep                      | 04900         | Unichem Limited                 | Professional         | Herbicide                   | 31/12/2016                      | 30/09/2017                      |
| Clearall 360                    | 04865         | DHM Agrochemicals Ltd.,         | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Clinic                          | 02293         | Nufarm UK Limited               | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Clinic Ace                      | 02840         | Nufarm UK Limited               | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Coragen                         | 03079         | DuPont (UK) Ltd                 | Professional         | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| Croplink IPU                    | 04498         | Croplink (Ireland) Ltd          | Professional         | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| CT 500                          | 04734         | DHM Agrochemicals Ltd.,         | Professional         | Fungicide                   | 31/12/2016                      | 30/06/2018                      |
| De - Moss Sulphate of Iron      | 92291         | Unichem Limited                 | Amateur/Professional | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Destrol Amenity                 | 02694         | Bayer SAS                       | Professional         | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Detia Gas Ex T                  | 92343         | Detia Degesch GmbH              | Professional         | Fumigant                    | 30/06/2016                      | 31/12/2017                      |
| Detia Gas-EX-B Bag Blanket      | 92345         | Detia Degesch GmbH              | Professional         | Fumigant                    | 30/06/2016                      | 31/12/2016                      |
| Detia-Gas-EX B                  | 92344         | Detia Degesch GmbH              | Professional         | Fumigant                    | 30/06/2016                      | 31/12/2017                      |
| Dicophar RTU                    | 02437         | Arysta LifeScience Benelux SPRL | Amateur/Professional | Herbicide                   | 06/01/2016                      | 06/07/2017                      |
| Doff Hormone Rooting Powder     | 00127         | Doff Portland Ltd               | Amateur              | Growth Regulator            | 31/12/2016                      | 30/06/2018                      |
| Doff Lawn Spot Weeder           | 02739         | Arysta LifeScience Benelux SPRL | Amateur              | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Doff Lawn Weedkiller            | 02738         | Arysta LifeScience Benelux SPRL | Amateur              | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Dursban 4                       | 90541         | Dow AgroSciences                | Professional         | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Dursban WG                      | 02540         | Dow AgroSciences                | Professional         | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Dynamec (Emergency Use)         | 05553         | Syngenta UK Ltd                 | Professional         | Insecticide                 | 30/07/2016                      | 30/07/2016                      |

| <i>Product Name</i>            | <i>PCS No</i> | <i>Company Name</i>         | <i>User Type</i> | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|--------------------------------|---------------|-----------------------------|------------------|-----------------------------|---------------------------------|---------------------------------|
| Echo                           | 05477         | Unichem Limited             | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Epok 600EC                     | 01192         | ISK Biosciences Europe N.V. | Professional     | Fungicide                   | 30/06/2016                      | 31/12/2017                      |
| Equity                         | 92186         | Dow AgroSciences            | Professional     | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Evergreen Autumn               | 92303         | The Scotts Company (UK) Ltd | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Evergreen Complete             | 92292         | The Scotts Company (UK) Ltd | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Evergreen Complete Soluble     | 02848         | The Scotts Company (UK) Ltd | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Evergreen Gun! Lawn Weedkiller | 04212         | The Scotts Company (UK) Ltd | Amateur          | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Evergreen Mosskil Soluble      | 02499         | The Scotts Company (UK) Ltd | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Farmco Blitz                   | 04694         | Farmco Agritrading Ltd      | Professional     | Fungicide                   | 31/12/2016                      | 31/12/2017                      |
| Farmco Clover Special          | 04401         | Farmco Agritrading Ltd      | Professional     | Herbicide                   | 31/12/2016                      | 30/09/2017                      |
| Farmco Floxy                   | 04624         | Farmco Agritrading Ltd      | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Farmco Glyphosate              | 04430         | Farmco Agritrading Ltd      | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Farmco IPU                     | 04522         | Farmco Agritrading Ltd      | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Farmco Nettles                 | 04567         | Farmco Agritrading Ltd      | Professional     | Herbicide                   | 31/12/2016                      | 30/09/2017                      |
| Ferramol Max                   | 04164         | W. Neudorff GmbH KG         | Professional     | Molluscicide                | 31/12/2016                      | 30/06/2018                      |
| Ferramol Slug Killer           | 02710         | W. Neudorff GmbH KG         | Professional     | Molluscicide                | 31/12/2016                      | 30/06/2018                      |
| Fieldguard                     | 02458         | Nufarm UK Limited           | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Fluxyr 200 EC                  | 03663         | UPL Europe Ltd              | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Frontsweep                     | 03990         | SOYL Ltd                    | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Frownicide                     | 00610         | ISK Biosciences Europe N.V. | Professional     | Fungicide                   | 30/06/2016                      | 31/12/2017                      |
| Fumi - Gas T                   | 04867         | Servem Ltd                  | Professional     | Fumigant                    | 31/12/2016                      | 31/12/2017                      |
| Fungazil 100 SL                | 01547         | Certis Europe BV            | Professional     | Fungicide                   | 31/10/2016                      | 31/12/2016                      |
| Furlong                        | 03183         | DuPont (UK) Ltd             | Professional     | Fungicide                   | 31/03/2016                      | 30/09/2017                      |

| <i>Product Name</i>        | <i>PCS No</i> | <i>Company Name</i>             | <i>User Type</i> | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|----------------------------|---------------|---------------------------------|------------------|-----------------------------|---------------------------------|---------------------------------|
| G360                       | 05315         | Hygeia Chemicals Ltd            | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Garden Rootkill Weedkiller | 05230         | Nufarm UK Limited               | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| GAT Stake 20 EC            | 04472         | GAT Microencapsulation AG       | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Genoxone ZX                | 02233         | Arysta LifeScience Benelux SPRL | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Glyphos                    | 02306         | Cheminova A/S                   | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Glyphos 480                | 02308         | Cheminova A/S                   | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Glyphos Supreme            | 02832         | Cheminova A/S                   | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| GlyphoFIT 36 SL            | 04223         | GAT Microencapsulation AG       | Professional     | Herbicide                   | 31/07/2016                      | 31/01/2018                      |
| Glyphosate 360             | 04366         | Sharda Europe b.v.b.a           | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Glyphosate Concentrate     | 04347         | Nufarm UK Limited               | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Glyphosate Ready to Use 2  | 04194         | Nufarm UK Limited               | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Glyweed                    | 04149         | Sabero Europe B.V.              | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Greenmaster Extra          | 90715         | The Scotts Company (UK) Ltd     | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Greenmaster Mosskiller     | 90716         | The Scotts Company (UK) Ltd     | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Green-up Lawn Sand         | 00812         | Vitax Limited                   | Amateur          | Herbicide                   | 30/06/2016                      | 31/12/2017                      |
| Grounded                   | 92267         | Helena Chemical Company         | Professional     | Adjuvant                    | 31/12/2016                      | 30/06/2018                      |
| Herbaflex                  | 05032         | Cheminova A/S                   | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Hyflux                     | 05136         | Hygeia Chemicals Ltd            | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Hy-Glo 360                 | 04259         | Sharda Europe b.v.b.a           | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Hytrol Professional Liquid | 04275         | Sharda Europe b.v.b.a           | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Ima 100 SL                 | 03319         | Q-Chem NV                       | Professional     | Fungicide                   | 30/09/2016                      | 31/03/2018                      |
| Imidasect 5GR              | 02567         | Sharda Europe b.v.b.a           | Professional     | Insecticide                 | 30/06/2016                      | 31/12/2017                      |
| IPU 500                    | 04510         | DHM Agrochemicals Ltd.,         | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |

| <i>Product Name</i>                      | <i>PCS No</i> | <i>Company Name</i>             | <i>User Type</i>     | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|------------------------------------------|---------------|---------------------------------|----------------------|-----------------------------|---------------------------------|---------------------------------|
| Irish Organic Weedkiller Ready to Use    | 92296         | Punya Innovation ApS            | Amateur              | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| JAB Lawn Sand                            | 90520         | William Sinclair Horticulture   | Amateur              | Herbicide                   | 31/12/2016                      | 30/06/2017                      |
| Kernel                                   | 03101         | Cheminova A/S                   | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Landscaper Pro Weed Control + Fertilizer | 03724         | The Scotts Company (UK) Ltd     | Professional         | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Longbow                                  | 03731         | Arysta LifeScience Benelux SPRL | Professional         | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| LowDown                                  | 92274         | Helena Chemical Company         | Professional         | Adjuvant                    | 31/12/2016                      | 30/06/2018                      |
| Luna Privilege (Emergency Use)           | 05538         | Bayer CropScience Limited       | Professional         | Fungicide                   | 30/07/2016                      | 30/07/2016                      |
| Luna Privilege (Emergency Use)           | 05609         | Bayer CropScience Limited       | Professional         | Fungicide                   | 29/09/2016                      | 29/09/2016                      |
| Majestik                                 | 92325         | Certis Europe BV                | Professional         | Insecticide                 | 30/09/2016                      | 31/03/2018                      |
| Manifest                                 | 03725         | Cheminova A/S                   | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Master Gly 36T                           | 05130         | Generica Europa Ltd             | Professional         | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Maxicrop Mosskiller and Lawn Tonic       | 92340         | Maxicrop UK Ltd                 | Amateur              | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Maxicrop No. 2 Mosskiller & Conditioner  | 92341         | Maxicrop UK Ltd                 | Professional         | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Mirador                                  | 04538         | Syngenta UK Ltd                 | Professional         | Fungicide                   | 31/03/2016                      | 30/09/2017                      |
| Monceren IM                              | 00672         | Bayer CropScience Limited       | Professional         | Seed Dressing               | 31/03/2016                      | 30/09/2017                      |
| Nettle Ban                               | 90776         | Arysta LifeScience Benelux SPRL | Professional         | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| New Bug Spray                            | 92425         | Certis Europe BV                | Amateur              | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| New Bug Spray RTU                        | 92422         | Certis Europe BV                | Amateur              | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| New Green Fly Spray                      | 92424         | Certis Europe BV                | Amateur              | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| New Green Fly Spray RTU                  | 92423         | Certis Europe BV                | Amateur              | Insecticide                 | 31/12/2016                      | 30/06/2018                      |
| New Hytrol                               | 03061         | Hygeia Chemicals Ltd            | Amateur/Professional | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| New Terbel Brushkiller                   | 04615         | DHM Agrochemicals Ltd.,         | Professional         | Herbicide                   | 31/12/2016                      | 30/09/2017                      |

| <i>Product Name</i>                  | <i>PCS No</i> | <i>Company Name</i>                                | <i>User Type</i> | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|--------------------------------------|---------------|----------------------------------------------------|------------------|-----------------------------|---------------------------------|---------------------------------|
| Nomix Systemic Weedkiller            | 02454         | Nomix Enviro,A Division of Frontier AgricultureLtd | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Ohayo                                | 05057         | ISK Biosciences Europe N.V.                        | Professional     | Fungicide                   | 31/08/2016                      | 28/02/2018                      |
| Osmonds Dock-Kleen                   | 04575         | Croplink (Ireland) Ltd                             | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Oxytril CM                           | 03117         | Bayer CropScience Limited                          | Professional     | Herbicide                   | 30/08/2016                      | 30/08/2016                      |
| Pastor                               | 04236         | Dow AgroSciences                                   | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Pastor Pro                           | 05287         | Dow AgroSciences                                   | Professional     | Herbicide                   | 30/09/2016                      | 31/03/2018                      |
| Path, Patio & Drive Weedkiller       | 05052         | Nufarm UK Limited                                  | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Pistol                               | 02530         | Bayer CropScience Limited                          | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Pride                                | 01795         | UPL Europe Ltd                                     | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Pride+                               | 02102         | Barclay Chemicals Ltd                              | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Protugan                             | 05195         | Adama Agricultural Solutions UK Ltd                | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Pyramin DF                           | 91001         | BASF plc                                           | Professional     | Herbicide                   | 30/06/2016                      | 31/12/2017                      |
| Pyramin FL                           | 91002         | BASF plc                                           | Professional     | Herbicide                   | 30/06/2016                      | 31/12/2017                      |
| Rambo 360                            | 02495         | Sipcam U.K. Ltd                                    | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Resolva Lawn Weedkiller Concentrate  | 04583         | Westland Horticulture Ltd                          | Amateur          | Herbicide                   | 31/12/2016                      | 30/09/2017                      |
| Resolva Lawn Weedkiller Ready to Use | 04584         | Westland Horticulture Ltd                          | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Rifle                                | 04580         | Whelehan Crop Protection                           | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Rosate 36                            | 03616         | Albaugh Europe Sarl                                | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Rosate Home and Garden               | 05386         | Albaugh Europe Sarl                                | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Roundup                              | 02317         | Monsanto UK Ltd                                    | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Roundup Max                          | 02285         | Monsanto UK Ltd                                    | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Roundup Tree Stump & Root Killer     | 03895         | Monsanto UK Ltd                                    | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Roundup Ultra                        | 04731         | Monsanto UK Ltd                                    | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Roundup Ultra 3000                   | 02315         | Monsanto UK Ltd                                    | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |

| <i>Product Name</i>                  | <i>PCS No</i> | <i>Company Name</i>                 | <i>User Type</i> | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|--------------------------------------|---------------|-------------------------------------|------------------|-----------------------------|---------------------------------|---------------------------------|
| Rubicon                              | 05159         | Generica Europa Ltd                 | Professional     | Fungicide                   | 31/12/2016                      | 30/06/2017                      |
| SC Brushkiller                       | 04706         | Spray Chem Ltd                      | Professional     | Herbicide                   | 31/12/2016                      | 30/09/2017                      |
| Score 250 EC                         | 00329         | Syngenta UK Ltd                     | Professional     | Fungicide                   | 31/03/2016                      | 30/09/2017                      |
| Scrub Killer                         | 91215         | Arysta LifeScience Benelux SPRL     | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Scutchout 360                        | 02307         | Cheminova A/S                       | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Shirlan                              | 00609         | ISK Biosciences Europe N.V.         | Professional     | Fungicide                   | 30/06/2016                      | 31/12/2017                      |
| Signum (Emergency Use)               | 05436         | BASF plc                            | Professional     | Fungicide                   | 28/01/2016                      | 28/01/2016                      |
| Silvio                               | 04227         | Rotam Agrochemical Europe Ltd       | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Sipyrfos 48                          | 04824         | Unichem Limited                     | Professional     | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Sipyrfos 48                          | 05353         | Unichem Limited                     | Professional     | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Stadium Lawn Feed, Weed & Mosskiller | 03752         | Spray Chem Ltd                      | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Starane 2                            | 01807         | Dow AgroSciences                    | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Stellox                              | 03118         | Bayer CropScience Limited           | Professional     | Herbicide                   | 30/08/2016                      | 30/08/2016                      |
| Strike 2                             | 00204         | Bayer CropScience Limited           | Amateur          | Growth Regulator            | 31/12/2016                      | 30/06/2018                      |
| Symbol                               | 04255         | UPL Europe Ltd                      | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Talius                               | 02216         | DuPont (UK) Ltd                     | Professional     | Fungicide                   | 31/12/2016                      | 30/06/2018                      |
| Talunex                              | 91379         | Detia Degesch GmbH                  | Professional     | Miscellaneous               | 30/06/2016                      | 31/12/2017                      |
| Tandus                               | 02841         | Nufarm UK Limited                   | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Terbel Triple                        | 00849         | Arysta LifeScience Benelux SPRL     | Professional     | Herbicide                   | 31/03/2016                      | 30/09/2017                      |
| Tipoff                               | 91426         | L. Gobbi srl                        | Professional     | Growth Regulator            | 30/06/2016                      | 31/12/2017                      |
| Tipoff XT                            | 92259         | L. Gobbi srl                        | Professional     | Growth Regulator            | 30/06/2016                      | 31/12/2017                      |
| Tivmetix OD                          | 05296         | GAT Microencapsulation AG           | Professional     | Herbicide                   | 30/06/2016                      | 31/12/2017                      |
| Tizca                                | 03088         | Cheminova A/S                       | Professional     | Fungicide                   | 30/06/2016                      | 31/12/2017                      |
| Tomahawk                             | 01803         | Adama Agricultural Solutions UK Ltd | Professional     | Herbicide                   | 30/09/2016                      | 31/03/2018                      |



| <i>Product Name</i>           | <i>PCS No</i> | <i>Company Name</i>                 | <i>User Type</i> | <i>Function Description</i> | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|-------------------------------|---------------|-------------------------------------|------------------|-----------------------------|---------------------------------|---------------------------------|
| Totril                        | 03103         | Bayer CropScience Limited           | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Tough Rootkill                | 04466         | Nufarm UK Limited                   | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Tracer (Emergency Use)        | 05617         | Dow AgroSciences                    | Professional     | Insecticide                 | 14/10/2016                      | 14/10/2016                      |
| Trigger                       | 05115         | DHM Agrochemicals Ltd.,             | Professional     | Insecticide                 | 01/03/2016                      | 31/03/2016                      |
| Unichem IPU 500               | 04505         | Unichem Limited                     | Professional     | Herbicide                   | 30/09/2016                      | 30/09/2017                      |
| Verdone Extra                 | 04208         | The Scotts Company (UK) Ltd         | Amateur          | Herbicide                   | 30/09/2016                      | 31/03/2018                      |
| Verdone Extra Ready to Use    | 04211         | The Scotts Company (UK) Ltd         | Amateur          | Herbicide                   | 30/09/2016                      | 31/03/2018                      |
| Vesuvius                      | 05131         | Ventura Agrosience Ltd              | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Vival                         | 04161         | Helm AG Ltd                         | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Volley                        | 02807         | Adama Agricultural Solutions UK Ltd | Professional     | Fungicide                   | 30/06/2016                      | 31/12/2017                      |
| Weedfree 360                  | 03390         | Cheminova A/S                       | Professional     | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Weedfree Zone Home and Garden | 05488         | Hygeia Chemicals Ltd                | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Weedol Gun! Lawn Weedkiller   | 04213         | The Scotts Company (UK) Ltd         | Amateur          | Herbicide                   | 30/09/2016                      | 31/03/2018                      |
| Weedol Lawn Weedkiller        | 04210         | The Scotts Company (UK) Ltd         | Amateur          | Herbicide                   | 30/09/2016                      | 31/03/2018                      |
| Weedwallop                    | 03236         | Nufarm UK Ltd                       | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Weedwallop Concentrate        | 04260         | Nufarm UK Limited                   | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Westland Lawn Mosskiller      | 01782         | Westland Horticulture Ltd           | Amateur          | Herbicide                   | 31/12/2016                      | 30/06/2018                      |
| Winby                         | 05278         | ISK Biosciences Europe N.V.         | Professional     | Fungicide                   | 31/08/2016                      | 28/02/2018                      |
| Winger                        | 04609         | DHM Agrochemicals Ltd.,             | Professional     | Fungicide                   | 31/01/2016                      | 31/07/2017                      |

## **Chapter 4**

**Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2017**



## *Plant Protection Products for which registrations have expired or have been or will be revoked and the use of which will become illegal during 2017.*

| <i>Product Name</i>               | <i>Company Name</i>                              | <i>PCS No</i> | <i>Substance</i>                           | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|-----------------------------------|--------------------------------------------------|---------------|--------------------------------------------|---------------------------------|---------------------------------|
| 3 in 1 Lawn Feed, Weed Mosskiller | Hygeia Chemicals Ltd                             | 92240         | 2,4-D<br>Dichlorprop-P<br>Ferrous Sulphate | 31/08/2015                      | 30/04/2017                      |
| 7C Chlormequat                    | Taminco BVBA.                                    | 90008         | Chlormequat                                | 31/12/2015                      | 30/06/2017                      |
| Acomac                            | CP Agro (Ireland) PYT Ltd                        | 04048         | Glyphosate                                 | 31/12/2015                      | 30/06/2017                      |
| Agritox                           | Nufarm UK Limited                                | 04160         | MCPA                                       | 31/12/2015                      | 30/06/2017                      |
| Agritox 50                        | Nufarm UK Limited                                | 03505         | MCPA                                       | 31/12/2015                      | 30/06/2017                      |
| Agritox 500                       | Nufarm UK Limited                                | 05318         | MCPA                                       | 31/12/2015                      | 30/06/2017                      |
| Agroxone 50                       | Nufarm UK Limited                                | 03523         | MCPA                                       | 31/12/2015                      | 30/06/2017                      |
| Amistar Pro                       | Syngenta UK Ltd                                  | 01026         | Azoxystrobin<br>Fenpropimorph              | 31/03/2016                      | 30/09/2017                      |
| Arelon 500                        | Nufarm UK Limited                                | 02457         | Isoproturon                                | 30/09/2016                      | 30/09/2017                      |
| Aspect                            | Syngenta UK Ltd                                  | 02488         | Azoxystrobin<br>Fenpropimorph              | 31/03/2016                      | 30/09/2017                      |
| Avadex BW                         | Gowan Comercio Internacional e Servicos Limitada | 90128         | Tri-allate                                 | 31/03/2016                      | 30/09/2017                      |
| Ban Dock                          | Arysta LifeScience Benelux SPRL                  | 90135         | 2,4-D<br>Dicamba<br>Triclopyr              | 31/03/2016                      | 30/09/2017                      |
| Barclay Holdup 600                | Taminco BVBA.                                    | 90178         | Chlormequat                                | 31/12/2015                      | 30/06/2017                      |
| Barclay Holdup 750                | Taminco BVBA.                                    | 01543         | Chlormequat                                | 31/12/2015                      | 30/06/2017                      |
| Barclay Pathfinder 5              | Doff Portland Ltd                                | 92372         | Metaldehyde                                | 01/09/2015                      | 01/03/2017                      |
| Basta                             | Bayer CropScience Limited                        | 90216         | Glufosinate (- ammonium)                   | 31/03/2016                      | 30/09/2017                      |
| Binder                            | DHM Agrochemicals Ltd.,                          | 05114         | Fluroxypyr                                 | 31/03/2016                      | 30/09/2017                      |
| Blutron                           | Agform Ltd                                       | 05291         | Diflufenican<br>Isoproturon                | 30/09/2016                      | 30/09/2017                      |
| Blutron Plus                      | Agform Ltd                                       | 05292         | Diflufenican<br>Isoproturon                | 30/09/2016                      | 30/09/2017                      |

| <i>Product Name</i>       | <i>Company Name</i>             | <i>PCS No</i> | <i>Substance</i>                                                   | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|---------------------------|---------------------------------|---------------|--------------------------------------------------------------------|---------------------------------|---------------------------------|
| Broadway Star             | Dow AgroSciences                | 04313         | <i>Florasulam</i><br><i>Pyroxsulam</i>                             | 30/06/2016                      | 31/12/2017                      |
| Bug Clear for Fruit & Veg | The Scotts Company (UK) Ltd     | 92338         | <i>Plant Oils / Rape seed oil</i>                                  | 31/12/2015                      | 30/06/2017                      |
| CeCeCe 750                | BASF plc                        | 90383         | <i>Chlormequat</i>                                                 | 31/12/2015                      | 30/06/2017                      |
| Cer-Aide                  | Taminco BVBA.                   | 90390         | <i>Chlormequat</i>                                                 | 31/12/2015                      | 30/06/2017                      |
| Certis Metaldehyde 5      | Certis Europe BV                | 00351         | <i>Metaldehyde</i>                                                 | 01/09/2015                      | 01/03/2017                      |
| Certis Red 5              | Certis Europe BV                | 92143         | <i>Metaldehyde</i>                                                 | 01/09/2015                      | 01/03/2017                      |
| Claw 100                  | DHM Agrochemicals Ltd.,         | 04630         | <i>Propaquizafop</i>                                               | 31/12/2015                      | 30/06/2017                      |
| Cleansweep                | Unichem Limited                 | 04900         | <i>2,4-D</i><br><i>Triclopyr</i>                                   | 31/12/2016                      | 30/09/2017                      |
| Cool 750                  | Generica Europa Ltd             | 05148         | <i>Chlormequat</i>                                                 | 31/12/2015                      | 30/06/2017                      |
| Croplink IPU              | Croplink (Ireland) Ltd          | 04498         | <i>Isoproturon</i>                                                 | 30/09/2016                      | 30/09/2017                      |
| Cymbal 45                 | Belchim Crop Protection NV      | 03345         | <i>Cymoxanil</i>                                                   | 31/12/2015                      | 30/06/2017                      |
| Destrol Amenity           | Bayer SAS                       | 02694         | <i>Diflufenican</i><br><i>Glyphosate</i>                           | 31/03/2016                      | 30/09/2017                      |
| Detia Gas Ex T            | Detia Degesch GmbH              | 92343         | <i>Aluminium phosphide</i>                                         | 30/06/2016                      | 31/12/2017                      |
| Detia-Gas-EX B            | Detia Degesch GmbH              | 92344         | <i>Aluminium phosphide</i>                                         | 30/06/2016                      | 31/12/2017                      |
| Dicophar                  | Arysta LifeScience Benelux SPRL | 02297         | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 31/12/2015                      | 30/06/2017                      |
| Dicophar RTU              | Arysta LifeScience Benelux SPRL | 02437         | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 06/01/2016                      | 06/07/2017                      |
| Doff Lawn Spot Weeder     | Arysta LifeScience Benelux SPRL | 02739         | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 31/03/2016                      | 30/09/2017                      |
| Doff Lawn Weedkiller      | Arysta LifeScience Benelux SPRL | 02738         | <i>2,4-D</i><br><i>Dicamba</i><br><i>MCPA</i><br><i>Mecoprop-P</i> | 31/03/2016                      | 30/09/2017                      |

| <i>Product Name</i>            | <i>Company Name</i>         | <i>PCS No</i> | <i>Substance</i>                                      | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|--------------------------------|-----------------------------|---------------|-------------------------------------------------------|---------------------------------|---------------------------------|
| Dow MCPA Amine 50              | Dow AgroSciences            | 04088         | <i>MCPA</i>                                           | 31/12/2015                      | 30/06/2017                      |
| Easel                          | Nufarm UK Limited           | 04617         | <i>MCPA</i>                                           | 31/12/2015                      | 30/06/2017                      |
| Echo                           | Unichem Limited             | 05477         | <i>Fluroxypyr</i>                                     | 31/03/2016                      | 30/09/2017                      |
| Epok 600EC                     | ISK Biosciences Europe N.V. | 01192         | <i>Fluazinam</i><br><i>Metalaxyl M</i>                | 30/06/2016                      | 31/12/2017                      |
| Eraza Slug & Snail Killer      | Westland Horticulture Ltd   | 04585         | <i>Metaldehyde</i>                                    | 01/09/2015                      | 01/03/2017                      |
| Escar-Go 6                     | Chiltern Farm Chemicals Ltd | 00690         | <i>Metaldehyde</i>                                    | 01/09/2015                      | 01/03/2017                      |
| Evergreen Autumn 2 in 1        | The Scotts Company (UK) Ltd | 92157         | <i>Ferrous Sulphate</i>                               | 31/12/2015                      | 30/06/2017                      |
| Evergreen Gun! Lawn Weedkiller | The Scotts Company (UK) Ltd | 04212         | <i>Clopyralid</i><br><i>Fluroxypyr</i><br><i>MCPA</i> | 31/03/2016                      | 30/09/2017                      |
| Evergreen Lawn Weedkiller      | The Scotts Company (UK) Ltd | 04209         | <i>Clopyralid</i><br><i>Fluroxypyr</i><br><i>MCPA</i> | 31/12/2015                      | 30/06/2017                      |
| Farmco Blitz                   | Farmco Agritrading Ltd      | 04694         | <i>Fluazinam</i>                                      | 31/12/2016                      | 31/12/2017                      |
| Farmco Chlormequat             | Farmco Agritrading Ltd      | 04658         | <i>Chlormequat</i>                                    | 31/12/2015                      | 30/06/2017                      |
| Farmco Clover Special          | Farmco Agritrading Ltd      | 04401         | <i>Amidosulfuron</i>                                  | 31/12/2016                      | 30/09/2017                      |
| Farmco Floxy                   | Farmco Agritrading Ltd      | 04624         | <i>Fluroxypyr</i>                                     | 31/03/2016                      | 30/09/2017                      |
| Farmco IPU                     | Farmco Agritrading Ltd      | 04522         | <i>Isoproturon</i>                                    | 30/09/2016                      | 30/09/2017                      |
| Farmco MCPA                    | Farmco Agritrading Ltd      | 04414         | <i>MCPA</i>                                           | 31/12/2015                      | 30/06/2017                      |
| Farmco Nettles                 | Farmco Agritrading Ltd      | 04567         | <i>2,4-D</i><br><i>Dicamba</i><br><i>Triclopyr</i>    | 31/12/2016                      | 30/09/2017                      |
| Farmco Slugs                   | Farmco Agritrading Ltd      | 04463         | <i>Metaldehyde</i>                                    | 01/09/2015                      | 01/03/2017                      |
| Fieldguard                     | Nufarm UK Limited           | 02458         | <i>Isoproturon</i>                                    | 30/09/2016                      | 30/09/2017                      |
| Fluxyr 200 EC                  | UPL Europe Ltd              | 03663         | <i>Fluroxypyr</i>                                     | 31/03/2016                      | 30/09/2017                      |
| Frelizon                       | DuPont (UK) Ltd             | 04913         | <i>Penthiopyrad</i><br><i>Picoxystrobin</i>           | 31/12/2015                      | 30/06/2017                      |
| Frowncide                      | ISK Biosciences Europe N.V. | 00610         | <i>Fluazinam</i>                                      | 30/06/2016                      | 31/12/2017                      |
| Fumi - Gas T                   | Servem Ltd                  | 04867         | <i>Aluminium phosphide</i>                            | 31/12/2016                      | 31/12/2017                      |
| FungusClear 2 Gun              | The Scotts Company (UK) Ltd | 02613         | <i>Myclobutanil</i>                                   | 31/12/2015                      | 30/06/2017                      |

| <i>Product Name</i>                        | <i>Company Name</i>             | <i>PCS No</i> | <i>Substance</i>                                               | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|--------------------------------------------|---------------------------------|---------------|----------------------------------------------------------------|---------------------------------|---------------------------------|
| Furlong                                    | DuPont (UK) Ltd                 | 03183         | <i>Cyproconazole</i><br><i>Picoxystrobin</i>                   | 31/03/2016                      | 30/09/2017                      |
| GAT Stake 20 EC                            | GAT Microencapsulation AG       | 04472         | <i>Fluroxypyr</i>                                              | 31/03/2016                      | 30/09/2017                      |
| Genoxone ZX                                | Arysta LifeScience Benelux SPRL | 02233         | <i>2,4-D</i><br><i>Triclopyr</i>                               | 31/03/2016                      | 30/09/2017                      |
| Goulding Slug Pellets                      | Certis Europe BV                | 92140         | <i>Metaldehyde</i>                                             | 01/09/2015                      | 01/03/2017                      |
| Greenmaster Autumn                         | The Scotts Company (UK) Ltd     | 92155         | <i>Ferrous Sulphate</i>                                        | 31/12/2015                      | 30/06/2017                      |
| Greentec Mosskiller Pro                    | Headland Amenity Limited        | 92418         | <i>Ferrous Sulphate</i>                                        | 31/08/2015                      | 01/03/2017                      |
| Green-up Lawn Sand                         | Vitax Limited                   | 00812         | <i>Ferrous Sulphate</i>                                        | 30/06/2016                      | 31/12/2017                      |
| Hempacide 30                               | Hygeia Chemicals Ltd            | 90734         | <i>MCPA</i>                                                    | 31/12/2015                      | 30/06/2017                      |
| Herbaflex                                  | Cheminova A/S                   | 05032         | <i>Beflubutamide</i><br><i>Isoproturon</i>                     | 30/09/2016                      | 30/09/2017                      |
| Homebase Autumn Lawn Feed & Mosskiller     | The Scotts Company (UK) Ltd     | 92287         | <i>Ferrous Sulphate</i>                                        | 31/12/2015                      | 30/06/2017                      |
| Hyflux                                     | Hygeia Chemicals Ltd            | 05136         | <i>Fluroxypyr</i>                                              | 31/03/2016                      | 30/09/2017                      |
| Hygeia Slug Pellets                        | Certis Europe BV                | 92286         | <i>Metaldehyde</i>                                             | 01/09/2015                      | 01/03/2017                      |
| Imidasect 5GR                              | Sharda Europe b.v.b.a           | 02567         | <i>Imidacloprid</i>                                            | 30/06/2016                      | 31/12/2017                      |
| IPU 500                                    | DHM Agrochemicals Ltd.,         | 04510         | <i>Isoproturon</i>                                             | 30/09/2016                      | 30/09/2017                      |
| Irish Organic Weedkiller                   | Irish Organic Weedkiller Ltd    | 92404         | <i>Acetic acid</i>                                             | 31/12/2015                      | 30/06/2017                      |
| Irish Organic Weedkiller Ready to Use      | Irish Organic Weedkiller Ltd    | 92400         | <i>Acetic acid</i>                                             | 31/12/2015                      | 30/06/2017                      |
| JAB Autumn Lawn Food & Moss Killer         | William Sinclair Horticulture   | 92142         | <i>Ferrous Sulphate</i>                                        | 31/12/2015                      | 30/06/2017                      |
| JAB Granular Feed and Weed with Mosskiller | William Sinclair Horticulture   | 92148         | <i>Dichlorprop-P</i><br><i>Ferrous Sulphate</i><br><i>MCPA</i> | 31/12/2015                      | 30/06/2017                      |
| JAB Lawn Sand                              | William Sinclair Horticulture   | 90520         | <i>Ferrous Sulphate</i>                                        | 31/12/2016                      | 30/06/2017                      |
| K 2                                        | Taminco BVBA.                   | 92087         | <i>Chlormequat</i>                                             | 31/12/2015                      | 30/06/2017                      |
| Landscaper Pro Weed Control + Fertilizer   | The Scotts Company (UK) Ltd     | 03724         | <i>2,4-D</i><br><i>Dicamba</i>                                 | 31/03/2016                      | 30/09/2017                      |
| Larke                                      | Nufarm UK Limited               | 04185         | <i>MCPA</i>                                                    | 31/12/2015                      | 30/06/2017                      |

| <i>Product Name</i>                     | <i>Company Name</i>              | <i>PCS No</i> | <i>Substance</i>                                 | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|-----------------------------------------|----------------------------------|---------------|--------------------------------------------------|---------------------------------|---------------------------------|
| Longbow                                 | Arysta LifeScience Benelux SPRL  | 03731         | <i>2,4-D<br/>Dicamba<br/>MCPA<br/>Mecoprop-P</i> | 31/03/2016                      | 30/09/2017                      |
| M 50                                    | DHM Agrochemicals Ltd.,          | 04169         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| Manipulator                             | DHM Agrochemicals Ltd.,          | 05333         | <i>Chlormequat</i>                               | 31/12/2015                      | 30/06/2017                      |
| Mastercrop MCPA 50                      | Hygeia Chemicals Ltd             | 04222         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| Maxicrop Mosskiller and Lawn Tonic      | Maxicrop UK Ltd                  | 92340         | <i>Ferrous Sulphate</i>                          | 31/03/2016                      | 30/09/2017                      |
| Maxicrop No. 2 Mosskiller & Conditioner | Maxicrop UK Ltd                  | 92341         | <i>Ferrous Sulphate</i>                          | 31/03/2016                      | 30/09/2017                      |
| MCPA                                    | Bandon Agricultural Products Ltd | 90675         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| MCPA 50                                 | Nufarm UK Limited                | 04170         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| Metarex RG                              | De Sangosse SA                   | 00851         | <i>Metaldehyde</i>                               | 01/09/2015                      | 01/03/2017                      |
| Meteor                                  | BASF plc                         | 02256         | <i>Chlormequat<br/>Imazaquin</i>                 | 31/12/2015                      | 30/06/2017                      |
| Mileway                                 | Dow AgroSciences                 | 04323         | <i>Aminopyralid<br/>Fluroxypyr</i>               | 31/07/2015                      | 01/02/2017                      |
| Mirador                                 | Syngenta UK Ltd                  | 04538         | <i>Azoxystrobin</i>                              | 31/03/2016                      | 30/09/2017                      |
| Molotov                                 | Chiltern Farm Chemicals Ltd      | 01779         | <i>Metaldehyde</i>                               | 01/09/2015                      | 01/03/2017                      |
| Monceren IM                             | Bayer CropScience Limited        | 00672         | <i>Imazalil<br/>Pencycuron</i>                   | 31/03/2016                      | 30/09/2017                      |
| Mortone                                 | Hygeia Chemicals Ltd             | 91881         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| Neozil 10 SL                            | Laboratorios Agrochem S.L        | 03509         | <i>Imazalil</i>                                  | 31/12/2015                      | 30/06/2017                      |
| Nettle Ban                              | Arysta LifeScience Benelux SPRL  | 90776         | <i>2,4-D<br/>Dicamba<br/>Triclopyr</i>           | 31/03/2016                      | 30/09/2017                      |
| New Terbel Brushkiller                  | DHM Agrochemicals Ltd.,          | 04615         | <i>2,4-D<br/>Triclopyr</i>                       | 31/12/2016                      | 30/09/2017                      |
| NU46                                    | Nufarm UK Limited                | 03504         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| NuOxone 50                              | DHM Agrochemicals Ltd.,          | 04937         | <i>MCPA</i>                                      | 31/12/2015                      | 30/06/2017                      |
| Opus                                    | BASF plc                         | 00591         | <i>Epoxiconazole</i>                             | 31/12/2015                      | 30/06/2017                      |



| <b><i>Product Name</i></b>          | <b><i>Company Name</i></b>          | <b><i>PCS No</i></b> | <b><i>Substance</i></b>  | <b><i>Registration expiry date</i></b> | <b><i>Product use illegal from</i></b> |
|-------------------------------------|-------------------------------------|----------------------|--------------------------|----------------------------------------|----------------------------------------|
| Opus                                | BASF plc                            | 02438                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Epoxiconazole</i>     |                                        |                                        |
| Opus Max                            | BASF plc                            | 03744                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Epoxiconazole</i>     |                                        |                                        |
| Osmonds Dock-Kleen                  | Croplink (Ireland) Ltd              | 04575                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Fluroxypyr</i>        |                                        |                                        |
| Pastor                              | Dow AgroSciences                    | 04236                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Clopyralid</i>        |                                        |                                        |
|                                     |                                     |                      | <i>Fluroxypyr</i>        |                                        |                                        |
|                                     |                                     |                      | <i>Triclopyr</i>         |                                        |                                        |
| Pepper Dust                         | Bayer CropScience Limited           | 90275                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Pepper Dust</i>       |                                        |                                        |
| Pistol                              | Bayer CropScience Limited           | 02530                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Diflufenican</i>      |                                        |                                        |
|                                     |                                     |                      | <i>Glyphosate</i>        |                                        |                                        |
| POL-MCPA 500 SL                     | Ciech Sarzyna S.A                   | 04471                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>MCPA</i>              |                                        |                                        |
| Protugan                            | Adama Agricultural Solutions UK Ltd | 05195                |                          | 30/09/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Isoproturon</i>       |                                        |                                        |
| Pyramin DF                          | BASF plc                            | 91001                |                          | 30/06/2016                             | 31/12/2017                             |
|                                     |                                     |                      | <i>Chloridazon</i>       |                                        |                                        |
| Pyramin FL                          | BASF plc                            | 91002                |                          | 30/06/2016                             | 31/12/2017                             |
|                                     |                                     |                      | <i>Chloridazon</i>       |                                        |                                        |
| Ranman Twinpak A & B                | ISK Biosciences Europe N.V.         | 02173                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Cyazofamid</i>        |                                        |                                        |
|                                     |                                     |                      | <i>Polyalkyleneoxide</i> |                                        |                                        |
| Renovator Pro                       | The Scotts Company (UK) Ltd         | 02512                |                          | 01/09/2015                             | 01/03/2017                             |
|                                     |                                     |                      | <i>Ferrous Sulphate</i>  |                                        |                                        |
|                                     |                                     |                      | <i>MCPA</i>              |                                        |                                        |
|                                     |                                     |                      | <i>Mecoprop-P</i>        |                                        |                                        |
| Resolva Lawn Weedkiller Concentrate | Westland Horticulture Ltd           | 04583                |                          | 31/12/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>2,4-D</i>             |                                        |                                        |
|                                     |                                     |                      | <i>Dicamba</i>           |                                        |                                        |
|                                     |                                     |                      | <i>MCPA</i>              |                                        |                                        |
|                                     |                                     |                      | <i>Mecoprop-P</i>        |                                        |                                        |
| Rifle                               | Whelehan Crop Protection            | 04580                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Diflufenican</i>      |                                        |                                        |
|                                     |                                     |                      | <i>Glyphosate</i>        |                                        |                                        |
| Rubicon                             | Generica Europa Ltd                 | 05159                |                          | 31/12/2016                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Epoxiconazole</i>     |                                        |                                        |
| Rubric                              | Cheminova A/S                       | 03526                |                          | 31/12/2015                             | 30/06/2017                             |
|                                     |                                     |                      | <i>Epoxiconazole</i>     |                                        |                                        |
| SC Brushkiller                      | Spray Chem Ltd                      | 04706                |                          | 31/12/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>2,4-D</i>             |                                        |                                        |
|                                     |                                     |                      | <i>Triclopyr</i>         |                                        |                                        |
| Score 250 EC                        | Syngenta UK Ltd                     | 00329                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>Difenoconazole</i>    |                                        |                                        |
| Scrub Killer                        | Arysta LifeScience Benelux SPRL     | 91215                |                          | 31/03/2016                             | 30/09/2017                             |
|                                     |                                     |                      | <i>2,4-D</i>             |                                        |                                        |
|                                     |                                     |                      | <i>Dicamba</i>           |                                        |                                        |
|                                     |                                     |                      | <i>Triclopyr</i>         |                                        |                                        |

| <i>Product Name</i>             | <i>Company Name</i>             | <i>PCS No</i> | <i>Substance</i>                                             | <i>Registration expiry date</i> | <i>Product use illegal from</i> |
|---------------------------------|---------------------------------|---------------|--------------------------------------------------------------|---------------------------------|---------------------------------|
| Shirlan                         | ISK Biosciences Europe N.V.     | 00609         |                                                              | 30/06/2016                      | 31/12/2017                      |
| Showlawn 3 in 1                 | Allegro Ltd                     | 03727         | <i>Fluazinam</i>                                             | 31/12/2015                      | 30/06/2017                      |
| Signum (Emergency Use)          | BASF plc                        | 05720         | <i>2,4-D</i><br><i>Ferrous Sulphate</i><br><i>Mecoprop-P</i> | 03/02/2017                      | 03/02/2017                      |
| Slug & Snail Killer             | Lonza AG                        | 02894         | <i>Boscalid</i><br><i>Pyraclostrobin</i>                     | 01/09/2015                      | 01/03/2017                      |
| Slug Clear                      | The Scotts Company (UK) Ltd     | 01637         | <i>Metaldehyde</i>                                           | 01/09/2015                      | 01/03/2017                      |
| Slug Clear! Advanced Pellets    | The Scotts Company (UK) Ltd     | 92330         | <i>Metaldehyde</i>                                           | 01/09/2015                      | 01/03/2017                      |
| Slug Killer Blue Mini-Pellets   | Lonza AG                        | 02361         | <i>Metaldehyde</i>                                           | 01/09/2015                      | 01/03/2017                      |
| Spraymate Fighter F             | DeSangosse Ltd                  | 91301         | <i>Metaldehyde</i>                                           | 31/12/2015                      | 30/06/2017                      |
| Stabilan 750                    | Nufarm UK Limited               | 02160         | <i>Dimethyl polysiloxane</i>                                 | 31/12/2015                      | 30/06/2017                      |
| Starane 2                       | Dow AgroSciences                | 01807         | <i>Chlormequat</i>                                           | 31/03/2016                      | 30/09/2017                      |
| Stroby WG                       | BASF plc                        | 03154         | <i>Fluroxypyr</i>                                            | 31/12/2015                      | 30/06/2017                      |
| Sulphate of Iron - Moss Remover | NutriBio Limited                | 92273         | <i>Kresoxim Methyl</i>                                       | 31/12/2015                      | 30/06/2017                      |
| Talunex                         | Detia Degesch GmbH              | 91379         | <i>Ferrous Sulphate</i>                                      | 30/06/2016                      | 31/12/2017                      |
| Tandus                          | Nufarm UK Limited               | 02841         | <i>Aluminium phosphide</i>                                   | 31/03/2016                      | 30/09/2017                      |
| TDS Major                       | DeSangosse Ltd                  | 03281         | <i>Fluroxypyr</i>                                            | 01/09/2015                      | 01/03/2017                      |
| Terbel Triple                   | Arysta LifeScience Benelux SPRL | 00849         | <i>Metaldehyde</i>                                           | 31/03/2016                      | 30/09/2017                      |
| Tipoff                          | L. Gobbi srl                    | 91426         | <i>2,4-D</i><br><i>Dicamba</i><br><i>Triclopyr</i>           | 30/06/2016                      | 31/12/2017                      |
| Tipoff XT                       | L. Gobbi srl                    | 92259         | <i>1-Naphthylacetic acid</i>                                 | 30/06/2016                      | 31/12/2017                      |
| Tivmetix OD                     | GAT Microencapsulation AG       | 05296         | <i>1-Naphthylacetic acid</i>                                 | 30/06/2016                      | 31/12/2017                      |
| Tizca                           | Cheminova A/S                   | 03088         | <i>Metsulfuron (-methyl)</i><br><i>Thifensulfuron methyl</i> | 30/06/2016                      | 31/12/2017                      |
| Toppel 10                       | SBM Developpement SAS           | 91432         | <i>Fluazinam</i>                                             | 31/12/2015                      | 30/06/2017                      |
| Torinka                         | CP Agro (Ireland) PYT Ltd       | 03862         | <i>Cypermethrin</i>                                          | 31/12/2015                      | 30/06/2017                      |
|                                 |                                 |               | <i>Glyphosate</i>                                            |                                 |                                 |

| <i><b>Product Name</b></i>   | <i><b>Company Name</b></i>                         | <i><b>PCS No</b></i> | <i><b>Substance</b></i>   | <i><b>Registration expiry date</b></i> | <i><b>Product use illegal from</b></i> |
|------------------------------|----------------------------------------------------|----------------------|---------------------------|----------------------------------------|----------------------------------------|
| Tribute Plus                 | Nomix Enviro,A Division of Frontier AgricultureLtd | 92123                |                           | 31/12/2015                             | 30/06/2017                             |
|                              |                                                    |                      | <i>Dicamba</i>            |                                        |                                        |
|                              |                                                    |                      | <i>MCPA</i>               |                                        |                                        |
|                              |                                                    |                      | <i>Mecoprop-P</i>         |                                        |                                        |
| Unichem IPU 500              | Unichem Limited                                    | 04505                |                           | 30/09/2016                             | 30/09/2017                             |
|                              |                                                    |                      | <i>Isoproturon</i>        |                                        |                                        |
| Unipro Advanced Slug Killer  | Unichem Limited                                    | 05024                |                           | 01/09/2015                             | 01/03/2017                             |
|                              |                                                    |                      | <i>Metaldehyde</i>        |                                        |                                        |
| Vitax Pepper Dust            | Bayer CropScience Limited                          | 92264                |                           | 31/12/2015                             | 30/06/2017                             |
|                              |                                                    |                      | <i>Pepper Dust</i>        |                                        |                                        |
| Volley                       | Adama Agricultural Solutions UK Ltd                | 02807                |                           | 30/06/2016                             | 31/12/2017                             |
|                              |                                                    |                      | <i>Fluazinam</i>          |                                        |                                        |
| Weedol Gun                   | The Scotts Company (UK) Ltd                        | 02583                |                           | 31/12/2015                             | 30/06/2017                             |
|                              |                                                    |                      | <i>Diquat (dibromide)</i> |                                        |                                        |
| Winger                       | DHM Agrochemicals Ltd.,                            | 04609                |                           | 31/01/2016                             | 31/07/2017                             |
|                              |                                                    |                      | <i>Fenpropidin</i>        |                                        |                                        |
| Wipeout Advanced Slug Killer | Doff Portland Ltd                                  | 92359                |                           | 01/09/2015                             | 01/03/2017                             |
|                              |                                                    |                      | <i>Metaldehyde</i>        |                                        |                                        |

## **Chapter 5**

### **Marketing Companies**



| Company Name                               | Address                                                                                                | Tel                      | Fax                      |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| <b>151 Products Ltd</b>                    | The Old School House, 39 George Leigh St, Manchester, M4 6AF, England                                  | <b>00441 6122 83939</b>  |                          |
| <b>Adama Agricultural Solutions UK Ltd</b> | Unit 15, Thatcham Business Village, Colthrop Way, Thatcham, Berkshire, RG19 4 LW, England              | <b>00441 730 265 798</b> | <b>00441-730 265 798</b> |
| <b>Agform Ltd</b>                          | Maidenstone Heath, Blundell Lane, Bursledon, Southampton, SO31 1AA, England                            | <b>0044 1329 834875</b>  |                          |
| <b>AgriGem Ltd</b>                         | Gem House, Riverside Enterprise Park, Skellingthorpe Road, Saxilby, Lincoln, LN1 2FU, England          | <b>0044 8001 337849</b>  |                          |
| <b>AgroFresh Holding France S.A.S.</b>     | 23 - 25 avenue Mac-Mahon, 75017 Paris, France                                                          | <b>0033489 829249</b>    |                          |
| <b>Agropharm Ltd</b>                       | Buckingham House, Church Road Penn, High WycombeBucks, HP10 8LN, England                               | <b>00441494-811477</b>   |                          |
| <b>AgroVista UK Ltd</b>                    | Cambridge House, Nottingham Road, Stapleford, Nottingham, NG9 8AB, England                             | <b>00441-15939 0202</b>  |                          |
| <b>Albaugh Europe Sarl</b>                 | Chemin de Raidillon, 1B, 1091 Grandvaux, Vaud, Switzerland                                             | <b>004420 35512580,</b>  | <b>004420 7956 2001</b>  |
| <b>Albaugh UK Ltd</b>                      | 1 Northumberland Avenue, Trafalgar Square, London, WC2N 5BW, England                                   | <b>00441 759 388466</b>  |                          |
| <b>Allegro Ltd</b>                         | Jamestown House, Jamestown Business Park, Finglas, Dublin 11                                           | <b>052 613 3202</b>      |                          |
| <b>Amega Sciences plc</b>                  | 17 Lanchester Way, Royal Oak Industrial Estate, Daventry, Northamptonshire NN11 8PH, England           | <b>00441-327-704444</b>  | <b>00441-327-71154</b>   |
| <b>Ambac Chemical UK Limited</b>           | Surrey Technology Centre, 40 Occam Road, The Surrey Research Park, Guildford, Surrey, GU2 7YG, England | <b>00441-483-295780</b>  | <b>00441-483-295781</b>  |
| <b>Angus Horticulture Ltd</b>              | Polmood, Guthrie, Forfar, Angus, DD8 2TW, Scotland                                                     | <b>0044-1241-829049</b>  |                          |
| <b>Arysta Life Science S.A.S.</b>          | Route d'Artix, BP80, 64150 Nogueres, France                                                            | <b>0033 559 609292</b>   | <b>0033 559 609299</b>   |
| <b>Arysta LifeScience Benelux SPRL</b>     | Rue de Renory 26/1, B-4102 Ougree, Belgium                                                             | <b>0032 4385 9711</b>    |                          |
| <b>B &amp; Q plc</b>                       | Chestnut Avenue, Chandler's Ford, Eastleigh, Hampshire, SO53 3LE, England                              | <b>0044-2380-690000</b>  |                          |
| <b>Bandon Agricultural Products Ltd</b>    | 5-6 Bridge Street, Bandon, Co. Cork                                                                    | <b>023-8841115</b>       |                          |
| <b>Barclay Chemicals Ltd</b>               | Tyrellstown Way, Damastown Industrial Estate, Mulhuddart, Dublin 15                                    | <b>01-8224555</b>        | <b>01-8224678</b>        |
| <b>BASF plc</b>                            | P.O. 4 Earl Road, Cheadle Hulme, Cheadle, Cheshire, SK8 6QG, England                                   | <b>00441-61485-6222</b>  | <b>00441-61486-0891</b>  |
| <b>Bayer CropScience Limited</b>           | 230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England                                   | <b>0044-1223-226500</b>  | <b>0044-1223-426240</b>  |
| <b>Bayer CropScience Biologics GmbH</b>    | Inselstrasse 12, D-23999 Malchow/Poel, Germany                                                         | <b>0049-38425-2323</b>   |                          |
| <b>Bayer SAS</b>                           | Environmental Science SAS, 230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England        | <b>00441 223 226682</b>  |                          |
| <b>Becker Underwood UK Ltd</b>             | Horwood Industrial Estate, Horwood Road, Littlehampton, West Sussex, BN1 77AU, England                 | <b>00441-903-732323</b>  | <b>00441-903-732266</b>  |
| <b>Belchim Crop Protection Ltd</b>         | 1b Fenice Court, Phoenix Park, Eaton Socon, St. Neots, Cambridgeshire, PE19 8EP, England               | <b>00441480403444</b>    |                          |
| <b>Belchim Crop Protection NV</b>          | Technologielaan 7, B-1840, Londerzeel, Belgium                                                         | <b>0032 5231 9659</b>    |                          |
| <b>Belcrop N.V.</b>                        | Tiensestraat 300, B-3400, Landen, Belgium                                                              | <b>003211 598360</b>     |                          |
| <b>Biocontrol Technologies S.L.</b>        | Avgda. Madrid, 215-217, entresol dreta A, Barcelona, 08014, Spain                                      | <b>0034 93409 1848</b>   |                          |
| <b>CBC (Europe) S.r.l.</b>                 | via E. Majorana 2, Nova Milanese (MB), 20834, Italy                                                    | <b>0039 362 365079</b>   |                          |
| <b>Certiplant N.V.</b>                     | Lichtenberglaan 2045, B-3800, Sint-Truiden, Belgium                                                    | <b>0032 1188 0392</b>    | <b>0032 1170 7484</b>    |
| <b>Certis Europe BV</b>                    | C/o Suite 5, 1Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD, England                | <b>0044 845 3730 305</b> |                          |
| <b>Cheminova A/S</b>                       | P.O. Box 9, DK-7620 Lemvig, Denmark                                                                    | <b>0044 1423 857852</b>  |                          |
| <b>Chemische Fabrik Tubingen (UK) Ltd</b>  | Levens Road, Hazel Grove, Stockport, SK7 5DA, England                                                  | <b>00441 61456 3355</b>  |                          |
| <b>Chemtura Europe Ltd</b>                 | Kennet House, 4 Langley Quay, Slough, SL3 6EH, England                                                 | <b>00441 753 603008</b>  |                          |
| <b>Ciech Sarzyna S.A</b>                   | Chemikow 1 Str, 37-310 Nowa Sarzyna, Podkarpackie, Poland                                              | <b>0048 1724 07111</b>   |                          |
| <b>Croplink (Ireland) Ltd</b>              | 1 Aillwee Lane, Ballyvaughan, Co. Clare                                                                | <b>065-7077331</b>       | <b>065-7077334</b>       |
| <b>DeSangosse Ltd</b>                      | Hillside Mill, Quarry Lane, Swaffham Bulbeck, Cambridge, CB25 0LU, England                             | <b>0044 1223 811215</b>  |                          |
| <b>De Sangosse SA</b>                      | Bonnel BP5, 47480 Pont du Casse, France                                                                | <b>0033 553 693630</b>   |                          |

| Company Name                                            | Address                                                                                       | Tel                       | Fax                       |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|---------------------------|
| <b>Detia Degesch GmbH</b>                               | Dr Werner-Freyberg-Strasse, D-69514 Laudenbach, Germany                                       | <b>0049 6201 708 305,</b> | <b>0049 6201 708 427</b>  |
| <b>DHM Agrochemicals Ltd.,</b>                          | Castle Lodge, Kilgobbin Road, Sandyford, Dublin 18                                            | <b>01-2952377</b>         | <b>01-2959399</b>         |
| <b>Doff Portland Ltd</b>                                | Aerial Way, Hucknall, Nottingham, NG 15 6DW, England                                          | <b>00441-15983 4312</b>   | <b>00441-159638657</b>    |
| <b>Dow AgroSciences</b>                                 | Latchmore Court, Brand Street, Hitchin, Hertfordshire, SG5 1NH, England                       | <b>0044 1462 426645</b>   |                           |
| <b>DuPont (UK) Ltd</b>                                  | Wedgewood Way, Stevenage, Hertfordshire, SG1 4QN, England                                     | <b>00441-438-734000</b>   | <b>00441-438-734452</b>   |
| <b>ECOspray Ltd</b>                                     | Grange Farm, Cockley Clay Road, Hillsborough, Thetford, Norfolk IP26 5BT, England             | <b>0044-1760-756100</b>   | <b>0044-1760-756313</b>   |
| <b>Euro Chemicals s.r.o.</b>                            | U Habrovky 247/11, 1400 Praha 4 KRC, Czech Republic                                           | <b>0042 0226 002 056</b>  |                           |
| <b>Everris Ltd</b>                                      | Epsilon House, West Road, Ipswich, IP3 9FJ, England                                           | <b>0044 1844 8094470</b>  |                           |
| <b>Fargro Limited</b>                                   | Vinery Fields, Arundel Road, Poling, West Sussex , BN18 9PY, England                          | <b>0044 1903 721591</b>   |                           |
| <b>Farmco Agritrading Ltd</b>                           | Annakisha, Mallow, Cork                                                                       | <b>022 57597,</b>         | <b>022 57577</b>          |
| <b>Fine Agrochemicals Ltd</b>                           | Hillend House, Whittington, Worcester, WR5 2RL, England                                       | <b>00441--905-361810</b>  |                           |
| <b>FMC Chemical s.p.r.l.</b>                            | APG, Boulevard de la Plaine 9/3, B-1050 Brussels, Belgium                                     | <b>00322-645-9584</b>     | <b>00322-645-9655</b>     |
| <b>Freshpallet Ltd</b>                                  | Unit 6, Bearl, Stocksfield, Northumberland, NE43 7AJ, England                                 | <b>0044 1661 844866</b>   |                           |
| <b>Frontier Agriculture Ltd</b>                         | Witham St Hughs, Lincoln, LN6 9TN,                                                            | <b>00441 406 422207</b>   |                           |
| <b>GAT Microencapsulation AG</b>                        | Gewerbezone 1, Ebenfurth, 2490 Austria                                                        | <b>0043 2624 53922</b>    |                           |
| <b>Generica Europa Ltd</b>                              | Waterside, Buckden Marina, Mill Road, Buckden, Cambridgeshire, PE19 5QS, England              | <b>0044 1480 810137</b>   |                           |
| <b>GE Speciality Materials (Suisse) Sarl</b>            | 7, rue du Pré-Bouvier CH-1217 Meyrin Geneva, Switzerland                                      | <b>0041-22-9892111</b>    | <b>0041-22-9892393</b>    |
| <b>Glanbia plc</b>                                      | Kilberry, Navan, Co. Meath                                                                    | <b>046 - 9024125</b>      |                           |
| <b>Globachem nv</b>                                     | Brustem Industriepark, Lichtenberglaan 2019, B-3800 Sint-Truiden, Belgium                     | <b>0032 11785717</b>      | <b>0032 11681565</b>      |
| <b>Goldcrop Ltd</b>                                     | Springhill, Carrigtohill, Co. Cork                                                            | <b>021-312211</b>         | <b>021-313619</b>         |
| <b>Gowan Comercio Internacional e Servicos Limitada</b> | Avenida do Infante 50, Funchal – Maderia, 9004-521, Portugal                                  | <b>00351 2912 32484</b>   |                           |
| <b>Headland Agrochemicals Ltd</b>                       | Rectors Lane, Pentre, Deeside, Flintshire, CH5 2DH, England                                   | <b>0044 7775 503572</b>   |                           |
| <b>Headland Amenity Limited</b>                         | 1010 Cambourne Business Park, Cambourne, Cambs. CB3 6DP, England                              | <b>00441 223 597 834</b>  | <b>00441 223 598052</b>   |
| <b>Helena Chemical Company</b>                          | Helena Products Group, 7664 Moore Road, Memphis, TN 38120, USA                                | <b>001 901 756 9947</b>   |                           |
| <b>Helm AG Ltd</b>                                      | Nordkanalstr. 28, Hamburg, D-20097, Germany                                                   | <b>004940 23750</b>       |                           |
| <b>Hermoo Belgium N.V.</b>                              | Lichtenberglaan 2045, B 3800 Sint-Truiden, Belgium                                            | <b>003211 686866,</b>     | <b>003211 707484</b>      |
| <b>Homebase Ltd</b>                                     | Avebury, Milton Keynes, MK9 2NW, England                                                      | <b>0044 345640 7808</b>   |                           |
| <b>Hygeia Chemicals Ltd</b>                             | Oranmore, Co. Galway                                                                          | <b>091-794722</b>         | <b>091-794738</b>         |
| <b>I.A.B. SL</b>                                        | Avda. Paret del Patriarca 11-B Ap.30, 46113 Moncada Valencia, Spain                           | <b>003496 1609842</b>     | <b>003496 1609843</b>     |
| <b>Iberfol S.L.</b>                                     | Ap. 273 Orihuela, 03300 Alicante, Spain                                                       | <b>0034 966 738 232</b>   |                           |
| <b>IGROX Ltd</b>                                        | 77 Claydon Business Park, Great Blakenham, Ipswich, Suffolk, IP6 0NL, England                 | <b>0044 1707 656555</b>   |                           |
| <b>Indofil Industries Limited</b>                       | Via Filippo Turati, 6, 20121 Milan, Italy                                                     | <b>0091-22-666-37370</b>  | <b>0091-22-283-22275</b>  |
| <b>Interagro (UK) Ltd</b>                               | 820 Avenue West, Skyline 120, Great Notley, Braintree, Essex, CM77 7AA, England               | <b>00441-376-552703</b>   | <b>00441-376 - 567608</b> |
| <b>Intracrop - A Division of</b>                        |                                                                                               |                           |                           |
| <b>Brian Lewis Agriculture</b>                          | 1st Floor Offices, Park Chambers 10 Hereford Road, Abergavenny, Monmouthshire, NP7 5PR, Wales | <b>0044 1926 634801</b>   |                           |
| <b>Interfarm UK Ltd</b>                                 | Kinghams Place, 36 Newgate Street. Doddington, Cambridgeshire, PE15 OSR, England              | <b>0044 1354 741414</b>   |                           |
| <b>IPP Ltd</b>                                          | Unit 13 Bollington Lane, Nether Alderly, Cheshire, SK10 4TB, England                          | <b>00441 625 860011</b>   |                           |

| Company Name                                                          | Address                                                                                  | Tel                         | Fax                      |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------|--------------------------|
| <b>Irish Drugs Ltd</b>                                                | Burnfoot, Lifford, Co. Donegal                                                           | <b>077-68104</b>            | <b>077-68311</b>         |
| <b>ISK Biosciences Europe N.V.</b>                                    | Pegasus Park, De Kleetlaan 12B, B-1831 Diegem, Belgium                                   | <b>00322-6278600</b>        |                          |
| <b>IT Agro Ltd</b>                                                    | 823 Salisbury House, 29 Finsbury Circus, London, EC2M 5QQ, England                       | <b>00441-71628-2040</b>     | <b>00441-71628-7531</b>  |
| <b>John Hall (Fertilisers) Ltd</b>                                    | Owen Street, Coalville, Leicestershire, LE67 3DE, England                                | <b>00441 530 510060</b>     |                          |
| <b>Joseph Metcalf Ltd</b>                                             | Brookside Lane, Oswaldtwistle, Accrington, BB5 3NY, England                              | <b>00441-254-356600</b>     | <b>00441-254-236775</b>  |
| <b>Jouffray-Drillaud</b>                                              | 4 Avenue de la CEE, Cisse, 86170, France                                                 | <b>33 549 542054</b>        |                          |
| <b>Juno (Plant Protection) Ltd</b>                                    | Little Mill Farm, Underlyn Lane, Marden, Kent, TN12 9AT, England                         | <b>00441 580 765079</b>     |                          |
| <b>Kapchem Ltd</b>                                                    | Industrial Estate, Cappoquin, Co. Waterford                                              | <b>058-54396</b>            | <b>058-54760</b>         |
| <b>Koppert B.V.</b>                                                   | Veilingweg 17, Postbus 155, 2650, AD Berkel en Rodenrijs, Netherlands                    | <b>0031-105140444</b>       | <b>0031-105115203</b>    |
| <b>L. Gobbi srl</b>                                                   | Via B, Bosco 57, Genova, 16121 Italy                                                     | <b>0039 010 920395</b>      |                          |
| <b>Laboratorios Agrochem S.L</b>                                      | C/Tres Rieres, 10 - Pol. Ind.Sur. 08292 Esparraguera, Barcelona, Spain                   | <b>0034 937 774853</b>      | <b>0034 937 775059</b>   |
| <b>Lainco S.A.</b>                                                    | Poligono Can Jordi, Avda, Bizet 8 – 12, 08191 Rubi, Barcelona, Spain                     | <b>0034 935 862015</b>      |                          |
| <b>Lawn Sand Task Force</b>                                           | C/O Barkwith Associates, North Hanger, Wickenby Airfield, Lincolnshire, LN3 5AX, England | <b>0044 1673 885 333</b>    |                          |
| <b>Life Scientific Limited</b>                                        | Nova UCD, Belfield Innovation Park, University College Dublin, Dublin 4                  | <b>01 2832024</b>           | <b>01 2832026</b>        |
| <b>Lonza AG</b>                                                       | Product Safety & Regulatory, Munchensteinerstrasse 38, CH-4053 Basle, Switzerland        | <b>0041-613168237</b>       | <b>0041-613169237</b>    |
| <b>Lonza Cologne GmbH</b>                                             | Nattermannallee 1, Cologne, D-50829 Germany                                              | <b>+41 61 3168793</b>       |                          |
| <b>Maxicrop UK Ltd</b>                                                | PO Box 6027, Corby, NN17 1ZH, England                                                    | <b>0044 8700 115 117</b>    | <b>0044 8700 115 118</b> |
| <b>McKenna (J.F) Ltd</b>                                              | 66 Cathedral Road, Armagh, BT61 8AE, Northern Ireland                                    | <b>041-39222</b>            | <b>041-35605</b>         |
| <b>Microcide Ltd</b>                                                  | Stanton, Bury St Edmunds, Suffolk IP3 12AR, England                                      | <b>0044 1359 251077</b>     |                          |
| <b>Mitsui Agriscience International S.A</b>                           | Suite 26, Northwood House, Northwood Business Campus, Santry, Dublin 9                   | <b>01 8624620</b>           |                          |
| <b>Mitsui Chemicals Agro Inc.</b>                                     | 1-19-1, Nihonbashi, Chuo-ku, Tokyo, 103-0027, Japan                                      | <b>00813 3285 1111</b>      |                          |
| <b>Monsanto UK Ltd</b>                                                | P O Box 663, Cambourne, Cambridge, CB1 0LD, England                                      | <b>01-8250574</b>           | <b>01-8250570</b>        |
| <b>National Agrochemical Distributors Ltd</b>                         | Blakes Cross, Lusk, Co. Dublin                                                           | <b>01-8437808</b>           | <b>01-8437909</b>        |
| <b>Nissan Chemical Europe</b>                                         | Parc d'affaire de Crecy, 2 rue Claude Chappe, 69370 Saint Didier au Mont D'or, France    | <b>0033-437-644020</b>      |                          |
| <b>Nisso Chemical Europe GmbH</b>                                     | Berliner Allee 42, 40212 Dusseldorf, Germany                                             | <b>0049211 130 66 8611,</b> | <b>0049-211-328231</b>   |
| <b>Nomix Enviro,</b><br><b>A Division of Frontier Agriculture Ltd</b> | The Grain Silos, Weyhill Road, Andover, Hampshire, SP10 3NT, England                     | <b>0044 -117- 9574574</b>   | <b>0044-117-9563461</b>  |
| <b>Nufarm UK Ltd</b>                                                  | Crabtree Manorway North, Belvedere, Kent, DA17 6B England                                | <b>0044 1274 694754</b>     | <b>00441-81-3197200</b>  |
| <b>Nufarm UK Limited</b>                                              | Wyke, Bradford, West Yorkshire, BD12 9EJ, England                                        | <b>00441-274-694754</b>     |                          |
| <b>Nutrigain Ltd</b>                                                  | 219 Buxton Road, Macclesfield, Cheshire, SK10 1NB, England                               | <b>0044-772 163 9959</b>    |                          |
| <b>OAT Agrio Co., Ltd.</b>                                            | 1-3-1, Kanda, Ogawa-machi, Chiyoda-ku, Tokyo, 101-0052, Japan                            | <b>0081 745 741131</b>      |                          |
| <b>Omex Agriculture Ltd</b>                                           | Bardney Airfield, Tupholme, Lincoln, LN3 5TP, England                                    | <b>00441 526 396000</b>     | <b>00441-526-396001</b>  |
| <b>Oro Agri International Ltd</b>                                     | Bankstraat 75, Groningen, 9715CJ, The Netherlands                                        | <b>+33 677 434567</b>       |                          |
| <b>Osmonds Ireland On Farm</b>                                        | Unit 4, Airton Road, Tallaght, Dublin 24                                                 | <b>01 4667988</b>           |                          |
| <b>Oxon Italia S.p.A.</b>                                             | Strada Provinciale Km 2.6, 27030 Mezzana Bigli (PV), Italy                               | <b>0039-384-880945</b>      | <b>0039-384-88457</b>    |
| <b>Pan Agriculture Ltd</b>                                            | 8 Cromwell Mews, Station Road, St. Ives, Cambridgeshire, PE27 5HJ, England               | <b>00441480 467790</b>      | <b>00441480 467041</b>   |



| Company Name                                   | Address                                                                                              | Tel                      | Fax                      |
|------------------------------------------------|------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| <b>Pan Amenity Ltd</b>                         | 8 Cromwell Mews, Station Road, St. Ives, Cambridgeshire, PE27 5HJ, England                           | <b>00441 480 467790</b>  |                          |
| <b>Prophyta Biologischer Pfanzenchutz GmbH</b> | Inselstrasse 12, D-23999 Malchow/Poel, Germany                                                       | <b>0049-38425-2323</b>   |                          |
| <b>Psigma AB</b>                               | Mellangarden, Marumsvagen 10, Sweden                                                                 | <b>0045 4830 1727</b>    |                          |
| <b>Punya Innovation ApS</b>                    | Almevej 180, Gilleleje, DK-3250 Denmark                                                              | <b>0032-1178 5717</b>    | <b>0032-1168 1565</b>    |
| <b>Q-Chem NV</b>                               | Leeuwerweg 138, 3803 Sint – Truiden, Belgium                                                         | <b>0034 961 394511</b>   |                          |
| <b>Quimicas Meristem S.L.</b>                  | Ctra. Moncada-Naquera Km 1,7, Ap.30, 46113 Moncada, Valencia, Spain                                  | <b>0044 7951 736257</b>  |                          |
| <b>Renew Chemical Ltd</b>                      | 5th Floor Chancery House, Lislet Geoffroy Street, Port Louis, Mauritius                              | <b>00441-342-833022,</b> | <b>00441-342-326229</b>  |
| <b>Rentokil Initial UK Ltd</b>                 | European Technical Centre, 7-8 Foundry Court, Foundry Lane, Horsham, West Sussex, RH13 5PY, England, | <b>00441 204 677777</b>  |                          |
| <b>Rigby Taylor Ltd</b>                        | Rigby Taylor House, Crown Lane, Horwich, Bolton, BL6 5HP, UK                                         | <b>0033 177 044 778</b>  |                          |
| <b>Rotam Agrochemical Europe Ltd</b>           | 75 Cours Albert Thomas, 6e avenue/Bat D, Lyon, 69003, France                                         | <b>0031 228 592044</b>   |                          |
| <b>Sabero Europe B.V.</b>                      | Markerwaardweg 8, 1606 AS Venhuizen, The Netherlands                                                 | <b>01 442 9278</b>       |                          |
| <b>Sani Crop Protection</b>                    | Minehill, Loughshinny, Skerries, Dublin                                                              | <b>0034 962 541163</b>   |                          |
| <b>Seipasa S.A.</b>                            | C/ Ciudad Dario, naves1-3-5 - 46250 Pol.Ind., La Creu L'Alcudia, Valencia, Spain                     | <b>051 563530,</b>       | <b>051 563531</b>        |
| <b>Servem Ltd</b>                              | Maxboley, Duncormick, Wexford                                                                        | <b>004127 3290910</b>    |                          |
| <b>SFP Europe</b>                              | Espace des Remparts 10, Sion, 1950, Switzerland                                                      | <b>00322 4664444</b>     |                          |
| <b>Sharda Europe b.v.b.a</b>                   | Jozef Mertansstraat 142, 1702 Dilbeek, Belgium                                                       | <b>0044 1763 212100</b>  |                          |
| <b>Sipcam U.K. Ltd</b>                         | 4c Archway House, The Lanterns, Melbourn Street, Royston, Herts, SG8 7BX, England                    | <b>0033 442 527 211</b>  |                          |
| <b>Societe Financiere de Pontarlier</b>        | Villa Celony, 1175 Montee d'Avignon, Aix en Provence, 13090, France                                  | <b>0039 3492115740</b>   |                          |
| <b>SP Sourcon-Padena GmbH</b>                  | Sindelfinger str. 3, Tubingen, DE-72070, Germany                                                     | <b>0044 1865 883162</b>  |                          |
| <b>Sparta Research Ltd</b>                     | 82 North Main Street, Bandon, Cork                                                                   | <b>0044 1531 670 517</b> |                          |
| <b>Sphere Laboratories (London) Ltd</b>        | c/o Mainswood, Putley Common, Nr Ledbury, Herefordshire, HR8 2RF, England                            | <b>01-8829114</b>        | <b>01-8829111</b>        |
| <b>Spray Chem Ltd</b>                          | 14 B Stadium Business Park, Ballycoolin, Dublin 11                                                   | <b>0049 4049 295088</b>  |                          |
| <b>Stefes GmbH</b>                             | Wendenstr.21 b, Hamburg, 20097, Germany                                                              |                          |                          |
| <b>Stockton Europe Ltd</b>                     | Barrestrasse 112, Zug, 6302, Switzerland                                                             | <b>0044 207 246 3600</b> | <b>0044 207 246 3799</b> |
| <b>Sumi-Agro Europe Ltd</b>                    | Vintners Place, 68 Upper Thames Street, London, EC4V 3BJ England                                     | <b>0033 478 643260,</b>  | <b>0033 478 472545</b>   |
| <b>Sumitomo Chemical Agro Europe SA</b>        | Parc D'Affaires de Crecy (Telebase) 2, Rue Claude Chappe, 69370 St Didier-au-Mont-d'Or, Lyon, France | <b>00441-255-863216</b>  |                          |
| <b>Syngenta Bioline</b>                        | Telstar Nursery, Holland Road, Little Clacton, Essex, CO16 9QG, England                              | <b>051-331902</b>        | <b>051-354748</b>        |
| <b>Syngenta Ireland Ltd</b>                    | Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Co Waterford                          | <b>0044 1223 883479</b>  |                          |
| <b>Syngenta UK Ltd</b>                         | CPC 4, Capital Park, Fulbourn, Cambridge, CB21 5XE, England                                          | <b>0032 9254 1411</b>    | <b>0032 9254 1410</b>    |
| <b>Taminco BVBA.</b>                           | Pantserschipstraat 207, B-9000 Gent, Belgium                                                         | <b>087 254 7534</b>      |                          |
| <b>Terrachem</b>                               | 1A Mayflower Lodge, Cavetown, Croghan, Boyle, Roscommon                                              | <b>01-2808441</b>        | <b>01-2808932</b>        |
| <b>Tesco Ireland Ltd</b>                       | P O Box 3, Gresham House, Marine Road, Dun Laoghaire, Co. Dublin                                     | <b>01-2983644</b>        |                          |
| <b>Texas Homecare (Ireland) Ltd</b>            | Nutgrove Avenue, Rathfarnham, Dublin 14                                                              | <b>0044 1473 654613</b>  |                          |
| <b>The Scotts Company (UK) Ltd</b>             | Weyside Park, Catteshall Lane, Goldaming, Surrey, GU7 1XE, England                                   |                          |                          |
| <b>Thomas Elliott Fertilisers</b>              | Selby Place, Stanley Industrial Estate, Skelmersdale, Lancashire, WN8 8EF, England                   | <b>01-8351499</b>        | <b>01-8351284</b>        |
| <b>Unichem Limited</b>                         | The Ward, Co. Dublin                                                                                 | <b>0044 1925 859008</b>  | <b>00441-925-817425</b>  |
| <b>United Phosphorus Limited</b>               | 1st Floor, The Centre, Birchwood Park, Warrington, Cheshire, WA3 6YN, England                        |                          |                          |

| Company Name                         | Address                                                                                      | Tel                      | Fax                     |
|--------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|-------------------------|
| <b>Valent BioSciences</b>            | Parc d'Affaires de Crecy, 2, rue Claude Chappe, FR - 69370 Saint Didier au Mont d'Or, France | <b>0033 0478 643264</b>  |                         |
| <b>Verdera Oy</b>                    | P.O Box 5, FI-02271, Espoo, Finland                                                          | <b>00358 10 217 3726</b> |                         |
| <b>Ventura Agrosience Ltd</b>        | 145-157 St John Street, London, EC1V 4PW, England                                            | <b>0044 1480 810137</b>  |                         |
| <b>Vitax Limited</b>                 | Owen Street, Coalville, Leicester, LE67 3DE, England                                         | <b>00441 530 510060,</b> | <b>00441 530 510299</b> |
| <b>W. Neudorff GmbH KG</b>           | P. O. Box 1209, D-31857 Emmerthal, Germany                                                   | <b>004418690243333</b>   |                         |
| <b>Westland Horticulture Ltd</b>     | 14 Granville Industrial Estate, Granville Road, Dungannon, Co. Tyrone, Northern Ireland      | <b>0044148 0443742</b>   |                         |
| <b>Whelehan Crop Protection</b>      | Suite 12 Bunkilla Plaza, Bracetown Business Park, Clonee, Meath                              | <b>01-8342233,</b>       | <b>01-8362271</b>       |
| <b>William Sinclair Horticulture</b> | Firth Road, Lincoln, LN6 7AH, England                                                        | <b>00441-522-537561</b>  | <b>00441-522-513609</b> |



## **Chapter 6**

### **Index of product names by active substance**



## Product Index by Active Substance

### **1-methylcyclopropene**

Smartfresh

### **1-Naphthylacetic acid**

Fixor, Rooting Powder

### **2,4-D**

Croplink D50, D50, Damine, Depitox, Dioweed 50, DyWeed 50, Farmco 2-4D, Herboxone, Maton, Mortox 50, New Rate 2,4-D Ester, Salvo

### **2,4-D + Clopyralid + MCPA**

Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

### **2,4-D + Dicamba**

Landscaper Pro Weed Control + Fertilizer, Ragtime, Scotts Lawn Builder Lawn Food plus Weed Control, Thrust

### **2,4-D + Dicamba + Fluroxypyr**

Holster XL

### **2,4-D + Dicamba + MCPA + Mecoprop-P**

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

### **2,4-D + Dicamba + Triclopyr**

Bandock EW, Nettleban EW, Scrubkiller EW, Terbel Triple EW

### **2,4-D + Ferrous Sulphate + Mecoprop-P**

Connacht Gold Feed, Weed and Mosskiller, Gouldings Lawnfeed, Weed and Mosskiller, Green Up Feed & Weed plus Mosskiller, Unichem Lawn Feed, Weed and Mosskiller, Westland Aftercut All in One, Westland Lawn Feed, Weed & Mosskiller

### **2,4-D + Glyphosate**

Kyleo

### **2,4-D + MCPA**

Lupo

### **2,4-D + Triclopyr**

Genoxone ZX EC

### **2,4-DB**

Butoxone DB, Embutone, Farmco Undersown, Headland Spruce

### **2,4-DB + MCPA**

Clovermax, CloveX, DB Plus, Legumex, Legumex DB, Mastercrop Undersown, Undersown

## Product index by Active Substance

### **2,4-DB + Mecoprop-P**

Underclear

### **6-benzyladenine**

Exilis

### **Abamectin**

Dynamec, Sabik-1.8%

### **Acetamiprid**

Bug Clear Ultra, Bug Clear Ultra for Pots, Bug Clear Ultra Gun!, Bug Clear Ultra Vine Weevil Killer, Gazelle, Insyst

### **Acetamiprid + Triconazole**

Roseclear Ultra, Roseclear Ultra Gun!

### **Acetic acid**

Weedol Gun! Fast Acting Weedkiller

### **Aluminium ammonium sulfate**

Catapult, Doff Cat & Dog Repellant, Doff Pest Repel

### **Aluminium phosphide**

Phostoxin Bag, Phostoxin Bag Blanket, Phostoxin Tablet, Talunex

### **Ametoctradin + Mancozeb**

Diablo

### **Amidosulfuron**

Eagle

### **Amidosulfuron + Iodosulfuron-methyl-sodium + Mesosulfuron -**

Pacifica Plus

### **Aminopyralid + Fluroxypyr**

Forefront, Synero

### **Aminopyralid + Propyzamide**

Astrokerb

### **Aminopyralid + Triclopyr**

Forefront T, Garlon Ultra, Icade, Speedline Pro

### **Azoxystrobin**

Amistar, Amistrobin, Azaka, Az-Tec, Farmco Azoxy SC, Globaztar SC, Heritage, Heritage Maxx, Life Scientific Azoxystrobin, Tazer, Zoxis

### **Azoxystrobin + Chlorothalonil**

Amistar Opti, Curator, Vertik

**Product Index by Active Substance**

**Azoxystrobin + Fluazinam**

Vendetta

**Azoxystrobin + Propiconazole**

Headway, Quilt Xcel

**Bacillus subtilis**

Serenade ASO

**Bacillus thuringiensis subspecies kurstaki EG 2348**

Lepinox Plus

**Beauveria bassiana GHA / ATCC 74040**

Naturalis-L

**Benalaxyl + Mancozeb**

Galben M

**Bentazone**

Basagran, Basagran SG, Benta 480 SL

**Benthiavalicarb + Mancozeb**

Valbon

**Benzovindiflupyr**

Elatius Plus

**Benzovindiflupyr + Prothioconazole**

Elatius Era

**Bifenazate**

Floramite 240 SC

**Bixafen + Fluopyram + Prothioconazole**

Ascra Xpro

**Bixafen + Prothioconazole**

Aviator Xpro, Farmco Bixa-Pro, Mandarin Xpro, Siltra Xpro

**Bixafen + Prothioconazole + Spiroxamine**

Boogie Xpro

**Bixafen + Prothioconazole + Tebuconazole**

Skyway Xpro, Skyway Xpro

**Boscalid**

Filan

**Boscalid + Epoxiconazole**

Cauldron, Deuce, Escapade, Splice, Venture Extra

**Product index by Active Substance**

**Boscalid + Epoxiconazole + Epoxiconazole + Metconazole**

Venture Jewel

**Boscalid + Pyraclostrobin**

Bellis, Signum, Signum (Emergency Use)

**Bromoxynil**

Butryflow

**Bromuconazole + Tebuconazole**

Soleil

**Bupirimate**

Nimrod

**Captan**

PP Captan 80-WG

**Carboxin + Thiram**

Anchor

**Carfentrazone-ethyl**

Spotlight Plus

**Carfentrazone-ethyl + Flupyrulfuron Methyl**

Lexus Class

**Carfentrazone-ethyl + Mecoprop-P**

Jewel, Platform S

**Carfentrazone-ethyl + Metsulfuron (-methyl)**

Ally Express

**Chlorantraniliprole**

Coragen

**Chloridazon**

Pyramin DF

**Chlormequat**

7C Chlormequat, Barclay Holdup 750, CeCeCe 750, Ceraide, Farmco Chlormequat, Jadex-o-720, K2, Manipulator, Stabilan 750

**Chlormequat + Imazaquin**

Meteor

**Chlorothalonil**

Abringo, Balear 720 SC, Barclay Avoca, Bravo 500, Cavaterra, Chlorthalis, CT 500, Farmco Chlorothalonil, Joules, Jupital, Life Scientific Chlorothalonil, Muti-Star 500, Orchid B, Orchid B, Phytan, Renew Chlorothalonil, Rover 500, Stefonil, Supreme

### Product Index by Active Substance

#### **Chlorothalonil + Azoxystrobin**

Amistar Opti, Curator, Vertik

#### **Chlorothalonil + Cyproconazole**

Proceed

#### **Chlorothalonil + Cyproconazole + Propiconazole**

Cherokee

#### **Chlorothalonil + Fludioxonil + Propiconazole**

Instrata

#### **Chlorothalonil + Flutriafol**

Halo, Impact Excel

#### **Chlorothalonil + Metalaxyl M**

Folio Gold

#### **Chlorothalonil + Penthiopyrad**

Aylora, Farmco Penache, Treoris, Trust

#### **Chlorothalonil + Picoxystrobin**

Credo

#### **Chlorothalonil + Propiconazole**

Prairie

#### **Chlorothalonil + Proquinazid**

Fielder SE

#### **Chlorothalonil + Tebuconazole**

Fezan Plus

#### **Chlorotoluron + Diflufenican + Pendimethalin**

Tower

#### **Chlorpropham**

CIPC, Gro-Stop 100, Gro-Stop Fog, Gro-Stop HN, Gro-Stop Innovator, Gro-Stop Ready, Neo Stop, Neo Stop 300 HN, Neo-Stop L500 HN

#### **Chlorpyrifos-methyl**

Reldan 22

#### **Clethodim**

Centurion Max

#### **Clodinafop**

Sword, Topik 240 EC

#### **Clodinafop + Pinoxaden**

Traxos

### Product index by Active Substance

#### **Clofentezine**

Apollo

#### **Clomazone**

Gamit 36 CS

#### **Clomazone + Linuron**

Lingo

#### **Clomazone + Pendimethalin**

Stallion Sync Tech

#### **Clopyralid**

Beetshield, Cliophar 100, Cliophar 600 SL, Dow Shield 100, GF-2895, Vivendi 200

#### **Clopyralid + 2,4-D + MCPA**

Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

#### **Clopyralid + Florasulam**

GF - 2463

#### **Clopyralid + Florasulam + Fluroxypyr**

Farmco Marigold, Galaxy, Praxys

#### **Clopyralid + Fluroxypyr + MCPA**

Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

#### **Clopyralid + Picloram**

Galera

#### **Clopyralid + Triclopyr**

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

#### **Clothianidin + Prothioconazole**

Redigo Deter

#### **Coniothyrium Minitans - Strain - CON/M/91-08**

Contans WG

#### **Cyantraniliprole**

Verimark 20SC

#### **Cyazofamid**

Ranman Top

#### **Cycloxydim**

Stratos Ultra, Stratos Ultra



### Product Index by Active Substance

#### **Cyflufenamid**

Nissodium

#### **Cymoxanil**

Cymbal 45, Dauphin 45, Option, Sacron WG, Sipcam C50WG

#### **Cymoxanil + Fluazinam**

Kunshi

#### **Cymoxanil + Fludioxonil + Metalaxyl M**

Wakil XL

#### **Cymoxanil + Mancozeb**

Curzate M, Curzate M WG, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

#### **Cymoxanil + Propamocarb**

Proxanil

#### **Cypermethrin**

Ambush, Barclay Cypersect XL, Croplink Methrin 100, Cythrin Concentrated Caterpillar Spray, Cythrin Concentrated Garden Pest Killer, Cythrin Garden Ready-to-Use, Farmco Aphicide Super, Forester, Garden Caterpillar Spray, Py Bug Killer RTU, Sitrine, Talisma EC, Ultra All-in-One Bug Spray

#### **Cypermethrin + Myclobutanil**

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Rosanil RTU, Rosegarde, Westland Rose Rescue

#### **Cyproconazole**

Keypro

#### **Cyproconazole + Chlorothalonil**

Proceed

#### **Cyproconazole + Chlorothalonil + Propiconazole**

Cherokee

#### **Cyproconazole + Penthiopyrad**

Cielex

#### **Cyproconazole + Picoxystrobin**

Furlong

#### **Cyproconazole + Propiconazole**

Menara

#### **Cyprodinil + Fludioxonil**

Switch

### Product index by Active Substance

#### **Cyprodinil + Isopyrazam**

Bontima, Cebara

#### **Cyprodinil + Picoxystrobin**

Acanto Prima

#### **Cyprodinil + Propiconazole**

Rocca, Stereo 312.5 EC

#### **Daminozide**

B-Nine SG, Dazide Enhance

#### **Dazomet**

Basamid Granular

#### **Deltamethrin**

Deca 2.5% EC, Decis, GAT Decline 2.5 EC, Greenfly Killer, K-Obiol EC25, K-Obiol ULV 6, Provado Ultimate Bug Killer

#### **Deltamethrin + Tebuconazole**

Multirose Concentrate 2

#### **Desmedipham + Ethofumesate + Lenacil + Phenmedipham**

Betanal MaxxPro

#### **Desmedipham + Ethofumesate + Phenmedipham**

Betanal Expert, Farmco Trio, Sniper, Trilogy

#### **Dicamba + 2,4-D**

Landscaper Pro Weed Control + Fertilizer, Ragtime, Scotts Lawn Builder Lawn Food plus Weed Control, Thrust

#### **Dicamba + 2,4-D + Fluroxypyr**

Holster XL

#### **Dicamba + 2,4-D + MCPA + Mecoprop-P**

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

#### **Dicamba + 2,4-D + Triclopyr**

Bandock EW, Nettleban EW, Scrubkiller EW, Terbel Triple EW

#### **Dicamba + Ferrous Sulphate + Mecoprop-P**

Hygeia Lawn Feed, Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

#### **Dicamba + MCPA + Mecoprop-P**

Banspray, Banweed Special Extra, Headland Relay, Hyprone Plus, Hysward, Lawn Weedkiller Ready to Use 2, Mastercrop Bandit, Mircam Plus, Mircam Super, Osmonds Pasturekleen, Premier Amenity, Re-Act, T 2 Green, Triathlon, Turfmaster, Weedmaster

## **Product Index by Active Substance**

### **Dicamba + Mecoprop-P**

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hygrass, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

### **Dichlorprop-P + MCPA + Mecoprop-P**

Duplosan Super, Hymec Triple, Optica Trio

### **Difenoconazole**

Difcor 250 EC, Difend, Difo 25% EC, Narita, Score 250 EC

### **Difenoconazole + Fludioxonil**

Difend Extra

### **Difenoconazole + Fludioxonil + Tebuconazole**

Celest Trio

### **Difenoconazole + Mandipropamid**

Revus Top

### **Difenoconazole + Paclobutrazol**

Toprex

### **Difenoconazole + Propiconazole**

Difure Pro

### **Difenoconazole + Tebuconazole**

Magnello

### **Diflufenican**

Diflanil 500 SC, Farmco Dazzle, Hurricane SC, Sempra, Stride DFF

### **Diflufenican + Chlorotoluron + Pendimethalin**

Tower

### **Diflufenican + Flufenacet**

Firebird, Navigate

### **Diflufenican + Flufenacet + Flurtamone**

Vigon

### **Diflufenican + Flurtamone**

Bacara

## **Product index by Active Substance**

### **Diflufenican + Glyphosate**

Pathclear Gun! Weedkiller Plus Preventer, Pathclear Weedkiller LC, Pistol, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Gun! Path & Patio Weedkiller, Weedol Path & Patio Weedkiller, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

### **Diflufenican + Iodosulfuron-methyl-sodium + Mesosulfuron - methyl**

Alister, Alister Flex

### **Diflufenican + Metsulfuron (-methyl)**

Pelican Delta

### **Diflufenican + Pendimethalin**

Bulldog

### **Diflufenican + Prosulfocarb**

Defi Evo, Jura

### **Dimethachlor**

Teridox

### **Dimethenamid-P + Metazachlor + Quinmerac**

Katamaran Turbo

### **Dimethenamid-P + Pendimethalin**

Wing P

### **Dimethoate**

Barclay Dimethosect, DimethoX, Farmco Dimex, Rogor L40

### **Dimethomorph**

Paarity, Paraat, Rigel

### **Dimethomorph + Fluazinam**

Hubble

### **Dimethomorph + Mancozeb**

Acrobat MZ

### **Diquat (dibromide)**

Barclay D-Quat, Beretta, Brogue, D-Foliate, Diqua, Diquash 200 SL, Di-Quattro, Dragoon Gold, Farmco Regal, Kalahari, Life Scientific Diquat, Mission 200 SL, Quad-Glob 200 SL, Reglone, Retro, Weedol 2

### **Diquat (dibromide) + Glyphosate**

Resolva 24 H, Resolva 24H Concentrate, Resolva Path & Patio, Resolva Path & Patio Concentrate

### **Dithianon**

Dithianon WG

### **Product Index by Active Substance**

#### **Dithianon + Potassium phosphonates**

Delan Pro

#### **Dodine**

Radspor 400

#### **Epoxiconazole**

Farmco Epoxy, Inca, Opus, Opus Max, Rubric, Strand

#### **Epoxiconazole + Boscalid**

Cauldron, Deuce, Escapade, Splice, Venture Extra

#### **Epoxiconazole + Boscalid + Epoxiconazole + Metconazole**

Venture Jewel, Venture Jewel

#### **Epoxiconazole + Fenpropimorph**

Opus Team

#### **Epoxiconazole + Fenpropimorph + Kresoxim Methyl**

Allegro Plus

#### **Epoxiconazole + Fenpropimorph + Metrafenone**

Capalo, Polaca, Tocata

#### **Epoxiconazole + Fenpropimorph + Pyraclostrobin**

Diamant

#### **Epoxiconazole + Fluxapyroxad**

Adexar, Adexar, Pexan

#### **Epoxiconazole + Fluxapyroxad + Pyraclostrobin**

Cerix

#### **Epoxiconazole + Isopyrazam**

Keystone, Micaraz, Seguris

#### **Epoxiconazole + Metconazole**

Ettu, Gleam, Icarus, Osiris P

#### **Epoxiconazole + Metrafenone**

Ceando

#### **Epoxiconazole + Prochloraz**

Opus Star

#### **Epoxiconazole + Pyraclostrobin**

Kyanite, Lumen, Opera

#### **Esfenvalerate**

Sumi-Alpha

### **Product index by Active Substance**

#### **Ethametsulfuron methyl**

Salsa

#### **Ethephon**

Cerone, Farmco Cerusite, Padawan

#### **Ethephon + Mepiquat Chloride**

Terpal

#### **Ethofumesate**

Barclay Keeper 200, Barclay Keeper 500, Ethosat 500, Nortron 50 SC, Oblix 500

#### **Ethofumesate + Desmedipham + Lenacil + Phenmedipham**

Betanal MaxxPro

#### **Ethofumesate + Desmedipham + Phenmedipham**

Betanal Expert, Farmco Trio, Sniper, Trilogy

#### **Ethofumesate + Phenmedipham**

Wizard

#### **Ethoprophos**

Mocap 15G

#### **Ethylene**

Biofresh Safestore

#### **Etoazole**

Borneo

#### **Fatty acid - C7 - C18 - potassium salt**

Doff Greenfly and Blackfly Killer, Jaboland, Jabolim, Nakar, Organic Bug Free, Tec-Bom, Tesco Bug Killer Spray

#### **Fatty Acid - C7-C20**

3 Hour Weedkiller, Advanced Moss Killer, Sporekill

#### **Fenamidone + Fosetyl (-aluminium)**

Fenomenal

#### **Fenamidone + Propamocarb**

Consento

#### **Fenhexamid**

Teldor

#### **Fenoxaprop-P**

Cheetah Extra, Farmco Wild Oats, Foxtrot EW

#### **Fenpropidin**

Patrol, Tern 750 EC

## **Product Index by Active Substance**

### **Fenpropimorph**

Corbel

### **Fenpropimorph + Epoxiconazole**

Opus Team

### **Fenpropimorph + Epoxiconazole + Kresoxim Methyl**

Allegro Plus

### **Fenpropimorph + Epoxiconazole + Metrafenone**

Capalo, Polaca, Tocata

### **Fenpropimorph + Epoxiconazole + Pyraclostrobin**

Diamant

### **Fenpropimorph + Pyraclostrobin**

Jenton

### **Fenpyrazamine**

Prolectus

### **Ferric Phosphate**

Bayer Garden Slug Killer, Derrex, Doff Super Slug Killer, Growing Success Advanced Slug Killer, Iroxx, Slug & Snail Control, Slug & Snail Killer Pellets, Slug Bait, Slug Death XL, SlugClear Ultra 3, Sluggo Slug & Snail Killer, Sluggo Slug & Snail Killer Ultra, Slugrid, Sluxx HP

### **Ferrous Sulphate**

Aftercut Autumn All in One, Doff Lawn Moss Killer, Doff Lawn Mosskiller Spray, Elliott's Lawn Sand and Moss Killer, Evergreen Autumn Lawn Care, Green Up Lawn Sand, Greenmaster Autumn, Greentec Mosskiller Pro, Green-up Moss Free Lawn Mosskiller, Homebase Autumn Lawn Feed and Mosskiller, Landscaper Pro Moss Control + Fertilizer, LSTF Amateur, LSTF Pro, Mosgo Lawn & Turf Mosskiller, Scotts Lawn Builder Plus Moss Control, Tesco Mosskiller Gun, Westland Autumn Lawn Feed and Mosskiller, Westland Feed and Mosskiller, Westland Lawn Sand, Westland Lawn Sand 2

### **Ferrous Sulphate + 2,4-D + Mecoprop-P**

Connacht Gold Feed, Weed and Mosskiller, Gouldings Lawnfeed, Weed and Mosskiller, Green Up Feed & Weed plus Mosskiller, Unichem Lawn Feed, Weed and Mosskiller, Westland Aftercut All in One, Westland Lawn Feed, Weed & Mosskiller

### **Ferrous Sulphate + Dicamba + Mecoprop-P**

Hygeia Lawn Feed, Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

### **Ferrous Sulphate + MCPA + Mecoprop-P**

Evergreen Complete 4 in 1, Homebase Lawn Feed, Weed and Mosskiller, Landscaper Pro Feed Weed Mosskiller, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

## **Product index by Active Substance**

### **Ferrous Sulphate Heptahydrate**

Evergreen Liquid Feed & Moss, Maxicrop Mosskiller and Lawn Tonic, Maxicrop No.2 Moss Killer and Conditioner

### **Flazasulfuron**

Chikara Weed Control, Paradise

### **Flonicamid**

Teppeki

### **Florasulam**

Boxer, Flora 50, Lector

### **Florasulam + Clopyralid**

GF - 2463

### **Florasulam + Clopyralid + Fluroxypyr**

Farmco Marigold, Galaxy, Praxys

### **Florasulam + Fluroxypyr**

Cabadex, Cleave, Spitfire, Starane Gold, Starane XL

### **Florasulam + Metsulfuron (-methyl) + Tribenuron (-methyl)**

Ally Ultra

### **Florasulam + Pinoxaden**

Axial One

### **Florasulam + Pyroxsulam**

Broadway Star

### **Fluazifop-P (-butyl)**

Fusilade Max

### **Fluazinam**

Fluazinova, Frowncide, Nando 500SC, Ohayo, Shirlan, Tizca, Volley, Winby

### **Fluazinam + Azoxystrobin**

Vendetta

### **Fluazinam + Cymoxanil**

Kunshi

### **Fluazinam + Dimethomorph**

Hubble

### **Fludioxonil**

Beret Gold, Maxim 100 FS, Medallion TL

### **Fludioxonil + Chlorothalonil + Propiconazole**

Instrata

**Product Index by Active Substance**

**Fludioxonil + Cymoxanil + Metalaxyl M**

Wakil XL

**Fludioxonil + Cyprodinil**

Switch

**Fludioxonil + Difenconazole**

Difend Extra

**Fludioxonil + Difenconazole + Tebuconazole**

Celest Trio

**Fludioxonil + Flutriafol**

Beret Multi

**Flufenacet + Diflufenican**

Firebird, Navigate

**Flufenacet + Diflufenican + Flurtamone**

Vigon

**Flufenacet + Isoxaflutole**

Cadou Star

**Flumioxazin**

Digital, Guillotine, Sumimax

**Fluopicolide + Propamocarb**

Farmco Blight, Infinito, Potato Blight Control

**Fluopyram + Bixafen + Prothioconazole**

Ascra Xpro

**Fluopyram + Prothioconazole + Tebuconazole**

Raxil Star

**Fluoxastrobin + Prothioconazole**

Fandango, Farmco Pro-Strob, Maestro, Mettle

**Fluoxastrobin + Prothioconazole + Trifloxystrobin**

Coyote

**Flupyrsulfuron Methyl**

Lexus 50 DF

**Flupyrsulfuron Methyl + Carfentrazone-ethyl**

Lexus Class

**Flupyrsulfuron Methyl + Thifensulfuron methyl**

Lexus Millenium

**Product index by Active Substance**

**Fluroxypyr**

Arbiter, Barclay Hudson, Barclay Hurler, Binder, Croplink Reaper, Flurostar 200, Flurox 180, Flurox 200, Hatchet Xtra, Hurler, Minstrel, New Hyflux, Starane Hi-Load HL, Tomahawk 2

**Fluroxypyr + 2,4-D + Dicamba**

Holster XL

**Fluroxypyr + Aminopyralid**

Forefront, Synero

**Fluroxypyr + Clopyralid + Florasulam**

Farmco Marigold, Galaxy, Praxys

**Fluroxypyr + Clopyralid + MCPA**

Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

**Fluroxypyr + Florasulam**

Cabadex, Cleave, Spitfire, Starane Gold, Starane XL

**Fluroxypyr + Halauxifen-methyl**

Pixxaro

**Fluroxypyr + Triclopyr**

Doxstar Pro, Doxstar Pro, Farmco Docs, Pivotal

**Flurtamone + Diflufenican**

Bacara

**Flurtamone + Diflufenican + Flufenacet**

Vigon

**Flutolanil**

Rhino

**Flutriafol**

Impact

**Flutriafol + Chlorothalonil**

Halo, Impact Excel

**Flutriafol + Fludioxonil**

Beret Multi

**Flutriafol + Thiabendazole**

Vincit

**Fluxapyroxad**

Imtrex

## **Product Index by Active Substance**

### **Fluxapyroxad + Epoxiconazole**

Adexar, Adexar, Pexan

### **Fluxapyroxad + Epoxiconazole + Pyraclostrobin**

Ceriox

### **Fluxapyroxad + Metconazole**

Librax, Librax

### **Fluxapyroxad + Pyraclostrobin**

Priaxor EC

### **Folpet**

Arizona, Phoenix

### **Fosetyl (-aluminium)**

PlantTrust

### **Fosetyl (-aluminium) + Fenamidone**

Fenomenal

### **Fosetyl (-aluminium) + Propamocarb**

Previcur Energy

### **Fosthiazate**

Nemathorin 10G

### **Gamma-Cyhalothrin**

Nexide CS

### **Garlic Extract**

Eagle Green Care, ECOguard Granules, ECOguard Liquid, NEMGuard DE, NEMguard Granules, Nemguard Liquid

### **Gibberellic acid**

Berelex

### **Gibberellin**

GiBB Plus

### **Gliocladium catenulatum**

Prestop

### **Glufosinate (- ammonium)**

Finale 150, Pearl

### **Glyphosate**

A12877S, Ardee XL, Asteroid, Asteroid Biocare, B&Q Path & Patio Weedkiller, B&Q Path & Patio Weedkiller Concentrate, B&Q Value Tough Action Weedkiller, B&Q Weedkiller, B&Q Weedkiller Concentrate, Barbarian XL, Barclay Gallup

## **Product index by Active Substance**

### **Glyphosate (cont'd)**

Biograde 360, Barclay Gallup Biograde 450, Barclay Gallup Biograde Amenity, Barclay Gallup Hi-Aktiv, Bramble Killer Ultra, Buggy SG, CDA Vanquish Biactive, Clearall XL, Credit, Discman Biograde, Doff Glyphosate Weedkiller, Doff Ivy & Brushwood Killer RTU, Doff Maxi Strength Glyphosate Weedkiller, Doff Path & Patio Weedkiller RTU, Envision, Fast Action Roundup Ready to Use Weedkiller, Fast Action Roundup XL, Gallup Biograde Weedkiller RTU, Gallup Home and Garden, Gallup XL, Garden Super Strength Weedkiller, Garryowen XL, Gem Glyphosate Weed and Root Killer, Glyfos Care Concentrate, Glyfos Care Ready to Use, Glyfos Dakar, Goulding Weedkiller, Helosate 450 SL, Hilite, Hytrol, Hytrol Glyphosate, Hytrol Total Liquid Ready to Use, Hytrol Total Liquid Weedkiller, Instore Glyphosate Weedkiller, Knockdown Glyphosate Weedkiller, Knockdown Path Weedkiller, Knockdown Weedkiller, Mizr, Mizr XL, MON 78273, MON 79351, MON 79632, Monosate G, Nomix Conqueror Amenity, Ormond, Path & Drive Roundup Concentrate, Path, Patio & Drive Weedkiller Sachets, Pestshield Glyphosate Concentrated Weedkiller, Pestshield Path and Patio Weedkiller, Pestshield Weedkiller, Proliance Quattro, Rambo Bio, Rambo RTU, Rattler, Resolva Super Strength Xtra Tough Concentrated, Resolva Total Clear, Resolva Weedkiller Super Concentrate Total Clear, Resolva Xtra Tough, Rosate Green, Roundup Advance, Roundup Biactive, Roundup Biactive XL, Roundup Biactive XLA, Roundup Fast Action Path & Drive Weedkiller, Roundup First, Roundup Flex, Roundup GC Weedkiller, Roundup Gel, Roundup Gel Path, Roundup Gold, Roundup Gold, Roundup Gold 450, Roundup Optima, Roundup Optima Power, Roundup Optima+, Roundup Powermax, Roundup Pro Biactive, Roundup ProVantage, Roundup Stump Killer, Roundup XL, Scutchout Plus, Super Strength Glyphosate, Tesco Complete Weedkiller Spray, Tesco Glyphosate Concentrated Weedkiller, Tesco Systemic Path & Patio Weedkiller Spray, Touchdown Quattro, Tough Roundup Weedkiller Gel, Tumbleweed, Tumbleweed Ready to Use, Typhoon 360, Verve Path & Patio Weedkiller, Verve Path & Patio Weedkiller Concentrate, Verve Root Killing Weedkiller, Verve Root Killing Weedkiller Concentrate, Verve Tough Weedkiller, Vitax Glyphosate Concentrated Weedkiller, Vitax Glyphosate Weedkiller RTU, Vitax Weedfree Ready to Use, Weedbuster, Weedbuster Concentrate, WeedBuster Super Concentrate, Weedfree, Weedfree Home & Garden, Weedfree Plus, Weedfree RTU, Wilko Glyphosate Weedkiller

### **Glyphosate + 2,4-D**

Kyleo

### **Glyphosate + Diflufenican**

Pathclear Gun! Weedkiller Plus Preventer, Pathclear Weedkiller LC, Pistol, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Gun! Path & Patio Weedkiller, Weedol Path & Patio Weedkiller, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

### **Product Index by Active Substance**

#### **Glyphosate + Diquat (dibromide)**

Resolva 24 H, Resolva 24H Concentrate, Resolva Path & Patio, Resolva Path & Patio Concentrate

#### **Glyphosate + Pyraflufen-ethyl**

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

#### **Glyphosate + Sulfosulfuron**

Nomix Blade, Nomix Dual

#### **Halauxifen-methyl + Fluroxypyr**

Pixxaro

#### **Hymexazol**

Tachigaren 70 WP

#### **Imazalil**

Fungazil 50 LS, Gavel

#### **Imazalil + Ipconazole**

Rancona i-Mix

#### **Imazamox + Metazachlor**

Cleranda

#### **Imazamox + Pendimethalin**

Nirvana

#### **Imazaquin + Chlormequat**

Meteor

#### **Imidacloprid**

Couraze, Guacho, Imidasect 5GR, Intercept, Merit Turf

#### **Indoxacarb**

Steward

#### **Iodosulfuron-methyl-sodium**

Hussar

#### **Iodosulfuron-methyl-sodium + Amidosulfuron + Mesosulfuron -**

Pacifica Plus

#### **Iodosulfuron-methyl-sodium + Diflufenican + Mesosulfuron - methyl**

Alister, Alister Flex

#### **Iodosulfuron-methyl-sodium + Mesosulfuron - methyl**

Pacifica

### **Product index by Active Substance**

#### **Ipconazole + Imazalil**

Rancona i-Mix

#### **Iprodione**

Acamar WG, Cavron Green, Chipco Green, Emerald Turf, Grisu, Mascot Rayzor, Panto, Rovral AquaFlo, Rovral WG, Surpass Pro

#### **Iprodione + Trifloxystrobin**

Interface

#### **Isopyrazam**

Reflect, Zulu

#### **Isopyrazam + Cyprodinil**

Bontima, Cebara

#### **Isopyrazam + Epoxiconazole**

Keystone, Micaraz, Seguris

#### **Isoxaflutole + Flufenacet**

Cadou Star

#### **Kresoxim Methyl**

Stroby WG

#### **Kresoxim Methyl + Epoxiconazole + Fenpropimorph**

Allegro Plus

#### **lambda-Cyhalothrin**

Eminentos 10 CS, Euro Lambda 100 CS, Karate 2.5 WG, Karate Zeon, Karis 10 CS, Laidir 10 CS, Life Scientific Lambda, Markate 50, Ninja 10CS, Ravane, Resolva Bug Killer Concentrate, Resolva Bug Killer Ready to Use, Sparviero, Westland Plant Rescue Fruit & Vegetable Bug Killer, Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer

#### **Lenacil**

Farmco Lenzo Flo, Venzar 80 % WP, Venzar Flowable

#### **Lenacil + Desmedipham + Ethofumesate + Phenmedipham**

Betanal MaxxPro

#### **Lenacil + Triflusulfuron**

Safari Lite WSB

#### **Linuron**

Afalon Liquid, Datura

#### **Linuron + Clomazone**

Lingo

## **Product Index by Active Substance**

### **Maleic hydrazide**

Fazor Star

### **Maleic hydrazide + Pelargonic acid**

Superfast Long Lasting Weedkiller, Superfast Long Lasting Weedkiller Concentrate, Time's up Weedkiller, Time's up Weedkiller Concentrate, Ultima, Ultima RTU

### **Maltodextrin**

Eradicoat, Majestik

### **Mancozeb**

Agrizeb, Dithane 945, Dithane Dry Flowable Neotec, Manfil 75 WG, Manfil 80 WP, Penncozeb 80 WP, Penncozeb WDG

### **Mancozeb + Ametoctradin**

Diablo

### **Mancozeb + Benalaxyl**

Galben M

### **Mancozeb + Benthiavalicarb**

Valbon

### **Mancozeb + Cymoxanil**

Curzate M, Curzate M WG, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

### **Mancozeb + Dimethomorph**

Acrobat MZ

### **Mancozeb + Metalaxyl M**

Ridomil Gold MZ 68 WG

### **Mancozeb + Zoxamide**

Electis 75 WG

### **Mandipropamid**

Revus

### **Mandipropamid + Difenconazole**

Revus Top

### **MCPA**

Agritox, Agritox 500, Agroxone 50, Bandon MCPA 30, Easel, Hempacide 30, M50, Mastercrop MCPA 50, Mortone, NU46, POL-MCPA 500 SL

### **MCPA + 2,4-D**

Lupo

## **Product index by Active Substance**

### **MCPA + 2,4-D + Clopyralid**

Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

### **MCPA + 2,4-D + Dicamba + Mecoprop-P**

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

### **MCPA + 2,4-DB**

Clovermax, CloveX, DB Plus, Legumex, Legumex DB, Mastercrop Undersown, Undersown

### **MCPA + Clopyralid + Fluroxypyr**

Roundup Lawn Weedkiller, Verdona Extra, Verdona Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

### **MCPA + Dicamba + Mecoprop-P**

Banspray, Banweed Special Extra, Headland Relay, Hyprone Plus, Hysward, Lawn Weedkiller Ready to Use 2, Mastercrop Bandit, Mircam Plus, Mircam Super, Osmonds Pasturekleen, Premier Amenity, Re-Act, T 2 Green, Triathlon, Turfmaster, Weedmaster

### **MCPA + Dichlorprop-P + Mecoprop-P**

Duplosan Super, Hymec Triple, Optica Trio

### **MCPA + Ferrous Sulphate + Mecoprop-P**

Evergreen Complete 4 in 1, Homebase Lawn Feed, Weed and Mosskiller, Landscaper Pro Feed Weed Mosskiller, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

### **MCPA + Mecoprop-P**

Cleanrun Pro, Evergreen Feed and Weed

### **MCPB**

Tropotox

### **Mecoprop-P**

Compitox Plus, Duplosan KV, Farmco Duplex, Optica, Twinprop

### **Mecoprop-P + 2,4-D + Dicamba + MCPA**

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

### **Mecoprop-P + 2,4-D + Ferrous Sulphate**

Connacht Gold Feed, Weed and Mosskiller, Gouldings Lawnfeed, Weed and Mosskiller, Green Up Feed & Weed plus Mosskiller, Unichem Lawn Feed, Weed and Mosskiller, Westland Aftercut All in One, Westland Lawn Feed, Weed & Mosskiller

### **Mecoprop-P + 2,4-DB**

Underclear



## **Product Index by Active Substance**

### **Mecoprop-P + Carfentrazone-ethyl**

Jewel, Platform S

### **Mecoprop-P + Dicamba**

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hygrass, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

### **Mecoprop-P + Dicamba + Ferrous Sulphate**

Hygeia Lawn Feed, Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

### **Mecoprop-P + Dicamba + MCPA**

Banspray, Banweed Special Extra, Headland Relay, Hyprone Plus, Hysward, Lawn Weedkiller Ready to Use 2, Mastercrop Bandit, Mircam Plus, Mircam Super, Osmonds Pasturekleen, Premier Amenity, Re-Act, T 2 Green, Triathlon, Turfmaster, Weedmaster

### **Mecoprop-P + Dichlorprop-P + MCPA**

Duplosan Super, Hymec Triple, Optica Trio

### **Mecoprop-P + Ferrous Sulphate + MCPA**

Evergreen Complete 4 in 1, Homebase Lawn Feed, Weed and Mosskiller, Landscaper Pro Feed Weed Mosskiller, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

### **Mecoprop-P + MCPA**

Cleanrun Pro, Evergreen Feed and Weed

### **Mepanipyrim**

Frupica

### **Mepiquat Chloride + Ethephon**

Terpal

### **Mepiquat Chloride + Prohexadione Calcium**

Canopy

### **Mesosulfuron - methyl + Amidosulfuron + Iodosulfuron-methyl-sodium**

Pacifica Plus

### **Mesosulfuron - methyl + Diflufenican + Iodosulfuron-methyl-sodium**

Alister, Alister Flex

## **Product index by Active Substance**

### **Mesosulfuron - methyl + Iodosulfuron-methyl-sodium**

Pacifica

### **Mesotrione**

Callisto, Temsa SC

### **Mesotrione + Nicosulfuron**

Elumis

### **Mesotrione + Terbutylazine**

Calaris, Croplink Maizekleen, Farmco Maize, Theta

### **Metalaxyl M**

Ridomil Gold, SL567A

### **Metalaxyl M + Chlorothalonil**

Folio Gold

### **Metalaxyl M + Cymoxanil + Fludioxonil**

Wakil XL

### **Metalaxyl M + Mancozeb**

Ridomil Gold MZ 68 WG

### **Metaldehyde**

Axcela, Farmco Slugs, Goulding Slug Killer Pellets, Gusto 3, Homebase Slug Killer, Hyslug, Lima Gold 3%, Lima Gold 5%, Metarex Inov, Pestshield Slug Killer Blue Mini Pellets, Slug Killer Blue Mini Pellets, Slugclear Ultra, Slugtox, Tesco Slug Killer, Traxx, Ultimate Slug & Snail Killer

### **Metam (-sodium)**

Fumetham

### **Metamitron**

Gloflo, Goltix 70 SC, Mitron WG, Target SC, Target WG

### **Metarhizium anisoplice - ST BIPESCO 5/F52**

Met 52 Granular

### **Metazachlor**

Butisan S, Rapport 500 SC

### **Metazachlor + Dimethenamid-P + Quinmerac**

Katamaran Turbo

### **Metazachlor + Imazamox**

Cleranda

### **Metazachlor + Quinmerac**

Katamaran, Legion

## Product Index by Active Substance

### **Metconazole**

Caramba, Sirena

### **Metconazole + Boscalid + Epoxiconazole + Epoxiconazole**

Venture Jewel

### **Metconazole + Epoxiconazole**

Ettu, Gleam, Icarus, Osiris P

### **Metconazole + Fluxapyroxad**

Librax, Librax

### **Methiocarb**

Mesurool FS

### **Metobromuron**

Proman

### **Metrafenone**

Flexity, Vivando

### **Metrafenone + Epoxiconazole**

Ceando

### **Metrafenone + Epoxiconazole + Fenpropimorph**

Capalo, Polaca, Tocata

### **Metribuzin**

Buzzin, Sencorex Flow, Shotput

### **Metsulfuron (-methyl)**

Accurate, Ally SX, Cimarron, Croplink Empire, Farmco Rebel XT, Finy, Lorate, Metro 20, Pike, Savvy, Savvy Premium

### **Metsulfuron (-methyl) + Carfentrazone-ethyl**

Ally Express

### **Metsulfuron (-methyl) + Diflufenican**

Pelican Delta

### **Metsulfuron (-methyl) + Florasulam + Tribenuron (-methyl)**

Ally Ultra

### **Metsulfuron (-methyl) + Thifensulfuron methyl**

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

### **Metsulfuron (-methyl) + Tribenuron (-methyl)**

Ally Max SX, Biplay SX, Boudha

## Product index by Active Substance

### **Myclobutanil**

Doff Systemic Fungus Control, Systhane 20 EW

### **Myclobutanil + Cypermethrin**

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Rosanil RTU, Rosegarde, Westland Rose Rescue

### **Napropamide**

Devrinol

### **Nicosulfuron**

Accent

### **Nicosulfuron + Mesotrione**

Elumis

### **Nicosulfuron + Thifensulfuron methyl**

Collage

### **Oxamyl**

Vydate 10G

### **Oxyfluorfen**

Goal 2XL

### **Paclobutrazol**

Cultar

### **Paclobutrazol + Difenoconazole**

Toprex

### **Pelargonic acid**

Doff 24/7 Superfast Weedkiller, Finalsan Moss & Algae Killer Concentrate, Finalsan Moss & Algae Killer RTU, Finalsan Weedkiller Concentrate, Finalsan Weedkiller RTU, Knockdown Superfast Weedkiller, Organic Fast Acting Weedkiller, Organic Moss & Algae Killer Concentrate, Organic Moss Control for Lawns Concentrate, Resolva Moss Killer, Tesco Fast Acting Weedkiller, Verve Fast Acting Weedkiller, Weedol Gun! Superfast, Weedol Super Fast

### **Pelargonic acid + Maleic hydrazide**

Superfast Long Lasting Weedkiller, Superfast Long Lasting Weedkiller Concentrate, Time's up Weedkiller, Time's up Weedkiller Concentrate, Ultima, Ultima RTU

### **Pendimethalin**

Anthem, Most Micro, PDM 330 EC, Pendifin 400 SC, Sharpen 40% SC, Sherman, Stomp 400 SC, Stomp Aqua

### **Pendimethalin + Chlorotoluron + Diflufenican**

Tower

**Product Index by Active Substance**

**Pendimethalin + Clomazone**

Stallion Sync Tech

**Pendimethalin + Diflufenican**

Bulldog

**Pendimethalin + Dimethenamid-P**

Wing P

**Pendimethalin + Imazamox**

Nirvana

**Pendimethalin + Picolinafen**

Flight

**Penthiopyrad**

Intellis, Vertisan

**Penthiopyrad + Chlorothalonil**

Aylora, Farmco Penache, Treoris, Trust

**Penthiopyrad + Cyproconazole**

Cielex

**Penthiopyrad + Picoxystrobin**

Frelizon

**Pepper Dust**

Pepper Dust, Vitax Pepper Dust

**Phenmedipham + Desmedipham + Ethofumesate**

Betanal Expert, Farmco Trio, Sniper, Trilogy

**Phenmedipham + Desmedipham + Ethofumesate + Lenacil**

Betanal MaxxPro

**Phenmedipham + Ethofumesate**

Wizard

**Picloram + Clopyralid**

Galera

**Picolinafen + Pendimethalin**

Flight

**Picoxystrobin**

Acanto, Galileo

**Picoxystrobin + Chlorothalonil**

Credo

**Product index by Active Substance**

**Picoxystrobin + Cyproconazole**

Furlong

**Picoxystrobin + Cyprodinil**

Acanto Prima

**Picoxystrobin + Penthiopyrad**

Frelizon

**Pinoxaden**

Acute, Axial, Croplink Avena, Farmco Axis, Rescue, Rogue

**Pinoxaden + Clodinafop**

Traxos

**Pinoxaden + Florasulam**

Axial One

**Pirimicarb**

Aphox

**Plant Oils / Rape seed oil**

Bug Clear Fruit & Veg, Bug Clear Fruit & Veg Gun!, Bug Clear Gardener's Choice

**Potassium Hydrogen Carbonate**

Kaligreen

**Potassium phosphonates + Dithianon**

Delan Pro

**Prochloraz**

Barclay Eyetak 40, Barclay Eyetak 450, Mirage, Octave 50 WP, Prelude 20 LF, Sporgon 50WP, Sportak 45 EW, Sportak 45 HF

**Prochloraz + Epoxiconazole**

Opus Star

**Prochloraz + Proquinazid + Tebuconazole**

Vareon

**Prochloraz + Tebuconazole**

Grail, Orius P

**Prochloraz + Triticonazole**

Kinto

**Prohexadione Calcium**

Regalis, Regalis Plus

**Prohexadione Calcium + Mepiquat Chloride**

Canopy

**Product Index by Active Substance**

**Prohexadione Calcium + Trinexapac ethyl**

Medax Max

**Propamocarb**

Edipro, Proplant

**Propamocarb + Cymoxanil**

Proxanil

**Propamocarb + Fenamidone**

Consento

**Propamocarb + Fluopicolide**

Farmco Blight, Infinito, Potato Blight Control

**Propamocarb + Fosetyl (-aluminium)**

Previcur Energy

**Propaquizafop**

Claw 100, Falcon, Farmco Zealot

**Propiconazole**

Banner Maxx, Barclay Bolt XL, Barclay Propizole, Bumper, Farmco Tilt, Propi 25 EC

**Propiconazole + Azoxystrobin**

Headway, Quilt Xcel

**Propiconazole + Chlorothalonil**

Prairie

**Propiconazole + Chlorothalonil + Cyproconazole**

Cherokee

**Propiconazole + Chlorothalonil + Fludioxonil**

Instrata

**Propiconazole + Cyproconazole**

Menara

**Propiconazole + Cyprodinil**

Rocca, Stereo 312.5 EC

**Propiconazole + Difenconazole**

Difure Pro

**Propyzamide**

Barclay Propyz, Barclay Propyzaflash, Careca, Judo, Kerb 50 W, Kerb Flo, Kerb Granules, Proper Flo, Prova, Relva, Relva Granules, Solitare

**Product index by Active Substance**

**Propyzamide + Aminopyralid**

Astrokerb

**Proquinazid**

Proquin 200, Talius

**Proquinazid + Chlorothalonil**

Fielder SE

**Proquinazid + Prochloraz + Tebuconazole**

Vareon

**Prosulfocarb**

Defy

**Prosulfocarb + Diflufenican**

Defi Evo, Jura

**Prothioconazole**

Proline, Redigo, Rudis

**Prothioconazole + Benzovindiflupyr**

Elatus Era

**Prothioconazole + Bixafen**

Aviator Xpro, Farmco Bixa-Pro, Mandarin Xpro, Siltra Xpro

**Prothioconazole + Bixafen + Fluopyram**

Ascra Xpro

**Prothioconazole + Bixafen + Spiroxamine**

Boogie Xpro

**Prothioconazole + Bixafen + Tebuconazole**

Skyway Xpro, Skyway Xpro

**Prothioconazole + Clothianidin**

Redigo Deter

**Prothioconazole + Fluopyram + Tebuconazole**

Raxil Star

**Prothioconazole + Fluoxastrobin**

Fandango, Farmco Pro-Strob, Maestro, Mettle

**Prothioconazole + Fluoxastrobin + Trifloxystrobin**

Coyote

**Prothioconazole + Spiroxamine**

Farmco Input, Helix, Hexagon

**Product Index by Active Substance**

**Prothioconazole + Spiroxamine + Tebuconazole**

Cello

**Prothioconazole + Tebuconazole**

Promise, Prosaro, Redigo Pro

**Prothioconazole + Trifloxystrobin**

Zephyr

**Pseudomonas sp. strain - DSMZ 13134**

Proradix

**Pymetrozine**

Chess WG, Plenum

**Pyraclostrobin**

Comet, Comet 200, Insignia, Modem, Modem 200

**Pyraclostrobin + Boscalid**

Bellis, Signum, Signum (Emergency Use)

**Pyraclostrobin + Epoxiconazole**

Kyanite, Lumen, Opera

**Pyraclostrobin + Epoxiconazole + Fenpropimorph**

Diamant

**Pyraclostrobin + Epoxiconazole + Fluxapyroxad**

Cerix

**Pyraclostrobin + Fenpropimorph**

Jenton

**Pyraclostrobin + Fluxapyroxad**

Priaxor EC

**Pyraflufen-ethyl + Glyphosate**

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

**Pyrethrins**

Advanced Bug Killer, Bio Blast Fruit & Vegetable Bug Killer, Bio Blast Rose & Flower Bug Killer, Earth Matters Insect Killer, Growing Success Advanced Bug Killer, House Plant Pest Killer, Py Powder Insect Killer, Py Spray Garden Insect Killer, Py Spray Garden Insect Killer Concentrate, Pyrethrum 5 EC, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

**Pyridate**

Lentagran WP

**Product index by Active Substance**

**Pyrimethanil**

Pyrimala, Scala

**Pyriofenone**

Property 180SC

**Pyroxsulam + Florasulam**

Broadway Star

**Quinmerac + Dimethenamid-P + Metazachlor**

Katamaran Turbo

**Quinmerac + Metazachlor**

Katamaran, Legion

**Quinoclamine**

Mogeton

**Quinoxifen**

Fortress

**Quizalofop-P-ethyl**

Pilot Ultra, Quick 5 EC

**Rimsulfuron**

Titus

**Silthiofam**

Latitude, Latitude XL

**S-Metolachlor**

Dual Gold

**Sodium hypochlorite**

Hypoclear

**Spearmint oil**

Biox-M

**Spinosad**

Conserve, Tracer

**Spiromesifen**

Oberon

**Spirotetramat**

Movento

**Spiroxamine + Bixafen + Prothioconazole**

Boogie Xpro

### **Product Index by Active Substance**

#### **Spiroxamine + Prothioconazole**

Farmco Input, Helix, Hexagon

#### **Spiroxamine + Prothioconazole + Tebuconazole**

Cello

#### **Sulfosulfuron**

Monitor

#### **Sulfosulfuron + Glyphosate**

Nomix Blade, Nomix Dual

#### **Sulfuryl flouride**

Profume

#### **Sulphur**

Headland Sulphur, Microthiol Special

#### **Tebuconazole**

Croplink Tebuconazole, Farmco Iconic, Fezan, Folicur 250 EW, Orius 20 EW, Riza, Tebucur 250 EW, Tebusha 25% EW, Tharsis

#### **Tebuconazole + Bixafen + Prothioconazole**

Skyway Xpro, Skyway Xpro

#### **Tebuconazole + Bromuconazole**

Soleil

#### **Tebuconazole + Chlorothalonil**

Fezan Plus

#### **Tebuconazole + Deltamethrin**

Multirose Concentrate 2

#### **Tebuconazole + Difenoconazole**

Magnello

#### **Tebuconazole + Difenoconazole + Fludioxonil**

Celest Trio

#### **Tebuconazole + Fluopyram + Prothioconazole**

Raxil Star

#### **Tebuconazole + Prochloraz**

Grail, Orius P

#### **Tebuconazole + Prochloraz + Proquinazid**

Vareon

#### **Tebuconazole + Prothioconazole**

Promise, Prosaro, Redigo Pro

### **Product index by Active Substance**

#### **Tebuconazole + Prothioconazole + Spiroxamine**

Cello

#### **Tebuconazole + Trifloxystrobin**

Dedicate, Fungus Fighter Plus, Nativo 75 WG

#### **Tebufenpyrad**

Masai

#### **Terbuthylazine + Mesotrione**

Calaris, Croplink Maizekleen, Farmco Maize, Theta

#### **Thiabendazole**

Tebuzate 220 SL

#### **Thiabendazole + Flutriafol**

Vincit

#### **Thiacloprid**

Baby Bio House Plant Insecticide, Biscaya, CaLypso, Multirose Bug Killer, Provado Ultimate Bug Killer Concentrate 2, Provado Ultimate Bug Killer Ready to use, Provado Vine Weevil Killer 2, Rana, Sonido

#### **Thifensulfuron methyl**

Harmony SX, Prospect SX

#### **Thifensulfuron methyl + Flupyrifluron Methyl**

Lexus Millennium

#### **Thifensulfuron methyl + Metsulfuron (-methyl)**

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

#### **Thifensulfuron methyl + Nicosulfuron**

Collage

#### **Thifensulfuron methyl + Tribenuron (-methyl)**

Calibre Max SX, Calibre SX, Cameo Max SX, Inka Max SX, Quantum Max SX

#### **Thiram**

Agrichem Flowable Thiram

#### **Thiram + Carboxin**

Anchor

#### **Tolclofos-methyl**

Basilex Ultra, Rizolex

#### **Tri-allate**

Avadex Excel 15G

### **Product Index by Active Substance**

#### **Tribenuron (-methyl)**

Cameo SX, Farmco Zeus, Headland Triad, Quantum, Thor

#### **Tribenuron (-methyl) + Florasulam + Metsulfuron (-methyl)**

Ally Ultra

#### **Tribenuron (-methyl) + Metsulfuron (-methyl)**

Ally Max SX, Biplay SX, Boudha

#### **Tribenuron (-methyl) + Thifensulfuron methyl**

Calibre Max SX, Calibre SX, Cameo Max SX, Inka Max SX, Quantum Max SX

#### **Trichoderma Asperellum (strain T34)**

T34 Biocontrol

#### **Trichoderma harzianum Strain T22**

Trianum-P

#### **Triclopyr**

Ready to Use SBK Brushwood Killer, SBK Brushwood Killer

#### **Triclopyr + 2,4-D**

Genoxone ZX EC

#### **Triclopyr + 2,4-D + Dicamba**

Bandock EW, Nettleban EW, Scrubkiller EW, Terbel Triple EW

#### **Triclopyr + Aminopyralid**

Forefront T, Garlon Ultra, Icade, Speedline Pro

#### **Triclopyr + Clopyralid**

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

#### **Triclopyr + Fluroxypyr**

Doxstar Pro, Doxstar Pro, Farmco Docs, Pivotal

#### **Trifloxystrobin**

Scorpio, Swift SC

#### **Trifloxystrobin + Fluoxastrobin + Prothioconazole**

Coyote

#### **Trifloxystrobin + Iprodione**

Interface

#### **Trifloxystrobin + Prothioconazole**

Zephyr

#### **Trifloxystrobin + Tebuconazole**

Dedicate, Fungus Fighter Plus, Nativo 75 WG

### **Product index by Active Substance**

#### **Triflusulfuron**

Debut, Farmco Beet-Clean

#### **Triflusulfuron + Lenacil**

Safari Lite WSB

#### **Trinexapac ethyl**

Clipless, Cutaway, Farmco PGR, Freeze, Intern, Life Scientific Trinex, Limitar, Maintain, Moddus, Moxa, Optimus, Primo Maxx, Primo Maxx II, Tempo, Trinexis

#### **Trinexapac ethyl + Prohexadione Calcium**

Medax Max

#### **Triticonazole**

Fungus Clear Ultra, Fungus Clear Ultra Gun!

#### **Triticonazole + Acetamiprid**

Roseclear Ultra, Roseclear Ultra Gun!

#### **Triticonazole + Prochloraz**

Kinto

#### **Tritosulfuron**

Biathlon

#### **Zoxamide + Mancozeb**

Electis 75 WG

## **Chapter 7**

**List of off label approvals which have been granted up to 1/1/17 for use on food crops**





---

**Current list of off-label approvals for use on Food Crops as of** **31 January 2017**

**Warning: Off-Label Approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

**Disclaimer**

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



| <i>Crop Product Name</i>     | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i>  | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                  | <i>PHI:</i> |
|------------------------------|---------------|---------------------------|------------------|--------------------------|-------------------|-----------------------|-------------------------|----------------------------|------------------------------------------------|-------------|
| <i>Apples</i>                |               |                           |                  |                          |                   |                       |                         |                            |                                                |             |
| Cerone                       | 03933         | Bayer CropScience Limited | Growth Regulator |                          |                   | 0.75 l/ha             | 0.75 l/ha               | -                          | 10 days before harvest                         | 10 days     |
|                              |               |                           |                  | <i>Ethephon</i>          | <i>480 g/l</i>    |                       |                         |                            |                                                |             |
| Score 250 EC                 | 04566         | Syngenta UK Ltd           | Fungicide        |                          |                   | 0.25 l/ha             | 1.0 l/ha                |                            | 28 days before harvest                         | 28 days     |
|                              |               |                           |                  | <i>Difenoconazole</i>    | <i>250 g/l</i>    |                       |                         |                            |                                                |             |
| Serenade ASO                 | 03847         | Bayer CropScience Limited | Fungicide        |                          |                   | 10 l/ha               | -                       | every 7 days               |                                                | 0 days      |
|                              |               |                           |                  | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                       |                         |                            |                                                |             |
| Switch                       | 03761         | Syngenta UK Ltd           | Fungicide        |                          |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3                          | 3 days before harvest                          |             |
|                              |               |                           |                  | <i>Fludioxonil</i>       | <i>25.0 % w/w</i> |                       |                         |                            |                                                |             |
|                              |               |                           |                  | <i>Cyprodinil</i>        | <i>37.5 % w/w</i> |                       |                         |                            |                                                |             |
| <i>Apples - Post harvest</i> |               |                           |                  |                          |                   |                       |                         |                            |                                                |             |
| Folicur 250 EW               | 00468         | Bayer CropScience Limited | Fungicide        |                          |                   | 0.6 l/ha              | 1.8 l/ha                | 3                          | After final harvest but before final leaf fall |             |
|                              |               |                           |                  | <i>Tebuconazole</i>      | <i>250 g/l</i>    |                       |                         |                            |                                                |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i>                         | <i>Latest Time of Applic:</i>             | <i>PHI:</i> |
|------------------|---------------------|---------------|----------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------------------------------|-------------------------------------------|-------------|
| <i>Asparagus</i> |                     |               |                            |                 |                          |                  |                       |                         |                                                    |                                           |             |
|                  | Amistar Opti        | 03408         | Syngenta UK Ltd            | Fungicide       |                          |                  | 2.5 l/ha              | 5.0 l/ha                | -                                                  | Before senescence                         |             |
|                  |                     |               |                            |                 | <i>Chlorothalonil</i>    | <i>400 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  |                     |               |                            |                 | <i>Azoxystrobin</i>      | <i>80 g/l</i>    |                       |                         |                                                    |                                           |             |
|                  | Bravo 500           | 03452         | Syngenta UK Ltd            | Fungicide       |                          |                  | 2.0 l/ha              | 4.0 l/ha                | -                                                  | Before senescence                         |             |
|                  |                     |               |                            |                 | <i>Chlorothalonil</i>    | <i>500 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Curator             | 04504         | Syngenta UK Ltd            | Fungicide       |                          |                  | 2.5 l/ha              | 5.0 l/ha                | -                                                  | Before senescence                         |             |
|                  |                     |               |                            |                 | <i>Azoxystrobin</i>      | <i>80 g/l</i>    |                       |                         |                                                    |                                           |             |
|                  |                     |               |                            |                 | <i>Chlorothalonil</i>    | <i>400 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Jupital             | 04503         | Syngenta UK Ltd            | Fungicide       |                          |                  | 2.0 l/ha              | 4.0 l/ha                | -                                                  | Before senescence                         |             |
|                  |                     |               |                            |                 | <i>Chlorothalonil</i>    | <i>500 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       |                          |                  | 2.0 kg/ha             | 4.0 kg/ha               | 2 - 1 to growing crop. 1 - post harvest underneath | 28 days before harvest                    |             |
|                  |                     |               |                            |                 | <i>Pyridate</i>          | <i>45 % w/w</i>  |                       |                         |                                                    |                                           |             |
|                  | PDM 330 EC          | 03582         | BASF plc                   | Herbicide       |                          |                  | 4.0 l/ha              | 4.0 l/ha                | 1                                                  | Before crop emergence                     |             |
|                  |                     |               |                            |                 | <i>Pendimethalin</i>     | <i>330 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Score 250 EC        | 04566         | Syngenta UK Ltd            | Fungicide       |                          |                  | 0.5 l/ha              | 1.0 l/ha                |                                                    | After harvest and before end of September |             |
|                  |                     |               |                            |                 | <i>Difenoconazole</i>    | <i>250 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days                                       |                                           | 0 days      |
|                  |                     |               |                            |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                                                    |                                           |             |
|                  | Stomp Aqua          | 03750         | BASF plc                   | Herbicide       |                          |                  | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                                           | Before crop emergence                     |             |
|                  |                     |               |                            |                 | <i>Pendimethalin</i>     | <i>455 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  | Vertik              | 04030         | Syngenta UK Ltd            | Fungicide       |                          |                  | 2.0 l/ha              | 4.0 l/ha                | -                                                  | Before senescence                         |             |
|                  |                     |               |                            |                 | <i>Azoxystrobin</i>      | <i>100 g/l</i>   |                       |                         |                                                    |                                           |             |
|                  |                     |               |                            |                 | <i>Chlorothalonil</i>    | <i>500 g/l</i>   |                       |                         |                                                    |                                           |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------|------------------|------------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Aubergines - Protected</i> |                     |               |                           |                 |                             |                  |                              |                         |                            |                               |             |
|                               | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                             |                  | 100 mls/100 litres water     | -                       | 3                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                           |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                              |                         |                            |                               |             |
|                               | CaLypso             | 02441         | Bayer CropScience Limited | Insecticide     |                             |                  | 0.45 l/ha                    | 0.9 l/ha                | 2                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                           |                 | <i>Thiacloprid</i>          | <i>480 g/l</i>   |                              |                         |                            |                               |             |
|                               | Grisu               | 04836         | Oxon Italia SpA           | Fungicide       |                             |                  | 100 mls per 100 litres water | -                       | 5 per crop                 | 2 days before harvest         | 2 days      |
|                               |                     |               |                           |                 | <i>Iprodione</i>            | <i>500 g/l</i>   |                              |                         |                            |                               |             |
|                               | Microthiol Special  | 90548         | UPL Europe Ltd            | Fungicide       |                             |                  | 0.01kgs/5 litres water       | -                       | -                          | -                             | 0 days      |
|                               |                     |               |                           |                 | <i>Sulphur</i>              | <i>80 %w/w</i>   |                              |                         |                            |                               |             |
|                               | Plenum              | 02238         | Syngenta UK Ltd           | Insecticide     |                             |                  | 0.06 kgs/100 litres water    | 0.18 kgs/ha             | 3 / crop                   | 3 days before harvest         | 3 days      |
|                               |                     |               |                           |                 | <i>Pymetrozine</i>          | <i>50 %w/w</i>   |                              |                         |                            |                               |             |
|                               | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       |                             |                  | 3 mls per sq m               | 6 mls per sq m          | -                          | Before transplanting          |             |
|                               |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                              |                         |                            |                               |             |
|                               |                     |               |                           |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                              |                         |                            |                               |             |
|                               |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                              |                         |                            |                               |             |
|                               |                     |               |                           |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                              |                         |                            |                               |             |
|                               | Revus               | 02789         | Syngenta UK Ltd           | Fungicide       |                             |                  | 0.6 l/ha                     | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |                           |                 | <i>Mandipropamid</i>        | <i>250 g/l</i>   |                              |                         |                            |                               |             |
|                               | Rovral WG           | 02729         | BASF plc                  | Fungicide       |                             |                  | 67 g/100 litres water        | -                       | 5                          | 2 days pre harvest            | 2 days      |
|                               |                     |               |                           |                 | <i>Iprodione</i>            | <i>750 g/kg</i>  |                              |                         |                            |                               |             |
|                               | Scala               | 03916         | BASF plc                  | Fungicide       |                             |                  | 0.5 l/ha                     | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                               |                     |               |                           |                 | <i>Pyrimethanil</i>         | <i>400 g/l</i>   |                              |                         |                            |                               |             |
|                               | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                             |                  | 10 l/ha                      | -                       | every 7 days               |                               | 0 days      |
|                               |                     |               |                           |                 | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i> |                              |                         |                            |                               |             |
|                               | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                             |                  | 1.5 kgs/ha                   | 4.5 kgs/ha              | 3                          | 1 day before harvest          | 1 day       |
|                               |                     |               |                           |                 | <i>Fenhexamid</i>           | <i>50 %w/w</i>   |                              |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                             | <i>PHI:</i>    |
|-----------------------------|---------------------|---------------|--------------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-----------------------------------------------------------|----------------|
| <i>Baby leaf production</i> |                     |               |                                      |                 |                           |                 |                       |                         |                            |                                                           |                |
|                             | Acrobat MZ          | 04059         | BASF plc                             | Fungicide       |                           |                 | 2.0 kg/ha             | 6.0 kg/ha               | -                          | 21 days before harvest                                    | 21 days        |
|                             |                     |               |                                      |                 | <i>Dimethomorph</i>       | <i>75 g/kg</i>  |                       |                         |                            |                                                           |                |
|                             |                     |               |                                      |                 | <i>Mancozeb</i>           | <i>667 g/kg</i> |                       |                         |                            |                                                           |                |
|                             | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 14 days before harvest                                    | 14 days        |
|                             |                     |               |                                      |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | CIPC                | 90486         | Arysta LifeScience Benelux SPRL      | Herbicide       |                           |                 | 2.8 l/ha              | 2.8 l/ha                | 1                          |                                                           |                |
|                             |                     |               |                                      |                 | <i>Chlorpropham</i>       | <i>400 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                           |                 | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 28 days before harvest                                    | 28 days        |
|                             |                     |               |                                      |                 | <i>Mancozeb</i>           | <i>75% w/w</i>  |                       |                         |                            |                                                           |                |
|                             | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                                     | 7 days         |
|                             |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Gazelle             | 03248         | Nisso Chemical Europe GmbH           | Insecticide     |                           |                 | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest                                        | 3 days         |
|                             |                     |               |                                      |                 | <i>Acetamiprid</i>        | <i>20 % w/w</i> |                       |                         |                            |                                                           |                |
|                             | Grisu               | 04836         | Oxon Italia SpA                      | Fungicide       |                           |                 | 0.5 l/ha              | 1.5 l/ha                | 3 per crop                 | 14 days before harvest (protected crops), 21 days (field) | 14 days (prote |
|                             |                     |               |                                      |                 | <i>Iprodione</i>          | <i>500 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Infinito            | 02532         | Bayer CropScience Limited            | Fungicide       |                           |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | Before GS 49                                              | 14 days        |
|                             |                     |               |                                      |                 | <i>Propamocarb</i>        | <i>625 g/l</i>  |                       |                         |                            |                                                           |                |
|                             |                     |               |                                      |                 | <i>Fluopicolide</i>       | <i>62.5 g/l</i> |                       |                         |                            |                                                           |                |
|                             | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 7 days pre harvest                                        | 7 days         |
|                             |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.                | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                                     | 7 days         |
|                             |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Kerb Flo            | 02830         | Dow AgroSciences                     | Herbicide       |                           |                 | 1.875 l/ha            | 1.875 l/ha              | 1                          | 24 days before harvest                                    | 24 days        |
|                             |                     |               |                                      |                 | <i>Propyzamide</i>        | <i>400 g/l</i>  |                       |                         |                            |                                                           |                |
|                             | Laidir 10 CS        | 04932         | GAT Microencapsulation AG            | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest                                     | 7 days         |
|                             |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                                                           |                |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |               |                           |                 |                                                           |                 |                        |                         |                            |                               |             |
|                             | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                 | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                             |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                        |                         |                            |                               |             |
|                             | Life Scientific Lam | 04868         | Life Scientific Limited   | Insecticide     |                                                           |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                             | Markate 50          | 05001         | Globachem nv              | Insecticide     |                                                           |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>   |                        |                         |                            |                               |             |
|                             | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                           |                 | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                             |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>   |                        |                         |                            |                               |             |
|                             | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                                                           |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                             | Paraat              | 03614         | BASF plc                  | Fungicide       |                                                           |                 | 0.36 kg/ha             | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |               |                           |                 | <i>Dimethomorph</i>                                       | <i>500 g/kg</i> |                        |                         |                            |                               |             |
|                             | PDM 330 EC          | 03582         | BASF plc                  | Herbicide       |                                                           |                 | 4.5 l/ha               | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                             |                     |               |                           |                 | <i>Pendimethalin</i>                                      | <i>330 g/l</i>  |                        |                         |                            |                               |             |
|                             | Pendifin 400 SC     | 05731         | Finchimica S.p.A          | Herbicide       |                                                           |                 | 3.75 l/ha              | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                             |                     |               |                           |                 | <i>Pendimethalin</i>                                      | <i>400 g/l</i>  |                        |                         |                            |                               |             |
|                             | Plenum              | 02238         | Syngenta UK Ltd           | Insecticide     |                                                           |                 | 0.4 kgs/ha             | 1.2 kgs / ha            | 3                          | 7 days                        |             |
|                             |                     |               |                           |                 | <i>Pymetrozine</i>                                        | <i>50 %w/w</i>  |                        |                         |                            |                               |             |
|                             | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       |                                                           |                 | 3 mls per sq m         | 6 mls per sq m          | -                          | Immediately post drilling     |             |
|                             |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                               | <i>310 g/l</i>  |                        |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                               | <i>310 g/l</i>  |                        |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Propamocarb</i>                                        | <i>530 g/l</i>  |                        |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Propamocarb</i>                                        | <i>530 g/l</i>  |                        |                         |                            |                               |             |
|                             | Ravane              | 05536         | Globachem nv              | Insecticide     |                                                           |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>   |                        |                         |                            |                               |             |
|                             | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd           | Fungicide       |                                                           |                 | 1.9 kg/ha              | 5.7 kg/ha*              |                            | 35 days before harvest        | 35 days     |
|                             |                     |               |                           |                 | <i>Metalaxyl M</i>                                        | <i>4.0 %w/w</i> |                        |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Mancozeb</i>                                           | <i>64 %w/w</i>  |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Baby leaf production</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                             | Rovral WG           | 02729         | BASF plc                  | Fungicide       |                           |                   | 0.33 kgs/ha           | -                       | 3                          | 21 days before harvest        | 21 days     |
|                             |                     |               |                           |                 | <i>Iprodione</i>          | <i>750 g/kg</i>   |                       |                         |                            |                               |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                             |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                             | Signum              | 03799         | BASF plc                  | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                             |                     |               |                           |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                             | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                             |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                             | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                   | 3.75 l/ha             | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                             |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                             | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                             |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                             | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                             |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                             | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                           |                   | 0.7 kg/ha             | 1.4 kg/ha               | 2                          | 7 days before harvest         |             |
|                             |                     |               |                           |                 | <i>Fludioxonil</i>        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                             |                     |               |                           |                 | <i>Cyprodinil</i>         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                             | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | 2                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                           |                 | <i>Fenhexamid</i>         | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                             | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                           |                   | 200 ml/ha             | 600 ml/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |                           |                 | <i>Spinosad</i>           | <i>480 g/l</i>    |                       |                         |                            |                               |             |
| <i>Basil</i>                |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                             |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                             | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                             |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                             | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                             |                     |               |                           |                 | <i>Fenhexamid</i>         | <i>50 %w/w</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>    | <i>PHI:</i> |
|----------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------------------------------------|------------------|-----------------------|-------------------------|----------------------------|----------------------------------|-------------|
| <i>Beans - broad</i> |                     |               |                                     |                 |                                                           |                  |                       |                         |                            |                                  |             |
|                      | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                      | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                      | Farmco Zealot       | 05299         | Farmco Agritrading Ltd              | Herbicide       | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                      | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                 | Insecticide     | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                              |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> | 10 l/ha               | -                       | every 7 days               |                                  | 0 days      |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i>                        | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|--------------------------------------|---------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beans - field</i> |                     |                                      |                     |                 |                          |                  |                       |                         |                            |                               |             |
| Anthem               | 04761               | Adama Agricultural Solutions UK Ltd  | Herbicide           |                 |                          |                  | 3.3 l/ha              | 3.3 l/ha                |                            | Pre crop emergence            |             |
|                      |                     |                                      |                     |                 | <i>Pendimethalin</i>     | <i>400 g/l</i>   |                       |                         |                            |                               |             |
| Defy                 | 04277               | Syngenta UK Ltd                      | Herbicide           |                 |                          |                  | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Pre-emergence                 |             |
|                      |                     |                                      |                     |                 | <i>Prosulfocarb</i>      | <i>800 g/l</i>   |                       |                         |                            |                               |             |
| Dithane 945          | 03705               | Indofil Industries (Netherlands) B.V | Fungicide           |                 |                          |                  | 2.0 kg/ha             | 2.0 kg/ha               | -                          | 28 days before harvest        | 28 days     |
|                      |                     |                                      |                     |                 | <i>Mancozeb</i>          | <i>80 % w/w</i>  |                       |                         |                            |                               |             |
| Dithane Dry Flowa    | 03707               | Indofil Industries (Netherlands) B.V | Fungicide           |                 |                          |                  | 2.1 kg/ha             | 2.1 kg/ha               | 1 per crop                 | 28 days before harvest        | 28 days     |
|                      |                     |                                      |                     |                 | <i>Mancozeb</i>          | <i>75% w/w</i>   |                       |                         |                            |                               |             |
| PDM 330 EC           | 03582               | BASF plc                             | Herbicide           |                 |                          |                  | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                      |                     |                                      |                     |                 | <i>Pendimethalin</i>     | <i>330 g/l</i>   |                       |                         |                            |                               |             |
| Pendifin 400 SC      | 05731               | Finchimica S.p.A                     | Herbicide           |                 |                          |                  | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|                      |                     |                                      |                     |                 | <i>Pendimethalin</i>     | <i>400 g/l</i>   |                       |                         |                            |                               |             |
| Ridomil Gold MZ 6    | 01516               | Syngenta UK Ltd                      | Fungicide           |                 |                          |                  | 2.0 kg/ha             | 2.0 kg/ha               | -                          | 28 days before harvest        | 28 days     |
|                      |                     |                                      |                     |                 | <i>Metalaxyl M</i>       | <i>4.0 %w/w</i>  |                       |                         |                            |                               |             |
|                      |                     |                                      |                     |                 | <i>Mancozeb</i>          | <i>64 %w/w</i>   |                       |                         |                            |                               |             |
| Serenade ASO         | 03847               | Bayer CropScience Limited            | Fungicide           |                 |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                      |                     |                                      |                     |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
| Stomp 400 SC         | 02879               | BASF plc                             | Herbicide           |                 |                          |                  | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                      |                     |                                      |                     |                 | <i>Pendimethalin</i>     | <i>400 g/l</i>   |                       |                         |                            |                               |             |
| Stomp Aqua           | 03750               | BASF plc                             | Herbicide           |                 |                          |                  | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Pre crop emergence            |             |
|                      |                     |                                      |                     |                 | <i>Pendimethalin</i>     | <i>455 g/l</i>   |                       |                         |                            |                               |             |
| Sumi-Alpha           | 02334               | Sumitomo Chemical Agro Europe SAS    | Insecticide         |                 |                          |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                      |                     |                                      |                     |                 | <i>Esfenvalerate</i>     | <i>25 g/l</i>    |                       |                         |                            |                               |             |
| Wakil XL             | 05471               | Syngenta UK Ltd                      | Seed Dressing       |                 |                          |                  | 2.0 kg/tonne          | 2.0 kg/tonne            | 1 per batch                | Before drilling               |             |
|                      |                     |                                      |                     |                 | <i>Metalaxyl M</i>       | <i>175 g/kg</i>  |                       |                         |                            |                               |             |
|                      |                     |                                      |                     |                 | <i>Fludioxonil</i>       | <i>50 g/kg</i>   |                       |                         |                            |                               |             |
|                      |                     |                                      |                     |                 | <i>Cymoxanil</i>         | <i>100 g/kg</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>    | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------------------------------------|------------------|-----------------------|-------------------------|----------------------------|----------------------------------|-------------|
| <i>Beans - french</i> |                     |               |                                     |                 |                                                           |                  |                       |                         |                            |                                  |             |
|                       | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Dual Gold           | 04192         | Syngenta UK Ltd                     | Herbicide       |                                                           |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing         |             |
|                       |                     |               |                                     |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Farmco Zealot       | 05299         | Farmco Agritrading Ltd              | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                           |                  | 10 l/ha               | -                       | every 7 days               |                                  | 0 days      |
|                       |                     |               |                                     |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                                  |             |
| <i>Beans - navy</i>   |                     |               |                                     |                 |                                                           |                  |                       |                         |                            |                                  |             |
|                       | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Farmco Zealot       | 05299         | Farmco Agritrading Ltd              | Herbicide       |                                                           |                  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage | 7 weeks     |
|                       |                     |               |                                     |                 | <i>Propaquizafop</i>                                      | <i>100 g/l</i>   |                       |                         |                            |                                  |             |
| <i>Beans - runner</i> |                     |               |                                     |                 |                                                           |                  |                       |                         |                            |                                  |             |
|                       | Dual Gold           | 04192         | Syngenta UK Ltd                     | Herbicide       |                                                           |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | Immediately after sowing         |             |
|                       |                     |               |                                     |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>   |                       |                         |                            |                                  |             |
|                       | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                 | Insecticide     |                                                           |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                              |             |
|                       |                     |               |                                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                                  |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                           |                  | 10 l/ha               | -                       | every 7 days               |                                  | 0 days      |
|                       |                     |               |                                     |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                                  |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beet - fodder</i> |                     |               |                           |                 |                          |                  |                       |                         |                            |                               |             |
|                      | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a     | Insecticide     |                          |                  | 300 mls/ha            | 300 mls/ha              | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>      | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                      | Decis               | 02693         | Bayer CropScience Limited | Insecticide     |                          |                  | 300 mls/ha            | 300 mls/ha              |                            | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>      | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                      | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |                          |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                      |                     |               |                           |                 | <i>S-Metolachlor</i>     | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|                      | Fortress            | 02364         | Dow AgroSciences          | Fungicide       |                          |                  | 0.3 l/ha              | 0.4 l/ha                | 2                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Quinoxifen</i>        | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                      | GAT Decline 2.5 E   | 04422         | GAT Microencapsulation AG | Insecticide     |                          |                  | 300 mls/ha            | 300 mls/ha              | -                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Deltamethrin</i>      | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                      | NEMGuard DE         | 05368         | ECOspray Ltd              | Nematicide      |                          |                  | 10 kg/ha              | 10 kg/ha                | 1                          | At drilling                   |             |
|                      |                     |               |                           |                 | <i>Garlic Extract</i>    | <i>450 g/kg</i>  |                       |                         |                            |                               |             |
|                      | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                          |                  | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>    | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
| <i>Beet - red</i>    |                     |               |                           |                 |                          |                  |                       |                         |                            |                               |             |
|                      | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |                          |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                      |                     |               |                           |                 | <i>S-Metolachlor</i>     | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|                      | NEMGuard DE         | 05368         | ECOspray Ltd              | Nematicide      |                          |                  | 10 kg/ha              | 10 kg/ha                | 1                          | At drilling                   |             |
|                      |                     |               |                           |                 | <i>Garlic Extract</i>    | <i>450 g/kg</i>  |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
| <i>Beet - sugar</i>  |                     |               |                           |                 |                          |                  |                       |                         |                            |                               |             |
|                      | Dual Gold           | 04192         | Syngenta UK Ltd           | Herbicide       |                          |                  | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|                      |                     |               |                           |                 | <i>S-Metolachlor</i>     | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|                      | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                          |                  | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                      |                     |               |                           |                 | <i>Difenoconazole</i>    | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i>                        | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|---------------------|---------------------|--------------------------------------|---------------------|-----------------|-----------------------------|----------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Beetroot</i>     |                     |                                      |                     |                 |                             |                |                       |                         |                            |                                   |             |
| Biscaya             | 03602               | Bayer CropScience Limited            | Insecticide         |                 |                             |                | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest             |             |
|                     |                     |                                      |                     |                 | <i>Thiacloprid</i>          | <i>240 g/l</i> |                       |                         |                            |                                   |             |
| Corbel              | 90438               | BASF plc                             | Fungicide           |                 |                             |                | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest            | 28 days     |
|                     |                     |                                      |                     |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i> |                       |                         |                            |                                   |             |
| Decis               | 02693               | Bayer CropScience Limited            | Insecticide         |                 |                             |                | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest            | 21 days     |
|                     |                     |                                      |                     |                 | <i>Deltamethrin</i>         | <i>25 g/l</i>  |                       |                         |                            |                                   |             |
| Dithane Dry Flowa   | 03707               | Indofil Industries (Netherlands) B.V | Fungicide           |                 |                             |                | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest            | 30 days     |
|                     |                     |                                      |                     |                 | <i>Mancozeb</i>             | <i>75% w/w</i> |                       |                         |                            |                                   |             |
| Eminentos 10 CS     | 04933               | GAT Microencapsulation AG            | Insecticide         |                 |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |
| Fortress            | 02364               | Dow AgroSciences                     | Fungicide           |                 |                             |                | 0.3 l/ha              | 0.4 l/ha                | 2                          | 28 days pre harvest               | 28 days     |
|                     |                     |                                      |                     |                 | <i>Quinoxifen</i>           | <i>500 g/l</i> |                       |                         |                            |                                   |             |
| Fusilade Max        | 01472               | Syngenta UK Ltd                      | Herbicide           |                 |                             |                | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest            | 56 days     |
|                     |                     |                                      |                     |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i> |                       |                         |                            |                                   |             |
| Karate Zeon         | 04084               | Syngenta UK Ltd                      | Insecticide         |                 |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest               | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |
| Karis 10 CS         | 04454               | FMC Chemical s.p.r.l.                | Insecticide         |                 |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |
| Laidir 10 CS        | 04932               | GAT Microencapsulation AG            | Insecticide         |                 |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |
| Life Scientific Lam | 04868               | Life Scientific Limited              | Insecticide         |                 |                             |                | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |
| Markate 50          | 05001               | Globachem nv                         | Insecticide         |                 |                             |                | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>50 g/l</i>  |                       |                         |                            |                                   |             |
| Microthiol Special  | 90548               | UPL Europe Ltd                       | Fungicide           |                 |                             |                | 10 kg/ha              | 20 kgs/ha               | 2                          | Last application before September | -           |
|                     |                     |                                      |                     |                 | <i>Sulphur</i>              | <i>80 %w/w</i> |                       |                         |                            |                                   |             |
| Ninja 10CS          | 05178               | Syngenta UK Ltd                      | Insecticide         |                 |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest            | 14 days     |
|                     |                     |                                      |                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>    | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Beetroot</i> |                     |               |                        |                 |                           |                   |                       |                         |                            |                               |             |
|                 | Pilot Ultra         | 02445         | Nissan Chemical Europe | Herbicide       |                           |                   | 2.5 l/ha              | 3.75 l/ha               | 2                          | 16 weeks pre harvest          | 16 weeks    |
|                 |                     |               |                        |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Ravane              | 05536         | Globachem nv           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                        |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Reflect             | 05462         | Syngenta UK Ltd        | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                        |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd        | Fungicide       |                           |                   | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                 |                     |               |                        |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Sparviero           | 04469         | Oxon Italia SpA        | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                        |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Stratos Ultra       | 04936         | BASF plc               | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                        |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Switch              | 03761         | Syngenta UK Ltd        | Fungicide       |                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                 |                     |               |                        |                 | <i>Cyprodinil</i>         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                 |                     |               |                        |                 | <i>Fludioxonil</i>        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                 | Vydate 10G          | 03698         | DuPont (UK) Ltd        | Nematicide      |                           |                   | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                 |                     |               |                        |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|---------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Blackberries</i> |                     |               |                                     |                 |                                                           |                  |                       |                         |                            |                                   |             |
|                     | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                                                           |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 7 days before harvest             | 7 days      |
|                     | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>   | 0.4 l/ha              | 1.2 l/ha                | 3                          | 14 days pre harvest               | 14 days     |
|                     | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     | <i>Clofentezine</i>                                       | <i>500 g/l</i>   | 0.25 l/ha             | 0.75 l/ha               | 3                          | 3 days before harvest             | 3 days      |
|                     | Folicur 250 EW      | 00468         | Bayer CropScience Limited           | Fungicide       | <i>Thiacloprid</i>                                        | <i>480 g/l</i>   | 0.8 l/ha              | 2.4 l/ha                | 3 per year                 | 14 days before harvest            | 14 days     |
|                     | Fusilade Max        | 01472         | Syngenta UK Ltd                     | Herbicide       | <i>Tebuconazole</i>                                       | <i>250 g/l</i>   | 3.0 l/ha              | 3.0 l/ha                | 1                          | Before flowering or after harvest |             |
|                     | Grisu               | 04836         | Oxon Italia SpA                     | Fungicide       | <i>Fluazifop-P (-butyl)</i>                               | <i>125 g/l</i>   | 1.5 l/ha              | -                       | 4 per crop                 | 7 days before harvest             | 7 days      |
|                     | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.                 | Insecticide     | <i>Iprodione</i>                                          | <i>500 g/l</i>   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                               |             |
|                     | Masai               | 03585         | BASF plc                            | Insecticide     | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  | 375 gms/ha            | 375 g/ha                | 1 / year                   | 21 days before harvest            |             |
|                     | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i>  | 0.4 kgs/ha            | 1.2 kgs/ha              | 3                          | 28 days before harvest            | 28 days     |
|                     | Rovral WG           | 02729         | BASF plc                            | Fungicide       | <i>Pymetrozine</i>                                        | <i>50 %w/w</i>   | 1.0 kg/ha             | 4.0 kgs/ha              | 4                          | 7 days before harvest             | 7 days      |
|                     | Scala               | 03916         | BASF plc                            | Fungicide       | <i>Iprodione</i>                                          | <i>750 g/kg</i>  | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | 7 days before harvest             | 7 days      |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>   | 10 l/ha               | -                       | every 7 days               |                                   | 0 days      |
|                     | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.               | Herbicide       | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> | 0.8 l/ha              | 1.6 l/ha                | -                          | 21 days before harvest            |             |
|                     |                     |               |                                     |                 | <i>Carfentrazone-ethyl</i>                                | <i>60 g/l</i>    |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|-------------------|--------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Blackberries</i>             |                     |               |                           |                 |                                                           |                   |                          |                         |                            |                               |             |
|                                 | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 1.0 kg/ha                | 3.0 kg/ha               | 3                          | 10 days before harvest        |             |
|                                 |                     |               |                           |                 | <i>Fludioxonil</i>                                        | <i>25.0 % w/w</i> |                          |                         |                            |                               |             |
|                                 |                     |               |                           |                 | <i>Cyprodinil</i>                                         | <i>37.5 % w/w</i> |                          |                         |                            |                               |             |
|                                 | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                                                           |                   | 200 ml/ha in 1000L water | 400 ml/ha               | 2 per year                 | 1 day before harvest          | 1 day       |
|                                 |                     |               |                           |                 | <i>Spinosad</i>                                           | <i>480 g/l</i>    |                          |                         |                            |                               |             |
| <i>Blackberries - Protected</i> |                     |               |                           |                 |                                                           |                   |                          |                         |                            |                               |             |
|                                 | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 1.0 l/ha                 | 2.0 l/ha                | 2 per crop                 | 10 days before harvest        | 10 days     |
|                                 |                     |               |                           |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>    |                          |                         |                            |                               |             |
|                                 | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 0.8 l/ha                 | 2.4 l/ha                | 3 per year                 | 14 days before harvest        | 14 days     |
|                                 |                     |               |                           |                 | <i>Tebuconazole</i>                                       | <i>250 g/l</i>    |                          |                         |                            |                               |             |
|                                 | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                   | 1.0 kg/ha                | 3.0 kg/ha               | -                          | N/A                           |             |
|                                 |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                          |                         |                            |                               |             |
|                                 | Masai               | 03585         | BASF plc                  | Insecticide     |                                                           |                   | 375 gms/ha               | 375 g/ha                | 1 / year                   | 21 days before harvest        |             |
|                                 |                     |               |                           |                 | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i>   |                          |                         |                            |                               |             |
|                                 | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 1.0 kg/ha                | 3.0 kg/ha               | 3                          | 10 days before harvest        |             |
|                                 |                     |               |                           |                 | <i>Cyprodinil</i>                                         | <i>37.5 % w/w</i> |                          |                         |                            |                               |             |
|                                 |                     |               |                           |                 | <i>Fludioxonil</i>                                        | <i>25.0 % w/w</i> |                          |                         |                            |                               |             |
|                                 | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                                                           |                   | 200 ml/ha in 1000L water | 600 ml/ha               | 3 per year                 | 1 day before harvest          | 1 day       |
|                                 |                     |               |                           |                 | <i>Spinosad</i>                                           | <i>480 g/l</i>    |                          |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|-----------------|------------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Blackcurrants</i> |                     |               |                                     |                 |                           |                 |                              |                         |                            |                               |             |
|                      | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                           |                 | 0.4 l/ha                     | 1.2 l/ha                | 3                          | 14 days pre harvest           | 14 days     |
|                      |                     |               |                                     |                 | <i>Clofentezine</i>       | <i>500 g/l</i>  |                              |                         |                            |                               |             |
|                      | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                           |                 | 0.25 l/ha                    | 0.75 l/ha               | 3                          | 3 days before harvest         | 3 days      |
|                      |                     |               |                                     |                 | <i>Thiacloprid</i>        | <i>480 g/l</i>  |                              |                         |                            |                               |             |
|                      | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.         | Herbicide       |                           |                 | 120 g/ha                     | 120 g/ha                | 1 per year                 | Before bud burst              |             |
|                      |                     |               |                                     |                 | <i>Flazasulfuron</i>      | <i>25 % w/w</i> |                              |                         |                            |                               |             |
|                      | Corbel              | 90438         | BASF plc                            | Fungicide       |                           |                 | 1.0 l/ha                     | 3.0 l/ha                | 3                          | 2 weeks before harvest        | 2 weeks     |
|                      |                     |               |                                     |                 | <i>Fenpropimorph</i>      | <i>750 g/l</i>  |                              |                         |                            |                               |             |
|                      | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     |                           |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                      |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                              |                         |                            |                               |             |
|                      | Manfil 75 WG        | 03598         | Indofil Industries Limited          | Fungicide       |                           |                 | 1.5 kg per 1000 litres water | -                       | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>           | <i>75 % w/w</i> |                              |                         |                            |                               |             |
|                      | Manfil 80 WP        | 03563         | Indofil Industries Limited          | Fungicide       |                           |                 | 1.4 kg per 1000L water       | -                       | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>           | <i>800 g/kg</i> |                              |                         |                            |                               |             |
|                      | Masai               | 03585         | BASF plc                            | Insecticide     |                           |                 | 1.5 kgs/ha                   | 1.5 kgs/ha              | -                          | 7 days before harvest         |             |
|                      |                     |               |                                     |                 | <i>Tebufenpyrad</i>       | <i>200 g/kg</i> |                              |                         |                            |                               |             |
|                      | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     |                           |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                              |                         |                            |                               |             |
|                      | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide       |                           |                 | 1.4 kg/1000L water           | -                       | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>           | <i>800 g/kg</i> |                              |                         |                            |                               |             |
|                      | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide       |                           |                 | 1.5 kg/1000L water           | -                       | -                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>           | <i>750 g/kg</i> |                              |                         |                            |                               |             |
|                      | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                           |                 | 0.4 kgs/ha                   | 1.2 kgs/ha              | 3                          | 28 days before harvest        | 28 days     |
|                      |                     |               |                                     |                 | <i>Pymetrozine</i>        | <i>50 %w/w</i>  |                              |                         |                            |                               |             |
|                      | Scala               | 03916         | BASF plc                            | Fungicide       |                           |                 | 2.0 l/ha                     | 4.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                      |                     |               |                                     |                 | <i>Pyrimethanil</i>       | <i>400 g/l</i>  |                              |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|---------------------------|-----------------|--------------------------|------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Blackcurrants</i>     |               |                           |                 |                          |                  |                         |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha                 | -                       | every 7 days               |                               | 0 days      |
|                          |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                         |                         |                            |                               |             |
| Tracer                   | 02649         | Dow AgroSciences          | Insecticide     |                          |                  | 200 ml/ha in 250L water | 400 ml/ha               | 2 per year                 | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>Spinosad</i>          | <i>480 g/l</i>   |                         |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i>               | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|--------------------|---------------------|-----------------------------|---------------------|-----------------|-----------------------------------------------------------|------------------|------------------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Blueberries</i> |                     |                             |                     |                 |                                                           |                  |                              |                         |                            |                                   |             |
| CaLypso            | 02441               | Bayer CropScience Limited   | Insecticide         |                 |                                                           |                  | 0.25 l/ha                    | 0.75 l/ha               | 3                          | 3 days before harvest             | 3 days      |
|                    |                     |                             |                     |                 | <i>Thiacloprid</i>                                        | <i>480 g/l</i>   |                              |                         |                            |                                   |             |
| Chikara Weed Cont  | 04203               | ISK Biosciences Europe N.V. | Herbicide           |                 |                                                           |                  | 120 g/ha                     | 120 g/ha                | 1 per year                 | Before bud burst                  |             |
|                    |                     |                             |                     |                 | <i>Flazasulfuron</i>                                      | <i>25 % w/w</i>  |                              |                         |                            |                                   |             |
| Corbel             | 90438               | BASF plc                    | Fungicide           |                 |                                                           |                  | 1.0 l/ha                     | 3.0 l/ha                | 3                          | 2 weeks before harvest            | 2 weeks     |
|                    |                     |                             |                     |                 | <i>Fenpropimorph</i>                                      | <i>750 g/l</i>   |                              |                         |                            |                                   |             |
| Fusilade Max       | 01472               | Syngenta UK Ltd             | Herbicide           |                 |                                                           |                  | 3.0 l/ha                     | 3.0 l/ha                | 1                          | Before flowering or after harvest |             |
|                    |                     |                             |                     |                 | <i>Fluazifop-P (-butyl)</i>                               | <i>125 g/l</i>   |                              |                         |                            |                                   |             |
| Lepinox Plus       | 05254               | CBC (Europe) S.r.l.         | Insecticide         |                 |                                                           |                  | 1.0 kg/ha                    | 3.0 kg/ha               | -                          | N/A                               |             |
|                    |                     |                             |                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                              |                         |                            |                                   |             |
| Manfil 75 WG       | 03598               | Indofil Industries Limited  | Fungicide           |                 |                                                           |                  | 1.5 kg per 1000 litres water | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>75 % w/w</i>  |                              |                         |                            |                                   |             |
| Manfil 80 WP       | 03563               | Indofil Industries Limited  | Fungicide           |                 |                                                           |                  | 1.4 kg per 1000L water       | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i>  |                              |                         |                            |                                   |             |
| Masai              | 03585               | BASF plc                    | Insecticide         |                 |                                                           |                  | 1.5 kgs/ha                   | 1.5 kgs/ha              | -                          | 7 days before harvest             |             |
|                    |                     |                             |                     |                 | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i>  |                              |                         |                            |                                   |             |
| Penncozeb 80 WP    | 03609               | UPL Europe Ltd              | Fungicide           |                 |                                                           |                  | 1.4 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i>  |                              |                         |                            |                                   |             |
| Penncozeb WDG      | 03608               | UPL Europe Ltd              | Fungicide           |                 |                                                           |                  | 1.5 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>750 g/kg</i>  |                              |                         |                            |                                   |             |
| Scala              | 03916               | BASF plc                    | Fungicide           |                 |                                                           |                  | 2.0 l/ha                     | 4.0 l/ha                | 2 per crop                 | 21 days before harvest            | 21 days     |
|                    |                     |                             |                     |                 | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>   |                              |                         |                            |                                   |             |
| Serenade ASO       | 03847               | Bayer CropScience Limited   | Fungicide           |                 |                                                           |                  | 10 l/ha                      | -                       | every 7 days               |                                   | 0 days      |
|                    |                     |                             |                     |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                              |                         |                            |                                   |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>      | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-----------------------------------------------|----------------------------|---------------------------------------------|-------------|
| <i>Blueberries</i> |                     |               |                     |                 |                       |                   |                       |                                               |                            |                                             |             |
|                    | Signum              | 03799         | BASF plc            | Fungicide       |                       |                   | 1.5 kgs/ha            | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                    |                     |               |                     |                 | <i>Boscalid</i>       | <i>26.7 % w/w</i> |                       |                                               |                            |                                             |             |
|                    |                     |               |                     |                 | <i>Pyraclostrobin</i> | <i>6.7 % w/w</i>  |                       |                                               |                            |                                             |             |
|                    | Switch              | 03761         | Syngenta UK Ltd     | Fungicide       |                       |                   | 1.0 kg/ha             | 3.0 kg/ha                                     | 3                          | 7 days before harvest                       |             |
|                    |                     |               |                     |                 | <i>Cyprodinil</i>     | <i>37.5 % w/w</i> |                       |                                               |                            |                                             |             |
|                    |                     |               |                     |                 | <i>Fludioxonil</i>    | <i>25.0 % w/w</i> |                       |                                               |                            |                                             |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-----------------|---------------------|---------------|----------------------------|-----------------|--------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Broccoli</i> |                     |               |                            |                 |                          |                  |                        |                         |                            |                                                              |             |
|                 | CaLypso             | 02441         | Bayer CropScience Limited  | Insecticide     |                          |                  | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
|                 | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       | <i>Thiacloprid</i>       | <i>480 g/l</i>   | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                 | Folicur 250 EW      | 00468         | Bayer CropScience Limited  | Fungicide       | <i>S-Metolachlor</i>     | <i>960 g/l</i>   | 1.0 l/ha               | 2.25 l/ha               | -                          | 21 days before harvest                                       | 21 days     |
|                 | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.      | Herbicide       | <i>Tebuconazole</i>      | <i>250 g/l</i>   | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                 | Grisu               | 04836         | Oxon Italia SpA            | Fungicide       | <i>Clomazone</i>         | <i>360 g/l</i>   | 1.0 l/ha               | 3.0 l/ha                | 3 per crop                 | 14 days before harvest                                       | 14 days     |
|                 | Infinito            | 02532         | Bayer CropScience Limited  | Fungicide       | <i>Iprodione</i>         | <i>500 g/l</i>   | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|                 | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       | <i>Fluopicolide</i>      | <i>62.5 g/l</i>  | 2.0 kg/ha              | 2.0 kg/ha               | 1                          | 42 days before harvest                                       |             |
|                 | Met 52 Granular     | 04811         | Novozymes France S.A.S.    | Insecticide     | <i>Propamocarb</i>       | <i>625 g/l</i>   | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                 | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd            | Fungicide       | <i>Pyridate</i>          | <i>45 % w/w</i>  | 2.0 kgs/ha             | 4.0 kgs/ha              |                            | 30 days pre harvest                                          | 30 days     |
|                 | Rovral AquaFlo      | 02730         | BASF plc                   | Seed Dressing   | <i>Mancozeb</i>          | <i>64 %w/w</i>   | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                 | Rovral WG           | 02729         | BASF plc                   | Fungicide       | <i>Metalaxyl M</i>       | <i>4.0 %w/w</i>  | 0.67 kg/ha             | 2.01 kgs/ha             | 3                          | 14 days pre harvest                                          | 14 days     |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       | <i>Iprodione</i>         | <i>750 g/kg</i>  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                 |                     |               |                            |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Broccoli</i> |                     |               |                                   |                 |                       |                  |                       |                         |                            |                               |             |
|                 | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                       |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                 | Wing P              | 03590         | BASF plc                          | Herbicide       | <i>Esfenvalerate</i>  | <i>25 g/l</i>    | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                 |                     |               |                                   |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                 |                     |               |                                   |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|------------------------|---------------------|---------------|-----------------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Brussel sprouts</i> |                     |               |                                   |                 |                                                  |                  |                        |                         |                            |                                                              |             |
|                        | Bravo 500           | 03452         | Syngenta UK Ltd                   | Fungicide       |                                                  |                  | 2.0 l/ha               | 6.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                        |                     |               |                                   |                 | <i>Chlorothalonil</i>                            | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | CaLypso             | 02441         | Bayer CropScience Limited         | Insecticide     |                                                  |                  | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
|                        |                     |               |                                   |                 | <i>Thiacloprid</i>                               | <i>480 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | Dual Gold           | 04192         | Syngenta UK Ltd                   | Herbicide       |                                                  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                        |                     |               |                                   |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.             | Herbicide       |                                                  |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                        |                     |               |                                   |                 | <i>Clomazone</i>                                 | <i>360 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | Infinito            | 02532         | Bayer CropScience Limited         | Fungicide       |                                                  |                  | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|                        |                     |               |                                   |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>   |                        |                         |                            |                                                              |             |
|                        |                     |               |                                   |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i>  |                        |                         |                            |                                                              |             |
|                        | Insyst              | 03249         | Nisso Chemical Europe GmbH        | Insecticide     |                                                  |                  | 250 g/ha               | 250 g/ha                | 1                          | 21 days before harvest                                       | 21 days     |
|                        |                     |               |                                   |                 | <i>Acetamiprid</i>                               | <i>20 %w/w</i>   |                        |                         |                            |                                                              |             |
|                        | Jupital             | 04503         | Syngenta UK Ltd                   | Fungicide       |                                                  |                  | 2.0 l/ha               | 6.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                        |                     |               |                                   |                 | <i>Chlorothalonil</i>                            | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | Met 52 Granular     | 04811         | Novozymes France S.A.S.           | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                        |                     |               |                                   |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                                                              |             |
|                        | Rovral AquaFlo      | 02730         | BASF plc                          | Seed Dressing   |                                                  |                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                        |                     |               |                                   |                 | <i>Iprodione</i>                                 | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                        | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                                                  |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                        |                     |               |                                   |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |
|                        | Steward             | 02603         | DuPont (UK) Ltd                   | Insecticide     |                                                  |                  | 85 g/ha                | 255 g/ha                | 3 / crop                   | 1 day before harvest                                         |             |
|                        |                     |               |                                   |                 | <i>Indoxacarb</i>                                | <i>300 g/kg</i>  |                        |                         |                            |                                                              |             |
|                        | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                                                  |                  | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest                                           |             |
|                        |                     |               |                                   |                 | <i>Esfenvalerate</i>                             | <i>25 g/l</i>    |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------------|---------------------|---------------|-----------------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Brussel sprouts</i>             |                     |               |                                   |                 |                          |                  |                       |                         |                            |                               |             |
|                                    | Wing P              | 03590         | BASF plc                          | Herbicide       |                          |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                                    |                     |               |                                   |                 | <i>Dimethenamid-P</i>    | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                                    |                     |               |                                   |                 | <i>Pendimethalin</i>     | <i>250g/l</i>    |                       |                         |                            |                               |             |
| <i>Bush/Cane fruit plantations</i> |                     |               |                                   |                 |                          |                  |                       |                         |                            |                               |             |
|                                    | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              |                            | 365 days before first harvest |             |
|                                    |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                    | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 365 days before first harvest |             |
|                                    |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                    | Most Micro          | 04837         | Sipcam U.K. Ltd                   | Herbicide       |                          |                  | 3.75 l/ha             | 3.75 l/ha               | 1 per year                 | N/A                           |             |
|                                    |                     |               |                                   |                 | <i>Pendimethalin</i>     | <i>365 g/l</i>   |                       |                         |                            |                               |             |
|                                    | Roundup Biactive    | 02313         | Monsanto UK Ltd                   | Herbicide       |                          |                  | 4 l/ha                | 10 l/ha                 |                            | 28 days pre harvest           | 28 days     |
|                                    |                     |               |                                   |                 | <i>Glyphosate</i>        | <i>360 g/l</i>   |                       |                         |                            |                               |             |
|                                    | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                                    |                     |               |                                   |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                                    | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 365 days before first harvest |             |
|                                    |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i>                     | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|--------------------------|---------------------|-----------------------------------|---------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Cabbage - chinese</i> |                     |                                   |                     |                 |                                                  |                  |                        |                         |                            |                                                              |             |
| Amistar                  | 01351               | Syngenta UK Ltd                   | Fungicide           |                 |                                                  |                  | 1.0 l/ha               | 2.0 l/ha                | 2                          | 14 days                                                      |             |
|                          |                     |                                   |                     |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                                                              |             |
| Butisan S                | 90342               | BASF plc                          | Herbicide           |                 |                                                  |                  | 1.5 l/ha               | 1.5 l/ha                | 1                          | 6 weeks                                                      | 6 weeks     |
|                          |                     |                                   |                     |                 | <i>Metazachlor</i>                               | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
| Dual Gold                | 04192               | Syngenta UK Ltd                   | Herbicide           |                 |                                                  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                          |                     |                                   |                     |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |                                                              |             |
| Folicur 250 EW           | 00468               | Bayer CropScience Limited         | Fungicide           |                 |                                                  |                  | 1.0 l/ha               | 2.25 l/ha               | -                          | 21 days before harvest                                       | 21 days     |
|                          |                     |                                   |                     |                 | <i>Tebuconazole</i>                              | <i>250 g/l</i>   |                        |                         |                            |                                                              |             |
| Gamit 36 CS              | 05357               | FMC Chemical s.p.l.               | Herbicide           |                 |                                                  |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                          |                     |                                   |                     |                 | <i>Clomazone</i>                                 | <i>360 g/l</i>   |                        |                         |                            |                                                              |             |
| Met 52 Granular          | 04811               | Novozymes France S.A.S.           | Insecticide         |                 |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                          |                     |                                   |                     |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                                                              |             |
| Movento                  | 04101               | Bayer CropScience Limited         | Insecticide         |                 |                                                  |                  | 0.5 l/ha               | 1.0 l/ha                | 2                          | 7 days before harvest                                        | 7 days      |
|                          |                     |                                   |                     |                 | <i>Spirotetramat</i>                             | <i>150 g/l</i>   |                        |                         |                            |                                                              |             |
| Plenum                   | 02238               | Syngenta UK Ltd                   | Insecticide         |                 |                                                  |                  | 0.4 kgs/ha             | 1.2 kgs/ha              | 3                          | 14 days before harvest                                       | 14 days     |
|                          |                     |                                   |                     |                 | <i>Pymetrozine</i>                               | <i>50 %w/w</i>   |                        |                         |                            |                                                              |             |
| Rovral AquaFlo           | 02730               | BASF plc                          | Seed Dressing       |                 |                                                  |                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                          |                     |                                   |                     |                 | <i>Iprodione</i>                                 | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
| Score 250 EC             | 04566               | Syngenta UK Ltd                   | Fungicide           |                 |                                                  |                  | 0.5 l/ha               | 1.0 l/ha                |                            | 21 days before harvest                                       | 21 days     |
|                          |                     |                                   |                     |                 | <i>Difenoconazole</i>                            | <i>250 g/l</i>   |                        |                         |                            |                                                              |             |
| Serenade ASO             | 03847               | Bayer CropScience Limited         | Fungicide           |                 |                                                  |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                          |                     |                                   |                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |
| Sumi-Alpha               | 02334               | Sumitomo Chemical Agro Europe SAS | Insecticide         |                 |                                                  |                  | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest                                           |             |
|                          |                     |                                   |                     |                 | <i>Esfenvalerate</i>                             | <i>25 g/l</i>    |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                                                      | <i>Content</i>                                     | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|--------------------------|---------------|-----------------------------------|-----------------|-----------------------------------------------------------------------|----------------------------------------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Cabbage - head</i>    |               |                                   |                 |                                                                       |                                                    |                        |                         |                            |                                                              |             |
| CaLypso                  | 02441         | Bayer CropScience Limited         | Insecticide     |                                                                       |                                                    | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
| Dual Gold                | 04192         | Syngenta UK Ltd                   | Herbicide       | <i>Thiacloprid</i>                                                    | <i>480 g/l</i>                                     | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
| Gamit 36 CS              | 05357         | FMC Chemical s.p.r.l.             | Herbicide       | <i>S-Metolachlor</i>                                                  | <i>960 g/l</i>                                     | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
| Globazar SC              | 04859         | Globachem nv                      | Fungicide       | <i>Clomazone</i>                                                      | <i>360 g/l</i>                                     | 1.0 l/ha               | 2.0 l/ha                | 2 per crop                 | 14 days before harvest                                       | 14 days     |
| Infinito                 | 02532         | Bayer CropScience Limited         | Fungicide       | <i>Azoxystrobin</i>                                                   | <i>250 g/l</i>                                     | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
| Met 52 Granular          | 04811         | Novozymes France S.A.S.           | Insecticide     | <i>Fluopicolide</i><br><i>Propamocarb</i>                             | <i>62.5 g/l</i><br><i>625 g/l</i>                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
| Ridomil Gold MZ 6        | 01516         | Syngenta UK Ltd                   | Fungicide       | <i>Metarhizium anisoplice - ST</i><br><i>BIPESCO 5/F52</i>            | <i>2% w/w</i>                                      | 1.5 kgs/ha             | 4.5 kgs/ha              |                            | 14 days pre harvest                                          | 14 days     |
| Rovral AquaFlo           | 02730         | BASF plc                          | Seed Dressing   | <i>Mancozeb</i><br><i>Metalaxyl M</i>                                 | <i>64 %w/w</i><br><i>4.0 %w/w</i>                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited         | Fungicide       | <i>Iprodione</i>                                                      | <i>500 g/l</i>                                     | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
| Sumi-Alpha               | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     | <i>Bacillus subtilis</i>                                              | <i>1.34% w/w</i>                                   | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest                                           |             |
| Wing P                   | 03590         | BASF plc                          | Herbicide       | <i>Esfenvalerate</i><br><i>Dimethenamid-P</i><br><i>Pendimethalin</i> | <i>25 g/l</i><br><i>212.5 g/l</i><br><i>250g/l</i> | 4.0 l/ha               | 4.0 l/ha                | -                          | Before planting                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|------------------|---------------------|---------------|----------------------------|-----------------|--------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Calabrese</i> |                     |               |                            |                 |                          |                  |                        |                         |                            |                                                              |             |
|                  | CaLypso             | 02441         | Bayer CropScience Limited  | Insecticide     |                          |                  | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
|                  | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       | <i>Thiacloprid</i>       | <i>480 g/l</i>   | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                  | Folicur 250 EW      | 00468         | Bayer CropScience Limited  | Fungicide       | <i>S-Metolachlor</i>     | <i>960 g/l</i>   | 1.0 l/ha               | 2.25 l/ha               |                            | 21 days before harvest                                       | 21 days     |
|                  | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.      | Herbicide       | <i>Tebuconazole</i>      | <i>250 g/l</i>   | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                  | Grisu               | 04836         | Oxon Italia SpA            | Fungicide       | <i>Clomazone</i>         | <i>360 g/l</i>   | 1.0 l/ha               | 3.0 l/ha                | 3 per crop                 | 14 days before harvest                                       | 14 days     |
|                  | Infinito            | 02532         | Bayer CropScience Limited  | Fungicide       | <i>Iprodione</i>         | <i>500 g/l</i>   | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|                  | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       | <i>Fluopicolide</i>      | <i>62.5 g/l</i>  | 2.0 kg/ha              | 2.0 kg/ha               | 1                          | 42 days before harvest                                       |             |
|                  | Met 52 Granular     | 04811         | Novozymes France S.A.S.    | Insecticide     | <i>Propamocarb</i>       | <i>625 g/l</i>   | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                  | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd            | Fungicide       | <i>Pyridate</i>          | <i>45 % w/w</i>  | 2.0 kgs/ha             | 4.0 kgs/ha              |                            | 30 days pre harvest                                          | 30 days     |
|                  | Rovral AquaFlo      | 02730         | BASF plc                   | Seed Dressing   | <i>Mancozeb</i>          | <i>64 %w/w</i>   | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                  | Rovral WG           | 02729         | BASF plc                   | Fungicide       | <i>Metalaxyl M</i>       | <i>4.0 %w/w</i>  | 0.67 kgs/ha            | 2.01 kgs/ha             | 3                          | 14 days pre harvest                                          | 14 days     |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       | <i>Iprodione</i>         | <i>750 g/kg</i>  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                  |                     |               |                            |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Calabrese</i> |                     |               |                                   |                 |                       |                  |                       |                         |                            |                               |             |
|                  | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                       |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                  | Wing P              | 03590         | BASF plc                          | Herbicide       | <i>Esfenvalerate</i>  | <i>25 g/l</i>    | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                  |                     |               |                                   |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                  |                     |               |                                   |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i>  | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|--------------------------------------|------------------|--------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Carrots</i> |                     |               |                                      |                  |                          |                   |                       |                         |                            |                               |             |
|                | Corbel              | 90438         | BASF plc                             | Fungicide        |                          |                   | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                |                     |               |                                      |                  | <i>Fenpropimorph</i>     | <i>750 g/l</i>    |                       |                         |                            |                               |             |
|                | Decis               | 02693         | Bayer CropScience Limited            | Insecticide      |                          |                   | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                                      |                  | <i>Deltamethrin</i>      | <i>25 g/l</i>     |                       |                         |                            |                               |             |
|                | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide        |                          |                   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                                      |                  | <i>Prosulfocarb</i>      | <i>800 g/l</i>    |                       |                         |                            |                               |             |
|                | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS    | Herbicide        |                          |                   | 100 mls/ha            | 100 mls/ha              |                            | 28 days before harvest        | 28 days     |
|                |                     |               |                                      |                  | <i>Flumioxazin</i>       | <i>300 g/l</i>    |                       |                         |                            |                               |             |
|                | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide        |                          |                   | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                |                     |               |                                      |                  | <i>Mancozeb</i>          | <i>75% w/w</i>    |                       |                         |                            |                               |             |
|                | Fazor Star          | 03729         | Arysta LifeScience Great Britain Ltd | Growth Regulator |                          |                   | 5.0 kg/ha             | 5.0 kg/ha               | 1 per crop                 | 21 days before harvest        |             |
|                |                     |               |                                      |                  | <i>Maleic hydrazide</i>  | <i>600 g/kg</i>   |                       |                         |                            |                               |             |
|                | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS    | Herbicide        |                          |                   | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        | 28 days     |
|                |                     |               |                                      |                  | <i>Flumioxazin</i>       | <i>300 g/l</i>    |                       |                         |                            |                               |             |
|                | Score 250 EC        | 04566         | Syngenta UK Ltd                      | Fungicide        |                          |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                  | <i>Difenoconazole</i>    | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Sencorex Flow       | 04361         | Bayer CropScience Limited            | Herbicide        |                          |                   | 0.255 l/ha            | 0.51 l/ha               | 3                          | Before GS 16                  | 28 days     |
|                |                     |               |                                      |                  | <i>Metribuzin</i>        | <i>600 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited            | Fungicide        |                          |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                |                     |               |                                      |                  | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS    | Herbicide        |                          |                   | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        | 28 days     |
|                |                     |               |                                      |                  | <i>Flumioxazin</i>       | <i>300 g/l</i>    |                       |                         |                            |                               |             |
|                | Switch              | 03761         | Syngenta UK Ltd                      | Fungicide        |                          |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                |                     |               |                                      |                  | <i>Cyprodinil</i>        | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |                                      |                  | <i>Fludioxonil</i>       | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|---------------------|---------------------|---------------|----------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Cauliflowers</i> |                     |               |                            |                 |                                                  |                  |                        |                         |                            |                                                              |             |
|                     | Bravo 500           | 03452         | Syngenta UK Ltd            | Fungicide       |                                                  |                  | 2.0 l/ha               | 4.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                     |                     |               |                            |                 | <i>Chlorothalonil</i>                            | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | CaLypso             | 02441         | Bayer CropScience Limited  | Insecticide     |                                                  |                  | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
|                     |                     |               |                            |                 | <i>Thiacloprid</i>                               | <i>480 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |                                                  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                     |                     |               |                            |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Folicur 250 EW      | 00468         | Bayer CropScience Limited  | Fungicide       |                                                  |                  | 1.0 l/ha               | 2.25 l/ha               | -                          | 21 days before harvest                                       | 21 days     |
|                     |                     |               |                            |                 | <i>Tebuconazole</i>                              | <i>250 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Gamit 36 CS         | 05357         | FMC Chemical s.p.l.        | Herbicide       |                                                  |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                     |                     |               |                            |                 | <i>Clomazone</i>                                 | <i>360 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Globazar SC         | 04859         | Globachem nv               | Fungicide       |                                                  |                  | 1.0 l/ha               | 2.0 l/ha                | 2 per crop                 | 14 days before harvest                                       | 14 days     |
|                     |                     |               |                            |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Infinito            | 02532         | Bayer CropScience Limited  | Fungicide       |                                                  |                  | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|                     |                     |               |                            |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>   |                        |                         |                            |                                                              |             |
|                     |                     |               |                            |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i>  |                        |                         |                            |                                                              |             |
|                     | Jupital             | 04503         | Syngenta UK Ltd            | Fungicide       |                                                  |                  | 2.0 l/ha               | 4.0 l/ha                | -                          | 14 days before harvest                                       | 14 days     |
|                     |                     |               |                            |                 | <i>Chlorothalonil</i>                            | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       |                                                  |                  | 2.0 kg/ha              | 2.0 kg/ha               | 1                          | 42 days before harvest                                       |             |
|                     |                     |               |                            |                 | <i>Pyridate</i>                                  | <i>45 % w/w</i>  |                        |                         |                            |                                                              |             |
|                     | Met 52 Granular     | 04811         | Novozymes France S.A.S.    | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                     |                     |               |                            |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                                                              |             |
|                     | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd            | Fungicide       |                                                  |                  | 2.0 kgs/ha             | 4.0 kgs/ha              |                            | 30 days pre harvest                                          | 30 days     |
|                     |                     |               |                            |                 | <i>Metalaxyl M</i>                               | <i>4.0 %w/w</i>  |                        |                         |                            |                                                              |             |
|                     |                     |               |                            |                 | <i>Mancozeb</i>                                  | <i>64 %w/w</i>   |                        |                         |                            |                                                              |             |
|                     | Rovral AquaFlo      | 02730         | BASF plc                   | Seed Dressing   |                                                  |                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                     |                     |               |                            |                 | <i>Iprodione</i>                                 | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                                                  |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                     |                     |               |                            |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cauliflowers</i> |                     |               |                                   |                 |                       |                  |                       |                         |                            |                               |             |
|                     | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                       |                  | 165 mls/ha            | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                     | Wing P              | 03590         | BASF plc                          | Herbicide       | <i>Esfenvalerate</i>  | <i>25 g/l</i>    | 4.0 l/ha              | 4.0 l/ha                | -                          | 7 days after transplanting    |             |
|                     |                     |               |                                   |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |
|                     |                     |               |                                   |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |                                      |                 |                             |                 |                       |                         |                            |                               |             |
|                 | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days before harvest        | 10 days     |
|                 |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Biscaya             | 03602         | Bayer CropScience Limited            | Insecticide     |                             |                 | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|                 |                     |               |                                      |                 | <i>Thiacloprid</i>          | <i>240 g/l</i>  |                       |                         |                            |                               |             |
|                 | Corbel              | 90438         | BASF plc                             | Fungicide       |                             |                 | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                                      |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|                 | Decis               | 02693         | Bayer CropScience Limited            | Insecticide     |                             |                 | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                                      |                 | <i>Deltamethrin</i>         | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|                 | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       |                             |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  |             |
|                 |                     |               |                                      |                 | <i>Prosulfocarb</i>         | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                 | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                             |                 | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                 |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>75% w/w</i>  |                       |                         |                            |                               |             |
|                 | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     |                             |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                 | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide       |                             |                 | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest        | 56 days     |
|                 |                     |               |                                      |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                 | Gazelle             | 03248         | Nisso Chemical Europe GmbH           | Insecticide     |                             |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                                      |                 | <i>Acetamiprid</i>          | <i>20 % w/w</i> |                       |                         |                            |                               |             |
|                 | Globaztar SC        | 04859         | Globachem nv                         | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|                 |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                 | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                             |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                 |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                 | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.                | Insecticide     |                             |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                 | Laidir 10 CS        | 04932         | GAT Microencapsulation AG            | Insecticide     |                             |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                 | Life Scientific Lam | 04868         | Life Scientific Limited              | Insecticide     |                             |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celeriac</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                 | Markate 50          | 05001         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                           |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Plenum              | 02238         | Syngenta UK Ltd           | Insecticide     |                           |                   | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>Pymetrozine</i>        | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                 | Ravane              | 05536         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                 | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                           |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                 | Sencorex Flow       | 04361         | Bayer CropScience Limited | Herbicide       |                           |                   | 0.255 l/ha            | 0.51 l/ha               | 3                          | Before GS 16                  | 28 days     |
|                 |                     |               |                           |                 | <i>Metribuzin</i>         | <i>600 g/l</i>    |                       |                         |                            |                               |             |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                 |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                 | Signum              | 03799         | BASF plc                  | Fungicide       |                           |                   | 1.0 kg/ha             | 2.0 kg/ha               | 2 per crop                 | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                 |                     |               |                           |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                 | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                 |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                 | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                           |                   | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                 |                     |               |                           |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - Field</i> |                     |               |                                     |                 |                           |                |                       |                         |                            |                               |             |
|                       | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide       |                           |                | 1.35 l/ha             | 1.35 l/ha               | -                          | 60 days before harvest        | 60 days     |
|                       |                     |               |                                     |                 | <i>Linuron</i>            | <i>450 g/l</i> |                       |                         |                            |                               |             |
|                       | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                           |                | 1.0 l/ha              | 4.0 l/ha                | 4                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                                     |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                       | Defy                | 04277         | Syngenta UK Ltd                     | Herbicide       |                           |                | 5.0 l/ha              | 5.0 l/ha                | 1 per crop                 | Before GS11                   | 50 days     |
|                       |                     |               |                                     |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                       | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG           | Insecticide     |                           |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | Globaztar SC        | 04859         | Globachem nv                        | Fungicide       |                           |                | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                                     |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                       | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     |                           |                | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.               | Insecticide     |                           |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | Laidir 10 CS        | 04932         | GAT Microencapsulation AG           | Insecticide     |                           |                | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | Life Scientific Lam | 04868         | Life Scientific Limited             | Insecticide     |                           |                | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | Markate 50          | 05001         | Globachem nv                        | Insecticide     |                           |                | 50 ml/ha              | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>  |                       |                         |                            |                               |             |
|                       | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     |                           |                | 50 mls/ha             | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                       | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |                           |                | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                       |                     |               |                                     |                 | <i>Pendimethalin</i>      | <i>330 g/l</i> |                       |                         |                            |                               |             |
|                       | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                           |                | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                                     |                 | <i>Pymetrozine</i>        | <i>50 %w/w</i> |                       |                         |                            |                               |             |
|                       | Ravane              | 05536         | Globachem nv                        | Insecticide     |                           |                | 50 ml/ha              | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                       |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>  |                       |                         |                            |                               |             |
|                       | Score 250 EC        | 04566         | Syngenta UK Ltd                     | Fungicide       |                           |                | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                       |                     |               |                                     |                 | <i>Difenoconazole</i>     | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Celery - Field</i>     |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                           | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                           |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                           | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 50 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                           |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                           | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                           |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                           | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                           |                     |               |                           |                 | <i>Fludioxonil</i>        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                           |                 | <i>Cyprodinil</i>         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
| <i>Celery - Protected</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                           | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 4.0 l/ha                | 4                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Globaztar SC        | 04859         | Globachem nv              | Fungicide       |                           |                   | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                           |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10.0 l/ha             | 200.0 l/ha              | -                          |                               | -           |
|                           |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|--------------------------------------|-----------------|-----------------------------------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cherries</i>          |               |                                      |                 |                                                           |                   |                       |                         |                            |                               |             |
| CaLypso                  | 02441         | Bayer CropScience Limited            | Insecticide     |                                                           |                   | 0.312 l/ha            | 0.625 l/ha              | -                          | 14 days before harvest        | 14 days     |
|                          |               |                                      |                 | <i>Thiacloprid</i>                                        | <i>480 g/l</i>    |                       |                         |                            |                               |             |
| Dithane Dry Flowa        | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                                                           |                   | 2.0 kg/ha             | 8.0 kg/ha               | 4 per year                 | 30 days before harvest        | 30 days     |
|                          |               |                                      |                 | <i>Mancozeb</i>                                           | <i>75% w/w</i>    |                       |                         |                            |                               |             |
| Lepinox Plus             | 05254         | CBC (Europe) S.r.l.                  | Insecticide     |                                                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                          |               |                                      |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited            | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                          |               |                                      |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
| Signum                   | 03799         | BASF plc                             | Fungicide       |                                                           |                   | 0.75 kg/ha            | 2.25 kg/ha              |                            | 7 days before harvest         | 7 days      |
|                          |               |                                      |                 | <i>Boscalid</i>                                           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                          |               |                                      |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
| Systhane 20 EW           | 03693         | Dow AgroSciences                     | Fungicide       |                                                           |                   | 0.68 l/ha             | 2.33 l/ha               | -                          | 21 days before harvest        | 21 days     |
|                          |               |                                      |                 | <i>Myclobutanil</i>                                       | <i>200 g/l</i>    |                       |                         |                            |                               |             |
| <i>Chives</i>            |               |                                      |                 |                                                           |                   |                       |                         |                            |                               |             |
| Ridomil Gold MZ 6        | 01516         | Syngenta UK Ltd                      | Fungicide       |                                                           |                   | 1.5 kgs/ha            | 4.5 kgs/ha              |                            | 14 days pre harvest           | 14 days     |
|                          |               |                                      |                 | <i>Mancozeb</i>                                           | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                          |               |                                      |                 | <i>Metalaxyl M</i>                                        | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited            | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                          |               |                                      |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
| Stratos Ultra            | 04936         | BASF plc                             | Herbicide       |                                                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                          |               |                                      |                 | <i>Cycloxydim</i>                                         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
| Teldor                   | 02003         | Bayer CropScience Limited            | Fungicide       |                                                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                          |               |                                      |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
| Tracer                   | 02649         | Dow AgroSciences                     | Insecticide     |                                                           |                   | 200 ml/ha             | 800 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                          |               |                                      |                 | <i>Spinosad</i>                                           | <i>480 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|--------------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Collards</i>          |               |                            |                 |                                                           |                  |                        |                         |                            |                                                              |             |
| Dual Gold                | 04192         | Syngenta UK Ltd            | Herbicide       |                                                           |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|                          |               |                            |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>   |                        |                         |                            |                                                              |             |
| Gamit 36 CS              | 05357         | FMC Chemical s.p.r.l.      | Herbicide       |                                                           |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|                          |               |                            |                 | <i>Clomazone</i>                                          | <i>360 g/l</i>   |                        |                         |                            |                                                              |             |
| Infinito                 | 02532         | Bayer CropScience Limited  | Fungicide       |                                                           |                  | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|                          |               |                            |                 | <i>Propamocarb</i>                                        | <i>625 g/l</i>   |                        |                         |                            |                                                              |             |
|                          |               |                            |                 | <i>Fluopicolide</i>                                       | <i>62.5 g/l</i>  |                        |                         |                            |                                                              |             |
| Lentagran WP             | 03082         | Belchim Crop Protection NV | Herbicide       |                                                           |                  | 2.0 kg/ha              | 2.0 kg/ha               | 1                          | 42 days before harvest                                       |             |
|                          |               |                            |                 | <i>Pyridate</i>                                           | <i>45 % w/w</i>  |                        |                         |                            |                                                              |             |
| Lepinox Plus             | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                  | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                                                          |             |
|                          |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                        |                         |                            |                                                              |             |
| Met 52 Granular          | 04811         | Novozymes France S.A.S.    | Insecticide     |                                                           |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|                          |               |                            |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>    |                        |                         |                            |                                                              |             |
| Rovral AquaFlo           | 02730         | BASF plc                   | Seed Dressing   |                                                           |                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|                          |               |                            |                 | <i>Iprodione</i>                                          | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                          |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |
| <i>Coriander</i>         |               |                            |                 |                                                           |                  |                        |                         |                            |                                                              |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|                          |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |
| Teldor                   | 02003         | Bayer CropScience Limited  | Fungicide       |                                                           |                  | 1.5 kgs/ha             | 3.0 kgs/ha              |                            | 3 days before harvest                                        | 3 days      |
|                          |               |                            |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>   |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>     | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|--------------------------------------|-----------------|----------------------|----------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - Field</i> |                     |               |                                      |                 |                      |                |                         |                         |                            |                               |             |
|                           | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                      |                | 80 mls/100 litres water | -                       | 3                          | 3 days before harvest         | 3 days      |
|                           | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       | <i>Azoxystrobin</i>  | <i>250 g/l</i> | 2.1 kg/ha               | 8.4 kg/ha               | 4 per crop                 | 3 days before harvest         | 3 days      |
|                           | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.                | Herbicide       | <i>Mancozeb</i>      | <i>75% w/w</i> | 0.25 l/ha               | 0.25 l/ha               | -                          | Before 2 true leaf stage      |             |
|                           | Revus               | 02789         | Syngenta UK Ltd                      | Fungicide       | <i>Clomazone</i>     | <i>360 g/l</i> | 0.6 l/ha                | 1.2 l/ha                | 2                          | 7 days pre harvest            | 7 days      |
|                           |                     |               |                                      |                 | <i>Mandipropamid</i> | <i>250 g/l</i> |                         |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i>      | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Courgettes - Protected</i> |               |                           |                 |                                                           |                   |                       |                         |                            |                               |             |
| CaLypso                       | 02441         | Bayer CropScience Limited | Insecticide     |                                                           |                   | 0.45 l/ha             | 0.9 l/ha                | 2                          | 3 days before harvest         | 3 days      |
|                               |               |                           |                 | <i>Thiacloprid</i>                                        | <i>480 g/l</i>    |                       |                         |                            |                               |             |
| Lepinox Plus                  | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                               |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
| Plenum                        | 02238         | Syngenta UK Ltd           | Insecticide     |                                                           |                   | 0.4 kgs / ha          | 1,2 kgs/ha              | 3                          | 3 days before harvest         | 3 days      |
|                               |               |                           |                 | <i>Pymetrozine</i>                                        | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
| Previcur Energy               | 04041         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                               |               |                           |                 | <i>Fosetyl (-aluminium)</i>                               | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                               |               |                           |                 | <i>Fosetyl (-aluminium)</i>                               | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                               |               |                           |                 | <i>Propamocarb</i>                                        | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                               |               |                           |                 | <i>Propamocarb</i>                                        | <i>530 g/l</i>    |                       |                         |                            |                               |             |
| Revus                         | 02789         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 0.6 l/ha              | 2.4 l/ha                | 4                          | 3 days pre harvest            | 3 days      |
|                               |               |                           |                 | <i>Mandipropamid</i>                                      | <i>250 g/l</i>    |                       |                         |                            |                               |             |
| Serenade ASO                  | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                               |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
| Switch                        | 03761         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 0.8 kg/ha             | 2.4 kg/ha               | 3                          | 3 days before harvest         |             |
|                               |               |                           |                 | <i>Fludioxonil</i>                                        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                               |               |                           |                 | <i>Cyprodinil</i>                                         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
| Teldor                        | 02003         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 1.5 kgs/ha            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest          | 1 day       |
|                               |               |                           |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Cranberries</i> |                     |               |                           |                 |                                                           |                  |                        |                         |                            |                               |             |
|                    | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                  | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                    |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                        |                         |                            |                               |             |
|                    | Masai               | 03585         | BASF plc                  | Insecticide     |                                                           |                  | 1.5 kgs/ha             | 1.5 kgs/ha              | -                          | 7 days before harvest         |             |
|                    |                     |               |                           |                 | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i>  |                        |                         |                            |                               |             |
|                    | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                           |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                    |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>    |                        |                         |                            |                               |             |
|                    | Scala               | 03916         | BASF plc                  | Fungicide       |                                                           |                  | 2.0 l/ha               | 4.0 l/ha                | 2 per crop                 | 21 days before harvest        | 21 days     |
|                    |                     |               |                           |                 | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>   |                        |                         |                            |                               |             |
|                    | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 10 l/ha                | -                       | every 7 days               |                               | 0 days      |
|                    |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                  | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i>    | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|----------------------|---------------|---------------------------|-----------------|--------------------------|------------------|----------------------------|----------------------------|----------------------------|-------------------------------|-------------|
| <i>Cucumbers - Protected</i> |                      |               |                           |                 |                          |                  |                            |                            |                            |                               |             |
|                              | Amistar              | 01351         | Syngenta UK Ltd           | Fungicide       |                          |                  | 100 mls / 100 litres water | 300 mls / 300 litres water | 3                          | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                            |                            |                            |                               |             |
|                              | CaLypso              | 02441         | Bayer CropScience Limited | Insecticide     |                          |                  | 0.45 l/ha                  | 0.9 l/ha                   | 2                          | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Thiacloprid</i>       | <i>480 g/l</i>   |                            |                            |                            |                               |             |
|                              | Globazar SC          | 04859         | Globachem nv              | Fungicide       |                          |                  | 100ml per 100l water       | 300ml per 300l water       | 3 per year                 | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                            |                            |                            |                               |             |
|                              | Life Scientific Azox | 04405         | Life Scientific Limited   | Fungicide       |                          |                  | 80ml per 100L water        |                            | 3 per crop                 | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                            |                            |                            |                               |             |
|                              | Microthiol Special   | 90548         | UPL Europe Ltd            | Fungicide       |                          |                  | 0.01kgs/5 litres water     | -                          | -                          | -                             | 0 days      |
|                              |                      |               |                           |                 | <i>Sulphur</i>           | <i>80 %w/w</i>   |                            |                            |                            |                               |             |
|                              | Oberon               | 02529         | Bayer CropScience Limited | Insecticide     |                          |                  | 50mls per 100 litres water | -                          | 2 per crop                 | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Spiromesifen</i>      | <i>240 g/l</i>   |                            |                            |                            |                               |             |
|                              | Plenum               | 02238         | Syngenta UK Ltd           | Insecticide     |                          |                  | 0.4 kg/ha                  | 1.2 kgs/ha                 | 3                          | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Pymetrozine</i>       | <i>50 %w/w</i>   |                            |                            |                            |                               |             |
|                              | Revus                | 02789         | Syngenta UK Ltd           | Fungicide       |                          |                  | 0.6 l/ha                   | 2.4 l/ha                   | 4                          | 3 days pre harvest            | 3 days      |
|                              |                      |               |                           |                 | <i>Mandipropamid</i>     | <i>250 g/l</i>   |                            |                            |                            |                               |             |
|                              | Serenade ASO         | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha                    | -                          | every 7 days               |                               | 0 days      |
|                              |                      |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                            |                            |                            |                               |             |
|                              | Teldor               | 02003         | Bayer CropScience Limited | Fungicide       |                          |                  | 1.5 kgs/ha                 | 4.5 kgs/ha                 | 3 / crop                   | 1 day before harvest          | 1 day       |
|                              |                      |               |                           |                 | <i>Fenhexamid</i>        | <i>50 %w/w</i>   |                            |                            |                            |                               |             |
|                              | Vivando              | 05685         | BASF plc                  | Fungicide       |                          |                  | 0.2 l/ha                   | 0.4 l/ha                   | -                          | 3 days before harvest         | 3 days      |
|                              |                      |               |                           |                 | <i>Metrafenone</i>       | <i>500 g/l</i>   |                            |                            |                            |                               |             |
| <i>Damsons</i>               |                      |               |                           |                 |                          |                  |                            |                            |                            |                               |             |
|                              | Serenade ASO         | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha                    | -                          | every 7 days               |                               | 0 days      |
|                              |                      |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                            |                            |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|-------------------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Dill</i>    |                     |               |                                     |                 |                                                  |                  |                        |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                |                     |               |                                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
|                | Teldor              | 02003         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 1.5 kgs/ha             | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                |                     |               |                                     |                 | <i>Fenhexamid</i>                                | <i>50 %w/w</i>   |                        |                         |                            |                               |             |
| <i>Endives</i> |                     |               |                                     |                 |                                                  |                  |                        |                         |                            |                               |             |
|                | Gazelle             | 03248         | Nisso Chemical Europe GmbH          | Insecticide     |                                                  |                  | 250 g/ha               | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                |                     |               |                                     |                 | <i>Acetamiprid</i>                               | <i>20 % w/w</i>  |                        |                         |                            |                               |             |
|                | Met 52 Granular     | 04811         | Novozymes France S.A.S.             | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                |                     |               |                                     |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                |                     |               |                                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
| <i>Fennel</i>  |                     |               |                                     |                 |                                                  |                  |                        |                         |                            |                               |             |
|                | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide       |                                                  |                  | 1.35 l/ha              | 1.35 l/ha               | -                          | 60 days before harvest        | 60 days     |
|                |                     |               |                                     |                 | <i>Linuron</i>                                   | <i>450 g/l</i>   |                        |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                |                     |               |                                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
|                |                     |               |                                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
|                | Teldor              | 02003         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 1.5 kgs/ha             | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                |                     |               |                                     |                 | <i>Fenhexamid</i>                                | <i>50 %w/w</i>   |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Garlic</i> |                     |               |                                      |                 |                             |                 |                       |                         |                            |                               |             |
|               | Amistar Opti        | 03408         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                                      |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Bravo 500           | 03452         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                      |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Curator             | 04504         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                                      |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       |                             |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |                                      |                 | <i>Prosulfocarb</i>         | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|               | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                             |                 | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|               |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>75% w/w</i>  |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd                      | Herbicide       |                             |                 | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|               |                     |               |                                      |                 | <i>S-Metolachlor</i>        | <i>960 g/l</i>  |                       |                         |                            |                               |             |
|               | Folio Gold          | 02363         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 2.0 l/ha              | 6.0 l/ha                | 3                          | 14 days before harvest        |             |
|               |                     |               |                                      |                 | <i>Metalaxyl M</i>          | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|               |                     |               |                                      |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide       |                             |                 | 3.0 l/ha              | 3.0 l/ha                | 1                          | 4 weeks before harvest        | 28 days     |
|               |                     |               |                                      |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|               | Grisu               | 04836         | Oxon Italia SpA                      | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                                      |                 | <i>Iprodione</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Infinito            | 02532         | Bayer CropScience Limited            | Fungicide       |                             |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                                      |                 | <i>Propamocarb</i>          | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|               |                     |               |                                      |                 | <i>Fluopicolide</i>         | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|               | Jupital             | 04503         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                      |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                             |                 | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Lentagran WP        | 03082         | Belchim Crop Protection NV           | Herbicide       |                             |                 | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | Before 7 leaf stage           |             |
|               |                     |               |                                      |                 | <i>Pyridate</i>             | <i>45 % w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Garlic</i>              |                     |               |                           |                 |                             |                  |                       |                         |                            |                                   |             |
|                            | NEMGuard DE         | 05368         | ECOspray Ltd              | Nematicide      |                             |                  | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                       |             |
|                            | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     | <i>Garlic Extract</i>       | <i>450 g/kg</i>  | 75 mls/ha             | 225 mls/ha              | 3                          | 21 days before harvest            | 21 days     |
|                            | Pyramin DF          | 04264         | BASF plc                  | Herbicide       | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   | 1.4 kg/ha             | 1.4 kg/ha               | -                          | Before GS 13                      |             |
|                            | Rovral WG           | 02729         | BASF plc                  | Fungicide       | <i>Chloridazon</i>          | <i>65% w/w</i>   | 0.67 kgs/ha           | 2.67 kgs/ha             | 4                          | 21 days pre harvest               | 21 days     |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       | <i>Iprodione</i>            | <i>750 g/kg</i>  | 10 l/ha               | -                       | every 7 days               |                                   | 0 days      |
|                            | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i> | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence             |             |
|                            | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       | <i>Pendimethalin</i>        | <i>400 g/l</i>   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence             |             |
|                            | Vertik              | 04030         | Syngenta UK Ltd           | Fungicide       | <i>Pendimethalin</i>        | <i>455 g/l</i>   | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest            | 14 days     |
|                            | Wing P              | 03590         | BASF plc                  | Herbicide       | <i>Azoxystrobin</i>         | <i>100 g/l</i>   | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|                            |                     |               |                           |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                                   |             |
|                            |                     |               |                           |                 | <i>Pendimethalin</i>        | <i>250g/l</i>    |                       |                         |                            |                                   |             |
|                            |                     |               |                           |                 | <i>Dimethenamid-P</i>       | <i>212.5 g/l</i> |                       |                         |                            |                                   |             |
| <i>Gherkin - protected</i> |                     |               |                           |                 |                             |                  |                       |                         |                            |                                   |             |
|                            | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       |                             |                  | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting              |             |
|                            |                     |               |                           |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                       |                         |                            |                                   |             |
|                            |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                       |                         |                            |                                   |             |
|                            |                     |               |                           |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                       |                         |                            |                                   |             |
|                            |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                       |                         |                            |                                   |             |
|                            | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                             |                  | 1.5 kgs/ha            | 4.5 kgs/ha              | 3                          | 1 day before harvest              | 1 day       |
|                            |                     |               |                           |                 | <i>Fenhexamid</i>           | <i>50 %w/w</i>   |                       |                         |                            |                                   |             |
|                            | Vivando             | 05685         | BASF plc                  | Fungicide       |                             |                  | 0.2 l/ha              | 0.4 l/ha                | -                          | 3 days before harvest             | 3 days      |
|                            |                     |               |                           |                 | <i>Metrafenone</i>          | <i>500 g/l</i>   |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i>               | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>  | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>   | <i>PHI:</i> |
|---------------------|---------------------|-----------------------------|---------------------|-----------------|-----------------------------------------------------------|-----------------|------------------------------|-------------------------|----------------------------|---------------------------------|-------------|
| <i>Gooseberries</i> |                     |                             |                     |                 |                                                           |                 |                              |                         |                            |                                 |             |
| CaLypso             | 02441               | Bayer CropScience Limited   | Insecticide         |                 |                                                           |                 | 0.25 l/ha                    | 0.75 l/ha               | 3                          | 3 days before harvest           | 3 days      |
|                     |                     |                             |                     |                 | <i>Thiacloprid</i>                                        | <i>480 g/l</i>  |                              |                         |                            |                                 |             |
| Chikara Weed Cont   | 04203               | ISK Biosciences Europe N.V. | Herbicide           |                 |                                                           |                 | 120 g/ha                     | 120 g/ha                | 1 per year                 | Before bud burst                |             |
|                     |                     |                             |                     |                 | <i>Flazasulfuron</i>                                      | <i>25 % w/w</i> |                              |                         |                            |                                 |             |
| Corbel              | 90438               | BASF plc                    | Fungicide           |                 |                                                           |                 | 1.0 l/ha                     | 3.0 l/ha                | 3                          | 2 weeks before harvest          | 2 weeks     |
|                     |                     |                             |                     |                 | <i>Fenpropimorph</i>                                      | <i>750 g/l</i>  |                              |                         |                            |                                 |             |
| Karate Zeon         | 04084               | Syngenta UK Ltd             | Insecticide         |                 |                                                           |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days pre harvest             | 14 days     |
|                     |                     |                             |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                              |                         |                            |                                 |             |
| Lepinox Plus        | 05254               | CBC (Europe) S.r.l.         | Insecticide         |                 |                                                           |                 | 1.0 kg/ha                    | 3.0 kg/ha               | -                          | N/A                             |             |
|                     |                     |                             |                     |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                              |                         |                            |                                 |             |
| Manfil 75 WG        | 03598               | Indofil Industries Limited  | Fungicide           |                 |                                                           |                 | 1.5 kg per 1000 litres water | -                       | -                          | 28 days before harvest          | 28 days     |
|                     |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>75 % w/w</i> |                              |                         |                            |                                 |             |
| Manfil 80 WP        | 03563               | Indofil Industries Limited  | Fungicide           |                 |                                                           |                 | 1.4 kg per 1000L water       | -                       | -                          | 28 days before harvest          | 28 days     |
|                     |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i> |                              |                         |                            |                                 |             |
| Masai               | 03585               | BASF plc                    | Insecticide         |                 |                                                           |                 | 1.5 kgs/ha                   | 1.5 kgs/ha              | -                          | 7 days before harvest           |             |
|                     |                     |                             |                     |                 | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i> |                              |                         |                            |                                 |             |
| Microthiol Special  | 90548               | UPL Europe Ltd              | Fungicide           |                 |                                                           |                 | 0.25 kgs/100 litres water    | -                       | 3                          | Up to and including fruit swell |             |
|                     |                     |                             |                     |                 | <i>Sulphur</i>                                            | <i>80 %w/w</i>  |                              |                         |                            |                                 |             |
| Ninja 10CS          | 05178               | Syngenta UK Ltd             | Insecticide         |                 |                                                           |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days before harvest          | 14 days     |
|                     |                     |                             |                     |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                              |                         |                            |                                 |             |
| Penncozeb 80 WP     | 03609               | UPL Europe Ltd              | Fungicide           |                 |                                                           |                 | 1.4 kg/1000L water           | -                       | -                          | 28 days before harvest          | 28 days     |
|                     |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i> |                              |                         |                            |                                 |             |
| Penncozeb WDG       | 03608               | UPL Europe Ltd              | Fungicide           |                 |                                                           |                 | 1.5 kg/1000L water           | -                       | -                          | 28 days before harvest          | 28 days     |
|                     |                     |                             |                     |                 | <i>Mancozeb</i>                                           | <i>750 g/kg</i> |                              |                         |                            |                                 |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                                                  | <i>Content</i>                                           | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------------|-----------------|-------------------------------------------------------------------|----------------------------------------------------------|-------------------------|-----------------------------------------------|----------------------------|---------------------------------------------|-------------|
| <i>Gooseberries</i> |                     |               |                                 |                 |                                                                   |                                                          |                         |                                               |                            |                                             |             |
|                     | Radspor 400         | 01797         | Arysta LifeScience Benelux SPRL | Fungicide       |                                                                   |                                                          | 73 mls/100 litres water | -                                             | 5                          |                                             |             |
|                     | Scala               | 03916         | BASF plc                        | Fungicide       | <i>Dodine</i>                                                     | <i>40 %w/w</i>                                           | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited       | Fungicide       | <i>Pyrimethanil</i>                                               | <i>400 g/l</i>                                           | 10 l/ha                 | -                                             | every 7 days               |                                             | 0 days      |
|                     | Signum              | 03799         | BASF plc                        | Fungicide       | <i>Bacillus subtilis</i>                                          | <i>1.34% w/w</i>                                         | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                     | Stroby WG           | 05092         | BASF plc                        | Fungicide       | <i>Pyraclostrobin</i><br><i>Boscalid</i>                          | <i>6.7 % w/w</i><br><i>26.7 % w/w</i>                    | 0.2 kg/ha               | 0.6 kg/ha                                     | -                          | 14 days before harvest                      | 14 days     |
|                     | Switch              | 03761         | Syngenta UK Ltd                 | Fungicide       | <i>Kresoxim Methyl</i><br><i>Fludioxonil</i><br><i>Cyprodinil</i> | <i>50% w/w</i><br><i>25.0 % w/w</i><br><i>37.5 % w/w</i> | 1.0 kg/ha               | 3.0 kg/ha                                     | 3                          | 7 days before harvest                       |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |                                      |                 |                             |                 |                       |                         |                            |                               |             |
|                      | Acrobat MZ          | 04059         | BASF plc                             | Fungicide       |                             |                 | 2.0 kg/ha             | 6.0 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                      |                     |               |                                      |                 | <i>Dimethomorph</i>         | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|                      |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|                      | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd  | Herbicide       |                             |                 | 2.1 l/ha              | 2.1 l/ha                | 1                          | 90 days before harvest        | 90 days     |
|                      |                     |               |                                      |                 | <i>Linuron</i>              | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                      | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                      | CIPC                | 90486         | Arysta LifeScience Benelux SPRL      | Herbicide       |                             |                 | 2.8 l/ha              | 2.8 l/ha                | 1                          |                               |             |
|                      |                     |               |                                      |                 | <i>Chlorpropham</i>         | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                      | Datura              | 04456         | UPL Europe Ltd                       | Herbicide       |                             |                 | 1.2 l/ha              | 1.2 l/ha                | -                          | Pre-emergence                 |             |
|                      |                     |               |                                      |                 | <i>Linuron</i>              | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                      | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                             |                 | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|                      |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>75% w/w</i>  |                       |                         |                            |                               |             |
|                      | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     |                             |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                      | Fenomenal           | 04956         | Bayer CropScience Limited            | Fungicide       |                             |                 | 2.5 kg/ha             | 5.0 kg/ha               | 2 per crop                 | 21 days before harvest        | 21 days     |
|                      |                     |               |                                      |                 | <i>Fosetyl (-aluminium)</i> | <i>600 g/kg</i> |                       |                         |                            |                               |             |
|                      |                     |               |                                      |                 | <i>Fenamidone</i>           | <i>60 g/kg</i>  |                       |                         |                            |                               |             |
|                      | Grisu               | 04836         | Oxon Italia SpA                      | Fungicide       |                             |                 | 0.5 l/ha              | 1.5 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                      |                     |               |                                      |                 | <i>Iprodione</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                      | Infinito            | 02532         | Bayer CropScience Limited            | Fungicide       |                             |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | Before GS 49                  | 14 days     |
|                      |                     |               |                                      |                 | <i>Propamocarb</i>          | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|                      |                     |               |                                      |                 | <i>Fluopicolide</i>         | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                      | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                             |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
|                      |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                      | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.                | Insecticide     |                             |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|---------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i>     |               |                           |                 |                                                  |                  |                        |                         |                            |                               |             |
| Kerb Flo                 | 02830         | Dow AgroSciences          | Herbicide       |                                                  |                  | 3.5 l/ha               | 3.5 l/ha                | 1                          | 6 weeks before harvest        | 6 weeks     |
|                          |               |                           |                 | <i>Propyzamide</i>                               | <i>400 g/l</i>   |                        |                         |                            |                               |             |
|                          |               |                           |                 | <i>Propyzamide</i>                               | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Laidir 10 CS             | 04932         | GAT Microencapsulation AG | Insecticide     |                                                  |                  | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>   |                        |                         |                            |                               |             |
| Life Scientific Lam      | 04868         | Life Scientific Limited   | Insecticide     |                                                  |                  | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>   |                        |                         |                            |                               |             |
| Markate 50               | 05001         | Globachem nv              | Insecticide     |                                                  |                  | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>    |                        |                         |                            |                               |             |
| Met 52 Granular          | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                          |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                               |             |
| Ninja 10CS               | 05178         | Syngenta UK Ltd           | Insecticide     |                                                  |                  | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>   |                        |                         |                            |                               |             |
| PDM 330 EC               | 03582         | BASF plc                  | Herbicide       |                                                  |                  | 4.5 l/ha               | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                          |               |                           |                 | <i>Pendimethalin</i>                             | <i>330 g/l</i>   |                        |                         |                            |                               |             |
| Pendifin 400 SC          | 05731         | Finchimica S.p.A          | Herbicide       |                                                  |                  | 3.75 l/ha              | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                          |               |                           |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Plenum                   | 02238         | Syngenta UK Ltd           | Insecticide     |                                                  |                  | 0.4 kgs/ha             | 1.2 kgs/ha              | 3                          | 14 days before harvest        | 14 days     |
|                          |               |                           |                 | <i>Pymetrozine</i>                               | <i>50 %w/w</i>   |                        |                         |                            |                               |             |
| Ravane                   | 05536         | Globachem nv              | Insecticide     |                                                  |                  | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>    |                        |                         |                            |                               |             |
| Rovral WG                | 02729         | BASF plc                  | Fungicide       |                                                  |                  | 0.33 kgs/ha            | -                       | 3                          | 21 days pre harvest           | 21 days     |
|                          |               |                           |                 | <i>Iprodione</i>                                 | <i>750 g/kg</i>  |                        |                         |                            |                               |             |
| Scala                    | 03916         | BASF plc                  | Fungicide       |                                                  |                  | 1.33 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |               |                           |                 | <i>Pyrimethanil</i>                              | <i>400 g/l</i>   |                        |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited | Fungicide       |                                                  |                  | 10 l/ha                | -                       | every 7 days               |                               | 0 days      |
|                          |               |                           |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - field</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                      | Signum              | 03799         | BASF plc                  | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                      |                     |               |                           |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                      |                     |               |                           |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                      | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                   | 3.75 l/ha             | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                      |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                      |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                      | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                      |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                      | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | 2                          | 3 days before harvest         | 3 days      |
|                      |                     |               |                           |                 | <i>Fenhexamid</i>         | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                      | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                           |                   | 200 ml/ha             | 600 ml/ha               | 3 per year                 | 3 days before harvest         | 3 days      |
|                      |                     |               |                           |                 | <i>Spinosad</i>           | <i>480 g/l</i>    |                       |                         |                            |                               |             |
|                      | Wing P              | 03590         | BASF plc                  | Herbicide       |                           |                   | 1.25 l/ha             | 1.25 l/ha               | -                          | Before transplanting          | 35 days     |
|                      |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>250g/l</i>     |                       |                         |                            |                               |             |
|                      |                     |               |                           |                 | <i>Dimethenamid-P</i>     | <i>212.5 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>      | <i>Substance</i>                                 | <i>Content</i>  | <i>Max Ind. Dose:</i>           | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                   | <i>PHI:</i> |
|--------------------------|---------------|---------------------------------|----------------------|--------------------------------------------------|-----------------|---------------------------------|-------------------------|----------------------------|-------------------------------------------------|-------------|
| <i>Herbs - Protected</i> |               |                                 |                      |                                                  |                 |                                 |                         |                            |                                                 |             |
| Amistar                  | 01351         | Syngenta UK Ltd                 | Fungicide            |                                                  |                 |                                 |                         |                            |                                                 |             |
|                          |               |                                 |                      | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                                 |                         |                            |                                                 |             |
| CIPC                     | 90486         | Arysta LifeScience Benelux SPRL | Herbicide            |                                                  |                 | 2.8 l/ha                        | 2.8 l/ha                | 1                          |                                                 |             |
|                          |               |                                 |                      | <i>Chlorpropham</i>                              | <i>400 g/l</i>  |                                 |                         |                            |                                                 |             |
| Dynamec                  | 02640         | Syngenta UK Ltd                 | Acaricide/Insecticid |                                                  |                 | 50 mls/product/100 litres water | -                       | 4                          | 14 days before harvest                          | 14 days     |
|                          |               |                                 |                      | <i>Abamectin</i>                                 | <i>18 g/l</i>   |                                 |                         |                            |                                                 |             |
| Fenomenal                | 04956         | Bayer CropScience Limited       | Fungicide            |                                                  |                 | 2.5 kg/ha                       | 5.0 kg/ha               | 2 per crop                 | BBCH 42                                         |             |
|                          |               |                                 |                      | <i>Fosetyl (-aluminium)</i>                      | <i>600 g/kg</i> |                                 |                         |                            |                                                 |             |
|                          |               |                                 |                      | <i>Fenamidone</i>                                | <i>60 g/kg</i>  |                                 |                         |                            |                                                 |             |
| Grisu                    | 04836         | Oxon Italia SpA                 | Fungicide            |                                                  |                 | 0.5 l/ha                        | 1.5 l/ha                | 3 per crop                 | 14 days before harvest                          | 14 days     |
|                          |               |                                 |                      | <i>Iprodione</i>                                 | <i>500 g/l</i>  |                                 |                         |                            |                                                 |             |
| Kerb Flo                 | 02830         | Dow AgroSciences                | Herbicide            |                                                  |                 | 1.875 l/ha                      | 1.875 l/ha              | 1                          | 24 days pre harvest                             | 24 days     |
|                          |               |                                 |                      | <i>Propyzamide</i>                               | <i>400 g/l</i>  |                                 |                         |                            |                                                 |             |
| Met 52 Granular          | 04811         | Novozymes France S.A.S.         | Insecticide          |                                                  |                 | 0.5 kgs/m <sup>3</sup>          | -                       | -                          | Pre-planting                                    |             |
|                          |               |                                 |                      | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>   |                                 |                         |                            |                                                 |             |
| Microthiol Special       | 90548         | UPL Europe Ltd                  | Fungicide            |                                                  |                 | 0.01kgs/5 litres water          | -                       | 2                          | -                                               | 0 days      |
|                          |               |                                 |                      | <i>Sulphur</i>                                   | <i>80 %w/w</i>  |                                 |                         |                            |                                                 |             |
| Paraat                   | 03614         | BASF plc                        | Fungicide            |                                                  |                 | 0.36 kg/ha                      | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest                          | 14 days     |
|                          |               |                                 |                      | <i>Dimethomorph</i>                              | <i>500 g/kg</i> |                                 |                         |                            |                                                 |             |
| Plenum                   | 02238         | Syngenta UK Ltd                 | Insecticide          |                                                  |                 | 0.4 kg/ha                       | 1.2 kg/ha               | 3                          | 14 days before harvest                          | 14 days     |
|                          |               |                                 |                      | <i>Pymetrozine</i>                               | <i>50 %w/w</i>  |                                 |                         |                            |                                                 |             |
| Previcur Energy          | 04041         | Bayer CropScience Limited       | Fungicide            |                                                  |                 | 3 mls per sq m                  | 6 mls per sq m          | -                          | Immediately post drilling/ before transplanting |             |
|                          |               |                                 |                      | <i>Propamocarb</i>                               | <i>530 g/l</i>  |                                 |                         |                            |                                                 |             |
|                          |               |                                 |                      | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>  |                                 |                         |                            |                                                 |             |
|                          |               |                                 |                      | <i>Propamocarb</i>                               | <i>530 g/l</i>  |                                 |                         |                            |                                                 |             |
|                          |               |                                 |                      | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>  |                                 |                         |                            |                                                 |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>              | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>      | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------------|---------------|---------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Herbs - Protected</i> |                     |               |                     |                 |                       |                   |                       |                         |                            |                               |             |
|                          | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd     | Fungicide       |                       |                   | 1.9 kg/ha             | 5.7 kg/ha*              |                            | 35 days before harvest        | 35 days     |
|                          |                     |               |                     |                 | <i>Mancozeb</i>       | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                          |                     |               |                     |                 | <i>Metalaxyl M</i>    | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                          | Rovral WG           | 02729         | BASF plc            | Fungicide       |                       |                   | 33 g/100 litres water | -                       | 3                          | 14 days pre harvest           | 14 days     |
|                          |                     |               |                     |                 | <i>Iprodione</i>      | <i>750 g/kg</i>   |                       |                         |                            |                               |             |
|                          | Scala               | 03916         | BASF plc            | Fungicide       |                       |                   | 1.33 l/ha             | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                          |                     |               |                     |                 | <i>Pyrimethanil</i>   | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                          | Signum              | 03799         | BASF plc            | Fungicide       |                       |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                          |                     |               |                     |                 | <i>Pyraclostrobin</i> | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                          |                     |               |                     |                 | <i>Boscalid</i>       | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                          | Tracer              | 02649         | Dow AgroSciences    | Insecticide     |                       |                   | 200 ml/ha             | 600 ml/ha               | 3 per year                 | 3 days before harvest         | 3 days      |
|                          |                     |               |                     |                 | <i>Spinosad</i>       | <i>480 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |               |                                      |                 |                             |                 |                       |                         |                            |                               |             |
|                    | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          |                               | 10 days     |
|                    | Biscaya             | 03602         | Bayer CropScience Limited            | Insecticide     | <i>Azoxystrobin</i>         | <i>250 g/l</i>  | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|                    | Corbel              | 90438         | BASF plc                             | Fungicide       | <i>Thiacloprid</i>          | <i>240 g/l</i>  | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                    | Decis               | 02693         | Bayer CropScience Limited            | Insecticide     | <i>Fenpropimorph</i>        | <i>750 g/l</i>  | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                    | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       | <i>Deltamethrin</i>         | <i>25 g/l</i>   | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                    | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       | <i>Prosulfocarb</i>         | <i>800 g/l</i>  | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                    | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     | <i>Mancozeb</i>             | <i>75% w/w</i>  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide       | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest        | 56 days     |
|                    | Gazelle             | 03248         | Nisso Chemical Europe GmbH           | Insecticide     | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                    | Globaztar SC        | 04859         | Globachem nv                         | Fungicide       | <i>Acetamiprid</i>          | <i>20 % w/w</i> | 1.0 l/ha              | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|                    | Goltix 70 SC        | 04668         | Adama Agricultural Solutions UK Ltd  | Herbicide       | <i>Azoxystrobin</i>         | <i>250 g/l</i>  | 2.0 l/ha              | 5.0 l/ha                | -                          | Pre crop emergence            |             |
|                    | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     | <i>Metamitron</i>           | <i>700 g/l</i>  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                    | Karis 10 CS         | 04454         | FMC Chemical s.p.l.                  | Insecticide     | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    | Laidir 10 CS        | 04932         | GAT Microencapsulation AG            | Insecticide     | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                    | Life Scientific Lam | 04868         | Life Scientific Limited   | Insecticide     |                           |                   | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | Markate 50          | 05001         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                    | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                           |                   | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | PDM 330 EC          | 03582         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | Before crop emergence         |             |
|                    |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                    | Ravane              | 05536         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                    | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                    | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                           |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                    | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                    |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                    | Signum              | 03799         | BASF plc                  | Fungicide       |                           |                   | 1.0 kg/ha             | 2.0 kgs/ha              | -                          | 14 days before harvest        |             |
|                    |                     |               |                           |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                    |                     |               |                           |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                    | SL567A              | 03106         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          | 30 days before harvest        | 30 days     |
|                    |                     |               |                           |                 | <i>Metalaxyl M</i>        | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                    | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                    |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                    |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                    |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                    | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                    |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>   | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|---------------------|-----------------|--------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Horseradish</i>       |               |                     |                 |                    |                   |                       |                         |                            |                               |             |
| Switch                   | 03761         | Syngenta UK Ltd     | Fungicide       |                    |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                          |               |                     |                 | <i>Cyprodinil</i>  | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                          |               |                     |                 | <i>Fludioxonil</i> | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
| Vydate 10G               | 03698         | DuPont (UK) Ltd     | Nematicide      |                    |                   | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                          |               |                     |                 | <i>Oxamyl</i>      | <i>100 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i>             | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------------------|---------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Jerusalem Artichoke</i> |                     |                           |                     |                 |                           |                  |                       |                         |                            |                               |             |
| Biscaya                    | 03602               | Bayer CropScience Limited | Insecticide         |                 |                           |                  | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|                            |                     |                           |                     |                 | <i>Thiacloprid</i>        | <i>240 g/l</i>   |                       |                         |                            |                               |             |
| Corbel                     | 90438               | BASF plc                  | Fungicide           |                 |                           |                  | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                            |                     |                           |                     |                 | <i>Fenpropimorph</i>      | <i>750 g/l</i>   |                       |                         |                            |                               |             |
| Decis                      | 02693               | Bayer CropScience Limited | Insecticide         |                 |                           |                  | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                            |                     |                           |                     |                 | <i>Deltamethrin</i>       | <i>25 g/l</i>    |                       |                         |                            |                               |             |
| Eminentos 10 CS            | 04933               | GAT Microencapsulation AG | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Karate Zeon                | 04084               | Syngenta UK Ltd           | Insecticide         |                 |                           |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Karis 10 CS                | 04454               | FMC Chemical s.p.r.l.     | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Laidir 10 CS               | 04932               | GAT Microencapsulation AG | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Life Scientific Lam        | 04868               | Life Scientific Limited   | Insecticide         |                 |                           |                  | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Markate 50                 | 05001               | Globachem nv              | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>    |                       |                         |                            |                               |             |
| Ninja 10CS                 | 05178               | Syngenta UK Ltd           | Insecticide         |                 |                           |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Ravane                     | 05536               | Globachem nv              | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>    |                       |                         |                            |                               |             |
| Serenade ASO               | 03847               | Bayer CropScience Limited | Fungicide           |                 |                           |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                            |                     |                           |                     |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
| Sparviero                  | 04469               | Oxon Italia SpA           | Insecticide         |                 |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                            |                     |                           |                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Stratos Ultra              | 04936               | BASF plc                  | Herbicide           |                 |                           |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                            |                     |                           |                     |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Vydate 10G                 | 03698               | DuPont (UK) Ltd           | Nematicide          |                 |                           |                  | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                            |                     |                           |                     |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i> | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                                | <i>PHI:</i> |
|-------------|---------------------|---------------|-------------------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|--------------------------------------------------------------|-------------|
| <i>Kale</i> |                     |               |                                     |                 |                                                  |                  |                        |                         |                            |                                                              |             |
|             | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                                                  |                  | 3.3 l/ha               | 3.3 l/ha                | -                          |                                                              |             |
|             |                     |               |                                     |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i>   |                        |                         |                            |                                                              |             |
|             | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                                                  |                  | 0.2 l/ha               | 0.2 l/ha                | 1 / crop                   | 7 days before harvest                                        | 7 days      |
|             |                     |               |                                     |                 | <i>Thiacloprid</i>                               | <i>480 g/l</i>   |                        |                         |                            |                                                              |             |
|             | Dual Gold           | 04192         | Syngenta UK Ltd                     | Herbicide       |                                                  |                  | 1.4 l/ha               | 1.4 l/ha                | -                          | Drilled crops- pre-emergence. Or within 5 days transplanting |             |
|             |                     |               |                                     |                 | <i>S-Metolachlor</i>                             | <i>960 g/l</i>   |                        |                         |                            |                                                              |             |
|             | Gamit 36 CS         | 05357         | FMC Chemical s.p.r.l.               | Herbicide       |                                                  |                  | 0.25 l/ha              | 0.25 l/ha               | -                          | Before 6 true leaf stage                                     |             |
|             |                     |               |                                     |                 | <i>Clomazone</i>                                 | <i>360 g/l</i>   |                        |                         |                            |                                                              |             |
|             | Infinito            | 02532         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 1.6 l/ha               | 3.2 l/ha                | 2 per crop*                | Before GS 49                                                 | 14 days     |
|             |                     |               |                                     |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i>  |                        |                         |                            |                                                              |             |
|             |                     |               |                                     |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>   |                        |                         |                            |                                                              |             |
|             | Lentagran WP        | 03082         | Belchim Crop Protection NV          | Herbicide       |                                                  |                  | 2.0 kg/ha              | 2.0 kg/ha               | 1                          | 42 days before harvest                                       |             |
|             |                     |               |                                     |                 | <i>Pyridate</i>                                  | <i>45 % w/w</i>  |                        |                         |                            |                                                              |             |
|             | Met 52 Granular     | 04811         | Novozymes France S.A.S.             | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                                                 |             |
|             |                     |               |                                     |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                                                              |             |
|             | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                                                  |                  | 0.4 kg/ha              | 1.2 kg/ha               | 3                          | 14 days before harvest                                       | 14 days     |
|             |                     |               |                                     |                 | <i>Pymetrozine</i>                               | <i>50 %w/w</i>   |                        |                         |                            |                                                              |             |
|             | Rovral AquaFlo      | 02730         | BASF plc                            | Seed Dressing   |                                                  |                  | 5.0 l/tonne seed       | 5.0 l/tonne seed        | 1                          | Prior to drilling /planting                                  |             |
|             |                     |               |                                     |                 | <i>Iprodione</i>                                 | <i>500 g/l</i>   |                        |                         |                            |                                                              |             |
|             | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                                                  |                  | 10 l/ha                | -                       | every 7 days               |                                                              | 0 days      |
|             |                     |               |                                     |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                                                              |             |
|             | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS   | Insecticide     |                                                  |                  | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest                                           |             |
|             |                     |               |                                     |                 | <i>Esfenvalerate</i>                             | <i>25 g/l</i>    |                        |                         |                            |                                                              |             |
|             | Tracer              | 02649         | Dow AgroSciences                    | Insecticide     |                                                  |                  | 200 mls/ha             | 800 mls/ha              | 4                          |                                                              | 3 days      |
|             |                     |               |                                     |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                        |                         |                            |                                                              |             |
|             |                     |               |                                     |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                        |                         |                            |                                                              |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|-----------------------------------|-----------------|-----------------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Kohl-rabi</i>         |               |                                   |                 |                                                           |                  |                        |                         |                            |                               |             |
| Butisan S                | 90342         | BASF plc                          | Herbicide       |                                                           |                  | 1.5 l/ha               | 1.5 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                          |               |                                   |                 | <i>Metazachlor</i>                                        | <i>500 g/l</i>   |                        |                         |                            |                               |             |
| Lepinox Plus             | 05254         | CBC (Europe) S.r.l.               | Insecticide     |                                                           |                  | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                          |               |                                   |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                        |                         |                            |                               |             |
| Met 52 Granular          | 04811         | Novozymes France S.A.S.           | Insecticide     |                                                           |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                          |               |                                   |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>    |                        |                         |                            |                               |             |
| Movento                  | 04101         | Bayer CropScience Limited         | Insecticide     |                                                           |                  | 0.5 l/ha               | 1.0 l/ha                | 2                          | 7 days before harvest         | 7 days      |
|                          |               |                                   |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>   |                        |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited         | Fungicide       |                                                           |                  | 10 l/ha                | -                       | every 7 days               |                               | 0 days      |
|                          |               |                                   |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
| Sumi-Alpha               | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                                                           |                  | 165 mls/ha             | 330 mls/ha              | 2                          | 7 days pre harvest            |             |
|                          |               |                                   |                 | <i>Esfenvalerate</i>                                      | <i>25 g/l</i>    |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------|---------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Leeks</i> |                     |               |                            |                 |                                                           |                 |                       |                         |                            |                               |             |
|              | Acrobat MZ          | 04059         | BASF plc                   | Fungicide       |                                                           |                 | 2.0 kg/ha             | 6.0 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|              |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|              |                     |               |                            |                 | <i>Dimethomorph</i>                                       | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|              | Basagran            | 02341         | BASF plc                   | Herbicide       |                                                           |                 | 0.75 l/ha             | 1.5 l/ha                | -                          | Before 3 true leaf stage      |             |
|              |                     |               |                            |                 | <i>Bentazone</i>                                          | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|              | Basagran SG         | 05192         | BASF plc                   | Herbicide       |                                                           |                 | 0.4 kg/ha             | 0.8 kg/ha               | -                          | Before 3 true leaf stage      |             |
|              |                     |               |                            |                 | <i>Bentazone</i>                                          | <i>870 g/kg</i> |                       |                         |                            |                               |             |
|              | Bravo 500           | 03452         | Syngenta UK Ltd            | Fungicide       |                                                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|              |                     |               |                            |                 | <i>Chlorothalonil</i>                                     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|              | Butisan S           | 90342         | BASF plc                   | Herbicide       |                                                           |                 | 2.0 l/ha              | 2.0 l/ha                |                            | 8 weeks before harvest        | 8 weeks     |
|              |                     |               |                            |                 | <i>Metazachlor</i>                                        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|              | Decis               | 02693         | Bayer CropScience Limited  | Insecticide     |                                                           |                 | 250 mls/ha            | 750 mls/ha              | 3 per crop                 | 3 days before harvest         | 3 days      |
|              |                     |               |                            |                 | <i>Deltamethrin</i>                                       | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|              | Defy                | 04277         | Syngenta UK Ltd            | Herbicide       |                                                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|              |                     |               |                            |                 | <i>Prosulfocarb</i>                                       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|              | Folio Gold          | 02363         | Syngenta UK Ltd            | Fungicide       |                                                           |                 | 2.0 l/ha              | 6.0 l/ha                | 3                          | 14 days before harvest        |             |
|              |                     |               |                            |                 | <i>Chlorothalonil</i>                                     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|              |                     |               |                            |                 | <i>Metalaxyl M</i>                                        | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|              | Infinito            | 02532         | Bayer CropScience Limited  | Fungicide       |                                                           |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 14 days before harvest        | 14 days     |
|              |                     |               |                            |                 | <i>Propamocarb</i>                                        | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|              |                     |               |                            |                 | <i>Fluopicolide</i>                                       | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|              | Jupital             | 04503         | Syngenta UK Ltd            | Fungicide       |                                                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|              |                     |               |                            |                 | <i>Chlorothalonil</i>                                     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|              | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |                                                           |                 | 100 mls/ha            | 200 mls/ha              | 2 per crop                 | 7 days before harvest         | 7 days      |
|              |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|              | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       |                                                           |                 | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | 28 days before harvest        |             |
|              |                     |               |                            |                 | <i>Pyridate</i>                                           | <i>45 % w/w</i> |                       |                         |                            |                               |             |
|              | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                 | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|              |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|--------------------------|---------------|---------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Leeks</i>             |               |                           |                 |                           |                  |                       |                         |                            |                                   |             |
| NEMGuard DE              | 05368         | ECOspray Ltd              | Nematicide      |                           |                  | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                       |             |
|                          |               |                           |                 | <i>Garlic Extract</i>     | <i>450 g/kg</i>  |                       |                         |                            |                                   |             |
| Ninja 10CS               | 05178         | Syngenta UK Ltd           | Insecticide     |                           |                  | 100 mls/ha            | 200 mls/ha              | 2                          | 7 days before harvest             | 7 days      |
|                          |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                                   |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited | Fungicide       |                           |                  | 10 l/ha               | -                       | every 7 days               |                                   | 0 days      |
|                          |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i> |                       |                         |                            |                                   |             |
| Wing P                   | 03590         | BASF plc                  | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|                          |               |                           |                 | <i>Dimethenamid-P</i>     | <i>212.5 g/l</i> |                       |                         |                            |                                   |             |
|                          |               |                           |                 | <i>Pendimethalin</i>      | <i>250g/l</i>    |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>            | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|----------------------|---------------|--------------------------------------|-----------------|--------------------------------------------------|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - Field</i> |                      |               |                                      |                 |                                                  |                 |                        |                         |                            |                               |             |
|                        | Acrobat MZ           | 04059         | BASF plc                             | Fungicide       |                                                  |                 | 2.0 kg/ha              | 6.0 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                        |                      |               |                                      |                 | <i>Dimethomorph</i>                              | <i>75 g/kg</i>  |                        |                         |                            |                               |             |
|                        |                      |               |                                      |                 | <i>Mancozeb</i>                                  | <i>667 g/kg</i> |                        |                         |                            |                               |             |
|                        | Amistar              | 01351         | Syngenta UK Ltd                      | Fungicide       |                                                  |                 | 1.0 l/ha               | 1.0 l/ha                | 1                          | 14 days before harvest        | 14 days     |
|                        |                      |               |                                      |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                        | Dithane Dry Flowa    | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                                                  |                 | 2.1 kg/ha              | 8.4 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|                        |                      |               |                                      |                 | <i>Mancozeb</i>                                  | <i>75% w/w</i>  |                        |                         |                            |                               |             |
|                        | Fenomenal            | 04956         | Bayer CropScience Limited            | Fungicide       |                                                  |                 | 2.5 kg/ha              | 5.0 kg/ha               | 2 per crop                 | 21 days before harvest        | 21 days     |
|                        |                      |               |                                      |                 | <i>Fenamidone</i>                                | <i>60 g/kg</i>  |                        |                         |                            |                               |             |
|                        |                      |               |                                      |                 | <i>Fosetyl (-aluminium)</i>                      | <i>600 g/kg</i> |                        |                         |                            |                               |             |
|                        | Gazelle              | 03248         | Nisso Chemical Europe GmbH           | Insecticide     |                                                  |                 | 250 g/ha               | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                        |                      |               |                                      |                 | <i>Acetamiprid</i>                               | <i>20 % w/w</i> |                        |                         |                            |                               |             |
|                        | Globazar SC          | 04859         | Globachem nv                         | Fungicide       |                                                  |                 | 1.0 l/ha               | 1.0 l/ha                | 1 per crop                 | 14 days before harvest        | 14 days     |
|                        |                      |               |                                      |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                        | Infinito             | 02532         | Bayer CropScience Limited            | Fungicide       |                                                  |                 | 1.6 l/ha               | 1.6 l/ha                | 1 per crop                 | Before GS 49                  | 14 days     |
|                        |                      |               |                                      |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i> |                        |                         |                            |                               |             |
|                        |                      |               |                                      |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>  |                        |                         |                            |                               |             |
|                        | Kerb Flo             | 02830         | Dow AgroSciences                     | Herbicide       |                                                  |                 | 1.875 l/ha             | 1.875 l/ha              | 1                          | 24 days before harvest        | 24 days     |
|                        |                      |               |                                      |                 | <i>Propyzamide</i>                               | <i>400 g/l</i>  |                        |                         |                            |                               |             |
|                        | Life Scientific Azox | 04405         | Life Scientific Limited              | Fungicide       |                                                  |                 | 1.0 l/ha               | 4.0 l/ha                | 4 per crop                 | 14 days before harvest        | 14 days     |
|                        |                      |               |                                      |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                        | Met 52 Granular      | 04811         | Novozymes France S.A.S.              | Insecticide     |                                                  |                 | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                        |                      |               |                                      |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>   |                        |                         |                            |                               |             |
|                        | PDM 330 EC           | 03582         | BASF plc                             | Herbicide       |                                                  |                 | 4.5 l/ha               | 4.5 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                        |                      |               |                                      |                 | <i>Pendimethalin</i>                             | <i>330 g/l</i>  |                        |                         |                            |                               |             |
|                        | Pendifin 400 SC      | 05731         | Finchimica S.p.A                     | Herbicide       |                                                  |                 | 3.75 l/ha              | 3.75 l/ha               | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                        |                      |               |                                      |                 | <i>Pendimethalin</i>                             | <i>400 g/l</i>  |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>            | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>      | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - Field</i> |                     |               |                           |                 |                       |                   |                       |                         |                            |                               |             |
|                        | Plenum              | 02238         | Syngenta UK Ltd           | Insecticide     |                       |                   | 0.4 kg/ha             | 1.2 kg/ha               | 3                          | 7 days before harvest         | 7 days      |
|                        |                     |               |                           |                 | <i>Pymetrozine</i>    | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                        | Scala               | 03916         | BASF plc                  | Fungicide       |                       |                   | 1.33 l/ha             | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                        |                     |               |                           |                 | <i>Pyrimethanil</i>   | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                        | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                       |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                        |                     |               |                           |                 | <i>Difenoconazole</i> | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                        | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                       |                   | 3.75 l/ha             | 3.75 l/ha               | 1 / crop                   | 6 weeks pre harvest           | 6 weeks     |
|                        |                     |               |                           |                 | <i>Pendimethalin</i>  | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                        | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                       |                   | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                        |                     |               |                           |                 | <i>Pendimethalin</i>  | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                        | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                       |                   | 0.7 kg/ha             | 1.4 kg/ha               | 2                          | 7 days before harvest         |             |
|                        |                     |               |                           |                 | <i>Fludioxonil</i>    | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                        |                     |               |                           |                 | <i>Cyprodinil</i>     | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                        | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                       |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | 2 / crop                   | 3 days before harvest         | 3 days      |
|                        |                     |               |                           |                 | <i>Fenhexamid</i>     | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                        | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                       |                   | 200 ml/ha             | 600 ml/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                        |                     |               |                           |                 | <i>Spinosad</i>       | <i>480 g/l</i>    |                       |                         |                            |                               |             |
|                        | Wing P              | 03590         | BASF plc                  | Herbicide       |                       |                   | 1.25 l/ha             | 1.25 l/ha               | -                          | Before transplanting          | 35 days     |
|                        |                     |               |                           |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i>  |                       |                         |                            |                               |             |
|                        |                     |               |                           |                 | <i>Pendimethalin</i>  | <i>250g/l</i>     |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i>              | <i>Company Name</i>  | <i>Function</i> | <i>Substance</i>                                         | <i>Content</i>  | <i>Max Ind. Dose:</i>                 | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i>     |
|----------------------------|---------------------|----------------------------|----------------------|-----------------|----------------------------------------------------------|-----------------|---------------------------------------|-------------------------|----------------------------|-------------------------------|-----------------|
| <i>Lettuce - Protected</i> |                     |                            |                      |                 |                                                          |                 |                                       |                         |                            |                               |                 |
| Amistar                    | 01351               | Syngenta UK Ltd            | Fungicide            |                 |                                                          |                 | 1.0 l/ha                              | 1.0 l/ha                | 1                          | 7 days post transplanting     | 7 days post tra |
|                            |                     |                            |                      |                 | <i>Azoxystrobin</i>                                      | <i>250 g/l</i>  |                                       |                         |                            |                               |                 |
| Dynamec                    | 02640               | Syngenta UK Ltd            | Acaricide/Insecticid |                 |                                                          |                 | 50<br>mls/product/100<br>litres water | -                       | 4                          | 14 days before harvest        | 14 days         |
|                            |                     |                            |                      |                 | <i>Abamectin</i>                                         | <i>18 g/l</i>   |                                       |                         |                            |                               |                 |
| Fenomenal                  | 04956               | Bayer CropScience Limited  | Fungicide            |                 |                                                          |                 | 2.5 kg/ha                             | 5.0 kg/ha               | 2 per crop                 | BBCH 42                       |                 |
|                            |                     |                            |                      |                 | <i>Fenamidone</i>                                        | <i>60 g/kg</i>  |                                       |                         |                            |                               |                 |
|                            |                     |                            |                      |                 | <i>Fosetyl (-aluminium)</i>                              | <i>600 g/kg</i> |                                       |                         |                            |                               |                 |
| Gazelle                    | 03248               | Nisso Chemical Europe GmbH | Insecticide          |                 |                                                          |                 | 250 g/ha                              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days          |
|                            |                     |                            |                      |                 | <i>Acetamiprid</i>                                       | <i>20 % w/w</i> |                                       |                         |                            |                               |                 |
| Globaztar SC               | 04859               | Globachem nv               | Fungicide            |                 |                                                          |                 | 1.0 l/ha                              | 1.0 l/ha                | 1 per crop                 | 14 days after transplanting   |                 |
|                            |                     |                            |                      |                 | <i>Azoxystrobin</i>                                      | <i>250 g/l</i>  |                                       |                         |                            |                               |                 |
| Kerb Flo                   | 02830               | Dow AgroSciences           | Herbicide            |                 |                                                          |                 | 1.875 l/ha                            | 1.875 l/ha              | 1                          | 24 days pre harvest           | 24 days         |
|                            |                     |                            |                      |                 | <i>Propyzamide</i>                                       | <i>400 g/l</i>  |                                       |                         |                            |                               |                 |
| Life Scientific Azox       | 04405               | Life Scientific Limited    | Fungicide            |                 |                                                          |                 | 1.0 l/ha                              | 1.0 l/ha                | 1 per crop                 | 7 days after transplanting    |                 |
|                            |                     |                            |                      |                 | <i>Azoxystrobin</i>                                      | <i>250 g/l</i>  |                                       |                         |                            |                               |                 |
| Met 52 Granular            | 04811               | Novozymes France S.A.S.    | Insecticide          |                 |                                                          |                 | 0.5 kgs/m <sup>3</sup>                | -                       | -                          | Pre-planting                  |                 |
|                            |                     |                            |                      |                 | <i>Metarhizium<br/>anisoplice - ST<br/>BIPESCO 5/F52</i> | <i>2% w/w</i>   |                                       |                         |                            |                               |                 |
| Paraat                     | 03614               | BASF plc                   | Fungicide            |                 |                                                          |                 | 0.36 kg/ha                            | 0.72 kg/ha              | 2 per crop                 | 14 days before harvest        | 14 days         |
|                            |                     |                            |                      |                 | <i>Dimethomorph</i>                                      | <i>500 g/kg</i> |                                       |                         |                            |                               |                 |
| Plenum                     | 02238               | Syngenta UK Ltd            | Insecticide          |                 |                                                          |                 | 0.4 kg/ha                             | 1.2 kgs/ha              | 3                          | 14 days before harvest        | 14 days         |
|                            |                     |                            |                      |                 | <i>Pymetrozine</i>                                       | <i>50 %w/w</i>  |                                       |                         |                            |                               |                 |
| Ridomil Gold MZ 6          | 01516               | Syngenta UK Ltd            | Fungicide            |                 |                                                          |                 | 1.9 kg/ha                             | 5.7 kg/ha*              |                            | 35 days before harvest        | 35 days         |
|                            |                     |                            |                      |                 | <i>Mancozeb</i>                                          | <i>64 %w/w</i>  |                                       |                         |                            |                               |                 |
|                            |                     |                            |                      |                 | <i>Metalaxyl M</i>                                       | <i>4.0 %w/w</i> |                                       |                         |                            |                               |                 |
| Scala                      | 03916               | BASF plc                   | Fungicide            |                 |                                                          |                 | 1.33 l/ha                             | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days         |
|                            |                     |                            |                      |                 | <i>Pyrimethanil</i>                                      | <i>400 g/l</i>  |                                       |                         |                            |                               |                 |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|-------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Lettuce - Protected</i> |                     |               |                           |                 |                                                           |                   |                        |                         |                            |                               |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                            |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                        |                         |                            |                               |             |
|                            | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 0.7 kg/ha              | 1.4 kg/ha               | 2                          | 7 days before harvest         | 7 days      |
|                            |                     |               |                           |                 | <i>Cyprodinil</i>                                         | <i>37.5 % w/w</i> |                        |                         |                            |                               |             |
|                            |                     |               |                           |                 | <i>Fludioxonil</i>                                        | <i>25.0 % w/w</i> |                        |                         |                            |                               |             |
|                            | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 1.5 kgs/ha             | 3.0 kgs/ha              | 2 / crop                   | 3 days before harvest         | 3 days      |
|                            |                     |               |                           |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>    |                        |                         |                            |                               |             |
|                            | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                                                           |                   | 200 ml/ha              | 600 ml/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                            |                     |               |                           |                 | <i>Spinosad</i>                                           | <i>480 g/l</i>    |                        |                         |                            |                               |             |
| <i>Linseed</i>             |                     |               |                           |                 |                                                           |                   |                        |                         |                            |                               |             |
|                            | Butisan S           | 90342         | BASF plc                  | Herbicide       |                                                           |                   | 1.5 l/ha*              | 1.5 l/ha*               | -                          | Before 10th true leaf stage*  |             |
|                            |                     |               |                           |                 | <i>Metazachlor</i>                                        | <i>500 g/l</i>    |                        |                         |                            |                               |             |
|                            | Devrinol            | 91627         | UPL Europe Ltd            | Herbicide       |                                                           |                   | 2.8 l/ha               | 2.8 l/ha                | -                          | Pre-emergence                 |             |
|                            |                     |               |                           |                 | <i>Napropamide</i>                                        | <i>450 g/l</i>    |                        |                         |                            |                               |             |
| <i>Loganberries</i>        |                     |               |                           |                 |                                                           |                   |                        |                         |                            |                               |             |
|                            | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                   | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                            |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                        |                         |                            |                               |             |
|                            | Masai               | 03585         | BASF plc                  | Insecticide     |                                                           |                   | 375 gms/ha             | 375 g/ha                | 1 / year                   | 21 days before harvest        |             |
|                            |                     |               |                           |                 | <i>Tebufenpyrad</i>                                       | <i>200 g/kg</i>   |                        |                         |                            |                               |             |
|                            | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                           |                   | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                            |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>     |                        |                         |                            |                               |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                            |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>          | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|-------------------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|----------------------------------------|-------------|
| <i>Lupins</i>                         |                     |               |                                     |                 |                          |                  |                       |                         |                            |                                        |             |
|                                       | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                          |                  | 3.75 l/ha             | 3.75 l/ha               |                            | Pre crop emergence                     |             |
|                                       |                     |               |                                     |                 | <i>Pendimethalin</i>     | <i>400 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |                          |                  | 4.5 l/ha              | 4.5 l/ha                | 1                          | Before crop emergence                  |             |
|                                       |                     |               |                                     |                 | <i>Pendimethalin</i>     | <i>330 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide       |                          |                  | 3.75 l/ha             | 3.75 l/ha               | 1 per crop                 | Pre-crop emergence                     |             |
|                                       |                     |               |                                     |                 | <i>Pendimethalin</i>     | <i>400 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                                        | 0 days      |
|                                       |                     |               |                                     |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                                        |             |
|                                       | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |                          |                  | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | Before crop emergence                  |             |
|                                       |                     |               |                                     |                 | <i>Pendimethalin</i>     | <i>455 g/l</i>   |                       |                         |                            |                                        |             |
| <i>Maize - Forage - Open ground</i>   |                     |               |                                     |                 |                          |                  |                       |                         |                            |                                        |             |
|                                       | Comet               | 02354         | BASF plc                            | Fungicide       |                          |                  | 1.0 l/ha              | 2.0 l/ha                | 2                          | Tasel/silk visible stage               |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>250 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Comet 200           | 03696         | BASF plc                            | Fungicide       |                          |                  | 1.25 l/ha             | 2.5 l/ha                | 2                          | Tasel/silk visible stage (BBCH 51-59)  |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>200 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Modem               | 02355         | BASF plc                            | Fungicide       |                          |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | Tasel/silk visible stage               |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>250 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Modem 200           | 03695         | BASF plc                            | Fungicide       |                          |                  | 1.25 l/ha             | 2.5 l/ha                | 2                          | Tasel/silk visible stage (BBCH 51-59)  |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>200 g/l</i>   |                       |                         |                            |                                        |             |
| <i>Maize - Forage - under plastic</i> |                     |               |                                     |                 |                          |                  |                       |                         |                            |                                        |             |
|                                       | Comet 200           | 03696         | BASF plc                            | Fungicide       |                          |                  | 1.25 l/ha             | 2.5 l/ha                | 2                          | Tasel/silk visible stage (BBCH 51-59)  |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>200 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Modem               | 02355         | BASF plc                            | Fungicide       |                          |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | Tasel/silk visible stage               |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>250 g/l</i>   |                       |                         |                            |                                        |             |
|                                       | Modem 200           | 03695         | BASF plc                            | Fungicide       |                          |                  | 1.25 l/ha             | 2.5 l/ha                | 2 per crop                 | Tassel/silk visible stage (BBCH 51-59) |             |
|                                       |                     |               |                                     |                 | <i>Pyraclostrobin</i>    | <i>200 g/l</i>   |                       |                         |                            |                                        |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                                                                       | <i>Content</i>                                                       | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------------|---------------------|---------------|---------------------------|-----------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Maize - Grain - open ground</i> |                     |               |                           |                 |                                                                                                        |                                                                      |                       |                         |                            |                               |             |
|                                    | Comet               | 02354         | BASF plc                  | Fungicide       | <i>Pyraclostrobin</i>                                                                                  | <i>250 g/l</i>                                                       | 1.0 l/ha              | 2.0 l/ha                | 2                          | Tasel/silk visible stage      |             |
| <i>Mange Tout Peas</i>             |                     |               |                           |                 |                                                                                                        |                                                                      |                       |                         |                            |                               |             |
|                                    | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       | <i>Bacillus subtilis</i>                                                                               | <i>1.34% w/w</i>                                                     | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
| <i>Mangolds</i>                    |                     |               |                           |                 |                                                                                                        |                                                                      |                       |                         |                            |                               |             |
|                                    | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       | <i>Bacillus subtilis</i>                                                                               | <i>1.34% w/w</i>                                                     | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
| <i>Marrows</i>                     |                     |               |                           |                 |                                                                                                        |                                                                      |                       |                         |                            |                               |             |
|                                    | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       | <i>Azoxystrobin</i>                                                                                    | <i>250 g/l</i>                                                       | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                                    | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       | <i>Fosetyl (-aluminium)</i><br><i>Propamocarb</i><br><i>Fosetyl (-aluminium)</i><br><i>Propamocarb</i> | <i>310 g/l</i><br><i>530 g/l</i><br><i>310 g/l</i><br><i>530 g/l</i> | 3.0 l/ha              | 12.0 l/ha               | -                          | 14 days before harvest        | 14 days     |
|                                    | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       | <i>Bacillus subtilis</i>                                                                               | <i>1.34% w/w</i>                                                     | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
| <i>Melon - Protected</i>           |                     |               |                           |                 |                                                                                                        |                                                                      |                       |                         |                            |                               |             |
|                                    | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       | <i>Azoxystrobin</i>                                                                                    | <i>250 g/l</i>                                                       | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                                    | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       | <i>Propamocarb</i><br><i>Fosetyl (-aluminium)</i><br><i>Fosetyl (-aluminium)</i><br><i>Propamocarb</i> | <i>530 g/l</i><br><i>310 g/l</i><br><i>310 g/l</i><br><i>530 g/l</i> | 6 mls per sq m        | 9 mls per sq m          | -                          | Before transplanting          |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                | <i>PHI:</i> |
|------------------------------|---------------------|---------------|---------------------------|-----------------|--------------------------|-------------------|-----------------------|-------------------------|----------------------------|----------------------------------------------|-------------|
| <i>Mint</i>                  |                     |               |                           |                 |                          |                   |                       |                         |                            |                                              |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                          |                   | 10 l/ha               | -                       | every 7 days               |                                              | 0 days      |
|                              |                     |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                       |                         |                            |                                              |             |
|                              | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                          |                   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest                        | 3 days      |
|                              |                     |               |                           |                 | <i>Fenhexamid</i>        | <i>50 %w/w</i>    |                       |                         |                            |                                              |             |
| <i>Oilseed Rape - spring</i> |                     |               |                           |                 |                          |                   |                       |                         |                            |                                              |             |
|                              | Galera              | 05188         | Dow AgroSciences          | Herbicide       |                          |                   | 0.35 l/ha             | 0.35 l/ha               | -                          | Before flower buds visible above crop canopy |             |
|                              |                     |               |                           |                 | <i>Picloram</i>          | <i>67 g/l</i>     |                       |                         |                            |                                              |             |
|                              |                     |               |                           |                 | <i>Clopyralid</i>        | <i>267 g/l</i>    |                       |                         |                            |                                              |             |
|                              | Proline             | 03786         | Bayer CropScience Limited | Fungicide       |                          |                   | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest                       | 56 days     |
|                              |                     |               |                           |                 | <i>Prothioconazole</i>   | <i>250 g/l</i>    |                       |                         |                            |                                              |             |
|                              | Prosaro             | 02106         | Bayer CropScience Limited | Fungicide       |                          |                   | 1.0 l/ha              | 2.0 l/ha                |                            | 56 days before harvest                       | 56 days     |
|                              |                     |               |                           |                 | <i>Prothioconazole</i>   | <i>12.8 % w/w</i> |                       |                         |                            |                                              |             |
|                              |                     |               |                           |                 | <i>Tebuconazole</i>      | <i>12.8 %w/w</i>  |                       |                         |                            |                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-----------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions</i> |                     |               |                                   |                 |                           |                 |                       |                         |                            |                               |             |
|               | Amistar Opti        | 03408         | Syngenta UK Ltd                   | Fungicide       |                           |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                   |                 | <i>Azoxystrobin</i>       | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>     | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Bravo 500           | 03452         | Syngenta UK Ltd                   | Fungicide       |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Curator             | 04504         | Syngenta UK Ltd                   | Fungicide       |                           |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                   |                 | <i>Azoxystrobin</i>       | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>     | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Defy                | 04277         | Syngenta UK Ltd                   | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|               |                     |               |                                   |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|               | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                           |                 | 100 mls/ha            | 100 mls/ha              | -                          | 42 days before harvest        | 42 days     |
|               |                     |               |                                   |                 | <i>Flumioxazin</i>        | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd                   | Herbicide       |                           |                 | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|               |                     |               |                                   |                 | <i>S-Metolachlor</i>      | <i>960 g/l</i>  |                       |                         |                            |                               |             |
|               | Folio Gold          | 02363         | Syngenta UK Ltd                   | Fungicide       |                           |                 | 2.0 l/ha              | 6.0 l/ha                | 3                          | 14 days before harvest        |             |
|               |                     |               |                                   |                 | <i>Metalaxyl M</i>        | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                           |                 | 100 mls/ha            | 100 mls/ha              | 1                          | 42 days before harvest        | 42 days     |
|               |                     |               |                                   |                 | <i>Flumioxazin</i>        | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|               | Infinito            | 02532         | Bayer CropScience Limited         | Fungicide       |                           |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest         | 7 days      |
|               |                     |               |                                   |                 | <i>Fluopicolide</i>       | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|               |                     |               |                                   |                 | <i>Propamocarb</i>        | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|               | Jupital             | 04503         | Syngenta UK Ltd                   | Fungicide       |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd                   | Insecticide     |                           |                 | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                                   |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | NEMGuard DE         | 05368         | ECOSpray Ltd                      | Nematicide      |                           |                 | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                   |             |
|               |                     |               |                                   |                 | <i>Garlic Extract</i>     | <i>450 g/kg</i> |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd                   | Insecticide     |                           |                 | 75 mls/ha             | 225 mls/ha              | 3                          | 21 days before harvest        | 21 days     |
|               |                     |               |                                   |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|---------------|---------------------|---------------|-----------------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Onions</i> |                     |               |                                   |                 |                          |                  |                       |                         |                            |                                   |             |
|               | Pyramin DF          | 04264         | BASF plc                          | Herbicide       |                          |                  | 1.4 kg/ha             | 1.4 kg/ha               | -                          | Before GS 13                      |             |
|               |                     |               |                                   |                 | <i>Chloridazon</i>       | <i>65% w/w</i>   |                       |                         |                            |                                   |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                                   | 0 days      |
|               |                     |               |                                   |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                                   |             |
|               | Starane Hi-Load H   | 04549         | Dow AgroSciences                  | Herbicide       |                          |                  | 0.3 l/ha              | 0.3 l/ha                |                            | Before GS 15                      |             |
|               |                     |               |                                   |                 | <i>Fluroxypyr</i>        | <i>333 g/l</i>   |                       |                         |                            |                                   |             |
|               | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 42 days before harvest            | 42 days     |
|               |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                                   |             |
|               | Valbon              | 03411         | Certis Europe BV                  | Fungicide       |                          |                  | 1.6 kg/ha             | 9.6 kg/ha               | 6 per crop                 | 28 days pre-harvest               | 28 days     |
|               |                     |               |                                   |                 | <i>Benthiavalicarb</i>   | <i>17.5 g/kg</i> |                       |                         |                            |                                   |             |
|               |                     |               |                                   |                 | <i>Mancozeb</i>          | <i>700 g/kg</i>  |                       |                         |                            |                                   |             |
|               | Vertik              | 04030         | Syngenta UK Ltd                   | Fungicide       |                          |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest            | 14 days     |
|               |                     |               |                                   |                 | <i>Chlorothalonil</i>    | <i>500 g/l</i>   |                       |                         |                            |                                   |             |
|               |                     |               |                                   |                 | <i>Azoxystrobin</i>      | <i>100 g/l</i>   |                       |                         |                            |                                   |             |
|               | Wing P              | 03590         | BASF plc                          | Herbicide       |                          |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|               |                     |               |                                   |                 | <i>Dimethenamid-P</i>    | <i>212.5 g/l</i> |                       |                         |                            |                                   |             |
|               |                     |               |                                   |                 | <i>Pendimethalin</i>     | <i>250g/l</i>    |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i> |                     |               |                           |                 |                           |                 |                       |                         |                            |                               |             |
|                       | Acrobat MZ          | 04059         | BASF plc                  | Fungicide       |                           |                 | 2.0 kg/ha             | 10.0 kg/ha              | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Dimethomorph</i>       | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Mancozeb</i>           | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|                       | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                       | Amistar Opti        | 03408         | Syngenta UK Ltd           | Fungicide       |                           |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                       | Basagran            | 02341         | BASF plc                  | Herbicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                           |                 | <i>Bentazone</i>          | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                       | Basagran SG         | 05192         | BASF plc                  | Herbicide       |                           |                 | 0.55 kg/ha            | 1.1 kg/ha               | -                          | 21 days before harvest        | 21 days     |
|                       |                     |               |                           |                 | <i>Bentazone</i>          | <i>870 g/kg</i> |                       |                         |                            |                               |             |
|                       | Bravo 500           | 03452         | Syngenta UK Ltd           | Fungicide       |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                       | Curator             | 04504         | Syngenta UK Ltd           | Fungicide       |                           |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                       | Defy                | 04277         | Syngenta UK Ltd           | Herbicide       |                           |                 | 5.0 l/ha              | 5.0 l/ha                |                            | Before 3rd true leaf          |             |
|                       |                     |               |                           |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                       | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | 21 days                       |             |
|                       |                     |               |                           |                 | <i>Tebuconazole</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                       | Folio Gold          | 02363         | Syngenta UK Ltd           | Fungicide       |                           |                 | 2.0 l/ha              | 6.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Metalaxyl M</i>        | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|                       | Infinito            | 02532         | Bayer CropScience Limited | Fungicide       |                           |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Propamocarb</i>        | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                           |                 | <i>Fluopicolide</i>       | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                       | Jupital             | 04503         | Syngenta UK Ltd           | Fungicide       |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                       | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 2 per crop                 | 14 days before harvest        | 14 days     |
|                       |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------|---------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i> |                     |               |                            |                 |                                                           |                   |                       |                         |                            |                               |             |
|                       | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                   | 1.0 kg/ha             | 3.0 kg/ha               |                            | N/A                           |             |
|                       |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Manfil 75 WG        | 03598         | Indofil Industries Limited | Fungicide       |                                                           |                   | 2.1 kg/ha             | 8.4 kg/ha               | -                          | 28 days before harvest        | 28 days     |
|                       |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>75 % w/w</i>   |                       |                         |                            |                               |             |
|                       | Manfil 80 WP        | 03563         | Indofil Industries Limited | Fungicide       |                                                           |                   | 2.0 kg/ha             | 8.0 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|                       |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Ninja 10CS          | 05178         | Syngenta UK Ltd            | Insecticide     |                                                           |                   | 75 mls/ha             | 150 mls/ha              | 2                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                       | Penncozeb 80 WP     | 03609         | UPL Europe Ltd             | Fungicide       |                                                           |                   | 2.0 kg/ha             | 8.0 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|                       |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Penncozeb WDG       | 03608         | UPL Europe Ltd             | Fungicide       |                                                           |                   | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 28 days before harvest        | 28 days     |
|                       |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>750 g/kg</i>   |                       |                         |                            |                               |             |
|                       | Pyramin DF          | 04264         | BASF plc                   | Herbicide       |                                                           |                   | 1.4 kg/ha             | 1.4 kg/ha               | -                          | Before GS 13                  |             |
|                       |                     |               |                            |                 | <i>Chloridazon</i>                                        | <i>65% w/w</i>    |                       |                         |                            |                               |             |
|                       | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd            | Fungicide       |                                                           |                   | 1.5 kgs/ha            | 4.5 kgs/ha              |                            | 14 days pre harvest           | 14 days     |
|                       |                     |               |                            |                 | <i>Metalaxyl M</i>                                        | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                       |                     |               |                            |                 | <i>Mancozeb</i>                                           | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                       | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                       |                     |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                       | Signum              | 03799         | BASF plc                   | Fungicide       |                                                           |                   | 1.5 kg/ha             | 3.0 kg/ha               | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                            |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                       |                     |               |                            |                 | <i>Boscalid</i>                                           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                       | Stomp Aqua          | 03750         | BASF plc                   | Herbicide       |                                                           |                   | 2.9 l/ha              | 2.9 l/ha                | 1 per crop                 | Before crop emergence         |             |
|                       |                     |               |                            |                 | <i>Pendimethalin</i>                                      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                       | Switch              | 03761         | Syngenta UK Ltd            | Fungicide       |                                                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 21 days before harvest        |             |
|                       |                     |               |                            |                 | <i>Cyprodinil</i>                                         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                       |                     |               |                            |                 | <i>Fludioxonil</i>                                        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                       | Vertik              | 04030         | Syngenta UK Ltd            | Fungicide       |                                                           |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                       |                     |               |                            |                 | <i>Azoxystrobin</i>                                       | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                       |                     |               |                            |                 | <i>Chlorothalonil</i>                                     | <i>500 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|-----------------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Onions - salad</i>       |                     |               |                                   |                 |                          |                  |                       |                         |                            |                               |             |
|                             | Wing P              | 03590         | BASF plc                          | Herbicide       |                          |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence                 |             |
|                             |                     |               |                                   |                 | <i>Pendimethalin</i>     | <i>250g/l</i>    |                       |                         |                            |                               |             |
|                             |                     |               |                                   |                 | <i>Dimethenamid-P</i>    | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
| <i>Orchards - top fruit</i> |                     |               |                                   |                 |                          |                  |                       |                         |                            |                               |             |
|                             | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              |                            | 365 days before first harvest |             |
|                             |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                             | Dow Shield 100      | 03861         | Dow AgroSciences                  | Herbicide       |                          |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                             |                     |               |                                   |                 | <i>Clopyralid</i>        | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                             | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 365 days before first harvest |             |
|                             |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                             | Most Micro          | 04837         | Sipcam U.K. Ltd                   | Herbicide       |                          |                  | 3.75 l/ha             | 3.75 l/ha               | 1 per year                 | N/A                           |             |
|                             |                     |               |                                   |                 | <i>Pendimethalin</i>     | <i>365 g/l</i>   |                       |                         |                            |                               |             |
|                             | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                             |                     |               |                                   |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                             | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 365 days before first harvest |             |
|                             |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                             | Vivendi 200         | 05122         | UPL Europe Ltd                    | Herbicide       |                          |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                             |                     |               |                                   |                 | <i>Clopyralid</i>        | <i>200 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|----------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley - Field</i>     |                     |               |                            |                 |                          |                  |                       |                         |                            |                               |             |
|                            | Gazelle             | 03248         | Nisso Chemical Europe GmbH | Insecticide     |                          |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                            | Revus               | 02789         | Syngenta UK Ltd            | Fungicide       | <i>Acetamiprid</i>       | <i>20 % w/w</i>  | 0.6 l/ha              | 1.2 l/ha                | 2                          | 7 days pre harvest            | 7 days      |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       | <i>Mandipropamid</i>     | <i>250 g/l</i>   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                            | Stratos Ultra       | 04936         | BASF plc                   | Herbicide       | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                            | Teldor              | 02003         | Bayer CropScience Limited  | Fungicide       | <i>Cycloxydim</i>        | <i>100 g/l</i>   | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                            |                     |               |                            |                 | <i>Fenhexamid</i>        | <i>50 %w/w</i>   |                       |                         |                            |                               |             |
| <i>Parsley - Protected</i> |                     |               |                            |                 |                          |                  |                       |                         |                            |                               |             |
|                            | Revus               | 02789         | Syngenta UK Ltd            | Fungicide       | <i>Mandipropamid</i>     | <i>250 g/l</i>   | 0.6 l/ha              | 0.6 l/ha                | 1                          | 7 days pre harvest            | 7 days      |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                                      |                 |                             |                |                       |                         |                            |                               |             |
|                     | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                             |                | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days before harvest        | 10 days     |
|                     |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                     | Biscaya             | 03602         | Bayer CropScience Limited            | Insecticide     |                             |                | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|                     |                     |               |                                      |                 | <i>Thiacloprid</i>          | <i>240 g/l</i> |                       |                         |                            |                               |             |
|                     | Corbel              | 90438         | BASF plc                             | Fungicide       |                             |                | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                     |                     |               |                                      |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i> |                       |                         |                            |                               |             |
|                     | Decis               | 02693         | Bayer CropScience Limited            | Insecticide     |                             |                | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                     |                     |               |                                      |                 | <i>Deltamethrin</i>         | <i>25 g/l</i>  |                       |                         |                            |                               |             |
|                     | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       |                             |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                     |                     |               |                                      |                 | <i>Prosulfocarb</i>         | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                     | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                             |                | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                     |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>75% w/w</i> |                       |                         |                            |                               |             |
|                     | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                     | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide       |                             |                | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest        | 56 days     |
|                     |                     |               |                                      |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i> |                       |                         |                            |                               |             |
|                     | Globaztar SC        | 04859         | Globachem nv                         | Fungicide       |                             |                | 1.0 l/ha              | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|                     |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                     | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                     | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.                | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                     | Laidir 10 CS        | 04932         | GAT Microencapsulation AG            | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                     | Life Scientific Lam | 04868         | Life Scientific Limited              | Insecticide     |                             |                | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                     | Markate 50          | 05001         | Globachem nv                         | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>50 g/l</i>  |                       |                         |                            |                               |             |
|                     | Ninja 10CS          | 05178         | Syngenta UK Ltd                      | Insecticide     |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsley Root</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                     | Ravane              | 05536         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                     |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                     | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                     |                     |               |                           |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                     | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                           |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                     |                     |               |                           |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                     |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                     | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                     |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                     | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                     |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                     | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                     |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                     | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                     |                     |               |                           |                 | <i>Cyprodinil</i>         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                     |                     |               |                           |                 | <i>Fludioxonil</i>        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                     | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                           |                   | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                     |                     |               |                           |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i>  | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|--------------------------------------|------------------|-----------------------------|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                                      |                  |                             |                 |                        |                         |                            |                               |             |
|                 | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide        |                             |                 | 1.0 l/ha               | 4.0 l/ha                | 4                          |                               | 10 days     |
|                 |                     |               |                                      |                  | <i>Azoxystrobin</i>         | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                 | Corbel              | 90438         | BASF plc                             | Fungicide        |                             |                 | 1.0 l/ha               | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                                      |                  | <i>Fenpropimorph</i>        | <i>750 g/l</i>  |                        |                         |                            |                               |             |
|                 | Decis               | 02693         | Bayer CropScience Limited            | Insecticide      |                             |                 | 300 mls/ha             | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                 |                     |               |                                      |                  | <i>Deltamethrin</i>         | <i>25 g/l</i>   |                        |                         |                            |                               |             |
|                 | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide        |                             |                 | 5.0 l/ha               | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                 |                     |               |                                      |                  | <i>Prosulfocarb</i>         | <i>800 g/l</i>  |                        |                         |                            |                               |             |
|                 | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS    | Herbicide        |                             |                 | 100 mls/ha             | 100 mls/ha              | -                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                                      |                  | <i>Flumioxazin</i>          | <i>300 g/l</i>  |                        |                         |                            |                               |             |
|                 | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide        |                             |                 | 2.1 kg/ha              | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                 |                     |               |                                      |                  | <i>Mancozeb</i>             | <i>75% w/w</i>  |                        |                         |                            |                               |             |
|                 | Fazor Star          | 03729         | Arysta LifeScience Great Britain Ltd | Growth Regulator |                             |                 | 5.0 kg/ha              | 5.0 kg/ha               | 1 per crop                 | 21 days before harvest        |             |
|                 |                     |               |                                      |                  | <i>Maleic hydrazide</i>     | <i>600 g/kg</i> |                        |                         |                            |                               |             |
|                 | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide        |                             |                 | 3 l/ha                 | 3 l/ha                  | 1                          | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                                      |                  | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                        |                         |                            |                               |             |
|                 | Globaztar SC        | 04859         | Globachem nv                         | Fungicide        |                             |                 | 1.0 l/ha               | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|                 |                     |               |                                      |                  | <i>Azoxystrobin</i>         | <i>250 g/l</i>  |                        |                         |                            |                               |             |
|                 | Goltix 70 SC        | 04668         | Adama Agricultural Solutions UK Ltd  | Herbicide        |                             |                 | 2.0 l/ha               | 5.0 l/ha                | -                          | Pre crop emergence            |             |
|                 |                     |               |                                      |                  | <i>Metamitron</i>           | <i>700 g/l</i>  |                        |                         |                            |                               |             |
|                 | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS    | Herbicide        |                             |                 | 100 mls/ha             | 100 mls/ha              | 1                          | 28 days before harvest        | 28 days     |
|                 |                     |               |                                      |                  | <i>Flumioxazin</i>          | <i>300 g/l</i>  |                        |                         |                            |                               |             |
|                 | Microthiol Special  | 90548         | UPL Europe Ltd                       | Fungicide        |                             |                 | 0.01kgs/5 litres water | -                       | 2                          | -                             | 0 days      |
|                 |                     |               |                                      |                  | <i>Sulphur</i>              | <i>80 %w/w</i>  |                        |                         |                            |                               |             |
|                 | Movento             | 04101         | Bayer CropScience Limited            | Insecticide      |                             |                 | 0.3 l/ha               | 0.6 l/ha                | 2 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                 |                     |               |                                      |                  | <i>Spirotetramat</i>        | <i>150 g/l</i>  |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>        | <i>PHI:</i> |
|-----------------|---------------------|---------------|-----------------------------------|-----------------|--------------------------|-------------------|-----------------------|-------------------------|----------------------------|--------------------------------------|-------------|
| <i>Parsnips</i> |                     |               |                                   |                 |                          |                   |                       |                         |                            |                                      |             |
|                 | Nativo 75 WG        | 03226         | Bayer CropScience Limited         | Fungicide       |                          |                   | 0.3 kg/ha             | 0.9 kg/ha               | 3 per crop                 | 21 days before harvest               | 21 days     |
|                 |                     |               |                                   |                 | <i>Tebuconazole</i>      | <i>500 g/kg</i>   |                       |                         |                            |                                      |             |
|                 |                     |               |                                   |                 | <i>Trifloxystrobin</i>   | <i>250 g/kg</i>   |                       |                         |                            |                                      |             |
|                 | Reflect             | 05462         | Syngenta UK Ltd                   | Fungicide       |                          |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest               | 14 days     |
|                 |                     |               |                                   |                 | <i>Isopyrazam</i>        | <i>125 g/l</i>    |                       |                         |                            |                                      |             |
|                 | Rudis               | 04665         | Bayer CropScience Limited         | Fungicide       |                          |                   | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 21 days before harvest               | 21 days     |
|                 |                     |               |                                   |                 | <i>Prothioconazole</i>   | <i>480 g/l</i>    |                       |                         |                            |                                      |             |
|                 | Score 250 EC        | 04566         | Syngenta UK Ltd                   | Fungicide       |                          |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest               | 14 days     |
|                 |                     |               |                                   |                 | <i>Difenoconazole</i>    | <i>250 g/l</i>    |                       |                         |                            |                                      |             |
|                 | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                          |                   | 10 l/ha               | -                       | every 7 days               |                                      | 0 days      |
|                 |                     |               |                                   |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                       |                         |                            |                                      |             |
|                 | Signum              | 03799         | BASF plc                          | Fungicide       |                          |                   | 1.0 kg/ha             | 2.0 kgs/ha              | -                          | 14 days before harvest               |             |
|                 |                     |               |                                   |                 | <i>Boscalid</i>          | <i>26.7 % w/w</i> |                       |                         |                            |                                      |             |
|                 |                     |               |                                   |                 | <i>Pyraclostrobin</i>    | <i>6.7 % w/w</i>  |                       |                         |                            |                                      |             |
|                 | SL567A              | 03106         | Syngenta UK Ltd                   | Fungicide       |                          |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          | no later than 6 weeks after drilling | 30 days     |
|                 |                     |               |                                   |                 | <i>Metalaxyl M</i>       | <i>465.2 g/l</i>  |                       |                         |                            |                                      |             |
|                 | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                          |                   | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest               | 28 days     |
|                 |                     |               |                                   |                 | <i>Flumioxazin</i>       | <i>300 g/l</i>    |                       |                         |                            |                                      |             |
|                 | Switch              | 03761         | Syngenta UK Ltd                   | Fungicide       |                          |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest                |             |
|                 |                     |               |                                   |                 | <i>Fludioxonil</i>       | <i>25.0 % w/w</i> |                       |                         |                            |                                      |             |
|                 |                     |               |                                   |                 | <i>Cyprodinil</i>        | <i>37.5 % w/w</i> |                       |                         |                            |                                      |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>             | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i>  | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                  | <i>PHI:</i> |
|-------------------------|---------------------|---------------|-----------------------------------|------------------|--------------------------|-------------------|--------------------------|-------------------------|----------------------------|------------------------------------------------|-------------|
| <i>Pears</i>            |                     |               |                                   |                  |                          |                   |                          |                         |                            |                                                |             |
|                         | CaLypso             | 02441         | Bayer CropScience Limited         | Insecticide      |                          |                   | 0.375 l/ha               | 0.75 l/ha               | -                          | 14 days before harvest                         | 14 days     |
|                         | Exilis              | 04702         | Fine Agrochemicals Ltd            | Growth Regulator | <i>Thiacloprid</i>       | <i>480 g/l</i>    | 7.5 l/ha *               | 7.5 l/ha                | 1 per year                 | Up to fruitlet diameter of 15 mm               |             |
|                         |                     |               |                                   |                  | <i>6-benzyladenine</i>   | <i>20.0 g/l</i>   |                          |                         |                            |                                                |             |
|                         |                     |               |                                   |                  | <i>6-benzyladenine</i>   | <i>20.0 g/l</i>   |                          |                         |                            |                                                |             |
|                         | Folicur 250 EW      | 00468         | Bayer CropScience Limited         | Fungicide        |                          |                   | 0.6 l/ha                 | 1.8 l/ha                | 3                          | After final harvest but before final leaf fall |             |
|                         |                     |               |                                   |                  | <i>Tebuconazole</i>      | <i>250 g/l</i>    |                          |                         |                            |                                                |             |
|                         | Masai               | 03585         | BASF plc                          | Insecticide      |                          |                   | 125 gms/1 m crown height |                         | 1 / year                   | 21 days before harvest                         |             |
|                         |                     |               |                                   |                  | <i>Tebufenpyrad</i>      | <i>200 g/kg</i>   |                          |                         |                            |                                                |             |
|                         | Scala               | 03916         | BASF plc                          | Fungicide        |                          |                   | 1.125 l/ha               | 4.5 l/ha                | 4 per year                 | 56 days before harvest                         | 56 days     |
|                         |                     |               |                                   |                  | <i>Pyrimethanil</i>      | <i>400 g/l</i>    |                          |                         |                            |                                                |             |
|                         | Score 250 EC        | 04566         | Syngenta UK Ltd                   | Fungicide        |                          |                   | 0.25 l/ha                | 1.0 l/ha                |                            | 28 days before harvest                         | 28 days     |
|                         |                     |               |                                   |                  | <i>Difenoconazole</i>    | <i>250 g/l</i>    |                          |                         |                            |                                                |             |
|                         | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide        |                          |                   | 10 l/ha                  | -                       | every 7 days               |                                                | 0 days      |
|                         |                     |               |                                   |                  | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                          |                         |                            |                                                |             |
|                         | Switch              | 03761         | Syngenta UK Ltd                   | Fungicide        |                          |                   | 0.8 kg/ha                | 2.4 kg/ha               | 3                          | 3 days before harvest                          |             |
|                         |                     |               |                                   |                  | <i>Cyprodinil</i>        | <i>37.5 % w/w</i> |                          |                         |                            |                                                |             |
|                         |                     |               |                                   |                  | <i>Fludioxonil</i>       | <i>25.0 % w/w</i> |                          |                         |                            |                                                |             |
| <i>Peas - combining</i> |                     |               |                                   |                  |                          |                   |                          |                         |                            |                                                |             |
|                         | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide        |                          |                   | 10 l/ha                  | -                       | every 7 days               |                                                | 0 days      |
|                         |                     |               |                                   |                  | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                          |                         |                            |                                                |             |
|                         | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide      |                          |                   | 330 mls/ha               | 330 mls/ha              | 2                          | 14 days pre harvest                            |             |
|                         |                     |               |                                   |                  | <i>Esfenvalerate</i>     | <i>25 g/l</i>     |                          |                         |                            |                                                |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peas - vining</i>                |                     |               |                                   |                 |                                                           |                  |                       |                         |                            |                               |             |
|                                     | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                                                           |                  | 100 mls/ha            | 100 mls/ha              | -                          | 42 days before harvest        | 42 days     |
|                                     |                     |               |                                   |                 | <i>Flumioxazin</i>                                        | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                                                           |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 42 days before harvest        | 42 days     |
|                                     |                     |               |                                   |                 | <i>Flumioxazin</i>                                        | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.               | Insecticide     |                                                           |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                                   |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                                                           |                  | 10 l/ha               | -                       |                            | every 7 days                  | 0 days      |
|                                     |                     |               |                                   |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                                     | Stallion Sync Tech  | 05483         | FMC Chemical s.p.r.l.             | Herbicide       |                                                           |                  | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|                                     |                     |               |                                   |                 | <i>Clomazone</i>                                          | <i>30 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                   |                 | <i>Pendimethalin</i>                                      | <i>333 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS | Insecticide     |                                                           |                  | 330 mls/ha            | 330 mls/ha              | 2                          | 14 days pre harvest           |             |
|                                     |                     |               |                                   |                 | <i>Esfenvalerate</i>                                      | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                                                           |                  | 100 mls/ha            | 100 mls/ha              | 1                          | 42 days before harvest        | 42 days     |
|                                     |                     |               |                                   |                 | <i>Flumioxazin</i>                                        | <i>300 g/l</i>   |                       |                         |                            |                               |             |
| <i>Peppers - Chilli - Protected</i> |                     |               |                                   |                 |                                                           |                  |                       |                         |                            |                               |             |
|                                     | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.               | Insecticide     |                                                           |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                                   |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | Serenade ASO        | 03847         | Bayer CropScience Limited         | Fungicide       |                                                           |                  | 10 l/ha               | -                       |                            | every 7 days                  | 0 days      |
|                                     |                     |               |                                   |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i>   | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i>       | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i>                 | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------|---------------------------|-----------------------|-----------------------------|-------------------|---------------------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Peppers - Protected</i> |               |                           |                       |                             |                   |                                       |                         |                            |                               |             |
| Amistar                    | 01351         | Syngenta UK Ltd           | Fungicide             |                             |                   | 1.0 l/ha                              | 4.0 l/ha                | 4                          | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                                       |                         |                            |                               |             |
| CaLypso                    | 02441         | Bayer CropScience Limited | Insecticide           |                             |                   | 0.45 l/ha                             | 0.9 l/ha                | 2                          | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Thiacloprid</i>          | <i>480 g/l</i>    |                                       |                         |                            |                               |             |
| Dynamec                    | 02640         | Syngenta UK Ltd           | Acaricide/Insecticide |                             |                   | 50<br>mls/product/100<br>litres water | -                       | 5                          | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Abamectin</i>            | <i>18 g/l</i>     |                                       |                         |                            |                               |             |
| Globazar SC                | 04859         | Globachem nv              | Fungicide             |                             |                   | 1.0 l/ha                              | 4.0 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                                       |                         |                            |                               |             |
| Microthiol Special         | 90548         | UPL Europe Ltd            | Fungicide             |                             |                   | 0.01kgs/5 litres<br>water             | -                       | -                          | -                             | 0 days      |
|                            |               |                           |                       | <i>Sulphur</i>              | <i>80 %w/w</i>    |                                       |                         |                            |                               |             |
| Oberon                     | 02529         | Bayer CropScience Limited | Insecticide           |                             |                   | 50mls per 100<br>litres water         | -                       | 2 per crop                 | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Spiromesifen</i>         | <i>240 g/l</i>    |                                       |                         |                            |                               |             |
| Plenum                     | 02238         | Syngenta UK Ltd           | Insecticide           |                             |                   | 0.04 kgs/100 l<br>water               | -                       | 3                          | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Pymetrozine</i>          | <i>50 %w/w</i>    |                                       |                         |                            |                               |             |
| Previcur Energy            | 04041         | Bayer CropScience Limited | Fungicide             |                             |                   | 6 mls per sq m                        | 9 mls per sq m          | -                          | Before transplanting          |             |
|                            |               |                           |                       | <i>Propamocarb</i>          | <i>530 g/l</i>    |                                       |                         |                            |                               |             |
|                            |               |                           |                       | <i>Propamocarb</i>          | <i>530 g/l</i>    |                                       |                         |                            |                               |             |
|                            |               |                           |                       | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                                       |                         |                            |                               |             |
|                            |               |                           |                       | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                                       |                         |                            |                               |             |
| Serenade ASO               | 03847         | Bayer CropScience Limited | Fungicide             |                             |                   | 10 l/ha                               | -                       | every 7 days               |                               | 0 days      |
|                            |               |                           |                       | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i>  |                                       |                         |                            |                               |             |
| Switch                     | 03761         | Syngenta UK Ltd           | Fungicide             |                             |                   | 1.0 kg/ha                             | 3.0 kg/ha               | -                          | 7 days before harvest         |             |
|                            |               |                           |                       | <i>Fludioxonil</i>          | <i>25.0 % w/w</i> |                                       |                         |                            |                               |             |
|                            |               |                           |                       | <i>Cyprodinil</i>           | <i>37.5 % w/w</i> |                                       |                         |                            |                               |             |
| Teldor                     | 02003         | Bayer CropScience Limited | Fungicide             |                             |                   | 1.5 kgs/ha                            | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest          | 1 day       |
|                            |               |                           |                       | <i>Fenhexamid</i>           | <i>50 %w/w</i>    |                                       |                         |                            |                               |             |
| Vivando                    | 05685         | BASF plc                  | Fungicide             |                             |                   | 0.3 l/ha                              | 0.6 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                            |               |                           |                       | <i>Metrafenone</i>          | <i>500 g/l</i>    |                                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Plums</i>                 |                     |               |                           |                 |                                                           |                   |                       |                         |                            |                               |             |
|                              | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                              |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                       |                         |                            |                               |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                              |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                              | Signum              | 03799         | BASF plc                  | Fungicide       |                                                           |                   | 0.75 kg/ha            | 2.25 kg/ha              | -                          | 7 days before harvest         | 7 days      |
|                              |                     |               |                           |                 | <i>Boscalid</i>                                           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                              |                     |               |                           |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
| <i>Potatoes - Seed crops</i> |                     |               |                           |                 |                                                           |                   |                       |                         |                            |                               |             |
|                              | Amistar Opti        | 03408         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                              |                     |               |                           |                 | <i>Chlorothalonil</i>                                     | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                              |                     |               |                           |                 | <i>Azoxystrobin</i>                                       | <i>80 g/l</i>     |                       |                         |                            |                               |             |
|                              | Curator             | 04504         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 1.0 l/ha              | 3.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                              |                     |               |                           |                 | <i>Azoxystrobin</i>                                       | <i>80 g/l</i>     |                       |                         |                            |                               |             |
|                              |                     |               |                           |                 | <i>Chlorothalonil</i>                                     | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                              |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                              | Vertik              | 04030         | Syngenta UK Ltd           | Fungicide       |                                                           |                   | 0.8 l/ha              | 2.4 l/ha                | -                          | 7 days pre-harvest            | 7 days      |
|                              |                     |               |                           |                 | <i>Chlorothalonil</i>                                     | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                              |                     |               |                           |                 | <i>Azoxystrobin</i>                                       | <i>100 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                  | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------------------|---------------------|---------------|----------------------------|-----------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Potatoes - Ware crops</i> |                     |               |                            |                 |                             |                  |                       |                         |                            |                               |             |
|                              | Amistar Opti        | 03408         | Syngenta UK Ltd            | Fungicide       |                             |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                              |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>    |                       |                         |                            |                               |             |
|                              | Curator             | 04504         | Syngenta UK Ltd            | Fungicide       |                             |                  | 1.0 l/ha              | 3.0 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                              |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>    |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                             |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                              |                     |               |                            |                 | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                              | Vertik              | 04030         | Syngenta UK Ltd            | Fungicide       |                             |                  | 0.8 l/ha              | 2.4 l/ha                | -                          | 7 days pre-harvest            | 7 days      |
|                              |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| <i>Pumpkins - Protected</i>  |                     |               |                            |                 |                             |                  |                       |                         |                            |                               |             |
|                              | Amistar             | 01351         | Syngenta UK Ltd            | Fungicide       |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                              |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                              | Previcur Energy     | 04041         | Bayer CropScience Limited  | Fungicide       |                             |                  | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                              |                     |               |                            |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>   |                       |                         |                            |                               |             |
|                              |                     |               |                            |                 | <i>Propamocarb</i>          | <i>530 g/l</i>   |                       |                         |                            |                               |             |
| <i>Radicchio</i>             |                     |               |                            |                 |                             |                  |                       |                         |                            |                               |             |
|                              | Gazelle             | 03248         | Nisso Chemical Europe GmbH | Insecticide     |                             |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                              |                     |               |                            |                 | <i>Acetamiprid</i>          | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                              | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                             |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                              |                     |               |                            |                 | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|---------------------------|-----------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Radish</i> |                     |               |                           |                 |                             |                  |                       |                         |                            |                               |             |
|               | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                             |                  | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days before harvest        | 10 days     |
|               |                     |               |                           |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Corbel              | 90438         | BASF plc                  | Fungicide       |                             |                  | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|               |                     |               |                           |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i>   |                       |                         |                            |                               |             |
|               | Decis               | 02693         | Bayer CropScience Limited | Insecticide     |                             |                  | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                           |                 | <i>Deltamethrin</i>         | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG | Insecticide     |                             |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Fusilade Max        | 01472         | Syngenta UK Ltd           | Herbicide       |                             |                  | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest        | 56 days     |
|               |                     |               |                           |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|               | Globazar SC         | 04859         | Globachem nv              | Fungicide       |                             |                  | 1.0 l/ha              | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|               |                     |               |                           |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide     |                             |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.     | Insecticide     |                             |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | GAT Microencapsulation AG | Insecticide     |                             |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited   | Insecticide     |                             |                  | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv              | Insecticide     |                             |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                             |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Ravane              | 05536         | Globachem nv              | Insecticide     |                             |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>   | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|               | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>Isopyrazam</i>           | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                             |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|               |                     |               |                           |                 | <i>Bacillus subtilis</i>    | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------|---------------------|---------------|---------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Radish</i>        |                     |               |                           |                 |                           |                  |                       |                         |                            |                               |             |
|                      | SL567A              | 03106         | Syngenta UK Ltd           | Fungicide       |                           |                  | 1.3 l/ha              | 1.3 l/ha                | 1                          | 30 days before harvest        | 30 days     |
|                      |                     |               |                           |                 | <i>Metalaxyl M</i>        | <i>465.2 g/l</i> |                       |                         |                            |                               |             |
|                      | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                      |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                      | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                      |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                      | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                           |                  | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                      |                     |               |                           |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>  |                       |                         |                            |                               |             |
| <i>Rape - fodder</i> |                     |               |                           |                 |                           |                  |                       |                         |                            |                               |             |
|                      | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                      |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------|---------------|-------------------------------------|-----------------|----------------------------|------------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Raspberries</i>       |               |                                     |                 |                            |                  |                         |                         |                            |                               |             |
| Amistar                  | 01351         | Syngenta UK Ltd                     | Fungicide       |                            |                  | 1.0 l/ha                | 2.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |               |                                     |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                         |                         |                            |                               |             |
| Amistrobin               | 04879         | Servem Ltd                          | Fungicide       |                            |                  | 1.0 l/ha                | 2.0 l/ha                | 2                          | 7 days before harvest         |             |
|                          |               |                                     |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                         |                         |                            |                               |             |
| Apollo                   | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                            |                  | 0.4 l/ha                | 1.2 l/ha                | 3                          | 14 days pre harvest           | 14 days     |
|                          |               |                                     |                 | <i>Clofentezine</i>        | <i>500 g/l</i>   |                         |                         |                            |                               |             |
| CaLypso                  | 02441         | Bayer CropScience Limited           | Insecticide     |                            |                  | 0.25 l/ha               | 0.75 l/ha               | 3                          | 3 days before harvest         | 3 days      |
|                          |               |                                     |                 | <i>Thiacloprid</i>         | <i>480 g/l</i>   |                         |                         |                            |                               |             |
| Folicur 250 EW           | 00468         | Bayer CropScience Limited           | Fungicide       |                            |                  | 0.8 l/ha                | 2.4 l/ha                | 3 per year                 | 14 days before harvest        | 14 days     |
|                          |               |                                     |                 | <i>Tebuconazole</i>        | <i>250 g/l</i>   |                         |                         |                            |                               |             |
| Masai                    | 03585         | BASF plc                            | Insecticide     |                            |                  | 375 gms/ha              | 375 g/ha                | 1 / year                   | 21 days before harvest        |             |
|                          |               |                                     |                 | <i>Tebufenpyrad</i>        | <i>200 g/kg</i>  |                         |                         |                            |                               |             |
| Plenum                   | 02238         | Syngenta UK Ltd                     | Insecticide     |                            |                  | 0.4 kgs/ha              | 1.2 kgs/ha              | 3                          | 28 days before harvest        | 28 days     |
|                          |               |                                     |                 | <i>Pymetrozine</i>         | <i>50 %w/w</i>   |                         |                         |                            |                               |             |
| Pyrimala                 | 05429         | Servem Ltd                          | Fungicide       |                            |                  | 2.0 l/ha                | 4.0 l/ha                | 2                          | 7 days before harvest         | 7 days      |
|                          |               |                                     |                 | <i>Pyrimethanil</i>        | <i>400 g/l</i>   |                         |                         |                            |                               |             |
| Scala                    | 03916         | BASF plc                            | Fungicide       |                            |                  | 2.0l/ha                 | 4.0 l/ha                | 2 per crop                 | 7 days before harvest         | 7 days      |
|                          |               |                                     |                 | <i>Pyrimethanil</i>        | <i>400 g/l</i>   |                         |                         |                            |                               |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited           | Fungicide       |                            |                  | 10 l/ha                 | -                       | every 7 days               |                               | 0 days      |
|                          |               |                                     |                 | <i>Bacillus subtilis</i>   | <i>1.34% w/w</i> |                         |                         |                            |                               |             |
| Spotlight Plus           | 03294         | FMC Chemical s.p.r.l.               | Herbicide       |                            |                  | 0.8 l/ha                | 1.6 l/ha                | -                          | 21 days before harvest        |             |
|                          |               |                                     |                 | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>    |                         |                         |                            |                               |             |
| Tracer                   | 02649         | Dow AgroSciences                    | Insecticide     |                            |                  | 200ml/ha in 1000L water | 400 ml/ha               | 2 per year                 | 1 day before harvest          | 1 day       |
|                          |               |                                     |                 | <i>Spinosad</i>            | <i>480 g/l</i>   |                         |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>    | <i>Content</i>    | <i>Max Ind. Dose:</i>       | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------|---------------------|---------------|---------------------------|-----------------|---------------------|-------------------|-----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Raspberries - Protected</i> |                     |               |                           |                 |                     |                   |                             |                         |                            |                               |             |
|                                | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                     |                   | 1.0 l/ha                    | 2.0 l/ha                | 2 per crop                 | 10 days before harvest        | 10 days     |
|                                |                     |               |                           |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>    |                             |                         |                            |                               |             |
|                                | Amistrobin          | 04879         | Servem Ltd                | Fungicide       |                     |                   | 1.0 l/ha                    | 2.0 l/ha                | 2                          | 10 days before harvest        |             |
|                                |                     |               |                           |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>    |                             |                         |                            |                               |             |
|                                | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       |                     |                   | 0.8 l/ha                    | 2.4 l/ha                | 3 per year                 | 14 days before harvest        | 14 days     |
|                                |                     |               |                           |                 | <i>Tebuconazole</i> | <i>250 g/l</i>    |                             |                         |                            |                               |             |
|                                | Masai               | 03585         | BASF plc                  | Insecticide     |                     |                   | 375 gms/ha                  | 375 g/ha                | 1 / year                   | 21 days before harvest        |             |
|                                |                     |               |                           |                 | <i>Tebuconazole</i> | <i>250 g/l</i>    |                             |                         |                            |                               |             |
|                                | Pyrimala            | 05429         | Servem Ltd                | Fungicide       |                     |                   | 2.0 l/ha                    | 4.0 l/ha                | 2                          | 7 days before harvest         | 7 days      |
|                                |                     |               |                           |                 | <i>Pyrimethanil</i> | <i>400 g/l</i>    |                             |                         |                            |                               |             |
|                                | Rana                | 05283         | Servem Ltd                | Insecticide     |                     |                   | 0.25 l/ha                   | -                       | 0.75 l/ha                  | 3 days before harvest         | 3 days      |
|                                |                     |               |                           |                 | <i>Thiacloprid</i>  | <i>480 g/l</i>    |                             |                         |                            |                               |             |
|                                | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                     |                   | 1.0 kg/ha                   | 3.0 kg/ha               | 3                          | 14 days before harvest        |             |
|                                |                     |               |                           |                 | <i>Cyprodinil</i>   | <i>37.5 % w/w</i> |                             |                         |                            |                               |             |
|                                |                     |               |                           |                 | <i>Fludioxonil</i>  | <i>25.0 % w/w</i> |                             |                         |                            |                               |             |
|                                | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                     |                   | 200 ml/ha in<br>1000L water | 600 ml/ha               | 3 per year                 | 1 day before harvest          | 1 day       |
|                                |                     |               |                           |                 | <i>Spinosad</i>     | <i>480 g/l</i>    |                             |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|--------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------|-----------------|------------------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Redcurrants</i> |                     |               |                                     |                 |                             |                 |                              |                         |                            |                                   |             |
|                    | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                             |                 | 0.4 l/ha                     | 1.2 l/ha                | 3                          | 14 days pre harvest               | 14 days     |
|                    |                     |               |                                     |                 | <i>Clofentezine</i>         | <i>500 g/l</i>  |                              |                         |                            |                                   |             |
|                    | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                             |                 | 0.25 l/ha                    | 0.75 l/ha               | 3                          | 3 days before harvest             | 3 days      |
|                    |                     |               |                                     |                 | <i>Thiacloprid</i>          | <i>480 g/l</i>  |                              |                         |                            |                                   |             |
|                    | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.         | Herbicide       |                             |                 | 120 g/ha                     | 120 g/ha                | 1 per year                 | Before bud burst                  |             |
|                    |                     |               |                                     |                 | <i>Flazasulfuron</i>        | <i>25 % w/w</i> |                              |                         |                            |                                   |             |
|                    | Corbel              | 90438         | BASF plc                            | Fungicide       |                             |                 | 1.0 l/ha                     | 3.0 l/ha                | 2                          | 2 weeks before harvest            | 2 weeks     |
|                    |                     |               |                                     |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i>  |                              |                         |                            |                                   |             |
|                    | Fusilade Max        | 01472         | Syngenta UK Ltd                     | Herbicide       |                             |                 | 3.0 l/ha                     | 3.0 l/ha                | 1                          | Before flowering or after harvest |             |
|                    |                     |               |                                     |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                              |                         |                            |                                   |             |
|                    | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days pre harvest               | 14 days     |
|                    |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                              |                         |                            |                                   |             |
|                    | Manfil 75 WG        | 03598         | Indofil Industries Limited          | Fungicide       |                             |                 | 1.5 kg per 1000 litres water | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>75 % w/w</i> |                              |                         |                            |                                   |             |
|                    | Manfil 80 WP        | 03563         | Indofil Industries Limited          | Fungicide       |                             |                 | 1.4 kg per 1000L water       | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>800 g/kg</i> |                              |                         |                            |                                   |             |
|                    | Masai               | 03585         | BASF plc                            | Insecticide     |                             |                 | 1.5 kgs/ha                   | 1.5 kgs/ha              | -                          | 7 days before harvest             |             |
|                    |                     |               |                                     |                 | <i>Tebufenpyrad</i>         | <i>200 g/kg</i> |                              |                         |                            |                                   |             |
|                    | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days before harvest            | 14 days     |
|                    |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                              |                         |                            |                                   |             |
|                    | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide       |                             |                 | 1.4 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>800 g/kg</i> |                              |                         |                            |                                   |             |
|                    | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide       |                             |                 | 1.5 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                    |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>750 g/kg</i> |                              |                         |                            |                                   |             |
|                    | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 0.4 kgs/ha                   | 1.2 kgs/ha              | 3                          | 28 days pre harvest               | 28 days     |
|                    |                     |               |                                     |                 | <i>Pymetrozine</i>          | <i>50 %w/w</i>  |                              |                         |                            |                                   |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|--------------------|---------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|-------------------|-------------------------|-----------------------------------------------|----------------------------|---------------------------------------------|-------------|
| <i>Redcurrants</i> |                     |               |                            |                 |                                                           |                   |                         |                                               |                            |                                             |             |
|                    | Scala               | 03916         | BASF plc                   | Fungicide       |                                                           |                   | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                    |                     |               |                            |                 | <i>Pyrimethanil</i>                                       | <i>400 g/l</i>    |                         |                                               |                            |                                             |             |
|                    | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                   | 10 l/ha                 | -                                             | every 7 days               |                                             | 0 days      |
|                    |                     |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                         |                                               |                            |                                             |             |
|                    | Signum              | 03799         | BASF plc                   | Fungicide       |                                                           |                   | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                    |                     |               |                            |                 | <i>Pyraclostrobin</i>                                     | <i>6.7 % w/w</i>  |                         |                                               |                            |                                             |             |
|                    |                     |               |                            |                 | <i>Boscalid</i>                                           | <i>26.7 % w/w</i> |                         |                                               |                            |                                             |             |
|                    | Tracer              | 02649         | Dow AgroSciences           | Insecticide     |                                                           |                   | 200 ml/ha in 250L water | 400 ml/ha                                     | 2 per year                 | 7 days before harvest                       | 7 days      |
|                    |                     |               |                            |                 | <i>Spinosad</i>                                           | <i>480 g/l</i>    |                         |                                               |                            |                                             |             |
| <i>Rhubarb</i>     |                     |               |                            |                 |                                                           |                   |                         |                                               |                            |                                             |             |
|                    | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                   | 1.0 kg/ha               | 3.0 kg/ha                                     | -                          | N/A                                         |             |
|                    |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                         |                                               |                            |                                             |             |
|                    | PDM 330 EC          | 03582         | BASF plc                   | Herbicide       |                                                           |                   | 4.0 l/ha                | 4.0 l/ha                                      | 1                          | Before crop emergence                       |             |
|                    |                     |               |                            |                 | <i>Pendimethalin</i>                                      | <i>330 g/l</i>    |                         |                                               |                            |                                             |             |
|                    | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                   | 10 l/ha                 | -                                             | every 7 days               |                                             | 0 days      |
|                    |                     |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                         |                                               |                            |                                             |             |
|                    | Stomp Aqua          | 03750         | BASF plc                   | Herbicide       |                                                           |                   | 2.9 l/ha                | 2.9 l/ha                                      | 1 / crop                   | Before crop emergence                       |             |
|                    |                     |               |                            |                 | <i>Pendimethalin</i>                                      | <i>455 g/l</i>    |                         |                                               |                            |                                             |             |
| <i>Rocket</i>      |                     |               |                            |                 |                                                           |                   |                         |                                               |                            |                                             |             |
|                    | Gazelle             | 03248         | Nisso Chemical Europe GmbH | Insecticide     |                                                           |                   | 250 g/ha                | 500 g/ha                                      | 2                          | 3 days pre harvest                          | 3 days      |
|                    |                     |               |                            |                 | <i>Acetamiprid</i>                                        | <i>20 % w/w</i>   |                         |                                               |                            |                                             |             |
|                    | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                   | 1.0 kg/ha               | 3.0 kg/ha                                     | -                          | N/A                                         |             |
|                    |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>   |                         |                                               |                            |                                             |             |
|                    | Serenade ASO        | 03847         | Bayer CropScience Limited  | Fungicide       |                                                           |                   | 10 l/ha                 | -                                             | every 7 days               |                                             | 0 days      |
|                    |                     |               |                            |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i>  |                         |                                               |                            |                                             |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**



| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rosemary</i>     |                     |               |                           |                 |                                                           |                  |                        |                         |                            |                               |             |
|                     | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 10 l/ha                | -                       | every 7 days               |                               | 0 days      |
|                     | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> | 4.0 l/ha               | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                     | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       | <i>Cycloxydim</i>                                         | <i>100 g/l</i>   | 1.5 kgs/ha             | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                     |                     |               |                           |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>   |                        |                         |                            |                               |             |
| <i>Rubus Hybrid</i> |                     |               |                           |                 |                                                           |                  |                        |                         |                            |                               |             |
|                     | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       | <i>Tebuconazole</i>                                       | <i>250 g/l</i>   | 0.8 l/ha               | 2.4 l/ha                | 3 per year                 | 14 days before harvest        | 14 days     |
|                     | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  | 1.0 kg/ha              | 3.0 kg/ha               | -                          | N/A                           |             |
|                     | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>          | <i>2% w/w</i>    | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                     | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.     | Herbicide       | <i>Carfentrazone-ethyl</i>                                | <i>60 g/l</i>    | 0.8 l/ha               | 1.6 l/ha                | -                          | 21 days before harvest        |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>     | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------|-----------------|----------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rye - spring</i> |                     |               |                           |                 |                      |                 |                       |                         |                            |                               |             |
|                     | Acanto Prima        | 04043         | DuPont (UK) Ltd           | Fungicide       |                      |                 | 2.5 kg/ha             | 4.0 kg/ha               | 2 per crop*                | Before GS 73                  |             |
|                     |                     |               |                           |                 | <i>Cyprodinil</i>    | <i>300 g/kg</i> |                       |                         |                            |                               |             |
|                     |                     |               |                           |                 | <i>Picoxystrobin</i> | <i>80 g/kg</i>  |                       |                         |                            |                               |             |
|                     | Compitox Plus       | 02843         | Nufarm UK Limited         | Herbicide       |                      |                 | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                     | Decis               | 02693         | Bayer CropScience Limited | Insecticide     |                      |                 | 250 mls/ha            | 750 mls/ha              |                            | Before GS 85                  |             |
|                     |                     |               |                           |                 | <i>Deltamethrin</i>  | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|                     | Defy                | 04277         | Syngenta UK Ltd           | Herbicide       |                      |                 | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                           |                 | <i>Prosulfocarb</i>  | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                     | Duplosan KV         | 02842         | Nufarm UK Limited         | Herbicide       |                      |                 | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                     | Galileo             | 03015         | DuPont (UK) Ltd           | Fungicide       |                      |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | GS 71                         |             |
|                     |                     |               |                           |                 | <i>Picoxystrobin</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                     | Optica              | 02661         | Nufarm UK Limited         | Herbicide       |                      |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                     | Twinprop            | 04427         | DHM Agrochemicals Ltd.,   | Herbicide       |                      |                 | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>     | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------|---------------------|---------------|---------------------------|-----------------|----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Rye - winter</i> |                     |               |                           |                 |                      |                  |                       |                         |                            |                               |             |
|                     | Acanto Prima        | 04043         | DuPont (UK) Ltd           | Fungicide       |                      |                  | 2.5 kg/ha             | 4.0 kg/ha               | 2 per crop*                | Before GS 73                  |             |
|                     |                     |               |                           |                 | <i>Cyprodinil</i>    | <i>300 g/kg</i>  |                       |                         |                            |                               |             |
|                     |                     |               |                           |                 | <i>Picoxystrobin</i> | <i>80 g/kg</i>   |                       |                         |                            |                               |             |
|                     | Compitox Plus       | 02843         | Nufarm UK Limited         | Herbicide       |                      |                  | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a     | Insecticide     |                      |                  | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                     |                     |               |                           |                 | <i>Deltamethrin</i>  | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                     | Decis               | 02693         | Bayer CropScience Limited | Insecticide     |                      |                  | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                     |                     |               |                           |                 | <i>Deltamethrin</i>  | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                     | Defy                | 04277         | Syngenta UK Ltd           | Herbicide       |                      |                  | 3.0 l/ha              | 3.0 l/ha                | 1 per crop                 | Before GS 22                  |             |
|                     |                     |               |                           |                 | <i>Prosulfocarb</i>  | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                     | Duplosan KV         | 02842         | Nufarm UK Limited         | Herbicide       |                      |                  | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Galileo             | 03015         | DuPont (UK) Ltd           | Fungicide       |                      |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | GS 71                         |             |
|                     |                     |               |                           |                 | <i>Picoxystrobin</i> | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                     | GAT Decline 2.5 E   | 04422         | GAT Microencapsulation AG | Insecticide     |                      |                  | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                     |                     |               |                           |                 | <i>Deltamethrin</i>  | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                     | Mircam Super        | 02097         | Nufarm UK Limited         | Herbicide       |                      |                  | 3.0 l/ha              | 3.0 l/ha                | 1                          | GS 31                         |             |
|                     |                     |               |                           |                 | <i>MCPA</i>          | <i>22.6 %w/w</i> |                       |                         |                            |                               |             |
|                     |                     |               |                           |                 | <i>Dicamba</i>       | <i>2.8 %w/w</i>  |                       |                         |                            |                               |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>20.9 %w/w</i> |                       |                         |                            |                               |             |
|                     | Optica              | 02661         | Nufarm UK Limited         | Herbicide       |                      |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                     | Twinprop            | 04427         | DHM Agrochemicals Ltd.,   | Herbicide       |                      |                  | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                     |                     |               |                           |                 | <i>Mecoprop-P</i>    | <i>600 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i> | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------|---------------------|---------------|---------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Sage</i> |                     |               |                           |                 |                          |                  |                       |                         |                            |                               |             |
|             | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|             |                     |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|             | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                          |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|             |                     |               |                           |                 | <i>Cycloxydim</i>        | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|             | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                          |                  | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|             |                     |               |                           |                 | <i>Fenhexamid</i>        | <i>50 %w/w</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|--------------------------------------|-----------------|-----------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                                      |                 |                             |                |                       |                         |                            |                               |             |
|                | Amistar             | 01351         | Syngenta UK Ltd                      | Fungicide       |                             |                | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days before harvest        | 10 days     |
|                |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                | Biscaya             | 03602         | Bayer CropScience Limited            | Insecticide     |                             |                | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|                |                     |               |                                      |                 | <i>Thiacloprid</i>          | <i>240 g/l</i> |                       |                         |                            |                               |             |
|                | Corbel              | 90438         | BASF plc                             | Fungicide       |                             |                | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|                |                     |               |                                      |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i> |                       |                         |                            |                               |             |
|                | Decis               | 02693         | Bayer CropScience Limited            | Insecticide     |                             |                | 300 mls/ha            | 900 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                                      |                 | <i>Deltamethrin</i>         | <i>25 g/l</i>  |                       |                         |                            |                               |             |
|                | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       |                             |                | 5.0 l/ha              | 5.0 l/ha                | -                          | Before GS 11                  | 80 days     |
|                |                     |               |                                      |                 | <i>Prosulfocarb</i>         | <i>800 g/l</i> |                       |                         |                            |                               |             |
|                | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       |                             |                | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | 30 days before harvest        | 30 days     |
|                |                     |               |                                      |                 | <i>Mancozeb</i>             | <i>75% w/w</i> |                       |                         |                            |                               |             |
|                | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG            | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                | Fusilade Max        | 01472         | Syngenta UK Ltd                      | Herbicide       |                             |                | 3.0 l/ha              | 3.0 l/ha                | 1                          | 8 weeks before harvest        | 56 days     |
|                |                     |               |                                      |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i> |                       |                         |                            |                               |             |
|                | Globaztar SC        | 04859         | Globachem nv                         | Fungicide       |                             |                | 1.0 l/ha              | 4.0 l/ha                | 4 per year                 | 10 days before harvest        | 10 days     |
|                |                     |               |                                      |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd                      | Insecticide     |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                | Karis 10 CS         | 04454         | FMC Chemical s.p.l.                  | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                | Laidir 10 CS        | 04932         | GAT Microencapsulation AG            | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                | Life Scientific Lam | 04868         | Life Scientific Limited              | Insecticide     |                             |                | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                | Markate 50          | 05001         | Globachem nv                         | Insecticide     |                             |                | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>50 g/l</i>  |                       |                         |                            |                               |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd                      | Insecticide     |                             |                | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                                      |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Salsify</i> |                     |               |                           |                 |                           |                   |                       |                         |                            |                               |             |
|                | PDM 330 EC          | 03582         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          |                               |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                | Ravane              | 05536         | Globachem nv              | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                |                     |               |                           |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                           |                   | 0.5 l/ha              | 1.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                |                     |               |                           |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                   | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i>  |                       |                         |                            |                               |             |
|                | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                   | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence         |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                           |                   | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 8 weeks before harvest        | 8 weeks     |
|                |                     |               |                           |                 | <i>Cycloxydim</i>         | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                | Switch              | 03761         | Syngenta UK Ltd           | Fungicide       |                           |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                |                     |               |                           |                 | <i>Cyprodinil</i>         | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Fludioxonil</i>        | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                           |                   | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                |                     |               |                           |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|----------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Shallot</i> |                     |               |                            |                 |                             |                 |                       |                         |                            |                               |             |
|                | Amistar Opti        | 03408         | Syngenta UK Ltd            | Fungicide       |                             |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                | Bravo 500           | 03452         | Syngenta UK Ltd            | Fungicide       |                             |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                | Curator             | 04504         | Syngenta UK Ltd            | Fungicide       |                             |                 | 2.5 l/ha              | 5.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                            |                 | <i>Azoxystrobin</i>         | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                | Defy                | 04277         | Syngenta UK Ltd            | Herbicide       |                             |                 | 5.0 l/ha              | 5.0 l/ha                | -                          | Before 5th leaf visible       |             |
|                |                     |               |                            |                 | <i>Prosulfocarb</i>         | <i>800 g/l</i>  |                       |                         |                            |                               |             |
|                | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |                             |                 | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 true leaf stage       |             |
|                |                     |               |                            |                 | <i>S-Metolachlor</i>        | <i>960 g/l</i>  |                       |                         |                            |                               |             |
|                | Folio Gold          | 02363         | Syngenta UK Ltd            | Fungicide       |                             |                 | 2.0 l/ha              | 6.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                |                     |               |                            |                 | <i>Metalaxyl M</i>          | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|                | Fusilade Max        | 01472         | Syngenta UK Ltd            | Herbicide       |                             |                 | 3.0 l/ha              | 3.0 l/ha                | 1                          | 4 weeks before harvest        | 28 days     |
|                |                     |               |                            |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                | Grisu               | 04836         | Oxon Italia SpA            | Fungicide       |                             |                 | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                            |                 | <i>Iprodione</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                | Infinito            | 02532         | Bayer CropScience Limited  | Fungicide       |                             |                 | 1.6 l/ha              | 1.6 l/ha                | 1 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                            |                 | <i>Propamocarb</i>          | <i>625 g/l</i>  |                       |                         |                            |                               |             |
|                |                     |               |                            |                 | <i>Fluopicolide</i>         | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                | Jupital             | 04503         | Syngenta UK Ltd            | Fungicide       |                             |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest        | 14 days     |
|                |                     |               |                            |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |                             |                 | 75 mls/ha             | 225 mls/ha              | 3 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                | Lentagran WP        | 03082         | Belchim Crop Protection NV | Herbicide       |                             |                 | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | Before 7 leaf stage           |             |
|                |                     |               |                            |                 | <i>Pyridate</i>             | <i>45 % w/w</i> |                       |                         |                            |                               |             |
|                | NEMGuard DE         | 05368         | ECOspray Ltd               | Nematicide      |                             |                 | 20 kg/ha              | 20 kg/ha                | 1                          | At drilling                   |             |
|                |                     |               |                            |                 | <i>Garlic Extract</i>       | <i>450 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Shallot</i> |                     |               |                           |                 |                           |                  |                       |                         |                            |                                   |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                           |                  | 75 mls/ha             | 225 mls/ha              | 4                          | 21 days before harvest            | 21 days     |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                                   |             |
|                | Pyramin DF          | 04264         | BASF plc                  | Herbicide       |                           |                  | 1.4 kg/ha             | 1.4 kg/ha               | -                          | Before GS 13                      |             |
|                |                     |               |                           |                 | <i>Chloridazon</i>        | <i>65% w/w</i>   |                       |                         |                            |                                   |             |
|                | Rovral WG           | 02729         | BASF plc                  | Fungicide       |                           |                  | 0.67 kgs/ha           | 2.67 kgs/ha             | 4                          | 21 days pre harvest               | 21 days     |
|                |                     |               |                           |                 | <i>Iprodione</i>          | <i>750 g/kg</i>  |                       |                         |                            |                                   |             |
|                | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                  | 10 l/ha               | -                       | every 7 days               |                                   | 0 days      |
|                |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i> |                       |                         |                            |                                   |             |
|                | Stomp 400 SC        | 02879         | BASF plc                  | Herbicide       |                           |                  | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence             |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>   |                       |                         |                            |                                   |             |
|                | Stomp Aqua          | 03750         | BASF plc                  | Herbicide       |                           |                  | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | Before crop emergence             |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>455 g/l</i>   |                       |                         |                            |                                   |             |
|                | Valbon              | 03411         | Certis Europe BV          | Fungicide       |                           |                  | 1.6 kg/ha             | 9.6 kg/ha               | 6 per crop                 | 28 days pre-harvest               | 28 days     |
|                |                     |               |                           |                 | <i>Benthiavdicarb</i>     | <i>17.5 g/kg</i> |                       |                         |                            |                                   |             |
|                |                     |               |                           |                 | <i>Mancozeb</i>           | <i>700 g/kg</i>  |                       |                         |                            |                                   |             |
|                | Vertik              | 04030         | Syngenta UK Ltd           | Fungicide       |                           |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | 14 days before harvest            | 14 days     |
|                |                     |               |                           |                 | <i>Azoxystrobin</i>       | <i>100 g/l</i>   |                       |                         |                            |                                   |             |
|                |                     |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |                       |                         |                            |                                   |             |
|                | Wing P              | 03590         | BASF plc                  | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | Pre-emergence / Pre-transplanting |             |
|                |                     |               |                           |                 | <i>Pendimethalin</i>      | <i>250g/l</i>    |                       |                         |                            |                                   |             |
|                |                     |               |                           |                 | <i>Dimethenamid-P</i>     | <i>212.5 g/l</i> |                       |                         |                            |                                   |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>    | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>  | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------|---------------------|---------------|---------------------------|-----------------|--------------------------------------------------|-----------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach</i> |                     |               |                           |                 |                                                  |                 |                        |                         |                            |                               |             |
|                | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG | Insecticide     |                                                  |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Fenomenal           | 04956         | Bayer CropScience Limited | Fungicide       |                                                  |                 | 2.5 kg/ha              | 5.0 kg/ha               | 2 per crop                 | 21 days before harvest        | 21 days     |
|                |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>600 g/kg</i> |                        |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Fenamidone</i>                                | <i>60 g/kg</i>  |                        |                         |                            |                               |             |
|                | Infinito            | 02532         | Bayer CropScience Limited | Fungicide       |                                                  |                 | 1.6 l/ha               | 1.6 l/ha                | 1 per crop                 | Before GS 49                  | 14 days     |
|                |                     |               |                           |                 | <i>Fluopicolide</i>                              | <i>62.5 g/l</i> |                        |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Propamocarb</i>                               | <i>625 g/l</i>  |                        |                         |                            |                               |             |
|                | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide     |                                                  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days pre harvest            | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Karis 10 CS         | 04454         | FMC Chemical s.p.l.       | Insecticide     |                                                  |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Laidir 10 CS        | 04932         | GAT Microencapsulation AG | Insecticide     |                                                  |                 | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Life Scientific Lam | 04868         | Life Scientific Limited   | Insecticide     |                                                  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Markate 50          | 05001         | Globachem nv              | Insecticide     |                                                  |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>   |                        |                         |                            |                               |             |
|                | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                  |                 | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>   |                        |                         |                            |                               |             |
|                | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                                                  |                 | 75 mls/ha              | 150 mls/ha              | 4                          | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>  |                        |                         |                            |                               |             |
|                | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       |                                                  |                 | 3 mls per sq m         | 6 mls per sq m          | -                          | Immediately post drilling     |             |
|                |                     |               |                           |                 | <i>Propamocarb</i>                               | <i>530 g/l</i>  |                        |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>  |                        |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Propamocarb</i>                               | <i>530 g/l</i>  |                        |                         |                            |                               |             |
|                |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>  |                        |                         |                            |                               |             |
|                | Ravane              | 05536         | Globachem nv              | Insecticide     |                                                  |                 | 75 ml/ha               | 150 ml/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>50 g/l</i>   |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                 | <i>Content</i>   | <i>Max Ind. Dose:</i>  | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------|-----------------|--------------------------------------------------|------------------|------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Spinach</i>            |                     |               |                           |                 |                                                  |                  |                        |                         |                            |                               |             |
|                           | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                  |                  | 10 l/ha                | -                       |                            | every 7 days                  | 0 days      |
|                           |                     |               |                           |                 | <i>Bacillus subtilis</i>                         | <i>1.34% w/w</i> |                        |                         |                            |                               |             |
|                           | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                                                  |                  | 75 ml/ha               | 150 ml/ha               | 4                          | 7 days before harvest         | 7 days      |
|                           |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                        | <i>100 g/l</i>   |                        |                         |                            |                               |             |
|                           | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                                                  |                  | 200 mls/ha             | 600 mls/ha              | 3                          |                               | 3 days      |
|                           |                     |               |                           |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                        |                         |                            |                               |             |
|                           | Venzar Flowable     | 91516         | DuPont (UK) Ltd           | Herbicide       |                                                  |                  | 5 l/ha                 | 5 l/ha                  | 1                          | Pre-emergence                 |             |
|                           |                     |               |                           |                 | <i>Lenacil</i>                                   | <i>440 g/l</i>   |                        |                         |                            |                               |             |
| <i>Spinach Beet</i>       |                     |               |                           |                 |                                                  |                  |                        |                         |                            |                               |             |
|                           | Fenomenal           | 04956         | Bayer CropScience Limited | Fungicide       |                                                  |                  | 2.5 kg/ha              | 5.0 kg/ha               | 2 per crop                 | 21 days before harvest        | 21 days     |
|                           |                     |               |                           |                 | <i>Fenamidone</i>                                | <i>60 g/kg</i>   |                        |                         |                            |                               |             |
|                           |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>600 g/kg</i>  |                        |                         |                            |                               |             |
|                           | Met 52 Granular     | 04811         | Novozymes France S.A.S.   | Insecticide     |                                                  |                  | 0.5 kgs/m <sup>3</sup> | -                       | -                          | Pre-planting                  |             |
|                           |                     |               |                           |                 | <i>Metarhizium anisoplice - ST BIPESCO 5/F52</i> | <i>2% w/w</i>    |                        |                         |                            |                               |             |
|                           | Tracer              | 02649         | Dow AgroSciences          | Insecticide     |                                                  |                  | 200 mls/ha             | 600 mls/ha              | 3                          |                               | 3 days      |
|                           |                     |               |                           |                 | <i>Spinosad</i>                                  | <i>480 g/l</i>   |                        |                         |                            |                               |             |
|                           | Venzar Flowable     | 91516         | DuPont (UK) Ltd           | Herbicide       |                                                  |                  | 5 l/ha                 | 5 l/ha                  | 1                          | Pre-emergence                 |             |
|                           |                     |               |                           |                 | <i>Lenacil</i>                                   | <i>440 g/l</i>   |                        |                         |                            |                               |             |
| <i>Squash - Protected</i> |                     |               |                           |                 |                                                  |                  |                        |                         |                            |                               |             |
|                           | Amistar             | 01351         | Syngenta UK Ltd           | Fungicide       |                                                  |                  | 1.0 l/ha               | 2.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                           |                     |               |                           |                 | <i>Azoxystrobin</i>                              | <i>250 g/l</i>   |                        |                         |                            |                               |             |
|                           | Previcur Energy     | 04041         | Bayer CropScience Limited | Fungicide       |                                                  |                  | 3.0 l/ha               | 12.0 l/ha               | -                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>   |                        |                         |                            |                               |             |
|                           |                     |               |                           |                 | <i>Propamocarb</i>                               | <i>530 g/l</i>   |                        |                         |                            |                               |             |
|                           |                     |               |                           |                 | <i>Propamocarb</i>                               | <i>530 g/l</i>   |                        |                         |                            |                               |             |
|                           |                     |               |                           |                 | <i>Fosetyl (-aluminium)</i>                      | <i>310 g/l</i>   |                        |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|----------------------|---------------|-------------------------------------|-----------------|--------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - field</i> |                      |               |                                     |                 |                          |                  |                       |                         |                            |                               |             |
|                             | Amistar              | 01351         | Syngenta UK Ltd                     | Fungicide       |                          |                  | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 days pre-harvest            | 3 days      |
|                             |                      |               |                                     |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Amistrobin           | 04879         | Servem Ltd                          | Fungicide       |                          |                  | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 days before harvest         |             |
|                             |                      |               |                                     |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | CaLypso              | 02441         | Bayer CropScience Limited           | Insecticide     |                          |                  | 0.25 l/ha             | 0.50 l/ha               | 2                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Thiacloprid</i>       | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                             | Chess WG             | 03365         | Syngenta UK Ltd                     | Insecticide     |                          |                  | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Pymetrozine</i>       | <i>50 %w/w</i>   |                       |                         |                            |                               |             |
|                             | Dual Gold            | 04192         | Syngenta UK Ltd                     | Herbicide       |                          |                  | 0.7 l/ha              | 1.3 l/ha                | -                          | 30 days before harvest        | 30 days     |
|                             |                      |               |                                     |                 | <i>S-Metolachlor</i>     | <i>960 g/l</i>   |                       |                         |                            |                               |             |
|                             | Fortress             | 02364         | Dow AgroSciences                    | Fungicide       |                          |                  | 0.25 l/ha             | 0.5 l/ha                | 2                          | 14 days before harvest        | 14 days     |
|                             |                      |               |                                     |                 | <i>Quinoxifen</i>        | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                             | Globaztar SC         | 04859         | Globachem nv                        | Fungicide       |                          |                  | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Life Scientific Azox | 04405         | Life Scientific Limited             | Fungicide       |                          |                  | 1.0 l/ha              | 4.0 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Masai                | 03585         | BASF plc                            | Insecticide     |                          |                  | 375 gms/ha            | 375 g/ha                | 1 / year                   | 21 days before harvest        |             |
|                             |                      |               |                                     |                 | <i>Tebufenpyrad</i>      | <i>200 g/kg</i>  |                       |                         |                            |                               |             |
|                             | Nimrod               | 90789         | Adama Agricultural Solutions UK Ltd | Fungicide       |                          |                  | 1.0 l/ha              | 3.0 l/ha                | 3                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Bupirimate</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                             | Rana                 | 05283         | Servem Ltd                          | Insecticide     |                          |                  | 0.25 l/ha             | -                       | 0.5 l/ha                   | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Thiacloprid</i>       | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                             | Serenade ASO         | 03847         | Bayer CropScience Limited           | Fungicide       |                          |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                             |                      |               |                                     |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i>                       | <i>Company Name</i>  | <i>Function</i> | <i>Substance</i>    | <i>Content</i>  | <i>Max Ind. Dose:</i>                         | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|-------------------------------------|----------------------|-----------------|---------------------|-----------------|-----------------------------------------------|-----------------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - protected</i> |                     |                                     |                      |                 |                     |                 |                                               |                                               |                            |                               |             |
| Amistar                         | 01351               | Syngenta UK Ltd                     | Fungicide            |                 |                     |                 | 1.0 l/ha                                      | 4.0 l/ha                                      | 4                          | 3 days pre-harvest            | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                                               |                                               |                            |                               |             |
| Amistrobin                      | 04879               | Servem Ltd                          | Fungicide            |                 |                     |                 | 1.0 l/ha                                      | 4.0 l/ha                                      | 4                          | 3 days before harvest         |             |
|                                 |                     |                                     |                      |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                                               |                                               |                            |                               |             |
| Borneo                          | 04235               | Sumitomo Chemical Agro Europe SAS   | Acaricide            |                 |                     |                 | 500mls/ha - max conc. 35 mls/100 litres water | 500mls/ha - max conc. 35 mls/100 litres water | 1/crop                     | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Etoazole</i>     | <i>110 g/l</i>  |                                               |                                               |                            |                               |             |
| CaLypso                         | 02441               | Bayer CropScience Limited           | Insecticide          |                 |                     |                 | 0.25 l/ha                                     | 0.50 l/ha                                     | 2                          | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Thiacloprid</i>  | <i>480 g/l</i>  |                                               |                                               |                            |                               |             |
| Chess WG                        | 03365               | Syngenta UK Ltd                     | Insecticide          |                 |                     |                 | 0.4 kg/ha                                     | 1.2 kg/ha                                     | 3 per crop                 | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Pymetrozine</i>  | <i>50 %w/w</i>  |                                               |                                               |                            |                               |             |
| Dynamec                         | 02640               | Syngenta UK Ltd                     | Acaricide/Insecticid |                 |                     |                 | 50 mls/product/100 litres water               | -                                             | 3                          | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Abamectin</i>    | <i>18 g/l</i>   |                                               |                                               |                            |                               |             |
| Fortress                        | 02364               | Dow AgroSciences                    | Fungicide            |                 |                     |                 | 0.25 l/ha                                     | 0.5 l/ha                                      | 2                          | 14 days before harvest        | 14 days     |
|                                 |                     |                                     |                      |                 | <i>Quinoxifen</i>   | <i>500 g/l</i>  |                                               |                                               |                            |                               |             |
| Globazar SC                     | 04859               | Globachem nv                        | Fungicide            |                 |                     |                 | 1.0 l/ha                                      | 4.0 l/ha                                      | 4 per crop                 | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                                               |                                               |                            |                               |             |
| Life Scientific Azox            | 04405               | Life Scientific Limited             | Fungicide            |                 |                     |                 | 1.0 l/ha                                      | 4.0 l/ha                                      | 4 per crop                 | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Azoxystrobin</i> | <i>250 g/l</i>  |                                               |                                               |                            |                               |             |
| Masai                           | 03585               | BASF plc                            | Insecticide          |                 |                     |                 | 375 gms/ha                                    | 375 g/ha                                      | 1 / year                   | 21 days before harvest        |             |
|                                 |                     |                                     |                      |                 | <i>Tebufenpyrad</i> | <i>200 g/kg</i> |                                               |                                               |                            |                               |             |
| Microthiol Special              | 90548               | UPL Europe Ltd                      | Fungicide            |                 |                     |                 |                                               |                                               |                            |                               |             |
|                                 |                     |                                     |                      |                 | <i>Sulphur</i>      | <i>80 %w/w</i>  |                                               |                                               |                            |                               |             |
| Nimrod                          | 90789               | Adama Agricultural Solutions UK Ltd | Fungicide            |                 |                     |                 | 1.0 l/ha                                      | 3.0 l/ha                                      | 3                          | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Bupirimate</i>   | <i>250 g/l</i>  |                                               |                                               |                            |                               |             |
| Oberon                          | 02529               | Bayer CropScience Limited           | Insecticide          |                 |                     |                 | 50mls per 100 litres water                    | -                                             | 2 per crop                 | 3 days before harvest         | 3 days      |
|                                 |                     |                                     |                      |                 | <i>Spiromesifen</i> | <i>240 g/l</i>  |                                               |                                               |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i>      | <i>Substance</i>   | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------|---------------------|---------------|---------------------|----------------------|--------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Strawberries - protected</i> |                     |               |                     |                      |                    |                |                       |                         |                            |                               |             |
|                                 | Rana                | 05283         | Servem Ltd          | Insecticide          |                    |                | 0.25 l/ha             | -                       | 0.5 l/ha                   | 3 days before harvest         | 3 days      |
|                                 |                     |               |                     |                      | <i>Thiacloprid</i> | <i>480 g/l</i> |                       |                         |                            |                               |             |
|                                 | Sabik-1.8%          | 04907         | Servem Ltd          | Acaricide/Insecticid |                    |                | 50 mls / 100 l water  | 4.0 l/ha                | 3                          | 3 days before harvest         | 3 days      |
|                                 |                     |               |                     |                      | <i>Abamectin</i>   | <i>18 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i> |                     |               |                            |                 |                                                           |                 |                       |                         |                            |                               |             |
|               | Amistar             | 01351         | Syngenta UK Ltd            | Fungicide       |                                                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days before harvest        | 10 days     |
|               |                     |               |                            |                 | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Biscaya             | 03602         | Bayer CropScience Limited  | Insecticide     |                                                           |                 | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|               |                     |               |                            |                 | <i>Thiacloprid</i>                                        | <i>240 g/l</i>  |                       |                         |                            |                               |             |
|               | Corbel              | 90438         | BASF plc                   | Fungicide       |                                                           |                 | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|               |                     |               |                            |                 | <i>Fenpropimorph</i>                                      | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |                                                           |                 | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|               |                     |               |                            |                 | <i>S-Metolachlor</i>                                      | <i>960 g/l</i>  |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG  | Insecticide     |                                                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Fortress            | 02364         | Dow AgroSciences           | Fungicide       |                                                           |                 | 0.3 l/ha              | 0.4 l/ha                | 2                          | 28 days pre harvest           | 28 days     |
|               |                     |               |                            |                 | <i>Quinoxifen</i>                                         | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Gazelle             | 03248         | Nisso Chemical Europe GmbH | Insecticide     |                                                           |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>Acetamiprid</i>                                        | <i>20 % w/w</i> |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |                                                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.      | Insecticide     |                                                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | GAT Microencapsulation AG  | Insecticide     |                                                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                 | 1.0 kg/ha             | 3.0 kg/ha               |                            | N/A                           |             |
|               |                     |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited    | Insecticide     |                                                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv               | Insecticide     |                                                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Movento             | 04101         | Bayer CropScience Limited  | Insecticide     |                                                           |                 | 0.3 l/ha              | 0.6 l/ha                | 2 per crop                 | 8 weeks before harvest        | 8 weeks     |
|               |                     |               |                            |                 | <i>Spirotetramat</i>                                      | <i>150 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Swedes</i>    |                     |               |                           |                 |                                                           |                  |                       |                         |                            |                               |             |
|                  | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     |                                                           |                  | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                  |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                  | Pilot Ultra         | 02445         | Nissan Chemical Europe    | Herbicide       |                                                           |                  | 2.5 l/ha              | 3.75 l/ha               | 2                          | 16 weeks pre harvest          | 16 weeks    |
|                  |                     |               |                           |                 | <i>Quizalofop-P-ethyl</i>                                 | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|                  | Ravane              | 05536         | Globachem nv              | Insecticide     |                                                           |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                  |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|                  | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                                                           |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|                  |                     |               |                           |                 | <i>Isopyrazam</i>                                         | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                  | Rudis               | 04665         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|                  |                     |               |                           |                 | <i>Prothioconazole</i>                                    | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                  | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                                                           |                  | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|                  |                     |               |                           |                 | <i>Difenoconazole</i>                                     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                  |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                  | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                                                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                  |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                  | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                                                           |                  | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|                  |                     |               |                           |                 | <i>Oxamyl</i>                                             | <i>100 g/kg</i>  |                       |                         |                            |                               |             |
| <i>Sweetcorn</i> |                     |               |                           |                 |                                                           |                  |                       |                         |                            |                               |             |
|                  | Lepinox Plus        | 05254         | CBC (Europe) S.r.l.       | Insecticide     |                                                           |                  | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                  |                     |               |                           |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i>  |                       |                         |                            |                               |             |
|                  | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|                  |                     |               |                           |                 | <i>Bacillus subtilis</i>                                  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
| <i>Thyme</i>     |                     |               |                           |                 |                                                           |                  |                       |                         |                            |                               |             |
|                  | Stratos Ultra       | 04936         | BASF plc                  | Herbicide       |                                                           |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 | 4 weeks before harvest        | 4 weeks     |
|                  |                     |               |                           |                 | <i>Cycloxydim</i>                                         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                  | Teldor              | 02003         | Bayer CropScience Limited | Fungicide       |                                                           |                  | 1.5 kgs/ha            | 3.0 kgs/ha              |                            | 3 days before harvest         | 3 days      |
|                  |                     |               |                           |                 | <i>Fenhexamid</i>                                         | <i>50 %w/w</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i>  | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i>                 | <i>Max. Total Dose:</i>               | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|--------------------------------------------------|------------------|----------------------------|------------------|---------------------------------------|---------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - Protected</i> |                     |               |                                                  |                  |                            |                  |                                       |                                       |                            |                               |             |
|                             | Acrobat MZ          | 04059         | BASF plc                                         | Fungicide        |                            |                  | 2.4 kg/ha                             | 7.2 kg/ha                             | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>667 g/kg</i>  |                                       |                                       |                            |                               |             |
|                             |                     |               |                                                  |                  | <i>Dimethomorph</i>        | <i>75 g/kg</i>   |                                       |                                       |                            |                               |             |
|                             | Amistar             | 01351         | Syngenta UK Ltd                                  | Fungicide        |                            |                  | 100 mls / 100 litres water            | 300 mls / 300 litres water            | 3                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | CaLypso             | 02441         | Bayer CropScience Limited                        | Insecticide      |                            |                  | 0.45 l/ha                             | 0.9 l/ha                              | 2/crop                     | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Thiacloprid</i>         | <i>480 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Cerone              | 03933         | Bayer CropScience Limited                        | Growth Regulator |                            |                  | 100 ml in 100 litre water. To run off | 100 ml in 100 litre water. To run off | 1 per crop                 | 5 days before harvest         | 5 days      |
|                             |                     |               |                                                  |                  | <i>Ethephon</i>            | <i>480 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Coragen             | 05295         | DuPont (UK) Ltd                                  | Insecticide      |                            |                  | 250 ml/ha                             | 500 ml/ha                             | -                          | 1 day before harvest          | 1 day       |
|                             |                     |               |                                                  |                  | <i>Chlorantraniliprole</i> | <i>200 g/l</i>   |                                       |                                       |                            |                               |             |
|                             | Curzate M WG        | 02110         | DuPont (UK) Ltd                                  | Fungicide        |                            |                  | 2.5 kg/ha                             | 7.5 kg/ha                             | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Cymoxanil</i>           | <i>4.5 % w/w</i> |                                       |                                       |                            |                               |             |
|                             |                     |               |                                                  |                  | <i>Cymoxanil</i>           | <i>4.5 % w/w</i> |                                       |                                       |                            |                               |             |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>68 %w/w</i>   |                                       |                                       |                            |                               |             |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>68 % w/w</i>  |                                       |                                       |                            |                               |             |
|                             | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V             | Fungicide        |                            |                  | 2.0 kg/ha                             | 6.0 kg/ha                             | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>80 % w/w</i>  |                                       |                                       |                            |                               |             |
|                             | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V             | Fungicide        |                            |                  | 2.1 kg/ha                             | 6.3 kg/ha                             | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>75% w/w</i>   |                                       |                                       |                            |                               |             |
|                             | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitada | Fungicide        |                            |                  | 1.8 kg/ha                             | 5.4 kg/ha                             | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Zoxamide</i>            | <i>8.3 %w/w</i>  |                                       |                                       |                            |                               |             |
|                             |                     |               |                                                  |                  | <i>Mancozeb</i>            | <i>66.7 %w/w</i> |                                       |                                       |                            |                               |             |
|                             | Globaztar SC        | 04859         | Globachem nv                                     | Fungicide        |                            |                  | 100ml per 100l water                  | 300ml per 300l water                  | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                     |               |                                                  |                  | <i>Azoxystrobin</i>        | <i>250 g/l</i>   |                                       |                                       |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                 | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>         | <i>Content</i>   | <i>Max Ind. Dose:</i>     | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|----------------------|---------------|-------------------------------------|-----------------|--------------------------|------------------|---------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - Protected</i> |                      |               |                                     |                 |                          |                  |                           |                         |                            |                               |             |
|                             | Life Scientific Azox | 04405         | Life Scientific Limited             | Fungicide       |                          |                  | 100 ml per 100L water     |                         | 3 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Azoxystrobin</i>      | <i>250 g/l</i>   |                           |                         |                            |                               |             |
|                             | Manfil 75 WG         | 03598         | Indofil Industries Limited          | Fungicide       |                          |                  | 2.1 kg/ha                 | 6.3 kg/ha               | -                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Mancozeb</i>          | <i>75 % w/w</i>  |                           |                         |                            |                               |             |
|                             | Manfil 80 WP         | 03563         | Indofil Industries Limited          | Fungicide       |                          |                  | 2.0 kg/ha                 | 4.0 kg/ha               | -                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Mancozeb</i>          | <i>800 g/kg</i>  |                           |                         |                            |                               |             |
|                             | Microthiol Special   | 90548         | UPL Europe Ltd                      | Fungicide       |                          |                  | 0.01kgs/5 litres water    | -                       | -                          | -                             | 0 days      |
|                             |                      |               |                                     |                 | <i>Sulphur</i>           | <i>80 %w/w</i>   |                           |                         |                            |                               |             |
|                             | Nimrod               | 90789         | Adama Agricultural Solutions UK Ltd | Fungicide       |                          |                  | 0.2L per 100L water       | -                       | 6 per crop                 | 2 days before harvest         | 2 days      |
|                             |                      |               |                                     |                 | <i>Bupirimate</i>        | <i>250 g/l</i>   |                           |                         |                            |                               |             |
|                             | Option               | 04722         | DuPont (UK) Ltd                     | Fungicide       |                          |                  | 0.4 kg/ha                 | 1.6 kg/ha               | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Cymoxanil</i>         | <i>600 g/kg</i>  |                           |                         |                            |                               |             |
|                             | Plenum               | 02238         | Syngenta UK Ltd                     | Insecticide     |                          |                  | 0.06 kgs/100 litres water | -                       | 3                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Pymetrozine</i>       | <i>50 %w/w</i>   |                           |                         |                            |                               |             |
|                             | Revus                | 02789         | Syngenta UK Ltd                     | Fungicide       |                          |                  | 0.6 l/ha                  | 2.4 l/ha                | 4 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Mandipropamid</i>     | <i>250 g/l</i>   |                           |                         |                            |                               |             |
|                             | Ridomil Gold MZ 6    | 01516         | Syngenta UK Ltd                     | Fungicide       |                          |                  | 2.5 kg/ha                 | 7.5 kg/ha               | -                          | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Mancozeb</i>          | <i>64 %w/w</i>   |                           |                         |                            |                               |             |
|                             |                      |               |                                     |                 | <i>Metalaxyl M</i>       | <i>4.0 %w/w</i>  |                           |                         |                            |                               |             |
|                             | Scala                | 03916         | BASF plc                            | Fungicide       |                          |                  | 0.5 l/ha                  | 1.0 l/ha                | 2 per crop                 | 3 days before harvest         | 3 days      |
|                             |                      |               |                                     |                 | <i>Pyrimethanil</i>      | <i>400 g/l</i>   |                           |                         |                            |                               |             |
|                             | Serenade ASO         | 03847         | Bayer CropScience Limited           | Fungicide       |                          |                  | 10 l/ha                   | -                       | every 7 days               |                               | 0 days      |
|                             |                      |               |                                     |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i> |                           |                         |                            |                               |             |
|                             | SL567A               | 03106         | Syngenta UK Ltd                     | Fungicide       |                          |                  | 0.3 l/ha                  | 0.9 l/ha                | 3 per crop                 |                               | 3 days      |
|                             |                      |               |                                     |                 | <i>Metalaxyl M</i>       | <i>465.2 g/l</i> |                           |                         |                            |                               |             |
|                             | Teldor               | 02003         | Bayer CropScience Limited           | Fungicide       |                          |                  | 1.5 kgs/ha                | 4.5 kgs/ha              | 3 / crop                   | 1 day before harvest          | 1 day       |
|                             |                      |               |                                     |                 | <i>Fenhexamid</i>        | <i>50 %w/w</i>   |                           |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>   | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|---------------------|-----------------|--------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Tomatoes - Protected</i> |                     |               |                     |                 |                    |                |                       |                         |                            |                               |             |
|                             | Vivando             | 05685         | BASF plc            | Fungicide       | <i>Metrafenone</i> | <i>500 g/l</i> | 0.45 l/ha             | 0.9 l/ha                | -                          | 3 days before harvest         | 3 days      |

***Warning Off-Label approvals:***

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>             | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Triticale</i> |                     |               |                                     |                 |                              |                |                       |                         |                            |                               |             |
|                  | Acanto Prima        | 04043         | DuPont (UK) Ltd                     | Fungicide       |                              |                | 2.5 kg/ha             | 4.0 kg/ha               | 2 per crop*                | Before GS 73                  |             |
|                  |                     |               |                                     |                 | <i>Picoxystrobin</i>         | 80 g/kg        |                       |                         |                            |                               |             |
|                  |                     |               |                                     |                 | <i>Cyprodinil</i>            | 300 g/kg       |                       |                         |                            |                               |             |
|                  | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd               | Fungicide       |                              |                | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | Before GS 71                  |             |
|                  |                     |               |                                     |                 | <i>Propiconazole</i>         | 250 g/l        |                       |                         |                            |                               |             |
|                  | Barclay Propizole   | 04099         | Barclay Chemicals Ltd               | Fungicide       |                              |                | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | Before GS 71                  |             |
|                  |                     |               |                                     |                 | <i>Propiconazole</i>         | 250 g/l        |                       |                         |                            |                               |             |
|                  | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide       |                              |                | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | Before GS 71                  | 35 days     |
|                  |                     |               |                                     |                 | <i>Propiconazole</i>         | 250 g/l        |                       |                         |                            |                               |             |
|                  | Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL     | Herbicide       |                              |                | 0.12 l/ha             | 0.12 l/ha               | -                          | Before GS 33                  |             |
|                  |                     |               |                                     |                 | <i>Clopyralid</i>            | 600 g/l        |                       |                         |                            |                               |             |
|                  | Compitox Plus       | 02843         | Nufarm UK Limited                   | Herbicide       |                              |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                  |                     |               |                                     |                 | <i>Mecoprop-P</i>            | 600 g/l        |                       |                         |                            |                               |             |
|                  | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a               | Insecticide     |                              |                | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                  |                     |               |                                     |                 | <i>Deltamethrin</i>          | 25 g/l         |                       |                         |                            |                               |             |
|                  | Decis               | 02693         | Bayer CropScience Limited           | Insecticide     |                              |                | 250 mls/ha            | 750 mls/ha              |                            | before GS 85                  |             |
|                  |                     |               |                                     |                 | <i>Deltamethrin</i>          | 25 g/l         |                       |                         |                            |                               |             |
|                  | Defy                | 04277         | Syngenta UK Ltd                     | Herbicide       |                              |                | 3.0 l/ha              | 3.0 l/ha                | -                          | Before GS22                   |             |
|                  |                     |               |                                     |                 | <i>Prosulfocarb</i>          | 800 g/l        |                       |                         |                            |                               |             |
|                  | Duplosan KV         | 02842         | Nufarm UK Limited                   | Herbicide       |                              |                | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |
|                  |                     |               |                                     |                 | <i>Mecoprop-P</i>            | 600 g/l        |                       |                         |                            |                               |             |
|                  | Empire Supreme      | 05061         | Croplink (Ireland) Ltd              | Herbicide       |                              |                | 100 g/ha              | 100 g/ha                | 1 per crop                 | Before GS 39                  |             |
|                  |                     |               |                                     |                 | <i>Metsulfuron (-methyl)</i> | 40 g/kg        |                       |                         |                            |                               |             |
|                  |                     |               |                                     |                 | <i>Thifensulfuron methyl</i> | 400 g/kg       |                       |                         |                            |                               |             |
|                  | Finish SX           | 02329         | DuPont (UK) Ltd                     | Herbicide       |                              |                | 75 g/ha               | 75 g/ha                 | 1                          | Before GS 39                  |             |
|                  |                     |               |                                     |                 | <i>Metsulfuron (-methyl)</i> | 67 g/kg        |                       |                         |                            |                               |             |
|                  |                     |               |                                     |                 | <i>Thifensulfuron methyl</i> | 333 g/kg       |                       |                         |                            |                               |             |
|                  | Galileo             | 03015         | DuPont (UK) Ltd                     | Fungicide       |                              |                | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | GS 71                         |             |
|                  |                     |               |                                     |                 | <i>Picoxystrobin</i>         | 250 g/l        |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>      | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                                             | <i>Content</i>                                          | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|------------------|---------------------|---------------|---------------------------|-----------------|--------------------------------------------------------------|---------------------------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Triticale</i> |                     |               |                           |                 |                                                              |                                                         |                       |                         |                            |                               |             |
|                  | GAT Decline 2.5 E   | 04422         | GAT Microencapsulation AG | Insecticide     |                                                              |                                                         | 250 mls/ha            | 750 mls/ha              | -                          | Before GS 85                  |             |
|                  | Harmony M SX        | 02330         | DuPont (UK) Ltd           | Herbicide       | <i>Deltamethrin</i>                                          | <i>25 g/l</i>                                           | 100 g/ha              | 100 g/ha                | 1                          | Before GS 39                  |             |
|                  | Mircam Super        | 02097         | Nufarm UK Limited         | Herbicide       | <i>Thifensulfuron methyl</i><br><i>Metsulfuron (-methyl)</i> | <i>400 g/kg</i><br><i>40 g/kg</i>                       | 3.0 l/ha              | 3.0 l/ha                | 1                          | GS 31                         |             |
|                  | Optica              | 02661         | Nufarm UK Limited         | Herbicide       | <i>MCPA</i><br><i>Mecoprop-P</i><br><i>Dicamba</i>           | <i>22.6 %w/w</i><br><i>20.9 %w/w</i><br><i>2.8 %w/w</i> | 2.0 l/ha              | 2.0 l/ha                | -                          | Before GS 33                  |             |
|                  | Presite SX          | 02888         | DuPont (UK) Ltd           | Herbicide       | <i>Mecoprop-P</i>                                            | <i>600 g/l</i>                                          | 75 g/ha               | 75 g/ha                 | 1                          | Before GS 39                  |             |
|                  | Propi 25 EC         | 04205         | Sharda Europe b.v.b.a     | Fungicide       | <i>Thifensulfuron methyl</i><br><i>Metsulfuron (-methyl)</i> | <i>333 g/kg</i><br><i>67 g/kg</i>                       | 0.5 l/ha              | 1.0 l/ha                | 2 per crop                 | Before GS 71                  |             |
|                  | Twinprop            | 04427         | DHM Agrochemicals Ltd.,   | Herbicide       | <i>Propiconazole</i><br><i>Mecoprop-P</i>                    | <i>250 g/l</i><br><i>600 g/l</i>                        | 2.3 l/ha              | 2.3 l/ha                | 1 per crop                 | Before GS 33                  |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|----------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i> |                     |               |                            |                 |                           |                 |                       |                         |                            |                               |             |
|               | Amistar             | 01351         | Syngenta UK Ltd            | Fungicide       |                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 10 days pre harvest           | 10 days     |
|               |                     |               |                            |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|               | Biscaya             | 03602         | Bayer CropScience Limited  | Insecticide     |                           |                 | 0.4 l/ha              | 0.8 l/ha                | 2                          | 7 days before harvest         |             |
|               |                     |               |                            |                 | <i>Thiacloprid</i>        | <i>240 g/l</i>  |                       |                         |                            |                               |             |
|               | Corbel              | 90438         | BASF plc                   | Fungicide       |                           |                 | 1.0 l/ha              | 3.0 l/ha                | 3                          | 28 days before harvest        | 28 days     |
|               |                     |               |                            |                 | <i>Fenpropimorph</i>      | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|               | Dual Gold           | 04192         | Syngenta UK Ltd            | Herbicide       |                           |                 | 1.4 l/ha              | 1.4 l/ha                | -                          | Up to 4 leaf stage            |             |
|               |                     |               |                            |                 | <i>S-Metolachlor</i>      | <i>960 g/l</i>  |                       |                         |                            |                               |             |
|               | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Fortress            | 02364         | Dow AgroSciences           | Fungicide       |                           |                 | 0.3 l/ha              | 0.4 l/ha                | 2                          | 28 days pre harvest           | 28 days     |
|               |                     |               |                            |                 | <i>Quinoxifen</i>         | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Gazelle             | 03248         | Nisso Chemical Europe GmbH | Insecticide     |                           |                 | 250 g/ha              | 500 g/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>Acetamiprid</i>        | <i>20 % w/w</i> |                       |                         |                            |                               |             |
|               | Karate Zeon         | 04084         | Syngenta UK Ltd            | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.      | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Laidir 10 CS        | 04932         | GAT Microencapsulation AG  | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Life Scientific Lam | 04868         | Life Scientific Limited    | Insecticide     |                           |                 | 75 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Markate 50          | 05001         | Globachem nv               | Insecticide     |                           |                 | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|               | Movento             | 04101         | Bayer CropScience Limited  | Insecticide     |                           |                 | 0.3 l/ha              | 0.6 l/ha                | 2 per crop                 | 8 weeks before harvest        | 8 weeks     |
|               |                     |               |                            |                 | <i>Spirotetramat</i>      | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|               | Ninja 10CS          | 05178         | Syngenta UK Ltd            | Insecticide     |                           |                 | 150 mls/ha            | 450 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               | Pilot Ultra         | 02445         | Nissan Chemical Europe     | Herbicide       |                           |                 | 2.5 l/ha              | 3.75 l/ha               | 2                          | 16 weeks pre harvest          | 16 weeks    |
|               |                     |               |                            |                 | <i>Quizalofop-P-ethyl</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|---------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Turnip</i> |                     |               |                           |                 |                           |                  |                       |                         |                            |                               |             |
|               | Ravane              | 05536         | Globachem nv              | Insecticide     |                           |                  | 75 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|               | Reflect             | 05462         | Syngenta UK Ltd           | Fungicide       |                           |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|               | Rudis               | 04665         | Bayer CropScience Limited | Fungicide       |                           |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 21 days before harvest        | 21 days     |
|               |                     |               |                           |                 | <i>Prothioconazole</i>    | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|               | Score 250 EC        | 04566         | Syngenta UK Ltd           | Fungicide       |                           |                  | 0.5 l/ha              | 0.5 l/ha                |                            | 28 days before harvest        | 28 days     |
|               |                     |               |                           |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|               | Serenade ASO        | 03847         | Bayer CropScience Limited | Fungicide       |                           |                  | 10 l/ha               | -                       | every 7 days               |                               | 0 days      |
|               |                     |               |                           |                 | <i>Bacillus subtilis</i>  | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|               | Sparviero           | 04469         | Oxon Italia SpA           | Insecticide     |                           |                  | 75 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|               |                     |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Vydate 10G          | 03698         | DuPont (UK) Ltd           | Nematicide      |                           |                  | 0.09 kg/100 m row     | 0.09 kg/100 m row       | 1 per crop                 | At drilling                   |             |
|               |                     |               |                           |                 | <i>Oxamyl</i>             | <i>100 g/kg</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i>        | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>     | <i>PHI:</i> |
|----------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------|-----------------|------------------------------|-------------------------|----------------------------|-----------------------------------|-------------|
| <i>Whitecurrants</i> |                     |               |                                     |                 |                             |                 |                              |                         |                            |                                   |             |
|                      | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                             |                 | 0.4 l/ha                     | 1.2 l/ha                | 3                          | 14 days pre harvest               | 14 days     |
|                      |                     |               |                                     |                 | <i>Clofentezine</i>         | <i>500 g/l</i>  |                              |                         |                            |                                   |             |
|                      | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                             |                 | 0.25 l/ha                    | 0.75 l/ha               | 3                          | 3 days before harvest             | 3 days      |
|                      |                     |               |                                     |                 | <i>Thiacloprid</i>          | <i>480 g/l</i>  |                              |                         |                            |                                   |             |
|                      | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.         | Herbicide       |                             |                 | 120 g/ha                     | 120 g/ha                | 1 per year                 | Before bud burst                  |             |
|                      |                     |               |                                     |                 | <i>Flazasulfuron</i>        | <i>25 % w/w</i> |                              |                         |                            |                                   |             |
|                      | Corbel              | 90438         | BASF plc                            | Fungicide       |                             |                 | 1.0 l/ha                     | 3.0 l/ha                | 3                          | 2 weeks before harvest            | 2 weeks     |
|                      |                     |               |                                     |                 | <i>Fenpropimorph</i>        | <i>750 g/l</i>  |                              |                         |                            |                                   |             |
|                      | Fusilade Max        | 01472         | Syngenta UK Ltd                     | Herbicide       |                             |                 | 3.0 l/ha                     | 3.0 l/ha                | 1                          | Before flowering or after harvest |             |
|                      |                     |               |                                     |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  |                              |                         |                            |                                   |             |
|                      | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days pre harvest               | 14 days     |
|                      |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                              |                         |                            |                                   |             |
|                      | Manfil 75 WG        | 03598         | Indofil Industries Limited          | Fungicide       |                             |                 | 1.5 kg per 1000 litres water | -                       | -                          | 28 days before harvest            | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>75 % w/w</i> |                              |                         |                            |                                   |             |
|                      | Manfil 80 WP        | 03563         | Indofil Industries Limited          | Fungicide       |                             |                 | 1.4 kg per 1000L water       | -                       | -                          | 28 days before harvest            | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>800 g/kg</i> |                              |                         |                            |                                   |             |
|                      | Masai               | 03585         | BASF plc                            | Insecticide     |                             |                 | 1.5 kgs/ha                   | 1.5 kgs/ha              | -                          | 7 days before harvest             |             |
|                      |                     |               |                                     |                 | <i>Tebufenpyrad</i>         | <i>200 g/kg</i> |                              |                         |                            |                                   |             |
|                      | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 100 mls/ha                   | 200 mls/ha              | 4                          | 14 days before harvest            | 14 days     |
|                      |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  |                              |                         |                            |                                   |             |
|                      | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide       |                             |                 | 1.4 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>800 g/kg</i> |                              |                         |                            |                                   |             |
|                      | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide       |                             |                 | 1.5 kg/1000L water           | -                       | -                          | 28 days before harvest            | 28 days     |
|                      |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>750 g/kg</i> |                              |                         |                            |                                   |             |
|                      | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                             |                 | 0.4 kgs/ha                   | 1.2 kgs/ha              | 3                          | 28 days pre harvest               | 28 days     |
|                      |                     |               |                                     |                 | <i>Pymetrozine</i>          | <i>50 %w/w</i>  |                              |                         |                            |                                   |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>         | <i>Content</i>    | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>               | <i>PHI:</i> |
|--------------------------|---------------|---------------------------|-----------------|--------------------------|-------------------|-------------------------|-----------------------------------------------|----------------------------|---------------------------------------------|-------------|
| <i>Whitecurrants</i>     |               |                           |                 |                          |                   |                         |                                               |                            |                                             |             |
| Scala                    | 03916         | BASF plc                  | Fungicide       |                          |                   | 2.0 l/ha                | 4.0 l/ha                                      | 2 per crop                 | 21 days before harvest                      | 21 days     |
|                          |               |                           |                 | <i>Pyrimethanil</i>      | <i>400 g/l</i>    |                         |                                               |                            |                                             |             |
| Serenade ASO             | 03847         | Bayer CropScience Limited | Fungicide       |                          |                   | 10 l/ha                 | -                                             | every 7 days               |                                             | 0 days      |
|                          |               |                           |                 | <i>Bacillus subtilis</i> | <i>1.34% w/w</i>  |                         |                                               |                            |                                             |             |
| Signum                   | 03799         | BASF plc                  | Fungicide       |                          |                   | 1.5 kgs/ha              | 4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest) | -                          | 3 days before harvest, N/A for post harvest |             |
|                          |               |                           |                 | <i>Pyraclostrobin</i>    | <i>6.7 % w/w</i>  |                         |                                               |                            |                                             |             |
|                          |               |                           |                 | <i>Boscalid</i>          | <i>26.7 % w/w</i> |                         |                                               |                            |                                             |             |
| Stroby WG                | 05092         | BASF plc                  | Fungicide       |                          |                   | 0.2 kg/ha               | 0.6 kg/ha                                     | -                          | 14 days before harvest                      | 14 days     |
|                          |               |                           |                 | <i>Kresoxim Methyl</i>   | <i>50% w/w</i>    |                         |                                               |                            |                                             |             |
| Tracer                   | 02649         | Dow AgroSciences          | Insecticide     |                          |                   | 200 ml/ha in 250L water | 400 ml/ha                                     | 2 per year                 | 7 days before harvest                       | 7 days      |
|                          |               |                           |                 | <i>Spinosad</i>          | <i>480 g/l</i>    |                         |                                               |                            |                                             |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*





## **Chapter 8**

**List of off label approvals which have been granted up to 1/1/17 for use on  
Non - food crops**



---

# *Current list of off-label approvals for Non - Food Crops*

*31 January 2017*

*Warning: Off-Label Approvals:*

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor.*

*Disclaimer*

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>        | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|--------------------------------------|-------------|
| <i>Camelina-Industrial use-spring</i> |                     |               |                                     |                 |                           |                 |                       |                         |                            |                                      |             |
|                                       | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2                          | 21 days before harvest               | 21 days     |
|                                       | Biscaya             | 03602         | Bayer CropScience Limited           | Insecticide     | <i>Azoxystrobin</i>       | <i>250 g/l</i>  | 0.3 l/ha              | 0.3 l/ha                | 1 per crop                 | 30 days before harvest               | 30 days     |
|                                       | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide       | <i>Thiacloprid</i>        | <i>240 g/l</i>  | 0.5 l/ha              | 0.5 l/ha                | 1                          | 28 days before harvest               | 28 days     |
|                                       | Butisan S           | 90342         | BASF plc                            | Herbicide       | <i>Propiconazole</i>      | <i>250 g/l</i>  | 1.5 l/ha              | 1.5 l/ha                |                            | Pre-emergence of crop                |             |
|                                       | Caramba             | 03954         | BASF plc                            | Fungicide       | <i>Metazachlor</i>        | <i>500 g/l</i>  | 1.2 l/ha              | 2.4 l/ha                | -                          | 10% of pods at final size            |             |
|                                       | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       | <i>Metconazole</i>        | <i>60 g/l</i>   | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before 8 fully expanded leaves       | 90 days     |
|                                       | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a               | Insecticide     | <i>Propaquizafop</i>      | <i>100 g/l</i>  | 300 mls/ha            | 900 mls/ha              | -                          | Before GS 69                         |             |
|                                       | Decis               | 02693         | Bayer CropScience Limited           | Insecticide     | <i>Deltamethrin</i>       | <i>25 g/l</i>   | 300 mls/ha            | 900 mls/ha              |                            | Before GS 69                         |             |
|                                       | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG           | Insecticide     | <i>Deltamethrin</i>       | <i>25 g/l</i>   | 75 ml/ha              | 225 ml/ha               | 4                          | 6 weeks before harvest               | 6 weeks     |
|                                       | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.               | Insecticide     | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 75 ml/ha              | 225 ml/ha               | 4                          | 6 weeks before harvest               | 6 weeks     |
|                                       | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before 8 fully expanded leaves       | 90 days     |
|                                       | Farmco Zealot       | 05299         | Farmco Agritrading Ltd              | Herbicide       | <i>Propaquizafop</i>      | <i>100 g/l</i>  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before 8 fully expanded leaves stage | 90 days     |
|                                       | Filan               | 04325         | BASF plc                            | Fungicide       | <i>Propaquizafop</i>      | <i>100 g/l</i>  | 0.5 kg/ha             | 1.0 kg/ha               | -                          | Before 60% of pods final size        |             |
|                                       |                     |               |                                     |                 | <i>Boscalid</i>           | <i>50 % w/w</i> |                       |                         |                            |                                      |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>                             | <i>Content</i>                   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|---------------------------|-----------------|----------------------------------------------|----------------------------------|-----------------------|-------------------------|----------------------------|----------------------------------------------|-------------|
| <i>Camelina-Industrial use-spring</i> |                     |               |                           |                 |                                              |                                  |                       |                         |                            |                                              |             |
|                                       | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       |                                              |                                  | 1.0 l/ha              | 2.5 l/ha                | -                          | Up to and including most seeds green stage   |             |
|                                       | Fusilade Max        | 01472         | Syngenta UK Ltd           | Herbicide       | <i>Tebuconazole</i>                          | <i>250 g/l</i>                   | 1.5 l/ha              | 3.0 l/ha                | 2 per crop                 | Before first flower bud visible stage        |             |
|                                       | Galera              | 05188         | Dow AgroSciences          | Herbicide       | <i>Fluazifop-P (-butyl)</i>                  | <i>125 g/l</i>                   | 0.35 l/ha             | 0.35 l/ha               | -                          | Before flower buds visible above crop canopy |             |
|                                       | Galileo             | 03015         | DuPont (UK) Ltd           | Fungicide       | <i>Clopyralid</i><br><i>Picloram</i>         | <i>267 g/l</i><br><i>67 g/l</i>  | 1.0 l/ha              | 1.0 l/ha                | 1 per crop                 | Before GS 69                                 |             |
|                                       | GAT Decline 2.5 E   | 04422         | GAT Microencapsulation AG | Insecticide     | <i>Picoxystrobin</i>                         | <i>250 g/l</i>                   | 300 mls/ha            | 900 mls/ha              | -                          | Before GS 69                                 |             |
|                                       | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide     | <i>Deltamethrin</i>                          | <i>25 g/l</i>                    | 75 mls/ha             | 225 mls/ha              | 4                          | 6 weeks before harvest                       | 6 weeks     |
|                                       | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.     | Insecticide     | <i>lambda-Cyhalothrin</i>                    | <i>100 g/l</i>                   | 75 ml/ha              | 225 ml/ha               | 4                          | 6 weeks before harvest                       | 6 weeks     |
|                                       | Laidir 10 CS        | 04932         | GAT Microencapsulation AG | Insecticide     | <i>lambda-Cyhalothrin</i>                    | <i>100 g/l</i>                   | 75 ml/ha              | 225 ml/ha               | 4                          | 6 weeks before harvest                       |             |
|                                       | Magnello            | 04118         | Syngenta UK Ltd           | Fungicide       | <i>Tebuconazole</i><br><i>Difenoconazole</i> | <i>250 g/l</i><br><i>100 g/l</i> | 0.8 l/ha              | 1.6 l/ha                | 2                          | Before GS 60                                 |             |
|                                       | Ninja 10CS          | 05178         | Syngenta UK Ltd           | Insecticide     | <i>lambda-Cyhalothrin</i>                    | <i>100 g/l</i>                   | 75 mls/ha             | 225 mls/ha              | 4                          | Before GS 69                                 |             |
|                                       | Plenum              | 02238         | Syngenta UK Ltd           | Insecticide     | <i>Pymetrozine</i>                           | <i>50 %w/w</i>                   | 0.15 kg/ha            | 0.15 kg/ha              | 1                          | GS 59                                        |             |
|                                       | Proline             | 03786         | Bayer CropScience Limited | Fungicide       | <i>Prothioconazole</i>                       | <i>250 g/l</i>                   | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest                       | 56 days     |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>              | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|---------------------------|-----------------|-------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Camelina-Industrial use-spring</i> |                     |               |                           |                 |                               |                   |                       |                         |                            |                               |             |
|                                       | Prosaro             | 02106         | Bayer CropScience Limited | Fungicide       |                               |                   | 1.0 l/ha              | 2.0 l/ha                |                            | 56 days before harvest        | 56 days     |
|                                       |                     |               |                           |                 | <i>Tebuconazole</i>           | <i>12.8 %w/w</i>  |                       |                         |                            |                               |             |
|                                       |                     |               |                           |                 | <i>Prothioconazole</i>        | <i>12.8 % w/w</i> |                       |                         |                            |                               |             |
|                                       | Reglone             | 02453         | Syngenta UK Ltd           | Dessicant       |                               |                   | 3.0 l/ha              | 3.0 l/ha                | -                          | -                             |             |
|                                       |                     |               |                           |                 | <i>Diquat (dibromide)</i>     | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                                       | Salsa               | 04725         | DuPont (UK) Ltd           | Herbicide       |                               |                   | 25 g/ha               | 25 g/ha                 | -                          | 90 days before harvest        | 90 days     |
|                                       |                     |               |                           |                 | <i>Ethametsulfuron methyl</i> | <i>750 g/kg</i>   |                       |                         |                            |                               |             |
|                                       | Sirena              | 05408         | Globachem nv              | Fungicide       |                               |                   | 1.2 l/ha              | 2.4 l/ha                | -                          | 10% pods at final size        |             |
|                                       |                     |               |                           |                 | <i>Metconazole</i>            | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                       | Tebucur 250 EW      | 04827         | Globachem nv              | Fungicide       |                               |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | Before GS 65                  |             |
|                                       |                     |               |                           |                 | <i>Tebuconazole</i>           | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                       | Tebusha 25% EW      | 04884         | Sharda Europe b.v.b.a     | Fungicide       |                               |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | Before GS65                   |             |
|                                       |                     |               |                           |                 | <i>Tebuconazole</i>           | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>            | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|----------------|-----------------------|-------------------------|----------------------------|------------------------------------------|-------------|
| <i>Camelina-Industrial use-winter</i> |                     |               |                                     |                 |                           |                |                       |                         |                            |                                          |             |
|                                       | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                           |                | 1.0 l/ha              | 2.0 l/ha                | 2                          | 21 days before harvest                   | 21 days     |
|                                       | Barclay Propyz      | 04006         | Barclay Chemicals Ltd               | Herbicide       | <i>Azoxystrobin</i>       | <i>250 g/l</i> | 2.1 l/ha              | 2.1 l/ha                | -                          | Before 1st February in year of harvest   |             |
|                                       | Barclay Propyzaflas | 04007         | Barclay Chemicals Ltd               | Herbicide       | <i>Propyzamide</i>        | <i>400 g/l</i> | 2.1 l/ha              | 2.1 l/ha                | -                          | Before 1st February in year of harvest   |             |
|                                       | Biscaya             | 03602         | Bayer CropScience Limited           | Insecticide     | <i>Propyzamide</i>        | <i>400 g/l</i> | 0.3 l/ha              | 0.3 l/ha                | 1 per crop                 | 30 days before harvest                   | 30 days     |
|                                       | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide       | <i>Thiacloprid</i>        | <i>240 g/l</i> | 0.5 l/ha              | 0.5 l/ha                | 1                          | 28 days before harvest                   | 28 days     |
|                                       | Butisan S           | 90342         | BASF plc                            | Herbicide       | <i>Propiconazole</i>      | <i>250 g/l</i> | 1.5 l/ha              | 2.0 l/ha                |                            | Before end of January in year of harvest |             |
|                                       | Caramba             | 03954         | BASF plc                            | Fungicide       | <i>Metazachlor</i>        | <i>500 g/l</i> | 1.2 l/ha              | 2.4 l/ha                | -                          | 10% of pods at final size                |             |
|                                       | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       | <i>Metconazole</i>        | <i>60 g/l</i>  | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage         | 90 days     |
|                                       | Deca 2.5% EC        | 04952         | Sharda Europe b.v.b.a               | Insecticide     | <i>Propaquizafop</i>      | <i>100 g/l</i> | 300 mls/ha            | 1200 mls/ha             | -                          | Before GS 69                             |             |
|                                       | Decis               | 02693         | Bayer CropScience Limited           | Insecticide     | <i>Deltamethrin</i>       | <i>25 g/l</i>  | 300 mls/ha            | 1200 mls/ha             |                            | Before GS 69                             |             |
|                                       | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG           | Insecticide     | <i>Deltamethrin</i>       | <i>25 g/l</i>  | 75 ml/ha              | 225 ml/ha               | 4                          | Before end of flowering                  |             |
|                                       | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.               | Insecticide     | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> | 75 ml/ha              | 225 ml/ha               | 4                          | Before GS 69                             |             |
|                                       | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage         | 90 days     |
|                                       |                     |               |                                     |                 | <i>Propaquizafop</i>      | <i>100 g/l</i> |                       |                         |                            |                                          |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|---------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|----------------------------------------------|-------------|
| <i>Camelina-Industrial use-winter</i> |                     |               |                           |                 |                             |                 |                       |                         |                            |                                              |             |
|                                       | Farmco Zealot       | 05299         | Farmco Agritrading Ltd    | Herbicide       |                             |                 | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | Before flower buds visible stage             | 90 days     |
|                                       | Filan               | 04325         | BASF plc                  | Fungicide       | <i>Propaquizafop</i>        | <i>100 g/l</i>  | 0.5 kg/ha             | 1.0 kg/ha               | -                          | Before 60% of pods final size                |             |
|                                       | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide       | <i>Boscalid</i>             | <i>50 % w/w</i> | 1.0 l/ha              | 2.5 l/ha                | -                          | Up to and including most seeds green stage   |             |
|                                       | Fusilade Max        | 01472         | Syngenta UK Ltd           | Herbicide       | <i>Tebuconazole</i>         | <i>250 g/l</i>  | 1.5 l/ha              | 3.0 l/ha                | 2 per crop                 | before first flower bud visible stage        |             |
|                                       | Galera              | 05188         | Dow AgroSciences          | Herbicide       | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>  | 0.35 l/ha             | 0.35 l/ha               | -                          | Before flower buds visible above crop canopy |             |
|                                       | Galileo             | 03015         | DuPont (UK) Ltd           | Fungicide       | <i>Picloram</i>             | <i>67 g/l</i>   | 1.0 l/ha              | 1.0 l/ha                | 1 per crop                 | Before GS 69                                 |             |
|                                       | GAT Decline 2.5 E   | 04422         | GAT Microencapsulation AG | Insecticide     | <i>Clopyralid</i>           | <i>267 g/l</i>  | 300 mls/ha            | 1200 mls/ha             | -                          | Before GS 69                                 |             |
|                                       | Judo                | 05035         | Cheminova A/S             | Herbicide       | <i>Picoxystrobin</i>        | <i>250 g/l</i>  | 2.1 l/ha              | 2.1 l/ha                | 1 per crop                 | Before 1st February in year of harvest       |             |
|                                       | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide     | <i>Propyzamide</i>          | <i>400 g/l</i>  | 75 mls/ha             | 225 mls/ha              | 4                          | Before GS 69                                 |             |
|                                       | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.     | Insecticide     | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  | 75 ml/ha              | 225 ml/ha               | 4                          | Before end of flowering                      |             |
|                                       | Kerb 50 W           | 02831         | Dow AgroSciences          | Herbicide       | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>  | 1.7 kg/ha             | 1.7 kg/ha               | 1 per crop                 | Before 1st February in year of harvest       |             |
|                                       | Kerb Flo            | 02830         | Dow AgroSciences          | Herbicide       | <i>Propyzamide</i>          | <i>50 %w/w</i>  | 2.1 l/ha              | 2.1 l/ha                | 1 per crop                 | Before 1st February in year of harvest       |             |
|                                       |                     |               |                           |                 | <i>Propyzamide</i>          | <i>400 g/l</i>  |                       |                         |                            |                                              |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>                              | <i>Content</i>                        | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i>                             | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------------------------|---------------------------------------|-----------------------|-------------------------|----------------------------|-----------------------------------------------------------|-------------|
| <i>Camelina-Industrial use-winter</i> |                     |               |                                     |                 |                                               |                                       |                       |                         |                            |                                                           |             |
|                                       | Laidir 10 CS        | 04932         | GAT Microencapsulation AG           | Insecticide     |                                               |                                       | 75 ml/ha              | 225 ml/ha               | 4                          | Before end of flowering                                   |             |
|                                       | Legion              | 05179         | Adama Agricultural Solutions UK Ltd | Herbicide       | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>                        | 2.0 l/ha              | 2.0 l/ha                | 1 per year                 | Before GS 15 and before end of January in year of harvest |             |
|                                       | Magnello            | 04118         | Syngenta UK Ltd                     | Fungicide       | <i>Quinmerac</i><br><i>Metazachlor</i>        | <i>125 g/l</i><br><i>375 g/l</i>      | 0.8 l/ha              | 1.6 l/ha                | 2                          | Before GS 60                                              |             |
|                                       | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     | <i>Tebuconazole</i><br><i>Difenoconazole</i>  | <i>250 g/l</i><br><i>100 g/l</i>      | 75 mls/ha             | 225 mls/ha              | 4                          | 6 weeks before harvest                                    | 6 weeks     |
|                                       | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     | <i>lambda-Cyhalothrin</i>                     | <i>100 g/l</i>                        | 0.15 kg/ha            | 0.15 kg/ha              | 1                          | GS 59                                                     |             |
|                                       | Proline             | 03786         | Bayer CropScience Limited           | Fungicide       | <i>Pymetrozine</i>                            | <i>50 %w/w</i>                        | 0.7 l/ha              | 1.4 l/ha                | -                          | 56 days before harvest                                    | 56 days     |
|                                       | Prosaro             | 02106         | Bayer CropScience Limited           | Fungicide       | <i>Prothioconazole</i>                        | <i>250 g/l</i>                        | 1.0 l/ha              | 2.0 l/ha                |                            | 56 days before harvest                                    | 56 days     |
|                                       | Quick 5 EC          | 04904         | Sharda Europe b.v.b.a               | Herbicide       | <i>Tebuconazole</i><br><i>Prothioconazole</i> | <i>12.8 %w/w</i><br><i>12.8 % w/w</i> | 2.5 l/ha              | 2.5 l/ha                | -                          | 28 days before harvest                                    | 28 days     |
|                                       | Reglone             | 02453         | Syngenta UK Ltd                     | Dessicant       | <i>Quizalofop-P-ethyl</i>                     | <i>50 g/l</i>                         | 3.0 l/ha              | 3.0 l/ha                | -                          | -                                                         |             |
|                                       | Salsa               | 04725         | DuPont (UK) Ltd                     | Herbicide       | <i>Diquat (dibromide)</i>                     | <i>200 g/l</i>                        | 25 g/ha               | 25 g/ha                 | -                          | 90 days before harvest                                    | 90 days     |
|                                       | Sirena              | 05408         | Globachem nv                        | Fungicide       | <i>Ethametsulfuron methyl</i>                 | <i>750 g/kg</i>                       | 1.2 l/ha              | 2.4 l/ha                | -                          | 10% pods at final size                                    |             |
|                                       | Tebucur 250 EW      | 04827         | Globachem nv                        | Fungicide       | <i>Metconazole</i>                            | <i>60 g/l</i>                         | 1.0 l/ha              | 2.0 l/ha                | -                          | Before GS 65                                              |             |
|                                       | Tebusha 25% EW      | 04884         | Sharda Europe b.v.b.a               | Fungicide       | <i>Tebuconazole</i>                           | <i>250 g/l</i>                        | 1.0 l/ha              | 2.0 l/ha                | -                          | Before GS65                                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                           | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>    | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------------------|---------------------|---------------|---------------------|-----------------|---------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Camelina-Industrial use-winter</i> |                     |               |                     |                 |                     |                |                       |                         |                            |                               |             |
|                                       | Teridox             | 04902         | Syngenta UK Ltd     | Herbicide       | <i>Dimethachlor</i> | 500 g/l        | 2.0 l/ha              | 2.0 l/ha                | -                          | Pre-emergence                 |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>       | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                 |                        |                 |                       |                         |                            |                               |             |
|                           | Abringo             | 04239         | Certiplant N.V.                     | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           | Acrobat MZ          | 04059         | BASF plc                            | Fungicide       | <i>Chlorothalonil</i>  | <i>500 g/l</i>  | 2.0 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Dimethomorph</i>    | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Mancozeb</i>        | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|                           | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 2.1 l/ha              | 2.1 l/ha                | 1                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Linuron</i>         | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                           | Agritox             | 05498         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                |                            |                               |             |
|                           |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Agritox 500         | 05499         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Agroxone 50         | 05500         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 day re-entry period         |             |
|                           |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                           | Amistar Opti        | 03408         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 2.5 l/ha              | 5.0 l/ha                | -                          |                               |             |
|                           |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                           | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Pendimethalin</i>   | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                           | Arizona             | 04555         | Adama Agricultural Solutions UK Ltd | Fungicide       |                        |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Folpet</i>          | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Aviator Xpro        | 03687         | Bayer CropScience Limited           | Fungicide       |                        |                 | 1.25 l/ha             | 2.5 l/ha                | 2 per year                 | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Bixafen</i>         | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Prothioconazole</i> | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|                           | Aylora              | 05012         | DuPont (UK) Ltd                     | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Penthiopyrad</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                 |                 |                           |                  |                       |                         |                            |                               |             |
|                           | Azaka               | 05218         | Cheminova A/S                   | Fungicide       |                           |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           | Balear 720 SC       | 04411         | Arysta LifeScience Benelux SPRL | Fungicide       | <i>Azoxystrobin</i>       | <i>250 g/l</i>   | 1.4 l/ha              | 2.8 l/ha                | -                          | N/A                           |             |
|                           | Bandon MCPA 30      | 03751         | Hygeia Chemicals Ltd            | Herbicide       | <i>Chlorothalonil</i>     | <i>720 g/l</i>   | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                           | Barclay Avoca       | 04458         | Barclay Chemicals Ltd           | Fungicide       | <i>MCPA</i>               | <i>300 g/l</i>   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd           | Fungicide       | <i>Chlorothalonil</i>     | <i>500 g/l</i>   | 0.5 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                           | Barclay D-Quat      | 03974         | Barclay Chemicals Ltd           | Dessicant       | <i>Propiconazole</i>      | <i>250 g/l</i>   | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           | Barclay Eyetak 40   | 90177         | Barclay Chemicals Ltd           | Fungicide       | <i>Diquat (dibromide)</i> | <i>200 g/l</i>   | 1.25 l/ha             | 2.5 l/ha                | -                          | -                             |             |
|                           | Barclay Eyetak 450  | 01953         | Barclay Chemicals Ltd           | Fungicide       | <i>Prochloraz</i>         | <i>400 g/l</i>   | 1.1 l/ha              | 2.2 l/ha                | -                          | N/A                           |             |
|                           | Bellis              | 03798         | BASF plc                        | Fungicide       | <i>Prochloraz</i>         | <i>450 g/l</i>   | 0.8 kg/ha             | 3.2 kg/ha               | 4                          | N/A                           |             |
|                           | Beretta             | 04835         | Certiplant N.V.                 | Herbicide       | <i>Pyraclostrobin</i>     | <i>12.8 %w/w</i> | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           | Betanal Expert      | 03570         | Bayer CropScience Limited       | Herbicide       | <i>Boscalid</i>           | <i>25.2%w/w</i>  | 1.5 l/ha              | 4.5 l/ha                | 3                          |                               |             |
|                           | Betanal MaxxPro     | 04266         | Bayer CropScience Limited       | Herbicide       | <i>Diquat (dibromide)</i> | <i>200 g/l</i>   | 1.5 l/ha              | 4.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                 | <i>Ethofumesate</i>       | <i>151 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Desmedipham</i>        | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Phenmedipham</i>       | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Desmedipham</i>        | <i>47g/l</i>     |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Phenmedipham</i>       | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Ethofumesate</i>       | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Lenacil</i>            | <i>27 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|--------------------------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                            |                 |                              |                 |                       |                         |                            |                               |             |
|                           | Biscaya             | 03602         | Bayer CropScience Limited                  | Insecticide     |                              |                 | 0.4 l/ha              | 0.8 l/ha                | 2                          |                               |             |
|                           | Boogie Xpro         | 03689         | Bayer CropScience Limited                  | Fungicide       | <i>Thiacloprid</i>           | <i>240 g/l</i>  | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Spiroxamine</i>           | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Bixafen</i>               | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Prothioconazole</i>       | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | Boxer               | 02048         | Dow AgroSciences                           | Herbicide       |                              |                 | 0.15 l/ha             | 0.15 l/ha               | -                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Florasulam</i>            | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                           | Bravo 500           | 03452         | Syngenta UK Ltd                            | Fungicide       |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Brogue              | 03993         | Mitsui Agriscience International S.A./N.V. | Dessicant       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Diquat (dibromide)</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                           | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd        | Fungicide       |                              |                 | 0.5 l/ha              | 1.0 l/ha                | 2                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Propiconazole</i>         | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                           | Butisan S           | 90342         | BASF plc                                   | Herbicide       |                              |                 | 1.5 l/ha              | 1.5 l/ha                | 1                          | 6 weeks                       | 6 weeks     |
|                           |                     |               |                                            |                 | <i>Metazachlor</i>           | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Cadou Star          | 03439         | Bayer CropScience Limited                  | Herbicide       |                              |                 | 0.85 kg/ha            | 0.85 kg/ha              | 1                          | Pre-emergence                 |             |
|                           |                     |               |                                            |                 | <i>Flufenacet</i>            | <i>480 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Isoxaflutole</i>          | <i>100 g/kg</i> |                       |                         |                            |                               |             |
|                           | Calibre Max SX      | 03438         | DuPont (UK) Ltd                            | Herbicide       |                              |                 | 150 g/ha              | 150 g/ha                | -                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Tribenuron (-methyl)</i>  | <i>100 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Thifensulfuron methyl</i> | <i>400 g/kg</i> |                       |                         |                            |                               |             |
|                           | Calibre SX          | 03436         | DuPont (UK) Ltd                            | Herbicide       |                              |                 | 60 g/ha               | 60 g/ha                 | -                          | 60 days pre-harvest           | 60 days     |
|                           |                     |               |                                            |                 | <i>Thifensulfuron methyl</i> | <i>333 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Tribenuron (-methyl)</i>  | <i>167 g/kg</i> |                       |                         |                            |                               |             |
|                           | Callisto            | 02587         | Syngenta UK Ltd                            | Herbicide       |                              |                 | 1.5 l/ha              | 1.5 l/ha                | 1                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Mesotrione</i>            | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | CaLypso             | 02441         | Bayer CropScience Limited                  | Insecticide     |                              |                 | 0.25 l/ha             | 0.75 l/ha               | 3                          | 3 days before                 | 3 days      |
|                           |                     |               |                                            |                 | <i>Thiacloprid</i>           | <i>480 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------|------------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                 |                  |                              |                 |                       |                         |                            |                               |             |
|                           | Cameo Max SX        | 03135         | DuPont (UK) Ltd                 | Herbicide        |                              |                 | 60 g/ha               | 60 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                  | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                           | Cameo SX            | 03431         | DuPont (UK) Ltd                 | Herbicide        |                              |                 | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                           | Cavaterra           | 05059         | Certiplant N.V.                 | Fungicide        |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Cello               | 02766         | Bayer CropScience Limited       | Fungicide        |                              |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Tebuconazole</i>          | <i>105 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                  | <i>Prothioconazole</i>       | <i>103 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                  | <i>Spiroxamine</i>           | <i>263 g/l</i>  |                       |                         |                            |                               |             |
|                           | Cerone              | 03933         | Bayer CropScience Limited       | Growth Regulator |                              |                 | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5 days      |
|                           |                     |               |                                 |                  | <i>Ethephon</i>              | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                           | Chess WG            | 03365         | Syngenta UK Ltd                 | Insecticide      |                              |                 | 0.4 kg/ha             | 1.6 kg/ha               | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Pymetrozine</i>           | <i>50 %w/w</i>  |                       |                         |                            |                               |             |
|                           | Chlorthalis         | 05193         | Arysta LifeScience Benelux SPRL | Fungicide        |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                 |                  | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL | Herbicide        |                              |                 | 0.33 l/ha             | 0.33 l/ha               | -                          | -                             |             |
|                           |                     |               |                                 |                  | <i>Clopyralid</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                           | Comet 200           | 03696         | BASF plc                        | Fungicide        |                              |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Pyraclostrobin</i>        | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                           | Compitox Plus       | 02843         | Nufarm UK Limited               | Herbicide        |                              |                 | 2.3 l/ha              | 4.6 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Mecoprop-P</i>            | <i>600 g/l</i>  |                       |                         |                            |                               |             |
|                           | Corbel              | 90438         | BASF plc                        | Fungicide        |                              |                 | 1.0 l/ha              | 3.0 l/ha                | 3 / season                 | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Fenpropimorph</i>         | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|                           | Coyote              | 03790         | Bayer CropScience Limited       | Fungicide        |                              |                 | 0.8 l/ha              | 1.6l/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                 |                  | <i>Fluoxastrobin</i>         | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                  | <i>Trifloxystrobin</i>       | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                  | <i>Prothioconazole</i>       | <i>150 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>              | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|----------------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                  |                 |                           |                  |                       |                         |                            |                               |             |
|                           | Credo               | 02503         | DuPont (UK) Ltd                  | Fungicide       |                           |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                  |                 | <i>Picoxystrobin</i>      | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Curator             | 04504         | Syngenta UK Ltd                  | Fungicide       |                           |                  | 2.5 l/ha              | 5.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                  |                 | <i>Chlorothalonil</i>     | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Azoxystrobin</i>       | <i>80 g/l</i>    |                       |                         |                            |                               |             |
|                           | Curzate M WG        | 02110         | DuPont (UK) Ltd                  | Fungicide       |                           |                  | 2.5 kgs/ha            | 5 kgs/ha                | 2                          | N/A                           |             |
|                           |                     |               |                                  |                 | <i>Cymoxanil</i>          | <i>4.5 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Mancozeb</i>           | <i>68 % w/w</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Cymoxanil</i>          | <i>4.5 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Mancozeb</i>           | <i>68 %w/w</i>   |                       |                         |                            |                               |             |
|                           | Cymbal 45           | 04647         | Belchim Crop Protection Ltd      | Fungicide       |                           |                  | 0.25 kg/ha            | 1.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                  |                 | <i>Cymoxanil</i>          | <i>45% w/w</i>   |                       |                         |                            |                               |             |
|                           | D50                 | 02366         | Nufarm UK Limited                | Herbicide       |                           |                  |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>2,4-D</i>              | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Damine              | 02353         | Arysta LifeScience Benelux SPRL  | Herbicide       |                           |                  | 2.8 l/ha              | 2.8 l/ha                | -                          | -                             |             |
|                           |                     |               |                                  |                 | <i>2,4-D</i>              | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Dauphin 45          | 04542         | Societe Financiere de Pontarlier | Fungicide       |                           |                  | 0.22 kg/ha            | 0.88 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                  |                 | <i>Cymoxanil</i>          | <i>450 g/kg</i>  |                       |                         |                            |                               |             |
|                           | Defy                | 04277         | Syngenta UK Ltd                  | Herbicide       |                           |                  | 5.0 l/ha              | 5.0 l/ha                |                            | During dormancy only          |             |
|                           |                     |               |                                  |                 | <i>Prosulfocarb</i>       | <i>800 g/l</i>   |                       |                         |                            |                               |             |
|                           | Depitox             | 02365         | Nufarm UK Limited                | Herbicide       |                           |                  | 2.8 l/ha              | 2.8 l/ha                | -                          |                               |             |
|                           |                     |               |                                  |                 | <i>2,4-D</i>              | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | D-Foliate           | 03985         | Barclay Chemicals Ltd            | Dessicant       |                           |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                  |                 | <i>Diquat (dibromide)</i> | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           | Diablo              | 05133         | BASF plc                         | Fungicide       |                           |                  | 2.5 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                           |                     |               |                                  |                 | <i>Mancozeb</i>           | <i>480 g/kg</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                  |                 | <i>Ametoctradin</i>       | <i>80 g/kg</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i>      | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i>             | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|--------------------------------------|----------------------|---------------------------|-----------------|-----------------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                      |                      |                           |                 |                                   |                         |                            |                               |             |
|                           | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS    | Herbicide            |                           |                 | 100 mls/ha                        | 100 mls/ha              |                            | 28 days before harvest        |             |
|                           |                     |               |                                      |                      | <i>Flumioxazin</i>        | <i>300 g/l</i>  |                                   |                         |                            |                               |             |
|                           | DimethoX            | 05118         | DHM Agrochemicals Ltd.,              | Insecticide          |                           |                 | 1.0 l/ha                          | -                       | -                          | -                             |             |
|                           |                     |               |                                      |                      | <i>Dimethoate</i>         | <i>400 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Diqua               | 03630         | Sharda Europe b.v.b.a                | Herbicide            |                           |                 | 2.0 l/ha                          | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                      |                      | <i>Diquat (dibromide)</i> | <i>200 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Diquash 200 SL      | 04181         | Sharda Europe b.v.b.a                | Herbicide            |                           |                 | 2.0 l/ha                          | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                      |                      | <i>Diquat (dibromide)</i> | <i>200 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Di-Quattro          | 04720         | Arysta LifeScience Benelux SPRL      | Herbicide            |                           |                 | 2.0 l/ha                          | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                      |                      | <i>Diquat (dibromide)</i> | <i>200 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V | Fungicide            |                           |                 | 2.0 kg/ha                         | 16.0 kg/ha*             | -                          | 7 days before harvest         | 7 days      |
|                           |                     |               |                                      |                      | <i>Mancozeb</i>           | <i>80 % w/w</i> |                                   |                         |                            |                               |             |
|                           | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide            |                           |                 | 2.1 kg/ha                         | 8.4 kg/ha               | 4 per year                 | -                             |             |
|                           |                     |               |                                      |                      | <i>Mancozeb</i>           | <i>75% w/w</i>  |                                   |                         |                            |                               |             |
|                           | Dow Shield 100      | 03861         | Dow AgroSciences                     | Herbicide            |                           |                 | 2.0 l/ha                          | 2.0 l/ha                |                            |                               |             |
|                           |                     |               |                                      |                      | <i>Clopyralid</i>         | <i>100 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Dragoon Gold        | 03174         | Certiplant N.V.                      | Herbicide            |                           |                 | 2.0 l/ha                          | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                      |                      | <i>Diquat (dibromide)</i> | <i>200 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Duplosan KV         | 02842         | Nufarm UK Limited                    | Herbicide            |                           |                 |                                   |                         |                            |                               |             |
|                           |                     |               |                                      |                      | <i>Mecoprop-P</i>         | <i>600 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Dynamec             | 02640         | Syngenta UK Ltd                      | Acaricide/Insecticid |                           |                 | 50 mls product / 100 litres water | N/A                     | -                          | N/A                           |             |
|                           |                     |               |                                      |                      | <i>Abamectin</i>          | <i>18 g/l</i>   |                                   |                         |                            |                               |             |
|                           | Easel               | 05502         | Nufarm UK Limited                    | Herbicide            |                           |                 | 1.8 l/ha                          | 1.8 l/ha                |                            |                               |             |
|                           |                     |               |                                      |                      | <i>MCPA</i>               | <i>750 g/l</i>  |                                   |                         |                            |                               |             |
|                           | Edipro              | 03889         | Arysta LifeScience Benelux SPRL      | Fungicide            |                           |                 | 1.4 l/ha                          | 8.4 l/ha                | 6 per year                 | 14 days before harvest        |             |
|                           |                     |               |                                      |                      | <i>Propamocarb</i>        | <i>722 g/l</i>  |                                   |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|--------------------------------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                                  |                 |                           |                  |                       |                         |                            |                               |             |
|                           | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitada | Fungicide       |                           |                  | 1.8 kg/ha             | 18 kg/ha                | 10 per year                | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Mancozeb</i>           | <i>66.7 %w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Zoxamide</i>           | <i>8.3 %w/w</i>  |                       |                         |                            |                               |             |
|                           | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG                        | Insecticide     |                           |                  | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                           | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.                            | Insecticide     |                           |                  | 90 ml/ha              | 270 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                           | Fandango            | 03787         | Bayer CropScience Limited                        | Fungicide       |                           |                  | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Prothioconazole</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Fluoxastrobin</i>      | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                           | Fezan               | 03639         | Sipcam U.K. Ltd                                  | Fungicide       |                           |                  | 1.0 l/ha              | 3.0 l/ha                | 3 per year                 | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Fezan Plus          | 04468         | Oxon Italia SpA                                  | Fungicide       |                           |                  | 3.0 l/ha              | 6.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>166 g/l</i>   |                       |                         |                            |                               |             |
|                           | Fielder SE          | 04251         | DuPont (UK) Ltd                                  | Fungicide       |                           |                  | 2.0 l/ha              | 4.0 l/ha                | 2                          |                               | 10 weeks    |
|                           |                     |               |                                                  |                 | <i>Proquinazid</i>        | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Filan               | 04325         | BASF plc                                         | Fungicide       |                           |                  | 0.5 kg/ha             | 1.0 kg/ha               | -                          | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Boscalid</i>           | <i>50 % w/w</i>  |                       |                         |                            |                               |             |
|                           | Firebird            | 04221         | Bayer CropScience Limited                        | Herbicide       |                           |                  | 0.3 l/ha              | 0.3 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Flufenacet</i>         | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Diflufenican</i>       | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           | Flexity             | 03225         | BASF plc                                         | Fungicide       |                           |                  | 0.5 l/ha              | 1.0 l/ha                | 2                          | -                             |             |
|                           |                     |               |                                                  |                 | <i>Metrafenone</i>        | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                           | Flight              | 02524         | BASF plc                                         | Herbicide       |                           |                  | 4.0 l/ha              | 4.0 l/ha                |                            | N/A                           |             |
|                           |                     |               |                                                  |                 | <i>Pendimethalin</i>      | <i>330 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                                  |                 | <i>Picolinafen</i>        | <i>7.5 g/l</i>   |                       |                         |                            |                               |             |
|                           | Fluazinova          | 05508         | Novafito S.p.A                                   | Fungicide       |                           |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                                  |                 | <i>Fluazinam</i>          | <i>500 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-----------------------------|-----------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                             |                 |                             |                  |                       |                         |                            |                               |             |
|                           | Flurox 180          | 04302         | Stockton Europe Ltd         | Herbicide       |                             |                  | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                           |                     |               |                             |                 | <i>Fluroxypyr</i>           | <i>180 g/l</i>   |                       |                         |                            |                               |             |
|                           | Folicur 250 EW      | 00468         | Bayer CropScience Limited   | Fungicide       |                             |                  | 1.0 l/ha              | 3.0 l/ha                | 3                          |                               |             |
|                           |                     |               |                             |                 | <i>Tebuconazole</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Folio Gold          | 02363         | Syngenta UK Ltd             | Fungicide       |                             |                  | 2.0 l/ha              | 6.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                           |                     |               |                             |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Metalaxyl M</i>          | <i>37.5 g/l</i>  |                       |                         |                            |                               |             |
|                           | Fortress            | 02364         | Dow AgroSciences            | Fungicide       |                             |                  | 0.3 l/ha              | 0.6 l/ha                | 3                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Quinoxifen</i>           | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Frownicide          | 04394         | ISK Biosciences Europe N.V. | Fungicide       |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3                          | 7 days before harvest         | 7 days      |
|                           |                     |               |                             |                 | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           | Frupica             | 02128         | Certis Europe BV            | Fungicide       |                             |                  | 0.9 kg/ha             | 1.8 kg/ha               | 2                          | 3 days before harvest         | 3 days      |
|                           |                     |               |                             |                 | <i>Mepanipyrim</i>          | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
|                           | Fusilade Max        | 01472         | Syngenta UK Ltd             | Herbicide       |                             |                  | 6.0 l/ha              | 6.0 l/ha                | 1                          | -                             |             |
|                           |                     |               |                             |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i>   |                       |                         |                            |                               |             |
|                           | Galileo             | 03015         | DuPont (UK) Ltd             | Fungicide       |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 |                               |             |
|                           |                     |               |                             |                 | <i>Picoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Gazelle             | 03248         | Nisso Chemical Europe GmbH  | Insecticide     |                             |                  | 250 g/ha              | 500 g/ha                | 2                          | 3 days pre harvest            | 3 days      |
|                           |                     |               |                             |                 | <i>Acetamiprid</i>          | <i>20 % w/w</i>  |                       |                         |                            |                               |             |
|                           | Globaztar SC        | 04859         | Globachem nv                | Fungicide       |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           |                     |               |                             |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           | Grail               | 02826         | Nufarm UK Limited           | Fungicide       |                             |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Prochloraz</i>           | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Tebuconazole</i>         | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                           | Grazon 90           | 04261         | Dow AgroSciences            | Herbicide       |                             |                  | 1.2 l/ha*             | 1.2 l/ha                | -                          |                               |             |
|                           |                     |               |                             |                 | <i>Clopyralid</i>           | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Triclopyr</i>            | <i>240 g/l</i>   |                       |                         |                            |                               |             |
|                           | Grazon Pro          | 05182         | Dow AgroSciences            | Herbicide       |                             |                  | 1.2 l/ha*             | 1.2 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Triclopyr</i>            | <i>240.0 g/l</i> |                       |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Clopyralid</i>           | <i>60.0 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i>       | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-----------------------------------|-----------------|------------------------------|-----------------|-----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                   |                 |                              |                 |                             |                         |                            |                               |             |
|                           | Grisu               | 04836         | Oxon Italia SpA                   | Fungicide       |                              |                 | 1.0 l per 1000 litres water | -                       | 5 per year                 | -                             |             |
|                           |                     |               |                                   |                 | <i>Iprodione</i>             | <i>500 g/l</i>  |                             |                         |                            |                               |             |
|                           | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                              |                 | 100 mls/ha                  | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                           |                     |               |                                   |                 | <i>Flumioxazin</i>           | <i>300 g/l</i>  |                             |                         |                            |                               |             |
|                           | Headland Sulphur    | 90731         | Headland Agrochemicals Ltd        | Fungicide       |                              |                 | 5.0 l/ha                    | 20 l/ha                 | 4                          |                               |             |
|                           |                     |               |                                   |                 | <i>Sulphur</i>               | <i>800 g/l</i>  |                             |                         |                            |                               |             |
|                           | Headland Triad      | 03433         | DuPont (UK) Ltd                   | Herbicide       |                              |                 | 10 g/ha                     | 10 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |                             |                         |                            |                               |             |
|                           | Helix               | 03789         | Bayer CropScience Limited         | Fungicide       |                              |                 | 1.25 l/ha                   | 2.5 l/ha                | 2                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Spiroxamine</i>           | <i>300 g/l</i>  |                             |                         |                            |                               |             |
|                           |                     |               |                                   |                 | <i>Prothioconazole</i>       | <i>160 g/l</i>  |                             |                         |                            |                               |             |
|                           | Hempacide 30        | 03531         | Hygeia Chemicals Ltd              | Herbicide       |                              |                 | 2.2 l/ha                    | 2.2 l/ha                | -                          | -                             |             |
|                           |                     |               |                                   |                 | <i>MCPA</i>                  | <i>300 g/l</i>  |                             |                         |                            |                               |             |
|                           | Hurler              | 05077         | Barclay Chemicals Ltd             | Herbicide       |                              |                 | 2.0 l/ha                    | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                   |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>  |                             |                         |                            |                               |             |
|                           | Infinito            | 02532         | Bayer CropScience Limited         | Fungicide       |                              |                 | 1.6 l/ha                    | 1.6 l/ha                | -                          | -                             |             |
|                           |                     |               |                                   |                 | <i>Propamocarb</i>           | <i>625 g/l</i>  |                             |                         |                            |                               |             |
|                           |                     |               |                                   |                 | <i>Fluopicolide</i>          | <i>62.5 g/l</i> |                             |                         |                            |                               |             |
|                           | Inka Max SX         | 04842         | DuPont (UK) Ltd                   | Herbicide       |                              |                 | 60 g/ha                     | 60 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i> |                             |                         |                            |                               |             |
|                           |                     |               |                                   |                 | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i> |                             |                         |                            |                               |             |
|                           | Joules              | 04784         | Nufarm UK Limited                 | Fungicide       |                              |                 | 2.0 l/ha                    | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                             |                         |                            |                               |             |
|                           | Jupital             | 04503         | Syngenta UK Ltd                   | Fungicide       |                              |                 | 2.0 l/ha                    | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                             |                         |                            |                               |             |
|                           | Kalahari            | 04100         | Barclay Chemicals Ltd             | Dessicant       |                              |                 | 2.0 l/ha                    | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                   |                 | <i>Diquat (dibromide)</i>    | <i>200 g/l</i>  |                             |                         |                            |                               |             |
|                           | Karate Zeon         | 04084         | Syngenta UK Ltd                   | Insecticide     |                              |                 | 90 mls/ha                   | 270 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                           |                     |               |                                   |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                             |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>                                          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|----------------------|---------------|----------------------------|-----------------|-----------------------------------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                      |               |                            |                 |                                                           |                 |                       |                         |                            |                               |             |
|                           | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.      | Insecticide     |                                                           |                 | 75 ml/ha              | 225 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                           | Keystone             | 04526         | Syngenta UK Ltd            | Fungicide       | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           |                      |               |                            |                 | <i>Epoxiconazole</i>                                      | <i>99 g/l</i>   |                       |                         |                            |                               |             |
|                           |                      |               |                            |                 | <i>Isopyrazam</i>                                         | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                           | Laidir 10 CS         | 04932         | GAT Microencapsulation AG  | Insecticide     |                                                           |                 | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                           | Lentagran WP         | 03082         | Belchim Crop Protection NV | Herbicide       | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | N/A                           |             |
|                           |                      |               |                            |                 | <i>Pyridate</i>                                           | <i>45 % w/w</i> |                       |                         |                            |                               |             |
|                           | Lepinox Plus         | 05254         | CBC (Europe) S.r.l.        | Insecticide     |                                                           |                 | 1.0 kg/ha             | 3.0 kg/ha               | -                          | N/A                           |             |
|                           |                      |               |                            |                 | <i>Bacillus thuringiensis subspecies kurstaki EG 2348</i> | <i>375 g/kg</i> |                       |                         |                            |                               |             |
|                           | Life Scientific Azox | 04405         | Life Scientific Limited    | Fungicide       |                                                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | -                             |             |
|                           | Life Scientific Lam  | 04868         | Life Scientific Limited    | Insecticide     | <i>Azoxystrobin</i>                                       | <i>250 g/l</i>  | 75 mls/ha             | 300 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                           |                      |               |                            |                 | <i>lambda-Cyhalothrin</i>                                 | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | M50                  | 05505         | DHM Agrochemicals Ltd.,    | Herbicide       |                                                           |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                           | Maestro              | 04850         | Bayer CropScience Limited  | Fungicide       | <i>MCPA</i>                                               | <i>500 g/l</i>  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                           |                      |               |                            |                 | <i>Prothioconazole</i>                                    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           |                      |               |                            |                 | <i>Fluoxastrobin</i>                                      | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | Magnello             | 04118         | Syngenta UK Ltd            | Fungicide       | <i>Tebuconazole</i>                                       | <i>250 g/l</i>  | 1.0 l/ha              | 1.6 l/ha                | -                          | N/A                           |             |
|                           |                      |               |                            |                 | <i>Difenoconazole</i>                                     | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | Mandarin Xpro        | 04556         | Bayer CropScience Limited  | Fungicide       |                                                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           | Manfil 75 WG         | 03598         | Indofil Industries Limited | Fungicide       | <i>Prothioconazole</i>                                    | <i>200 g/l</i>  | 2.1 kg/ha             | 8.4 kg/ha *             | -                          | -                             |             |
|                           |                      |               |                            |                 | <i>Bixafen</i>                                            | <i>60 g/l</i>   |                       |                         |                            |                               |             |
|                           | Manfil 80 WP         | 03563         | Indofil Industries Limited | Fungicide       | <i>Mancozeb</i>                                           | <i>75 % w/w</i> | 2.0 kg/ha             | 8.0 kg/ha *             | -                          | -                             |             |
|                           |                      |               |                            |                 | <i>Mancozeb</i>                                           | <i>800 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                 |                           |                 |                       |                         |                            |                               |             |
|                           | Markate 50          | 05001         | Globachem nv                        | Insecticide     |                           |                 | 75 ml/ha              | 300 ml/ha               | 4 per year                 | 14 days before harvest        | 14 days     |
|                           | Mastercrop MCPA     | 05510         | Hygeia Chemicals Ltd                | Herbicide       | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                           | Merit Turf          | 02896         | Bayer CropScience Limited           | Insecticide     | <i>MCPA</i>               | <i>500 g/l</i>  | 30 kgs/ha             | 30 kgs/ha               | 1 / year                   | N/A                           |             |
|                           | Mettle              | 03788         | Bayer CropScience Limited           | Fungicide       | <i>Imidacloprid</i>       | <i>0.5 %w/w</i> | 1.5 l/ha              | 3.0 l/ha                | -                          |                               |             |
|                           | Micaraz             | 04856         | Syngenta UK Ltd                     | Fungicide       | <i>Prothioconazole</i>    | <i>100 g/l</i>  | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           | Minstrel            | 04782         | UPL Europe Ltd                      | Herbicide       | <i>Fluoxastrobin</i>      | <i>100 g/l</i>  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           | Mirage              | 00412         | Adama Agricultural Solutions UK Ltd | Fungicide       | <i>Isopyrazam</i>         | <i>125 g/l</i>  | 1.25 l/ha             | 2.5 l/ha                | -                          | -                             |             |
|                           | Mission 200 SL      | 03175         | UPL Europe Ltd                      | Herbicide       | <i>Epoxiconazole</i>      | <i>90 g/l</i>   | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           | Mitron WG           | 01704         | Hermoo Belgium N.V.                 | Herbicide       | <i>Prochloraz</i>         | <i>400 g/l</i>  | 3.0 kg/ha             | 6.9 kg/ha               | -                          | -                             |             |
|                           | Modem 200           | 03695         | BASF plc                            | Fungicide       | <i>Diquat (dibromide)</i> | <i>200 g/l</i>  | 1.25 l/ha             | 2.5 l/ha                |                            | N/A                           |             |
|                           | Mortone             | 03529         | Hygeia Chemicals Ltd                | Herbicide       | <i>Metamitron</i>         | <i>70 %w/w</i>  | 2.2 l/ha              | 2.2 l/ha                |                            |                               |             |
|                           | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide       | <i>Pyraclostrobin</i>     | <i>200 g/l</i>  | 3.6 l/ha              | 3.6 l/ha                | -                          | Pre-crop emergence            |             |
|                           | Moximate 725 WG     | 04670         | Indofil Industries Limited          | Fungicide       | <i>MCPA</i>               | <i>300 g/l</i>  | 2.5 kg/ha             | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Pendimethalin</i>      | <i>365 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Cymoxanil</i>          | <i>4.5% w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Mancozeb</i>           | <i>68% w/w</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-----------------------------|-----------------|---------------------------|-----------------|----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                             |                 |                           |                 |                            |                         |                            |                               |             |
|                           | Moximate 725 WP     | 04514         | Indofil Industries Limited  | Fungicide       |                           |                 | 2.5 kg/ha                  | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                             |                 | <i>Mancozeb</i>           | <i>68% w/w</i>  |                            |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Cymoxanil</i>          | <i>4.5% w/w</i> |                            |                         |                            |                               |             |
|                           | Muti-Star 500       | 04812         | Albaugh Europe Sarl         | Fungicide       |                           |                 | 2.0 l/ha                   | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                           | Nando 500SC         | 05387         | Nufarm UK Limited           | Fungicide       |                           |                 | 0.4 l/ha                   | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         |             |
|                           |                     |               |                             |                 | <i>Fluazinam</i>          | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                           | Nativo 75 WG        | 03226         | Bayer CropScience Limited   | Fungicide       |                           |                 | 0.4 l/ha                   | 1.2 l/ha                | 3                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Tebuconazole</i>       | <i>500 g/kg</i> |                            |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Trifloxystrobin</i>    | <i>250 g/kg</i> |                            |                         |                            |                               |             |
|                           | Nautile DG          | 04540         | UPL Europe Ltd              | Fungicide       |                           |                 | 2.0 kg/ha                  | 8.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                             |                 | <i>Mancozeb</i>           | <i>68% w/w</i>  |                            |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Cymoxanil</i>          | <i>5% w/w</i>   |                            |                         |                            |                               |             |
|                           | New Hyflux          | 05268         | Hygeia Chemicals Ltd        | Herbicide       |                           |                 | 2.0 l/ha                   | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                             |                 | <i>Fluroxypyr</i>         | <i>200 g/l</i>  |                            |                         |                            |                               |             |
|                           | Ninja 10CS          | 05178         | Syngenta UK Ltd             | Insecticide     |                           |                 | 90 mls/ha                  | 270 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                             |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                           | Nirvana             | 03063         | BASF plc                    | Herbicide       |                           |                 | 4.5 l/ha                   | 4.5 l/ha                |                            | N/A                           |             |
|                           |                     |               |                             |                 | <i>Pendimethalin</i>      | <i>250 g/l</i>  |                            |                         |                            |                               |             |
|                           |                     |               |                             |                 | <i>Imazamox</i>           | <i>16.7 g/l</i> |                            |                         |                            |                               |             |
|                           | Nortron 50 SC       | 02658         | Bayer CropScience Limited   | Herbicide       |                           |                 | 2.0 l/ha                   | 2.0 l/ha                | 1                          | N/A                           |             |
|                           |                     |               |                             |                 | <i>Ethofumesate</i>       | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                           | NU46                | 05501         | Nufarm UK Limited           | Herbicide       |                           |                 | 2.7 l/ha                   | 2.7 l/ha                | -                          | -                             |             |
|                           |                     |               |                             |                 | <i>MCPA</i>               | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                           | Oberon              | 02529         | Bayer CropScience Limited   | Insecticide     |                           |                 | 50mls per 100 litres water | -                       | 2 per crop                 | N/A                           |             |
|                           |                     |               |                             |                 | <i>Spiromesifen</i>       | <i>240 g/l</i>  |                            |                         |                            |                               |             |
|                           | Oblix 500           | 05286         | UPL Europe Ltd              | Herbicide       |                           |                 | 2.0 l/ha                   | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                             |                 | <i>Ethofumesate</i>       | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                           | Ohayo               | 05610         | ISK Biosciences Europe N.V. | Fungicide       |                           |                 | 0.4 l/ha                   | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                             |                 | <i>Fluazinam</i>          | <i>500 g/l</i>  |                            |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>      | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|------------------|-----------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                  |                       |                 |                       |                         |                            |                               |             |
|                           | Option              | 04722         | DuPont (UK) Ltd                     | Fungicide        |                       |                 | 0.15 g/kg             | 0.6 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           | Orchid B            | 05058         | Croplink (Ireland) Ltd              | Fungicide        | <i>Cymoxanil</i>      | <i>600 g/kg</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                           | Orius 20 EW         | 02618         | Adama Agricultural Solutions UK Ltd | Fungicide        | <i>Chlorothalonil</i> | <i>500 g/l</i>  | 1.25 l/ha             | 3.75 l/ha               | -                          | N/A                           |             |
|                           | Orius P             | 03222         | Adama Agricultural Solutions UK Ltd | Fungicide        | <i>Tebuconazole</i>   | <i>200 g/l</i>  | 1.5 l/ha              | 3.0 l/ha                |                            | N/A                           |             |
|                           | Osmonds Dock-Kle    | 05743         | Croplink (Ireland) Ltd              | Herbicide        | <i>Prochloraz</i>     | <i>267 g/l</i>  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           | Padawan             | 04814         | Societe Financiere de Pontarlier    | Growth Regulator | <i>Tebuconazole</i>   | <i>133 g/l</i>  | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                           | Palmas              | 04543         | Societe Financiere de Pontarlier    | Fungicide        | <i>Fluroxypyr</i>     | <i>200 g/l</i>  | 2.25 kg/ha            | 4 per crop              | 9.0 kg/ha                  | 7 days before harvest         | 7 days      |
|                           | Paraat              | 03614         | BASF plc                            | Fungicide        | <i>Ethephon</i>       | <i>480 g/l</i>  | 3.0 kg/ha             | 3.0 kg/ha               | -                          | 35 days before harvest        | 35 days     |
|                           | Patrol              | 04304         | Syngenta UK Ltd                     | Fungicide        | <i>Mancozeb</i>       | <i>68% w/w</i>  | 0.5 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                           | PDM 330 EC          | 03582         | BASF plc                            | Herbicide        | <i>Cymoxanil</i>      | <i>4.5% w/w</i> | 4.0 l/ha              | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                           | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide        | <i>Dimethomorph</i>   | <i>500 g/kg</i> | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        |             |
|                           | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide        | <i>Fenpropidin</i>    | <i>750 g/l</i>  | 2.0 kg/ha             | 8.0 kg/ha               | 4 per year                 | -                             |             |
|                           | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide        | <i>Pendimethalin</i>  | <i>330 g/l</i>  | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | -                             |             |
|                           |                     |               |                                     |                  | <i>Pendimethalin</i>  | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                  | <i>Mancozeb</i>       | <i>800 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                  | <i>Mancozeb</i>       | <i>750 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                 |                             |                   |                       |                         |                            |                               |             |
|                           | Phoenix             | 04453         | Adama Agricultural Solutions UK Ltd | Fungicide       |                             |                   | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Folpet</i>               | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                           | Phyton              | 05019         | UPL Europe Ltd                      | Fungicide       |                             |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Chlorothalonil</i>       | <i>500g/l</i>     |                       |                         |                            |                               |             |
|                           | PlantTrust          | 04537         | Everris Ltd                         | Fungicide       |                             |                   | 2.4 kg per cubic m    | 2.4 kg per cubic m      | 1 per batch                | -                             |             |
|                           |                     |               |                                     |                 | <i>Fosetyl (-aluminium)</i> | <i>165 g/kg</i>   |                       |                         |                            |                               |             |
|                           | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide     |                             |                   | 0.4 kg/ha             | 1.2 kg/ha               | 3                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Pymetrozine</i>          | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                           | POL-MCPA 500 S      | 05494         | Ciech Sarzyna S.A                   | Herbicide       |                             |                   | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>MCPA</i>                 | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                           | Previcur Energy     | 04041         | Bayer CropScience Limited           | Fungicide       |                             |                   | 3.0 l/ha              | 12.0 l/ha               | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                           | Profilux            | 05588         | Belchim Crop Protection Ltd         | Fungicide       |                             |                   | 2.5 kg/ha             | 10 kg/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Mancozeb</i>             | <i>680 g/kg</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Cymoxanil</i>            | <i>45 g/kg</i>    |                       |                         |                            |                               |             |
|                           | Proline             | 03786         | Bayer CropScience Limited           | Fungicide       |                             |                   | 0.8 l/ha              | 2.4 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Prothioconazole</i>      | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Propi 25 EC         | 04205         | Sharda Europe b.v.b.a               | Fungicide       |                             |                   | 0.5 l/ha              | 1.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Propiconazole</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Prosaro             | 02106         | Bayer CropScience Limited           | Fungicide       |                             |                   | 1.2 l/ha              | 3.6 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Prothioconazole</i>      | <i>12.8 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Tebuconazole</i>         | <i>12.8 %w/w</i>  |                       |                         |                            |                               |             |
|                           | Proxanil            | 04639         | Arysta LifeScience Benelux SPRL     | Fungicide       |                             |                   | 2.5 l/ha              | 10.0 l/ha               | 4 per crop                 | -                             |             |
|                           |                     |               |                                     |                 | <i>Propamocarb</i>          | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Cymoxanil</i>            | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                           | Pyramin DF          | 04264         | BASF plc                            | Herbicide       |                             |                   | 4.0 kg/ha             | 4.0 kg/ha               | 1 per crop                 | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Chloridazon</i>          | <i>65% w/w</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i>  | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------|------------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                     |                  |                              |                 |                       |                         |                            |                               |             |
|                           | Quad-Glob 200 SL    | 03180         | Q-Chem NV           | Herbicide        |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Diquat (dibromide)</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                           | Quantum             | 03432         | DuPont (UK) Ltd     | Herbicide        |                              |                 | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                           | Quantum Max SX      | 04044         | DuPont (UK) Ltd     | Herbicide        |                              |                 | 60 g/ha               | 60 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                           |                     |               |                     |                  | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                           | Ravane              | 05536         | Globachem nv        | Insecticide      |                              |                 | 75 ml/ha              | 300 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                           |                     |               |                     |                  | <i>lambda-Cyhalothrin</i>    | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                           | Reflect             | 05462         | Syngenta UK Ltd     | Fungicide        |                              |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                     |                  | <i>Isopyrazam</i>            | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                           | Regalis             | 03321         | BASF plc            | Growth Regulator |                              |                 | 1.25 kg/ha            | 2.5 kg/ha               | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Prohexadione Calcium</i>  | <i>10 %w/w</i>  |                       |                         |                            |                               |             |
|                           | Regalis Plus        | 05409         | BASF plc            | Growth Regulator |                              |                 | 1.25 kg/ha            | 2.5 kg/ha               | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Prohexadione Calcium</i>  | <i>10% w/w</i>  |                       |                         |                            |                               |             |
|                           | Reglone             | 02453         | Syngenta UK Ltd     | Dessicant        |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                     |                  | <i>Diquat (dibromide)</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                           | Retro               | 03712         | Syngenta UK Ltd     | Herbicide        |                              |                 | 2.0 l/ha              | 2.0 l/ha                |                            | N/A                           |             |
|                           |                     |               |                     |                  | <i>Diquat (dibromide)</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                           | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd     | Fungicide        |                              |                 | 2.5 kgs/ha            | 7.5 kgs/ha              | 3                          | -                             |             |
|                           |                     |               |                     |                  | <i>Metalaxyl M</i>           | <i>4.0 %w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                     |                  | <i>Mancozeb</i>              | <i>64 %w/w</i>  |                       |                         |                            |                               |             |
|                           | Rover 500           | 04467         | Oxon Italia SpA     | Fungicide        |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                     |                  | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                           | Rovral WG           | 02729         | BASF plc            | Fungicide        |                              |                 | 0.67 kg/ha            | 2.67 kgs/ha             | 4                          | 7 days before harvest         |             |
|                           |                     |               |                     |                  | <i>Iprodione</i>             | <i>750 g/kg</i> |                       |                         |                            |                               |             |
|                           | Sacron WG           | 04541         | UPL Europe Ltd      | Fungicide        |                              |                 | 0.22 kg/ha            | 0.88 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                     |                  | <i>Cymoxanil</i>             | <i>450 g/kg</i> |                       |                         |                            |                               |             |
|                           | Salvo               | 04120         | UPL Europe Ltd      | Herbicide        |                              |                 | 2.8 l/ha              | 2.8 l/ha                | 1 per year                 | -                             |             |
|                           |                     |               |                     |                  | <i>2,4-D</i>                 | <i>500 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                 |                           |                   |                       |                         |                            |                               |             |
|                           | Scala               | 03916         | BASF plc                            | Fungicide       |                           |                   | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | -                             |             |
|                           |                     |               |                                     |                 | <i>Pyrimethanil</i>       | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                           | Seguris             | 04253         | Syngenta UK Ltd                     | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Epoxiconazole</i>      | <i>90 g/l</i>     |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                           | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                           |                     |               |                                     |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                           | Shirlan             | 04393         | ISK Biosciences Europe N.V.         | Fungicide       |                           |                   | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Fluazinam</i>          | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                           | Signum              | 03799         | BASF plc                            | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                           |                     |               |                                     |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                           | Siltra Xpro         | 04083         | Bayer CropScience Limited           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Bixafen</i>            | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Prothioconazole</i>    | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                           | Sipcam C50WG        | 04494         | Oxon Italia SpA                     | Fungicide       |                           |                   | 0.24 kg/ha            | 0.96 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Cymoxanil</i>          | <i>50% w/w</i>    |                       |                         |                            |                               |             |
|                           | SL567A              | 03106         | Syngenta UK Ltd                     | Fungicide       |                           |                   | 1.3 l/ha              | 1.3 l/ha                | 1 per crop                 | 30 days before harvest        | 30 days     |
|                           |                     |               |                                     |                 | <i>Metalaxyl M</i>        | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                           | Sniper              | 05385         | Adama Agricultural Solutions UK Ltd | Herbicide       |                           |                   | 1.3 l/ha              | 3.9 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Phenmedipham</i>       | <i>150 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Desmedipham</i>        | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Ethofumesate</i>       | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                           | Sparviero           | 04469         | Oxon Italia SpA                     | Insecticide     |                           |                   | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                           |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>      | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|--------------------------------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                            |                 |                       |                   |                       |                         |                            |                               |             |
|                           | Starane XL          | 02075         | Dow AgroSciences                           | Herbicide       |                       |                   | 1.5 l/ha              | 1.5 l/ha                | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Florasulam</i>     | <i>2.5 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Fluroxypyr</i>     | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                           | Steward             | 02603         | DuPont (UK) Ltd                            | Insecticide     |                       |                   | 250 g/ha              | 750 g/ha                | 3 / crop                   | 7 days before harvest         |             |
|                           |                     |               |                                            |                 | <i>Indoxacarb</i>     | <i>300 g/kg</i>   |                       |                         |                            |                               |             |
|                           | Stomp Aqua          | 03750         | BASF plc                                   | Herbicide       |                       |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                           |                     |               |                                            |                 | <i>Pendimethalin</i>  | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                           | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS          | Herbicide       |                       |                   | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                           |                     |               |                                            |                 | <i>Flumioxazin</i>    | <i>300 g/l</i>    |                       |                         |                            |                               |             |
|                           | Supreme             | 04841         | Mitsui Agriscience International S.A./N.V. | Fungicide       |                       |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Chlorothalonil</i> | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                           | Switch              | 03761         | Syngenta UK Ltd                            | Fungicide       |                       |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Cyprodinil</i>     | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                           |                     |               |                                            |                 | <i>Fludioxonil</i>    | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                           | Talius              | 04604         | DuPont (UK) Ltd                            | Fungicide       |                       |                   | 0.25 l/ha             | 0.5 l/ha                | 2                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Proquinazid</i>    | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                           | Target SC           | 01298         | UPL Europe Ltd                             | Herbicide       |                       |                   | 3.0 l/ha              | 7.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Metamitron</i>     | <i>700 g/l</i>    |                       |                         |                            |                               |             |
|                           | Target WG           | 01506         | UPL Europe Ltd                             | Herbicide       |                       |                   | 3.0 kg/ha             | 7.0 kg/ha               | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Metamitron</i>     | <i>70 %w/w</i>    |                       |                         |                            |                               |             |
|                           | Tazer               | 04523         | Nufarm UK Limited                          | Fungicide       |                       |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                           |                     |               |                                            |                 | <i>Azoxystrobin</i>   | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Tebusha 25% EW      | 04884         | Sharda Europe b.v.b.a                      | Fungicide       |                       |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Tebuconazole</i>   | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                           | Tepeki              | 02683         | ISK Biosciences Europe N.V.                | Insecticide     |                       |                   | 0.14 kgs/ha           | 0.42 kgs/ha             | 3                          | 14 days pre harvest           |             |
|                           |                     |               |                                            |                 | <i>Flonicamid</i>     | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
|                           | Tem 750 EC          | 04305         | Syngenta UK Ltd                            | Fungicide       |                       |                   | 0.5 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                            |                 | <i>Fenpropidin</i>    | <i>750 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                     |                 |                             |                  |                       |                         |                            |                               |             |
| Thor                      |                     | 03991         | DuPont (UK) Ltd                     | Herbicide       |                             |                  | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Tribenuron (-methyl)</i> | <i>500 g/kg</i>  |                       |                         |                            |                               |             |
| Tizca                     |                     | 04398         | Cheminova A/S                       | Fungicide       |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Tracer                    |                     | 02649         | Dow AgroSciences                    | Insecticide     |                             |                  | 200 ml/ha             | 800 ml/ha               | 4                          |                               |             |
|                           |                     |               |                                     |                 | <i>Spinosad</i>             | <i>480 g/l</i>   |                       |                         |                            |                               |             |
| Treoris                   |                     | 04193         | DuPont (UK) Ltd                     | Fungicide       |                             |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Chlorothalonil</i>       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Penthiopyrad</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Twinprop                  |                     | 04427         | DHM Agrochemicals Ltd.,             | Herbicide       |                             |                  | 2.3 l/ha              | 4.6 l/ha                | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Mecoprop-P</i>           | <i>600 g/l</i>   |                       |                         |                            |                               |             |
| Vareon                    |                     | 03554         | DuPont (UK) Ltd                     | Fungicide       |                             |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Prochloraz</i>           | <i>320 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Proquinazid</i>          | <i>40 g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Tebuconazole</i>         | <i>160 g/l</i>   |                       |                         |                            |                               |             |
| Venzar Flowable           |                     | 91516         | DuPont (UK) Ltd                     | Herbicide       |                             |                  | 5.0 l/ha              | 5.0 l/ha                | 1 / season                 | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Lenacil</i>              | <i>440 g/l</i>   |                       |                         |                            |                               |             |
| Vertik                    |                     | 04030         | Syngenta UK Ltd                     | Fungicide       |                             |                  | 2.0 l/ha              | 4.0 l/ha                | 2                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Azoxystrobin</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
| Vivendi 200               |                     | 05122         | UPL Europe Ltd                      | Herbicide       |                             |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                           |                     |               |                                     |                 | <i>Clopyralid</i>           | <i>200 g/l</i>   |                       |                         |                            |                               |             |
| Volley                    |                     | 04516         | Adama Agricultural Solutions UK Ltd | Fungicide       |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Winby                     |                     | 05611         | ISK Biosciences Europe N.V.         | Fungicide       |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                           |                     |               |                                     |                 | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
| Wing P                    |                     | 03590         | BASF plc                            | Herbicide       |                             |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                     |                 | <i>Pendimethalin</i>        | <i>250g/l</i>    |                       |                         |                            |                               |             |
|                           |                     |               |                                     |                 | <i>Dimethenamid-P</i>       | <i>212.5 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>               | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>       | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------------------|---------------------|---------------|---------------------------------|-----------------|------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forest - Nurseries</i> |                     |               |                                 |                 |                        |                 |                       |                         |                            |                               |             |
|                           | Wizard              | 03112         | UPL Europe Ltd                  | Herbicide       |                        |                 | 3.0 l/ha              | 9.0 l/ha                | 3                          |                               |             |
|                           |                     |               |                                 |                 | <i>Phenmedipham</i>    | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Ethofumesate</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                           | Zephyr              | 03792         | Bayer CropScience Limited       | Fungicide       |                        |                 | 0.75 l/ha             | 1.5 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                 | <i>Trifloxystrobin</i> | <i>88 g/l</i>   |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Prothioconazole</i> | <i>175 g/l</i>  |                       |                         |                            |                               |             |
|                           | Zetanil WG          | 04492         | Oxon Italia SpA                 | Fungicide       |                        |                 | 2.4 kg/ha             | 19.2 kg/ha              | 8 per crop                 | 7 days before harvest         |             |
|                           |                     |               |                                 |                 | <i>Cymoxanil</i>       | <i>45 g/kg</i>  |                       |                         |                            |                               |             |
|                           |                     |               |                                 |                 | <i>Mancozeb</i>        | <i>650 g/kg</i> |                       |                         |                            |                               |             |
|                           | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL | Fungicide       |                        |                 | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                           |                     |               |                                 |                 | <i>Azoxystrobin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                           | Zulu                | 03886         | Syngenta UK Ltd                 | Fungicide       |                        |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                           |                     |               |                                 |                 | <i>Isopyrazam</i>      | <i>125 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>           | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|----------------------------|---------------------|---------------|-------------------------------------|-----------------|----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Forestry</i>            |                     |               |                                     |                 |                            |                  |                       |                         |                            |                               |             |
|                            | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                            |                  | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                            | Grazon 90           | 04261         | Dow AgroSciences                    | Herbicide       |                            |                  | 1.2 l/ha*             | 1.2 l/ha                | -                          | N/A                           |             |
|                            |                     |               |                                     |                 | <i>Triclopyr</i>           | <i>240 g/l</i>   |                       |                         |                            |                               |             |
|                            |                     |               |                                     |                 | <i>Clopyralid</i>          | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                            | Grazon Pro          | 05182         | Dow AgroSciences                    | Herbicide       |                            |                  | 1.2 l/ha*             | 1.2 l/ha                | -                          | N/A                           |             |
|                            |                     |               |                                     |                 | <i>Triclopyr</i>           | <i>240.0 g/l</i> |                       |                         |                            |                               |             |
|                            |                     |               |                                     |                 | <i>Clopyralid</i>          | <i>60.0 g/l</i>  |                       |                         |                            |                               |             |
|                            | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide       |                            |                  | 3.6 l/ha              | 3.6 l/ha                | -                          | Pre-crop emergence            |             |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>365 g/l</i>   |                       |                         |                            |                               |             |
|                            | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |                            |                  | 4.0 l/ha              | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>330 g/l</i>   |                       |                         |                            |                               |             |
|                            | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide       |                            |                  | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        |             |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                            | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       |                            |                  | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                            | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |                            |                  | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                            |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>455 g/l</i>   |                       |                         |                            |                               |             |
| <i>Grassland - amenity</i> |                     |               |                                     |                 |                            |                  |                       |                         |                            |                               |             |
|                            | Coragen             | 05295         | DuPont (UK) Ltd                     | Insecticide     |                            |                  | 175 ml/ha             | 350 ml/ha               | -                          | -                             |             |
|                            |                     |               |                                     |                 | <i>Chlorantraniliprole</i> | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                            | Serenade ASO        | 03847         | Bayer CropScience Limited           | Fungicide       |                            |                  | 10 l/ha               | 200 l/ha                | Every 7 days to harvest    |                               |             |
|                            |                     |               |                                     |                 | <i>Bacillus subtilis</i>   | <i>1.34% w/w</i> |                       |                         |                            |                               |             |
|                            | Stratos Ultra       | 04936         | BASF plc                            | Herbicide       |                            |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per year                 | -                             |             |
|                            |                     |               |                                     |                 | <i>Cycloxydim</i>          | <i>100 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                                     |                 |                              |                 |                       |                         |                            |                               |             |
|                   | Agritox             | 05498         | Nufarm UK Limited                   | Herbicide       |                              |                 | 2.7 l/ha              | 2.7 l/ha                |                            |                               |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                   | Agritox 500         | 05499         | Nufarm UK Limited                   | Herbicide       |                              |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                   | Agroxone 50         | 05500         | Nufarm UK Limited                   | Herbicide       |                              |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                   | Ally SX             | 02133         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 30 gms/ha             | 30 g/ha                 | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Metsulfuron (-methyl)</i> | <i>200 g/kg</i> |                       |                         |                            |                               |             |
|                   | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                              |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>         | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                   | Arbiter             | 05270         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                   | Ardee XL            | 05571         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Asteroid            | 01990         | Cheminova A/S                       | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Bandon MCPA 30      | 03751         | Hygeia Chemicals Ltd                | Herbicide       |                              |                 | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                   | Barbarian XL        | 05572         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Barclay Gallup Bio  | 02126         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Barclay Gallup Bio  | 02434         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 4.8 l/ha              | 4.8 l/ha                | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                   | Barclay Hudson      | 02915         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 2.2 l/ha              | 2.2 l/ha                | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>            | <i>180 g/l</i>  |                       |                         |                            |                               |             |
|                   | Barclay Hurler      | 02905         | Barclay Chemicals Ltd               | Herbicide       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | 1                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                   | Buggy SG            | 02504         | Sipcam U.K. Ltd                     | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>360 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>                           | <i>Content</i>                     | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|---------------------------------|-----------------|--------------------------------------------|------------------------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                                 |                 |                                            |                                    |                       |                         |                            |                               |             |
|                   | Butryflow           | 03659         | Nufarm UK Limited               | Herbicide       |                                            |                                    | 1.0 l/ha              | 1.0 l/ha                | 1                          |                               |             |
|                   | Cadou Star          | 03439         | Bayer CropScience Limited       | Herbicide       | <i>Bromoxynil</i>                          | <i>401.58 g/l</i>                  | 0.85 kg/ha            | 0.85 kg/ha              | 1                          | Pre-emergence                 |             |
|                   | Calaris             | 02711         | Syngenta UK Ltd                 | Herbicide       | <i>Isoxaflutole</i><br><i>Flufenacet</i>   | <i>100 g/kg</i><br><i>480 g/kg</i> | 1.5 l/ha              | 1.5 l/ha                | -                          |                               |             |
|                   | Callisto            | 02587         | Syngenta UK Ltd                 | Herbicide       | <i>Mesotrione</i><br><i>Terbuthylazine</i> | <i>70 g/l</i><br><i>330 g/l</i>    | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | N/A                           |             |
|                   | Cameo SX            | 03431         | DuPont (UK) Ltd                 | Herbicide       | <i>Mesotrione</i>                          | <i>100 g/l</i>                     | 30 g/ha               | 30 g/ha                 | 1                          | -                             |             |
|                   | Clearall XL         | 05766         | DHM Agrochemicals Ltd.,         | Herbicide       | <i>Tribenuron (-methyl)</i>                | <i>500 g/kg</i>                    | 6.0 l/ha              | 6.0 l/ha                | 1 per year                 | -                             |             |
|                   | Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL | Herbicide       | <i>Glyphosate</i>                          | <i>360 g/l</i>                     | 0.33 l/ha             | 0.33 l/ha               | -                          | -                             |             |
|                   | Compitox Plus       | 02843         | Nufarm UK Limited               | Herbicide       | <i>Clopyralid</i>                          | <i>600 g/l</i>                     | 2.3 l/ha              | 4.6 l/ha                | 2 per year                 | -                             |             |
|                   | Credit              | 02932         | Nufarm UK Limited               | Herbicide       | <i>Mecoprop-P</i>                          | <i>600 g/l</i>                     | 4.0 l/ha              | 4.0 l/ha                | 1 / year                   | N/A                           |             |
|                   | Croplink Empire     | 03051         | Croplink (Ireland) Ltd          | Herbicide       | <i>Glyphosate</i>                          | <i>540 g/l</i>                     | 30 gms/ha             | 30 g/ha                 | -                          | N/A                           |             |
|                   | Diflaniil 500 SC    | 04358         | Q-Chem NV                       | Herbicide       | <i>Metsulfuron (-methyl)</i>               | <i>200 g/kg</i>                    | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                   | Discman Biograde    | 02786         | Barclay Chemicals Ltd           | Herbicide       | <i>Diflufenican</i>                        | <i>500 g/l</i>                     | 10 l/ha               | 10 l/ha                 | 1                          | N/A                           |             |
|                   | Dow Shield 100      | 03861         | Dow AgroSciences                | Herbicide       | <i>Glyphosate</i>                          | <i>216 g/l</i>                     | 2.0 l/ha              | 2.0 l/ha                |                            |                               |             |
|                   | Duplosan KV         | 02842         | Nufarm UK Limited               | Herbicide       | <i>Clopyralid</i>                          | <i>100 g/l</i>                     | 2.3 l/ha              | 4.6 l/ha                | 2 per year                 | -                             |             |
|                   |                     |               |                                 |                 | <i>Mecoprop-P</i>                          | <i>600 g/l</i>                     |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|---------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                           |                 |                              |                 |                       |                         |                            |                               |             |
|                   | Easel               | 05502         | Nufarm UK Limited         | Herbicide       |                              |                 | 1.8 l/ha              | 1.8 l/ha                |                            |                               |             |
|                   |                     |               |                           |                 | <i>MCPA</i>                  | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|                   | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG | Insecticide     |                              |                 | 75 ml/ha              | 225 ml/ha               | 4                          | N/A                           |             |
|                   |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                   | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.     | Insecticide     |                              |                 | 90 ml/ha              | 270 ml/ha               | 4                          | -                             |             |
|                   |                     |               |                           |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                   | Finy                | 02360         | UPL Europe Ltd            | Herbicide       |                              |                 | 30 gms/ha             | 30 g/ha                 | 1                          | N/A                           |             |
|                   |                     |               |                           |                 | <i>Metsulfuron (-methyl)</i> | <i>200 g/kg</i> |                       |                         |                            |                               |             |
|                   | Firebird            | 04221         | Bayer CropScience Limited | Herbicide       |                              |                 | 0.3 l/ha              | 0.3 l/ha                | -                          | N/A                           |             |
|                   |                     |               |                           |                 | <i>Diflufenican</i>          | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                   |                     |               |                           |                 | <i>Flufenacet</i>            | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                   | Flurox 180          | 04302         | Stockton Europe Ltd       | Herbicide       |                              |                 | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                   |                     |               |                           |                 | <i>Fluroxypyr</i>            | <i>180 g/l</i>  |                       |                         |                            |                               |             |
|                   | Forefront           | 02793         | Dow AgroSciences          | Herbicide       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | 1 / year                   | N/A                           |             |
|                   |                     |               |                           |                 | <i>Fluroxypyr</i>            | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                   |                     |               |                           |                 | <i>Aminopyralid</i>          | <i>30 g/l</i>   |                       |                         |                            |                               |             |
|                   | Galaxy              | 02948         | Dow AgroSciences          | Herbicide       |                              |                 | 1.5 l/ha              | 1.5 l/ha                | 1 per year                 |                               |             |
|                   |                     |               |                           |                 | <i>Clopyralid</i>            | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                   |                     |               |                           |                 | <i>Florasulam</i>            | <i>2.5 g/l</i>  |                       |                         |                            |                               |             |
|                   |                     |               |                           |                 | <i>Fluroxypyr</i>            | <i>144 g/l</i>  |                       |                         |                            |                               |             |
|                   | Gallup XL           | 05570         | Barclay Chemicals Ltd     | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                           |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Garryowen XL        | 05660         | Barclay Chemicals Ltd     | Herbicide       |                              |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                           |                 | <i>Glyphosate</i>            | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Headland Triad      | 03433         | DuPont (UK) Ltd           | Herbicide       |                              |                 | 10 g/ha               | 10 g/ha                 | -                          | N/A                           |             |
|                   |                     |               |                           |                 | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                   | Hempacide 30        | 03531         | Hygeia Chemicals Ltd      | Herbicide       |                              |                 | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                   |                     |               |                           |                 | <i>MCPA</i>                  | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                   | Hurler              | 05077         | Barclay Chemicals Ltd     | Herbicide       |                              |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                           |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>             | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                                     |                 |                              |                  |                       |                         |                            |                               |             |
|                   | Hurricane SC        | 04357         | Adama Agricultural Solutions UK Ltd | Herbicide       |                              |                  | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Diflufenican</i>          | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                   | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide     |                              |                  | 90 mls/ha             | 270 mls/ha              | 4                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                   | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.               | Insecticide     |                              |                  | 75 ml/ha              | 225 ml/ha               | 4                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                   | Laidir 10 CS        | 04932         | GAT Microencapsulation AG           | Insecticide     |                              |                  | 75 ml/ha              | 225 ml/ha               | 4                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                   | Lorate              | 02689         | DuPont (UK) Ltd                     | Herbicide       |                              |                  | 30 gms/ha             | 30 g/ha                 | -                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Metsulfuron (-methyl)</i> | <i>200 g/kgs</i> |                       |                         |                            |                               |             |
|                   | M50                 | 05505         | DHM Agrochemicals Ltd.,             | Herbicide       |                              |                  | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                   | Mastercrop MCPA     | 05510         | Hygeia Chemicals Ltd                | Herbicide       |                              |                  | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                   | Minstrel            | 04782         | UPL Europe Ltd                      | Herbicide       |                              |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                   | MON 79351           | 04009         | Monsanto UK Ltd                     | Herbicide       |                              |                  | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>            | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                   | Mortone             | 03529         | Hygeia Chemicals Ltd                | Herbicide       |                              |                  | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                   | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide       |                              |                  | 3.6 l/ha              | 3.6 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>         | <i>365 g/l</i>   |                       |                         |                            |                               |             |
|                   | New Hyflux          | 05268         | Hygeia Chemicals Ltd                | Herbicide       |                              |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>            | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                   | Ninja 10CS          | 05178         | Syngenta UK Ltd                     | Insecticide     |                              |                  | 90 mls/ha             | 270 mls/ha              | 4                          | -                             |             |
|                   |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                   | NU46                | 05501         | Nufarm UK Limited                   | Herbicide       |                              |                  | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>MCPA</i>                  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                   | Optica              | 02661         | Nufarm UK Limited                   | Herbicide       |                              |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Mecoprop-P</i>            | <i>600 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>    | <i>Function</i> | <i>Substance</i>            | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|------------------------|-----------------|-----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                        |                 |                             |                 |                       |                         |                            |                               |             |
|                   | Ormond              | 05661         | Barelay Chemicals Ltd  | Herbicide       |                             |                 | 3.7 l/ha              | 3.7 l/ha                | 1                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>490 g/l</i>  |                       |                         |                            |                               |             |
|                   | Osmonds Dock-Kle    | 05743         | Croplink (Ireland) Ltd | Herbicide       |                             |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Fluroxypyr</i>           | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                   | PDM 330 EC          | 03582         | BASF plc               | Herbicide       |                             |                 | 4.0 l/ha              | 4.0 l/ha                | 1                          |                               |             |
|                   |                     |               |                        |                 | <i>Pendimethalin</i>        | <i>330 g/l</i>  |                       |                         |                            |                               |             |
|                   | Pendifin 400 SC     | 05731         | Finchimica S.p.A       | Herbicide       |                             |                 | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|                   |                     |               |                        |                 | <i>Pendimethalin</i>        | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                   | POL-MCPA 500 S      | 05494         | Ciech Sarzyna S.A      | Herbicide       |                             |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>MCPA</i>                 | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                   | Quantum             | 03432         | DuPont (UK) Ltd        | Herbicide       |                             |                 | 30 g/ha               | 30 g/ha                 | 1                          | -                             |             |
|                   |                     |               |                        |                 | <i>Tribenuron (-methyl)</i> | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                   | Rattler             | 04650         | Nufarm UK Limited      | Herbicide       |                             |                 | 4.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>540 g/l</i>  |                       |                         |                            |                               |             |
|                   | Rosate Green        | 04436         | Albaugh Europe Sarl    | Herbicide       |                             |                 | 4.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Advance     | 04595         | Monsanto UK Ltd        | Herbicide       |                             |                 | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Biactive    | 02313         | Monsanto UK Ltd        | Herbicide       |                             |                 | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Biactive    | 04660         | Monsanto UK Ltd        | Herbicide       |                             |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Flex        | 04593         | Monsanto UK Ltd        | Herbicide       |                             |                 | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Gold        | 02624         | Monsanto UK Ltd        | Herbicide       |                             |                 | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Gold 450    | 02623         | Monsanto UK Ltd        | Herbicide       |                             |                 | 4.8 l/ha              | 4.8 l/ha                | -                          | N/A                           |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                   | Roundup Powerma     | 04534         | Monsanto UK Ltd        | Herbicide       |                             |                 | 3.0 kg/ha             | 3.0 kg/ha               | -                          | -                             |             |
|                   |                     |               |                        |                 | <i>Glyphosate</i>           | <i>720 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Miscanthus</i> |                     |               |                                     |                 |                       |                  |                       |                         |                            |                               |             |
|                   | Roundup ProVanta    | 04594         | Monsanto UK Ltd                     | Herbicide       |                       |                  | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                   | Sempre              | 04207         | UPL Europe Ltd                      | Herbicide       |                       |                  | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Diflufenican</i>   | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                   | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       |                       |                  | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Before crop emergence         |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                   | Sherman             | 04373         | Adama Agricultural Solutions UK Ltd | Herbicide       |                       |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 |                               |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>330 g/l</i>   |                       |                         |                            |                               |             |
|                   | Starane XL          | 02075         | Dow AgroSciences                    | Herbicide       |                       |                  | 1.5 l/ha              | 1.5 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Florasulam</i>     | <i>2.5 g/l</i>   |                       |                         |                            |                               |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                   | Stomp 400 SC        | 02879         | BASF plc                            | Herbicide       |                       |                  | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                   | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |                       |                  | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | Pre crop emergence            |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>455 g/l</i>   |                       |                         |                            |                               |             |
|                   | Tomahawk 2          | 05043         | Adama Agricultural Solutions UK Ltd | Herbicide       |                       |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Fluroxypyr</i>     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                   | Touchdown Quattro   | 01956         | Syngenta UK Ltd                     | Herbicide       |                       |                  | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>360 g/l</i>   |                       |                         |                            |                               |             |
|                   | Twinprop            | 04427         | DHM Agrochemicals Ltd.,             | Herbicide       |                       |                  | 2.3 l/ha              | 4.6 l/ha                | 2 per year                 | -                             |             |
|                   |                     |               |                                     |                 | <i>Mecoprop-P</i>     | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                   | Vivendi 200         | 05122         | UPL Europe Ltd                      | Herbicide       |                       |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                   |                     |               |                                     |                 | <i>Clopyralid</i>     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                   | Wing P              | 03590         | BASF plc                            | Herbicide       |                       |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                   |                     |               |                                     |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                   |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>     | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>      | <i>Content</i> | <i>Max Ind. Dose:</i>              | <i>Max. Total Dose:</i>            | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------|---------------------|---------------|---------------------|-----------------|-----------------------|----------------|------------------------------------|------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Narcissi</i> |                     |               |                     |                 |                       |                |                                    |                                    |                            |                               |             |
|                 | Bravo 500           | 03452         | Syngenta UK Ltd     | Fungicide       |                       |                | 100ml product/<br>100 litres water | 100ml product/ 100<br>litres water |                            | Pre-planting                  |             |
|                 | Tebuzate 220 SL     | 03836         | UPL Europe Ltd      | Fungicide       | <i>Chlorothalonil</i> | <i>500 g/l</i> | 0.125 l/100 litres<br>water        | -                                  | 1                          | Before planting               |             |
|                 |                     |               |                     |                 | <i>Thiabendazole</i>  | <i>220 g/l</i> |                                    |                                    |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>          | <i>Content</i> | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i>    | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|------------------|---------------------------|----------------|----------------------------|----------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - bulbs-outdoor</i> |                     |               |                                     |                  |                           |                |                            |                            |                            |                               |             |
|                                   | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide        |                           |                | 1.35 l/ha                  | 1.35 l/ha                  | -                          | Pre emerge use only           |             |
|                                   |                     |               |                                     |                  | <i>Linuron</i>            | <i>450 g/l</i> |                            |                            |                            |                               |             |
|                                   | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide        |                           |                | 3.3 l/ha                   | 3.3 l/ha                   | 1                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Pendimethalin</i>      | <i>400 g/l</i> |                            |                            |                            |                               |             |
|                                   | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd               | Fungicide        |                           |                | 0.5 l/ha                   | -                          | 1.0 l/ha                   | 35 days before harvest        |             |
|                                   |                     |               |                                     |                  | <i>Propiconazole</i>      | <i>250 g/l</i> |                            |                            |                            |                               |             |
|                                   | Boxer               | 02048         | Dow AgroSciences                    | Herbicide        |                           |                | 0.15 l/ha                  | 0.15 l/ha                  | 1 / season                 | 71 days pre harvest           |             |
|                                   |                     |               |                                     |                  | <i>Florasulam</i>         | <i>50 g/l</i>  |                            |                            |                            |                               |             |
|                                   | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide        |                           |                | 0.5 l/ha                   | 1.0 l/ha                   |                            | 35 days before harvest        |             |
|                                   |                     |               |                                     |                  | <i>Propiconazole</i>      | <i>250 g/l</i> |                            |                            |                            |                               |             |
|                                   | Cerone              | 03933         | Bayer CropScience Limited           | Growth Regulator |                           |                | 1.0 l/ha                   | 1.0 l/ha                   | -                          | 5 days before harvest         | 5 days      |
|                                   |                     |               |                                     |                  | <i>Ethephon</i>           | <i>480 g/l</i> |                            |                            |                            |                               |             |
|                                   | Chlorthalis         | 05193         | Arysta LifeScience Benelux SPRL     | Fungicide        |                           |                | 100ml per 100L water       |                            | 1 per crop                 | Pre-planting                  |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                            |                            |                            |                               |             |
|                                   | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.               | Insecticide      |                           |                | 90 ml/ha                   | 270 ml/ha                  | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                            |                            |                            |                               |             |
|                                   | Fielder SE          | 04251         | DuPont (UK) Ltd                     | Fungicide        |                           |                | 2.0 l/ha                   | 4.0 l/ha                   | 2                          |                               | 10 weeks    |
|                                   |                     |               |                                     |                  | <i>Proquinazid</i>        | <i>25 g/l</i>  |                            |                            |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                            |                            |                            |                               |             |
|                                   | Folicur 250 EW      | 00468         | Bayer CropScience Limited           | Fungicide        |                           |                | 1.0 l/ha                   | 2.0 l/ha                   | 2                          | 14 days before harvest        |             |
|                                   |                     |               |                                     |                  | <i>Tebuconazole</i>       | <i>250 g/l</i> |                            |                            |                            |                               |             |
|                                   | Jupital             | 04503         | Syngenta UK Ltd                     | Fungicide        |                           |                | 100mls/100 litres water    | 100mls/100 litres water    | 1                          | Pre-planting                  |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                            |                            |                            |                               |             |
|                                   | Life Scientific Lam | 04868         | Life Scientific Limited             | Insecticide      |                           |                | 75 mls/ha                  | 300 mls/ha                 | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                            |                            |                            |                               |             |
|                                   | Phyton              | 05019         | UPL Europe Ltd                      | Fungicide        |                           |                | 100ml per 100 litres water | 100ml per 100 litres water | 1 per crop                 | Pre-planting                  |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>     | <i>500g/l</i>  |                            |                            |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>           | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i>            |
|-----------------------------------|---------------------|---------------|-------------------------------------|-----------------|----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|------------------------|
| <i>Ornamental - bulbs-outdoor</i> |                     |               |                                     |                 |                            |                   |                       |                         |                            |                               |                        |
|                                   | Revus               | 02789         | Syngenta UK Ltd                     | Fungicide       |                            |                   | 0.6 l/ha              | 2.4 l/ha                | 4                          | 3 days before harvest         |                        |
|                                   | Scala               | 03916         | BASF plc                            | Fungicide       | <i>Mandipropamid</i>       | <i>250 g/l</i>    |                       | 0.5 l per 100 l water   |                            |                               |                        |
|                                   | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       | <i>Pyrimethalin</i>        | <i>400 g/l</i>    |                       | 3.3 l/ha                | 3.3 l/ha                   | 1 per crop                    | 6 weeks before harvest |
|                                   | Signum              | 03799         | BASF plc                            | Fungicide       | <i>Pendimethalin</i>       | <i>400 g/l</i>    |                       | 1.5 kgs/ha              | 3.0 kgs/ha                 | -                             | 3 days before harvest  |
|                                   | Sniper              | 05385         | Adama Agricultural Solutions UK Ltd | Herbicide       | <i>Pyraclostrobin</i>      | <i>6.7 % w/w</i>  |                       |                         |                            |                               |                        |
|                                   |                     |               |                                     |                 | <i>Boscalid</i>            | <i>26.7 % w/w</i> |                       | 1.3 l/ha                | 3.9 l/ha                   | -                             | N/A                    |
|                                   | Sparviero           | 04469         | Oxon Italia SpA                     | Insecticide     | <i>Ethofumesate</i>        | <i>200 g/l</i>    |                       |                         |                            |                               |                        |
|                                   |                     |               |                                     |                 | <i>Desmedipham</i>         | <i>50 g/l</i>     |                       | 75 ml/ha                | 300 ml/ha                  | 4                             | 14 days before harvest |
|                                   |                     |               |                                     |                 | <i>Phenmedipham</i>        | <i>150 g/l</i>    |                       |                         |                            |                               | 14 days                |
|                                   | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.               | Herbicide       | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>    |                       | 0.8 l/ha                | 1.6 l/ha                   | -                             | 7 days before harvest  |
|                                   | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>     |                       | 2.9 l/ha                | 2.9 l/ha                   | 1 / crop                      | 6 weeks pre harvest    |
|                                   |                     |               |                                     |                 | <i>Pendimethalin</i>       | <i>455 g/l</i>    |                       |                         |                            |                               |                        |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - bulbs-protected</i> |                     |               |                                     |                  |                           |                 |                       |                         |                            |                               |             |
|                                     | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide        |                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 day re-entry period         |             |
|                                     | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd               | Fungicide        | <i>Azoxystrobin</i>       | <i>250 g/l</i>  | 0.4 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                     | Betanal Expert      | 03570         | Bayer CropScience Limited           | Herbicide        | <i>Propiconazole</i>      | <i>250 g/l</i>  | 1.5 l/ha              | 4.5 l/ha                | -                          | N/A                           |             |
|                                     | Biscaya             | 03602         | Bayer CropScience Limited           | Insecticide      | <i>Phenmedipham</i>       | <i>75 g/l</i>   | 0.4 l/ha              | 0.8 l/ha                | 2                          |                               |             |
|                                     | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide        | <i>Ethofumesate</i>       | <i>151 g/l</i>  | 0.4 l/ha              | 1.0 l/ha                |                            | 35 days before harvest        |             |
|                                     | Butisan S           | 90342         | BASF plc                            | Herbicide        | <i>Desmedipham</i>        | <i>25 g/l</i>   | 1.5 l/ha              | 1.5 l/ha                | 1                          |                               | 6 weeks     |
|                                     | Cerone              | 03933         | Bayer CropScience Limited           | Growth Regulator | <i>Thiacloprid</i>        | <i>240 g/l</i>  | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5days       |
|                                     | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.               | Insecticide      | <i>Metazachlor</i>        | <i>500 g/l</i>  | 50 ml/ha              | 150 ml/ha               | 3                          | 14 days before harvest        | 14 days     |
|                                     | Karate Zeon         | 04084         | Syngenta UK Ltd                     | Insecticide      | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 50 mls/ha             | 150 mls/ha              | 3                          | 14 days pre harvest           | 14 days     |
|                                     | Life Scientific Lam | 04868         | Life Scientific Limited             | Insecticide      | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 50 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                     | Mogeton             | 04943         | Certis Europe BV                    | Herbicide        | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 15 kg/ha              | 15 kg/ha                | 1 per year/crop            |                               |             |
|                                     | PDM 330 EC          | 03582         | BASF plc                            | Herbicide        | <i>Quinoclamine</i>       | <i>250 g/kg</i> | 4.0 l/ha              | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                                     | Roundup Biactive    | 02313         | Monsanto UK Ltd                     | Herbicide        | <i>Pendimethalin</i>      | <i>330 g/l</i>  | 5.0 l/ha              | 5.0 l/ha                | 1                          | 2 days pre harvest            | 2 days      |
|                                     |                     |               |                                     |                  | <i>Glyphosate</i>         | <i>360 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>      | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - bulbs-protected</i> |                     |               |                                   |                 |                       |                   |                       |                         |                            |                               |             |
|                                     | Scala               | 03916         | BASF plc                          | Fungicide       |                       |                   | 0.5 l per 100 l water |                         |                            |                               |             |
|                                     | Signum              | 03799         | BASF plc                          | Fungicide       | <i>Pyrimethanil</i>   | <i>400 g/l</i>    | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                     |                     |               |                                   |                 | <i>Pyraclostrobin</i> | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                   |                 | <i>Boscalid</i>       | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                     | SL567A              | 03106         | Syngenta UK Ltd                   | Fungicide       |                       |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                     |                     |               |                                   |                 | <i>Metalaxyl M</i>    | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                       |                   | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                                     |                     |               |                                   |                 | <i>Flumioxazin</i>    | <i>300 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>       | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                     |                 |                        |                 |                       |                         |                            |                               |             |
|                                     | Abringo             | 04239         | Certiplant N.V.                     | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Acrobat MZ          | 04059         | BASF plc                            | Fungicide       |                        |                 | 2.0 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                                     |                     |               |                                     |                 | <i>Dimethomorph</i>    | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Mancozeb</i>        | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|                                     | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 1.35 l/ha             | 1.35 l/ha               | -                          | Pre emerge use only           |             |
|                                     |                     |               |                                     |                 | <i>Linuron</i>         | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 day re-entry period         |             |
|                                     |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Amistar Opti        | 03408         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 2.5 l/ha              | 5.0 l/ha                | -                          |                               |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                                     |                     |               |                                     |                 | <i>Pendimethalin</i>   | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                        |                 | 4 mls/100 l/water     | 4 mls/100 l/water       | 1 per crop                 | -                             |             |
|                                     |                     |               |                                     |                 | <i>Clofentezine</i>    | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Arizona             | 04555         | Adama Agricultural Solutions UK Ltd | Fungicide       |                        |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Folpet</i>          | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Aviator Xpro        | 03687         | Bayer CropScience Limited           | Fungicide       |                        |                 | 1.25 l/ha             | 2.5 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Bixafen</i>         | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Prothioconazole</i> | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Aylora              | 05012         | DuPont (UK) Ltd                     | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Penthiopyrad</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Balear 720 SC       | 04411         | Arysta LifeScience Benelux SPRL     | Fungicide       |                        |                 | 1.4 l/ha              | 2.8 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>720 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Barclay Avoca       | 04458         | Barclay Chemicals Ltd               | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>500 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>       | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                     |                 |                        |                  |                       |                         |                            |                               |             |
|                                     | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd               | Fungicide       |                        |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                     |                     |               |                                     |                 | <i>Propiconazole</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Barclay Eyetak 40   | 90177         | Barclay Chemicals Ltd               | Fungicide       |                        |                  | 1.25 l/ha             | 2.5 l/ha                |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Prochloraz</i>      | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Barclay Eyetak 450  | 01953         | Barclay Chemicals Ltd               | Fungicide       |                        |                  | 1.1 l/ha              | 2.2 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Prochloraz</i>      | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Bellis              | 03798         | BASF plc                            | Fungicide       |                        |                  | 0.8 kg/ha             | 3.2 kg/ha               | 4                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Pyraclostrobin</i>  | <i>12.8 %w/w</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Boscalid</i>        | <i>25.2%w/w</i>  |                       |                         |                            |                               |             |
|                                     | Betanal Expert      | 03570         | Bayer CropScience Limited           | Herbicide       |                        |                  | 1.5 l/ha              | 4.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Phenmedipham</i>    | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Ethofumesate</i>    | <i>151 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Desmedipham</i>     | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Biscaya             | 03602         | Bayer CropScience Limited           | Insecticide     |                        |                  | 0.4 l/ha              | 0.8 l/ha                | 2                          |                               |             |
|                                     |                     |               |                                     |                 | <i>Thiacloprid</i>     | <i>240 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Boogie Xpro         | 03689         | Bayer CropScience Limited           | Fungicide       |                        |                  | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                 | <i>Prothioconazole</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Spiroxamine</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Bixafen</i>         | <i>50 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Bravo 500           | 03452         | Syngenta UK Ltd                     | Fungicide       |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide       |                        |                  | 0.5 l/ha              | 1.0 l/ha                |                            | 35 days before harvest        |             |
|                                     |                     |               |                                     |                 | <i>Propiconazole</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Butisan S           | 90342         | BASF plc                            | Herbicide       |                        |                  | 1.5 l/ha              | 1.5 l/ha                |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Metazachlor</i>     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Cadou Star          | 03439         | Bayer CropScience Limited           | Herbicide       |                        |                  | 0.85 kg/ha            | 0.85 kg/ha              | 1                          | Pre-emergence                 |             |
|                                     |                     |               |                                     |                 | <i>Isoxaflutole</i>    | <i>100 g/kg</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                 | <i>Flufenacet</i>      | <i>480 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                        |                  | 0.375 l/ha            | 0.75 l/ha               | -                          | -                             |             |
|                                     |                     |               |                                     |                 | <i>Thiacloprid</i>     | <i>480 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>       | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|---------------------------------|------------------|------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                 |                  |                        |                  |                       |                         |                            |                               |             |
|                                     | Caramba             | 03954         | BASF plc                        | Fungicide        |                        |                  | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Metconazole</i>     | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Cavaterra           | 05059         | Certiplant N.V.                 | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Cello               | 02766         | Bayer CropScience Limited       | Fungicide        |                        |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Prothioconazole</i> | <i>103 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Spiroxamine</i>     | <i>263 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Tebuconazole</i>    | <i>105 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Cerone              | 03933         | Bayer CropScience Limited       | Growth Regulator |                        |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5 days      |
|                                     |                     |               |                                 |                  | <i>Ethephon</i>        | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Chlorthalis         | 05193         | Arysta LifeScience Benelux SPRL | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Comet 200           | 03696         | BASF plc                        | Fungicide        |                        |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Pyraclostrobin</i>  | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Coyote              | 03790         | Bayer CropScience Limited       | Fungicide        |                        |                  | 0.8 l/ha              | 1.6 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Trifloxystrobin</i> | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Prothioconazole</i> | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Fluoxastrobin</i>   | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Credo               | 02503         | DuPont (UK) Ltd                 | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Picoxystrobin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Curator             | 04504         | Syngenta UK Ltd                 | Fungicide        |                        |                  | 2.5 l/ha              | 5.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Azoxystrobin</i>    | <i>80 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Curzate M WG        | 02110         | DuPont (UK) Ltd                 | Fungicide        |                        |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 |                               |             |
|                                     |                     |               |                                 |                  | <i>Cymoxanil</i>       | <i>4.5 % w/w</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Mancozeb</i>        | <i>68 %w/w</i>   |                       |                         |                            |                               |             |
|                                     | Cymbal 45           | 04647         | Belchim Crop Protection Ltd     | Fungicide        |                        |                  | 0.25 kg/ha            | 1.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                 |                  | <i>Cymoxanil</i>       | <i>45% w/w</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|--------------------------------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                                  |                 |                           |                  |                       |                         |                            |                               |             |
|                                     | Diablo              | 05133         | BASF plc                                         | Fungicide       |                           |                  | 2.5 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                                     |                     |               |                                                  |                 | <i>Ametoctradin</i>       | <i>80 g/kg</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                                  |                 | <i>Mancozeb</i>           | <i>480 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V             | Fungicide       |                           |                  | 2.0 kg/ha             | 16.0 kg/ha              | -                          | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                                  |                 | <i>Mancozeb</i>           | <i>80 % w/w</i>  |                       |                         |                            |                               |             |
|                                     | Dow Shield 100      | 03861         | Dow AgroSciences                                 | Herbicide       |                           |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                                  |                 | <i>Clopyralid</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Edipro              | 03889         | Arysta LifeScience Benelux SPRL                  | Fungicide       |                           |                  | 1.4 l/ha              | 8.4 l/ha                | 6 per year                 | 14 days before harvest        |             |
|                                     |                     |               |                                                  |                 | <i>Propamocarb</i>        | <i>722 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitada | Fungicide       |                           |                  | 1.8 kg/ha             | 18 kg/ha                | 10 per year                | N/A                           |             |
|                                     |                     |               |                                                  |                 | <i>Mancozeb</i>           | <i>66.7 %w/w</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                                  |                 | <i>Zoxamide</i>           | <i>8.3 %w/w</i>  |                       |                         |                            |                               |             |
|                                     | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG                        | Insecticide     |                           |                  | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.                            | Insecticide     |                           |                  | 90 ml/ha              | 270 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Fandango            | 03787         | Bayer CropScience Limited                        | Fungicide       |                           |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                                  |                 | <i>Fluoxastrobin</i>      | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                                  |                 | <i>Prothioconazole</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Fezan               | 03639         | Sipcam U.K. Ltd                                  | Fungicide       |                           |                  | 1.0 l/ha              | 3.0 l/ha                | 3 per year                 | N/A                           |             |
|                                     |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Fezan Plus          | 04468         | Oxon Italia SpA                                  | Fungicide       |                           |                  | 3.0 l/ha              | 6.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>166 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Fielder SE          | 04251         | DuPont (UK) Ltd                                  | Fungicide       |                           |                  | 2.0 l/ha              | 4.0 l/ha                | 2                          |                               | 10 weeks    |
|                                     |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                                  |                 | <i>Proquinazid</i>        | <i>25 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|---------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                           |                  |                           |                 |                       |                         |                            |                               |             |
|                                     | Filan               | 04325         | BASF plc                  | Fungicide        |                           |                 | 0.5 kg/ha             | 1.0 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Boscalid</i>           | <i>50 % w/w</i> |                       |                         |                            |                               |             |
|                                     | Flexity             | 03225         | BASF plc                  | Fungicide        |                           |                 | 0.5 l/ha              | 1.0 l/ha                | 2                          | -                             |             |
|                                     |                     |               |                           |                  | <i>Metrafenone</i>        | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Folicur 250 EW      | 00468         | Bayer CropScience Limited | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2                          | 14 days before harvest        |             |
|                                     |                     |               |                           |                  | <i>Tebuconazole</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Folio Gold          | 02363         | Syngenta UK Ltd           | Fungicide        |                           |                 | 2.0 l/ha              | 6.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                                     |                     |               |                           |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Metalaxyl M</i>        | <i>37.5 g/l</i> |                       |                         |                            |                               |             |
|                                     | Fortress            | 02364         | Dow AgroSciences          | Fungicide        |                           |                 | 0.3 l/ha              | 0.6 l/ha                | 2                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Quinoxifen</i>         | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Freeze              | 04517         | Cheminova A/S             | Growth Regulator |                           |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                     |                     |               |                           |                  | <i>Trinexapac ethyl</i>   | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Galileo             | 03015         | DuPont (UK) Ltd           | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | GS 71                         |             |
|                                     |                     |               |                           |                  | <i>Picoxystrobin</i>      | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Globaztar SC        | 04859         | Globachem nv              | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                     |                     |               |                           |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Grail               | 02826         | Nufarm UK Limited         | Fungicide        |                           |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Prochloraz</i>         | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Tebuconazole</i>       | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Helix               | 03789         | Bayer CropScience Limited | Fungicide        |                           |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Prothioconazole</i>    | <i>160 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Spiroxamine</i>        | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Joules              | 04784         | Nufarm UK Limited         | Fungicide        |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Jupital             | 04503         | Syngenta UK Ltd           | Fungicide        |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Chlorothalonil</i>     | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Karate Zeon         | 04084         | Syngenta UK Ltd           | Insecticide      |                           |                 | 90 mls/ha             | 270 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                                     |                     |               |                           |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Karis 10 CS         | 04454         | FMC Chemical s.p.r.l.     | Insecticide      |                           |                 | 75 ml/ha              | 225 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                     |               |                           |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                         | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|----------------------|---------------|----------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                      |               |                            |                  |                           |                 |                       |                         |                            |                               |             |
|                                     | Keystone             | 04526         | Syngenta UK Ltd            | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Isopyrazam</i>         | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                      |               |                            |                  | <i>Epoxiconazole</i>      | <i>99 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Laidir 10 CS         | 04932         | GAT Microencapsulation AG  | Insecticide      |                           |                 | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Lentagran WP         | 03082         | Belchim Crop Protection NV | Herbicide        |                           |                 | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Pyridate</i>           | <i>45 % w/w</i> |                       |                         |                            |                               |             |
|                                     | Librax               | 04465         | BASF plc                   | Fungicide        |                           |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Metconazole</i>        | <i>45.0 g/l</i> |                       |                         |                            |                               |             |
|                                     |                      |               |                            |                  | <i>Fluxapyroxad</i>       | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                                     | Life Scientific Azox | 04405         | Life Scientific Limited    | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                     |                      |               |                            |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Life Scientific Lam  | 04868         | Life Scientific Limited    | Insecticide      |                           |                 | 75 mls/ha             | 300 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Life Scientific Trin | 04872         | Life Scientific Limited    | Growth Regulator |                           |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                     |                      |               |                            |                  | <i>Trinexapac ethyl</i>   | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Limitar              | 05047         | Certiplant N.V.            | Growth Regulator |                           |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                     |                      |               |                            |                  | <i>Trinexapac ethyl</i>   | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Maestro              | 04850         | Bayer CropScience Limited  | Fungicide        |                           |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Prothioconazole</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                      |               |                            |                  | <i>Fluoxastrobin</i>      | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Magnello             | 04118         | Syngenta UK Ltd            | Fungicide        |                           |                 | 1.0 l/ha              | 1.6 l/ha                | -                          | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Difenoconazole</i>     | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                      |               |                            |                  | <i>Tebuconazole</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Mandarin Xpro        | 04556         | Bayer CropScience Limited  | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                      |               |                            |                  | <i>Prothioconazole</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                      |               |                            |                  | <i>Bixafen</i>            | <i>60 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Manfil 75 WG         | 03598         | Indofil Industries Limited | Fungicide        |                           |                 | 2.1 kg/ha             | 8.4 kg/ha               | -                          | -                             |             |
|                                     |                      |               |                            |                  | <i>Mancozeb</i>           | <i>75 % w/w</i> |                       |                         |                            |                               |             |
|                                     | Manfil 80 WP         | 03563         | Indofil Industries Limited | Fungicide        |                           |                 | 2.0 kg/ha             | 8.0 kg/ha               | -                          | -                             |             |
|                                     |                      |               |                            |                  | <i>Mancozeb</i>           | <i>800 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>        | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|------------------|-------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                     |                  |                         |                |                       |                         |                            |                               |             |
|                                     | Masai               | 03585         | BASF plc                            | Insecticide      |                         |                | 1.5 kg/ha             | 1.5 kg/ha               | 1                          |                               |             |
|                                     | Micaraz             | 04856         | Syngenta UK Ltd                     | Fungicide        | <i>Tebuconazole</i>     | 200 g/kg       | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Isopyrazam</i>       | 125 g/l        |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Epoxiconazole</i>    | 90 g/l         |                       |                         |                            |                               |             |
|                                     | Mirage              | 00412         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                | 1.25 l/ha             | 2.5 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                     |                  | <i>Prochloraz</i>       | 400 g/l        |                       |                         |                            |                               |             |
|                                     | Moddus              | 03849         | Syngenta UK Ltd                     | Growth Regulator |                         |                | 0.6 l/ha              | 0.6 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                     |                  | <i>Trinexapac ethyl</i> | 250 g/l        |                       |                         |                            |                               |             |
|                                     | Modem 200           | 03695         | BASF plc                            | Fungicide        |                         |                | 1.25 l/ha             | 2.5 l/ha                |                            | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Pyraclostrobin</i>   | 200 g/l        |                       |                         |                            |                               |             |
|                                     | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide        |                         |                | 3.6 l/ha              | 3.6 l/ha                | -                          | Pre-crop emergence            |             |
|                                     |                     |               |                                     |                  | <i>Pendimethalin</i>    | 365 g/l        |                       |                         |                            |                               |             |
|                                     | Moxa                | 04915         | Globachem nv                        | Growth Regulator |                         |                | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                     |                  | <i>Trinexapac ethyl</i> | 250 g/l        |                       |                         |                            |                               |             |
|                                     | Moximate 725 WG     | 04670         | Indofil Industries Limited          | Fungicide        |                         |                | 2.5 kg/ha             | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                     |                  | <i>Cymoxanil</i>        | 4.5% w/w       |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Mancozeb</i>         | 68% w/w        |                       |                         |                            |                               |             |
|                                     | Moximate 725 WP     | 04514         | Indofil Industries Limited          | Fungicide        |                         |                | 2.5 kg/ha             | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                     |                  | <i>Cymoxanil</i>        | 4.5% w/w       |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Mancozeb</i>         | 68% w/w        |                       |                         |                            |                               |             |
|                                     | Muti-Star 500       | 04812         | Albaugh Europe Sarl                 | Fungicide        |                         |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Chlorothalonil</i>   | 500 g/l        |                       |                         |                            |                               |             |
|                                     | Nativo 75 WG        | 03226         | Bayer CropScience Limited           | Fungicide        |                         |                | 0.4 kg/ha             | 1.2 kg/ha               | 3 per year                 | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Trifloxystrobin</i>  | 250 g/kg       |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Tebuconazole</i>     | 500 g/kg       |                       |                         |                            |                               |             |
|                                     | Orchid B            | 05058         | Croplink (Ireland) Ltd              | Fungicide        |                         |                | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                     |                  | <i>Chlorothalonil</i>   | 500 g/l        |                       |                         |                            |                               |             |
|                                     | Orius 20 EW         | 02618         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                | 1.25 l/ha             | 3.75 l/ha               | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Tebuconazole</i>     | 200 g/l        |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>       | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|-------------------------------------|------------------|------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                     |                  |                        |                   |                       |                         |                            |                               |             |
|                                     | Orius P             | 03222         | Adama Agricultural Solutions UK Ltd | Fungicide        |                        |                   | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Prochloraz</i>      | <i>267 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Tebuconazole</i>    | <i>133 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Padawan             | 04814         | Societe Financiere de Pontarlier    | Growth Regulator |                        |                   | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                     |                  | <i>Ethephon</i>        | <i>480 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Paraat              | 03614         | BASF plc                            | Fungicide        |                        |                   | 3.0 kg/ha             | 3.0 kg/ha               |                            | 35 days before harvest        | 35 days     |
|                                     |                     |               |                                     |                  | <i>Dimethomorph</i>    | <i>500 g/kg</i>   |                       |                         |                            |                               |             |
|                                     | PDM 330 EC          | 03582         | BASF plc                            | Herbicide        |                        |                   | 4.0 l/ha              | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                                     |                     |               |                                     |                  | <i>Pendimethalin</i>   | <i>330 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide        |                        |                   | 2.0 kg/ha             | 8.0 kg/ha               | 4 per year                 | -                             |             |
|                                     |                     |               |                                     |                  | <i>Mancozeb</i>        | <i>800 g/kg</i>   |                       |                         |                            |                               |             |
|                                     | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide        |                        |                   | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | -                             |             |
|                                     |                     |               |                                     |                  | <i>Mancozeb</i>        | <i>750 g/kg</i>   |                       |                         |                            |                               |             |
|                                     | Phoenix             | 04453         | Adama Agricultural Solutions UK Ltd | Fungicide        |                        |                   | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Folpet</i>          | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Phyton              | 05019         | UPL Europe Ltd                      | Fungicide        |                        |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Chlorothalonil</i>  | <i>500g/l</i>     |                       |                         |                            |                               |             |
|                                     | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide      |                        |                   | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Pymetrozine</i>     | <i>50 %w/w</i>    |                       |                         |                            |                               |             |
|                                     | Proline             | 03786         | Bayer CropScience Limited           | Fungicide        |                        |                   | 0.8 l/ha              | 2.4 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Prothioconazole</i> | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Prosaro             | 02106         | Bayer CropScience Limited           | Fungicide        |                        |                   | 1.2 l/ha              | 3.6 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                     |                  | <i>Prothioconazole</i> | <i>12.8 % w/w</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Tebuconazole</i>    | <i>12.8 %w/w</i>  |                       |                         |                            |                               |             |
|                                     | Proxanil            | 04639         | Arysta LifeScience Benelux SPRL     | Fungicide        |                        |                   | 2.5 l/ha              | 10.0 l/ha               | 4 per crop                 | -                             |             |
|                                     |                     |               |                                     |                  | <i>Cymoxanil</i>       | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                                     |                     |               |                                     |                  | <i>Propamocarb</i>     | <i>400 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i>  | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|---------------------------|------------------|-----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                           |                  |                             |                   |                       |                         |                            |                               |             |
|                                     | Regalis             | 03321         | BASF plc                  | Growth Regulator |                             |                   | 1.25 kg/ha            | 2.5 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Prohexadione Calcium</i> | <i>10 %w/w</i>    |                       |                         |                            |                               |             |
|                                     | Regalis Plus        | 05409         | BASF plc                  | Growth Regulator |                             |                   | 1.25 kg/ha            | 2.5 kg/ha               | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Prohexadione Calcium</i> | <i>10% w/w</i>    |                       |                         |                            |                               |             |
|                                     | Revus               | 02789         | Syngenta UK Ltd           | Fungicide        |                             |                   | 0.6 l/ha              | 2.4 l/ha                | 4                          | 3 days before harvest         |             |
|                                     |                     |               |                           |                  | <i>Mandipropamid</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd           | Fungicide        |                             |                   | 2.5 kg/ha             | 7.5 kg/ha               | -                          |                               |             |
|                                     |                     |               |                           |                  | <i>Metalaxyl M</i>          | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Mancozeb</i>             | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                                     | Rover 500           | 04467         | Oxon Italia SpA           | Fungicide        |                             |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Chlorothalonil</i>       | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Scala               | 03916         | BASF plc                  | Fungicide        |                             |                   | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | -                             |             |
|                                     |                     |               |                           |                  | <i>Pyrimethanil</i>         | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Seguris             | 04253         | Syngenta UK Ltd           | Fungicide        |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Epoxiconazole</i>        | <i>90 g/l</i>     |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Isopyrazam</i>           | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a     | Herbicide        |                             |                   | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                                     |                     |               |                           |                  | <i>Pendimethalin</i>        | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Signum              | 03799         | BASF plc                  | Fungicide        |                             |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                     |                     |               |                           |                  | <i>Pyraclostrobin</i>       | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Boscalid</i>             | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                     | Siltra Xpro         | 04083         | Bayer CropScience Limited | Fungicide        |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                     |               |                           |                  | <i>Prothioconazole</i>      | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                           |                  | <i>Bixafen</i>              | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                     | Sirena              | 05408         | Globachem nv              | Fungicide        |                             |                   | 1.5 l/ha              | 3.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                           |                  | <i>Metconazole</i>          | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                     | SL567A              | 03106         | Syngenta UK Ltd           | Fungicide        |                             |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                     |                     |               |                           |                  | <i>Metalaxyl M</i>          | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>           | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|--------------------------------------------|-----------------|----------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                            |                 |                            |                 |                       |                         |                            |                               |             |
|                                     | Sniper              | 05385         | Adama Agricultural Solutions UK Ltd        | Herbicide       |                            |                 | 1.3 l/ha              | 3.9 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                            |                 | <i>Ethofumesate</i>        | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                            |                 | <i>Phenmedipham</i>        | <i>150 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                            |                 | <i>Desmedipham</i>         | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Sparviero           | 04469         | Oxon Italia SpA                            | Insecticide     |                            |                 | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                     |               |                                            |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |                            |                 | 0.8 l/ha              | 1.6 l/ha                | -                          | 21 days before harvest        |             |
|                                     |                     |               |                                            |                 | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Steward             | 02603         | DuPont (UK) Ltd                            | Insecticide     |                            |                 | 250 g/ha              | 750 g/ha                | 3 / crop                   | 7 days before harvest         |             |
|                                     |                     |               |                                            |                 | <i>Indoxacarb</i>          | <i>300 g/kg</i> |                       |                         |                            |                               |             |
|                                     | Stomp Aqua          | 03750         | BASF plc                                   | Herbicide       |                            |                 | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                                     |                     |               |                                            |                 | <i>Pendimethalin</i>       | <i>455 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Stratos Ultra       | 04936         | BASF plc                                   | Herbicide       |                            |                 | 4.0 l/ha              | 4.0 l/ha                | 1 per year                 | -                             |             |
|                                     |                     |               |                                            |                 | <i>Cycloxydim</i>          | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     |                     |               |                                            |                 | <i>Cycloxydim</i>          | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS          | Insecticide     |                            |                 | 165 mls/ha            | 330 mls/ha              | 2                          | -                             |             |
|                                     |                     |               |                                            |                 | <i>Esfenvalerate</i>       | <i>25 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS          | Herbicide       |                            |                 | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                                     |                     |               |                                            |                 | <i>Flumioxazin</i>         | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Supreme             | 04841         | Mitsui Agriscience International S.A./N.V. | Fungicide       |                            |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                            |                 | <i>Chlorothalonil</i>      | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Tazer               | 04523         | Nufarm UK Limited                          | Fungicide       |                            |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                     |               |                                            |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Tebucur 250 EW      | 04827         | Globachem nv                               | Fungicide       |                            |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                            |                 | <i>Tebuconazole</i>        | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Tebusha 25% EW      | 04884         | Sharda Europe b.v.b.a                      | Fungicide       |                            |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                            |                 | <i>Tebuconazole</i>        | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>        | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|---------------------------------|------------------|-------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-outdoor</i> |                     |               |                                 |                  |                         |                  |                       |                         |                            |                               |             |
|                                     | Tempo               | 05601         | Syngenta UK Ltd                 | Growth Regulator |                         |                  | 0.6 l/ha              | 0.6 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                                     |                     |               |                                 |                  | <i>Trinexapac ethyl</i> | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Treoris             | 04193         | DuPont (UK) Ltd                 | Fungicide        |                         |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Penthiopyrad</i>     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>   | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Trinexis            | 05145         | Arysta LifeScience Benelux SPRL | Growth Regulator |                         |                  | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                     |                     |               |                                 |                  | <i>Trinexapac ethyl</i> | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Valbon              | 03411         | Certis Europe BV                | Fungicide        |                         |                  | 1.6 kg/ha             | 9.6 kg/ha               | 6 per crop                 | -                             | -           |
|                                     |                     |               |                                 |                  | <i>Benthiavalicarb</i>  | <i>17.5 g/kg</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Mancozeb</i>         | <i>700 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | Vareon              | 03554         | DuPont (UK) Ltd                 | Fungicide        |                         |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Proquinazid</i>      | <i>40 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Tebuconazole</i>     | <i>160 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Prochloraz</i>       | <i>320 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Vertik              | 04030         | Syngenta UK Ltd                 | Fungicide        |                         |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Chlorothalonil</i>   | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Azoxystrobin</i>     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                     | Zephyr              | 03792         | Bayer CropScience Limited       | Fungicide        |                         |                  | 0.75 l/ha             | 1.5 l/ha                | -                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Prothioconazole</i>  | <i>175 g/l</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Trifloxystrobin</i>  | <i>88 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Zetanil WG          | 04492         | Oxon Italia SpA                 | Fungicide        |                         |                  | 2.4 kg/ha             | 19.2 kg/ha              | 8 per crop                 | 7 days before harvest         |             |
|                                     |                     |               |                                 |                  | <i>Cymoxanil</i>        | <i>45 g/kg</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                  | <i>Mancozeb</i>         | <i>650 g/kg</i>  |                       |                         |                            |                               |             |
|                                     | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL | Fungicide        |                         |                  | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                                     |                     |               |                                 |                  | <i>Azoxystrobin</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i>  | <i>Substance</i>     | <i>Content</i>   | <i>Max Ind. Dose:</i>                         | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|--------------------------------------------------|------------------|----------------------|------------------|-----------------------------------------------|-----------------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-protect</i> |                     |               |                                                  |                  |                      |                  |                                               |                                               |                            |                               |             |
|                                     | Amistar             | 01351         | Syngenta UK Ltd                                  | Fungicide        |                      |                  | 1.0 l/ha                                      | 4.0 l/ha                                      | 4                          | 3 day re-entry period         |             |
|                                     | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd              | Acaricide        | <i>Azoxystrobin</i>  | <i>250 g/l</i>   | 4 mls/100 l/water                             | 4 mls/100 l/water                             | 1 per crop                 | -                             |             |
|                                     | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd                            | Fungicide        | <i>Clofentazine</i>  | <i>500 g/l</i>   | 0.4 l/ha                                      | 1.0 l/ha                                      | -                          | 35 days before harvest        |             |
|                                     | Borneo              | 04235         | Sumitomo Chemical Agro Europe SAS                | Acaricide        | <i>Propiconazole</i> | <i>250 g/l</i>   | 500mls/ha - max conc. 35 mls/100 litres water | 500mls/ha - max conc. 35 mls/100 litres water | 1/crop                     | -                             |             |
|                                     | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd              | Fungicide        | <i>Etoxazole</i>     | <i>110 g/l</i>   | 0.4 l/ha                                      | 1.0 l/ha                                      | -                          | 35 days before harvest        |             |
|                                     | CaLypso             | 02441         | Bayer CropScience Limited                        | Insecticide      | <i>Propiconazole</i> | <i>250 g/l</i>   | 0.45 l/ha                                     | 0.9 l/ha                                      | 2                          | 3 days before harvest         | 3 days      |
|                                     | Cerone              | 03933         | Bayer CropScience Limited                        | Growth Regulator | <i>Thiacloprid</i>   | <i>480 g/l</i>   | 1.0 l/ha                                      | 1.0 l/ha                                      | -                          | 5 days before harvest         | 5 days      |
|                                     | Curzate M WG        | 02110         | DuPont (UK) Ltd                                  | Fungicide        | <i>Ethephon</i>      | <i>480 g/l</i>   | 2.5 kg/ha                                     | 7.5 kg/ha                                     | 3 per crop                 | 3 days before harvest         | 3 days      |
|                                     | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V             | Fungicide        | <i>Cymoxanil</i>     | <i>4.5 % w/w</i> | 2.0 kg/ha                                     | 6.0 kg/ha                                     | -                          | -                             |             |
|                                     | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V             | Fungicide        | <i>Mancozeb</i>      | <i>68 %w/w</i>   | 2.1 kg/ha                                     | 6.3 kg/ha                                     | -                          | -                             |             |
|                                     | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitada | Fungicide        | <i>Mancozeb</i>      | <i>80 % w/w</i>  | 1.8 kg/ha                                     | 5.4 kg/ha                                     | 3 per crop                 | 3 days before harvest         | 3 days      |
|                                     |                     |               |                                                  |                  | <i>Mancozeb</i>      | <i>66.7 %w/w</i> |                                               |                                               |                            |                               |             |
|                                     |                     |               |                                                  |                  | <i>Zoxamide</i>      | <i>8.3 %w/w</i>  |                                               |                                               |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                         | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|----------------------|---------------|----------------------------|-----------------|---------------------------|-----------------|----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-protect</i> |                      |               |                            |                 |                           |                 |                            |                         |                            |                               |             |
|                                     | Eminentos 10 CS      | 04933         | GAT Microencapsulation AG  | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Euro Lambda 100      | 05137         | Euro Chemicals s.r.o.      | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 3                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Fortress             | 02364         | Dow AgroSciences           | Fungicide       |                           |                 | 0.3 l/ha                   | 0.6 l/ha                | 2                          | N/A                           |             |
|                                     |                      |               |                            |                 | <i>Quinoxifen</i>         | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Globaztar SC         | 04859         | Globachem nv               | Fungicide       |                           |                 | 1.0 l/ha                   | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                     |                      |               |                            |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Karate Zeon          | 04084         | Syngenta UK Ltd            | Insecticide     |                           |                 | 50 mls/ha                  | 150 mls/ha              | 3                          | 14 days pre harvest           | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.      | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Laidir 10 CS         | 04932         | GAT Microencapsulation AG  | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Life Scientific Azox | 04405         | Life Scientific Limited    | Fungicide       |                           |                 | 1.0 l/ha                   | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                     |                      |               |                            |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Life Scientific Lam  | 04868         | Life Scientific Limited    | Insecticide     |                           |                 | 50 mls/ha                  | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                     |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Manfil 75 WG         | 03598         | Indofil Industries Limited | Fungicide       |                           |                 | 2.1 kg/ha                  | 6.3 kg/ha               | -                          | -                             |             |
|                                     |                      |               |                            |                 | <i>Mancozeb</i>           | <i>75 % w/w</i> |                            |                         |                            |                               |             |
|                                     | Manfil 80 WP         | 03563         | Indofil Industries Limited | Fungicide       |                           |                 | 2.0 kg/ha                  | 4.0 kg/ha               | -                          | 3 days before harvest         | 3 days      |
|                                     |                      |               |                            |                 | <i>Mancozeb</i>           | <i>800 g/kg</i> |                            |                         |                            |                               |             |
|                                     | Mogeton              | 04943         | Certis Europe BV           | Herbicide       |                           |                 | 15 kg/ha                   | 15 kg/ha                | 1 per year/crop            | -                             |             |
|                                     |                      |               |                            |                 | <i>Quinoclamine</i>       | <i>250 g/kg</i> |                            |                         |                            |                               |             |
|                                     | Oberon               | 02529         | Bayer CropScience Limited  | Insecticide     |                           |                 | 50mls per 100 litres water | -                       | 2 per crop                 | N/A                           |             |
|                                     |                      |               |                            |                 | <i>Spiromesifen</i>       | <i>240 g/l</i>  |                            |                         |                            |                               |             |
|                                     | Paraat               | 03614         | BASF plc                   | Fungicide       |                           |                 | 3.0 kg/ha                  | 3.0 kg/ha               |                            | 35 days before harvest        | 35 days     |
|                                     |                      |               |                            |                 | <i>Dimethomorph</i>       | <i>500 g/kg</i> |                            |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                         | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------------|---------------------|---------------|---------------------------------|-----------------|-----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - flowers-protect</i> |                     |               |                                 |                 |                             |                   |                       |                         |                            |                               |             |
|                                     | Plenum              | 02238         | Syngenta UK Ltd                 | Insecticide     |                             |                   | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                     | Previcur Energy     | 04041         | Bayer CropScience Limited       | Fungicide       | <i>Pymetrozine</i>          | <i>50 %w/w</i>    | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                                     |                     |               |                                 |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd                 | Fungicide       |                             |                   | 2.5 kg/ha             | 7.5 kg/ha               | -                          |                               |             |
|                                     |                     |               |                                 |                 | <i>Metalaxyl M</i>          | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                 | <i>Mancozeb</i>             | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                                     | Scala               | 03916         | BASF plc                        | Fungicide       |                             |                   | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | -                             |             |
|                                     |                     |               |                                 |                 | <i>Pyrimethanil</i>         | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Signum              | 03799         | BASF plc                        | Fungicide       |                             |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                     |                     |               |                                 |                 | <i>Boscalid</i>             | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                     |                     |               |                                 |                 | <i>Pyraclostrobin</i>       | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                     | SL567A              | 03106         | Syngenta UK Ltd                 | Fungicide       |                             |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                     |                     |               |                                 |                 | <i>Metalaxyl M</i>          | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                                     | Sparviero           | 04469         | Oxon Italia SpA                 | Insecticide     |                             |                   | 50 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                     |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Tazer               | 04523         | Nufarm UK Limited               | Fungicide       |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                     |                     |               |                                 |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                     | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL | Fungicide       |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                                     |                     |               |                                 |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i>    | <i>Max. Total Dose:</i>  | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|-----------------------------------|------------------|---------------------------|------------------|--------------------------|--------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - outdoor</i> |                     |               |                                   |                  |                           |                  |                          |                          |                            |                               |             |
|                             | 7C Chlormequat      | 04744         | Taminco BVBA.                     | Growth Regulator |                           |                  | 465ml in 10 L water      | 465ml in 10 L water      |                            |                               |             |
|                             |                     |               |                                   |                  | <i>Chlormequat</i>        | <i>750 g/l</i>   |                          |                          |                            |                               |             |
|                             | Azaka               | 05218         | Cheminova A/S                     | Fungicide        |                           |                  | 1.0 l/ha                 | 2.0 l/ha                 | 2 per year                 | N/A                           |             |
|                             |                     |               |                                   |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>   |                          |                          |                            |                               |             |
|                             | Barclay Holdup 750  | 04743         | Taminco BVBA.                     | Growth Regulator |                           |                  | 465ml in 10 L water      | 465ml in 10 L water      |                            |                               |             |
|                             |                     |               |                                   |                  | <i>Chlormequat</i>        | <i>750 g/l</i>   |                          |                          |                            |                               |             |
|                             | CeCeCe 750          | 04736         | BASF plc                          | Growth Regulator |                           |                  | 465 ml in 10 litre water | 465 ml in 10 litre water | -                          | -                             |             |
|                             |                     |               |                                   |                  | <i>Chlormequat</i>        | <i>750 g/l</i>   |                          |                          |                            |                               |             |
|                             | Curzate M WG        | 04723         | DuPont (UK) Ltd                   | Fungicide        |                           |                  | 2.3 kg/ha                | 6.9 kg/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                   |                  | <i>Mancozeb</i>           | <i>68 % w/w</i>  |                          |                          |                            |                               |             |
|                             |                     |               |                                   |                  | <i>Cymoxanil</i>          | <i>4.5 % w/w</i> |                          |                          |                            |                               |             |
|                             | Dauphin 45          | 04542         | Societe Financiere de Pontarlier  | Fungicide        |                           |                  | 0.22 kg/ha               | 0.88 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                   |                  | <i>Cymoxanil</i>          | <i>450 g/kg</i>  |                          |                          |                            |                               |             |
|                             | Digital             | 03147         | Sumitomo Chemical Agro Europe SAS | Herbicide        |                           |                  | 100 mls/ha               | 100 mls/ha               |                            | 28 days before harvest        |             |
|                             |                     |               |                                   |                  | <i>Flumioxazin</i>        | <i>300 g/l</i>   |                          |                          |                            |                               |             |
|                             | Fluazinova          | 05508         | Novafito S.p.A                    | Fungicide        |                           |                  | 0.4 l/ha                 | 1.2 l/ha                 | 3 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                   |                  | <i>Fluazinam</i>          | <i>500 g/l</i>   |                          |                          |                            |                               |             |
|                             | Guillotine          | 03146         | Sumitomo Chemical Agro Europe SAS | Herbicide        |                           |                  | 100 mls/ha               | 100 mls/ha               | 1                          | 28 days before harvest        |             |
|                             |                     |               |                                   |                  | <i>Flumioxazin</i>        | <i>300 g/l</i>   |                          |                          |                            |                               |             |
|                             | Infinito            | 02532         | Bayer CropScience Limited         | Fungicide        |                           |                  | 1.6 l/ha                 | 1.6 l/ha                 | -                          | -                             |             |
|                             |                     |               |                                   |                  | <i>Propamocarb</i>        | <i>625 g/l</i>   |                          |                          |                            |                               |             |
|                             |                     |               |                                   |                  | <i>Fluopicolide</i>       | <i>62.5 g/l</i>  |                          |                          |                            |                               |             |
|                             | Markate 50          | 05001         | Globachem nv                      | Insecticide      |                           |                  | 75 ml/ha                 | 300 ml/ha                | 4 per year                 | 14 days before harvest        | 14 days     |
|                             |                     |               |                                   |                  | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>    |                          |                          |                            |                               |             |
|                             | Nando 500SC         | 05387         | Nufarm UK Limited                 | Fungicide        |                           |                  | 0.4 l/ha                 | 1.2 l/ha                 | 3 per crop                 | 7 days before harvest         |             |
|                             |                     |               |                                   |                  | <i>Fluazinam</i>          | <i>500 g/l</i>   |                          |                          |                            |                               |             |

**Warning Off-Label approvals:**

***The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>              | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|----------------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - outdoor</i> |                     |               |                                  |                  |                           |                 |                       |                         |                            |                               |             |
|                             | Nautile DG          | 04540         | UPL Europe Ltd                   | Fungicide        |                           |                 | 2.0 kg/ha             | 8.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>5% w/w</i>   |                       |                         |                            |                               |             |
|                             |                     |               |                                  |                  | <i>Mancozeb</i>           | <i>68% w/w</i>  |                       |                         |                            |                               |             |
|                             | Ninja 10CS          | 05178         | Syngenta UK Ltd                  | Insecticide      |                           |                 | 90 mls/ha             | 270 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                             |                     |               |                                  |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                             | Option              | 04722         | DuPont (UK) Ltd                  | Fungicide        |                           |                 | 0.15 g/kg             | 0.6 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>600 g/kg</i> |                       |                         |                            |                               |             |
|                             | Palmas              | 04543         | Societe Financiere de Pontarlier | Fungicide        |                           |                 | 2.25 kg/ha            | 9.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>4.5% w/w</i> |                       |                         |                            |                               |             |
|                             |                     |               |                                  |                  | <i>Mancozeb</i>           | <i>68% w/w</i>  |                       |                         |                            |                               |             |
|                             | Pendifin 400 SC     | 05731         | Finchimica S.p.A                 | Herbicide        |                           |                 | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        |             |
|                             |                     |               |                                  |                  | <i>Pendimethalin</i>      | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                             | Profilux            | 05588         | Belchim Crop Protection Ltd      | Fungicide        |                           |                 | 2.5 kg/ha             | 10 kg/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>45 g/kg</i>  |                       |                         |                            |                               |             |
|                             |                     |               |                                  |                  | <i>Mancozeb</i>           | <i>680 g/kg</i> |                       |                         |                            |                               |             |
|                             | Ravane              | 05536         | Globachem nv                     | Insecticide      |                           |                 | 75 ml/ha              | 300 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                             |                     |               |                                  |                  | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                             | Sacron WG           | 04541         | UPL Europe Ltd                   | Fungicide        |                           |                 | 0.22 kg/ha            | 0.88 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>450 g/kg</i> |                       |                         |                            |                               |             |
|                             | Score 250 EC        | 04566         | Syngenta UK Ltd                  | Fungicide        |                           |                 | 0.5 l/ha              | 2.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                             |                     |               |                                  |                  | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                             | Sipcam C50WG        | 04494         | Oxon Italia SpA                  | Fungicide        |                           |                 | 0.24 kg/ha            | 0.96 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Cymoxanil</i>          | <i>50% w/w</i>  |                       |                         |                            |                               |             |
|                             | Stabilan 750        | 04767         | Nufarm UK Limited                | Growth Regulator |                           |                 | 465ml in 10 L water   | 465ml in 10 L water     | -                          |                               |             |
|                             |                     |               |                                  |                  | <i>Chlormequat</i>        | <i>750 g/l</i>  |                       |                         |                            |                               |             |
|                             | Tizca               | 04398         | Cheminova A/S                    | Fungicide        |                           |                 | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                  |                  | <i>Fluazinam</i>          | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                             | Vivando             | 05685         | BASF plc                         | Fungicide        |                           |                 | 0.45 l/ha             | 0.9 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                             |                     |               |                                  |                  | <i>Metrafenone</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                 | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i> | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - outdoor</i> |                     |               |                                     |                 |                  |                |                       |                         |                            |                               |             |
|                             | Volley              | 04516         | Adama Agricultural Solutions UK Ltd | Fungicide       |                  |                | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                             |                     |               |                                     |                 | <i>Fluazinam</i> | <i>500 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>              | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|----------------------------------|-----------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - protected</i> |                     |               |                                  |                 |                           |                 |                       |                         |                            |                               |             |
|                               | Azaka               | 05218         | Cheminova A/S                    | Fungicide       |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | Before GS 73                  |             |
|                               | CaLypso             | 02441         | Bayer CropScience Limited        | Insecticide     | <i>Azoxystrobin</i>       | <i>250 g/l</i>  | 0.45 l/ha             | 1.35 l/ha               | 3 / crop                   | N/A                           |             |
|                               | Dauphin 45          | 04542         | Societe Financiere de Pontarlier | Fungicide       | <i>Thiacloprid</i>        | <i>480 g/l</i>  | 0.22 kg/ha            | 0.88 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Infinito            | 02532         | Bayer CropScience Limited        | Fungicide       | <i>Cymoxanil</i>          | <i>450 g/kg</i> | 1.6 l/ha              | 1.6 l/ha                | -                          | -                             |             |
|                               | Markate 50          | 05001         | Globachem nv                     | Insecticide     | <i>Propamocarb</i>        | <i>625 g/l</i>  | 50 ml/ha              | 150 ml/ha               | 4 per year                 | 14 days before harvest        | 14 days     |
|                               | Nautile DG          | 04540         | UPL Europe Ltd                   | Fungicide       | <i>Fluopicolide</i>       | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                               | Ninja 10CS          | 05178         | Syngenta UK Ltd                  | Insecticide     | <i>lambda-Cyhalothrin</i> | <i>50 g/l</i>   | 2.0 kg/ha             | 8.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Option              | 04722         | DuPont (UK) Ltd                  | Fungicide       | <i>Cymoxanil</i>          | <i>5% w/w</i>   | 50 mls/ha             | 150 mls/ha              | 3                          | 14 days before harvest        | 14 days     |
|                               | Palmas              | 04543         | Societe Financiere de Pontarlier | Fungicide       | <i>Mancozeb</i>           | <i>68% w/w</i>  | 0.15 g/kg             | 0.6 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Profilux            | 05588         | Belchim Crop Protection Ltd      | Fungicide       | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  | 2.25 kg/ha            | 9.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Ravane              | 05536         | Globachem nv                     | Insecticide     | <i>Cymoxanil</i>          | <i>4.5% w/w</i> | 2.5 kg/ha             | 10 kg/ha                | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Sacron WG           | 04541         | UPL Europe Ltd                   | Fungicide       | <i>Mancozeb</i>           | <i>68% w/w</i>  | 50 ml/ha              | 150 ml/ha               | 4 per crop                 | 14 days before harvest        | 14 days     |
|                               | Score 250 EC        | 04566         | Syngenta UK Ltd                  | Fungicide       | <i>Cymoxanil</i>          | <i>45 g/kg</i>  | 0.22 kg/ha            | 0.88 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               |                     |               |                                  |                 | <i>Mancozeb</i>           | <i>680 g/kg</i> | 0.5 l/ha              | 2.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                               |                     |               |                                  |                 | <i>Difenoconazole</i>     | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i> | <i>Function</i> | <i>Substance</i>   | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-------------------------------|---------------------|---------------|---------------------|-----------------|--------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - protected</i> |                     |               |                     |                 |                    |                |                       |                         |                            |                               |             |
|                               | Sipcam C50WG        | 04494         | Oxon Italia SpA     | Fungicide       |                    |                | 0.24 kg/ha            | 0.96 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                               | Vivando             | 05685         | BASF plc            | Fungicide       | <i>Cymoxanil</i>   | <i>50% w/w</i> | 0.45 l/ha             | 0.9 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                               |                     |               |                     |                 | <i>Metrafenone</i> | <i>500 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>          | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------------|---------------------|---------------|-------------------------------------|------------------|---------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - seedling-outdoor</i> |                     |               |                                     |                  |                           |                |                       |                         |                            |                               |             |
|                                      | Abringo             | 04239         | Certiplant N.V.                     | Fungicide        |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide        | <i>Chlorothalonil</i>     | <i>500 g/l</i> | 1.35 l/ha             | 1.35 l/ha               | -                          | Pre emerge use only           |             |
|                                      | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide        | <i>Linuron</i>            | <i>450 g/l</i> | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                                      | Aylora              | 05012         | DuPont (UK) Ltd                     | Fungicide        | <i>Pendimethalin</i>      | <i>400 g/l</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      | Balear 720 SC       | 04411         | Arysta LifeScience Benelux SPRL     | Fungicide        | <i>Penthiopyrad</i>       | <i>100 g/l</i> | 1.4 l/ha              | 2.8 l/ha                | -                          | N/A                           |             |
|                                      | Barclay Avoca       | 04458         | Barclay Chemicals Ltd               | Fungicide        | <i>Chlorothalonil</i>     | <i>720 g/l</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd               | Fungicide        | <i>Chlorothalonil</i>     | <i>500 g/l</i> | 0.5 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                      | Bravo 500           | 03452         | Syngenta UK Ltd                     | Fungicide        | <i>Propiconazole</i>      | <i>250 g/l</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                      | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide        | <i>Chlorothalonil</i>     | <i>500 g/l</i> | 0.5 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                      | Cavaterra           | 05059         | Certiplant N.V.                     | Fungicide        | <i>Propiconazole</i>      | <i>250 g/l</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      | Cerone              | 03933         | Bayer CropScience Limited           | Growth Regulator | <i>Chlorothalonil</i>     | <i>500 g/l</i> | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5 days      |
|                                      | Chlorthalis         | 05193         | Arysta LifeScience Benelux SPRL     | Fungicide        | <i>Ethephon</i>           | <i>480 g/l</i> | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                      | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG           | Insecticide      | <i>Chlorothalonil</i>     | <i>500 g/l</i> | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                     |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                          | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>       | <i>Function</i> | <i>Substance</i>          | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------------|----------------------|---------------|---------------------------|-----------------|---------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - seedling-outdoor</i> |                      |               |                           |                 |                           |                |                       |                         |                            |                               |             |
|                                      | Euro Lambda 100      | 05137         | Euro Chemicals s.r.o.     | Insecticide     |                           |                | 90 ml/ha              | 270 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                                      | Fielder SE           | 04251         | DuPont (UK) Ltd           | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | 2                          |                               | 10 weeks    |
|                                      |                      |               |                           |                 | <i>Proquinazid</i>        | <i>25 g/l</i>  |                       |                         |                            |                               |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                                      | Folicur 250 EW       | 00468         | Bayer CropScience Limited | Fungicide       |                           |                | 1.0 l/ha              | 2.0 l/ha                | 2                          | 14 days before harvest        |             |
|                                      |                      |               |                           |                 | <i>Tebuconazole</i>       | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                                      | Globaztar SC         | 04859         | Globachem nv              | Fungicide       |                           |                | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                      |                      |               |                           |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                                      | Joules               | 04784         | Nufarm UK Limited         | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                                      | Jupital              | 04503         | Syngenta UK Ltd           | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                                      | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.     | Insecticide     |                           |                | 75 ml/ha              | 225 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                                      | Laidir 10 CS         | 04932         | GAT Microencapsulation AG | Insecticide     |                           |                | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                                      | Life Scientific Azox | 04405         | Life Scientific Limited   | Fungicide       |                           |                | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                      |                      |               |                           |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i> |                       |                         |                            |                               |             |
|                                      | Life Scientific Lam  | 04868         | Life Scientific Limited   | Insecticide     |                           |                | 75 mls/ha             | 300 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                           |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i> |                       |                         |                            |                               |             |
|                                      | Muti-Star 500        | 04812         | Albaugh Europe Sarl       | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                                      | Orchid B             | 05058         | Croplink (Ireland) Ltd    | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i> |                       |                         |                            |                               |             |
|                                      | Phyton               | 05019         | UPL Europe Ltd            | Fungicide       |                           |                | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                      |               |                           |                 | <i>Chlorothalonil</i>     | <i>500g/l</i>  |                       |                         |                            |                               |             |
|                                      | Plenum               | 02238         | Syngenta UK Ltd           | Insecticide     |                           |                | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                      |                      |               |                           |                 | <i>Pymetrozine</i>        | <i>50 %w/w</i> |                       |                         |                            |                               |             |
|                                      | Revus                | 02789         | Syngenta UK Ltd           | Fungicide       |                           |                | 0.6 l/ha              | 2.4 l/ha                | 4                          | 3 days before harvest         |             |
|                                      |                      |               |                           |                 | <i>Mandipropamid</i>      | <i>250 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>           | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------------|---------------------|---------------|--------------------------------------------|-----------------|----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - seedling-outdoor</i> |                     |               |                                            |                 |                            |                   |                       |                         |                            |                               |             |
|                                      | Rover 500           | 04467         | Oxon Italia SpA                            | Fungicide       |                            |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                     |               |                                            |                 | <i>Chlorothalonil</i>      | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a                      | Herbicide       |                            |                   | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                                      |                     |               |                                            |                 | <i>Pendimethalin</i>       | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Signum              | 03799         | BASF plc                                   | Fungicide       |                            |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                      |                     |               |                                            |                 | <i>Boscalid</i>            | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                      |                     |               |                                            |                 | <i>Pyraclostrobin</i>      | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                      | Sparviero           | 04469         | Oxon Italia SpA                            | Insecticide     |                            |                   | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                     |               |                                            |                 | <i>lambda-Cyhalothrin</i>  | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |                            |                   | 0.8 l/ha              | 1.6 l/ha                | -                          | 21 days before harvest        |             |
|                                      |                     |               |                                            |                 | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                      | Stomp Aqua          | 03750         | BASF plc                                   | Herbicide       |                            |                   | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                                      |                     |               |                                            |                 | <i>Pendimethalin</i>       | <i>455 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Supreme             | 04841         | Mitsui Agriscience International S.A./N.V. | Fungicide       |                            |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                     |               |                                            |                 | <i>Chlorothalonil</i>      | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Tazer               | 04523         | Nufarm UK Limited                          | Fungicide       |                            |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                      |                     |               |                                            |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Treoris             | 04193         | DuPont (UK) Ltd                            | Fungicide       |                            |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                      |                     |               |                                            |                 | <i>Penthiopyrad</i>        | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                                      |                     |               |                                            |                 | <i>Chlorothalonil</i>      | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                      | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL            | Fungicide       |                            |                   | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                                      |                     |               |                                            |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                          | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------------|----------------------|---------------|-------------------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - seedling-protect</i> |                      |               |                                     |                  |                           |                 |                       |                         |                            |                               |             |
|                                      | Amistar              | 01351         | Syngenta UK Ltd                     | Fungicide        |                           |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 day re-entry period         |             |
|                                      |                      |               |                                     |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Barclay Bolt XL      | 04102         | Barclay Chemicals Ltd               | Fungicide        |                           |                 | 0.4 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                      |                      |               |                                     |                  | <i>Propiconazole</i>      | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Biscaya              | 03602         | Bayer CropScience Limited           | Insecticide      |                           |                 | 0.4 l/ha              | 0.8 l/ha                | 2                          |                               |             |
|                                      |                      |               |                                     |                  | <i>Thiacloprid</i>        | <i>240 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Bumper               | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide        |                           |                 | 0.4 l/ha              | 1.0 l/ha                |                            | 35 days before harvest        |             |
|                                      |                      |               |                                     |                  | <i>Propiconazole</i>      | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Cerone               | 03933         | Bayer CropScience Limited           | Growth Regulator |                           |                 | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5days       |
|                                      |                      |               |                                     |                  | <i>Ethephon</i>           | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Eminentos 10 CS      | 04933         | GAT Microencapsulation AG           | Insecticide      |                           |                 | 50 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Euro Lambda 100      | 05137         | Euro Chemicals s.r.o.               | Insecticide      |                           |                 | 50 ml/ha              | 150 ml/ha               | 3                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Globazar SC          | 04859         | Globachem nv                        | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                      |                      |               |                                     |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Karate Zeon          | 04084         | Syngenta UK Ltd                     | Insecticide      |                           |                 | 50 mls/ha             | 150 mls/ha              | 3                          | 14 days pre harvest           | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.               | Insecticide      |                           |                 | 50 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Laidir 10 CS         | 04932         | GAT Microencapsulation AG           | Insecticide      |                           |                 | 50 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Life Scientific Azox | 04405         | Life Scientific Limited             | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                      |                      |               |                                     |                  | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Life Scientific Lam  | 04868         | Life Scientific Limited             | Insecticide      |                           |                 | 50 mls/ha             | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                      |                      |               |                                     |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                      | Mogeton              | 04943         | Certis Europe BV                    | Herbicide        |                           |                 | 15 kg/ha              | 15 kg/ha                | 1 per year/crop            | -                             |             |
|                                      |                      |               |                                     |                  | <i>Quinoclamine</i>       | <i>250 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                          | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>               | <i>Function</i> | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------------------------|---------------------|---------------|-----------------------------------|-----------------|-----------------------------|-------------------|----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - seedling-protect</i> |                     |               |                                   |                 |                             |                   |                            |                         |                            |                               |             |
|                                      | Oberon              | 02529         | Bayer CropScience Limited         | Insecticide     |                             |                   | 50mls per 100 litres water | -                       | 2 per crop                 | N/A                           |             |
|                                      |                     |               |                                   |                 | <i>Spiromesifen</i>         | <i>240 g/l</i>    |                            |                         |                            |                               |             |
|                                      | PDM 330 EC          | 03582         | BASF plc                          | Herbicide       |                             |                   | 4.0 l/ha                   | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                                      |                     |               |                                   |                 | <i>Pendimethalin</i>        | <i>330 g/l</i>    |                            |                         |                            |                               |             |
|                                      | Plenum              | 02238         | Syngenta UK Ltd                   | Insecticide     |                             |                   | 0.4 kg/ha                  | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                      |                     |               |                                   |                 | <i>Pymetrozine</i>          | <i>50 %w/w</i>    |                            |                         |                            |                               |             |
|                                      | Previcur Energy     | 04041         | Bayer CropScience Limited         | Fungicide       |                             |                   | 3 mls per sq m             | 6 mls per sq m          | -                          | Before transplanting          |             |
|                                      |                     |               |                                   |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                            |                         |                            |                               |             |
|                                      |                     |               |                                   |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                            |                         |                            |                               |             |
|                                      |                     |               |                                   |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                            |                         |                            |                               |             |
|                                      |                     |               |                                   |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                            |                         |                            |                               |             |
|                                      | Signum              | 03799         | BASF plc                          | Fungicide       |                             |                   | 1.5 kgs/ha                 | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                      |                     |               |                                   |                 | <i>Boscalid</i>             | <i>26.7 % w/w</i> |                            |                         |                            |                               |             |
|                                      |                     |               |                                   |                 | <i>Pyraclostrobin</i>       | <i>6.7 % w/w</i>  |                            |                         |                            |                               |             |
|                                      | SL567A              | 03106         | Syngenta UK Ltd                   | Fungicide       |                             |                   | 1.3 l/ha                   | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                      |                     |               |                                   |                 | <i>Metalaxyl M</i>          | <i>465.2 g/l</i>  |                            |                         |                            |                               |             |
|                                      | Sparviero           | 04469         | Oxon Italia SpA                   | Insecticide     |                             |                   | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                      |                     |               |                                   |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>    |                            |                         |                            |                               |             |
|                                      |                     |               |                                   |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>    |                            |                         |                            |                               |             |
|                                      | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS | Herbicide       |                             |                   | 100 mls/ha                 | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                                      |                     |               |                                   |                 | <i>Flumioxazin</i>          | <i>300 g/l</i>    |                            |                         |                            |                               |             |
|                                      | Tazer               | 04523         | Nufarm UK Limited                 | Fungicide       |                             |                   | 1.0 l/ha                   | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                      |                     |               |                                   |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                            |                         |                            |                               |             |
|                                      | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL   | Fungicide       |                             |                   | 1.0 l/ha                   | 2.0 l/ha                | 2                          | N/A                           |             |
|                                      |                     |               |                                   |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                            |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>       | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                     |                 |                        |                 |                       |                         |                            |                               |             |
|                                   | Abringo             | 04239         | Certiplant N.V.                     | Fungicide       |                        |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Acrobat MZ          | 04059         | BASF plc                            | Fungicide       |                        |                 | 2.0 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Mancozeb</i>        | <i>667 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Dimethomorph</i>    | <i>75 g/kg</i>  |                       |                         |                            |                               |             |
|                                   | Afalon Liquid       | 02839         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 1.35 l/ha             | 1.35 l/ha               | -                          | Pre emerge use only           |             |
|                                   |                     |               |                                     |                 | <i>Linuron</i>         | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Agritox             | 05498         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Agritox 500         | 05499         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Agroxone 50         | 05500         | Nufarm UK Limited                   | Herbicide       |                        |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>MCPA</i>            | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Amistar             | 01351         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 1.0 l/ha              | 4.0 l/ha                | 4                          | 3 day re-entry period         |             |
|                                   |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Amistar Opti        | 03408         | Syngenta UK Ltd                     | Fungicide       |                        |                 | 2.5 l/ha              | 5.0 l/ha                | -                          |                               |             |
|                                   |                     |               |                                     |                 | <i>Chlorothalonil</i>  | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Azoxystrobin</i>    | <i>80 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                        |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Pendimethalin</i>   | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd | Acaricide       |                        |                 | 4 mls/100 l/water     | 4 mls/100 l/water       | 1 per crop                 | -                             |             |
|                                   |                     |               |                                     |                 | <i>Clofentezine</i>    | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Arizona             | 04555         | Adama Agricultural Solutions UK Ltd | Fungicide       |                        |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Folpet</i>          | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Aviator Xpro        | 03687         | Bayer CropScience Limited           | Fungicide       |                        |                 | 1.25 l/ha             | 2.5 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Bixafen</i>         | <i>75 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Prothioconazole</i> | <i>150 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                 |                 |                       |                  |                       |                         |                            |                               |             |
|                                   | Aylora              | 05012         | DuPont (UK) Ltd                 | Fungicide       |                       |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Chlorothalonil</i> | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Penthiopyrad</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Balear 720 SC       | 04411         | Arysta LifeScience Benelux SPRL | Fungicide       |                       |                  | 1.4 l/ha              | 2.8 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Chlorothalonil</i> | <i>720 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Bandon MCPA 30      | 03751         | Hygeia Chemicals Ltd            | Herbicide       |                       |                  | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                 |                 | <i>MCPA</i>           | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Barclay Avoca       | 04458         | Barclay Chemicals Ltd           | Fungicide       |                       |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Chlorothalonil</i> | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd           | Fungicide       |                       |                  | 0.5 l/ha              | 1.0 l/ha                | -                          | 35 days before harvest        |             |
|                                   |                     |               |                                 |                 | <i>Propiconazole</i>  | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Barclay Eyetak 40   | 90177         | Barclay Chemicals Ltd           | Fungicide       |                       |                  | 1.25 l/ha             | 2.5 l/ha                |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Prochloraz</i>     | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Barclay Eyetak 450  | 01953         | Barclay Chemicals Ltd           | Fungicide       |                       |                  | 1.1 l/ha              | 2.2 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Prochloraz</i>     | <i>450 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Bellis              | 03798         | BASF plc                        | Fungicide       |                       |                  | 0.8 kg/ha             | 3.2 kg/ha               | 4                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Boscalid</i>       | <i>25.2%w/w</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Pyraclostrobin</i> | <i>12.8 %w/w</i> |                       |                         |                            |                               |             |
|                                   | Betanal Expert      | 03570         | Bayer CropScience Limited       | Herbicide       |                       |                  | 1.5 l/ha              | 4.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Ethofumesate</i>   | <i>151 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Desmedipham</i>    | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Phenmedipham</i>   | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Betanal MaxxPro     | 04266         | Bayer CropScience Limited       | Herbicide       |                       |                  | 1.5 l/ha              | 4.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Lenacil</i>        | <i>27 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Desmedipham</i>    | <i>47g/l</i>     |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Phenmedipham</i>   | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Ethofumesate</i>   | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Biscaya             | 03602         | Bayer CropScience Limited       | Insecticide     |                       |                  | 0.4 l/ha              | 0.8 l/ha                | 2                          |                               |             |
|                                   |                     |               |                                 |                 | <i>Thiacloprid</i>    | <i>240 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                     |                 |                              |                 |                       |                         |                            |                               |             |
|                                   | Blaster Pro         | 04263         | Dow AgroSciences                    | Herbicide       |                              |                 | 1.2 l/ha*             | 1.2 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Clopyralid</i>            | <i>60 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Triclopyr</i>             | <i>240 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Boogie Xpro         | 03689         | Bayer CropScience Limited           | Fungicide       |                              |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Bixafen</i>               | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Spiroxamine</i>           | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Prothioconazole</i>       | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Boxer               | 02048         | Dow AgroSciences                    | Herbicide       |                              |                 | 0.15 l/ha             | 0.15 l/ha               | 1 / season                 | 71 days pre harvest           |             |
|                                   |                     |               |                                     |                 | <i>Florasulam</i>            | <i>50 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Bravo 500           | 03452         | Syngenta UK Ltd                     | Fungicide       |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd | Fungicide       |                              |                 | 0.5 l/ha              | 1.0 l/ha                |                            | 35 days before harvest        |             |
|                                   |                     |               |                                     |                 | <i>Propiconazole</i>         | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Butisan S           | 90342         | BASF plc                            | Herbicide       |                              |                 | 1.5 l/ha              | 1.5 l/ha                | 1                          |                               | 6 weeks     |
|                                   |                     |               |                                     |                 | <i>Metazachlor</i>           | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Cadou Star          | 03439         | Bayer CropScience Limited           | Herbicide       |                              |                 | 0.85 kg/ha            | 0.85 kg/ha              | 1                          | Pre-emergence                 |             |
|                                   |                     |               |                                     |                 | <i>Flufenacet</i>            | <i>480 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Isoxaflutole</i>          | <i>100 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Calibre Max SX      | 03438         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 150 g/ha              | 150 g/ha                | -                          | n/A                           |             |
|                                   |                     |               |                                     |                 | <i>Tribenuron (-methyl)</i>  | <i>100 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Thifensulfuron methyl</i> | <i>400 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Calibre SX          | 03436         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 60 g/ha               | 60 g/ha                 | 1                          |                               |             |
|                                   |                     |               |                                     |                 | <i>Thifensulfuron methyl</i> | <i>333 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Tribenuron (-methyl)</i>  | <i>167 g/kg</i> |                       |                         |                            |                               |             |
|                                   | CaLypso             | 02441         | Bayer CropScience Limited           | Insecticide     |                              |                 | 0.375 l/ha            | 0.75 l/ha               | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Thiacloprid</i>           | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Cameo Max SX        | 03135         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 60 g/ha               | 60 g/ha                 | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Cameo SX            | 03431         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>       | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|------------------|------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                 |                  |                        |                  |                       |                         |                            |                               |             |
|                                   | Caramba             | 03954         | BASF plc                        | Fungicide        |                        |                  | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Metconazole</i>     | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Cavattera           | 05059         | Certiplant N.V.                 | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Cello               | 02766         | Bayer CropScience Limited       | Fungicide        |                        |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Prothioconazole</i> | <i>103 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Spiroxamine</i>     | <i>263 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Tebuconazole</i>    | <i>105 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Cerone              | 03933         | Bayer CropScience Limited       | Growth Regulator |                        |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | 5 days before harvest         | 5 days      |
|                                   |                     |               |                                 |                  | <i>Ethephon</i>        | <i>480 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Chikara Weed Cont   | 04203         | ISK Biosciences Europe N.V.     | Herbicide        |                        |                  | 150 g/ha              | 150 g/ha                | 1 per year                 | -                             |             |
|                                   |                     |               |                                 |                  | <i>Flazasulfuron</i>   | <i>25 % w/w</i>  |                       |                         |                            |                               |             |
|                                   | Chlorthalis         | 05193         | Arysta LifeScience Benelux SPRL | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Comet 200           | 03696         | BASF plc                        | Fungicide        |                        |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Pyraclostrobin</i>  | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Compitox Plus       | 02843         | Nufarm UK Limited               | Herbicide        |                        |                  | 2.3 l/ha              | 4.6 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Mecoprop-P</i>      | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Coyote              | 03790         | Bayer CropScience Limited       | Fungicide        |                        |                  | 0.8 l/ha              | 1.6 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Fluoxastrobin</i>   | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Trifloxystrobin</i> | <i>75 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Prothioconazole</i> | <i>150 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Credo               | 02503         | DuPont (UK) Ltd                 | Fungicide        |                        |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Picoxystrobin</i>   | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Curator             | 04504         | Syngenta UK Ltd                 | Fungicide        |                        |                  | 2.5 l/ha              | 5.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>  | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Azoxystrobin</i>    | <i>80 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Curzate M WG        | 02110         | DuPont (UK) Ltd                 | Fungicide        |                        |                  | 2.5 kg/ha             | 15 kg/ha                | 6 per year                 |                               |             |
|                                   |                     |               |                                 |                  | <i>Cymoxanil</i>       | <i>4.5 % w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Mancozeb</i>        | <i>68 %w/w</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                  | <i>Function</i> | <i>Substance</i>     | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|--------------------------------------|-----------------|----------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                      |                 |                      |                 |                       |                         |                            |                               |             |
|                                   | Cymbal 45           | 04647         | Belchim Crop Protection Ltd          | Fungicide       |                      |                 | 0.25 kg/ha            | 1.0 kg/ha               | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                   | D50                 | 02366         | Nufarm UK Limited                    | Herbicide       | <i>Cymoxanil</i>     | <i>45% w/w</i>  |                       |                         |                            |                               |             |
|                                   | Damine              | 02353         | Arysta LifeScience Benelux SPRL      | Herbicide       | <i>2,4-D</i>         | <i>500 g/l</i>  | 2.8 l/ha              | 2.8 l/ha                | -                          | -                             |             |
|                                   | Datura              | 04456         | UPL Europe Ltd                       | Herbicide       | <i>2,4-D</i>         | <i>500 g/l</i>  | 1.2 l/ha              | 1.2 l/ha                | -                          | -                             |             |
|                                   | Defy                | 04277         | Syngenta UK Ltd                      | Herbicide       | <i>Linuron</i>       | <i>500 g/l</i>  | 5.0 l/ha              | 5.0 l/ha                |                            | During dormancy only          |             |
|                                   | Depitox             | 02365         | Nufarm UK Limited                    | Herbicide       | <i>Prosulfocarb</i>  | <i>800 g/l</i>  | 2.8 l/ha              | 2.8 l/ha                | -                          | -                             |             |
|                                   | Diablo              | 05133         | BASF plc                             | Fungicide       | <i>2,4-D</i>         | <i>500 g/l</i>  | 2.5 kg/ha             | 10.0 kg/ha              | -                          | -                             |             |
|                                   | Diflaniil 500 SC    | 04358         | Q-Chem NV                            | Herbicide       | <i>Ametoctradin</i>  | <i>80 g/kg</i>  |                       |                         |                            |                               |             |
|                                   | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V | Fungicide       | <i>Mancozeb</i>      | <i>480 g/kg</i> | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                                   | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V | Fungicide       | <i>Diflufenican</i>  | <i>500 g/l</i>  | 2.0 kg/ha             | 16.0 kg/ha              | -                          | 7 days before harvest         | 7 days      |
|                                   | Duplosan KV         | 02842         | Nufarm UK Limited                    | Herbicide       | <i>Mancozeb</i>      | <i>80 % w/w</i> | 2.1 kg/ha             | 8.4 kg/ha               | 4 per year                 | -                             |             |
|                                   | Eagle               | 04315         | Bayer CropScience Limited            | Herbicide       | <i>Mancozeb</i>      | <i>75% w/w</i>  | 2.3 l/ha              | 4.6 l/ha                | -                          | -                             |             |
|                                   | Easel               | 05502         | Nufarm UK Limited                    | Herbicide       | <i>Mecoprop-P</i>    | <i>600 g/l</i>  | 40 g/ha               | 40 g/ha                 | -                          | 42 days before harvest        |             |
|                                   |                     |               |                                      |                 | <i>Amidosulfuron</i> | <i>75% w/w</i>  | 1.8 l/ha              | 1.8 l/ha                |                            |                               |             |
|                                   |                     |               |                                      |                 | <i>MCPA</i>          | <i>750 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i> | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|--------------------------------------------------|-----------------|---------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                                  |                 |                           |                  |                       |                         |                            |                               |             |
|                                   | Edipro              | 03889         | Arysta LifeScience Benelux SPRL                  | Fungicide       |                           |                  | 1.4 l/ha              | 8.4 l/ha                | 6 per year                 | 14 days before harvest        |             |
|                                   |                     |               |                                                  |                 | <i>Propamocarb</i>        | <i>722 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitada | Fungicide       |                           |                  | 1.8 kg/ha             | 18 kg/ha                | 10 per year                | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Mancozeb</i>           | <i>66.7 %w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                                  |                 | <i>Zoxamide</i>           | <i>8.3 %w/w</i>  |                       |                         |                            |                               |             |
|                                   | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG                        | Insecticide     |                           |                  | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Euro Lambda 100     | 05137         | Euro Chemicals s.r.o.                            | Insecticide     |                           |                  | 90 ml/ha              | 270 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                                  |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Fandango            | 03787         | Bayer CropScience Limited                        | Fungicide       |                           |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Fluoxastrobin</i>      | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                                  |                 | <i>Prothioconazole</i>    | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Fezan               | 03639         | Sipcam U.K. Ltd                                  | Fungicide       |                           |                  | 1.0 l/ha              | 3.0 l/ha                | 3 per year                 | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Fezan Plus          | 04468         | Oxon Italia SpA                                  | Fungicide       |                           |                  | 3.0 l/ha              | 6.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>166 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                                  |                 | <i>Tebuconazole</i>       | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Fielder SE          | 04251         | DuPont (UK) Ltd                                  | Fungicide       |                           |                  | 2.0 l/ha              | 4.0 l/ha                | 2                          |                               | 10 weeks    |
|                                   |                     |               |                                                  |                 | <i>Chlorothalonil</i>     | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                                  |                 | <i>Proquinazid</i>        | <i>25 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Filan               | 04325         | BASF plc                                         | Fungicide       |                           |                  | 0.5 kg/ha             | 1.0 kg/ha               | -                          | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Boscalid</i>           | <i>50 % w/w</i>  |                       |                         |                            |                               |             |
|                                   | Firebird            | 04221         | Bayer CropScience Limited                        | Herbicide       |                           |                  | 0.3 l/ha              | 0.3 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                                  |                 | <i>Flufenacet</i>         | <i>400 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                                  |                 | <i>Diflufenican</i>       | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Flexity             | 03225         | BASF plc                                         | Fungicide       |                           |                  | 0.5 l/ha              | 1.0 l/ha                | 2                          | -                             |             |
|                                   |                     |               |                                                  |                 | <i>Metrafenone</i>        | <i>300 g/l</i>   |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>         | <i>Function</i>  | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-----------------------------|------------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                             |                  |                             |                  |                       |                         |                            |                               |             |
|                                   | Flight              | 02524         | BASF plc                    | Herbicide        |                             |                  | 4.0 l/ha              | 4.0 l/ha                |                            | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Picolinafen</i>          | <i>7.5 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                             |                  | <i>Pendimethalin</i>        | <i>330 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Folicur 250 EW      | 00468         | Bayer CropScience Limited   | Fungicide        |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2                          | 14 days before harvest        |             |
|                                   |                     |               |                             |                  | <i>Tebuconazole</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Folio Gold          | 02363         | Syngenta UK Ltd             | Fungicide        |                             |                  | 2.0 l/ha              | 6.0 l/ha                |                            | 14 days before harvest        | 14 days     |
|                                   |                     |               |                             |                  | <i>Metalaxyl M</i>          | <i>37.5 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                             |                  | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Fortress            | 02364         | Dow AgroSciences            | Fungicide        |                             |                  | 0.3 l/ha              | 0.6 l/ha                | 2                          | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Quinoxifen</i>           | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Freeze              | 04517         | Cheminova A/S               | Growth Regulator |                             |                  | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                   |                     |               |                             |                  | <i>Trinexapac ethyl</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Frownicide          | 04394         | ISK Biosciences Europe N.V. | Fungicide        |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3                          | 7 days before harvest         | 7 days      |
|                                   |                     |               |                             |                  | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Frupica             | 02128         | Certis Europe BV            | Fungicide        |                             |                  | 0.9 kg/ha             | 1.8 kg/ha               | 2                          | 3 days before harvest         | 3 days      |
|                                   |                     |               |                             |                  | <i>Mepanipyrim</i>          | <i>449.4 g/l</i> |                       |                         |                            |                               |             |
|                                   | Galileo             | 03015         | DuPont (UK) Ltd             | Fungicide        |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | GS 71                         |             |
|                                   |                     |               |                             |                  | <i>Picoxystrobin</i>        | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Globaztar SC        | 04859         | Globachem nv                | Fungicide        |                             |                  | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                   |                     |               |                             |                  | <i>Azoxystrobin</i>         | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Grail               | 02826         | Nufarm UK Limited           | Fungicide        |                             |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Tebuconazole</i>         | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                             |                  | <i>Prochloraz</i>           | <i>300 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Grazon 90           | 04261         | Dow AgroSciences            | Herbicide        |                             |                  | 1.2 l/ha*             | 1.2 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Triclopyr</i>            | <i>240 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                             |                  | <i>Clopyralid</i>           | <i>60 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Grazon Pro          | 05182         | Dow AgroSciences            | Herbicide        |                             |                  | 1.2 l/ha *            | 1.2 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Clopyralid</i>           | <i>60.0 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                             |                  | <i>Triclopyr</i>            | <i>240.0 g/l</i> |                       |                         |                            |                               |             |
|                                   | Headland Triad      | 03433         | DuPont (UK) Ltd             | Herbicide        |                             |                  | 10 g/ha               | 10 g/ha                 | -                          | N/A                           |             |
|                                   |                     |               |                             |                  | <i>Tribenuron (-methyl)</i> | <i>500 g/kg</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>             | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|----------------------|---------------|-------------------------------------|-----------------|------------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                      |               |                                     |                 |                              |                 |                       |                         |                            |                               |             |
|                                   | Helix                | 03789         | Bayer CropScience Limited           | Fungicide       |                              |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Prothioconazole</i>       | <i>160 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                                     |                 | <i>Spiroxamine</i>           | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Hempacide 30         | 03531         | Hygeia Chemicals Ltd                | Herbicide       |                              |                 | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|                                   |                      |               |                                     |                 | <i>MCPA</i>                  | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Hurricane SC         | 04357         | Adama Agricultural Solutions UK Ltd | Herbicide       |                              |                 | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                                   |                      |               |                                     |                 | <i>Diflufenican</i>          | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Inka Max SX          | 04842         | DuPont (UK) Ltd                     | Herbicide       |                              |                 | 60 g/ha               | 60 g/ha                 | -                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                      |               |                                     |                 | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Joules               | 04784         | Nufarm UK Limited                   | Fungicide       |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Jupital              | 04503         | Syngenta UK Ltd                     | Fungicide       |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Chlorothalonil</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Karate Zeon          | 04084         | Syngenta UK Ltd                     | Insecticide     |                              |                 | 90 mls/ha             | 270 mls/ha              | 4                          | 14 days pre harvest           | 14 days     |
|                                   |                      |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.               | Insecticide     |                              |                 | 75 ml/ha              | 225 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Keystone             | 04526         | Syngenta UK Ltd                     | Fungicide       |                              |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Isopyrazam</i>            | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                                     |                 | <i>Epoxiconazole</i>         | <i>99 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Laidir 10 CS         | 04932         | GAT Microencapsulation AG           | Insecticide     |                              |                 | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                                     |                 | <i>lambda-Cyhalothrin</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Lentagran WP         | 03082         | Belchim Crop Protection NV          | Herbicide       |                              |                 | 2.0 kg/ha             | 2.0 kg/ha               | 1                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Pyridate</i>              | <i>45 % w/w</i> |                       |                         |                            |                               |             |
|                                   | Librax               | 04465         | BASF plc                            | Fungicide       |                              |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                                     |                 | <i>Metconazole</i>           | <i>45.0 g/l</i> |                       |                         |                            |                               |             |
|                                   |                      |               |                                     |                 | <i>Fluxapyroxad</i>          | <i>62.5 g/l</i> |                       |                         |                            |                               |             |
|                                   | Life Scientific Azox | 04405         | Life Scientific Limited             | Fungicide       |                              |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                   |                      |               |                                     |                 | <i>Azoxystrobin</i>          | <i>250 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|----------------------|---------------|----------------------------|------------------|---------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                      |               |                            |                  |                           |                 |                       |                         |                            |                               |             |
|                                   | Life Scientific Lam  | 04868         | Life Scientific Limited    | Insecticide      |                           |                 | 75 mls/ha             | 300 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                            |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Life Scientific Trin | 04872         | Life Scientific Limited    | Growth Regulator |                           |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>Trinexapac ethyl</i>   | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Limitar              | 05047         | Certiplant N.V.            | Growth Regulator |                           |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>Trinexapac ethyl</i>   | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | M50                  | 05505         | DHM Agrochemicals Ltd.,    | Herbicide        |                           |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>MCPA</i>               | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Maestro              | 04850         | Bayer CropScience Limited  | Fungicide        |                           |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                            |                  | <i>Fluoxastrobin</i>      | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                            |                  | <i>Prothioconazole</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Magnello             | 04118         | Syngenta UK Ltd            | Fungicide        |                           |                 | 1.0 l/ha              | 1.6 l/ha                | -                          | N/A                           |             |
|                                   |                      |               |                            |                  | <i>Tebuconazole</i>       | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                            |                  | <i>Difenoconazole</i>     | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Mandarin Xpro        | 04556         | Bayer CropScience Limited  | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                      |               |                            |                  | <i>Prothioconazole</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                            |                  | <i>Bixafen</i>            | <i>60 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Manfil 75 WG         | 03598         | Indofil Industries Limited | Fungicide        |                           |                 | 2.1 kg/ha             | 8.4 kg/ha               | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>Mancozeb</i>           | <i>75 % w/w</i> |                       |                         |                            |                               |             |
|                                   | Manfil 80 WP         | 03563         | Indofil Industries Limited | Fungicide        |                           |                 | 2.0 kg/ha             | 8.0 kg/ha               | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>Mancozeb</i>           | <i>800 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Masai                | 03585         | BASF plc                   | Insecticide      |                           |                 | 1.5 kg/ha             | 1.5 kg/ha               | 1                          |                               |             |
|                                   |                      |               |                            |                  | <i>Tebufenpyrad</i>       | <i>200 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Mastercrop MCPA      | 05510         | Hygeia Chemicals Ltd       | Herbicide        |                           |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   |                      |               |                            |                  | <i>MCPA</i>               | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Micaraz              | 04856         | Syngenta UK Ltd            | Fungicide        |                           |                 | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                      |               |                            |                  | <i>Isopyrazam</i>         | <i>125 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                      |               |                            |                  | <i>Epoxiconazole</i>      | <i>90 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Microthiol Special   | 90548         | UPL Europe Ltd             | Fungicide        |                           |                 | 8.0 kgs/ha            | -                       | -                          |                               |             |
|                                   |                      |               |                            |                  | <i>Sulphur</i>            | <i>80 %w/w</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>        | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|------------------|-------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                     |                  |                         |                 |                       |                         |                            |                               |             |
|                                   | Mirage              | 00412         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                 | 1.25 l/ha             | 2.5 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Prochloraz</i>       | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Moddus              | 03849         | Syngenta UK Ltd                     | Growth Regulator |                         |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                     |                  | <i>Trinexapac ethyl</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Modem 200           | 03695         | BASF plc                            | Fungicide        |                         |                 | 1.25 l/ha             | 2.5 l/ha                |                            | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Pyraclostrobin</i>   | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Monitor             | 02076         | Monsanto UK Ltd                     | Herbicide        |                         |                 | 25 g/ha               | 25 g/ha                 | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Sulfosulfuron</i>    | <i>80% w/w</i>  |                       |                         |                            |                               |             |
|                                   | Mortone             | 03529         | Hygeia Chemicals Ltd                | Herbicide        |                         |                 | 2.2 l/ha              | 2.2 l/ha                |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>MCPA</i>             | <i>300 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide        |                         |                 | 3.6 l/ha              | 3.6 l/ha                | -                          | Pre-crop emergence            |             |
|                                   |                     |               |                                     |                  | <i>Pendimethalin</i>    | <i>365 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Moxa                | 04915         | Globachem nv                        | Growth Regulator |                         |                 | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Trinexapac ethyl</i> | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Moximate 725 WG     | 04670         | Indofil Industries Limited          | Fungicide        |                         |                 | 2.5 kg/ha             | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                     |                  | <i>Mancozeb</i>         | <i>68% w/w</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Cymoxanil</i>        | <i>4.5% w/w</i> |                       |                         |                            |                               |             |
|                                   | Moximate 725 WP     | 04514         | Indofil Industries Limited          | Fungicide        |                         |                 | 2.5 kg/ha             | 10.0 kg/ha              | 4 per crop                 | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                     |                  | <i>Mancozeb</i>         | <i>68% w/w</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Cymoxanil</i>        | <i>4.5% w/w</i> |                       |                         |                            |                               |             |
|                                   | Muti-Star 500       | 04812         | Albaugh Europe Sarl                 | Fungicide        |                         |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>   | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Nativo 75 WG        | 03226         | Bayer CropScience Limited           | Fungicide        |                         |                 | 0.4 kg/ha             | 1.2 kg/ha               | 3 per year                 | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Trifloxystrobin</i>  | <i>250 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Tebuconazole</i>     | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Nirvana             | 03063         | BASF plc                            | Herbicide        |                         |                 | 4.5 l/ha              | 4.5 l/ha                |                            | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Pendimethalin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Imazamox</i>         | <i>16.7 g/l</i> |                       |                         |                            |                               |             |
|                                   | NU46                | 05501         | Nufarm UK Limited                   | Herbicide        |                         |                 | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>MCPA</i>             | <i>500 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i>  | <i>Substance</i>        | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|------------------|-------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                     |                  |                         |                 |                       |                         |                            |                               |             |
|                                   | Ohayo               | 05610         | ISK Biosciences Europe N.V.         | Fungicide        |                         |                 | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                     |                  | <i>Fluazinam</i>        | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Optimus             | 04704         | Adama Agricultural Solutions UK Ltd | Growth Regulator |                         |                 | 1.1 l/ha              | 1.1 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Trinexapac ethyl</i> | <i>175 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Orchid B            | 05058         | Croplink (Ireland) Ltd              | Fungicide        |                         |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>   | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Orius 20 EW         | 02618         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                 | 1.25 l/ha             | 3.75 l/ha               | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Tebuconazole</i>     | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Orius P             | 03222         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Tebuconazole</i>     | <i>133 g/l</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                  | <i>Prochloraz</i>       | <i>267 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Padawan             | 04814         | Societe Financiere de Pontarlier    | Growth Regulator |                         |                 | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                  | <i>Ethephon</i>         | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Paraat              | 03614         | BASF plc                            | Fungicide        |                         |                 | 3.0 kg/ha             | 3.0 kg/ha               | -                          | 35 days before harvest        | 35 days     |
|                                   |                     |               |                                     |                  | <i>Dimethomorph</i>     | <i>500 g/kg</i> |                       |                         |                            |                               |             |
|                                   | PDM 330 EC          | 03582         | BASF plc                            | Herbicide        |                         |                 | 4.0 l/ha              | 4.0 l/ha                | 1                          | 6 weeks pre harvest           |             |
|                                   |                     |               |                                     |                  | <i>Pendimethalin</i>    | <i>330 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Penncozeb 80 WP     | 03609         | UPL Europe Ltd                      | Fungicide        |                         |                 | 2.0 kg/ha             | 8.0 kg/ha               | 4 per year                 | -                             |             |
|                                   |                     |               |                                     |                  | <i>Mancozeb</i>         | <i>800 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Penncozeb WDG       | 03608         | UPL Europe Ltd                      | Fungicide        |                         |                 | 2.1 kg/ha             | 8.4 kg/ha               | 4 per crop                 | -                             |             |
|                                   |                     |               |                                     |                  | <i>Mancozeb</i>         | <i>750 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Phoenix             | 04453         | Adama Agricultural Solutions UK Ltd | Fungicide        |                         |                 | 1.5 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Folpet</i>           | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Phyton              | 05019         | UPL Europe Ltd                      | Fungicide        |                         |                 | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Chlorothalonil</i>   | <i>500g/l</i>   |                       |                         |                            |                               |             |
|                                   | Plenum              | 02238         | Syngenta UK Ltd                     | Insecticide      |                         |                 | 0.4 kg/ha             | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                   |                     |               |                                     |                  | <i>Pymetrozine</i>      | <i>50 %w/w</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>             | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|------------------|------------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                 |                  |                              |                   |                       |                         |                            |                               |             |
|                                   | POL-MCPA 500 S      | 05494         | Ciech Sarzyna S.A               | Herbicide        |                              |                   | 2.7 l/ha              | 2.7 l/ha                | -                          | -                             |             |
|                                   | Proline             | 03786         | Bayer CropScience Limited       | Fungicide        | <i>MCPA</i>                  | <i>500 g/l</i>    | 0.8 l/ha              | 2.4 l/ha                | -                          | N/A                           |             |
|                                   | Prosaro             | 02106         | Bayer CropScience Limited       | Fungicide        | <i>Prothioconazole</i>       | <i>250 g/l</i>    | 1.2 l/ha              | 3.6 l/ha                | -                          | N/A                           |             |
|                                   | Proxanil            | 04639         | Arysta LifeScience Benelux SPRL | Fungicide        | <i>Prothioconazole</i>       | <i>12.8 % w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Tebuconazole</i>          | <i>12.8 %w/w</i>  | 2.5 l/ha              | 10.0 l/ha               | 4 per crop                 | -                             |             |
|                                   | Quantum             | 03432         | DuPont (UK) Ltd                 | Herbicide        | <i>Cymoxanil</i>             | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Propamocarb</i>           | <i>400 g/l</i>    | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                                   | Quantum Max SX      | 04044         | DuPont (UK) Ltd                 | Herbicide        | <i>Tribenuron (-methyl)</i>  | <i>500 g/kg</i>   | 60 g/ha               | 60 g/ha                 | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Thifensulfuron methyl</i> | <i>250 g/kg</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Tribenuron (-methyl)</i>  | <i>250 g/kg</i>   |                       |                         |                            |                               |             |
|                                   | Reflect             | 05462         | Syngenta UK Ltd                 | Fungicide        |                              |                   | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                 |                  | <i>Isopyrazam</i>            | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Regalis             | 03321         | BASF plc                        | Growth Regulator |                              |                   | 1.25 kgs/ha           | 2.5 kgs/ha              | -                          | 55 days pre harvest           | 55 days     |
|                                   |                     |               |                                 |                  | <i>Prohexadione Calcium</i>  | <i>10 %w/w</i>    |                       |                         |                            |                               |             |
|                                   | Regalis Plus        | 05409         | BASF plc                        | Growth Regulator |                              |                   | 1.25 kg/ha            | 2.5 kg/ha               | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Prohexadione Calcium</i>  | <i>10% w/w</i>    |                       |                         |                            |                               |             |
|                                   | Revus               | 02789         | Syngenta UK Ltd                 | Fungicide        |                              |                   | 0.6 l/ha              | 2.4 l/ha                | 4                          | 3 days before harvest         |             |
|                                   |                     |               |                                 |                  | <i>Mandipropamid</i>         | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd                 | Fungicide        |                              |                   | 2.5 kg/ha             | 7.5 kg/ha               | -                          |                               |             |
|                                   |                     |               |                                 |                  | <i>Mancozeb</i>              | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Metalaxyl M</i>           | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                                   | Roundup Biactive    | 02313         | Monsanto UK Ltd                 | Herbicide        |                              |                   | 5.0 l/ha              | 5.0 l/ha                | 1                          | 2 days pre harvest            | 2 days      |
|                                   |                     |               |                                 |                  | <i>Glyphosate</i>            | <i>360 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Rover 500           | 04467         | Oxon Italia SpA                 | Fungicide        |                              |                   | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>        | <i>500 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>          | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|-------------------------------------|-----------------|---------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                     |                 |                           |                   |                       |                         |                            |                               |             |
|                                   | Salvo               | 04120         | UPL Europe Ltd                      | Herbicide       |                           |                   | 2.8 l/ha              | 2.8 l/ha                | 1 per year                 | -                             |             |
|                                   |                     |               |                                     |                 | <i>2,4-D</i>              | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Scala               | 03916         | BASF plc                            | Fungicide       |                           |                   | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | -                             |             |
|                                   |                     |               |                                     |                 | <i>Pyrimethanil</i>       | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Seguris             | 04253         | Syngenta UK Ltd                     | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per crop                 | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Isopyrazam</i>         | <i>125 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Epoxiconazole</i>      | <i>90 g/l</i>     |                       |                         |                            |                               |             |
|                                   | Sempre              | 04207         | UPL Europe Ltd                      | Herbicide       |                           |                   | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Diflufenican</i>       | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       |                           |                   | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | 6 weeks before harvest        | 6 weeks     |
|                                   |                     |               |                                     |                 | <i>Pendimethalin</i>      | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Shirlan             | 04393         | ISK Biosciences Europe N.V.         | Fungicide       |                           |                   | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                     |                 | <i>Fluazinam</i>          | <i>500 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Signum              | 03799         | BASF plc                            | Fungicide       |                           |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                   |                     |               |                                     |                 | <i>Boscalid</i>           | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Pyraclostrobin</i>     | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                   | Siltra Xpro         | 04083         | Bayer CropScience Limited           | Fungicide       |                           |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Prothioconazole</i>    | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Bixafen</i>            | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                   | Sirena              | 05408         | Globachem nv                        | Fungicide       |                           |                   | 1.5 l/ha              | 3.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                     |                 | <i>Metconazole</i>        | <i>60 g/l</i>     |                       |                         |                            |                               |             |
|                                   | SL567A              | 03106         | Syngenta UK Ltd                     | Fungicide       |                           |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                   |                     |               |                                     |                 | <i>Metalaxyl M</i>        | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Sniper              | 05385         | Adama Agricultural Solutions UK Ltd | Herbicide       |                           |                   | 1.3 l/ha              | 3.9 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                     |                 | <i>Ethofumesate</i>       | <i>200 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Desmedipham</i>        | <i>50 g/l</i>     |                       |                         |                            |                               |             |
|                                   |                     |               |                                     |                 | <i>Phenmedipham</i>       | <i>150 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Sparviero           | 04469         | Oxon Italia SpA                     | Insecticide     |                           |                   | 75 ml/ha              | 300 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                     |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                        | <i>Function</i> | <i>Substance</i>           | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|--------------------------------------------|-----------------|----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                            |                 |                            |                   |                       |                         |                            |                               |             |
|                                   | Spotlight Plus      | 03294         | FMC Chemical s.p.r.l.                      | Herbicide       |                            |                   | 0.8 l/ha              | 1.6 l/ha                | -                          | 21 days before harvest        |             |
|                                   | Starane XL          | 02075         | Dow AgroSciences                           | Herbicide       | <i>Carfentrazone-ethyl</i> | <i>60 g/l</i>     | 1.5 l/ha              | 1.5 l/ha                | -                          | -                             |             |
|                                   | Steward             | 02603         | DuPont (UK) Ltd                            | Insecticide     | <i>Fluroxypyr</i>          | <i>100 g/l</i>    | 250 g/ha              | 750 g/ha                | 3 / crop                   | 7 days before harvest         |             |
|                                   | Stomp Aqua          | 03750         | BASF plc                                   | Herbicide       | <i>Florasulam</i>          | <i>2.5 g/l</i>    | 2.9 l/ha              | 2.9 l/ha                | 1 / crop                   | 6 weeks pre harvest           |             |
|                                   | Stratos Ultra       | 91348         | BASF plc                                   | Herbicide       | <i>Indoxacarb</i>          | <i>300 g/kg</i>   | 4.0 l/ha              | 4.0 l/ha                | 1                          |                               | 4 weeks     |
|                                   | Sumi-Alpha          | 02334         | Sumitomo Chemical Agro Europe SAS          | Insecticide     | <i>Cycloxydim</i>          | <i>100 g/l</i>    | 165 mls/ha            | 330 mls/ha              | 2                          | -                             |             |
|                                   | Sumimax             | 02764         | Sumitomo Chemical Agro Europe SAS          | Herbicide       | <i>Cycloxydim</i>          | <i>100 g/l</i>    | 100 mls/ha            | 100 mls/ha              | 1                          | 28 days before harvest        |             |
|                                   | Supreme             | 04841         | Mitsui Agriscience International S.A./N.V. | Fungicide       | <i>Esfenvalerate</i>       | <i>25 g/l</i>     | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   | Switch              | 03761         | Syngenta UK Ltd                            | Fungicide       | <i>Flumioxazin</i>         | <i>300 g/l</i>    | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                                   | Tazer               | 04523         | Nufarm UK Limited                          | Fungicide       | <i>Chlorothalonil</i>      | <i>500 g/l</i>    | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   | Tebucur 250 EW      | 04827         | Globachem nv                               | Fungicide       | <i>Fludioxonil</i>         | <i>25.0 % w/w</i> | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                   | Tebusha 25% EW      | 04884         | Sharda Europe b.v.b.a                      | Fungicide       | <i>Cyprodinil</i>          | <i>37.5 % w/w</i> | 1.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                            |                 | <i>Azoxystrobin</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                            |                 | <i>Tebuconazole</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                            |                 | <i>Tebuconazole</i>        | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i>  | <i>Substance</i>            | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|------------------|-----------------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                 |                  |                             |                  |                       |                         |                            |                               |             |
|                                   | Tempo               | 05601         | Syngenta UK Ltd                 | Growth Regulator |                             |                  | 0.6 l/ha              | 0.6 l/ha                | -                          | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                 |                  | <i>Trinexapac ethyl</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Teppeki             | 02683         | ISK Biosciences Europe N.V.     | Insecticide      |                             |                  | 0.14 kg/ha            | .042 kg/ha              | 3 per year                 | 21 days before harvest        | 21 days     |
|                                   |                     |               |                                 |                  | <i>Flonicamid</i>           | <i>500 g/kg</i>  |                       |                         |                            |                               |             |
|                                   | Thor                | 03991         | DuPont (UK) Ltd                 | Herbicide        |                             |                  | 30 g/ha               | 30 g/ha                 | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Tribenuron (-methyl)</i> | <i>500 g/kg</i>  |                       |                         |                            |                               |             |
|                                   | Treoris             | 04193         | DuPont (UK) Ltd                 | Fungicide        |                             |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>       | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Penthiopyrad</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Trinexis            | 05145         | Arysta LifeScience Benelux SPRL | Growth Regulator |                             |                  | 0.6 l/ha              | 0.6 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                 |                  | <i>Trinexapac ethyl</i>     | <i>250 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Twinprop            | 04427         | DHM Agrochemicals Ltd.,         | Herbicide        |                             |                  | 2.3 l/ha              | 4.6 l/ha                | -                          | -                             |             |
|                                   |                     |               |                                 |                  | <i>Mecoprop-P</i>           | <i>600 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Valbon              | 03411         | Certis Europe BV                | Fungicide        |                             |                  |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Benthiavalicarb</i>      | <i>17.5 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Benthiavalicarb</i>      | <i>17.5 g/kg</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Mancozeb</i>             | <i>700 g/kg</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Mancozeb</i>             | <i>700 g/kg</i>  |                       |                         |                            |                               |             |
|                                   | Vareon              | 03554         | DuPont (UK) Ltd                 | Fungicide        |                             |                  | 1.25 l/ha             | 2.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Prochloraz</i>           | <i>320 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Proquinazid</i>          | <i>40 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Tebuconazole</i>         | <i>160 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Vertik              | 04030         | Syngenta UK Ltd                 | Fungicide        |                             |                  | 2.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Azoxystrobin</i>         | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Chlorothalonil</i>       | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Winby               | 05611         | ISK Biosciences Europe N.V.     | Fungicide        |                             |                  | 0.4 l/ha              | 1.2 l/ha                | 3 per crop                 | 7 days before harvest         | 7 days      |
|                                   |                     |               |                                 |                  | <i>Fluazinam</i>            | <i>500 g/l</i>   |                       |                         |                            |                               |             |
|                                   | Wing P              | 03590         | BASF plc                        | Herbicide        |                             |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                  | <i>Dimethenamid-P</i>       | <i>212.5 g/l</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                  | <i>Pendimethalin</i>        | <i>250g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>       | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|-----------------|------------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-outdoor</i> |                     |               |                                 |                 |                        |                 |                       |                         |                            |                               |             |
|                                   | Zephyr              | 03792         | Bayer CropScience Limited       | Fungicide       |                        |                 | 0.75 l/ha             | 1.5 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Trifloxystrobin</i> | <i>88 g/l</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Prothioconazole</i> | <i>175 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Zetanil WG          | 04492         | Oxon Italia SpA                 | Fungicide       |                        |                 | 2.4 kg/ha             | 19.2 kg/ha              | 8 per crop                 | 7 days before harvest         |             |
|                                   |                     |               |                                 |                 | <i>Cymoxanil</i>       | <i>45 g/kg</i>  |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Mancozeb</i>        | <i>650 g/kg</i> |                       |                         |                            |                               |             |
|                                   | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL | Fungicide       |                        |                 | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Azoxystrobin</i>    | <i>250 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Zulu                | 03886         | Syngenta UK Ltd                 | Fungicide       |                        |                 | 1.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Isopyrazam</i>      | <i>125 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                              | <i>Function</i>  | <i>Substance</i>          | <i>Content</i>   | <i>Max Ind. Dose:</i>                         | <i>Max. Total Dose:</i>                       | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|--------------------------------------------------|------------------|---------------------------|------------------|-----------------------------------------------|-----------------------------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-protect</i> |                     |               |                                                  |                  |                           |                  |                                               |                                               |                            |                               |             |
|                                   | Amistar             | 01351         | Syngenta UK Ltd                                  | Fungicide        |                           |                  | 1.0 l/ha                                      | 4.0 l/ha                                      | 4                          | 3 day re-entry period         |             |
|                                   | Apollo              | 04056         | Adama Agricultural Solutions UK Ltd              | Acaricide        | <i>Azoxystrobin</i>       | <i>250 g/l</i>   | 4 mls/100 l/water                             | 4 mls/100 l/water                             | 1 per crop                 | -                             |             |
|                                   | Barclay Bolt XL     | 04102         | Barclay Chemicals Ltd                            | Fungicide        | <i>Clofentazine</i>       | <i>500 g/l</i>   | 0.4 l/ha                                      | 1.0 l/ha                                      | -                          | 35 days before harvest        |             |
|                                   | Borneo              | 04235         | Sumitomo Chemical Agro Europe SAS                | Acaricide        | <i>Propiconazole</i>      | <i>250 g/l</i>   | 500mls/ha - max conc. 35 mls/100 litres water | 500mls/ha - max conc. 35 mls/100 litres water | 1/crop                     | -                             |             |
|                                   | Bumper              | 03292         | Adama Agricultural Solutions UK Ltd              | Fungicide        | <i>Etoxazole</i>          | <i>110 g/l</i>   | 0.4 l/ha                                      | 1.0 l/ha                                      |                            | 35 days before harvest        |             |
|                                   | Cerone              | 03933         | Bayer CropScience Limited                        | Growth Regulator | <i>Propiconazole</i>      | <i>250 g/l</i>   | 1.0 l/ha                                      | 1.0 l/ha                                      | -                          | 5 days before harvest         | 5 days      |
|                                   | Curzate M WG        | 02110         | DuPont (UK) Ltd                                  | Fungicide        | <i>Ethephon</i>           | <i>480 g/l</i>   | 2.5 kg/ha                                     | 7.5 kg/ha                                     | 3 per crop                 | 3 days before harvest         | 3 days      |
|                                   | Dithane 945         | 03705         | Indofil Industries (Netherlands) B.V             | Fungicide        | <i>Mancozeb</i>           | <i>68 %w/w</i>   | 2.0 kg/ha                                     | 6.0 kg/ha                                     | -                          | -                             |             |
|                                   | Dithane Dry Flowa   | 03707         | Indofil Industries (Netherlands) B.V             | Fungicide        | <i>Cymoxanil</i>          | <i>4.5 % w/w</i> | 2.1 kg/ha                                     | 6.3 kg/ha                                     | -                          | -                             |             |
|                                   | Electis 75 WG       | 01821         | Gowan Comercio Internacional e Servicos Limitida | Fungicide        | <i>Mancozeb</i>           | <i>80 % w/w</i>  | 1.8 kg/ha                                     | 5.4 kg/ha                                     | 3 per crop                 | 3 days before harvest         | 3 days      |
|                                   | Eminentos 10 CS     | 04933         | GAT Microencapsulation AG                        | Insecticide      | <i>Mancozeb</i>           | <i>66.7 %w/w</i> | 50 ml/ha                                      | 150 ml/ha                                     | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                                  |                  | <i>Zoxamide</i>           | <i>8.3 %w/w</i>  |                                               |                                               |                            |                               |             |
|                                   |                     |               |                                                  |                  | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>   |                                               |                                               |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i>  | <i>PCS No</i> | <i>Company Name</i>        | <i>Function</i> | <i>Substance</i>          | <i>Content</i>  | <i>Max Ind. Dose:</i>      | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|----------------------|---------------|----------------------------|-----------------|---------------------------|-----------------|----------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-protect</i> |                      |               |                            |                 |                           |                 |                            |                         |                            |                               |             |
|                                   | Euro Lambda 100      | 05137         | Euro Chemicals s.r.o.      | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 3                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Fortress             | 02364         | Dow AgroSciences           | Fungicide       |                           |                 | 0.3 l/ha                   | 0.6 l/ha                | 2                          | N/A                           |             |
|                                   |                      |               |                            |                 | <i>Quinoxifen</i>         | <i>500 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Globaztar SC         | 04859         | Globachem nv               | Fungicide       |                           |                 | 1.0 l/ha                   | 2.0 l/ha                | 2 per year                 | 3 days before harvest         | 3 days      |
|                                   |                      |               |                            |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Karate Zeon          | 04084         | Syngenta UK Ltd            | Insecticide     |                           |                 | 50 mls/ha                  | 150 mls/ha              | 3                          | 14 days pre harvest           | 14 days     |
|                                   |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Karis 10 CS          | 04454         | FMC Chemical s.p.r.l.      | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Laidir 10 CS         | 04932         | GAT Microencapsulation AG  | Insecticide     |                           |                 | 50 ml/ha                   | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Life Scientific Azox | 04405         | Life Scientific Limited    | Fungicide       |                           |                 | 1.0 l/ha                   | 2.0 l/ha                | 2 per year                 | -                             |             |
|                                   |                      |               |                            |                 | <i>Azoxystrobin</i>       | <i>250 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Life Scientific Lam  | 04868         | Life Scientific Limited    | Insecticide     |                           |                 | 50 mls/ha                  | 150 mls/ha              | 4                          | 14 days before harvest        | 14 days     |
|                                   |                      |               |                            |                 | <i>lambda-Cyhalothrin</i> | <i>100 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Manfil 75 WG         | 03598         | Indofil Industries Limited | Fungicide       |                           |                 | 2.1 kg/ha                  | 6.3 kg/ha               | -                          | -                             |             |
|                                   |                      |               |                            |                 | <i>Mancozeb</i>           | <i>75 % w/w</i> |                            |                         |                            |                               |             |
|                                   | Manfil 80 WP         | 03563         | Indofil Industries Limited | Fungicide       |                           |                 | 2.0 kg/ha                  | 4.0 kg/ha               | -                          | 3 days before harvest         | 3 days      |
|                                   |                      |               |                            |                 | <i>Mancozeb</i>           | <i>800 g/kg</i> |                            |                         |                            |                               |             |
|                                   | Oberon               | 02529         | Bayer CropScience Limited  | Insecticide     |                           |                 | 50mls per 100 litres water | -                       | 2 per crop                 | N/A                           |             |
|                                   |                      |               |                            |                 | <i>Spiromesifen</i>       | <i>240 g/l</i>  |                            |                         |                            |                               |             |
|                                   | Paraat               | 03614         | BASF plc                   | Fungicide       |                           |                 | 3.0 kg/ha                  | 3.0 kg/ha               |                            | 35 days before harvest        | 35 days     |
|                                   |                      |               |                            |                 | <i>Dimethomorph</i>       | <i>500 g/kg</i> |                            |                         |                            |                               |             |
|                                   | Plenum               | 02238         | Syngenta UK Ltd            | Insecticide     |                           |                 | 0.4 kg/ha                  | 1.2 kg/ha               | 3 per crop                 | N/A                           |             |
|                                   |                      |               |                            |                 | <i>Pymetrozine</i>        | <i>50 %w/w</i>  |                            |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>                       | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>            | <i>Content</i>    | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|-----------------------------------|---------------------|---------------|---------------------------------|-----------------|-----------------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Ornamental - woody-protect</i> |                     |               |                                 |                 |                             |                   |                       |                         |                            |                               |             |
|                                   | Previcur Energy     | 04041         | Bayer CropScience Limited       | Fungicide       |                             |                   | 3 mls per sq m        | 6 mls per sq m          | -                          | Before transplanting          |             |
|                                   |                     |               |                                 |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Propamocarb</i>          | <i>530 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Fosetyl (-aluminium)</i> | <i>310 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Ridomil Gold MZ 6   | 01516         | Syngenta UK Ltd                 | Fungicide       |                             |                   | 2.5 kg/ha             | 7.5 kg/ha               | -                          |                               |             |
|                                   |                     |               |                                 |                 | <i>Metalaxyl M</i>          | <i>4.0 %w/w</i>   |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Mancozeb</i>             | <i>64 %w/w</i>    |                       |                         |                            |                               |             |
|                                   | Scala               | 03916         | BASF plc                        | Fungicide       |                             |                   | 2.0 l/ha              | 4.0 l/ha                | 2 per crop                 | -                             |             |
|                                   |                     |               |                                 |                 | <i>Pyrimethanil</i>         | <i>400 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Signum              | 03799         | BASF plc                        | Fungicide       |                             |                   | 1.5 kgs/ha            | 3.0 kgs/ha              | -                          | 3 days before harvest         |             |
|                                   |                     |               |                                 |                 | <i>Boscalid</i>             | <i>26.7 % w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Pyraclostrobin</i>       | <i>6.7 % w/w</i>  |                       |                         |                            |                               |             |
|                                   | SL567A              | 03106         | Syngenta UK Ltd                 | Fungicide       |                             |                   | 1.3 l/ha              | 1.3 l/ha                | 1                          |                               | 30 days     |
|                                   |                     |               |                                 |                 | <i>Metalaxyl M</i>          | <i>465.2 g/l</i>  |                       |                         |                            |                               |             |
|                                   | Sparviero           | 04469         | Oxon Italia SpA                 | Insecticide     |                             |                   | 50 ml/ha              | 150 ml/ha               | 4                          | 14 days before harvest        | 14 days     |
|                                   |                     |               |                                 |                 | <i>lambda-Cyhalothrin</i>   | <i>100 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Switch              | 03761         | Syngenta UK Ltd                 | Fungicide       |                             |                   | 1.0 kg/ha             | 3.0 kg/ha               | 3                          | 7 days before harvest         |             |
|                                   |                     |               |                                 |                 | <i>Cyprodinil</i>           | <i>37.5 % w/w</i> |                       |                         |                            |                               |             |
|                                   |                     |               |                                 |                 | <i>Fludioxonil</i>          | <i>25.0 % w/w</i> |                       |                         |                            |                               |             |
|                                   | Tazer               | 04523         | Nufarm UK Limited               | Fungicide       |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2 per year                 | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                       |                         |                            |                               |             |
|                                   | Zoxis               | 04455         | Arysta LifeScience Benelux SPRL | Fungicide       |                             |                   | 1.0 l/ha              | 2.0 l/ha                | 2                          | N/A                           |             |
|                                   |                     |               |                                 |                 | <i>Azoxystrobin</i>         | <i>250 g/l</i>    |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>        | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>             | <i>Function</i> | <i>Substance</i>   | <i>Content</i> | <i>Max Ind. Dose:</i>   | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|--------------------|---------------------|---------------|---------------------------------|-----------------|--------------------|----------------|-------------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Roses</i>       |                     |               |                                 |                 |                    |                |                         |                         |                            |                               |             |
|                    | Radspor 400         | 01797         | Arysta LifeScience Benelux SPRL | Fungicide       |                    |                | 73 mls/100 litres water | -                       | 5                          |                               |             |
|                    | Vivando             | 05685         | BASF plc                        | Fungicide       | <i>Dodine</i>      | <i>40 %w/w</i> | 0.45 l/ha               | 0.9 l/ha                | -                          | 3 days before harvest         | 3 days      |
|                    |                     |               |                                 |                 | <i>Metrafenone</i> | <i>500 g/l</i> |                         |                         |                            |                               |             |
| <i>Set - aside</i> |                     |               |                                 |                 |                    |                |                         |                         |                            |                               |             |
|                    | Stratos Ultra       | 04936         | BASF plc                        | Herbicide       |                    |                | 4.0 l/ha                | 4.0 l/ha                | 1 per year                 | -                             |             |
|                    |                     |               |                                 |                 | <i>Cycloxydim</i>  | <i>100 g/l</i> |                         |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>     | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------------|-----------------|----------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Willow</i> | Anthem              | 04761         | Adama Agricultural Solutions UK Ltd | Herbicide       |                      |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | -                             |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i> | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Arbiter             | 05270         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 2.0 l/ha              | 2.0 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|               | Ardee XL            | 05571         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Asteroid            | 01990         | Cheminova A/S                       | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | 1 / year                   | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Barbarian XL        | 05572         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Barclay Gallup Bio  | 02126         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Barclay Gallup Bio  | 02434         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 4.8 l/ha              | 4.8 l/ha                | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|               | Barclay Gallup Hi-  | 02435         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 3.7 l/ha              | 3.7 l/ha                | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>490 g/l</i>  |                       |                         |                            |                               |             |
|               | Barclay Hudson      | 02915         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 2.2 l/ha              | 2.2 l/ha                | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>    | <i>180 g/l</i>  |                       |                         |                            |                               |             |
|               | Barclay Hurler      | 02905         | Barclay Chemicals Ltd               | Herbicide       |                      |                 | 2.0 l/ha              | 2.0 l/ha                | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>    | <i>200 g/l</i>  |                       |                         |                            |                               |             |
|               | Basagran            | 02341         | BASF plc                            | Herbicide       |                      |                 | 3.0 l/ha              | 3.0 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Bentazone</i>     | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|               | Basagran SG         | 05192         | BASF plc                            | Herbicide       |                      |                 | 1.65 kg/ha            | 1.65 kg/ha              | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Bentazone</i>     | <i>870 g/kg</i> |                       |                         |                            |                               |             |
|               | Benta 480 SL        | 04206         | Sharda Europe b.v.b.a               | Herbicide       |                      |                 | 3.0 l/ha              | 3.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Bentazone</i>     | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|               | Buggy SG            | 02504         | Sipcam U.K. Ltd                     | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/kg</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>      | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Willow</i> |                     |               |                                     |                 |                       |                |                       |                         |                            |                               |             |
|               | Calaris             | 02711         | Syngenta UK Ltd                     | Herbicide       |                       |                | 1.5 l/ha              | 1.5 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Terbuthylazine</i> | <i>330 g/l</i> |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Mesotrione</i>     | <i>70 g/l</i>  |                       |                         |                            |                               |             |
|               | Callisto            | 02587         | Syngenta UK Ltd                     | Herbicide       |                       |                | 1.5 l/ha              | 1 per crop              | 1.5 l/ha                   | N/A                           |             |
|               |                     |               |                                     |                 | <i>Mesotrione</i>     | <i>100 g/l</i> |                       |                         |                            |                               |             |
|               | Claw 100            | 05444         | DHM Agrochemicals Ltd.,             | Herbicide       |                       |                | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | -16 weeks                     |             |
|               |                     |               |                                     |                 | <i>Propaquizafop</i>  | <i>100 g/l</i> |                       |                         |                            |                               |             |
|               | Clearall XL         | 05766         | DHM Agrochemicals Ltd.,             | Herbicide       |                       |                | 6.0 l/ha              | 6.0 l/ha                | 1 per year                 | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>360 g/l</i> |                       |                         |                            |                               |             |
|               | Cliophar 600 SL     | 04864         | Arysta LifeScience Benelux SPRL     | Herbicide       |                       |                | 0.33 l/ha             | 0.33 l/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Clopyralid</i>     | <i>600 g/l</i> |                       |                         |                            |                               |             |
|               | Credit              | 02932         | Nufarm UK Limited                   | Herbicide       |                       |                |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>540 g/l</i> |                       |                         |                            |                               |             |
|               | Devrinol            | 91627         | UPL Europe Ltd                      | Herbicide       |                       |                | 7.0 l/ha              | 7.0 l/ha                | 1 / season                 | N/A                           |             |
|               |                     |               |                                     |                 | <i>Napropamide</i>    | <i>450 g/l</i> |                       |                         |                            |                               |             |
|               | Diflanil 500 SC     | 04358         | Q-Chem NV                           | Herbicide       |                       |                | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Diflufenican</i>   | <i>500 g/l</i> |                       |                         |                            |                               |             |
|               | Discman Biograde    | 02786         | Barclay Chemicals Ltd               | Herbicide       |                       |                | 10 l/ha               | 10 l/ha                 | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>216 g/l</i> |                       |                         |                            |                               |             |
|               | Dow Shield 100      | 03861         | Dow AgroSciences                    | Herbicide       |                       |                | 2.0 l/ha              | 2.0 l/ha                |                            |                               |             |
|               |                     |               |                                     |                 | <i>Clopyralid</i>     | <i>100 g/l</i> |                       |                         |                            |                               |             |
|               | Falcon              | 04740         | Adama Agricultural Solutions UK Ltd | Herbicide       |                       |                | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | N/A                           |             |
|               |                     |               |                                     |                 | <i>Propaquizafop</i>  | <i>100 g/l</i> |                       |                         |                            |                               |             |
|               | Farmco Zealot       | 05299         | Farmco Agritrading Ltd              | Herbicide       |                       |                | 1.5 l/ha              | 1.5 l/ha                | 1 per crop                 | -                             |             |
|               |                     |               |                                     |                 | <i>Propaquizafop</i>  | <i>100 g/l</i> |                       |                         |                            |                               |             |
|               | Firebird            | 04221         | Bayer CropScience Limited           | Herbicide       |                       |                | 0.3 l/ha              | 0.3 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Flufenacet</i>     | <i>400 g/l</i> |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Diflufenican</i>   | <i>200 g/l</i> |                       |                         |                            |                               |             |
|               | Flurox 180          | 04302         | Stockton Europe Ltd                 | Herbicide       |                       |                | 2.2 l/ha              | 2.2 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>     | <i>180 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>            | <i>Content</i> | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Willow</i> | Fusilade Max        | 01472         | Syngenta UK Ltd                     | Herbicide       |                             |                | 2.5 l/ha              | 2.5 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Fluazifop-P (-butyl)</i> | <i>125 g/l</i> |                       |                         |                            |                               |             |
|               | Gallup XL           | 05570         | Barclay Chemicals Ltd               | Herbicide       |                             |                | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>           | <i>360 g/l</i> |                       |                         |                            |                               |             |
|               | Garryowen XL        | 05660         | Barclay Chemicals Ltd               | Herbicide       |                             |                | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>           | <i>360 g/l</i> |                       |                         |                            |                               |             |
|               | Hurler              | 05077         | Barclay Chemicals Ltd               | Herbicide       |                             |                | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>           | <i>200 g/l</i> |                       |                         |                            |                               |             |
|               | Hurricane SC        | 04357         | Adama Agricultural Solutions UK Ltd | Herbicide       |                             |                | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Diflufenican</i>         | <i>500 g/l</i> |                       |                         |                            |                               |             |
|               | Minstrel            | 04782         | UPL Europe Ltd                      | Herbicide       |                             |                | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>           | <i>200 g/l</i> |                       |                         |                            |                               |             |
|               | Mitron WG           | 01704         | Hermoo Belgium N.V.                 | Herbicide       |                             |                | 3.0 kg/ha             | 6.9 kg/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Metamitron</i>           | <i>70 %w/w</i> |                       |                         |                            |                               |             |
|               | MON 79351           | 04009         | Monsanto UK Ltd                     | Herbicide       |                             |                | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>           | <i>480 g/l</i> |                       |                         |                            |                               |             |
|               | Most Micro          | 04837         | Sipcam U.K. Ltd                     | Herbicide       |                             |                | 3.6 l/ha              | 3.6 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i>        | <i>365 g/l</i> |                       |                         |                            |                               |             |
|               | New Hyflux          | 05268         | Hygeia Chemicals Ltd                | Herbicide       |                             |                | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>           | <i>200 g/l</i> |                       |                         |                            |                               |             |
|               | Ormond              | 05661         | Barclay Chemicals Ltd               | Herbicide       |                             |                | 3.7 l/ha              | 3.7 l/ha                | 1                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>           | <i>490 g/l</i> |                       |                         |                            |                               |             |
|               | Osmonds Dock-Kle    | 05743         | Croplink (Ireland) Ltd              | Herbicide       |                             |                | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>           | <i>200 g/l</i> |                       |                         |                            |                               |             |
|               | PDM 330 EC          | 03582         | BASF plc                            | Herbicide       |                             |                | 4.0 l/ha              | 4.0 l/ha                | 1                          |                               |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i>        | <i>330 g/l</i> |                       |                         |                            |                               |             |
|               | Pendifin 400 SC     | 05731         | Finchimica S.p.A                    | Herbicide       |                             |                | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Pre-crop emergence            |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i>        | <i>400 g/l</i> |                       |                         |                            |                               |             |
|               | Rattler             | 04650         | Nufarm UK Limited                   | Herbicide       |                             |                | 4.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>           | <i>540 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

**The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>     | <i>Content</i>  | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------------|-----------------|----------------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Willow</i> | Rosate Green        | 04436         | Albaugh Europe Sarl                 | Herbicide       |                      |                 | 4.0 l/ha              | 4.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Advance     | 04595         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Biactive    | 02313         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Biactive    | 04660         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 6.0 l/ha              | 6.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Flex        | 04593         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Gold        | 02624         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>360 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Gold 450    | 02623         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 4.8 l/ha              | 4.8 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>450 g/l</i>  |                       |                         |                            |                               |             |
|               | Roundup Powerma     | 04534         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 3.0 kg/ha             | 3.0 kg/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>720 g/kg</i> |                       |                         |                            |                               |             |
|               | Roundup ProVanta    | 04594         | Monsanto UK Ltd                     | Herbicide       |                      |                 | 4.5 l/ha              | 4.5 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>    | <i>480 g/l</i>  |                       |                         |                            |                               |             |
|               | Sempre              | 04207         | UPL Europe Ltd                      | Herbicide       |                      |                 | 0.25 l/ha             | 0.25 l/ha               | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Diflufenican</i>  | <i>500 g/l</i>  |                       |                         |                            |                               |             |
|               | Sharpen 40% SC      | 04847         | Sharda Europe b.v.b.a               | Herbicide       |                      |                 | 3.3 l/ha              | 3.3 l/ha                | 1 per crop                 | Before crop emergence         |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i> | <i>400 g/l</i>  |                       |                         |                            |                               |             |
|               | Sherman             | 04373         | Adama Agricultural Solutions UK Ltd | Herbicide       |                      |                 | 4.0 l/ha              | 4.0 l/ha                | 1 per crop                 |                               |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i> | <i>330 g/l</i>  |                       |                         |                            |                               |             |
|               | Starane XL          | 02075         | Dow AgroSciences                    | Herbicide       |                      |                 | 1.5 l/ha              | 1.5 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>    | <i>100 g/l</i>  |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Florasulam</i>    | <i>2.5 g/l</i>  |                       |                         |                            |                               |             |
|               | Stomp 400 SC        | 02879         | BASF plc                            | Herbicide       |                      |                 | 3.3 l/ha              | 3.3 l/ha                | 1                          | Before crop emergence         |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i> | <i>400 g/l</i>  |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

| <i>Crop</i>   | <i>Product Name</i> | <i>PCS No</i> | <i>Company Name</i>                 | <i>Function</i> | <i>Substance</i>      | <i>Content</i>   | <i>Max Ind. Dose:</i> | <i>Max. Total Dose:</i> | <i>Max No of Applic's:</i> | <i>Latest Time of Applic:</i> | <i>PHI:</i> |
|---------------|---------------------|---------------|-------------------------------------|-----------------|-----------------------|------------------|-----------------------|-------------------------|----------------------------|-------------------------------|-------------|
| <i>Willow</i> | Stomp Aqua          | 03750         | BASF plc                            | Herbicide       |                       |                  | 3.3 l/ha              | 3.3 l/ha                | 1 / crop                   | Pre crop emergence            |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>455 g/l</i>   |                       |                         |                            |                               |             |
|               | Stratos Ultra       | 04936         | BASF plc                            | Herbicide       |                       |                  | 4.0 l/ha              | 4.0 l/ha                | 1 per year                 | -                             |             |
|               |                     |               |                                     |                 | <i>Cycloxydim</i>     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Cycloxydim</i>     | <i>100 g/l</i>   |                       |                         |                            |                               |             |
|               | Target SC           | 01298         | UPL Europe Ltd                      | Herbicide       |                       |                  | 7.0 l/ha              | 7.0 l/ha                | 1 / season                 | N/A                           |             |
|               |                     |               |                                     |                 | <i>Metamitron</i>     | <i>700 g/l</i>   |                       |                         |                            |                               |             |
|               | Target WG           | 01506         | UPL Europe Ltd                      | Herbicide       |                       |                  | 7.0 kgs/ha            | 7.0 kgs/ha              | 1                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Metamitron</i>     | <i>70 %w/w</i>   |                       |                         |                            |                               |             |
|               | Tomahawk 2          | 05043         | Adama Agricultural Solutions UK Ltd | Herbicide       |                       |                  | 2.0 l/ha              | 2.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Fluroxypyr</i>     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|               | Touchdown Quattro   | 01956         | Syngenta UK Ltd                     | Herbicide       |                       |                  | 6 l/ha                | 6 l/ha                  | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Glyphosate</i>     | <i>360 g/l</i>   |                       |                         |                            |                               |             |
|               | Vivendi 200         | 05122         | UPL Europe Ltd                      | Herbicide       |                       |                  | 1.0 l/ha              | 1.0 l/ha                | -                          | -                             |             |
|               |                     |               |                                     |                 | <i>Clopyralid</i>     | <i>200 g/l</i>   |                       |                         |                            |                               |             |
|               | Wing P              | 03590         | BASF plc                            | Herbicide       |                       |                  | 4.0 l/ha              | 4.0 l/ha                | -                          | N/A                           |             |
|               |                     |               |                                     |                 | <i>Pendimethalin</i>  | <i>250g/l</i>    |                       |                         |                            |                               |             |
|               |                     |               |                                     |                 | <i>Dimethenamid-P</i> | <i>212.5 g/l</i> |                       |                         |                            |                               |             |

**Warning Off-Label approvals:**

*The use of any product in accordance with an off-label approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*



## **Chapter 9**

**List of Adjuvants included in the register on 1/1/17**



| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i> | <i>Marketing Company</i> | <i>Formulation Type</i> | <i>Active Substance</i>                                                                      | <i>Content</i>                   |
|---------------------|---------------|-----------------------------|--------------------------|-------------------------|----------------------------------------------------------------------------------------------|----------------------------------|
| Addin               | 05140         | DHM Agrochemicals Ltd.,     | DHM Agrochemicals Ltd.,  | EC                      | <i>Methylated Rapeseed Oil</i>                                                               | 440 g/l                          |
| Addit               | 92435         | Koppert B.V.                | Koppert B.V.             | EC                      | <i>Methylated Rapeseed Oil</i>                                                               | 780.2 g/l                        |
| Addition            | 05171         | Generica Europa Ltd         | Generica Europa Ltd      | EC                      | <i>Methylated Rapeseed Oil</i>                                                               | 440 g/l                          |
| Addup               | 90027         | Barclay Chemicals Ltd       | Barclay Chemicals Ltd    | EC                      | <i>Tallow amine ethoxylate</i>                                                               | 800 g/l                          |
| Adigor              | 92268         | Syngenta UK Ltd             | Syngenta Ireland Ltd     | EC                      | <i>Methylated Rapeseed Oil</i>                                                               | 440 g/l                          |
| Agral               | 90032         | Syngenta UK Ltd             | Syngenta Ireland Ltd     | OL                      | <i>Alkylphenolethylene oxide condensate</i>                                                  | 948 g/l                          |
| Anchor              | 00733         | Interagro (UK) Ltd          | Novokem Ltd              | SL                      | <i>N-octylpyrrolidone</i><br><i>Poly(vinylpyrrolidione/1-hexadecene)</i>                     | 45.7 %w/w<br>15.0 %w/w           |
| Arcano              | 92436         | Sani Crop Protection        | Sani Crop Protection     | EC                      | <i>Alkoxylated fatty amine</i><br><i>Polyoxyethylene Monolaurate</i>                         | 480 g/l<br>450 g/l               |
| Arma                | 00657         | Interagro (UK) Ltd          | Interagro (UK) Ltd       | SL                      | <i>Alkoxylated fatty amine</i><br><i>Polyoxyethylene Monolaurate</i>                         | 500 g/l<br>500 g/l               |
| Arma Plus           | 92270         | Interagro (UK) Ltd          | Novokem Ltd              | SL                      | <i>Alkylamine ethoxylate propoxylate</i><br><i>Polyoxyethylene (20) sorbitan monolaurate</i> | 500 g/l<br>400 g/l               |
| AyeFlex             | 92451         | Psigma AB                   | Psigma AB                | SC                      | <i>Benzotriazine</i><br><i>Locust Bean Gum</i><br><i>Polyethyleneimine</i>                   | 0.1% w/w<br>2.0% w/w<br>1.5% w/w |
| Backrow             | 92430         | Interagro (UK) Ltd          | Novokem Ltd              | EC                      | <i>Paraffin oils</i>                                                                         | 60% w/w                          |
| Banka               | 00710         | Interagro (UK) Ltd          | Novokem Ltd              | SL                      | <i>N-octylpyrrolidone</i><br><i>Poly(vinylpyrrolidione/1-hexadecene)</i>                     | 14.6 %w/w<br>14.6 %w/w           |
| Barclay Actol       | 92246         | Barclay Chemicals Ltd       | Barclay Chemicals Ltd    | OL                      | <i>Paraffin oils</i>                                                                         | 95 %w/w                          |
| Barclay Clinger     | 00921         | Barclay Chemicals Ltd       | Barclay Chemicals Ltd    | SL                      | <i>Di-l-p-menthene</i>                                                                       | 902 g/l                          |



| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                       | <i>Marketing Company</i>                          | <i>Formulation Type</i> | <i>Active Substance</i>                                                   | <i>Content</i>                         |
|---------------------|---------------|---------------------------------------------------|---------------------------------------------------|-------------------------|---------------------------------------------------------------------------|----------------------------------------|
| Barclay Dryfast     | 90175         | Barclay Chemicals Ltd                             | Barclay Chemicals Ltd                             | OL                      | <i>Di-l-p-menthene</i><br><i>Nonyl phenol ethylene oxide condensate</i>   | <i>334 g/l</i><br><i>100 g/l</i>       |
| Biopower            | 92144         | Bayer CropScience Limited                         | Bayer CropScience Limited                         | SL                      | <i>Alkylethersulfate sodium salt</i>                                      | <i>265 g/l</i>                         |
| Biosyl              | 92427         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EW                      | <i>Ethylene oxide condensate</i><br><i>Polyether modified trisiloxane</i> | <i>32.65 w/w</i><br><i>1% w/w</i>      |
| Bond                | 91298         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Alkylphenylhydroxypolyoxyethylene</i><br><i>Synthetic latex</i>        | <i>100 g/l</i><br><i>450 g/l</i>       |
| Boost               | 92446         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EW                      | <i>Ethylene oxide condensate</i><br><i>Polyether modified trisiloxane</i> | <i>32.6% w/w</i><br><i>1% w/w</i>      |
| Break-Thru S240     | 92312         | Evonik Degussa GmbH                               | P.P. Products                                     | SL                      | <i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>                 | <i>85 %w/w</i>                         |
| Codacide Oil        | 90420         | Microcide Ltd                                     | Microcide Ltd                                     | OL                      | <i>Vegetable Oil</i>                                                      | <i>95 %w/w</i>                         |
| Combo 3R            | 92464         | De Sangosse Ltd                                   | Whelehan Crop Protection                          | EC                      | <i>Alkoxylated alcohols</i>                                               | <i>750 g/l</i>                         |
| Companion Gold      | 92288         | AgroVista UK Ltd                                  | AgroVista UK Ltd                                  | SL                      | <i>Ammonium sulphate</i><br><i>Polyacrylamide</i>                         | <i>226 g/l</i><br><i>11.3 g/l</i>      |
| Contact             | 91927         | Interagro (UK) Ltd                                | Novokem Ltd                                       | EW                      | <i>Mineral Oil</i>                                                        | <i>92 %w/w</i>                         |
| Croplink Astra      | 04603         | Croplink (Ireland) Ltd                            | Croplink (Ireland) Ltd                            | SL                      | <i>Alkoxylated fatty amine</i><br><i>Polyoxyethylene Monolaurate</i>      | <i>500 g/l</i><br><i>500 g/l</i>       |
| Croplink Enhancer   | 04602         | Croplink (Ireland) Ltd                            | Croplink (Ireland) Ltd                            | EC                      | <i>Methylated Rapeseed Oil</i>                                            | <i>440 g/l</i>                         |
| Dash HC             | 92455         | BASF plc                                          | BASF Ireland Ltd                                  | EC                      | <i>Fatty Acid Esters</i><br><i>Fatty Alcohol Polyalkoxylate</i>           | <i>348.75 g/l</i><br><i>209.25 g/l</i> |
| Designer            | 01410         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Polyalkyleneoxide</i><br><i>Synthetic latex</i>                        | <i>8.4 %w/w</i><br><i>50 %w/w</i>      |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                       | <i>Marketing Company</i>                          | <i>Formulation Type</i> | <i>Active Substance</i>                          | <i>Content</i> |
|---------------------|---------------|---------------------------------------------------|---------------------------------------------------|-------------------------|--------------------------------------------------|----------------|
| Endurance           | 92449         | Sani Crop Protection                              | Sani Crop Protection                              | EC                      | <i>Non-ionic Surfactant</i>                      | 750 g/l        |
| Evogue              | 92448         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EC                      | <i>Fatty alcohol ethylene oxide condensate</i>   | 22.5 g/l       |
|                     |               |                                                   |                                                   |                         | <i>Methylated Rapeseed Oil</i>                   | 652 g/l        |
|                     |               |                                                   |                                                   |                         | <i>Polyether modified trisiloxane</i>            | 112 g/l        |
|                     |               |                                                   |                                                   |                         | <i>Polyoxyethylene alcohols</i>                  | 19.1 g/l       |
| Farmco Diagor Oil   | 05144         | Farmco Agritrading Ltd                            | Farmco Agritrading Ltd                            | EC                      | <i>Methylated Rapeseed Oil</i>                   | 440 g/l        |
| Farmco Slicker      | 92454         | Farmco Agritrading Ltd                            | Farmco Agritrading Ltd                            | EC                      | <i>Alkoxylated fatty amine</i>                   | 480 g/l        |
|                     |               |                                                   |                                                   |                         | <i>Polyoxyethylene Monolaurate</i>               | 450 g/l        |
| Foam Fighter        | 92398         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Dimethyl polysiloxane</i>                     | 16 %w/w        |
| Galion              | 91903         | Amega Sciences plc                                | Amega Sciences plc                                | SL                      | <i>Ethylene oxide condensate</i>                 | 60 %w/w        |
| Hansa Add 1055      | 92438         | Chemische Fabrik Tubingen (UK) Ltd                | Chemische Fabrik Tubingen (UK) Ltd                | SL                      | <i>Polyether modified trisiloxane</i>            | 83% w/w        |
| Headland Diamond    | 92141         | Headland Agrochemicals Ltd                        | Headland Agrochemicals Ltd                        | EC                      | <i>Plant Oils / Rape seed oil</i>                | 75 %w/w        |
| Headland Fortune    | 01158         | Headland Agrochemicals Ltd                        | Novokem Ltd                                       | EC                      | <i>Plant Oils / Rape seed oil</i>                | 75 %w/w        |
| Headland Guard 2000 | 00476         | Headland Agrochemicals Ltd                        | Headland Agrochemicals Ltd                        | SL                      | <i>Synthetic latex</i>                           | 52 %w/w        |
| Headland Intake     | 00477         | Headland Agrochemicals Ltd                        | Headland Agrochemicals Ltd                        | SL                      | <i>Alkylaminedicarboxylate monosodium salt</i>   | 5 %w/w         |
|                     |               |                                                   |                                                   |                         | <i>Propionic acid</i>                            | 40 %w/w        |
| Headland Zig Zag    | 92402         | Headland Agrochemicals Ltd                        | Croplink (Ireland) Ltd                            | SL                      | <i>Polyether modified trisiloxane</i>            | 6.375 % w/v    |
|                     |               |                                                   |                                                   |                         | <i>Styrene-butadiene co-polymer</i>              | 36.5 % w/v     |
| Herbi-Aktiv         | 92465         | Global Adjuvants Ltd                              | Global Adjuvants Ltd                              | EC                      | <i>Ethylene oxide-propylene oxide copolymers</i> | 57% w/w        |
| Kantor              | 92355         | Interagro (UK) Ltd                                | Novokem Ltd                                       | EC                      | <i>Alkoxylated triglycerides</i>                 | 790 g/l        |
| Kinetic             | 92280         | Helena Chemical Company                           | AgroVista UK Ltd                                  | EC                      | <i>Polyalkyleneoxide</i>                         | 20 % w/w       |
|                     |               |                                                   |                                                   |                         | <i>Polyoxypropylene-polyoxyethylene glycol</i>   | 80 % w/w       |

| <i>Product Name</i>  | <i>PCS No</i> | <i>Authorization Holder</i>                       | <i>Marketing Company</i>                          | <i>Formulation Type</i> | <i>Active Substance</i>                       | <i>Content</i> |
|----------------------|---------------|---------------------------------------------------|---------------------------------------------------|-------------------------|-----------------------------------------------|----------------|
| LI-700               | 91303         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | SL                      | <i>Alkylphenylhydroxypolyoxyethylene</i>      | 100 g/l        |
|                      |               |                                                   |                                                   |                         | <i>Lecithin (Soya)</i>                        | 350 g/l        |
|                      |               |                                                   |                                                   |                         | <i>Propionic acid</i>                         | 350 g/l        |
| MixR                 | 91676         | DHM Agrochemicals Ltd.,                           | DHM Agrochemicals Ltd.,                           | SL                      | <i>Alkyl ethoxylate</i>                       | 75 %w/w        |
| Newman Cropspray 11E | 00491         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Mineral Oil</i>                            | 99 %w/w        |
| Optima               | 92463         | Sani Crop Protection                              | Sani Crop Protection                              | SL                      | <i>Polyoxyethylene Monolaurate</i>            | 1000 g/l       |
| Phase-II             | 92147         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Plant Oils / Rape seed oil</i>             | 842 g/l        |
| Predict              | 92431         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EC                      | <i>Methylated Rapeseed Oil</i>                | 800 g/l        |
| Presto               | 92445         | Jouffray-Drillaud                                 | Jouffray-Drillaud                                 | EC                      | <i>alkyl polyglycoside</i>                    | 435 g/l        |
| Remix                | 92460         | AgroVista UK Ltd                                  | AgroVista UK Ltd                                  | EC                      | <i>Paraffin oils</i>                          | 732 g/l        |
| Rheus                | 92276         | Headland Agrochemicals Ltd                        | Interchem Ltd                                     | SL                      | <i>Polyalkyleneoxide</i>                      | 85 %w/w        |
| Rigger               | 92439         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EC                      | <i>Methylated Rapeseed Oil</i>                | 842 g/l        |
| Ryda                 | 91926         | Interagro (UK) Ltd                                | Novokem Ltd                                       | SL                      | <i>Tallow amine ethoxylate</i>                | 800 g/l        |
| Sekur                | 92447         | Sani Crop Protection                              | Sani Crop Protection                              | EC                      | <i>Amphoteric dipropionate surfactant</i>     | 10% w/w        |
|                      |               |                                                   |                                                   |                         | <i>Synthetic latex</i>                        | 45% w/w        |
| Siltex               | 92433         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EW                      | <i>Polyether modified trisiloxane</i>         | 18.9 % w/w     |
| Silwet 778           | 00759         | GE Speciality Materials (Suisse) Sarl             | Chemtura Europe Ltd                               | EC                      | <i>Allyl polyethylene glycol methyl ether</i> | 164 g/l        |
|                      |               |                                                   |                                                   |                         | <i>Polyalkyleneoxide</i>                      | 655 g/l        |
|                      |               |                                                   |                                                   |                         | <i>Polyethylene polypropylene glycol</i>      | 204 g/l        |
| Silwet L-77          | 00400         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Polyalkyleneoxide</i>                      | 800 g/kg       |

| <i>Product Name</i>    | <i>PCS No</i> | <i>Authorization Holder</i>                       | <i>Marketing Company</i>                          | <i>Formulation Type</i> | <i>Active Substance</i>                                   | <i>Content</i> |
|------------------------|---------------|---------------------------------------------------|---------------------------------------------------|-------------------------|-----------------------------------------------------------|----------------|
| Silwet L-77            | 00637         | GE Speciality Materials (Suisse) Sarl             | Chemtura Europe Ltd                               | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyalkyleneoxide</i>                                  | 800 g/kg       |
| Slippa                 | 00760         | Interagro (UK) Ltd                                | Novokem Ltd                                       | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Allyl polyethylene glycol methyl ether</i>             | 164 g/l        |
|                        |               |                                                   |                                                   |                         | <i>Polyalkyleneoxide</i>                                  | 655 g/l        |
|                        |               |                                                   |                                                   |                         | <i>Polyethylene polypropylene glycol</i>                  | 204 g/l        |
| Solar Plus             | 92428         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyethylene polypropylene glycol</i>                  | 70% w/w        |
| Speedway Total         | 92459         | Amega Sciences plc                                | Everris Ltd                                       | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Alkoxylated alcohols</i>                               | 78% w/w        |
| Sprayfast              | 91600         | Taminco BVBA.                                     | Taminco (UK) Ltd                                  | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Di-l-p-menthene</i>                                    | 34 %w/w        |
|                        |               |                                                   |                                                   |                         | <i>Nonyl phenol ethylene oxide condensate</i>             | 11 %w/w        |
| Spraymate Activator 90 | 91297         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Alkoxylated alcohols</i>                               | 750 g/l        |
| Sprayseal              | 91930         | Taminco BVBA.                                     | DHM Agrochemicals Ltd.,                           | EW                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Di-l-p-menthene</i>                                    | 34 %w/w        |
|                        |               |                                                   |                                                   |                         | <i>Nonyl phenol ethylene oxide condensate</i>             | 11 %w/w        |
| Spur                   | 92452         | Interagro (UK) Ltd                                | Novokem Ltd                                       | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyether modified trisiloxane</i>                     | 21 % w/w       |
| Squadron               | 92462         | EuroAgkem                                         | EuroAgkem                                         | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyethylene polypropylene glycol</i>                  | 70% w/w        |
| Stamina                | 00655         | Interagro (UK) Ltd                                | Novokem Ltd                                       | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Alkoxylated fatty amine</i>                            | 100 %w/w       |
| Super Rapeeze MSO      | 92434         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Methylated Rapeseed Oil</i>                            | 842 g/l        |
| Surfer                 | 92461         | Dow AgroSciences                                  | Dow AgroSciences                                  | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>2-ethyl Hexanol EO-PO</i>                              | 72% w/w        |
| Sward                  | 00844         | Amega Sciences plc                                | Amega Sciences plc                                | SL                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyalkyleneoxide</i>                                  | 152 g/l        |
| Tarpoon                | 92426         | Sani Crop Protection                              | Sani Crop Protection                              | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Polyalkyleneoxide modified heptamethyl trisiloxane</i> | 800 g/l        |
| Toil                   | 01353         | Interagro (UK) Ltd                                | Novokem Ltd                                       | EC                      |                                                           |                |
|                        |               |                                                   |                                                   |                         | <i>Plant Oils / Rape seed oil</i>                         | 95 %w/w        |

| <i>Product Name</i> | <i>PCS No</i> | <i>Authorization Holder</i>                       | <i>Marketing Company</i>                          | <i>Formulation Type</i> | <i>Active Substance</i>                                                                   | <i>Content</i>                                           |
|---------------------|---------------|---------------------------------------------------|---------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Torpedo II          | 92243         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Alcohol Ethoxylate</i><br><i>Alkoxylated fatty amine</i><br><i>Polyalkylene glycol</i> | <i>380 g/l</i><br><i>210 g/l</i><br><i>210 g/l</i>       |
| Torrent             | 00712         | Interagro (UK) Ltd                                | Novokem Ltd                                       | SL                      | <i>N-dodecylpyrrolidone</i><br><i>N-methylpyrrolidone</i><br><i>N-octylpyrrolidone</i>    | <i>13.1 %w/w</i><br><i>20.2 %w/w</i><br><i>20.2 %w/w</i> |
| Transcend           | 92278         | Helena Chemical Company                           | AgroVista UK Ltd                                  | EC                      | <i>Methylated Soyabean Oil</i><br><i>Polyalkyleneoxide</i>                                | <i>80 % w/w</i><br><i>15 % w/w</i>                       |
| Transit             | 92453         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Alcohol Ethoxylate</i><br><i>Alkoxylated fatty amine</i><br><i>Polyalkylene glycol</i> | <i>380 g/l</i><br><i>210 g/l</i><br><i>210 g/l</i>       |
| Validate            | 92262         | DeSangosse Ltd                                    | Whelehan Crop Protection                          | EC                      | <i>Alkyl ethoxylate</i><br><i>Esterified Vegetable oil</i><br><i>Lecithin (Soya)</i>      | <i>25 %w/w</i><br><i>25 %w/w</i><br><i>50 %w/w</i>       |
| Viking              | 92450         | Amega Sciences plc                                | Agrimax Ltd                                       | SL                      | <i>Alcohol Ethoxylate</i>                                                                 | <i>300 g/l</i>                                           |
| Warrior             | 92432         | Intracrop - A Division of Brian Lewis Agriculture | Intracrop - A Division of Brian Lewis Agriculture | SL                      | <i>Alcohol Ethoxylate</i>                                                                 | <i>192 g/l</i>                                           |
| Wetcit              | 92457         | Oro Agri International Ltd                        | Oro Agri International Ltd                        | SL                      | <i>Alcohol Ethoxylate</i>                                                                 | <i>8.15% w/w</i>                                         |
| Xcel                | 92458         | Sani Crop Protection                              | Sani Crop Protection                              | SC                      | <i>Alkylpolysaccharides</i><br><i>Ammonium sulphate</i>                                   | <i>100 g/l</i><br><i>450 g/l</i>                         |