

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE

Crops	Maximum Individual Dose	Maximum Total Dose	Latest Timing of Application
Winter wheat, Spring wheat, Durum wheat, Winter barley, Spring barley, Winter oats, Spring oats, Rye and Triticale.	0.5 litre product per hectare	1.0 litre product per hectare	Up to and including beginning of flowering (GS 61)

Do not apply more than two applications of products containing metrafenone to any one crop

READ ALL PRECAUTIONS BEFORE USE.

PCS No. : 03225

PRECAUTIONS

Operator protection

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

IF YOU FEEL UNWELL, seek medical advice (show label where possible).

Environmental protection

Do not contaminate water with the product or its container. (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).

STORAGE

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times.

Add washings to sprayer at time of filling and dispose of safely.

DO NOT RE-USE CONTAINER FOR ANY PURPOSE.

Store in a suitable pesticide store. Keep dry and protect from frost.

® = Registered trademark of BASF

Flexity®

A mildew fungicide with protectant and certain curative properties for use in winter and spring wheat, durum wheat, winter and spring barley, winter and spring oats, rye and triticale

A suspension concentrate containing 300 g/litre (25.2% w/w) metrafenone

Risk and Safety Information

Warning

May cause an allergic skin reaction.

Causes serious eye irritation.

Very toxic to aquatic life with long lasting effects.

Wash contaminated body parts with water and soap thoroughly after handling.

Wear protective gloves, protective clothing and eye protection or face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

May produce an allergic reaction. Contains 1,2-benzisothiazol-3(2H)-one
To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 03225

UFI : UU22-90VT-N00U-8KAP

Supplied by:
BASF Ireland DAC, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport, SK1 3GG, UK
Telephone: 00 44 (0)161 475 3000
Emergency Information (24 hours freephone): 0049 180 227 3112
Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder:
BASF plc, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport, SK1 3GG, UK
Telephone: 00 44 (0)161 475 3000



DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Flexity is a fungicide with protectant properties for use in winter and spring wheat, durum wheat, winter and spring barley, winter and spring oats, rye and triticale for the control of mildew and moderate curative control of mildew in the latent phase. On winter and spring barley, Flexity has protectant properties that give moderate control of mildew. When applied at GS 30-32 to control mildew in wheat, Flexity gives useful reduction of eyespot.

Restrictions/Warnings

For professional use only.
Wash equipment thoroughly after use.

Disease control

Powdery Mildew

Flexity is a fungicide with protectant properties on winter and spring wheat, durum wheat, rye, triticale and oats for the control of mildew and moderate curative control of mildew in the latent phase. On winter and spring barley, Flexity has protectant properties that give moderate control of mildew.

Eyespot

When applied at GS 30-32 to control mildew in wheat, Flexity gives useful reduction of eyespot.

Resistance Management

GROUP	50	FUNGICIDE
-------	----	-----------

Apply Flexity according to the instructions for the target diseases at the specific growth stage indicated. **Apply a maximum of two sprays per crop.**

Avoid the use of sequential applications of Flexity unless it is used in tank mixture or co-formulation with other active substances that are effective against powdery mildew but have different modes of action.

Flexity should be used as part of a resistance management strategy that includes use in mixtures or sequences that are effective against mildew as well as non-chemical methods e.g. cultural control.

Crop Specific Information

Flexity can be used on all varieties of winter and spring wheat, durum wheat, winter and spring barley, winter and spring oats, rye and triticale

Time of Application

Apply Flexity at the start of foliar disease attack. A maximum of two applications can be made up to the beginning of flowering in wheat, barley, rye, triticale and oats.

Rate of Application

Apply 0.5 litre Flexity in a minimum of 200 litres of water per hectare.

Following Crops

After treating a cereal crop with Flexity, cereals, oilseed rape, sugar beet, linseed, maize, clover, field beans, peas, turnips, carrots, cauliflower, onions, lettuce and potatoes can be planted as succeeding crops.

Mixing and Application

Mixing

Half fill the tank with clean water and start the agitation. To ensure thorough mixing of the product, invert the container several times before opening. Add the required quantity of Flexity to the spray tank while re-circulating. Fill up the tank with water and continue agitation until spraying is completed.

When tank mixes are to be used, take due note of any instructions given as to the order of mixing. Each product should be added separately to the spray tank and fully dispersed before the addition of any further product(s).

On emptying the container, rinse container thoroughly by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of container safely.

Application

Apply as a MEDIUM spray, as defined by BCPC.

Compatibility

For details of compatibilities contact your distributor, local BASF representative or the BASF Technical Services Hotline: 0044 845 602 2553 or visit www.agricentre.basf.ie

The following does not form part of the product label under S.I. No. 159 of 2012

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of any applicable law.

Additional Product Safety Information

The information on this label is based on the best available information including data from test results.

Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



agricentre.basf.ie/Flexity-IE/MSDS

Alternatively, contact your supplier.

Specimen-
2025 to date