



Moncut[®] DSG

FUNGICIDE

A dry powder formulation for seed treatment containing 60 g/kg flutolanil for the control of black scurf and some reduction of stem canker on seed potatoes.

PROTECT FROM FROST - STORE ABOVE 5°C

GROUP

FRAC 7

FUNGICIDE

SAFETY INFORMATION



WARNING

CAUSES SERIOUS EYE IRRITATION. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage. Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed, empty clean containers which can be disposed of as non-hazardous waste. To avoid risks to human health and the environment, comply with the instructions for use.

To avoid risks to human health and the environment, comply with the instructions for use.

UFI code: PHY4-NDF0-R008-MM2R

PCS No. 06992

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL SEED TREATMENT

Crops: Seed potatoes

Maximum individual dose: 2 kg of product per tonne of potatoes

Maximum number of treatments: One per batch

Latest time of application: At planting

Other specific restriction:

1. Treated seed must not be used for food or feed
2. Sacks containing treated seed must not be re-used for food or feed

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS

Operator protection

This product must only be applied using automated powder dispensing equipment fitted on an automatic planter. Other engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: **WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the product. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES WHEN HANDLING CONTAMINATED SURFACES.** However, other engineering controls in addition to those specified above may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product. Moncut DSG controls black scurf and some reduction of stem canker on potatoes, when applied to the seed at planting

Crops

Moncut DSG can be used on seed potatoes for the seed, ware or processing market. It can be used on the seed tubers of all varieties of early, second early and maincrop potatoes grown for ware or processing. Check with your processor before using Moncut DSG on the crop.

Timing

Moncut DSG should be applied to the seed tubers at planting.

Disease Control

Moncut DSG is a seed potato treatment which controls black scurf (*Rhizoctonia solani*) and also provides some reduction of stem canker. Where soil borne inoculum is high, treatment of seed tubers with Moncut DSG may not give full protection against infection of stems and daughter tubers.

TAKE OFF IMMEDIATELY all contaminated clothing. DO NOT BREATHE DUST. WHEN USING, DO NOT EAT, DRINK OR SMOKE. WASH HANDS AND EXPOSED SKIN before eating, drinking and smoking and after work.

Environmental protection

DO NOT CONTAMINATE WATER WITH THE PRODUCT OR ITS CONTAINER. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and disposal

KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. BURY OR REMOVE SPILLAGES. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. Empty container completely and dispose of safely. Sacks containing treated seed must not be used for food or feed.

Application

DOSE

Use Moncut DSG at 2 kg per tonne of seed potatoes.

CROP CONDITIONS

For best results the tubers should be clean and free from soil (less than 5% of surface). Disease under areas of soil/dust will not be exposed to dust and will not be controlled. Seed tubers should be of good quality and vigour (free from bacterial rots, physical damage, virus infection etc), and should not be sprouted to such an extent that mechanical damage to the shoots will occur during treatment or planting.

APPLICATION TECHNIQUES

On-planter application - specialised applicators (e.g. Team Sprayers applicator) must be attached to planters to distribute the required amount of product onto tubers as they are being planted.

STORAGE

Store above 5°C

For Safety Data Sheet relating to this product please contact your supplier or Nichino Europe

EMERGENCY NUMBER: 01235 239670

Contents:

5kg

Nichino Europe Co., Ltd.
5 Pioneer Court,
Vision Park,
Histon Cambridge
CB24 9PT

+44 (0)1223 855720

www.nichino-europe.com

Marketing by:
Nichino Netherlands B.V.
Leidseveer 2
23511 SB Utrecht
The Netherlands

A dry powder formulation for seed treatment containing 60 g/kg flutolanil for the control of black scurf and some reduction of stem canker on seed potatoes.



Moncut® DSG

FUNGICIDE

Contents:

5kg

Marketing by:
Nichino Netherlands B.V.
Leidseveer 2
23511 SB Utrecht
The Netherlands

Nichino Europe Co., Ltd.
5 Pioneer Court,
Vision Park,
Histon Cambridge
CB24 9PT
+44 (0)1223 855720
www.nichino-europe.com



PROTECT FROM FROST - STORE ABOVE 5°C

GROUP **FRAC 7** FUNGICIDE

SAFETY PRECAUTIONS



WARNING
CAUSES SERIOUS EYE IRRITATION.
HARMFUL TO AQUATIC LIFE WITH
LONG LASTING EFFECTS.

Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage. Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed, empty clean containers which can be disposed of as non-hazardous waste. To avoid risks to human health and the environment, comply with the instructions for use.

To avoid risks to human health and the environment, comply with the instructions for use.

UFI code: PHY4-NDFO-R008-MM2R

PCS No. 06992

IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL SEED TREATMENT

Crops: Seed potatoes

Maximum individual dose:
2 kg of product per tonne of potatoes

Maximum number of treatments:
One per batch

Latest time of application: At planting

Other specific restriction:

1. Treated seed must not be used for food or feed
2. Sacks containing treated seed must not be re-used for food or feed

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

PROTECT FROM FROST - STORE ABOVE 5°C

DIRECTIONS FOR USE:

Refer to individual pack.
READ CAREFULLY BEFORE
OPENING THE PACK
Material Safety Data Sheet

Batch No.: Date of
Manufacture: - See container

For Safety Data Sheet relating to this product please contact your supplier or Nichino Europe



www.nichino-europe.com

EMERGENCY NUMBER
01235 239670

Moncut® DSG

SAFETY PRECAUTIONS

Operator protection

This product must only be applied using automated powder dispensing equipment fitted on an automatic planter. Other engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the product. WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES WHEN HANDLING CONTAMINATED SURFACES.

However, other engineering controls in addition to those specified above may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. TAKE OFF IMMEDIATELY all contaminated clothing.

DO NOT BREATHE DUST.WHEN USING, DO NOT EAT, DRINK OR SMOKE.WASH HANDS AND EXPOSED SKIN BEFORE EATING, DRINKING AND SMOKING AND AFTER WORK.

Environmental protection

DO NOT CONTAMINATE WATER WITH THE PRODUCT OR ITS CONTAINER. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and disposal

KEEP OUT OF REACH OF CHILDREN.
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. BURY OR REMOVE SPILLAGES.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. Empty container completely and dispose of safely. Sacks containing treated seed must not be used for food or feed.