

**EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)****INSTRUCTIONS FOR USE****PPP: Botanigard OD (PCS No. 06787)**

CROPS: Outdoor crops of: lentils, combining peas, broad beans, dwarf french bean, runner bean, mange tout, soyabeans, linseed, sunflower, chicory, cherry, plum, pumpkin, melon, watermelon, cabbage, Brussels sprout, broccoli, cauliflower, Chinese cabbage, kale, kohlrabi, celeriac, salsify, onion, shallot, garlic, spring onion, asparagus, celery, rhubarb, leek, artichoke, strawberry, blackberry, raspberry, blueberry, cranberry, bilberry, gooseberry, elderberry, mulberry, loganberry, rubus hybrid, blackcurrant, redcurrant, plums, cherries, baby leaf crops, lettuce, lambs lettuce, herbs, rocket, spinach, spinach beet, land cress, endives, and protected mushrooms.

This approval provides for the use of the product **Botanigard OD (PCS No. 06787)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 15.11.2024.** Includes latest changes. This version should be used until updated

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

**Product name:** Botanigard OD

**Active Substance:** *Beauveria bassiana* GHA 113 g/L

**Formulation:** Oil dispersion (OD)

**Authorisation Holder:** Mycotech Europe Ltd

**Marketing Company:** Certis Europe BV

**PCS No:** 06787

**User type/Function:** Professional Use Only / Insecticide.

**Application:**

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Outdoor crops of: strawberry	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Whitefly, thrips
Outdoor crops of: blackberry, raspberry, blueberry, cranberry, bilberry, gooseberry, elderberry, mulberry, loganberry, rubus hybrid, blackcurrant, redcurrant	1.25 l/ha	12 per year	15.0 l/ha	5 days	1 day before harvest	Whitefly,
Outdoor crops of: cherries and plums	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Thrips, spider mites
Outdoor crops of: baby leaf crops, lettuce, parsley, rocket, spinach, spinach beet, herbs, lamb's lettuce, land cress, chicory, endives	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Whitefly, thrips, spider mites
Outdoor crops of: lentils, combining peas, broad beans, dwarf french bean, runner bean, mange tout, soyabeans, linseed, sunflower	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Whitefly, thrips, spider mites

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

Outdoor crops of: Pumpkin, melon, watermelon, courgette	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Whitefly, thrips, spider mites
Outdoor crops of: Cabbage, Brussels sprout, broccoli, cauliflower, Chinese cabbage, kale, kohl-rabi	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Whitefly, thrips,
Outdoor crops of: celeriac salsify	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Thrips
Outdoor crops of: Onion, shallot, garlic, spring onion	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Thrips
Outdoor crops of: Asparagus, celery, rhubarb, leek, artichoke	1.25 l/ha	25 per year	31.25 l/ha	5 days	1 day before harvest	Thrips
Protected mushrooms (Compost and casing treatment)	50 ml product per m <sup>2</sup> of growing area	4 per crop cycle	250 ml product per m <sup>2</sup> of growing area per cycle		0 days	Mushroom fly

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may only be made using a horizontal boom tractor mounted/trailer sprayer or automated overhead/gantry sprayer or by handheld sprayer only.
- (4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (5) This approval extends to professional use only.
- (6) For environmental information refer to the product label but specifically
- (7) Dangerous for bumblebees. To protect bumblebees and other pollinators, the use on flowering crops or crops that are not flowering on which bumblebees are actively foraging are in both cases allowed after sunset only

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

- (8) For operator protection refer to the product label.
- (9) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

*Advisory information:*

This approval relates to the use of Botanigard OD as a horticultural insecticide on the crops & situations listed above.

Resistance Management:

Use Botanigard OD as part of an Integrated Crop Management (ICM) strategy. Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

*IMPORTANT PLEASE NOTE:*

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***