

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Lakota (PCS No. 07223)

CROPS: *Protected tomato*

This approval provides for the use of the product **Lakota (PCS No. 07223)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 12.02.2025. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Lakota
<i>Active Substance:</i>	Chlorantraniliprole
<i>Formulation:</i>	200g/L Suspension concentrate (SC)
<i>Authorisation Holder:</i>	Galenika-Fitofarmacija
<i>Marketing Company:</i>	Galenika-Fitofarmacija
<i>PCS No:</i>	07223
<i>User type/Function:</i>	Professional Use Only / Insecticide.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Application:

<i>Crops:</i>	<i>Maximum Individual Dose:</i>	<i>Max No of applications:</i>	<i>Maximum total dose:</i>	<i>Harvest Interval:</i>	<i>Target:</i>
Protected tomato	250 mL/ha	2 per crop	500 mL/ha	1 day PHI	Tomato leaf miner (<i>Tuta absoluta</i>)

Restrictions:

A minimum interval of 7 days must be respected between applications

Other specific restrictions:

- 1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- 2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient(s).
- 3) Application by glasshouse or handheld sprayers only.
- 4) After application do not enter treated areas until the treated area is completely dry.
- 5) This approval extends to professional use only.
- 6) For operator protection refer to the product label in conjunction with these instructions.
- 7) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to use of “Lakota” as a horticultural insecticide for use on the named crops and situations listed above.

Lakota is an insecticide with systemic activity.

Resistance Management:

Apply Lakota as a protectant spray or at the first sign of pest attack.

Use “Lakota” as part of an Integrated Crop Management (ICM) strategy.

Lakota contains one active ingredient from a class of selective insecticides (anthranilic diamides) featuring a novel mode of action (group 28 in the IRAC classification). For resistance management purposes, the number of applications of group 28 insecticides is limited to 2 per crop. For additional information on the most appropriate insect resistance management strategies for group 28 insecticides (e.g. chlorantraniliprole), the reference body is the Insecticide Resistance Action Committee (IRAC) and full details are available on the IRAC website at <http://www.irac-online.org>.

Where an group 28 insecticide has previously been used on the crop (e.g., prior to planting) use no more than an additional single foliar application.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating insecticides with different modes of action is a recognised anti-resistance strategy and Lakota should always be used in conjunction with other insecticides with a different mode of action. This includes consideration of sequences involving seed treatments followed by foliar sprays.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.