

## **EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**

### **INSTRUCTIONS FOR USE**

#### **PPP: Lentagran WP (PCS No. 05580)**

#### CROPS:

Outdoor grown: Asparagus, Broccoli, Calabrese, Cauliflower, Collards, Kale, Kohlrabi, Chinese cabbage, Garlic, Shallot, Leek, Spring onion, Sweet corn, Salsify and Carrots.

This approval provides for the use of the product **Lentagran WP (PCS No. 05580)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 24.04.2025.** [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Lentagran WP
<i>Active Substance:</i>	Pyridate
<i>Formulation:</i>	45% w/w WP
<i>Authorisation Holder:</i>	Certis Belchim BV
<i>Marketing Company:</i>	Certis Belchim BV
<i>PCS No:</i>	05580
<i>User type/Function:</i>	Professional Use Only / herbicide

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

*Application:*

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Outdoor asparagus	2.0 kg/ha	1 to growing crop	4.0 kg/ha		28 days pre harvest	Black nightshade, cleavers, fat-hen, fumitory, groundsel
		1 post harvest underneath the crop.			N/A	
Broccoli, calabrese, cauliflower, kale, collards, kohlrabi, Chinese cabbage	2.0 kg/ha	1 per crop	2.0 kg/ha		42 days pre harvest	
Sweet corn	2.0 kg/ha	1 per crop	2.0 kg/ha		42 days pre harvest	
Leek	2.0 kg/ha	1 per crop	2.0 kg/ha		28 days pre harvest	
Spring onion	2.0 kg/ha	1 per crop	2.0 kg/ha		35 days pre harvest	
Salsify	2.0 kg/ha	1 per crop	2.0 kg/ha		56 days before harvest	
Garlic, shallot	2.0 kg/ha	1 per crop	2.0 kg/ha		Before 7 leaf stage	
Carrots	0.5 kg/ha	2 per crop	1.0 kg/ha	7 days	6 true leaf stage (GS 16)	Annual broad-leaved weeds

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed horizontal boom sprayer.
- (4) For use in carrots apply in a water volume of 200 - 400 litres/ha. For other crops apply in a minimum water volume of 325 litres/ha.

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

- (5) For use in carrots **do not** apply between GS 10 and 12 due to potential for crop damage
- (6) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (7) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (8) This approval extends to professional use only.
- (9) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

*Advisory information:*

This approval relates to the use of Lentagran WP as an agricultural herbicide for the control of annual dicot weeds including black nightshade, cleavers, fat-hen, fumitory, groundsel.

*Resistance Management:*

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other products from different cross-resistant groups [different mode of action, HRAC group] with satisfactory efficacy against the target. Lentagran WP contains Pyridate classed HRAC C3.

**IMPORTANT PLEASE NOTE:**

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***