

---

**Off-Label Extension of Authorisation for Minor uses (EAMU) - Food Crops as of 05/02/2026**

**Warning: Off-Label EAMU Approvals:**

*The use of any product in accordance with an off-label EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

*Instruction sheets for off-label EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.*

**Disclaimer**

*The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.*

*The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.*

*Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.*



<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	3 days before harvest	3 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
					<i>Ethephon</i>	480 g/l					
	Ceta SG	07524	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	14 days pre harvest	14 days
					<i>Acetamiprid</i>	20% w/w					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	87.8% w/w					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.437 l/ha	0.437 l/ha	1	GS 20	
					<i>Tebuconazole</i>	200 g/l					
					<i>Tebuconazole</i>	200 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Forge	07525	Pan Agriculture Ltd	Insecticide			250 g/ha	250 g/ha	1 per year	14 days pre harvest	14 days
					<i>Acetamiprid</i>	20% w/w					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	14 days pre harvest	14 days
					<i>Acetamiprid</i>	20% w/w					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Talius	04604	Corteva Agriscience UK Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Proquinazid</i>	200 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Apples</i>										
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	Before senescence	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	-	
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	-	
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	28 days
					<i>Pyridate</i>	<i>45% w/w</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-		
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>										
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azatin	06785	Mitsui Agriscience International S.A/N.V	Insecticide			1.68 L/ha	-	15 per year	3 days before harvest	3 days
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Ceta SG	07524	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide				16.0 l/ha	80.0 l/ha	5	N/A	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Forge	07525	Pan Agriculture Ltd	Insecticide				250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karma	05116	Certis Belchim BV	Fungicide				3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide				2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	3 days before harvest	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vertipin	07220	Action Pin	Fungicide			6.0 l/ha	36.0 l/ha	6 per crop	3 days before harvest	3 days
					<i>Sulphur</i>	<i>700 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide				0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide				1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 mls/ha*	1.66 l/ha*	2 per crop*	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide				0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	<i>450 g/l</i>					
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide				75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide				5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Infinito	04309	Bayer CropScience Limited	Fungicide				1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Oxathiapiprolin Metalaxyl M</i>	<i>30 g/l 174.4 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Perseus	06476	BASF plc	Fungicide	<i>Difenoconazole</i>	<i>50 g/l</i>		2.0 l/ha	2.0 l/ha	-	GS 18	14 days
				<i>Fluxapyroxad</i>	<i>75 g/l</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>		2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
Ravane	05536	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>		75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Romeo	07457	Agrauxine SA	Fungicide	<i>Cerevisane</i>	<i>941 g/kg</i>		0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>		1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>		8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc	Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>		1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
Sonata	05802	Bayer CropScience Limited	Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>		10 l/ha	60 l/ha	6 per crop	GS 89	1 day
Spanner	06922	Galenika-Fitofarmacija	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>		200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>		75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Spin	07438	Pan Agriculture Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>		200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
Stealth	06468	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>		75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Baby leaf production - protect</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Basil</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - broad</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>113 g/l</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Perseus	06476	BASF plc	Fungicide	<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG</i> <i>2348</i>	<i>375 g/kg</i>	2.0 l/ha	2.0 l/ha	1 per crop	GS 89	7 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Difenoconazole</i> <i>Fluxapyroxad</i>	<i>50 g/l</i> <i>75 g/l</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Aq Ext. germinated</i> <i>seeds of sweet Lupinus</i> <i>albus</i>	<i>100% w/w</i>	0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i> <i>amyloliquefaciens str.</i> <i>QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - broad</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	500 g/kg					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
FANTASIA	06952	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
LEES	06732	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
Peloton	06481	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide				3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Sedef	07507	Galenika-Fitofarmacija	Insecticide				0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
					<i>Flonicamid</i>	<i>500 g/kg</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - french</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	Fathom	04688	FMC Agro Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.95 l/ha	0.95 l/ha	1	GS 20	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Perseus	06476	BASF plc	Fungicide	<i>Fluxapyroxad</i> <i>Difenoconazole</i>	<i>75 g/l</i> <i>50 g/l</i>	2.0 l/ha	2.0 l/ha	1 per crop	GS 89	7 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.14 kgs/ha	0.14 kgs/ha	1	GS 71	

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - navy</i>											
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
	PROBLAD	06811	CEV S.A	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
<i>Beans - runner</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.95 l/ha	0.95 l/ha	1	GS 20	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	1 per crop	GS 89	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>											
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	0.3 l/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
<i>Beet - red</i>											
	Mitron WG	04683	Hermoo Belgium N.V.	Herbicide			2.0 kg/ha	5.0 kg/ha	3 per crop	GS 18	
					<i>Metamitron</i>	<i>70% w/w</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - sugar</i>											
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	Before row closure	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Before row closure	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
					<i>Difenoconazole</i>	<i>50 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30.0 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	0.4 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 mls/ha	2.49 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Sulphur</i>	<i>80% w/w</i>	1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
	Romeo	07457	Agrauxine SA	Fungicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
	Scala	03916	BASF plc	Fungicide	<i>Cerevisane</i>	<i>941 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Spanner	06922	Galenika-Fitofarmacija	Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide				1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Romeo	07457	Agrauxine SA	Fungicide				0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Sedef	07507	Galenika-Fitofarmacija	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	3 days pre harvest	3 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Spanner	06922	Galenika-Fitofarmacija	Insecticide				200 ml/ha	600 ml/ha	3 per crop	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide				0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>										
Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kg/ha	0.28 kg/ha	2 per crop	3 days before harvest	3 days
				<i>Flonicamid</i>	<i>500 g/kg</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
				<i>Spinosad</i>	<i>480 g/l</i>					
Triatum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
				<i>Trichoderma</i> <i>harzianum Strain T22</i>	<i>1% w/w</i>					
				<i>Trichoderma</i> <i>harzianum Strain T22</i>	<i>1% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	250 g/l					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - protected</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	10 days before harvest	10 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide				2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Romeo	07457	Agrauxine SA	Fungicide				0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Signum	03799	BASF plc	Fungicide				1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
Spanner	06922	Galenika-Fitofarmacija	Insecticide				200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide				7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>										
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
				<i>Flazasulfuron</i>	<i>25% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Bigalo	06250	Globachem nv	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.5 l/ha	-	6 weeks before harvest	6 weeks
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide	<i>Clopyralid</i>	<i>600 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	GS 49	21 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Oxathiapiprolin</i> <i>Metalaxyl M</i>	<i>30 g/l</i> <i>174.4 g/l</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	8 l/ha	48 l/ha	6		0 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Cycloxydim</i>	<i>100 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Wing P	03590	BASF plc	Herbicide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i> <i>Dimethenamid-P</i>	<i>250g/l</i> <i>212.5 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	250 g/ha	250 g/ha	1	21 days before harvest	21 days
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide	<i>Acetamiprid</i>	<i>20 %w/w</i>	0.33 l/ha	0.5 l/ha	-	GS 19	
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	GS 49	21 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Post emergence GS 16-18. 6-8 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-*	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide				2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
					<i>Napropamide</i>	<i>450 g/l</i>					
Difenofin	06218	Finchimica S.p.A	Fungicide				0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide				5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Gamit 36 CS	05357	FMC Agro Ltd	Herbicide				0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
LALGUARD M52	04811	Danstar Ferment AG	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Lentagran WP	05580	Certis Belchim BV	Herbicide				2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	<i>45% w/w</i>					
Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
Afinto	06733	ISK Biosciences Europe N.V.	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>		2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>		1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>		2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
Dedalus	07399	Barclay Chemicals Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>		2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Clethodim</i>	<i>120 g/l</i>		2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
Gamit 36 CS	05357	FMC Agro Ltd	Herbicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>		5.0 l/ha	45.0 l/ha	9 per crop	-	
Infinito	04309	Bayer CropScience Limited	Herbicide	<i>Clomazone</i>	<i>360 g/l</i>		0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
LALGUARD M52	04811	Danstar Ferment AG	Fungicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>		1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Lontrel 600	04914	Corteva Agriscience UK Ltd	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>		0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
Orondis Vip	07535	Syngenta UK Ltd	Herbicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>		0.33 l/ha	0.5 l/ha	-	6 weeks before harvest	6 weeks
PROBLAD	06811	CEV S.A	Fungicide	<i>Clopyralid</i>	<i>600 g/l</i>		0.5 l/ha	1.0 l/ha	2 per crop	GS 49	21 days
				<i>Metalaxyl M</i>	<i>174.4 g/l</i>						
				<i>Oxathiapiprolin</i>	<i>30 g/l</i>		3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
				<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>						

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	8 l/ha	48 l/ha	6		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Wing P	03590	BASF plc	Herbicide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	4.0 l/ha	4.0 l/ha	-	Before planting	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Bigalo	06250	Globachem nv	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.5 l/ha	-	6 weeks before harvest	6 weeks
					<i>Clopyralid</i>	600 g/l					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Cachet	06464	Albaugh TKI d.o.o	Herbicide			0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					<i>Diflufenican</i>	500 g/l					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	120 g/l					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	600 g/l					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	800 g/l					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	600 g/l					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	600 g/l					
	Crown MH	06589	Kreglinger Europe NV	Growth Regulator			11 l/ha	11 l/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	270 g/l					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	800 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	15 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	120 g/l					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	800 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Fazor Star	06018	UPL Holdings Cooperatief U.A.	Growth Regulator			5.0 kgs/ha	5.0 kgs/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Fytosol	06584	Fytofend S.A.	Fungicide			4.0 l/ha	60.0 l/ha	15 per crop	N/A	
					<i>COS-OGA</i>	<i>12.5 g/l</i>					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.083l/ha	0.25 l/ha*		Before 4th trye leaf stage & 55 days before harvest	55 days
					<i>Clomazone</i>	<i>360 g/l</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	ITCAN SL 270	06071	Kreglinger Europe NV	Growth Regulator			11 l/ha	11 l/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Lentagran WP	05580	Certis Belchim BV	Herbicide			0.5 kg/ha	1.0 kg/ha	2 per crop	GS 16	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Pyridate</i>	<i>45% w/w</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	5.0 l/ha	5.0 l/ha		Before GS 11	80 days
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	40 days before harvest	40 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	3.2 l/ha	19.2 l/ha		GS 94	-
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
	Roxy 800 EC	05739	Globachem nv	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Flonicamid</i>	<i>500 g/kg</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.2 l/ha	0.4 l/ha	2 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb Fluopicolide</i>	625 g/l 62.5 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.5 l/ha	-	6 weeks before harvest	6 weeks
					<i>Clopyralid</i>	600 g/l					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 49	21 days
					<i>Oxathiapiprolin Metalaxyl M</i>	30 g/l 174.4 g/l					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.6 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
	Stratos Ultra	04936	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Cycloxydim</i>	<i>100 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Tepeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Thaistar	06649	CAC Chemical GmbH	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.4 l/ha	-	Pre-emergence	
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	0.2 l/ha	0.4 l/ha	2 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Aphox	03795	Adama Agricultural Solutions UK Ltd	Insecticide			280 g/ha	280 g/ha	1 per year	3 days before harvest	3 days
					<i>Pirimicarb</i>	<i>500 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
Crozier	06482	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Difenofin	06218	Finchimica S.p.A	Fungicide				0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Emerger	06190	Bayer CropScience Limited	Herbicide				1.0 l/ha	1.0 l/ha	1 per crop	60 days before harvest	60 days
					<i>Aclonifen</i>	<i>600 g/l</i>					
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide				50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
FANTASIA	06952	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	FMC Agro Ltd	Insecticide				50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Laidir 10 CS	04932	FMC Agro Ltd	Insecticide				50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
LEES	06732	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide				50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
LS TARAK	07187	Life Scientific Limited	Insecticide				50 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			1.0 l/ha	1.0 l/ha	1 per crop	60 days before harvest	60 days
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>											
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>	0.2kg/ha during flowering	1.8 kg/ha	3 per year	7 days before harvest	7 days
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25.0% w/w</i> <i>37.5% w/w</i>	2.0 kg/ha	8.0 kg/ha	-	Before GS 09	
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	6.0 kg/ha	12.0 kg/ha	2 per crop	7 days before harvest	7 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Sulphur</i>	<i>80% w/w</i>	3.2 l/ha	9.6 l/ha	3 per year	GS 87	-
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tepeeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			6.0 kg/ha	12.0 kg/ha	2 per year	7 days before harvest	7 days
					<i>Sulphur</i>	<i>80% w/w</i>					
<i>Chicory</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.2 l/ha	0.2 l/ha	-	Before GS 16	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/L					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/L					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	480 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	480 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	480 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
					<i>Napropamide</i>	450 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	800 ml/ha	4 per crop*	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
					<i>Spinosad</i>	480 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	12% w/w					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
<i>Coriander</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i>	1017.8 g/l					
					<i>amyloliquefaciens str. QST 713</i>						
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			0.6 l/ha	1.8 l/ha	-	GS 89	3 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	2 per crop	1 day before harvest	1 day
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azatin	06785	Mitsui Agriscience International S.A/N.V	Insecticide			1.68 L/ha	-	15 per year	3 days before harvest	3 days
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide				10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karma	05116	Certis Belchim BV	Fungicide				3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide				1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Sonata	05802	Bayer CropScience Limited	Fungicide				10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Vivando	05685	BASF plc	Fungicide				0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Spanner	06922	Galenika-Fitofarmacija		Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Spin	07438	Pan Agriculture Ltd		Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L		Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiovit Gold	07440	UPL Holdings Cooperatief U.A.		Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
Tracer	02649	Corteva Agriscience UK Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>			Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 -</i>	<i>416 g/l</i>					
					<i>potassium salt</i>						
	Trianium-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma</i>	<i>1% w/w</i>					
					<i>harzianum Strain T22</i>						
					<i>Trichoderma</i>	<i>1% w/w</i>					
					<i>harzianum Strain T22</i>						

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cress - field</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azatin	06785	Mitsui Agriscience International S.A/N.V	Insecticide						3 days before harvest	3 days
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karma	05116	Certis Belchim BV	Fungicide				3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Luna Privilege	05916	Bayer CropScience Limited	Fungicide				0.6 l/ha	1.2 l/ha	2	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	14.35 g/l					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	50 %w/w					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	250 g/l					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	500 g/l					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	250 g/l					
<i>Cut logs sealed Ship conatiner</i>											
	Phostoxin Tablet	04685	Detia Freyberg GmbH	Fumigant			3 tablets / m <sup>3</sup>	3 tablets / m <sup>3</sup>	1 per batch	After phosphine gas is below 0.01ppm in air	
					<i>Aluminium phosphide</i>	56% w/w					
<i>Damsons</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Dill</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before crop germination	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before crop germination	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Elderberries</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Trianium-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*		7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Fennel</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.1 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crown MH	06589	Kreglinger Europe NV	Growth Regulator			8.9 l/ha	8.9 l/ha	1 per crop	GS 47	4 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclofenifen</i>	<i>600 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	ITCAN SL 270	06071	Kreglinger Europe NV	Growth Regulator			8.9 l/ha	8.9 l/ha	1 per crop	GS 47	4 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45% w/w</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	14 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
Ostrich	06907	Albaugh TKI d.o.o	Herbicide				2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
Peloton	06481	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	6.4 l/ha	2 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Starane Hi-Load HL	04549	Corteva Agriscience UK Ltd	Herbicide				0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Wing P	03590	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>	Zorvec Entecta	06766	Corteva Agriscience UK Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2 per crop	GS 49	28 days
					<i>Oxathiapiprolin</i>	48 g/l					
					<i>Amisulbrom</i>	240 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			16.0 l/ha	80.0 l/ha	5	N/A	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stroby WG	05092	BASF plc	Fungicide				0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide				7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide				200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	-	-	-
					<i>Flazasulfuron</i>	<i>25% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Tec-Bom		05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Tracer		02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Trianium-P		05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Grassland - seed crops</i>											
Decis Protech		05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	N/A	
					<i>Deltamethrin</i>	<i>15 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
				<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
				<i>Boscalid</i>	<i>26.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 ml/ha	1.26 l/ha	3 per crop	7 days before harvest	7 days
				<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
				<i>Napropamide</i>	<i>450 g/l</i>					
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
				<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
				<i>Fluopicolide</i>	<i>62.5 g/l</i>					
				<i>Propamocarb</i>	<i>625 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
				<i>Propyzamide</i>	<i>400 g/l</i>					
				<i>Propyzamide</i>	<i>400 g/l</i>					
Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	LS TARAK	07187	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>	75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
	Oxe	06463	Albaugh TKI d.o.o	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Perseus	06476	BASF plc	Fungicide	<i>Fluxapyroxad</i> <i>Difenoconazole</i>	<i>75 g/l</i> <i>50 g/l</i>	2.0 l/ha	2.0 l/ha	-	GS 49	14 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Ravane	05536	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
	Romeo	07457	Agrauxine SA	Fungicide	<i>Cerevisane</i>	<i>941 g/kg</i>	0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>										
Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
				<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
				<i>Cycloxydim</i>	<i>100 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
				<i>Cyprodinil</i>	<i>37.5% w/w</i>					
				<i>Fludioxonil</i>	<i>25% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
				<i>Fenhexamid</i>	<i>50 %w/w</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AQ 10	06308	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide				1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide				0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide				10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide				1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
LALGUARD M52	04811	Danstar Ferment AG	Insecticide				0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling/ before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Hops</i>											
	Fytosol	06584	Fytofend S.A.	Fungicide			4.0 l/ha	60.0 l/ha	15 per crop	N/A	
					<i>COS-OGA</i>	<i>12.5 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	2.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Peloton	06481	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Perseus	06476	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
					<i>Difenoconazole</i>	<i>50 g/l</i>					
Pilot Ultra	04955	Nissan Chemical Europe	Herbicide				2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Rapsan 500SC	05886	Globachem nv	Herbicide				1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
Ravane	05536	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Score 250 EC	04566	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Sedef	07507	Galenika-Fitofarmacija	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tepeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana</i>	<i>113 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>GHA / ATCC 74040</i>						
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Forge	07525	Pan Agriculture Ltd	Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	LS TARAK	07187	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>	75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
	Perseus	06476	BASF plc	Fungicide	<i>Fluxapyroxad</i>	<i>75 g/l</i>	2.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb Fluopicolide</i>	625 g/l 62.5 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin Boscalid</i>	6.7 % w/w 26.7 % w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			12 ml/1000 plants	12 ml/1000 plants	1	6 leaf stage before planting out	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			12 ml/1000 plants	12 ml/1000 plants	1	6 leaf stage before planting out	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Kale - For animal feed only</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	500 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	25 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
<i>Lambs lettuce</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>113 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Butisan S	04631	BASF plc	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.5 l/ha	1.5 l/ha	-	5-21 days after planting	
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
	Crozier	06482	Barclay Chemicals Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	420 mls/ha	1.26 l/ha	-	3 days before harvest	3 days
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide	<i>Prosulfocarb</i>	<i>800 g/L</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide	<i>Isoxaben</i>	<i>500 g/l</i>	0.3 l/ha	0.3 l/ha	1 per year	After transplanting	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing	<i>Tefluthrin</i>	<i>200 g/l</i>	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
	LEES	06732	Albaugh TKI d.o.o	Herbicide	<i>Prosulfocarb</i>	<i>800 g/L</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
	Lentagran WP	05580	Certis Belchim BV	Herbicide	<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	28 days before harvest	28 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	GS 49	14 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Starane Hi-Load HL	04549	Corteva Agriscience UK Ltd	Herbicide			0.3 l/ha	0.3 l/ha		28 days before harvest	28 days
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
Wing P		03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Karma	05116	Certis Belchim BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
	Romeo	07457	Agrauxine SA	Fungicide	<i>Cerevisane</i>	<i>941 g/kg</i>	0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Spanner	06922	Galenika-Fitofarmacija	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
	Spin	07438	Pan Agriculture Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>										
Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
				<i>Pendimethalin</i>	<i>250g/l</i>					
				<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	21 days before harvest	21 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karma	05116	Certis Belchim BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Corteva Agriscience UK Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST</i>	<i>2% w/w</i>					
					<i>BIPESCO 5/F52</i>						
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Linseed</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	500 ml/ha	1 per crop	GS 81	
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.17 l/ha	0.17 l/ha	-	Before GS 51	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - field</i>											
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>			pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 l/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m <sup>3</sup>	10 g/m <sup>3</sup>	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Lupins</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	-	
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	-	
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
					<i>Flonicamid</i>	<i>500 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage - open ground</i>											
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Concertina	07446	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha	2	Before GS 59	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Elate	07585	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha	2	Before GS 59	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Forage - under plastic</i>											
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Concertina	07446	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha	2	Before GS 59	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Elate	07585	Barclay Chemicals Ltd	Fungicide			1.25 l/ha	2.5 l/ha	2	Before GS 59	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Mange tout peas</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mangolds</i>											
	Mitron WG	04683	Hermoo Belgium N.V.	Herbicide			2.0 kg/ha	5.0 kg/ha	3 per crop	GS 18	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metamitron</i>	<i>70% w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Marrows</i>										
Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Difenoconazole</i>	<i>125 g/l</i>					
				<i>Azoxystrobin</i>	<i>200 g/l</i>					
Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/L</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - protected</i>											
Amistar	05072	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
Ampect	06827	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azofin	06637	Finchimica S.p.A	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karma	05116	Certis Belchim BV	Fungicide				3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Sonata	05802	Bayer CropScience Limited	Fungicide				10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - protected</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Mint</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Mushrooms</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.24 g per sq m grow area	0.96 g per sq m grow area	4 per crop	-	0 days
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			5ml/100 cubic metre	-	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			1.6 ml in 62.5 ml water per m sq	-	1 per batch	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Pyrethrum 5 EC	06255	Pelgar International	Insecticide			0.65 l/ha	1.95 l/ha	3 per crop	1 day before harvest	1 day
					<i>Pyrethrins</i>	<i>50 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			1.84 ml/62.5L water/sq m	9.2 ml/sq m	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mustard</i>											
	Fathom	04688	FMC Agro Ltd	Fungicide			1.25 l/ha	1.25 l/ha	1	GS 65	21 days
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	GS 49	21 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
<i>Oilseed Rape - spring</i>											
	Olbran	06870	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Profound	06869	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
	Proline	03786	Bayer CropScience Limited	Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 47	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.1 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	5.0 l/ha	4 per crop	GS 47	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Fytosol	06584	Fytofend S.A.	Fungicide			4.0 l/ha	60.0 l/ha	15 per crop	N/A	
					<i>COS-OGA</i>	<i>12.5 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.33 l/ha	0.5 l/ha	-	6 weeks before harvest	6 weeks
					<i>Clopyralid</i>	<i>600 g/l</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	6.4 l/ha	2 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	14 days before harvest	14 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Starane Hi-Load HL	04549	Corteva Agriscience UK Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zorvec Entecta	06766	Corteva Agriscience UK Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2 per crop	GS 49	28 days
					<i>Amisulbrom</i>	<i>240 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>48 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
Crozier	06482	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				420 mls/ha	1.26 l/ha	3	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
FANTASIA	06952	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide				5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing				10 ml/100,000 seeds	10 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Infinito	04309	Bayer CropScience Limited	Fungicide				1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
LEES	06732	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
Lentagran WP	05580	Certis Belchim BV	Herbicide				2.0 kg/ha	2.0 kg/ha	1 per crop	35 days before harvest	35 days
					<i>Pyridate</i>	<i>45% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	14 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	GS 49	14 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	14 days before harvest	14 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Onions - sets</i>											
	Fathom	04688	FMC Agro Ltd	Fungicide			0.066 l/ha	0.066 l/ha	1	Prior to planting	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
<i>Orchards - top fruit</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Ampect	06827	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Azofin	06637	Finchimica S.p.A	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Emerger	06190	Bayer CropScience Limited	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.5 l/ha	2.5 l/ha	1 per crop	Before crop germination	

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>										
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Ampect	06827	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Azofin	06637	Finchimica S.p.A	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - protected</i>											
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Romeo	07457	Agrauxine SA	Fungicide				0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Sonata	05802	Bayer CropScience Limited	Fungicide				10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.2 l/ha	0.4 l/ha	2 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Cachet	06464	Albaugh TKI d.o.o	Herbicide			0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	2.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
	Crown MH	06589	Kreglinger Europe NV	Growth Regulator			11 l/ha	11 l/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Fazor Star	06018	UPL Holdings Cooperatief U.A.	Growth Regulator			5.0 kgs/ha	5.0 kgs/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	ITCAN SL 270	06071	Kreglinger Europe NV	Growth Regulator			11 l/ha	11 l/ha	1 per crop	21 days before harvest	21 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ostrich	06907	Albaugh TKI d.o.o	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
					<i>Difenoconazole</i>	<i>50 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
	SL 567A	06709	Syngenta UK Ltd	Fungicide	<i>Pyraclostrobin</i> <i>Boscalid</i>	<i>6.7 % w/w</i> <i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1 every 2 years	GS 13	70 days
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25% w/w</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
	Thaistar	06649	CAC Chemical GmbH	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	3 days before harvest	3 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	87.8% w/w					
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator			75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	75 days
					<i>6-benzyladenine</i>	20.0 g/l					
					<i>6-benzyladenine</i>	20.0 g/l					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.437 l/ha	0.437 l/ha	1	GS 20	
					<i>Tebuconazole</i>	200 g/l					
					<i>Tebuconazole</i>	200 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Forge	07525	Pan Agriculture Ltd	Insecticide			250 g/ha	250 g/ha	1 per year	14 days pre harvest	14 days
					<i>Acetamiprid</i>	20% w/w					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	14 days pre harvest	14 days
					<i>Acetamiprid</i>	20% w/w					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Scala	03916	BASF plc	Fungicide			1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
					<i>Pyrimethanil</i>	400 g/l					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Talius	04604	Corteva Agriscience UK Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Proquinazid</i>	200 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
<i>Peas - combining</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	500 g/kg					
	Bigalo	06250	Globachem nv	Fungicide			1.0 kg/ha	2.0 kg/ha	-	21 days before harvest	21 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	2.0 kg/ha	-	21 days before harvest	21 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
					<i>Flonicamid</i>	500 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	25 g/l					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	500 g/kg					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Bigalo	06250	Globachem nv	Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 kg/ha	1.0 kg/ha	-	14 days before harvest	14 days
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7% w/w</i> <i>6.7% w/w</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	PROBLAD	06811	CEV S.A	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	0.14 kgs/ha	0.14 kgs/ha	1	GS 71	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	8 l/ha	48 l/ha	6		0 days
	Stallion Sync Tech	05483	FMC Agro Ltd	Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	Pre-crop emergence	
					<i>Clomazone</i> <i>Pendimethalin</i>	<i>30 g/l</i> <i>333 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
<i>Peppers - Chilli - protected</i>											
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			10g per 100L water	-	2	1 day pre harvest	1 day
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Ampect	06827	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azofin	06637	Finchimica S.p.A	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Botrefin	06480	Finchimica S.p.A	Fungicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25% w/w</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
	Ceta SG	07524	Unichem Limited	Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25.0% w/w</i> <i>37.5% w/w</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			16.0 l/ha	80.0 l/ha	5	N/A	
	Forge	07525	Pan Agriculture Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide	<i>Acetamiprid</i>	<i>20% w/w</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Karma	05116	Certis Belchim BV	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.0 l/ha	12.0 l/ha	-	3 days before harvest	3 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Fosetyl (-aluminium)</i> <i>Fosetyl (-aluminium)</i> <i>Propamocarb</i> <i>Propamocarb</i>	<i>310 g/l</i> <i>310 g/l</i> <i>530 g/l</i> <i>530 g/l</i>	3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Sedef	07507	Galenika-Fitofarmacija	Insecticide	<i>Flonicamid</i>	<i>500 g/kg</i>	10g per 100L water	-	2	1 day pre harvest	1 day

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
Switch	06414	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tepeki	04399	ISK Biosciences Europe N.V.	Insecticide				10g per 100L water	-	2	1 day pre harvest	1 day
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide				1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Vivando	05685	BASF plc	Fungicide				0.3 l/ha	0.6 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	113 g/l					
					<i>GHA / ATCC 74040</i>						
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.2 kg/ha during flowering	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	87.8% w/w					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	9.6 l/ha	3 per year	GS 87	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Pyraclostrobin</i>	6.7 % w/w					
					<i>Boscalid</i>	26.7 % w/w					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - seed crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			670 ml/ha	1.34 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			5 l/ha	5 l/ha	1	GS 5	
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
<i>Potatoes - ware crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			0.6 l/ha	1.8 l/ha	-	GS 89	3 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - field</i>											
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - protected</i>											
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	14.35 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
<i>Radicchio</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			200 g/ha	200 g/ha	1 per crop	GS 41 & before 31st July	28 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
Laidir 10 CS	04932	FMC Agro Ltd	Insecticide				75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Lam	04868	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
LS TARAK	07187	Life Scientific Limited	Insecticide				75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
Markate 50	05001	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Perseus	06476	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
Pilot Ultra	04955	Nissan Chemical Europe	Herbicide				2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Rapsan 500SC	05886	Globachem nv	Herbicide				1.0 l/ha	1.0 l/ha	-		
					<i>Metazachlor</i>	<i>500 g/l</i>					
Ravane	05536	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Sedef	07507	Galenika-Fitofarmacija	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
<i>Rape - fodder</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>										
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
				<i>Spinosad</i>	<i>480 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
Romeo	07457	Agrauxine SA	Fungicide				0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Sedef	07507	Galenika-Fitofarmacija	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	3 days pre harvest	3 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide				0.8 l/ha	1.6 l/ha		21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Tepeki	04399	ISK Biosciences Europe N.V.	Insecticide				0.14 kg/ha	0.28 kg/ha	2 per crop	3 days before harvest	3 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide				200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Trianum-P	05486	Koppert B.V.	Fungicide				15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Sulphur</i>	<i>80% w/w</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
	PROBLAD	06811	CEV S.A	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
	Romeo	07457	Agrauxine SA	Fungicide	<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>	0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
	Scala	03916	BASF plc	Fungicide	<i>Cerevisane</i>	<i>941 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
	Spanner	06922	Galenika-Fitofarmacija	Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	200 ml/ha	400 ml/ha	2 per crop	7 days before harvest	7 days
	Spin	07438	Pan Agriculture Ltd	Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	200 ml/ha	400 ml/ha	2 per year	7 days before harvest	7 days
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Spinosad</i>	<i>480 g/l</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide	<i>Sulphur</i>	<i>80% w/w</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	250 g/l					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>										
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
				<i>Fatty acid - C7 - C18 -</i>	<i>416 g/l</i>					
				<i>potassium salt</i>						
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
				<i>Spinosad</i>	<i>480 g/l</i>					
Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rhubarb</i>											
	Aphox	03795	Adama Agricultural Solutions UK Ltd	Insecticide			280 g/ha	280 g/ha	1 per year	3 days before harvest	3 days
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Pirimicarb</i>	<i>500 g/kg</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide	<i>Deltamethrin</i>	<i>15 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	Dormant stage	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Isoxaben</i>	<i>500 g/l</i>	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	8 l/ha	48 l/ha	6		0 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide	<i>Pendimethalin</i>	<i>455 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rocket</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	<i>450 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rocket</i>											
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
<i>Rosemary</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	15 l/ha	12 per year	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	60 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - field</i>										
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per year	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	100% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Rye - spring</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana</i>	<i>113 g/l</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	LEES	06732	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	56 days before harvest	56 days
					<i>Pyridate</i>	<i>45% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 47	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.1 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Klondike	06807	Clayton Plant Protection Ltd	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crown MH	06589	Kreglinger Europe NV	Growth Regulator			8.9 l/ha	8.9 l/ha	1 per crop	GS 47	4 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	5.0 l/ha	4 per crop	GS 47	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Flexidor	04963	Corteva Agriscience UK Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	ITCAN SL 270	06071	Kreglinger Europe NV	Growth Regulator			8.9 l/ha	8.9 l/ha	1 per crop	GS 47	4 days
					<i>Maleic hydrazide</i>	<i>270 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
LEES	06732	Albaugh TKI d.o.o	Herbicide				5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
Lentagran WP	05580	Certis Belchim BV	Herbicide				2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45% w/w</i>					
NEMGuard DE	05368	ECOspray Ltd	Nematicide				20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Orondis Vip	07535	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha	2 per crop	GS 48	14 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					
Ostrich	06907	Albaugh TKI d.o.o	Herbicide				2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
Peloton	06481	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
PROBLAD	06811	CEV S.A	Fungicide				3.2 l/ha	6.4 l/ha	2 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Starane Hi-Load HL	04549	Corteva Agriscience UK Ltd	Herbicide				0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zorvec Entecta	06766	Corteva Agriscience UK Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2 per crop	GS 49	28 days
					<i>Oxathiapiprolin</i>	<i>48 g/l</i>					
					<i>Amisulbrom</i>	<i>240 g/l</i>					
<i>Soyabeans</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide			0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Metalaxyl M</i>	<i>174.4 g/l</i>					
					<i>Oxathiapiprolin</i>	<i>30 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Perseus	06476	BASF plc	Fungicide				2.0 l/ha	2.0 l/ha	-	GS 49	14 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Ravane	05536	Globachem nv	Insecticide				75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Romeo	07457	Agrauxine SA	Fungicide				0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Spanner	06922	Galenika-Fitofarmacija	Insecticide				200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Sparviero	04469	Sipcam Oxon SpA	Insecticide				75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	LALGUARD M52	04811	Danstar Ferment AG	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.5 kgs/m <sup>3</sup>	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Orondis Vip	07535	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	GS 48	10 days
					<i>Metalaxyl M Oxathiapiprolin</i>	<i>174.4 g/l 30 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			2.0 l/ha	2.0 l/ha	-	GS 49	14 days
					<i>Fluxapyroxad Difenconazole</i>	<i>75 g/l 50 g/l</i>					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	<i>941 g/kg</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Spin	07438	Pan Agriculture Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil Fludioxonil</i>	<i>37.5% w/w 25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Corteva Agriscience UK Ltd	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Squash - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azofin	06637	Finchimica S.p.A	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/L</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>	3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Sonata	05802	Bayer CropScience Limited	Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Squash - protected</i>										
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
				<i>Trichoderma</i>	<i>12% w/w</i>					
				<i>Asperellum (strain T34)</i>						
Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
				<i>Metrafenone</i>	<i>500 g/l</i>					

**Warning EAMU approvals:**

*The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.*

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	250 g/l					
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	113 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	15 g/l					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			125 ml/ha	250 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Karma	05116	Certis Belchim BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	850 g/kg					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	Romeo	07457	Agrauxine SA	Fungicide			0.75 kg/ha	6.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Cerevisane</i>	941 g/kg					
	Spanner	06922	Galenika-Fitofarmacija	Insecticide			150 ml/ha	450 ml/ha	3 per crop	1 day before harvest	1 day
					<i>Spinosad</i>	480 g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
Spin	07438	Pan Agriculture Ltd	Insecticide				150 ml/ha	450 ml/ha	3 per crop	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide				0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide				7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide				150 ml/ha in 200L water	450 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Vertipin	07220	Action Pin	Fungicide				6.0 l/ha	36.0 l/ha	6 per crop	3 days before harvest	3 days
					<i>Sulphur</i>	<i>700 g/l</i>					

**Warning EAMU approvals:**

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2	1 day before harvest	1 day
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	150 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karma	05116	Certis Belchim BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Sequoia	05915	Corteva Agriscience UK Ltd	Insecticide			200 mls/ha	400 mls/ha	2	1 day before harvest	1 day
					<i>Sulfoxaflor</i>	<i>120 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Talius	04604	Corteva Agriscience UK Ltd	Fungicide			0.19 l/ha	0.19 l/ha	1 per crop	3 days before harvest	3 days
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Vertipin	07220	Action Pin	Fungicide	<i>Sulphur</i>	<i>700 g/l</i>	6.0 l/ha	36.0 l/ha	6 per crop	3 days before harvest	3 days
<i>Sunflower</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>113 g/l</i>	1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gamit 36 CS	05357	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	pre-emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
					<i>Difenoconazole</i>	<i>50 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Fonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30.0 kg/ha	4 per crop	0 days before harvest	0 days
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide	<i>Sulphur</i>	<i>80% w/w</i>	0.4 l/ha	0.4 l/ha	-	Pre-emergence	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sweetcorn</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	15 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lentagran WP	05580	Certis Belchim BV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1017.8 g/l					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	400 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-emergence	
					<i>Pendimethalin</i>	455 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Dimethenamid-P</i>	212.5 g/l					
					<i>Pendimethalin</i>	250g/l					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Thyme</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azatin	06785	Mitsui Agriscience International S.A/N.V	Insecticide						3 days before harvest	3 days
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
					<i>Azadirachtin A</i>	<i>26 g/L</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
Coragen	05295	FMC Agro Ltd	Insecticide				250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Forge	07525	Pan Agriculture Ltd	Insecticide				250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide				250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
Globaztar SC	05529	Globachem nv	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Karma	05116	Certis Belchim BV	Fungicide				3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
LAGUNA	07139	Galenika-Fitofarmacija	Insecticide				250 ml/ha	500 ml/ha	2 per crop	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Lakota	07223	Galenika-Fitofarmacija	Insecticide				250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Luna Privilege	05916	Bayer CropScience Limited	Fungicide				1.0 l/ha	4.0 l/ha	4	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide				2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Option	04722	Corteva Agriscience UK Ltd	Fungicide				0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
Oxe	06463	Albaugh TKI d.o.o	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	-	3.0 l/ha	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Scala	03916	BASF plc	Fungicide				0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Thaistar	06649	CAC Chemical GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Vertipin	07220	Action Pin	Fungicide				6.0 l/ha	36.0 l/ha	6 per crop	3 days before harvest	3 days
					<i>Sulphur</i>	<i>700 g/l</i>					
Vivando	05685	BASF plc	Fungicide				0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	-	Before GS22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	FANTASIA	06952	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
	LEES	06732	Albaugh TKI d.o.o	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/L</i>					
	Lontrel 600	04914	Corteva Agriscience UK Ltd	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	<i>600 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Ampect	06827	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azofin	06637	Finchimica S.p.A	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Holdings Cooperatief U.A.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Augusta	06635	Clayton Plant Protection Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Forge	07525	Pan Agriculture Ltd	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Gazelle SG	07523	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Globaztar AZT 250	07114	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/L</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Hill-Star	06809	Hillfield Trading and Investments Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	LS TARAK	07187	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/L</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Oxe	06463	Albaugh TKI d.o.o	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Perseus	06476	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	GS 49	7 days
					<i>Difenoconazole</i>	<i>50 g/l</i>					
					<i>Fluxapyroxad</i>	<i>75 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 94	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Roubaix	06720	Rotam Agrochemical Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sedef	07507	Galenika-Fitofarmacija	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquifaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia S.L	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tepeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	21 days pre harvest	21 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Thaistar	06649	CAC Chemical GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30.0 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Watermelon</i>											
	Botanigard OD	06787	Mycotech Europe Ltd	Insecticide			1.25 l/ha	31.25 l/ha	25 per crop	1 day before harvest	1 day
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>113 g/l</i>					
	PROBLAD	06811	CEV S.A	Fungicide			3.2 l/ha	19.2 l/ha	6 per crop	GS 89	-
					<i>Aq Ext. germinated seeds of sweet Lupinus albus</i>	<i>100% w/w</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
<i>Wheat - durum</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
<i>Wheat - spring</i>											
	Ally Express	02259	FMC Agro Ltd	Herbicide			50 g/ha	50 g/ha	1	GS 32	
					<i>Carfentrazone-ethyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>100 g/kg</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dedalus	07399	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

**Warning EAMU approvals:**

**The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.**

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
Spanner	06922	Galenika-Fitofarmacija	Insecticide				200 ml/ha	400 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Stroby WG	05092	BASF plc	Fungicide				0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
Thiovit Gold	07440	UPL Holdings Cooperatief U.A.	Fungicide				7 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide				200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide				120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					
<i>Whitecurrants - protected</i>											
Scala	03916	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1017.8 g/l</i>					
Spanner	06922	Galenika-Fitofarmacija	Insecticide				200 ml/ha	400 ml/ha	2 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Spin	07438	Pan Agriculture Ltd	Insecticide				200 ml/ha	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Tracer	02649	Corteva Agriscience UK Ltd	Insecticide				200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

***Warning EAMU approvals:***

***The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.***