EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: PDM 330 EC (PCS No. 03582)

CROPS:

[Outdoor grown: Asparagus, baby leaf production, field beans, celery, herbs, horseradish, lettuce, lupins, rhubarb, salsify]

For this EAMU the following crop definitions apply:

Baby leaf includes: production of baby leaf lettuce and baby leaf brassicas up to 8 true leaves, Butterhead, oakleaf, lollo rossa, lambs, iceberg, cos romaine, batavia, apollo, cress, land cress, rocket/wild rocket, red mustard, mizuna, pea shoots, salanova, red chard, tatsoi, bullsblood & multileaf types of the above list.

Perennial herbs: Angelica, balm, bay, burnet (salad), catnip, chamomile, chives, clary sage, dragonhead, fennel, horehound, hyssop, land cress, lavandin, lavender, lemon verbena, lovage, marjoram, mint, nettle, oregano, plantain, rosemary, rue, sage, sorrel, spike lavender, St john's Wort, tarragon, thyme, woodruff, yarrow.

Annual herbs: Basil, Borage, caraway, chervil, coriander, curry plant, dill, fenugreek, feverfew, marigold, nasturtium, parsley, savory, violet.

This approval provides for the use of the product <u>PDM 330 EC (PCS No. 03582)</u> in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 01.02.18. [Includes latest changes. This version should be used until

updated]

Product name: PDM 330 EC

Active Substance: Pendimethalin

Formulation: 330g/I EC

Authorisation Holder: BASF plc

Marketing Company: BASF plc

PCS No: 03582

User type/Function: Professional Use Only / herbicide.

Application:

Crop	Max.	Max.	Max.	Minimum	Latest time	Target
	individual	number of	total	interval	of application	
	dose	applications	dose	between		
				applications		
Winter and	4.0 l/ha	-	4.0 l/ha	-	Pre-crop	A range of
Spring Field					emergence	grass and
bean						broad-leaved
						weeds
Field lettuce,	4.5 l/ha	One per	4.5 l/ha	-	6 weeks pre	A range of
field baby leaf		crop			harvest	grass and
production &						broad-leaved
field herbs						weeds
Parsley root,	4.0 l/ha	One per	4.0 l/ha	-	Before crop	A range of
salsify,		crop			emergence	grass and
horseradish						broad-leaved
						weeds
Asparagus,	4.0 l/ha	One per	4.0 l/ha	-	Before crop	A range of
rhubarb &		crop			emergence	grass and
celery						broad-leaved
						weeds
Lupins	4.5 l/ha	One per	4.5 l/ha	-	Before crop	A range of
		crop			emergence	grass and
						broad-leaved
						weeds

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted sprayer or hydraulic nozzle applicator.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (6) This approval extends to professional use only.
- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of PDM 330 EC as an agricultural herbicide for the control of: A range of grass and broad-leaved weeds (see product label for more details)

Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other products from different cross-resistant groups [different mode of action, HRAC group] with satisfactory efficacy against the target.

PDM 330 EC contains Pendimethalin classed HRAC K1 dinitroaniline herbicide.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.