

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Proline (PCS No. 03786)

CROPS:

[Spring Oilseed Rape]

This approval provides for the use of the product **Proline (PCS No. 03786)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor use. The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 30.01.18. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Proline
<i>Active Substance:</i>	Prothioconazole 250g/l
<i>Formulation:</i>	Emulsifiable concentrate
<i>Authorisation Holder:</i>	Bayer CropScience Limited
<i>Marketing Company:</i>	Bayer CropScience Limited
<i>PCS No:</i>	03786
<i>User type/Function:</i>	Professional Use / Fungicide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Min. interval between applications	Latest time of application	Target
Spring Oilseed rape	0.7 l/ha	-	1.4 l/ha	-	56 days before harvest	Control of Phoma leaf spot/stem canker and <i>Sclerotinia</i> stem rot. Moderate control of Light leaf spot

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed sprayer and only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (6) This approval extends to professional use only.
- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Proline as an agricultural fungicide for use on the crops and situations listed above.

Applications should be applied protectantly or at the first signs of disease using a minimum of 100 litres of water per ha.

Growers are advised to test a small area of the crop first to ensure the application will not cause damage to the crop especially if the crop is under any stress.

Resistance Management:

This product should be applied in accordance with an anti-resistance strategy. Disease control may be reduced if strains of the pathogen less sensitive to Prothioconazole develop.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating fungicides with different modes of action is a recognised anti-resistance strategy and Proline should always be used in conjunction with other fungicides with a different mode of action / different cross resistance group with satisfactory efficacy against the target.

Prothioconazole is classed (FRAC 3) & is a DMI fungicide.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.
