EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Romeo (PCS No. 07457)

CROPS: Outdoor crops of strawberry, baby leaf crops, lettuce, endives.

Outdoor and protected crops of bilberry, blackberry, blackcurrant and redcurrant, blueberry, cranberry, gooseberry, loganberry and rubus hybrid, raspberry, parsley, rocket, spinach, spinach beet, herbs, lamb's lettuce, land cress, chicory.

Outdoor and protected ornamentals

This approval provides for the use of the product **Romeo (PCS No. 07457)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.
The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 29.01.2026. Includes latest changes. This version should be used until updated.

Product name:	Romeo
Active Substance:	Cerevisane 941 g/kg
Formulation:	Wettable powder (WP)

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Authorisation Holder: AGRAUXINE SA

Marketing Company: Fargro Ltd

PCS No: 07457

User type/Function: Professional Use Only / Fungicide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Outdoor and protected crops of: bilberry, blackberry, blackcurrant and redcurrant, blueberry, cranberry, gooseberry, loganberry and rubus hybrid, raspberry,	0.75 kg/ha	8 per crop	6.0 kg/ha	7 days	1 day before harvest	Botrytis, Powdery Mildew and Downy mildew
Outdoor crops of: strawberry	0.75 kg/ha	8 per crop	6.0 kg/ha	7 days	1 day before harvest	Botrytis
Outdoor and protected crops of: parsley, rocket, spinach, spinach beet, herbs, lamb's lettuce, land cress, chicory	0.75 kg/ha	8 per crop	6.0 kg/ha	7 days	1 day before harvest	Botrytis, Powdery Mildew and Downy mildew
Outdoor crops of: baby leaf crops, lettuce, endives	0.75 kg/ha	8 per crop	6.0 kg/ha	7 days	1 day before harvest	Botrytis, Powdery Mildew and Downy mildew
Outdoor and protected ornamentals	0.75 kg/ha	8 per crop	6.0 kg/ha	7 days	1 day before harvest	Botrytis, Powdery Mildew and Downy mildew

Other specific restrictions:

(1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

(2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
(3) Application may only be made using a horizontal boom tractor mounted/trailer sprayer or automated overhead/gantry sprayer or by handheld sprayer only.
(4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
(5) This approval extends to professional use only.
(6) For environmental information refer to the product label
(7) For operator protection refer to the product label.
(8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:
This approval relates to the use of Romeo as a horticultural fungicide on the crops & situations listed above.

Resistance Management:
Use Romeo as part of an Integrated Crop Management (ICM) strategy.
Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

IMPORTANT PLEASE NOTE:
Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.