

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: SL 567A (PCS No. 06709)

CROPS:

[Outdoor grown: parsnip]

This approval provides for the use of the product **SL 567A (PCS No. 06709)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 17.02.2025. [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	SL 567A
<i>Active Substance:</i>	Metalaxyl-m
<i>Formulation:</i>	465.2 g/L Soluble Concentrate (SL)
<i>Authorisation Holder:</i>	Syngenta UK Ltd
<i>Marketing Company:</i>	Syngenta Ireland Ltd
<i>PCS No:</i>	06709
<i>User type/Function:</i>	Professional Use Only / Fungicide

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Crop	Max. individual dose	Max. number of applications	Max. total dose	Latest time of application	Target
Parsnip	1.3 L/ha	1 application every 2 years on same area of land	1.3 L/ha	BBCH 13 (3rd true leaf unfolded). 70 days before harvest	Cavity Spot (<i>Pythium</i> spp.)

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted band sprayer only.
- (4) The area of the sprayed band must not exceed 33% of the treated field
- (5) Application must only be made between February and July
- (6) Application must be made in water volume of 1000 L/ha
- (7) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (8) This approval extends to professional use only.
- (9) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of SL 567A as a horticultural fungicide for use on the crops and situations listed above.

Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy.

SL 567A should be used on a preventive and not curative or eradication basis

Application of SL567A should be made with due regard to the FRAC guidelines

SL 567A contains Metalaxyl-m (a phenylamide fungicide), a group 4 fungicide.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.