

Plant Protection Products 2020

Issued by

**Pesticide Control Division
Department of Agriculture, Food & the Marine
Backweston Laboratory Campus
Young's Cross
Celbridge
Co. Kildare**

February 2020

	<u>Content</u>	
Introduction		<i>iii</i>
Legislation		<i>v</i>
Chapter 1	List of plant protection products	1
Chapter 2	Name changes accepted since publication of <i>Pesticides 2019</i>	79
Chapter 3	Plant Protection Products listed in <i>Pesticides 2019</i> for which registrations expired or were rescinded between 1/1/19 and 1/1/20	83
Chapter 4	Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2020.	93
Chapter 5	Marketing Companies	107
Chapter 6	Product name index by active substance	114
Chapter 7	List of off-label approvals have been granted up to 1/3/20 for use on food crops	135
Chapter 8	List of off-label approvals have been granted up to 1/3/20 for use on non-food crops	315
Chapter 9	List of Adjuvants included on the register on 1/1/20	397

ii

INTRODUCTION

This book contains the list of plant protection products that may be placed on the market and used in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009

Chapter 1 contains an alphabetical listing of the plant protection products registered on 1 January 2020. For each product, the following information is provided -

- ◆ its authorization, clearance, notification or permission to market number,
- ◆ the holder of the authorization, clearance, notification or permission to market,
- ◆ the marketing company
- ◆ the function of the product (*e.g.* herbicide, fungicide *etc.*),
- ◆ its formulation type (*e.g.* WP – wettable powder, EC – emulsifiable concentrate),
- ◆ the identity and content of each active substance in the product

Chapter 2 contains a list of the plant protection products for which a name change was accepted during 2019. Both the former and current names are provided.

Chapter 3 contains a list of the plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has expired or has been rescinded during 2019.

Chapter 4 contains a list of plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2020. The list contains the date of revocation of the registration and the date from which the use of the product will be illegal. Stocks of these products at wholesale or retail level after the registration revocation date or at user level after the use by date must be disposed of in an appropriate manner.

Chapter 5 contains the list of companies to which authorization, clearance or permission to market certificates have been issued or from which notifications have been accepted for products listed in this book, together with the

companies responsible for the marketing of the products. Addresses, and, where available, telephone and tele-facsimile numbers have been included.

Chapter 6 consists of an index of all products on the market on 1 January 2020, arranged by active substance.

Chapter 7 consists of a list of products for which off-label approvals for use on particular food crops have been granted up to 1/1/2020. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Chapter 8 consists of a list of products for which off-label approvals for use on non-food crops have been granted up to 1/1/2020. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Warning: Off-Label Approvals

Use of a plant protection product in accordance with an off-label approval is entirely at the risk of the user.

The directions for use provided on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9 consists of an alphabetical listing of adjuvants that on 1 January 2020 were included on the product register

Active substances

The current status of over 1300 active substances can be found on the EU Pesticides database at the following link.

http://ec.europa.eu/sanco_pesticides/public/?event=activesubstance.selection

Detailed information on the status of active substances under Reg (EC) No 1107/2009 including, classification, EU maximum residue levels, toxicological information, Member states in which the substance is authorised at national level is included.

This publication is issued for the guidance of the reader. While every effort has been made to ensure that the information provided is complete and accurate, it must not be construed as being a definitive statement of the pesticide products that can be marketed or used.

The formal register of plant protection products that may be marketed and used is dynamic in nature. In cases of doubt, readers are advised to contact the –

Pesticide Controls Division
Department of Agriculture, Food and the Marine

Telephone Number 01-615 7552
Facsimile Number 01-615 7575
Electronic Mail pcs@agriculture.gov.ie

Details of currently registered PPP's and the crops on which they may be used can be obtained on the PCS website at www.pcs.agriculture.ie

Information on the arrangements for the authorization of plant protection products, together with relevant application forms and guidance documentation can be obtained on application made to the Regulatory and Enforcement Unit of the Pesticide Control Division, at the following address -

Department of Agriculture, Food and the Marine
Backweston Campus
Youngs Cross
Celbridge
Co Kildare

LEGISLATION

Current statutory provisions require that prior to their marketing and use, plant protection products (PPP's) are authorized to ensure a high level of protection for humans, animals and the environment. To avoid damage to the health of those handling PPPs and ensure that the health of consumers is not compromised, it is essential that such products be used in accordance with label instructions, which, where relevant, include precautions to prevent damage to health or to the environment. The effectiveness of PPPs and their safety to crops is also assessed as part of the authorization process.

PPPs offered for sale are inspected at both wholesale and retail distribution levels, to ensure that the products on the market have been authorized, notified or granted a permission to market, in accordance with the legislation and to ensure that they are correctly packaged and labelled. In addition PPPs are sampled for subsequent analysis, to ensure that the products sold or supplied conform to the approved specification of the product authorized, notified or granted permission to market. A key element of the inspection programme undertaken involves inspections at farm level, and inspections of other end user's premises.

Agricultural produce offered for sale is routinely sampled and analyzed for its pesticide residue content. Produce found to contain residues exceeding Maximum Residue Levels (MRLs) may be destroyed at the owner's expense and without payment of compensation. In accordance with the relevant statutory provisions, offenders are liable to imprisonment, to being fined or to both. The presence of excessive residues is indicative of misuse of the PPPs concerned. The immediate and long-term health risks for consumers exposed to such residues are well established.

It should be noted that although the authorization system in place for plant protection products includes the consideration of the performance of products, in terms of their effectiveness and safety to crops, such evaluations have only been completed for plant protection products authorized since 1 October 1994. Notified and cleared plant protection products, or those granted a permission to market, at an earlier date have not been checked, by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine with regard to their effectiveness for the purpose intended.

Users of plant protection products, are reminded that label instructions concerning the handling of PPPs and the use of protective clothing and

equipment, must be carefully followed to avoid damage to the health of those concerned with their use. The adherence to label instructions concerning rates and timing of applications is essential to ensure that consumers are not at risk from the presence of excessive residues in treated crops. It is especially important that the prescribed intervals between last application and harvest be observed. Strict adherence to label instructions on method and manner of use and on disposal of packaging is necessary to avoid contamination of the environment and to prevent damage to wildlife.

The use of plant protection products in a manner other than that provided for on product labels is an offence that is subject to prosecution.

Only PPPs included in the formal register maintained by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine may be sold and used. However stocks of PPPs for which the relevant authorization, clearance, notification or permission to market has been recently withdrawn may still be available in some retail outlets. Retail distributors are advised to dispose of such stocks as soon as possible either through sale or safe disposal.

Other Publications

Pesticide Residues in Food

Pesticide Residues in Food is an annual publication containing the results of the national control programme for pesticide residues in food, carried out by the Pesticide Controls Division. The programme is aimed at ensuring that consumers are not exposed to unacceptable pesticide residues. The programme also serves to identify incidents of unauthorised use and as a means to check that pesticides are being correctly applied to crops. The control programme in place involves the sampling of imported and domestic produce of plant and animal origin.

Pesticide Usage Survey

To date Pesticide Usage surveys have been published, on grassland and fodder crops, arable crops, vegetable crops and mushrooms. These surveys have been carried out to quantify the amounts and types of pesticides being used on different

crops. The data generated provides critical information for use in assessing the impact of pesticide use on the environment and will be of great benefit in ensuring the sustainable development of the sector.

Further surveys are planned for 2020.

Copies of the Pesticide Residues in Food and the Pesticide Usage surveys are available on our website at www.pcs.agriculture.gov.ie

Chapter 1

List of Plant Protection Products

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
1,4 SIGHT	06256	DormFresh Ltd	DormFresh Ltd	Growth Regulator	HN	Professional	<i>1,4-dimethylnaphthalene</i>	980 g/kg
7C Chlormequat	04744	Taminco BVBA.	Taminco BVBA.	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
A20882B	06154	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
							<i>Triticonazole</i>	20 g/l
Accent	03842	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Nicosulfuron</i>	750 g/kg
Accurate	05654	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Acrobat MZ	04059	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Dimethomorph</i>	75 g/kg
							<i>Mancozeb</i>	667 g/kg
Actellic Smoke Generator	06236	Octavius Hunt Ltd	Octavius Hunt Ltd	Insecticide	FU	Professional	<i>Pirimiphos-methyl</i>	22.5% w/w
Adept	06254	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	ZC	Professional	<i>Diflufenican</i>	15.6 g/l
							<i>Pendimethalin</i>	313 g/l
Adexar	04966	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	62.5 g/l
							<i>Fluxapyroxad</i>	62.5 g/l
Advanced Bug Killer	04752	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	825.3 g/l
							<i>Pyrethrins</i>	4.59 g/l
Aftercut All in One Lawn Feed, Weed & Moss Killer	06246	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Aftercut All-In-One Autumn	06038	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	354.9 g/kg
							<i>Heptahydrate</i>	
Aftercut Mosskiller Plus	05521	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 %w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Agree 50 WG	06363	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Insecticide	WG	Professional	<i>Bacillus Thuringiensis aizawai strain GC-91</i>	500 g/kg
Agritox	05498	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Agritox 500	05499	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Agrizeb	03633	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	WP	Professional	<i>Mancozeb</i>	800 g/kg
Agroxone 50	05500	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Alister Flex	05183	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Diflufenican</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	120 g/l 7.5 g/l 9 g/l
Allstar	05925	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	300 g/l
Ally Express	02259	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Metsulfuron (-methyl)</i>	400 g/kg 100 g/kg
Ally Max SX	03435	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	143 g/kg 143 g/kg
Ally SX	05590	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Ally Ultra	05075	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Florasulam</i> <i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	105 g/kg 83 g/kg 83 g/kg
Alternet	05840	Certiplant N.V.	Belcrop N.V.	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Amistar	05072	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Amistar Top	04582	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Difenoconazole</i>	200 g/l 125 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Fungicide	WG	Professional	<i>Bacillus amyloliquefaciens</i> subsp. <i>plantarum</i> D747	250 g/kg
Anthem	04761	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Aphox	03795	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>Pirimicarb</i>	500 g/kg
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Acaricide	SC	Professional	<i>Clofentezine</i>	500 g/l
AQ 10	05801	CBC (Europe) S.r.l.	Fargo Limited	Fungicide	XX	Professional	<i>Ampelomyces Quisqualis</i>	58 %w/w
Arbiter	05542	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Ardee XL	05571	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Arizona	04555	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Folpet</i>	500 g/l
Ascra Xpro	05240	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	65 g/l
							<i>Fluopyram</i>	65 g/l
							<i>Prothioconazole</i>	130 g/l
Asteroid	01990	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Asteroid Biocare	03936	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Astrokerb	05322	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Aminopyralid</i>	6.3 g/l
							<i>Propyzamide</i>	500 g/l
Atak 450 EC	05205	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	450 g/l
Attraxor	06451	BASF plc	BASF Ireland Ltd	Growth Regulator	SG	Professional	<i>Prohexadione Calcium</i>	100 g/kg
Aurelia	06106	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Avadex Excel 15G	04710	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	GR	Professional	<i>Tri-allate</i>	15.63% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Avadex Factor	04756	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	CS	Professional	<i>Tri-allate</i>	450 g/l
Avella	05303	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Penthiopyrad</i>	200 g/l
Avena Nova	06385	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	EC	Professional	<i>Pinoxaden</i>	55 g/l
Aviator Xpro	05255	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	75 g/l
							<i>Prothioconazole</i>	150 g/l
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	75% w/w
Axcela	04839	Lonza Cologne GmbH	Lonza Cologne GmbH	Molluscicide	GB	Professional	<i>Metaldehyde</i>	30 g/kg
Axial Pro	06258	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Pinoxaden</i>	55 g/l
Azaka	05218	FMC Agro Ltd	FMC Agro Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Azoshys	05618	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Azoxystar	05534	Life Scientific Limited	Life Scientific Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
AZ-TEC	06036	Unichem Limited	Unichem Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Bacara Triple	06489	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	171 g/l
							<i>Flufenacet</i>	171 g/l
							<i>Metribuzin</i>	64 g/l
Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Bandon Agricultural Products Ltd	Herbicide	SL	Professional	<i>MCPA</i>	300 g/l
Bank	06403	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	UL	Professional	<i>Deltamethrin</i>	6 g/l
Banspray	05111	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	16 g/l
							<i>MCPA</i>	101 g/l
							<i>Mecoprop-P</i>	92 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Banweed Special Extra	05108	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dicamba MCPA Mecoprop-P	16 g/l 101 g/l 92 g/l
Barbarian XL	05572	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Barclay Gallup Biograde 360	02126	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Barclay Gallup Biograde 450	02434	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	450 g/l
Barclay Gallup Biograde Amenity	02910	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Barclay Gallup Hi-Aktiv	02435	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	490 g/l
Barclay Holdup 750	04743	Taminco BVBA.	Barclay Chemicals Ltd	Growth Regulator	SL	Professional	Chlormequat	750 g/l
Barclay Hudson	02915	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	Fluroxypyr	180 g/l
Barclay Keeper 200	02134	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	Ethofumesate	200 g/l
Barclay Keeper 500	02338	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	Ethofumesate	500 g/l
Barclay Propyz	04006	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	Propyzamide	400 g/l
Barclay Propyzaflash	04007	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	Propyzamide	400 g/l
Barracuda	05967	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SC	Professional	Mesotrione	100 g/l
Basagran SG	05192	BASF plc	BASF Ireland Ltd	Herbicide	SG	Professional	Bentazone	870 g/kg
Batavia	05905	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	SC	Professional	Spirotetramat	100 g/l
Bayer Garden Slug Killer	05565	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Beetshield 200	05805	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	Clopyralid	200 g/l
Beetup Flo	05272	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	Phenmedipham	160 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Belkar	06195	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i> <i>Picloram</i>	10 g/l 48 g/l
Bellis	03798	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	25.2% w/w 12.8 %w/w
Beloukha Garden	05511	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	500 g/l
Benevia 10 OD	05354	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Insecticide	OD	Professional	<i>Cyantraniliprole</i>	100 g/l
Benta 480 SL	04206	Sharda Europe b.v.b.a	Sharda Worldwide Exports Pvt Ltd	Herbicide	SL	Professional	<i>Bentazone</i>	480 g/l
Beret Gold	04278	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
Biathlon	01913	BASF plc	BASF Ireland Ltd	Herbicide	WG	Professional	<i>Tritosulfuron</i>	714.0 g/kg
Bigalo	06250	Globachem nv	Globachem nv	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	26.7% w/w 6.7% w/w
Binder	05113	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Biofresh Safestore	04732	Freshpallet Ltd	Freshpallet Ltd	Growth Regulator	GA	Professional	<i>Ethylene</i>	99.9% v/v
Biox-M	05431	Xeda International S.A.	Juno (Plant Protection) Ltd	Growth Regulator	HN	Professional	<i>Spearmint oil</i>	100% w/w
Biplay SX	03434	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	111 g/kg 222 g/kg
Biscaya	03602	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	OD	Professional	<i>Thiacloprid</i>	240 g/l
Blaster Pro	04263	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	60 g/l 240 g/l
B-Nine SG	03412	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Growth Regulator	WG	Professional	<i>Daminozide</i>	85 %w/w
Bolt	05900	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Florasulam</i> <i>Tribenuron (-methyl)</i>	200 g/kg 600 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Bonalan	05763	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	EC	Professional	<i>Benfluralin</i>	180 g/l
Bontima	05033	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i>	187.5 g/l
							<i>Isopyrazam</i>	62.5 g/l
Boogie Xpro	05256	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	50 g/l
							<i>Prothioconazole</i>	100 g/l
							<i>Spiroxamine</i>	250 g/l
Borneo	04235	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Acaricide	SC	Professional	<i>Etoxazole</i>	110 g/l
botanico BugClear Spray	05877	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	10 g/l
							<i>Pyrethrins</i>	0.1 g/l
Botanigard WP	06264	Mycotech Europe Ltd	Certis Europe BV	Insecticide	WP	Professional	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg
Boudha	04443	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	250 g/kg
							<i>Tribenuron (-methyl)</i>	250 g/kg
Boxer	02048	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Florasulam</i>	50 g/l
Brittas	06523	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	ME	Professional	<i>Clopyralid</i>	28 g/l
							<i>Fluroxypyr</i>	50 g/l
							<i>MCPA</i>	233 g/l
Broadway Star	05582	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	WG	Professional	<i>Florasulam</i>	14.2 g/kg
							<i>Pyroxslam</i>	70.8 g/kg
Bug Clear Fruit & Veg	05007	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	777 g/l
Bug Clear Fruit & Veg Gun!	05008	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	17 g/l
Bug Clear Gardener's Choice	05456	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	17 g/l
Bug Clear Ultra	02388	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	<i>Acetamiprid</i>	0.5 %w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Bug Clear Ultra Gun!	02520	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	ME	Amateur	Acetamiprid	0.05 g/l
Bug Clear Ultra Vine Weevil Killer	02386	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	Acetamiprid	5 g/l
Bugclear Ecomax	05872	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	Plant Oils / Rape seed oil Pyrethrins	700 g/l 7 g/l
BugClear Ultra 2	05897	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	Plant Oils / Rape seed oil Pyrethrins	700 g/l 7 g/l
BugClear Ultra 2 Gun!	05898	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	Plant Oils / Rape seed oil Pyrethrins	10 g/l 0.1 g/l
BugFree Bug & Larvae Killer	05928	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	Plant Oils / Rape seed oil Pyrethrins	8.25 g/l 0.045 g/l
Bugfree Bug & Larvae Killer Concentrate	06193	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	Plant Oils / Rape seed oil Pyrethrins	825.3 g/l 4.59 g/l
BugFree Bug & Larvae Killer for Roses	05929	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	Plant Oils / Rape seed oil Pyrethrins	8.25 g/l 0.045 g/l
Buguis	05450	Proplan-Plant Protection Company S.L.	Proplan-Plant Protection Company S.L.	Herbicide	EC	Professional	Clodinafop	100 g/l
Bulldog	05651	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	Diflufenican Pendimethalin	15.6 g/l 313 g/l
Bullet	06420	Doff Portland Ltd	Gemini Agriculture Ltd	Molluscicide	RB	Professional	Ferric Phosphate	29 g/kg
Butisan S	04631	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	Metazachlor	500 g/l
Butoxone DB	02968	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-DB	400 g/l
Butryflow	03659	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	Bromoxynil	401.58 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Buzzin	05490	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	WG	Professional	<i>Metribuzin</i>	700 g/kg
Cabadex	03749	Dow AgroSciences Ltd	Headland Agrochemicals Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Cadou Star	03439	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Flufenacet</i>	480 g/kg
							<i>Isoxaflutole</i>	100 g/kg
Calaris	02711	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SC	Professional	<i>Mesotriione</i>	70 g/l
							<i>Terbutylazine</i>	330 g/l
Calibre Max SX	03438	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	400 g/kg
							<i>Tribenuron (-methyl)</i>	100 g/kg
Calibre SX	03436	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	333 g/kg
							<i>Tribenuron (-methyl)</i>	167 g/kg
Callisto	02587	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Mesotriione</i>	100 g/l
CaLypso	02441	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	SC	Professional	<i>Thiacloprid</i>	480 g/l
Cameo Max SX	03135	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	250 g/kg
							<i>Tribenuron (-methyl)</i>	250 g/kg
Cameo SX	03431	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Camix	04439	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SE	Professional	<i>Mesotriione</i>	60 g/l
							<i>S-Metolachlor</i>	500 g/l
Canopy	04404	BASF plc	BASF Ireland Ltd	Growth Regulator	SC	Professional	<i>Mepiquat Chloride</i>	300 g/l
							<i>Prohexadione Calcium</i>	50 g/l
Caramba	03954	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Carpovirusine EVO2	04825	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Insecticide	SC	Professional	<i>Cydia pomonella</i>	909 g/l
							<i>Granulovirus (CpGV)</i>	

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Cauldron	03971	BASF plc	BASF Ireland Ltd	Fungicide	OD	Professional	<i>Boscalid</i> <i>Epoxiconazole</i>	140 g/l 50 g/l
Ceando	04391	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i> <i>Metrafenone</i>	83 g/l 100 g/l
Cebara	05034	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	187.5 g/l 62.5 g/l
CeCeCe 750	04736	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Celest Trio	04190	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Difenoconazole</i> <i>Fludioxonil</i> <i>Tebuconazole</i>	25 g/l 25 g/l 10 g/l
Celica	05304	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Penthiopyrad</i>	200 g/l
Cello	05066	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	100 g/l 100 g/l
Centium 360 CS	05674	FMC Agro Ltd	FMC Agro Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	360 g/l
Centurion Max	04948	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Herbicide	EC	Professional	<i>Clethodim</i>	120 g/l
Ceraide	04741	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	620 g/l
Ceratavo Plus	05969	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	100 g/l
Ceriax	04382	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Fluxapyroxad</i> <i>Pyraclostrobin</i>	41.6 g/l 41.6 g/l 66.6 g/l
Cerone	03933	Bayer CropScience Limited	Bayer CropScience Limited	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Ceta SG	06252	Unichem Limited	Unichem Limited	Insecticide	SG	Professional	<i>Acetamiprid</i>	20% w/w
Chamane	05002	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Charm	06475	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Difenconazole</i> <i>Fluxapyroxad</i>	50 g/l 75 g/l
Cheetah Extra	04314	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	69 g/l
Chikara Weed Control	04203	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25 % w/w
Choir	03648	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	7 %w/w 68 %w/w
Ciclope	05856	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	EC	Professional	<i>Clodinafop</i>	100 g/l
Cielex	05352	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Cyproconazole</i> <i>Penthiopyrad</i>	60 g/l 150 g/l
CIPC	03066	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	EC	Professional	<i>Chlorpropham</i>	400 g/l
Clap	05596	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	<i>Clopyralid</i>	300 g/l
Claw 100	05874	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Clayton Heed	06487	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Clayton Midas	06375	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EW	Professional	<i>Cyflufenamid</i>	50 g/l
Clayton Navaro	06441	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	125 g/l 125 g/l
Clayton Province	06442	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Clayton Satchmo	06374	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Clayton Tacit	06428	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	SC	Professional	<i>Flufenacet</i>	480 g/l
Clayton Xenon	06391	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	ME	Professional	<i>Carfentrazone-ethyl</i>	60 g/l
Cleanlawn Moss Control for Lawns Concentrate	05246	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Cleanrun Pro	03926	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>MCPA</i> <i>Mecoprop-P</i>	0.49 % w/w 0.29 % w/w
Clearall XL	05794	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Cleave	05552	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Cleranda	05054	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Imazamox</i> <i>Metazachlor</i>	17.5 g/l 375.0 g/l
Click Premium	06299	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbutylazine</i>	70 g/l 330 g/l
Clinic Grade	06457	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Clinic TF	05535	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Clinic Up	05776	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Cliophar 100	04899	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	100 g/l
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	600 g/l
Clipless	04577	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	120 g/l
Closer	05341	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	120 g/l
Clovermax	04773	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-DB</i> <i>MCPA</i>	240 g/l 40 g/l
CloveX	05828	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>2,4-DB</i> <i>MCPA</i>	240 g/l 40 g/l
Cobalt	06413	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	26.7% w/w 6.7% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Collage	05273	FMC Agro Ltd	FMC Agro Ltd	Herbicide	OD	Professional	<i>Nicosulfuron</i> <i>Thifensulfuron methyl</i>	60 g/l 4 g/l
Comet	02354	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	250 g/l
Comet 200	03696	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	200 g/l
Compitox Plus	02843	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Mecoprop-P</i>	600 g/l
Comrade	05698	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Cyproconazole</i>	200 g/l 80 g/l
Concorde	04751	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	150 g/l 62.5 g/l
Configure	05917	Fine Agrochemicals Ltd	Fargo Limited	Growth Regulator	SC	Professional	<i>6-benzyladenine</i>	20 g/l
Conserve	03728	Dow AgroSciences Ltd	Fargo Limited	Insecticide	SC	Professional	<i>Spinosad</i>	120 g/l
Contans WG	03287	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Coniothyrium Minitans - Strain - CON/M/91-08</i>	1 x 10 ¹²
Contans WG	05956	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Coniothyrium Minitans - Strain - CON/M/91-08</i>	1 x 10 ¹² cfu/kg
Conviso One	06436	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Foramsulfuron</i> <i>Thiencarbazone-methyl</i>	50 g/l 30 g/l
Coragen	05295	FMC Agro Ltd	FMC Agro Ltd	Insecticide	SC	Professional	<i>Chlorantraniliprole</i>	200 g/l
Corrib	05202	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Prochloraz</i>	75 g/l 300 g/l
Coupon	06271	Globachem nv	Globachem nv	Growth Regulator	SL	Professional	<i>Etephenon</i>	480 g/l
Coyote	03790	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i> <i>Triphoxytrobin</i>	75 g/l 150 g/l 75 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Credit	02932	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	Glyphosate	540 g/l
Croplink D50	04600	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	2,4-D	500 g/l
Croplink Liberty	05134	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	Dicamba	84 g/l
							Mecoprop-P	600 g/l
Croplink Maizekleen	04598	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SC	Professional	Mesotrione	70 g/l
							Terbutylazine	330 g/l
Croplink Reaper	05842	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	EC	Professional	Fluroxypyr	200 g/l
Crown MH	06217	Kreglinger Europe NV	Kreglinger Europe NV	Growth Regulator	SL	Professional	Maleic hydrazide	270 g/l
Crozier	06482	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	Prosulfocarb	800 g/l
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	WP	Professional		
							Copper oxychloride	87.8% w/w
Curzate M WG	04723	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	Cymoxanil	4.5 % w/w
							Mancozeb	68 % w/w
Cutaway	03683	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	Trinexapac ethyl	121 g/l
Cuter	05857	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	SC	Professional	Mesotrione	100 g/l
Cymbal 45	04647	Belchim Crop Protection Ltd	Whelehan Crop Protection	Fungicide	WG	Professional	Cymoxanil	45% w/w
Cymbal Flow	05790	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	SC	Professional	Cymoxanil	225 g/l
Cythrin Concentrated Caterpillar Spray	04363	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur		
							Cypermethrin	10.0 g/l
Cythrin Concentrated Garden Pest Killer	04362	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur		
							Cypermethrin	10.0 g/l
Cythrin Garden Ready-to-Use	04786	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	AL	Amateur		
							Cypermethrin	0.05 g/l
D50	02366	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	500 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Dauphin 45	04542	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	WG	Professional	Cymoxanil	450 g/kg
Dazide Enhance	03852	Fine Agrochemicals Ltd	Fargo Limited	Growth Regulator	WG	Professional	Daminozide	85 % w/w
DB Plus	90493	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	2,4-DB MCPA	240 g/l 40 g/l
Deadfast Plus Weedkiller RTU	04829	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Debut	04759	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	Triflusulfuron	500 g/kg
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Insecticide	EC	Professional	Deltamethrin	25 g/l
Decis	02693	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	Deltamethrin	25 g/l
Decis Protech	05269	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EW	Professional	Deltamethrin	15 g/l
Decoy 250 EC	06221	Bayer CropScience Limited	BASF Ireland Ltd	Fungicide	EC	Professional	Prothioconazole	250 g/l
Dedicate	05614	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	Tebuconazole Trifloxystrobin	200 g/l 100 g/l
Defy	04277	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	Prosulfocarb	800 g/l
Delan Pro	05684	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Dithianon Potassium phosphonates	125 g/l 561 g/l
Delta-Glob 25 EC	06302	Globachem nv	Globachem nv	Insecticide	EC	Professional	Deltamethrin	25 g/l
Deltagri	04987	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EC	Professional	Deltamethrin	25 g/l
Depitox	02365	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	500 g/l
Derrex	05559	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	Ferric Phosphate	29.7 g/kg
Destiny Turf	06315	Barclay Chemicals Ltd	Bayer CropScience Limited	Herbicide	EC	Professional	2,4-D Dicamba Fluroxypyr	285 g/l 52.5 g/l 105 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Destrol Amenity	04765	BASF plc	Sprayclear Environmental Ltd	Herbicide	SC	Professional	Diflufenican Glyphosate	40 g/l 250 g/l
Destrol Path & Drive Weedkiller Concentrate	05745	Sprayclear Environmental Ltd	Sprayclear Environmental Ltd	Herbicide	SC	Amateur	Diflufenican Glyphosate	40 g/l 250 g/l
Destroyer	05533	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	Metaldehyde	3% w/w
Deuce	04993	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Boscalid Epoxiconazole	233 g/l 67 g/l
Devrinol	05234	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	Napropamide	450 g/l
Diablo	05133	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	Ametoctradin Mancozeb	80 g/kg 480 g/kg
Dicash	05799	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	Dicamba	480 g/l
Dicophar	04557	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	2,4-D Dicamba MCPA Mecoprop-P	70 g/l 20 g/l 70 g/l 42 g/l
Dicophar Lawn Weedkiller	05478	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Amateur	2,4-D Dicamba MCPA Mecoprop-P	70 g/l 20 g/l 70 g/l 42 g/l
Dicophar RTU	04558	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	AL	Amateur	2,4-D Dicamba MCPA Mecoprop-P	0.7 g/l 0.2 g/l 0.7 g/l 0.42 g/l
Difcor 250 EC	04983	Globachem nv	Q-Chem NV	Fungicide	EC	Professional	Difenconazole	250 g/l
Difend	04794	Globachem nv	Globachem nv	Seed Dressing	FS	Professional	Difenconazole	30 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Difend Extra	05470	Globachem nv	Certis Europe BV	Seed Dressing	FS	Professional	<i>Difenconazole</i> <i>Fludioxonil</i>	25 g/l 25 g/l
Difenofin	06218	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Difenconazole</i>	250 g/l
Diflanil 500 SC	04358	Q-Chem NV	DHM Agrochemicals Ltd.,	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Difo 25% EC	04891	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EC	Professional	<i>Difenconazole</i>	250 g/l
Digital	03147	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional	<i>Flumioxazin</i>	300 g/l
Dimix 500 SC	05191	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dimethomorph</i>	500 g/l
Dioweed 50	02719	Nufarm UK Limited	UPL Europe Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Discman Biograde	02786	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	216 g/l
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WP	Professional	<i>Mancozeb</i>	80 % w/w
Dithane Dry Flowable Neotec	03707	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Mancozeb</i>	75% w/w
Dithianon WG	04969	BASF plc	BASF Ireland Ltd	Insecticide	WG	Professional	<i>Dithianon</i>	700 g/kg
Djembe	06543	Nufarm UK Limited	Sumitomo Chemical (U.K.) plc	Fungicide	EC	Professional	<i>Bromuconazole</i> <i>Tebuconazole</i>	167 g/l 107 g/l
Doff 24/7 Fast Acting Weedkiller	05250	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	31.02 g/l
Doff Advanced Maxi Strength Weedkiller	05906	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Doff Advanced Weedkiller	05910	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Doff Cat & Dog Repellant	92369	Sphere Laboratories (London) Ltd	Doff Portland Ltd	Repellent	SL	Amateur	<i>Aluminium ammonium sulfate</i>	10.4 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Doff Complete lawn Feed, Weed & Mosskiller	06348	Doff Portland Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Doff Concentrate Weedkiller	05907	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
Doff Concentrated Garden Path and Patio Weed Killer	05918	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	Pelargonic acid	186.7 g/l
Doff Concentrated Tough Weed Killer	05919	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	Pelargonic acid	186.7 g/l
Doff Garden Path and Patio Weed Killer	05920	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	Pelargonic acid	31.02 g/l
Doff Glyphosate Weedkiller	04997	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Doff Glyphosate Weedkiller Concentrate	04999	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
Doff Ivy & Brushwood Killer RTU	04998	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Doff Lawn Moss Killer	05479	Angus Horticulture Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7% w/w
Doff Lawn Weedkiller	05376	Hygeia Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Doff Maxi Strength Glyphosate Weedkiller	04995	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Doff Path & Patio Weedkiller RTU	04996	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Doff Pest Repel	05424	Doff Portland Ltd	Doff Portland Ltd	Repellant	AL	Amateur	Aluminium ammonium sulfate	10.4 g/l
Doff Power Up Slug and Snail Killer	06421	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	29 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Doff Ready to Use Path and Patio weedkiller	05909	Simon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Doff Rose Shield Bug & Fungus Killer	04989	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Fungicide/Insecticide	AL	Amateur	Cypermethrin Myclobutanil	0.05 g/l 0.075 g/l
Doff Slug and Snail Killer	06422	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	9.79 g/kg
Doff Super Slug Killer	05566	W. Neudorff GmbH KG	Doff Portland Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Doff Weed Killer	05921	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	Pelargonic acid	31.02 g/l
Double	05818	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	Tebuconazole Trifloxystrobin	200 g/l 100 g/l
Dow Shield 100	03861	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	Clopyralid	100 g/l
Doxstar Pro	05459	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	Fluroxypyr Triclopyr	150 g/l 150 g/l
Dual Gold	04192	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	S-Metolachlor	960 g/l
Duplosan KV	02842	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	Mecoprop-P	600 g/l
Duplosan Super	04853	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	Dichlorprop-P MCPA Mecoprop-P	310 g/l 160 g/l 160 g/l
Dynamec	04438	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	EC	Professional	Abamectin	18 g/l
Eagle	04315	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	Amidosulfuron	75% w/w
Easel	05502	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	MCPA	750 g/l
Echo Pro	05741	Unichem Limited	Unichem Limited	Herbicide	EC	Professional	Fluroxypyr	200 g/l
Ecofective Path and Patio Weed + Moss Killer	05759	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	AL	Amateur	Acetic acid	60 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Ecofective Weedblast	05758	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	<i>Acetic acid</i>	60 g/l
Ecoplug Max	05595	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	720 g/kg
Edipro	03889	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	722 g/l
Efica 960 EC	05942	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional		
Elatus Era	05379	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>S-Metolachlor</i>	960 g/l
Elatus Plus	05380	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	75 g/l
							<i>Prothioconazole</i>	150 g/l
Electis 75WG	03603	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Fungicide	WG	Professional	<i>Benzovindiflupyr</i>	100 g/l
Ella SX	05796	Life Scientific Limited	Life Scientific Limited	Herbicide	SG	Professional	<i>Mancozeb</i>	66.7% w/w
							<i>Zoxamide</i>	8.35 w/w
Elliott's Lawn Sand and Moss Killer	05415	John Hall (Fertilisers) Ltd	Thomas Elliott Fertilisers	Herbicide	GR	Amateur	<i>Metsulfuron (-methyl)</i>	200 g/kg
Elumis	04189	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	OD	Professional	<i>Ferrous Sulphate</i>	14.1% w/w
							<i>Mesotriione</i>	75 g/l
							<i>Nicosulfuron</i>	30 g/l
Embutone	04831	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-DB</i>	400 g/l
Emerger	06190	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Aclonifen</i>	600 g/l
Emesto Prime DS	05991	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	DS	Professional	<i>Penflufen</i>	20 g/kg
Eminentos 10 CS	04933	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Empire Supreme	05061	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	40 g/kg
							<i>Thifensulfuron methyl</i>	400 g/kg
Enervin SC	05995	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Ametoctradin</i>	200 g/l
Envision	01991	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	450 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Envy	05806	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Eradicoat	05211	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	598 g/l
Eradicoat Max	06020	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	476 g/l
Eraza Zero Slug Killer	06005	De Sangosse SAS	Westland Horticulture Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg
Ergon	03818	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	68 g/kg 682 g/kg
Escola	05681	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Cyproconazole</i> <i>Trifloxystrobin</i>	160 g/l 375 g/l
Esteem	06356	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Ethosat 500	02666	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	500 g/l
Evergreen Autumn Lawn Care	05005	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
Evergreen Complete 4 in 1	04724	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	16.3 % w/w 0.49 % w/w 0.29 % w/w
Evergreen Complete 4in1 Lawn Feed	06152	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Fluroxypyr</i>	2.23 g/kg 1.01 g/kg 191.3 g/kg 0.86 g/kg
Evergreen Liquid Feed & Moss	05653	Omx Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate</i> <i>Heptahydrate</i>	381.15 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Evergreen Liquid Feed & Weed	05816	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	9.0 g/l 2.1 g/l 10.5 g/l
Evergreen Mosskill Liquid	06245	Omx Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	381.15 g/l
Evergreen Premium Plus Weed Control Lawn Food	05933	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i>	0.8% w/w 0.12 % w/w
Evito T	05403	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Fungicide	SC	Professional	<i>Fluoxastrobin</i> <i>Tebuconazole</i>	180 g/l 250 g/l
Exemptor	05615	Bayer CropScience Limited	Everris Ltd	Insecticide	GR	Professional	<i>Thiacloprid</i>	10% w/w
Exilis	04702	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	<i>6-benzyladenine</i>	20.0 g/l
Exteris Stressgard	05719	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i> <i>Trifloxystrobin</i>	12.5 g/l 12.5 g/l
Eyetak 450 EC	05204	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	450 g/l
Falcon	04740	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Fandango	03787	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	100 g/l 100 g/l
Farmco 2-4D	04433	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Farmco Bixapro	06102	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i>	60 g/l 200 g/l
Farmco Cerusite	04636	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Farmco Chlormequat	05594	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Farmco Dazzle	05297	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Farmco Docs	06101	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	150 g/l 150 g/l
Farmco Duplex	04418	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	600 g/l
Farmco Epoxy	05284	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	125 g/l
Farmco Grazing Special	05121	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	60 g/l 240 g/l
Farmco Input	04692	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	160 g/l 300 g/l
Farmco Maize	04157	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SC	Professional	<i>Mesotriione</i> <i>Terbutylazine</i>	70 g/l 330 g/l
Farmco PGR	04906	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Farmco Pro-Strob	04770	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	100 g/l 100 g/l
Farmco Slugs	05676	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Molluscicide	RB	Professional	<i>Metaldehyde</i>	3% w/w
Farmco Thistles	05124	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	200 g/l 200 g/l
Farmco Tuskar	04403	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	40 g/kg 400 g/kg
Farmco Undersown	04905	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	SL	Professional	<i>2,4-DB</i>	400 g/l
Farmco Wild Oats	04925	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	69 g/l
Farmco Zealot	05299	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Farmco Zeus	05132	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Fast Acting & Long Lasting Weedkiller	04572	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	4.95 g/l 31.02 g/l
Fast Acting & Long Lasting Weedkiller Concentrate	04571	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30 g/l 186.7 g/l
Fast Action Roundup Ready to Use Weedkiller	01669	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Fastnet	06253	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	365 g/l
Fathom	04688	FMC Agro Ltd	FMC Agro Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	200 g/l
Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Growth Regulator	SG	Professional	<i>Maleic hydrazide</i>	600 g/kg
Fence	05873	Albaugh TKI d.o.o	Albaugh TKI d.o.o	Herbicide	SC	Professional	<i>Flufenacet</i>	480 g/l
Ferromex	05652	Omx Agriculture Ltd	Omx Agriculture Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	381.15 g/l
Ferromex Mosskiller Concentrate	05440	Omx Agriculture Ltd	Omx Agriculture Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	381.15 g/l
Fezan	04649	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	250 g/l
Filan	04325	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i>	50 % w/w
Finish SX	02329	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	67 g/kg 333 g/kg
Finy	05503	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Firebird	04221	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Firefly	06284	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	50 g/l 100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Fixor	05252	Amvac Netherlands B.V	Belcrop N.V.	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	100 g/l
Flagstaff	06440	De Sangosse SAS	Whelehan Crop Protection	Growth Regulator	OD	Professional	<i>Prohexadione Calcium</i>	50 g/l
Flexidor	04963	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Ioxaben</i>	500 g/l
Flexity	03225	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Metrafenone</i>	300 g/l
Flexure	06320	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	160 g/l
							<i>Spiroxamine</i>	300 g/l
Flight	02524	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	330 g/l
							<i>Picolinafen</i>	7.5 g/l
FLIPPER	05027	Alpha Biopesticides Ltd	Alpha Biopesticides Ltd	Insecticide	EW	Professional	<i>Fatty Acid - C7-C20</i>	479.8 g/l
Floramite 240 SC	02949	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Acaricide	SC	Professional		
							<i>Bifenazate</i>	240 g/l
Fluazinova	05508	Finchimica S.p.A	Barclay Chemicals Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Fluazinova Duo	05994	Finagro S.p.A	Clayton Plant Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Fluent	06407	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	<i>Flufenacet</i>	500 g/l
Flurostar 200	05090	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Fluxyr 200 EC	05787	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Folicur	04640	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Fontelis	06241	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Penthiopyrad</i>	200 g/l
Force 20 CS	06395	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	CS	Professional	<i>Tefluthrin</i>	200 g/l
Forefront	02793	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional	<i>Aminopyralid</i>	30 g/l
							<i>Fluroxypyr</i>	100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Forefront T	03800	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EW	Professional	<i>Aminopyralid</i> <i>Triclopyr</i>	30 g/l 240 g/l
Forester	02533	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EW	Professional	<i>Cypermethrin</i>	100 g/l
Foundation	05123	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>Mecoprop-P</i>	84 g/l 600 g/l
Foxtrot EW	03858	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	69 g/l
Freeze	04517	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Freeze NT	05347	Cheminova A/S	DHM Agrochemicals Ltd.,	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Frownicide	04394	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Frupica	02128	Certis Europe BV	Certis Europe BV	Fungicide	SC	Professional	<i>Mepanipyrim</i>	449.4 g/l
Fumetham	01340	Lainco S.A.	Lainco S.A.	Sterilant	SL	Professional	<i>Metam (-sodium)</i>	510 g/l
Fumi-Gas T	05930	Servem Ltd	Servem Ltd	Insecticide	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Fungazil 50 LS	01544	Certis Europe BV	Certis Europe BV	Seed Dressing	LS	Professional	<i>Imazalil</i>	50 g/l
Fungus Clear Ultra	04981	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	EC	Amateur	<i>Triticonazole</i>	10.2 g/l
Fungus Clear Ultra Gun!	04982	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	AL	Amateur	<i>Triticonazole</i>	0.15 g/l
Fungus Control and Protect	06001	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fungus Fighter Plus	06000	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fusilade Max	05073	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluazifop-P (-butyl)</i>	125 g/l
Fusion	06226	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	200 g/l 100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
G360 Xtra	05768	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Gachinko	05989	Nissan Chemical Europe	DuPont (UK) Ltd	Fungicide	SC	Professional	Amisulbrom	200 g/l
Galaxy	05473	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	Clopyralid	80 g/l
							Florasulam	2.5 g/l
							Fluroxypyr	100 g/l
Galben M	03588	FMC Agro Ltd	FMC Agro Ltd	Fungicide	WP	Professional	Benalaxyl	8% w/w
							Mancozeb	65% w/w
Galera	05188	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	Clopyralid	267 g/l
							Picloram	67 g/l
Gallup Biograde Weedkiller RTU	02588	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	7.2 g/l
Gallup Home and Garden	04738	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Gallup XL	05570	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Herbicide	CS	Professional	Clomazone	360 g/l
Garden Caterpillar Spray	03637	Arista LifeScience Benelux SPRL	Hygeia Chemicals Ltd	Insecticide	ME	Amateur	Cypermethrin	10 g/l
Garden Weedkiller	05760	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	Acetic acid	60 g/l
Garlon Ultra	04473	Dow AgroSciences Ltd	Nomix Enviro Ltd	Herbicide	SL	Professional	Aminopyralid	12 g/l
							Triclopyr	120 g/l
Garryowen XL	05660	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Gartrel	05583	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	Clopyralid	300 g/l
							Florasulam	25 g/l
GAT Decline 2.5 EC	04422	FMC Agro Ltd	FMC Agro Ltd	Insecticide	EC	Professional	Deltamethrin	25 g/l
Gavel	05089	Certis Europe BV	Certis Europe BV	Fungicide	SL	Professional	Imazalil	100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Gazelle SG	03248	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	SG	Professional	<i>Acetamiprid</i>	20 % w/w
Genoxone ZX EC	03915	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	EC	Professional	<i>2,4-D</i> <i>Triclopyr</i>	93 g/l 103.6 g/l
GF-2573	05524	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i>	7.5 g/l
GF-2895	04914	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	600 g/l
GiBB Plus	05340	Globachem nv	Globachem nv	Growth Regulator	SL	Professional	<i>Gibberellin</i>	10.0 g/l
Gleam	04420	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Metconazole</i>	37.5 g/l 27.5 g/l
Globaztar SC	05529	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Gloflo	04873	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Glosset 600 SC	06319	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Flufenacet</i>	600 g/l
Glyfos Dakar	02966	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	68 %w/w
Glyfos Supreme XL	05786	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	450 g/l
Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Goltix Titan	06474	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metamitron</i> <i>Quinmerac</i>	525 g/l 40 g/l
Gorgon	06197	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Flufenacet</i>	480 g/l
Goulding Extra-Strength Lawn Feed, Weed & Mosskiller	06352	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	<i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	0.04675% w/ 16.3% w/w 0.375% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Governor	06355	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	150 g/l 150 g/l
Granprotec	05734	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Grassrooter	06031	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Gazon 90	04261	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	60 g/l 240 g/l
Gazon Pro	05182	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	60.0 g/l 240.0 g/l
Grecale	05437	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Cymoxanil</i> <i>Fluazinam</i>	200 g/l 300 g/l
Green Up Lawn Sand	05414	Vitax Limited	Vitax Limited	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	14.1% w/w
GreenForce Clover Lawn Weedkiller	05102	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Dandelion & Daisy Weedkiller	05103	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Dandelion & Daisy Weedkiller Ready to Use	05106	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	0.4675 g/l 3.75 g/l
GreenForce Lawn Weedkiller	05101	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Lawn Weedkiller & Feed	05104	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
GreenForce Lawn Weedkiller Ready to Use	05105	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Greenmaster Autumn	05004	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	Ferrous Sulphate	16.3% w/w
Greentec Mosskiller Pro	05085	Headland Amenity Limited	Headland Amenity Limited	Herbicide	GR	Professional	Ferrous Sulphate	16.8% w/w
Griffen	06211	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	Diflufenican Flufenacet	200 g/l 400 g/l
Gro-Stop 100	03115	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	Chlorpropham	300 g/l
Gro-Stop Fog	03114	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	Chlorpropham	300 g/l
Gro-Stop HN	03113	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	Chlorpropham	300 g/l
Gro-Stop Innovator	03116	Certis Europe BV	Certis Europe BV	Growth Regulator	HN	Professional	Chlorpropham	300 g/l
Gro-Stop Ready	04828	Certis Europe BV	Certis Europe BV	Growth Regulator	EW	Professional	Chlorpropham	120 g/l
Growing Success Advanced Slug Killer	02121	W. Neudorff GmbH KG	Westland Horticulture Ltd	Molluscicide	GR	Amateur	Ferric Phosphate	10 g/kg
Growing Success Advanced Slug Killer	05561	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Growing Success Slug Killer Advanced	05432	De Sangosse SAS	Westland Horticulture Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	8.1 g/kg
GTHMF Amateur	05081	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
GTHMF Pro	05080	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Professional	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional		
Gusto 3	04959	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Molluscicide	GB	Professional	Flumioxazin	300 g/l
Haksar 500 SL	05968	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	Metaldehyde	3% w/w
Haksar Complex 260 EW	05896	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	EW	Professional	MCPA	500 g/l
							Clopyralid	20 g/l
							Fluroxypyr	40 g/l
							MCPA	200 g/l
Harmony M SX	02330	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	Metsulfuron (-methyl)	40 g/kg
							Thifensulfuron methyl	400 g/kg
Harmony Max SX	02883	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	Metsulfuron (-methyl)	29 g/kg
							Thifensulfuron methyl	429 g/kg
Harmony SX	02283	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	Thifensulfuron methyl	500 g/kg
HARPUN	05939	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	Pyriproxyfen	100 g/l
Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Herbicide	EC	Professional		
							Fluroxypyr	200 g/l
Headland Relay	05015	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	Dicamba	19.5 g/l
							MCPA	245 g/l
							Mecoprop-P	43.3 g/l
Headland Spruce	04772	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	2,4-DB	400 g/l
Headland Sulphur	90731	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Fungicide	SC	Professional	Sulphur	800 g/l
Helix	05067	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional		
							Prothioconazole	160 g/l
							Spiroxamine	300 g/l
Helosate 450 SL	04539	Helm AG Ltd	Helm AG Ltd	Herbicide	SL	Professional	Glyphosate	450 g/l
Hempacide 30	03531	Hygeia Chemicals Ltd	Goldcrop Ltd	Herbicide	SL	Professional	MCPA	300 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Herboxone	02416	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	500 g/l
Heritage	05062	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	Azoxystrobin	500 g/kg
Heritage Maxx	05063	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	DC	Professional	Azoxystrobin	95 g/l
Hiatus	06322	Rotam Agrochemical Europe Ltd	Rohm and Haas Europe Trading ApS	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	400 g/kg
							<i>Tribenuron (-methyl)</i>	150 g/kg
High Load Mircam	04578	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	Dicamba	80 g/l
							Mecoprop-P	600 g/l
Hilite	02455	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	Glyphosate	144 g/l
Holster XL	04854	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	2,4-D	285 g/l
							Dicamba	52.5 g/l
							Fluroxypyr	105 g/l
Homebase Lawn Weedkiller	05326	Hygeia Chemicals Ltd	Homebase Ltd	Herbicide	AL	Amateur	Dicamba	0.4675 g/l
							Mecoprop-P	3.75 g/l
Homeland Lawn Feed, Weed & Mosskiller	06339	Hygeia Chemicals Ltd	Aurivo Co-operative Society Ltd	Herbicide	GR	Amateur	2,4-D	2.86 g/kg
							Dicamba	0.57 g/kg
							Ferrous Sulphate	217.3 g/kg
							Mecoprop-P	2.86 g/kg
Hubble	05288	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Dimethomorph</i>	200 g/l
							<i>Fluazinam</i>	200 g/l
Hurler	05077	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	Fluroxypyr	200 g/l
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Hyban P	04654	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dicamba	18.7 g/l
							Mecoprop-P	150 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Hygeia Greenforce 4 in 1 Lawn Feed Weed and Mosskiller	06351	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	Dicamba Ferrous Sulphate Mecoprop-P	0.4675% w/w 16.3% w/w 0.375% w/w
Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer	05963	Sipcam U.K. Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	Acetic acid	60 g/l
Hygeia Lawn Feed, Weed and Mosskiller	05228	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	Dicamba Ferrous Sulphate Mecoprop-P	0.04675 % w/ 16.3 % w/w 0.375 % w/w
Hygrass P	04653	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dicamba Mecoprop-P	18.7 g/l 150 g/l
Hygrass Xtra	06010	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	2,4-D Dicamba	344 g/l 120 g/l
HY-MCPA 50	06418	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	MCPA	500 g/l
HY-MCPA 500	05765	Ciech Sarzyna S.A	Hygeia Chemicals Ltd	Herbicide	SL	Professional	MCPA	500 g/l
Hymec Triple	03890	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dichlorprop-P MCPA Mecoprop-P	310 g/l 160 g/l 130 g/l
Hyprone P	04651	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dicamba MCPA Mecoprop-P	16 g/l 101 g/l 92 g/l
Hysward P	04652	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	Dicamba MCPA Mecoprop-P	16 g/l 101 g/l 92 g/l
Hytrol Glyphosate	02560	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	162 g/l
Hytrol Lawn Weedkiller	04655	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Dicamba Mecoprop-P	4.675 g/l 37.5 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Hytrol Lawn Weedkiller Ready to Use	04656	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Hytrol Nettle Killer	05100	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Dicamba Mecoprop-P	4.675 g/l 37.5 g/l
Hytrol Total Liquid Ready to Use	04546	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Hytrol Total Liquid Weedkiller	04545	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
Icade	04249	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	Aminopyralid Triclopyr	12 g/l 120 g/l
Icarus	04421	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	Epoxiconazole Metconazole	37.5 g/l 25.0 g/l
Imtrex	04965	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	Fluxapyroxad	62.5 g/l
Inca	04457	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	Epoxiconazole	125 g/l
Inception Xpro	05949	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	Bixafen	125 g/l
Infinito	04309	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	Fluopicolide Propamocarb	62.5 g/l 625 g/l
Inka Max SX	04842	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	Thifensulfuron methyl Tribenuron (-methyl)	250 g/kg 250 g/kg
Insignia	02280	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	Pyraclostrobin	200 g/kg
Instore Glyphosate Weedkiller	02997	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Instrata Elite	05399	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	Difenoconazole Fludioxonil	80.3 g/l 80.3 g/l
Insyst	03249	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	WP	Professional	Acetamiprid	20 %w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Interest	05697	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	Difenconazole	30 g/l
IronMax Pro	06513	De Sangosse SAS	Bayer CropScience Limited	Molluscicide	RB	Professional	Ferric Phosphate	24.2 g/l
Irox	05558	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	Ferric Phosphate	29.7 g/kg
Isonet T	06591	CBC (Europe) S.r.l.	Fargro Limited	Attractant	VP	Professional	(E,Z)-3,8-Tetradecatrien-1-yl acetate (E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate	86.6 g/kg 750.3 g/kg
ITCAN SL 270	05827	Kreglinger Europe NV	Kreglinger Europe NV	Growth Regulator	SL	Professional	Maleic hydrazide	270 g/l
J Arthur Bowers Lawn Sand 2	05454	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7 %w/w
J Arthur Bower's Lawn Sand Mosskiller	05412	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7 g/kg
J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules	06247	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Jaboland	05039	I.A.B. SL	I.A.B. SL	Insecticide	SL	Professional	Fatty acid - C7 - C18 - potassium salt	416 g/l
Jabolim	05041	I.A.B. SL	Quimicas Meristem S.L.	Insecticide	SL	Professional	Fatty acid - C7 - C18 - potassium salt	416 g/l
Jade	06283	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	Prothioconazole Tebuconazole	125 g/l 125 g/l
Jadex-o-720	04771	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Growth Regulator	SL	Professional	Chlormequat	720 g/l
Jewel	02953	FMC Chemical s.p.r.l.	Everris Ltd	Herbicide	SG	Professional	Carfentrazone-ethyl Mecoprop-P	15 g/kg 600 g/kg
Job Done General Purpose Weedkiller Concentrate	05853	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Job Done General Purpose Weedkiller Ready to Use	05854	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	Glyphosate	7.2 g/l
Job Done, Path Weedkiller	05878	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	Diflufenican	0.3 g/l
							Glyphosate	1.8 g/l
Job Done, Tough Weedkiller	05879	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	Diflufenican	0.3 g/l
							Glyphosate	1.8 g/l
Jura	05554	Globachem nv	Globachem nv	Herbicide	EC	Professional	Diflufenican	14 g/l
							Prosulfocarb	667 g/l
Juventus	05780	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	Metconazole	90 g/l
K2	04742	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	Chlormequat	620 g/l
Kaligreen	92412	OAT Agrio Co., Ltd.	Arysta Life Science S.A.S.	Fungicide	SP	Amateur/Professional	Potassium Hydrogen Carbonate	820 g/kg
Karate Zeon	04084	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	lambda-Cyhalothrin	100 g/l
Karis 10 CS	04454	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	lambda-Cyhalothrin	100 g/l
Karma	05116	Certis Europe BV	Certis Europe BV	Fungicide	SP	Professional	Potassium Hydrogen Carbonate	850 g/kg
Katamaran	04935	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	Metazachlor	375 g/l
							Quinmerac	125 g/l
Katamaran Turbo	04931	BASF plc	BASF Ireland Ltd	Herbicide	SE	Professional	Dimethenamid-P	200 g/l
							Metazachlor	200 g/l
							Quinmerac	100 g/l
Katoun Gold	05512	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Professional	Pelargonic acid	500 g/l
Kayak	05476	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	Cyprodinil	300 g/l
Kerb Flo	02830	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	Propyzamide	400 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Keypro	05589	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	SL	Professional	Cyproconazole	100 g/l
Keystone	05025	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	Epoxiconazole	99 g/l
							Isopyrazam	125 g/l
Kinto	05086	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	Prochloraz	60 g/l
							Triticonazole	20 g/l
Kinto Plus	06291	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	Fludioxonil	33.3 g/l
							Fluxapyroxad	33.3 g/l
							Triticonazole	33.3 g/l
Kinvara	05381	Barclay Chemicals Ltd	Terrachem Ltd	Herbicide	ME	Professional	Clopyralid	28 g/l
							Fluroxypyr	50 g/l
							MCPA	233 g/l
Knockdown Glyphosate Weedkiller	04068	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
K-Obiol EC25	03641	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	Deltamethrin	25 g/l
K-Obiol ULV 6	03642	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	UL	Professional	Deltamethrin	6 g/l
Kunshi	04785	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	WG	Professional	Cymoxanil	250 g/kg
							Fluazinam	375 g/kg
Kyleo	05271	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	160 g/l
							Glyphosate	240 g/l
Ladir 10 CS	04932	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	lambda-Cyhalothrin	100 g/l
Landmaster 360 TF	05762	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Landscaper Pro Feed Weed Mosskiller	05587	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	Ferrous Sulphate	16.3% w/w
							MCPA	0.49% w/w
							Mecoprop-P	0.29% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Landscaper Pro Moss Control + Fertilizer	04973	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w
Landscaper Pro Triple Action	05767	The Scotts Company (UK) Ltd	ICL UK & Ireland	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
							<i>MCPA</i>	0.49% w/w
							<i>Mecoprop-P</i>	0.29% w/w
Landscaper Pro Weed Control + Fertilizer	05576	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>2,4-D</i>	0.8% w/w
							<i>Dicamba</i>	0.12% w/w
Latitude	02226	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Latitude XL	04721	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Lector	05578	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Florasulam</i>	50 g/l
Lector Delta	04926	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
							<i>Florasulam</i>	50 g/l
Legado	06202	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Legion	05179	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metazachlor</i>	375 g/l
							<i>Quinmerac</i>	125 g/l
Legumex DB	90605	Hygeia Chemicals Ltd	Croplink (Ireland) Ltd	Herbicide	SL	Professional	<i>2,4-DB</i>	240 g/l
							<i>MCPA</i>	40 g/l
Lentagran WP	05580	Belchim Crop Protection NV	Whelehan Crop Protection	Herbicide	WP	Professional	<i>Pyridate</i>	45% w/w
Lentyma	06412	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	66.7 g/l
							<i>Mefentrifluconazole</i>	66.7 g/l
Lepinox Plus	05254	CBC (Europe) S.r.l.	Fargro Limited	Insecticide	WP	Professional	<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	375 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Librax	04968	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Metconazole</i>	62.5 g/l 45.0 g/l
Lieto	05672	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Zoxamide</i>	330 g/kg 330 g/kg
Life Scientific Lambda	04868	Life Scientific Limited	Life Scientific Limited	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Life Scientific Trinex	04872	Life Scientific Limited	Life Scientific Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Lima Gold 5%	04961	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	5% w/w
Limitar	05047	Certiplant N.V.	Belcrop N.V.	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Longbow	04559	Arysta LifeScience Benelux SPRL	Bayer CropScience Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	70 g/l 20 g/l 70 g/l 42 g/l
Lontrel 72SG	05843	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SG	Professional	<i>Clopyralid</i>	720 g/kg
Lorate	05591	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/l
LSTF Amateur	05083	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 % w/w
LSTF Pro	05082	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	7.7 % w/w
Lumiposa	06257	DuPont (UK) Ltd	DuPont (UK) Ltd	Seed Dressing	FS	Professional	<i>Cyantraniliprole</i>	625 g/l
Luna Privilege	05916	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i>	500 g/l
Lupo	02979	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>MCPA</i>	345 g/l 345 g/l
M50	05505	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SG	Professional	<i>MCPA</i>	500 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Macfare Xpro	06521	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	65 g/l
							<i>Fluopyram</i>	65 g/l
							<i>Prothioconazole</i>	130 g/l
Maestro	04850	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i>	100 g/l
Magnello	04118	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	100 g/l
							<i>Difenoconazole</i>	100 g/l
							<i>Tebuconazole</i>	250 g/l
Maintain	05365	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	120 g/l
Majestik	05677	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	598 g/l
Mandarin Xpro	05258	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	60 g/l
							<i>Prothioconazole</i>	200 g/l
Manfil 75 WG	03598	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	75 % w/w
Manfil 80 WP	03563	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WP	Professional	<i>Mancozeb</i>	800 g/kg
Manipulator	05445	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	620 g/l
Markate 50	05001	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	50 g/l
Mastercrop Bandit	05109	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	16 g/l
							<i>MCPA</i>	101 g/l
							<i>Mecoprop-P</i>	92 g/l
Mastercrop MCDA 50	05510	Hygeia Chemicals Ltd	Glanbia plc.	Herbicide	SL	Professional	<i>MCDA</i>	500 g/l
Mastercrop Undersown	91839	Hygeia Chemicals Ltd	Glanbia plc	Herbicide	SL	Professional	<i>2,4-DB</i>	240 g/l
							<i>MCDA</i>	40 g/l
Maton	02720	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>2,4-D</i>	600 g/l
Mavita 250 EC	05941	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Maxicrop Mosskiller and Lawn Tonic	05150	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	375 g/l
Maxicrop Professional Moss Killer and Conditioner	05149	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	375 g/l
Maxim 100 FS	04226	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	100 g/l
Medallion TL	04188	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Fludioxonil</i>	125 g/l
Medax Max	05507	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	50 g/kg
							<i>Trinexapac ethyl</i>	75 g/kg
Met 52 Granular	04811	Novozymes France S.A.S.	Fargo Limited	Insecticide	GR	Professional	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	2% w/w
Met52 OD	05859	Novozymes France S.A.S.	Fargo Limited	Insecticide	OD	Professional	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	104.83 g/l
Metarex Inov	04852	De Sangosse SAS	Bayer CropScience Limited	Molluscicide	GB	Professional	<i>Metaldehyde</i>	40 g/kg
Meteor	04750	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	368 g/l
							<i>Imazaquin</i>	0.8 g/l
Metfin	05945	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Metric	06276	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	ZC	Professional	<i>Clomazone</i>	60 g/l
							<i>Metribuzin</i>	233 g/l
Metro 20	02863	Mitsui Agriscience International S.A./N.V.	Mitsui Agriscience International S.A./N.V.	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	20 %w/w
Mettle	03788	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i>	100 g/l
							<i>Prothioconazole</i>	100 g/l
Micaraz	05029	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	90 g/l
							<i>Isopyrazam</i>	125 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Microthiol Special	90548	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Sulphur</i>	80 %w/w
Minstrel	04782	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Mirador	05955	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Mirage	05180	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	450 g/l
Mircam Plus	05017	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i>	19.5 g/l
							<i>MCPA</i>	245 g/l
							<i>Mecoprop-P</i>	43.3 g/l
Mirror	06425	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Folpet</i>	500 g/l
Mitron 700 SC	06516	Certiplant N.V.	Belcrop N.V.	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Mizr XL	05162	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Moddus	03849	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Modem	02355	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	250 g/l
Modem 200	03695	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	200 g/l
MON 79351	04009	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	480 g/l
Monitor	02076	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	WG	Professional	<i>Sulfosulfuron</i>	80% w/w
Monolith	05868	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Mesosulfuron - methyl</i>	45 g/kg
							<i>Propoxycarbazone - sodium</i>	67.5 g/kg
Monosate G	05605	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Mortone	03529	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	300 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Mortone Gold	06419	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	750 g/l
Mortox 50	02635	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Most Micro	04837	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	365 g/l
Movento	05349	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	OD	Professional	<i>Spirotetramat</i>	150 g/l
Moxa	04915	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Moxa EC	05439	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Moxa New	05487	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	200 g/l
Moximate 725 WG	04670	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	4.5% w/w 68% w/w
Moximate 725 WP	04514	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	4.5% w/w 68% w/w
Multirose Concentrate 2	05314	SBM Developpement SAS	SBM Life Science Ltd	Fungicide/Insecticide	SE	Amateur	<i>Deltamethrin</i> <i>Tebuconazole</i>	0.5 g/l 10 g/l
Multirose2	04800	Arysta LifeScience Benelux SPRL	Bayer Garden	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l
Mycostop	04713	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Streptomyces K61</i>	25% w/w
Naceto	05778	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Nakar	05042	I.A.B. SL	Seipasa S.A.	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Nando 500SC	05387	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Narita	04950	Globachem nv	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Nativo 75 WG	04642	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	Tebuconazole Triphoxystrobin	500 g/kg 250 g/kg
Naturalis-L	04187	CBC (Europe) S.r.l.	Fargo Limited	Insecticide	OD	Professional	<i>Beauveria bassiana</i> GHA / ATCC 74040	7.16 % w/w
Nautile DG	04540	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	Cymoxanil Mancozeb	5% w/w 68% w/w
Nautius	05187	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	400 g/kg 150 g/kg
Navigate	05667	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SC	Professional	Diflufenican Flufenacet	200 g/l 400 g/l
Nemathorin 10G	02867	ISK Biosciences Europe N.V.	Syngenta Ireland Ltd	Nematicide	FG	Professional	<i>Fosthiazate</i>	10 %w/w
NEMGuard DE	05368	ECOspray Ltd	Certis Europe BV	Nematicide	GR	Professional	<i>Garlic Extract</i>	450 g/kg
Neo Stop	03065	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	DP	Professional	<i>Chlorpropham</i>	1 % w/w
Neo Stop 300 HN	05213	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	300 g/l
Neo-Stop L500 HN	03053	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	HN	Professional	<i>Chlorpropham</i>	500g/l
Neudorff Fast Acting Moss & Algae Killer	05245	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l
Neudorff Fast Acting Weedkiller	05248	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	31.02 g/l
New Hyflux	05268	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
New Hytrol	04669	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	WG	Amateur	<i>Glyphosate</i> <i>Metamitron</i>	9.6% w/w 14% w/w
New Rate 2,4-D Ester	02721	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	EC	Professional	2,4-D	600 g/l
New-Way Weed Spray	05603	Punya Innovation ApS	Headland Amenity Limited	Herbicide	SL	Professional	<i>Acetic acid</i>	240 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
New-Way Weed Spray RTU	05753	Punya Innovation ApS	Punya Innovation ApS	Herbicide	AL	Amateur	Acetic acid	60 g/l
Nexide CS	04238	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	Gamma-Cyhalothrin	60 g/l
Next	05695	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	EC	Professional	Trinexapac ethyl	250 g/l
Nexus	06558	Certiplant N.V.	Unichem Limited	Growth Regulator	EC	Professional	Trinexapac ethyl	250 g/l
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional		
Ninja 10CS	05178	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	Bupirimate	250 g/l
Nirvana	03063	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	lambda-Cyhalothrin	100 g/l
Nissodium	05514	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	EW	Professional	Imazamox	16.7 g/l
Nomix Blade	03854	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	Pendimethalin	250 g/l
Nomix Conqueror Amenity	05332	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	Cyflufenamid	50 g/l
Nomix Dual	03080	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	Glyphosate	120 g/l
Nortron 50 SC	05803	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	Sulfosulfuron	2.22 g/l
Novagib	05927	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	Ethofumesate	500 g/l
NU46	05501	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	Gibberellin	10 g/l
Nuance	06386	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	MCPA	500 g/l
Oblix 500	05286	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	Tribenuron (-methyl)	750 g/kg
Oblix MT	06286	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	Ethofumesate	500 g/l
							Metamitron	150 g/l
								350 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Obsthormon 24a	05764	L. Gobbi srl	151 Products Ltd	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	84 g/l
Ohayo	05610	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Omnera LQM	05771	FMC Agro Ltd	FMC Agro Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i>	135 g/l
							<i>Metsulfuron (-methyl)</i>	5 g/l
							<i>Thifensulfuron methyl</i>	30 g/l
Opera	05190	BASF plc	BASF Ireland Ltd	Fungicide	SE	Professional	<i>Epoxiconazole</i>	50 g/l
							<i>Pyraclostrobin</i>	133 g/l
Optica	02661	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	600 g/l
Optica Trio	05337	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dichlorprop-P</i>	310 g/l
							<i>MCPA</i>	160 g/l
							<i>Mecoprop-P</i>	130 g/l
Optimus	04704	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	175 g/l
Option	04722	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	600 g/kg
Opus	04326	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i>	125 g/l
Opus Max	04437	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i>	83 g/l
Oraso	06107	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Origins Bug Control	05883	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	17 g/l
Origins Rapid Action Weedkiller	05517	Belchim Crop Protection NV	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	500 g/l
Origins Slug Control	05884	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Origins Weed Control	05891	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Orius	04648	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Tebuconazole</i>	200 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Orius P	05177	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Prochloraz</i> <i>Tebuconazole</i>	267 g/l 133 g/l
Ormond	05661	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	490 g/l
Osiris P	04425	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Metconazole</i>	56.25 g/l 41.25 g/l
Osmonds Dock-Kleen	05743	Croplink (Ireland) Ltd	Osmonds Ireland On Farm	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Osorno	05451	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotriione</i>	100 g/l
Ossetia	04730	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Diflufenican</i>	500 g/kg
Paarity	04871	National Agrochemical Distributors Ltd	National Agrochemical Distributors Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	500 g/kg
Pacaya	05781	Proklass Products Ltd	Proklass Products Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25% w/w
Pacifica Plus	05537	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Amidosulfuron</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	50 g/kg 10 g/kg 30 g/kg
Padawan	04814	Societe Financiere de Pontarlier	SFP Europe	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Palmas	04543	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	4.5% w/w 68% w/w
Panarex	05867	Arysta LifeScience Great Britain Ltd	Arysta LifeScience UK & Ireland Ltd	Herbicide	EC	Professional	<i>Quizalofop-p-terfuryl</i>	40 g/l
Paraat	03614	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	500 g/kg
Paradise	05239	Pan Amenity Ltd	Pan Amenity Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25% w/w
Pastor Trio	05808	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Path & Drive Roundup Concentrate	05448	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	170 g/l
Patrol	04304	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	Fenpropidin	750 g/l
PDM 330 EC	03582	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	Pendimethalin	330 g/l
Pecari 250 EC	06277	Globachem nv	Globachem nv	Fungicide	EC	Professional	Prothioconazole	250 g/l
Pecari Extra	06574	Globachem nv	Globachem nv	Fungicide	EC	Professional	Prothioconazole Tebuconazole	125 g/l 125 g/l
Pelican Delta	05655	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	Diflufenican Metsulfuron (-methyl)	60% w/w 6% w/w
Peloton	06481	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	Prosulfocarb	800 g/l
Pendifin 400 SC	05731	Finchimica S.p.A	Finchimica S.p.A	Herbicide	SC	Professional	Pendimethalin	400 g/l
Penncozeb 80 WP	03609	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WP	Professional	Mancozeb	800 g/kg
Penncozeb WDG	03608	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	Mancozeb	750 g/kg
Percos	03841	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Ametoctradin Dimethomorph	300 g/l 225 g/l
Perseus	06476	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Difenoconazole Fluxapyroxad	50 g/l 75 g/l
Pestshield 2 in 1 Bug & Fungus Control	04990	Arysta LifeScience Benelux SPRL	151 Products Ltd	Fungicide/Insecticide	AL	Amateur	Cypermethrin Myclobutanil	0.05 g/l 0.075 g/l
Pestshield Advanced Weedkiller	05912	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Pestshield Glyphosate Concentrated Weedkiller	04844	Barclay Chemicals Ltd	151 Products Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
Pestshield Lawn Moss Killer	05480	Angus Horticulture Ltd	Angus Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7%w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Pestshield New Formula Lawn Weedkiller	05328	Hygeia Chemicals Ltd	151 Products Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Pestshield Path and Patio Weedkiller	04834	Barclay Chemicals Ltd	151 Products Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Pestshield Weedkiller	04321	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Pexan	04967	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	Epoxiconazole Fluxapyroxad	62.5 g/l 59.4 g/l
Phantom	06380	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	Fluazifop-P (-butyl)	125 g/l
Phoenix	04453	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	Folpet	500 g/l
Phostoxin Bag	04686	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	Aluminium phosphide	57% w/w
Phostoxin Bag Blanket	04687	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	Aluminium phosphide	57% w/w
Phostoxin Tablet	04685	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	Aluminium phosphide	56% w/w
Pike	02122	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	Metsulfuron (-methyl)	20 %w/w
Pilot Ultra	04955	Nissan Chemical Europe	Nissan Chemical Europe	Herbicide	SC	Professional	Quizalofop-P-ethyl	50 g/l
Pirim	06268	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	Pyrimethanil	400 g/l
Pirouette	05839	Fine Agrochemicals Ltd	Fargo Limited	Growth Regulator	SC	Professional	Paclobutrazol	4 g/l
Pistol	04312	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	Diflufenican Glyphosate	40 g/l 250 g/l
Pistol Rail	05528	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	Diflufenican Glyphosate	40 g/l 250 g/l
Pivotal	05798	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	Fluroxypyr Triclopyr	150 g/l 150 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Pixxaro	05525	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Halauxifen-methyl</i>	280 g/l 12 g/l
Plant Pest Killer RTU	05665	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
PlantTrust	04537	Everris Ltd	Everris Ltd	Fungicide	CG	Professional	<i>Fosetyl (-aluminium)</i>	165 g/kg
Platform S	02954	FMC Chemical s.p.r.l.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Mecoprop-P</i>	1.5 %w/w 60 % w/w
Plexeo 60	05926	Globachem nv	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Polux	05946	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Pontos	05434	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Flufenacet</i> <i>Picolinafen</i>	240 g/l 100 g/l
Potato Blight Control	05339	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	SC	Amateur	<i>Fluopicolide</i> <i>Propamocarb</i>	62.5 g/l 625 g/l
PP Captan 80-WG	04018	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Fungicide	WG	Professional	<i>Captan</i>	80% w/w
Pradera	06524	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	ME	Professional	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	28 g/l 50 g/l 233 g/l
Praxys	03510	Dow AgroSciences Ltd	Everris Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Premazor Turbo	05673	Q-Chem NV	Q-Chem NV	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Premier Amenity Selective	05110	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	16 g/l 101 g/l 92 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Presite Max SX	04342	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	29 g/kg 429 g/kg
Presite SX	02888	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	67 g/kg 333 g/kg
Prestop	04367	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Gliocladium catenulatum</i>	32% w/w
Previcur Energy	04041	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SL	Professional	<i>Fosetyl (-aluminium)</i> <i>Propamocarb</i>	310 g/l 530 g/l
Priaxor EC	05264	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Pyraclostrobin</i>	75 g/l 150 g/l
Pride	06281	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Primo Maxx	03879	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	121 g/l
Primo Maxx II	05401	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	116.4 g/l
Prizm	05307	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Isopyrazam</i> <i>Prothioconazole</i>	125 g/l 150 g/l
Prochlorus	05184	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	EC	Professional	<i>Prochloraz</i>	450 g/l
Professional	06262	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Profilux	05588	Belchim Crop Protection Ltd	Belchim Crop Protection Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	45 g/kg 680 g/kg
Profume	05592	Douglas BLG BVBA	Douglas BLG BVBA	Fumigant	GA	Professional	<i>Sulfuryl fluoride</i>	99.8 %w/w
Prolectus	04758	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Fungicide	WG	Professional	<i>Fenpyrazamine</i>	500 g/kg
Proliance Quattro	03710	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Proline	03786	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Proman	04450	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	SC	Professional	<i>Metobromuron</i>	500 g/l
Property 180SC	05275	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Pyriofenone</i>	180 g/l
Proplant	03994	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	722 g/l
Propulse	05870	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SE	Professional	<i>Fluopyram</i>	125 g/l
Prosaro	04641	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Prospect SX	02284	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	500 g/kg
Protefin	06016	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Protendo 250 EC	06251	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Protendo Extra	06446	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Provalia LQM	05233	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i>	135 g/l
							<i>Metsulfuron (-methyl)</i>	5 g/l
							<i>Thifensulfuron methyl</i>	30 g/l
Provanto Ultimate Bug Killer	04307	SBM Developpement SAS	SBM Life Science Ltd	Insecticide	AL	Amateur	<i>Deltamethrin</i>	0.0075 g/l
Proxanil	04639	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Cymoxanil</i>	50 g/l
							<i>Propamocarb</i>	400 g/l
Purelo	05690	Globachem nv	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Diflufenican</i>	14 g/l
							<i>Prosulfocarb</i>	667 g/l
Py Bug Killer Concentrate	05384	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	10 g/l
Py Bug Killer RTU	05382	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Pyrethrum 5 EC	06255	Pelgar International	Pelgar International	Insecticide	EC	Professional	Pyrethrins	50 g/l
Pyrimala	05429	Servem Ltd	Servem Ltd	Fungicide	SC	Professional	Pyrimethanil	400 g/l
Pyrol Bug & Larvae Killer	05243	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	Plant Oils / Rape seed oil	8.25 g/l
Pyrol Bug & Larvae Killer Concentrate	05242	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	Pyrethrins	0.045 g/l
Pyrol Bug & Larvae Killer for Roses	05244	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	Plant Oils / Rape seed oil	825.3 g/l
Quantum	03432	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	TB	Professional	Pyrethrins	0.045 g/l
Quantum Max SX	04044	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	Tribenuron (-methyl)	500 g/kg
Quick 5 EC	04904	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	EC	Professional	Quizalofop-P-ethyl	50 g/l
Quidam	05895	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	Prosulfocarb	800 g/l
Radspor 400	01797	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	Dodine	40 %w/w
Rambo 360	05777	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Rambo Bio	05489	Unichem Limited	Unichem Limited	Herbicide	SL	Amateur	Glyphosate	360 g/l
Rambo RTU	03100	Sipcam U.K. Ltd	Unichem Limited	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Rambo XL	05754	Unichem Limited	Unichem Limited	Herbicide	SL	Professional	Glyphosate	360 g/l
Rancona 15 ME	04698	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ME	Professional	Ipconazole	15.1 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Rancona i-Mix	05279	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Seed Dressing	ME	Professional	<i>Imazalil</i> <i>Ipconazole</i>	50 g/l 20 g/l
Ranman Top	04497	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Cyazofamid</i>	160 g/l
Rapsan 500SC	05886	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i>	500 g/l
Rapsan Turbo	06007	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i> <i>Quinmerac</i>	375 g/l 125 g/l
Rattler	04650	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	540 g/l
Ravane	05536	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	50 g/l
Raxil Star	05260	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopyram</i> <i>Prothioconazole</i> <i>Tebuconazole</i>	20 g/l 100 g/l 60 g/l
Ready to Use SBK Brushwood Killer	03956	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	<i>Triclopyr</i>	3.6 g/l
Redigo	03793	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i>	100 g/l
Redigo M	04946	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Metalaxylyl</i> <i>Prothioconazole</i>	20 g/l 100 g/l
Redigo Pro	04985	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	150 g/l 20 g/l
Reflect	05462	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>	125 g/l
Regalis	03321	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	10 %w/w
Regalis Plus	05409	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	10% w/w
Reldan 22	03623	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	EC	Professional	<i>Chlorpyrifos-methyl</i>	225 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Reliance	05426	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	Diflufenican Flufenacet	200 g/l 400 g/l
Relva Granules	04924	Certiplant N.V.	Belcrop N.V.	Herbicide	GR	Professional	Propyzamide	40 g/kg
Renovator Pro	05003	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	Ferrous Sulphate MCPA Mecoprop-P	16.3% w/w 0.49% w/w 0.29% w/w
Resolva Bug Killer Concentrate	04076	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	lambda-Cyhalothrin	0.75 g/l
Resolva Bug Killer Ready to Use	04077	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	lambda-Cyhalothrin	0.015 g/l
Resolva Lawn Weedkiller Extra Concentrate	05323	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Dicamba Mecoprop-P	4.675 g/l 37.5 g/l
Resolva Lawn Weedkiller Extra Ready to Use	05324	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Resolva Moss Killer	05247	W. Neudorff GmbH KG	Westland Horticulture Ltd	Herbicide	AL	Amateur	Pelargonic acid	31.02 g/l
Resolva Path & Patio Weedkiller RTU	06325	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Resolva Pro Weedkiller	05892	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Resolva Pro Weedkiller Super Concentrate	06328	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Resolva Rose 3 in 1	05951	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	Cypermethrin Myclobutanil	0.05 g/l 0.075 g/l
Resolva Super Strength Xtra Tough Concentrated	03962	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Resolva Weedkiller 2 Action	06321	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	151.4 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Resolva Weedkiller 2 Action Concentrate	06366	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	151.4 g/l
Resolva Weedkiller 24H RTU	06329	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Resolva Weedkiller Super Concentrate Total Clear	03961	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Resolva Xpress	06453	Compo GmbH	Westland Horticulture Ltd	Herbicide	AL	Amateur	Pelargonic acid	30.99 g/l
Resolva Xtra Concentrate Weedkiller	06563	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Dicamba Mecoprop-P	4.675 g/l 37.5 g/l
Resolva Xtra Ready to Use Weedkiller	06562	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Resolva Xtra Tough	05647	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Resolva Xtra Tough Concentrate Liquid Shots	05602	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	151.4 g/l
Resolva Zero Weedkiller	06368	Compo GmbH	Westland Horticulture Ltd	Herbicide	AL	Amateur	Pelargonic acid	30.99 g/l
Resolva Zero Weedkiller Concentrate	06369	Compo GmbH	Westland Horticulture Ltd	Herbicide	EW	Amateur	Pelargonic acid	237.59 g/l
Restore 2	06344	John Hall (Fertilisers) Ltd	John Hall (Fertilisers) Ltd	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Restore Pro	06345	John Hall (Fertilisers) Ltd	John Hall (Fertilisers) Ltd	Herbicide	GR	Professional	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Revus	05154	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	Mandipropamid	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Revus Top	04524	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Difenconazole</i> <i>Mandipropamid</i>	250 g/l 250 g/l
Revistar XL	06411	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Mefentrifluconazole</i>	50 g/l 100 g/l
Rhino	04400	Nichino Europe Co. Ltd	Certis Europe BV	Seed Dressing	FS	Professional	<i>Flutolanil</i>	460 g/l
Riber	05795	Life Scientific Limited	Life Scientific Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Ridomil Gold	02117	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	<i>Metalaxyl M</i>	465.2 g/l
Ridomil Gold MZ 68 WG	01516	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i> <i>Metalaxyl M</i>	64 %w/w 4.0 %w/w
Ridomil Gold MZ 68 WG	03599	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i> <i>Metalaxyl M</i>	64% w/w 3.88% w/w
Rigel	05280	Servem Ltd	Servem Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	50% w/w
Rim 25WG	06405	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Rimsulfuron</i>	250 g/kg
Rimuron 25 WG	05064	Helm AG Ltd	Helm AG Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	250 g/kg
Rootkill Weedkiller Concentrate	05851	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Rosanil RTU	04799	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l
Rosate 360 TF	05761	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rosate Green	04436	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roseclear Ultra	03269	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Fungicide/Insecticide	EC	Amateur	<i>Acetamiprid</i> <i>Triticonazole</i>	2.5 g/l 7.5 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Roseclear Ultra Gun!	03288	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	ME	Amateur	<i>Acetamiprid</i> <i>Triticonazole</i>	0.05 g/l 0.15 g/l
RoseClear Ultra Gun! 2	05972	Arysta LifeScience Benelux SPRL	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l
Rosegarde	05400	Arysta LifeScience Benelux SPRL	Vitax Limited	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l
Roundup Biactive	02313	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roundup Biactive XL	04660	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roundup Biactive XLA	05266	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Roundup Fast Action Path & Drive Weedkiller	05447	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Roundup First	04664	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	60 g/l
Roundup Flex	04593	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	480 g/l
Roundup Gel	04191	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Roundup Gel Path	05728	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Roundup Gold	02624	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roundup Gold 450	02623	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	450 g/l
Roundup Lawn Optima	06512	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
Roundup Lawn Ultra	06511	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	0.4675 g/l 3.75 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Roundup Lawn Weedkiller	05678	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Clopyralid Fluroxypyr MCPA	0.16 g/l 0.32 g/l 1.6 g/l
Roundup NL Weed Control	06392	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	Pelargonic acid	565 g/l
Roundup NL Weed Control Ready to Use	06393	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Pelargonic acid	43.1 g/l
Roundup Optima	04663	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	120 g/l
Roundup Optima Power	04661	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	240 g/l
Roundup Optima+	04662	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	170 g/l
Roundup Powermax	04534	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	Glyphosate	720 g/kg
Roundup Pro Biactive	02314	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Roundup Speed Ultra	06259	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Acetic acid	60 g/l
Roundup Stump Killer	05449	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	360 g/l
Roundup Tough	03726	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Roundup Ultra	04731	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	Glyphosate	360 g/l
Roundup XL	05161	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	Glyphosate	360 g/l
Roxy 800 EC	05739	Globachem nv	Globachem nv	Herbicide	EC	Professional	Prosulfocarb	800 g/l
Rubric	04444	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	Epoxiconazole	125 g/l
Rudis	04665	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	Prothioconazole	480 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
S19321 R537.001	05954	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	565 g/l
S19690 R586.009	05953	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	43.1 g/l
Sabik-1.8%	04907	Servem Ltd	Servem Ltd	Acaricide/Insecticide	EC	Professional	<i>Abamectin</i>	18 g/l
Sacron WG	04541	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	450 g/kg
Safari Lite WSB	04903	FMC Agro Ltd	FMC Agro Ltd	Herbicide	XX	Professional	<i>Lenacil</i>	714 g/kg
							<i>Triflusulfuron</i>	54 g/kg
Salsa	04725	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Ethametsulfuron methyl</i>	750 g/kg
Salvo	04120	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	500 g/l
Savvy	05657	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Savvy Premium	05656	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
SBK Brushwood Killer	03955	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>Triclopyr</i>	48 g/l
Scab 480 SC	05733	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Captan</i>	480 g/l
Scab 80 WG	05732	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Captan</i>	800 g/kg
Scala	03916	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Pyrimethanil</i>	400 g/l
Scenic Gold	05556	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopicolide</i>	200 g/l
							<i>Fluoxastrobin</i>	150 g/l
Sceptre	03979	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>lambda-Cyhalothrin</i>	25 g/kg
Score 250 EC	04566	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Scorpio	02551	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Trifloxystrobin</i>	500 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Scotts Lawn Builder Lawn Food Plus Weed Control	05577	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i>	0.8% w/w 0.12% w/w
Season Long Path & Drive Weedkiller Concentrate	05446	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Seguris	05028	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Epoxiconazole</i> <i>Isopyrazam</i>	90 g/l 125 g/l
Sempra	04207	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Sencorex Flow	04361	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Metribuzin</i>	600 g/l
Sentry 500	05744	Unichem Limited	Unichem Limited	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Sequoia	05915	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	120 g/l
Sercadis	04986	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	300 g/l
Serenade ASO	03847	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l
Sharmetrin	05948	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w
Sharp Turbo	06201	JT Agro Ltd	Cropthetics Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Shirlan	04393	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Shiro	05641	UPL Europe Ltd	UPL Europe Ltd	Herbicide	WG	Professional	<i>Triflusulfuron</i>	500 g/kg
Shotput	04071	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Signal 300ES	05700	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ES	Professional	Cypermethrin	300 g/l
Signature XTRA Stressgard	06323	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	Fosetyl (-aluminium)	600 g/kg
Signum	03799	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	Boscalid Pyraclostrobin	26.7 % w/w 6.7 % w/w
Siltra Xpro	05257	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	Bixafen Prothioconazole	60 g/l 200 g/l
Sinclair Lawn Sand	05413	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Professional	Ferrous Sulphate	7.7 g/kg
Sipcam C50WG	04494	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	Cymoxanil	50% w/w
Sirena	05408	Globachem nv	Globachem nv	Fungicide	EC	Professional	Metconazole	60 g/l
Sirtaki CS	05923	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	Clomazone	360 g/l
Skyway Xpro	05259	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	Bixafen Prothioconazole Tebuconazole	75 g/l 100 g/l 100 g/l
SL567A	03106	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	Metalaxyl M	465.2 g/l
Slug & Snail Killer Pellets	04921	W. Neudorff GmbH KG	Rentokil Initial UK Ltd	Molluscicide	GR	Amateur	Ferric Phosphate	10 g/kg
Slug and Snail Control	05564	W. Neudorff GmbH KG	SBM Life Science Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Slug and Snail Killer Pellets	05569	W. Neudorff GmbH KG	Rentokil Initial UK Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Slug Bait	03834	W. Neudorff GmbH KG	Bayer CropScience Limited	Molluscicide	GR	Amateur	Ferric Phosphate	10 g/kg
Slug Bait	05563	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Slug Death XL	03833	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	GR	Amateur	Ferric Phosphate	10 g/kg
Slug Death XL	05562	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Slug Killer Granules	06239	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur		
Slug Killer Pellets	06477	De Sangosse SAS	SBM Life Science Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	10 g/kg
SlugClear Ultra 3	05581	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	8.1 g/kg
Sluggo Slug & Snail Killer	05568	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	10 g/kg
Sluggo Slug & Snail Killer Ultra	05317	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	9.9 g/kg
Sluggo Slug & Snail Killer Ultra	05560	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	19.8 g/kg
Slugrid	05567	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	RB	Amateur	Ferric Phosphate	19.8 g/kg
Slugtox	04962	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Amateur	Metaldehyde	5% w/w
Sluxx HP	05557	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	Ferric Phosphate	29.7 g/kg
Smartfresh	02555	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	VP	Professional	1-methylcyclopropene	3.3 %w/w
SmartFresh ProTabs	05779	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	TB	Professional	1-methylcyclopropene	20 g/kg
Solabiol Slug Bait	05419	W. Neudorff GmbH KG	SBM Life Science Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	10 g/kg
Solabiol Slug Killer	05952	De Sangosse SAS	SBM Life Science Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	8.1 g/kg
Soleil	05359	Nufarm UK Limited	Sumitomo Chemical (U.K.) plc	Fungicide	EC	Professional	Bromuconazole Tebuconazole	167 g/l 107 g/l
Solitaire	04219	Mitsui Agriscience International S.A./N.V.	Mitsui Chemicals Agro Inc.	Herbicide	SC	Professional	Propyzamide	400 g/l
Solo 500 SC	05688	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	Diflufenican	500 g/l
Solution	06437	UPL Europe Ltd	Dow AgroSciences Ltd	Fungicide	WG	Professional	Cymoxanil Mancozeb	5% w/w 68% w/w
Sonata	05802	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	Bacillus pumilus QST 2808	14.35 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Sonido	05151	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Thiacloprid</i>	400 g/l
Sonis	05993	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Sparviero	04469	Sipcam Oxon SpA	Sipcam U.K. Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Spear & Jackson 3 in 1 Lawn Feed, Weed & Mosskiller	06346	Doff Portland Ltd	Doff Portland Ltd	Herbicide	GR	Amateur		
							<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Speedline Pro	04975	Dow AgroSciences Ltd	Bayer CropScience Limited	Herbicide	SL	Professional	<i>Aminopyralid</i>	12.0 g/l
							<i>Triclopyr</i>	120.0 g/l
Spike	06200	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Epoxiconazole</i>	125 g/l
Spitfire	05472	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i>	5 g/l
							<i>Fluroxypyr</i>	100 g/l
Splice	04448	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i>	233 g/l
							<i>Epoxiconazole</i>	67 g/l
Sporekill	92396	Nutrigain Ltd	Nutrigain Ltd	Disinfectant	SL	Professional	<i>Fatty Acid - C7-C20</i>	421 g/l
Sporgon 50 WP	05094	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Prochloraz</i>	46% w/w
Sportak 45 EW	05093	BASF plc	BASF Ireland Ltd	Fungicide	EW	Professional	<i>Prochloraz</i>	450 g/l
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Whelehan Crop Protection	Herbicide	ME	Professional	<i>Carfentrazone-ethyl</i>	60 g/l
Stabilan 750	04767	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Stallion Sync Tech	05483	FMC Agro Ltd	FMC Agro Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	30 g/l
							<i>Pendimethalin</i>	333 g/l
Starane Hi-Load HL	04549	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	333 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Starane XL	02075	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Stealth	06468	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Stefes CCC 750	05863	Sparta Research Ltd	Sparta Research Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Steward	02603	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Insecticide	WG	Professional	<i>Indoxacarb</i>	300 g/kg
Stomp 400 SC	02879	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Stomp Aqua	03750	BASF plc	BASF Ireland Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	455 g/l
Stratos Ultra	04936	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Cycloxydim</i>	100 g/l
Stride DFF	05000	Unichem Limited	Unichem Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Stroby WG	05092	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Kresoxim Methyl</i>	50% w/w
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Insecticide	EC	Professional	<i>Esfenvalerate</i>	25 g/l
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional	<i>Flumioxazin</i>	300 g/l
Sunfire	05497	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Herbicide	SC	Professional	<i>Flufenacet</i>	500 g/l
Super Fast Weedkiller	05999	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Fatty Acid - C7-C20</i>	3% w/w
Swift SC	02145	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Trifloxystrobin</i>	500 g/l
Switch	06414	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Cyprodinil</i> <i>Fludioxonil</i>	37.5% w/w 25% w/w
Sword	04248	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Clodinafop</i>	240 g/l
Syllit 544 SC	04739	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dodine</i>	544 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Synero	05394	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional	<i>Aminopyralid</i> <i>Fluroxypyr</i>	30 g/l 100 g/l
Systhane 20 EW	04944	Dow AgroSciences Ltd	Landseer Ltd	Fungicide	EW	Professional	<i>Myclobutanil</i>	200 g/l
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fargo Limited	Fungicide	WP	Professional	<i>Trichoderma Asperellum (strain T34)</i>	12% w/w
Tacanza Era	06551	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i> <i>Prothioconazole</i>	75 g/l 150 g/l
Tachigaren 70 WP	04941	Mitsui Chemicals Agro Inc.	Sumi-Agro Europe Ltd	Seed Dressing	WS	Professional	<i>Hymexazol</i>	700 g/kg
Takumi SC	06060	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	SC	Professional	<i>Cyflufenamid</i>	100 g/l
Talisma EC	04711	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EC	Professional	<i>Cypermethrin</i>	80 g/l
Talisma UL	05997	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	UL	Professional	<i>Cypermethrin</i>	20 g/l
Talius	04604	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	EC	Professional	<i>Proquinazid</i>	200 g/l
Talunex	04684	Detia Degesch GmbH	Detia Degesch GmbH	Miscellaneous	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Tandus	05836	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Tarcza	05699	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	60 g/l
Target SC	04677	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Target WG	04678	UPL Europe Ltd	UPL Europe Ltd	Herbicide	VP	Professional	<i>Metamitron</i>	70% w/w
Taxi	06450	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Tazer	05530	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Tebseme	05721	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	25 g/l
Tebucur 250 EW	04827	Globachem nv	Globachem nv	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Tebuzate 220 SL	03836	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SL	Professional	<i>Thiabendazole</i>	220 g/l
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Grupo Agrotecnologia - IBERFOL	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Tectura	05141	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i>	133 g/l
							<i>Metconazole</i>	60 g/l
Teldor	02003	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Fenhexamid</i>	50 %w/w
Tempo	05601	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Temsa SC	05305	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotrione</i>	100 g/l
Teppeki	04399	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Insecticide	WG	Professional	<i>Flonicamid</i>	500 g/kg
Teridox	04902	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Dimethachlor</i>	500 g/l
Tern 750 EC	04305	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
Terpal	04419	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i>	155 g/l
							<i>Mepiquat Chloride</i>	305 g/l
Tesco Garden Bug Killer Spray	05383	Arysta LifeScience Benelux SPRL	Tesco Ireland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
Tesco Glyphosate Concentrated Weedkiller	03353	Barclay Chemicals Ltd	Tesco Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Tesco Systemic Path & Patio Weedkiller	05729	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Thiopron	05496	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Sulphur</i>	825 g/l
Thistlex	03831	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	SL	Professional	<i>Clopyralid</i>	200 g/l
							<i>Triclopyr</i>	200 g/l
Thor	03991	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Thrust	04520	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i>	344 g/l 120 g/l
Tiro	06379	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Epoxiconazole</i> <i>Metconazole</i>	37.5 g/l 27.5 g/l
Titus	03992	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	25 % w/w
Tizca	04398	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Topik 240 EC	03802	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Clodinafop</i>	240 g/l
Toprex	05206	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator/Fungicide	SC	Professional	<i>Difenoconazole</i> <i>Paclobutrazol</i>	250 g/l 125 g/l
Touchdown Quattro	01956	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Tough Roundup Weedkiller Gel	05344	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	72 g/l
Tower	05425	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Chlorotoluron</i> <i>Diflufenican</i> <i>Pendimethalin</i>	250 g/l 40 g/l 300 g/l
Tracer	02649	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Spinosad</i>	480 g/l
Traciafin	06015	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Trailer	05858	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Transform	05342	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	WG	Professional	<i>Sulfoxaflor</i>	500 g/kg
Traxx	04960	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	5% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Trezac	06004	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Aminopyralid</i> <i>Halauxifen-methyl</i>	25.0 g/l 31.3 g/l
Trianum-P	05486	Koppert B.V.	Koppert B.V.	Fungicide	WG	Professional	<i>Trichoderma harzianum</i> <i>Strain T22</i>	1% w/w
Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Trinexis	05145	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Trinity 250	06569	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Tropotox	03525	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPB</i>	400 g/l
Turf Rise Feed, Weed & Moss Killer	06349	Angus Horticulture Ltd	Angus Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Turfmaster	05313	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	19.5 g/l 245 g/l 43.3 g/l
Turret 60	06384	Globachem nv	Dow AgroSciences Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Typhoon 360	02501	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Ultima	03780	W. Neudorff GmbH KG	Unichem Limited	Herbicide	SL	Professional	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30 g/l 186.7 g/l
Ultima RTU	03781	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	4.95 g/l 31.02 g/l
Ultra All-in-One Bug Spray	04787	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
Ultraline	06235	JT Agro Ltd	Crophetics Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Underclear	91488	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	2,4-DB Mecoprop-P	250 g/l 25 g/l
Undersown	91489	Hygeia Chemicals Ltd	Bandon Agricultural Products Ltd	Herbicide	SL	Professional	2,4-DB MCPA	240 g/l 40 g/l
Unipro Lawn Feed, Weed and Mosskiller	06350	Unichem Limited	Unichem Limited	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Universe	06493	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	Clopyralid Florasulam Fluroxypyr	80 g/l 2.5 g/l 100 g/l
Uproot	05976	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	2,4-D Triclopyr	93.0 g/l 103.6 g/l
Upton	05623	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	SC	Professional	Florasulam	50 g/l
Valbon	03411	Certis Europe BV	Whelehan Crop Protection	Fungicide	WG	Professional	Benthiavalcarb Mancozeb	17.5 g/kg 700 g/kg
Valdor Flex	05612	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	Diflufenican Iodosulfuron-methyl-sodium	360 g/kg 10 g/kg
Valdor Flex	05882	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	Diflufenican Iodosulfuron-methyl-sodium	360 g/kg 10 g/kg
Vareon	03554	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Fungicide	EC	Professional	Prochloraz Proquinazid Tebuconazole	320 g/l 40 g/l 160 g/l
Variano Xpro	05701	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	Bixafen Fluoxastrobin Prothioconazole	40 g/l 50 g/l 100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Velogy Era	05970	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	Benzovindiflupyr Prothioconazole	75 g/l 150 g/l
Velum Prime	05686	Bayer CropScience Limited	Bayer CropScience Limited	Nematicide	SC	Professional	Fluopyram	400 g/l
Vendetta	05227	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	Azoxystrobin Fluazinam	150 g/l 375 g/l
Venture Extra	04447	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Boscalid Epoxiconazole	210 g/l 75 g/l
Venzar 500 SC	04805	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SC	Professional	Lenacil	500 g/l
Verdone Extra	05095	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	ME	Amateur	Clopyralid Fluroxypyr MCPA	5.34 g/l 10.68 g/l 53.4 g/l
Verdone Extra Ready to Use	05097	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Clopyralid Fluroxypyr MCPA	0.16 g/l 0.32 g/l 1.6 g/l
Verimark 20SC	05356	FMC Agro Ltd	FMC Agro Ltd	Insecticide	SC	Professional	Cyantraniliprole	200 g/l
Verve Lawn Feed, Weed & Mosskiller	04793	The Scotts Company (UK) Ltd	B & Q plc	Herbicide	GR	Amateur	Ferrous Sulphate MCPA Mecoprop-P	16.3% w/w 0.49% w/w 0.29% w/w
Verve Lawn Sand 2	05455	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7 %w/w
Verve Rapid Action Ready to use Weedkiller	06240	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Herbicide	AL	Amateur	Acetic acid	60 g/l
Verve Rootkilling Weedkiller	05648	Syngenta UK Ltd	B & Q plc	Herbicide	AL	Amateur	Glyphosate	8.39 g/l
Verve Slug and Snail Control	05932	The Scotts Company (UK) Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur	Ferric Phosphate	10 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Vibrance Duo	06263	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i> <i>Sedaxane</i>	25 g/l 25 g/l
Vibrance Star	06153	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i> <i>Sedaxane</i> <i>Triticonazole</i>	25 g/l 25 g/l 20 g/l
Vitax Glyphosate Concentrated Weedkiller	04547	Barclay Chemicals Ltd	Vitax Limited	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Vitax Glyphosate Weedkiller RTU	02996	Barclay Chemicals Ltd	Vitax Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Vitax Lawn Clear 2 Feed & Weed	05785	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	9.0 g/l 2.1 g/l 10.5 g/l
Vitax Lawn Clear 2 Ready to Use	05784	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	1.13 g/l 0.26 g/l 1.31 g/l
Vitax LawnClear 2	05783	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	27.0 g/l 6.3 g/l 31.5 g/l
Vitax Pepper Dust	05442	Vitax Limited	Vitax Limited	Repellant	DP	Amateur	<i>Pepper Dust</i>	100% w/w
Vitax Weedfree Ready to Use	04976	Sipcam U.K. Ltd	Vitax Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Vivando	05685	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Metrafenone</i>	500 g/l
Vivendi 200	05122	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	200 g/l
Volley	04516	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Vydate 10G	03698	DuPont (UK) Ltd	DuPont (UK) Ltd	Nematicide	GR	Professional	<i>Oxamyl</i>	100 g/kg

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Wakil XL	05471	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	WG	Professional	Cymoxanil	100 g/kg
							Fludioxonil	50 g/kg
							Metalaxyl M	175 g/kg
Weedbuster Concentrate	03074	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	151.4 g/l
WeedBuster Super Concentrate	03255	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedfree Express	06008	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	Pelargonic acid	31.02 g/l
Weedfree Home & Garden	05316	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedfree Plus	04408	Cheminova A/S	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedfree Plus	06009	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	Maleic hydrazide	4.95 g/l
Weedfree Plus Concentrate	05924	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	SL	Amateur	Pelargonic acid	31.02 g/l
							Maleic hydrazide	30 g/l
							Pelargonic acid	186.7 g/l
Weedfree RTU	03000	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Weedfree Zone	05769	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedkiller 360	05864	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedkiller 7.2	05866	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Weedkiller 90	05865	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	Glyphosate	90 g/l
Weedol Gun! Fast Acting Weedkiller	04521	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Acetic acid	60.0 g/l
Weedol Gun! Lawn Weedkiller	05098	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Clopyralid	0.16 g/l
							Fluroxypyr	0.32 g/l
							MCPA	1.6 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Weedol Gun! Rootkill Plus	02465	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Glyphosate Pyraflufen-ethyl	7.2 g/l 0.02 g/l
Weedol Gun! Ultra Tough Weedkiller	05175	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	Glyphosate Pyraflufen-ethyl	7.2 g/l 0.02 g/l
Weedol Lawn Weedkiller	05096	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	ME	Amateur	Clopyralid Fluroxypyr MCPA	5.34 g/l 10.68 g/l 53.4 g/l
Weedol LN	06560	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Dicamba Mecoprop-P	0.4675 g/l 3.75 g/l
Weedol Pathclear Weedkiller	05176	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SC	Amateur	Diflufenican Glyphosate	20 g/l 125 g/l
Weedol PS Pathclear Weedkiller	05438	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	Diflufenican Glyphosate	0.576 g/l 3.6 g/l
Weedol Rootkill Plus	02464	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	SE	Amateur	Glyphosate Pyraflufen-ethyl	12 % w/v 0.033 % w/w
Weedol Ultra Tough Weedkiller	05174	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SE	Amateur	Glyphosate Pyraflufen-ethyl	12% w/v 0.033% w/v
Weedol LN Concentrate	06561	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	Dicamba Mecoprop-P	4.675 g/l 37.5 g/l
Westland Lawn Feed, Weed and Moss Killer Granules	06248	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	2,4-D Dicamba Ferrous Sulphate Mecoprop-P	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Westland Lawn Sand 2	05410	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	Ferrous Sulphate	7.7 g/kg
Westland Plant Rescue Fruit & Vegetable Bug Killer	04033	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	lambda-Cyhalothrin	0.015 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance	Content
Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer	04032	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	0.75 g/l
Westland Rose Rescue	04801	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
							<i>Myclobutanil</i>	0.075 g/l
Whorl	05740	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	280 g/l
							<i>Halauxifen-methyl</i>	12 g/l
Wilko Glyphosate Weedkiller	02998	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Wilko Lawn Feed, Weed and Moss Killer Treatment	06249	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Winby	05611	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Wing P	03590	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Dimethenamid-P</i>	212.5 g/l
							<i>Pendimethalin</i>	250g/l
Winger	05807	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
Xerton	05702	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	417 g/l
Zephyr	03792	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Prothioconazole</i>	175 g/l
							<i>Trifloxystrobin</i>	88 g/l
Zetanol WG	04492	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	45 g/kg
							<i>Mancozeb</i>	650 g/kg
Zetrola	05936	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Zorvec Endavia	06222	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	OD	Professional	<i>Benthiavalicarb</i>	70 g/l
							<i>Oxathiapiprolin</i>	30 g/l
Zorvec Enicade	05608	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	OD	Professional	<i>Oxathiapiprolin</i>	100 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Function	Formulation Type	User Type	Active Substance		Content
							Type		
Zoxis	05348	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Azoxystrobin</i>		250 g/l
Zulu	05026	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>		125 g/l
Zypar	05800	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	OD	Professional	<i>Florasulam</i>	5.0 g/l	
							<i>Halaxifen-methyl</i>	6.25 g/l	

Chapter 2

Plant Protection Product Name Changes Accepted since “Pesticides 2019”

Product name changes accepted since "Pesticides 2019"

Old Product Name

Addit
Arnold
Clayton Prodigy
Enilor
Hygrass Extra
Maxicrop No.2 Mosskiller & Conditioner

PCS No

92435
06211
06442
06106
06010
05149

New Product Name

Adpro Addit
Griffen
Clayton Province
Aurelia
Hygrass Xtra
Maxicrop Professional Moss Killer and Conditioner

Chapter 3

**Plant Protection Products listed in '*Pesticides 2019*' for which registrations expired
or were rescinded between 1/1/19 and 1/1/20**

Plant Protection Products whose registrations have expired or were revoked between 1/1/19 and 1/1/20

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
3 Hour Weedkiller	92328	Bayer CropScience Limited	Amateur	Herbicide	31/12/2019	30/06/2021
Abringo	04239	Certiplant N.V.	Professional	Fungicide	20/11/2019	20/05/2020
Advanced Bug Killer	92348	W. Neudorff GmbH KG	Amateur	Insecticide	31/03/2019	30/09/2020
Agrichem Flowable Thiram	00166	Hygeia Chemicals Ltd	Professional	Seed Dressing	30/01/2019	30/01/2020
Allegro Plus	02371	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Amistar Opti	05068	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Anchor	01247	Arysta LifeScience Great Britain Ltd	Professional	Seed Dressing	30/01/2019	30/01/2020
Asulox (Emergency Use)	06483	UPL Europe Ltd	Professional	Herbicide	30/09/2019	30/09/2019
AyeFlex	92451	Psigma AB	Professional	Adjuvant	31/12/2019	30/06/2021
Aylora	05311	DuPont (UK) Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Bacara	04317	Bayer CropScience Limited	Professional	Herbicide	27/06/2019	27/03/2020
Balear 720 SC	04411	Arysta LifeScience Benelux SPRL	Professional	Fungicide	20/11/2019	20/05/2020
Banner Maxx	02715	Syngenta UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Banner Maxx II	05461	Syngenta UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Barclay Avoca	04458	Barclay Chemicals Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Barclay Bolt XL	04102	Barclay Chemicals Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Barclay Dimethoest	90172	Cheminova A/S	Professional	Insecticide	31/12/2019	30/06/2020
Barclay Eyetak 40	90177	Barclay Chemicals Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Barclay Eyetak 450	01953	Barclay Chemicals Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Barclay Propizole	04099	Barclay Chemicals Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Barrier	05826	Pure Amenity Ltd	Professional	Herbicide	28/11/2019	28/11/2019
Basamid Granular	90213	Kanesho Soil Treatment BVBA	Professional	Sterilant	30/06/2019	31/12/2020
Basilex Ultra	04815	Sumitomo Chemical Agro Europe SAS	Professional	Fungicide	31/12/2019	30/06/2021
Beretta	04835	Certiplant N.V.	Professional	Herbicide	04/05/2019	04/02/2020

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Bravado	06013	Novastar Link Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Bravo 500	03452	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Bumper	03292	Adama Agricultural Solutions UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Butryflow (Emergency Use)	06415	Nufarm UK Limited	Professional	Herbicide	28/06/2019	28/06/2019
Capalo	02718	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Cavaterra	05059	Certiplant N.V.	Professional	Fungicide	20/11/2019	20/05/2020
Chess WG	03365	Adama Agricultural Solutions UK Ltd	Professional	Insecticide	30/04/2019	30/01/2020
Chlorthalis	05193	Arysta LifeScience Benelux SPRL	Professional	Fungicide	20/11/2019	20/05/2020
Cigal Plus	06061	Rotam Agrochemical Europe Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Cimarron	02845	DuPont (UK) Ltd	Professional	Herbicide	31/12/2019	30/06/2021
Claw 100	05444	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2019	30/06/2021
Consento	04344	Bayer CropScience Limited	Professional	Fungicide	14/02/2019	14/11/2019
Corbel	90438	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Crafter	05345	Nufarm UK Limited	Professional	Fungicide	20/11/2019	20/05/2020
Croplink Empire	03051	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2019	30/06/2021
CT 500	05302	DHM Agrochemicals Ltd.,	Professional	Fungicide	20/11/2019	20/05/2020
Cultar	90464	Syngenta UK Ltd	Professional	Growth Regulator	31/12/2019	30/06/2021
Curator	05069	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Curzate M	90478	DuPont (UK) Ltd	Professional	Fungicide	31/12/2019	30/06/2021
Daconil	05748	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Diamant	01981	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Difure Pro	05334	Globachem nv	Professional	Fungicide	19/06/2019	19/03/2020
DimethoX	05118	DHM Agrochemicals Ltd.,	Professional	Insecticide	31/12/2019	30/06/2020
Diqua	03630	Sharda Europe b.v.b.a	Professional	Herbicide	04/05/2019	04/02/2020
Diquash 200 SL	04181	Sharda Europe b.v.b.a	Professional	Herbicide	04/05/2019	04/02/2020

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Di-Quattro	04720	Arysta LifeScience Benelux SPRL	Professional	Herbicide	04/05/2019	04/02/2020
Doff Super Slug Killer	04319	W. Neudorff GmbH KG	Amateur	Molluscicide	30/06/2019	31/12/2020
Dragoon Gold	03174	Certiplant N.V.	Professional	Herbicide	04/05/2019	04/02/2020
Dynamec	02640	Syngenta UK Ltd	Professional	Acaricide/Insecticide	31/12/2019	30/06/2021
Dynamec (Emergency Use)	06292	Syngenta UK Ltd	Professional	Insecticide	02/02/2019	02/02/2019
DyWeed 50	05301	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2019	30/06/2021
Eagle Green Care	92367	ECOspray Ltd	Professional	Nematicide	31/12/2019	30/06/2021
ECOguard Granules	92304	ECOspray Ltd	Amateur/Professional	Insecticide	31/12/2019	30/06/2021
ECOguard Liquid	92305	ECOspray Ltd	Amateur/Professional	Insecticide	31/12/2019	30/06/2021
Electis 75 WG	01821	Gowan Crop Protection Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Exirel 10 SE (Emergency Use)	06479	FMC Agro Ltd	Professional	Insecticide	18/10/2019	18/10/2019
Exirel 10 SE (Emergency Use)	06499	FMC Agro Ltd	Professional	Insecticide	15/12/2019	15/12/2019
Farmco Beet-Clean	05125	Farmco Agritrading Ltd	Professional	Herbicide	30/09/2019	31/03/2021
Farmco Blight	04971	Farmco Agritrading Ltd	Professional	Fungicide	30/09/2019	31/03/2021
Farmco Chlorothalonil	05593	Farmco Agritrading Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Farmco Dimex	04735	Farmco Agritrading Ltd	Professional	Insecticide	31/12/2019	30/06/2020
Farmco Iconic	05308	Farmco Agritrading Ltd	Professional	Fungicide	30/09/2019	31/03/2021
Farmco Marigold	04901	Farmco Agritrading Ltd	Professional	Herbicide	30/06/2019	31/12/2020
Farmco Regal	04627	Farmco Agritrading Ltd	Professional	Herbicide	04/05/2019	04/02/2020
Farmco Tilt	04500	Farmco Agritrading Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Fenomenal	04956	Bayer CropScience Limited	Professional	Fungicide	14/02/2019	14/11/2019
Fezan Plus	04468	Sipcam Oxon SpA	Professional	Fungicide	20/11/2019	20/05/2020
Fielder SE	04251	DuPont (UK) Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Finy	02360	UPL Europe Ltd	Professional	Herbicide	30/06/2019	31/12/2020
Flurostar 200	02950	Globachem nv	Professional	Herbicide	30/09/2019	31/03/2021
Folio Gold	02363	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Fortress	02364	Dow AgroSciences Ltd	Professional	Fungicide	27/06/2019	27/03/2020
Fungus Fighter Plus	05443	Bayer CropScience Limited	Amateur	Fungicide	31/12/2019	30/06/2021
Fusilade Max	01472	Nufarm UK Limited	Professional	Herbicide	30/06/2019	31/12/2020
Galben M	91973	FMC Chemical s.p.r.l.	Professional	Fungicide	31/12/2019	30/06/2021
Galion	91903	Amega Sciences plc	Professional	Adjuvant	31/12/2019	30/06/2021
Grail	02826	Nufarm UK Limited	Professional	Fungicide	31/12/2019	30/06/2021
Gusto 3	03666	Adama Agricultural Solutions UK Ltd	Professional	Molluscicide	30/09/2019	31/03/2021
Halo	00651	Cheminova A/S	Professional	Fungicide	20/11/2019	20/05/2020
Hatchet Xtra	02733	Mitsui Agriscience International S.A./N.V.	Professional	Herbicide	30/06/2019	31/12/2020
Headland Triad	03433	DuPont (UK) Ltd	Professional	Herbicide	31/12/2019	30/06/2021
Headway	03557	Syngenta UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Homebase Slug Killer	05022	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
Hyslug	04747	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
Impact	90512	Cheminova A/S	Professional	Fungicide	31/12/2019	30/06/2021
Impact Excel	00221	Cheminova A/S	Professional	Fungicide	20/11/2019	20/05/2020
Infinito	02532	Bayer CropScience Limited	Professional	Fungicide	30/06/2019	31/12/2020
Instrata	05186	Syngenta UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Jenton	02172	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Joules	04784	Nufarm UK Limited	Professional	Fungicide	20/11/2019	20/05/2020
Jupital	04503	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Lentagran WP	03082	Belchim Crop Protection NV	Professional	Herbicide	30/06/2019	31/12/2020
Life Scientific Chlorothalonil	04449	Life Scientific Limited	Professional	Fungicide	20/11/2019	20/05/2020
Life Scientific Diquat	04461	Life Scientific Limited	Professional	Herbicide	04/05/2019	04/02/2020
Lumen	02702	BASF plc	Professional	Fungicide	31/12/2019	30/06/2021
Masai	03585	BASF plc	Professional	Insecticide	31/12/2019	30/06/2021
Mesurol FS	04082	Bayer CropScience Limited	Professional	Seed Dressing	31/12/2019	03/04/2020

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Mirage	00412	Adama Agricultural Solutions UK Ltd	Professional	Fungicide	31/03/2019	30/09/2020
Mission 200 SL	03175	UPL Europe Ltd	Professional	Herbicide	04/05/2019	04/02/2020
Mitron WG	01704	Hermoo Belgium N.V.	Professional	Herbicide	31/12/2019	30/06/2021
Mocap 15G	04005	Amvac Netherlands B.V	Professional	Nematicide	21/09/2019	21/03/2020
Mogeton	04943	Certis Europe BV	Professional	Herbicide	31/12/2019	30/06/2020
Muti-Star 500	04812	Albaugh Europe Sarl	Professional	Fungicide	20/11/2019	20/05/2020
NEMguard Granules	92306	ECOspray Ltd	Amateur/Professional	Nematicide	31/12/2019	30/06/2021
Nemguard Liquid	92307	ECOspray Ltd	Amateur/Professional	Nematicide	31/12/2019	30/06/2021
Nimble Pro	05871	Capital CP Europe Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Nimrod	90789	Adama Agricultural Solutions UK Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Nortron 50 SC	02658	Bayer CropScience Limited	Professional	Herbicide	30/06/2019	31/12/2020
Octave 50 WP	90798	BASF plc	Professional	Fungicide	31/12/2019	30/06/2021
Opus Star	03314	BASF plc	Professional	Fungicide	31/12/2019	30/06/2021
Opus Team	01003	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Orchid B	05058	Croplink (Ireland) Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Orius P	03222	Adama Agricultural Solutions UK Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Ortiva Opti	05992	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Path, Patio & Drive Weedkiller Sachets	05051	Cheminova A/S	Amateur	Herbicide	31/12/2019	30/06/2021
Pepper Dust	05441	Bayer CropScience Limited	Amateur	Repellant	31/12/2019	30/06/2021
Perseo	05750	Sipcam Oxon SpA	Professional	Fungicide	20/11/2019	20/05/2020
Pestshield Slug Killer Blue Mini Pellets	05021	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
Phyton	05019	UPL Europe Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Plenum	02238	Adama Agricultural Solutions UK Ltd	Professional	Insecticide	30/04/2019	30/01/2020
Prelude 20 LF	00499	BASF plc	Professional	Seed Dressing	31/12/2019	30/06/2021

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Proceed	05519	Sharda Europe b.v.b.a	Professional	Fungicide	20/11/2019	20/05/2020
Propi 25 EC	04205	Sharda Europe b.v.b.a	Professional	Fungicide	19/06/2019	19/03/2020
Proradix	05338	SP Sourcon-Padena GmbH	Professional	Fungicide	31/12/2019	30/06/2020
Pyrol Bug & Larvae Killer Concentrate	04667	W. Neudorff GmbH KG	Amateur	Insecticide	31/03/2019	30/09/2020
Quad-Glob 200 SL	03180	Q-Chem NV	Professional	Herbicide	04/05/2019	04/02/2020
Quilt Xcel	04816	Syngenta UK Ltd	Professional	Fungicide	19/06/2019	19/03/2020
Reglone	02453	Syngenta UK Ltd	Professional	Herbicide	04/05/2019	04/02/2020
Renew Chlorothalonil	05362	Renew Chemical Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Resolva 24 H	03077	Syngenta UK Ltd	Amateur	Herbicide	04/05/2019	04/02/2020
Resolva 24H Concentrate	03076	Syngenta UK Ltd	Amateur	Herbicide	04/05/2019	04/02/2020
Resolva General Purpose Weedkiller	05893	Syngenta UK Ltd	Amateur	Herbicide	04/05/2019	04/02/2020
Resolva Path & Patio	04488	Syngenta UK Ltd	Amateur	Herbicide	04/05/2019	04/02/2020
Resolva Path & Patio Concentrate	04489	Syngenta UK Ltd	Amateur	Herbicide	04/05/2019	04/02/2020
Retro	03712	Syngenta UK Ltd	Professional	Herbicide	04/05/2019	04/02/2020
Rizolex	91166	Sumitomo Chemical Agro Europe SAS	Professional	Fungicide	31/12/2019	30/06/2021
Rogor L40	91173	Cheminova A/S	Professional	Insecticide	31/12/2019	30/06/2020
Rover 500	04467	Sipcam Oxon SpA	Professional	Fungicide	20/11/2019	20/05/2020
Safari Lite WSB	02132	FMC Agro Ltd	Professional	Herbicide	31/12/2019	30/06/2021
Savvy	03187	Rotam Agrochemical Europe Ltd	Professional	Herbicide	30/06/2019	31/12/2020
Savvy Premium	05392	Rotam Agrochemical Europe Ltd	Professional	Herbicide	30/06/2019	31/12/2020
Siltex	92433	Intracrop - A Division of Brian Lewis Agriculture	Professional	Adjuvant	30/06/2019	31/12/2020
Slug & Snail Control	04200	W. Neudorff GmbH KG	Amateur	Molluscicide	30/06/2019	31/12/2020
Slug Killer Blue Mini Pellets	92377	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
Sluggo Slug & Snail Killer	04574	W. Neudorff GmbH KG	Amateur	Molluscicide	30/06/2019	31/12/2020
Slugrid	04728	W. Neudorff GmbH KG	Amateur	Molluscicide	30/06/2019	31/12/2020

Product Name	PCS No	Company Name	User Type	Function Description	Registration expiry date	Product use illegal from
Spirodor	05934	Globachem nv	Professional	Fungicide	20/11/2019	20/05/2020
Sporgon 50WP	91288	BASF plc	Professional	Fungicide	31/03/2019	30/09/2020
Sportak 45 EW	00644	BASF plc	Professional	Fungicide	31/03/2019	30/09/2020
Sportak 45 HF	00566	BASF plc	Professional	Fungicide	31/12/2019	30/06/2021
Stefonil	05351	Sparta Research Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Strand	03747	Headland Agrochemicals Ltd	Professional	Fungicide	31/12/2019	30/06/2021
Super Strength Glyphosate	03618	Cheminova A/S	Amateur	Herbicide	31/12/2019	30/06/2021
Supreme	04841	Mitsui Agriscience International S.A./N.V.	Professional	Fungicide	20/11/2019	20/05/2020
Sward	00844	Amega Sciences plc	Professional	Adjuvant	31/12/2019	30/06/2021
Switch	03761	Syngenta UK Ltd	Professional	Fungicide	30/06/2019	31/12/2020
Synero	04058	Dow AgroSciences Ltd	Professional	Herbicide	30/09/2019	31/03/2021
Tafari	05977	Syngenta UK Ltd	Professional	Insecticide	30/04/2019	30/01/2020
Target SC	01298	UPL Europe Ltd	Professional	Herbicide	31/12/2019	30/06/2021
Target WG	01506	UPL Europe Ltd	Professional	Herbicide	31/12/2019	30/06/2021
Teppeki	02683	ISK Biosciences Europe N.V.	Professional	Insecticide	31/12/2019	30/06/2021
Tesco Slug Killer	92381	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
Tocata	03301	BASF plc	Professional	Fungicide	30/04/2019	31/10/2020
Tonga	06285	Rotam Agrochemical Europe Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Treoris	05310	DuPont (UK) Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Tribe 500	05309	Euro Chemicals s.r.o.	Professional	Herbicide	23/01/2019	30/06/2020
Twinprop	04427	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2019	30/06/2021
Ultimate Slug & Snail Killer	05251	Doff Portland Ltd	Amateur	Molluscicide	30/06/2019	31/12/2020
UNIPRO CTL	05944	Certiplant N.V.	Professional	Fungicide	20/11/2019	20/05/2020
Venture Jewel	03848	BASF plc	Professional	Fungicide	31/12/2019	30/06/2021
Vertik	05071	Syngenta UK Ltd	Professional	Fungicide	20/11/2019	20/05/2020
Vigon	05513	Bayer CropScience Limited	Professional	Herbicide	27/06/2019	27/03/2020
Viking	92450	Amega Sciences plc	Professional	Adjuvant	31/12/2019	30/06/2021

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Vincit	00403	Cheminova A/S	Professional	Seed Dressing	31/12/2019	30/06/2021

Chapter 4

Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2020

Plant Protection Products for which registrations have expired or have been or will be revoked and the use of which will become illegal during 2020.

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Abringo	Certiplant N.V.	04239	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Accurate	Nufarm UK Limited	02872	<i>Metsulfuron (-methyl)</i>	31/12/2018	30/06/2020
Addin	DHM Agrochemicals Ltd.,	05140	<i>Methylated Rapeseed Oil</i>	31/12/2018	30/06/2020
Advanced Bug Killer	W. Neudorff GmbH KG	92348	<i>Pyrethrins</i>	31/03/2019	30/09/2020
Aftercut Autumn All in One	Westland Horticulture Ltd	05209	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Agral	Syngenta UK Ltd	90032	<i>Alkylphenolethylene oxide condensate</i>	31/12/2018	30/06/2020
Agrichem Flowable Thiram	Hygeia Chemicals Ltd	00166	<i>Thiram</i>	30/01/2019	30/01/2020
Allegro Plus	BASF plc	02371	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Kresoxim Methyl</i>	30/04/2019	31/10/2020
Amistar Opti	Syngenta UK Ltd	05068	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	20/11/2019	20/05/2020
Anchor	Arysta LifeScience Great Britain Ltd	01247	<i>Carboxin</i> <i>Thiram</i>	30/01/2019	30/01/2020
Aylora	DuPont (UK) Ltd	05311	<i>Chlorothalonil</i> <i>Penthiopyrad</i>	20/11/2019	20/05/2020
Bacara	Bayer CropScience Limited	04317	<i>Diflufenican</i> <i>Flurtamone</i>	27/06/2019	27/03/2020
Balear 720 SC	Arysta LifeScience Benelux SPRL	04411	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Banner Maxx	Syngenta UK Ltd	02715	<i>Propiconazole</i>	19/06/2019	19/03/2020
Banner Maxx II	Syngenta UK Ltd	05461	<i>Propiconazole</i>	19/06/2019	19/03/2020
Barclay Avoca	Barclay Chemicals Ltd	04458	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Barclay Bolt XL	Barclay Chemicals Ltd	04102	<i>Propiconazole</i>	19/06/2019	19/03/2020
Barclay Dimethosect	Cheminova A/S	90172	<i>Dimethoate</i>	31/12/2019	30/06/2020
Barclay D-Quat	Barclay Chemicals Ltd	03974	<i>Diquat (dibromide)</i>	31/12/2018	04/02/2020
Barclay Eyetak 40	Barclay Chemicals Ltd	90177	<i>Prochloraz</i>	30/06/2019	31/12/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Barclay Eyetak 450	Barclay Chemicals Ltd	01953	<i>Prochloraz</i>	30/06/2019	31/12/2020
Barclay Propizole	Barclay Chemicals Ltd	04099	<i>Propiconazole</i>	19/06/2019	19/03/2020
Basagran	BASF plc	02341	<i>Bentazone</i>	31/12/2018	30/06/2020
Basamid Granular	Kanesho Soil Treatment BVBA	90213	<i>Dazomet</i>	30/06/2019	31/12/2020
Beetshield	DHM Agrochemicals Ltd.,	04632	<i>Clopyralid</i>	31/12/2018	30/06/2020
Beetup Trio SC	UPL Europe Ltd	05506	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Beret Multi	Syngenta UK Ltd	03040	<i>Fludioxonil</i> <i>Flutriafol</i>	31/12/2018	30/06/2020
Beretta	Certiplant N.V.	04835	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Betanal MaxxPro	Bayer CropScience Limited	04266	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Lenacil</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Betasana Trio	UPL Europe Ltd	05770	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Bio Blast Fruit & Vegetable Bug Killer	Agropharm Ltd	05361	<i>Pyrethrins</i>	31/12/2018	30/06/2020
Bio Blast Rose & Flower Bug Killer	Agropharm Ltd	05360	<i>Pyrethrins</i>	31/12/2018	30/06/2020
Bravado	Novastar Link Ltd	06013	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Bravo 500	Syngenta UK Ltd	03452	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Bumper	Adama Agricultural Solutions UK Ltd	03292	<i>Propiconazole</i>	19/06/2019	19/03/2020
Capalo	BASF plc	02718	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Metrafenone</i>	30/04/2019	31/10/2020
Careca	UPL Europe Ltd	04525	<i>Propyzamide</i>	31/12/2018	30/06/2020
Catapult	Bayer CropScience Limited	92282	<i>Aluminium ammonium sulfate</i>	31/12/2018	30/06/2020
Cavaterra	Certiplant N.V.	05059	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
CDA Vanquish Biactive	Monsanto UK Ltd	04355	<i>Glyphosate</i>	31/12/2018	30/06/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Cello	Bayer CropScience Limited	02766	<i>Prothioconazole</i> <i>Spiroxamine</i> <i>Tebuconazole</i>	31/12/2018	30/06/2020
Cherokee	Syngenta UK Ltd	02878	<i>Chlorothalonil</i> <i>Cyproconazole</i> <i>Propiconazole</i>	31/12/2018	30/06/2020
Chess WG	Adama Agricultural Solutions UK Ltd	03365	<i>Pymetrozine</i>	30/04/2019	30/01/2020
Chlorthalis	Arysta LifeScience Benelux SPRL	05193	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Cigal Plus	Rotam Agrochemical Europe Ltd	06061	<i>Chlorothalonil</i> <i>Tebuconazole</i>	20/11/2019	20/05/2020
CIPC	Arysta LifeScience Benelux SPRL	03066	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Clearall XL	DHM Agrochemicals Ltd.,	05766	<i>Glyphosate</i>	31/12/2018	30/06/2020
CloveX	DHM Agrochemicals Ltd.,	04705	<i>2,4-DB</i> <i>MCPA</i>	31/12/2018	30/06/2020
Connacht Gold Feed, Weed and Mosskiller	Unichem Limited	03334	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Corbel	BASF plc	90438	<i>Fenpropimorph</i>	30/04/2019	31/10/2020
Crafter	Nufarm UK Limited	05345	<i>Chlorothalonil</i> <i>Tebuconazole</i>	20/11/2019	20/05/2020
CT 500	DHM Agrochemicals Ltd.,	05302	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Curator	Syngenta UK Ltd	05069	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	20/11/2019	20/05/2020
Daconil	Syngenta UK Ltd	05748	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Devrinol	UPL Europe Ltd	91627	<i>Napropamide</i>	31/12/2018	30/06/2020
D-Foliate	Barclay Chemicals Ltd	03985	<i>Diquat (dibromide)</i>	31/12/2018	04/02/2020
Diamant	BASF plc	01981	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Pyraclostrobin</i>	30/04/2019	31/10/2020
Difure Pro	Globachem nv	05334	<i>Difenoconazole</i> <i>Propiconazole</i>	19/06/2019	19/03/2020
DimethoX	DHM Agrochemicals Ltd.,	05118	<i>Dimethoate</i>	31/12/2019	30/06/2020
Diqua	Sharda Europe b.v.b.a	03630	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Diquash 200 SL	Sharda Europe b.v.b.a	04181	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Di-Quattro	Arysta LifeScience Benelux SPRL	04720	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Dithianon WG	BASF plc	02523	<i>Dithianon</i>	31/12/2018	30/06/2020
Doff Greenfly and Blackfly Killer	Doff Portland Ltd	01754	<i>Fatty acid - C7 - C18 - potassium salt</i>	31/12/2018	30/06/2020
Doff Lawn Mosskiller Spray	Omex Agriculture Ltd	92353	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Doff Super Slug Killer	W. Neudorff GmbH KG	04319	<i>Ferric Phosphate</i>	30/06/2019	31/12/2020
Doff Systemic Fungus Control	Doff Portland Ltd	01957	<i>Myclobutanil</i>	31/12/2018	30/06/2020
Dragoon Gold	Certiplant N.V.	03174	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Earth Matters Insect Killer	Agropharm Ltd	92403	<i>Pyrethrins</i>	31/12/2018	30/06/2020
Electis 75 WG	Gowan Crop Protection Ltd	01821	<i>Mancozeb</i> <i>Zoxamide</i>	30/06/2019	31/12/2020
Evergreen Feed and Weed	The Scotts Company (UK) Ltd	03927	<i>MCPA</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Farmco Chlorothalonil	Farmco Agritrading Ltd	05593	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Farmco Dimex	Farmco Agritrading Ltd	04735	<i>Dimethoate</i>	31/12/2019	30/06/2020
Farmco Marigold	Farmco Agritrading Ltd	04901	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	30/06/2019	31/12/2020
Farmco Regal	Farmco Agritrading Ltd	04627	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Farmco Tilt	Farmco Agritrading Ltd	04500	<i>Propiconazole</i>	19/06/2019	19/03/2020
Farmco Trio	Farmco Agritrading Ltd	04460	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Fezan	Sipcam U.K. Ltd	03639	<i>Tebuconazole</i>	31/12/2018	30/06/2020
Fezan Plus	Sipcam Oxon SpA	04468	<i>Chlorothalonil</i> <i>Tebuconazole</i>	20/11/2019	20/05/2020
Fielder SE	DuPont (UK) Ltd	04251	<i>Chlorothalonil</i> <i>Proquinazid</i>	20/11/2019	20/05/2020
Finale 150	Bayer CropScience Limited	04464	<i>Glufosinate (- ammonium)</i>	31/07/2018	31/01/2020
Finy	UPL Europe Ltd	02360	<i>Metsulfuron (-methyl)</i>	30/06/2019	31/12/2020
Folicur 250 EW	Bayer CropScience Limited	00468	<i>Tebuconazole</i>	31/12/2018	30/06/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Folio Gold	Syngenta UK Ltd	02363	<i>Chlorothalonil</i> <i>Metalaxyl M</i>	20/11/2019	20/05/2020
Fortress	Dow AgroSciences Ltd	02364	<i>Quinoxifen</i>	27/06/2019	27/03/2020
Fusilade Max	Nufarm UK Limited	01472	<i>Fluazifop-P (-butyl)</i>	30/06/2019	31/12/2020
Garden Super Strength Weedkiller	Cheminova A/S	05225	<i>Glyphosate</i>	31/12/2018	30/06/2020
Glyfos Care Concentrate	Cheminova A/S	02695	<i>Glyphosate</i>	31/12/2018	30/06/2020
Glyfos Care Ready to Use	Cheminova A/S	02696	<i>Glyphosate</i>	31/12/2018	30/06/2020
Goulding Slug Killer Pellets	Doff Portland Ltd	05023	<i>Metaldehyde</i>	31/12/2018	30/06/2020
Gouldings Lawnfeed, Weed and Mosskiller	Hygeia Chemicals Ltd	03060	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Green Up Feed & Weed plus Mosskiller	Vitax Limited	02261	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Gro-Stop 100	Certis Europe BV	03115	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Gro-Stop Fog	Certis Europe BV	03114	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Gro-Stop HN	Certis Europe BV	03113	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Gro-Stop Innovator	Certis Europe BV	03116	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Gro-Stop Ready	Certis Europe BV	04828	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Halo	Cheminova A/S	00651	<i>Chlorothalonil</i> <i>Flutriafol</i>	20/11/2019	20/05/2020
Hatchet Xtra	Mitsui Agriscience International S.A./N.V.	02733	<i>Fluroxypyr</i>	30/06/2019	31/12/2020
Headway	Syngenta UK Ltd	03557	<i>Azoxystrobin</i> <i>Propiconazole</i>	19/06/2019	19/03/2020
Helix	Bayer CropScience Limited	03789	<i>Prothioconazole</i> <i>Spiroxamine</i>	31/12/2018	30/06/2020
Homebase Autumn Lawn Feed and Mosskiller	The Scotts Company (UK) Ltd	05006	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Homebase Lawn Feed, Weed and Mosskiller	The Scotts Company (UK) Ltd	02647	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Homebase Slug Killer	Doff Portland Ltd	05022	<i>Metaldehyde</i>	30/06/2019	31/12/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Hyslug	Doff Portland Ltd	04747	<i>Metaldehyde</i>	30/06/2019	31/12/2020
Hytrol	Hygeia Chemicals Ltd	03701	<i>Glyphosate</i>	31/12/2018	30/06/2020
Impact Excel	Cheminova A/S	00221	<i>Chlorothalonil</i> <i>Flutriafol</i>	20/11/2019	20/05/2020
Infinito	Bayer CropScience Limited	02532	<i>Fluopicolide</i> <i>Propamocarb</i>	30/06/2019	31/12/2020
Instrata	Syngenta UK Ltd	05186	<i>Chlorothalonil</i> <i>Fludioxonil</i> <i>Propiconazole</i>	19/06/2019	19/03/2020
Jenton	BASF plc	02172	<i>Fenpropimorph</i> <i>Pyraclostrobin</i>	30/04/2019	31/10/2020
Joules	Nufarm UK Limited	04784	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Judo	Cheminova A/S	05035	<i>Propyzamide</i>	31/12/2018	30/06/2020
Jupital	Syngenta UK Ltd	04503	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Kalahari	Barclay Chemicals Ltd	04100	<i>Diquat (dibromide)</i>	31/12/2018	04/02/2020
Kerb 50 W	Dow AgroSciences Ltd	02831	<i>Propyzamide</i>	31/12/2018	30/06/2020
Kerb Granules	Barclay Chemicals Ltd	02955	<i>Propyzamide</i>	31/12/2018	30/06/2020
Kinto	BASF plc	02550	<i>Prochloraz</i> <i>Triticonazole</i>	31/12/2018	30/06/2020
Kurtail Gold	Progreen Weed Control Solutions Ltd	05809		31/07/2018	31/01/2020
Landscaper Pro Moss Control + Fertilizer	The Scotts Company (UK) Ltd	92371	<i>Glufosinate (- ammonium)</i>	31/12/2018	30/06/2020
Lector	Nufarm UK Limited	04818	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Lentagran WP	Belchim Crop Protection NV	03082	<i>Florasulam</i>	30/06/2019	31/12/2020
Life Scientific Chlorothalonil	Life Scientific Limited	04449	<i>Pyridate</i>	20/11/2019	20/05/2020
Life Scientific Diquat	Life Scientific Limited	04461	<i>Chlorothalonil</i>	04/05/2019	04/02/2020
Master Gly	Generica Europa Ltd	05746	<i>Diquat (dibromide)</i>	31/12/2018	30/06/2020
Menara	Syngenta UK Ltd	01258	<i>Glyphosate</i>	31/12/2018	30/06/2020
Mesurol FS	Bayer CropScience Limited	04082	<i>Cyproconazole</i> <i>Propiconazole</i>	31/12/2019	03/04/2020
Mirage	Adama Agricultural Solutions UK Ltd	00412	<i>Methiocarb</i>	31/03/2019	30/09/2020
			<i>Prochloraz</i>		

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Mission 200 SL	UPL Europe Ltd	03175	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Mizr	Monsanto UK Ltd	03835	<i>Glyphosate</i>	31/12/2018	30/06/2020
Mocap 15G	Amvac Netherlands B.V	04005	<i>Ethoprophos</i>	21/09/2019	21/03/2020
Mogeton	Certis Europe BV	04943	<i>Quinoclamine</i>	31/12/2019	30/06/2020
MON 78273	Monsanto UK Ltd	02228	<i>Glyphosate</i>	31/12/2018	30/06/2020
MON 79632	Monsanto UK Ltd	02619	<i>Glyphosate</i>	31/12/2018	30/06/2020
Mosgo Lawn & Turf Mosskiller	Omx Agriculture Ltd	92321	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Movento	Bayer CropScience Limited	04101	<i>Spirotetramat</i>	31/12/2018	30/06/2020
Muti-Star 500	Albaugh Europe Sarl	04812	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Nativo 75 WG	Bayer CropScience Limited	03226	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	31/12/2018	30/06/2020
Neo Stop	Arysta LifeScience Benelux SPRL	03065	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Neo Stop 300 HN	Arysta LifeScience Benelux SPRL	05213	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Neo-Stop L500 HN	Arysta LifeScience Benelux SPRL	03053	<i>Chlorpropham</i>	08/01/2020	08/10/2020
Nimble Pro	Capital CP Europe Ltd	05871	<i>Propiconazole</i>	19/06/2019	19/03/2020
Nimrod	Adama Agricultural Solutions UK Ltd	90789		30/06/2019	31/12/2020
Nortron 50 SC	Bayer CropScience Limited	02658	<i>Bupirimate</i>	30/06/2019	31/12/2020
Opus Team	BASF plc	01003	<i>Ethofumesate</i>	30/04/2019	31/10/2020
Orchid B	Croplink (Ireland) Ltd	05058	<i>Epoxiconazole</i> <i>Fenpropimorph</i>	20/11/2019	20/05/2020
Orius 20 EW	Adama Agricultural Solutions UK Ltd	02618	<i>Chlorothalonil</i>	31/12/2018	30/06/2020
Orius P	Adama Agricultural Solutions UK Ltd	03222	<i>Tebuconazole</i>	30/06/2019	31/12/2020
Ortiva Opti	Syngenta UK Ltd	05992	<i>Prochloraz</i> <i>Tebuconazole</i>	20/11/2019	20/05/2020
Pearl	Arigem Ltd	05604	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	31/07/2018	31/01/2020
Pelican Delta	Nufarm UK Limited	03758	<i>Glufosinate (- ammonium)</i>	31/12/2018	30/06/2020
			<i>Diflufenican</i>		
			<i>Metsulfuron (-methyl)</i>		

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Perseo	Sipcam Oxon SpA	05750	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	20/11/2019	20/05/2020
Pestshield Slug Killer Blue Mini Pellets	Doff Portland Ltd	05021	<i>Metaldehyde</i>	30/06/2019	31/12/2020
Phyton	UPL Europe Ltd	05019	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Plenum	Adama Agricultural Solutions UK Ltd	02238	<i>Pymetrozine</i>	30/04/2019	30/01/2020
Prairie	Syngenta UK Ltd	03516	<i>Chlorothalonil</i> <i>Propiconazole</i>	31/12/2018	30/06/2020
Proceed	Sharda Europe b.v.b.a	05519	<i>Chlorothalonil</i> <i>Cyproconazole</i>	20/11/2019	20/05/2020
Proper Flo	Globachem nv	04265	<i>Propyzamide</i>	31/12/2018	30/06/2020
Propi 25 EC	Sharda Europe b.v.b.a	04205	<i>Propiconazole</i>	19/06/2019	19/03/2020
Proradix	SP Sourcon-Padena GmbH	05338	<i>Pseudomonas sp. strain - DSMZ 13134</i>	31/12/2019	30/06/2020
Prosaro	Bayer CropScience Limited	02106	<i>Prothioconazole</i> <i>Tebuconazole</i>	31/12/2018	30/06/2020
Prova	Certiplant N.V.	04262	<i>Propyzamide</i>	31/12/2018	30/06/2020
Pyramin DF	BASF plc	04264	<i>Chloridazon</i>	31/12/2018	30/06/2020
Pyrethrum 5 EC	Agropharm Ltd	92317	<i>Pyrethrins</i>	31/12/2018	30/06/2020
Pyrol Bug & Larvae Killer Concentrate	W. Neudorff GmbH KG	04667	<i>Pyrethrins</i>	31/03/2019	30/09/2020
Quad-Glob 200 SL	Q-Chem NV	03180	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Quilt Xcel	Syngenta UK Ltd	04816	<i>Azoxystrobin</i> <i>Propiconazole</i>	19/06/2019	19/03/2020
Reglone	Syngenta UK Ltd	02453	<i>Diquat (dibromide)</i>	04/05/2019	04/02/2020
Reldan 22	Dow AgroSciences Ltd	03623	<i>Chlorpyrifos-methyl</i>	16/02/2020	16/04/2020
Relva	Certiplant N.V.	04031	<i>Propyzamide</i>	31/12/2018	30/06/2020
Renew Chlorothalonil	Renew Chemical Ltd	05362	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Resolva 24 H	Syngenta UK Ltd	03077	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	04/05/2019	04/02/2020
Resolva 24H Concentrate	Syngenta UK Ltd	03076	<i>Diquat (dibromide)</i> <i>Glyphosate</i>	04/05/2019	04/02/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Resolva General Purpose Weedkiller	Syngenta UK Ltd	05893		04/05/2019	04/02/2020
			<i>Diquat (dibromide)</i> <i>Glyphosate</i>		
Resolva Path & Patio	Syngenta UK Ltd	04488		04/05/2019	04/02/2020
			<i>Diquat (dibromide)</i> <i>Glyphosate</i>		
Resolva Path & Patio Concentrate	Syngenta UK Ltd	04489		04/05/2019	04/02/2020
			<i>Diquat (dibromide)</i> <i>Glyphosate</i>		
Resolva Total Clear	Syngenta UK Ltd	04490		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Resolva Xtra Tough	Syngenta UK Ltd	04760		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Retro	Syngenta UK Ltd	03712		04/05/2019	04/02/2020
			<i>Diquat (dibromide)</i>		
Revus	Syngenta UK Ltd	02789		31/12/2018	30/06/2020
			<i>Mandipropamid</i>		
Riza	Cheminova A/S	02429		31/12/2018	30/06/2020
			<i>Tebuconazole</i>		
Rocca	Syngenta UK Ltd	03867		31/12/2018	30/06/2020
			<i>Cyprodinil</i> <i>Propiconazole</i>		
Rogor L40	Cheminova A/S	91173		31/12/2019	30/06/2020
			<i>Dimethoate</i>		
Roundup Advance	Monsanto UK Ltd	04595		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Roundup GC Weedkiller	Monsanto UK Ltd	02316		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Roundup Gold	Monsanto UK Ltd	01778		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Roundup ProVantage	Monsanto UK Ltd	04594		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Rover 500	Sipcam Oxon SpA	04467		20/11/2019	20/05/2020
			<i>Chlorothalonil</i>		
Savvy	Rotam Agrochemical Europe Ltd	03187		30/06/2019	31/12/2020
			<i>Metsulfuron (-methyl)</i>		
Savvy Premium	Rotam Agrochemical Europe Ltd	05392		30/06/2019	31/12/2020
			<i>Metsulfuron (-methyl)</i>		
Scotts Lawn Builder Plus Moss Control	The Scotts Company (UK) Ltd	92314		31/12/2018	30/06/2020
			<i>Ferrous Sulphate</i>		
Scutchout Plus	Cheminova A/S	04409		31/12/2018	30/06/2020
			<i>Glyphosate</i>		
Siltex	Intracrop - A Division of Brian Lewis Agriculture	92433		30/06/2019	31/12/2020
			<i>Polyether modified trisiloxane</i>		
Silwet 778	Momentive Performance Materials GmbH	00759		31/12/2018	30/06/2020
			<i>Allyl polyethylene glycol methyl ether</i> <i>Polyalkyleneoxide</i> <i>Polyethylene polypropylene glycol</i>		
Slug & Snail Control	W. Neudorff GmbH KG	04200		30/06/2019	31/12/2020
			<i>Ferric Phosphate</i>		

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Slug Killer Blue Mini Pellets	Doff Portland Ltd	92377	<i>Metaldehyde</i>	30/06/2019	31/12/2020
Slugclear Ultra	The Scotts Company (UK) Ltd	03270	<i>Metaldehyde</i>	31/12/2018	30/06/2020
Sluggo Slug & Snail Killer	W. Neudorff GmbH KG	04574	<i>Ferric Phosphate</i>	30/06/2019	31/12/2020
Slugrid	W. Neudorff GmbH KG	04728	<i>Ferric Phosphate</i>	30/06/2019	31/12/2020
Sniper	Adama Agricultural Solutions UK Ltd	05385	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Spirodor	Globachem nv	05934	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Spitfire	Dow AgroSciences Ltd	04703	<i>Florasulam</i> <i>Fluroxypyr</i>	31/12/2018	30/06/2020
Sporgon 50WP	BASF plc	91288	<i>Prochloraz</i>	31/03/2019	30/09/2020
Sportak 45 EW	BASF plc	00644	<i>Prochloraz</i>	31/03/2019	30/09/2020
Stefonil	Sparta Research Ltd	05351	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Stereo 312.5 EC	Syngenta UK Ltd	03866	<i>Cyprodinil</i> <i>Propiconazole</i>	31/12/2018	30/06/2020
Supreme	Mitsui Agriscience International S.A./N.V.	04841	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Switch	Syngenta UK Ltd	03761	<i>Cyprodinil</i> <i>Fludioxonil</i>	30/06/2019	31/12/2020
Tafari	Syngenta UK Ltd	05977	<i>Pymetrozine</i>	30/04/2019	30/01/2020
Tailout	Proklass Products Ltd	05797	<i>Glufosinate (- ammonium)</i>	31/07/2018	31/01/2020
Tesco Bug Killer Spray	Doff Portland Ltd	02446	<i>Fatty acid - C7 - C18 - potassium salt</i>	31/12/2018	30/06/2020
Tesco Mosskiller Gun	Omex Agriculture Ltd	92351	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Tesco Slug Killer	Doff Portland Ltd	92381	<i>Metaldehyde</i>	30/06/2019	31/12/2020
Tocata	BASF plc	03301	<i>Epoxiconazole</i> <i>Fenpropimorph</i> <i>Metrafenone</i>	30/04/2019	31/10/2020
Tonga	Rotam Agrochemical Europe Ltd	06285	<i>Chlorothalonil</i> <i>Tebuconazole</i>	20/11/2019	20/05/2020
Totalis	Pure Amenity Ltd	05825	<i>Glufosinate (- ammonium)</i>	31/07/2018	31/01/2020
Treoris	DuPont (UK) Ltd	05310	<i>Chlorothalonil</i> <i>Penthiopyrad</i>	20/11/2019	20/05/2020

Product Name	Company Name	PCS No	Substance	Registration expiry date	Product use illegal from
Tribe 500	Euro Chemicals s.r.o.	05309	<i>Tribenuron (-methyl)</i>	23/01/2019	30/06/2020
Trilogy	UPL Europe Ltd	04246	<i>Desmedipham</i> <i>Ethofumesate</i> <i>Phenmedipham</i>	01/01/2020	01/07/2020
Ultimate Slug & Snail Killer	Doff Portland Ltd	05251	<i>Metaldehyde</i>	30/06/2019	31/12/2020
Unichem Lawn Feed, Weed and Mosskiller	Unichem Limited	03130	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
UNIPRO CTL	Certiplant N.V.	05944	<i>Chlorothalonil</i>	20/11/2019	20/05/2020
Vertik	Syngenta UK Ltd	05071	<i>Azoxystrobin</i> <i>Chlorothalonil</i>	20/11/2019	20/05/2020
Vesuvius Green	Ventura Agroscience Ltd	05747	<i>Glyphosate</i>	31/12/2018	30/06/2020
Vigon	Bayer CropScience Limited	05513	<i>Diflufenican</i> <i>Flufenacet</i> <i>Flurtamone</i>	27/06/2019	27/03/2020
Weedbuster	Syngenta UK Ltd	02846	<i>Glyphosate</i>	31/12/2018	30/06/2020
Weedfree	Hygeia Chemicals Ltd	03702	<i>Glyphosate</i>	31/12/2018	30/06/2020
Weedol 2	The Scotts Company (UK) Ltd	02584	<i>Diquat (dibromide)</i>	31/12/2018	04/02/2020
Westland Aftercut All in One	Westland Horticulture Ltd	04809	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Westland Feed and Mosskiller	Westland Horticulture Ltd	01781	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020
Westland Lawn Feed, Weed & Mosskiller	Westland Horticulture Ltd	01687	<i>2,4-D</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	31/12/2018	30/06/2020
Westland Lawn Sand	Westland Horticulture Ltd	92413	<i>Ferrous Sulphate</i>	31/12/2018	30/06/2020

Chapter 5

Marketing Companies

Company Name	Address	Tel	Fax
151 Products Ltd	The Old School House, 39 George Leigh Street, Manchester M4 6AF, England	00441 618 395949	
Adama Agricultural Solutions UK Ltd	Unit 15, Thatcham Business Village, Colthrop Way, Thatcham, Berkshire, RG19 4 LW, England	00441 730 265 798	00441-730 265 798
AgroFresh Holding France S.A.S.	23 – 25 avenue Mac-Mahon, 75017 Paris, France	0033489 829249	
Albaugh Europe Sarl	Chemin de Raidillon, 1B, 1091 Grandvaux, Vaud, Switzerland	004420 35512580,	004420 7956 2001
Alpha Biopesticides Ltd	St John's Innovation centre, Cowley Road, Cambridge, CB4 0WS, England	00441449 760791	00447763221000
Amvac Chemical UK Limited	Surrey Technology Centre, 40 Occam Road, The Surrey Research Park, Guilford, Surrey, GU2 7YG, England	00441-483-295780	00441-483-295781
Angus Horticulture Ltd	Polmood, Guthrie, Forfar, Angus, DD8 2TW, Scotland	0044-1241-829049	
Arysta Life Science S.A.S.	Route d'Artix, BP80, 64150 Nogueres, France	0033 559 609292	0033 559 609299
Arysta LifeScience Benelux SPRL	Rue de Renory 26/1, B-4102 Ougree, Belgium	0032 4385 9711	
Arysta LifeScience UK & Ireland Ltd	Suite G8, Evans Business Centre, Monckton Road, Wakefield, WF2 7AS England	00441924 888149	
Aurivo Co-operative Ltd	Finisklin Business Park, Finisklin, Sligo, Co Sligo	071 9186500	
B & Q plc	Chestnut Avenue, Chandler's Ford, Eastleigh, Hampshire, SO53 3LE, England	0044-2380-690000	
Bandon Agricultural Products Ltd	5-6 Bridge Street, Bandon, Co. Cork	023-8841115	
Barclay Chemicals Ltd	Tyrellstown Way, Damastown Industrial Estate, Mulhuddart, Dublin 15	01-8224555	01-8224678
BASF plc	P.O. 4 Earl Road, Cheadle Hulme, Cheadle, Cheshire, SK8 6QG, England	00441-61485-6222	00441-61486-0891
Bayer CropScience Limited	230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	0044-1223-226500	0044-1223-426240
Bayer CropScience Biologics GmbH	Inselstrasse 12, D-23999 Malchow/Poel, Germany	0049-38425-2323	
Bayer SAS	Environmental Science SAS, 230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	00441 223 226682	
Belchim Crop Protection Ltd	1b Fenice Court, Phoenix Park, Eaton Socon, St. Neots, Cambridgeshire, PE19 8EP, England	00441480403444	
Belchim Crop Protection NV	Technologielaan 7, B-1840, Londerzeel, Belgium	0032 5231 9659	
Belcrop N.V.	Tiensestraat 300, B-3400, Landen, Belgium	003211 598360	
Biocontrol Technologies S.L.	Avgda. Madrid, 215-217, entresol dreta A, Barcelona, 08014, Spain	0034 93409 1848	
CBC (Europe) S.r.l.	via E. Majorana 2, Nova Milanese (MB), 20834, Italy	0039 362 365079	
Certiplant N.V.	Lichtenberglaan 2045, B-3800, Sint-Truiden, Belgium	0032 1188 0392	0032 1170 7484
Certis Europe BV	C/o Suite 5, 1Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD, England	0044 845 3730 305	
Cheminova A/S	P.O. Box 9, DK-7620 Lemvig, Denmark	0044 1423 857852	
Ciech Sarzyna S.A	Chemikow 1 Str, 37-310 Nowa Sarzyna, Podkarpackie, Poland	0048 1724 07111	
Clayton Plant Protection Ltd	Bracetown Business Park, Clonee, Co Meath D15 YT2T	01-8210127	
Compo GmbH	Gildenstrasse 38, D-48157 Munster, Germany	0049 251 32770	
Croplink (Ireland) Ltd	1 Aillwee Lane, Ballyvaughan, Co. Clare	065-7077331	065-7077334
Danstar Ferment AG	Poststrasse 30, CH-6300 ZUG, Switzerland		
De Sangosse SA	Bonnel BP5, 47480 Pont du Casse, France	0033 553 693630	
Detia Degesch GmbH	Dr Werner-Freyberg-Strasse, D-69514 Laudenbach, Germany	0049 6201 708 305,	0049 6201 708 427
DHM Agrochemicals Ltd.,	Castle Lodge, Kilgobbin Road, Sandyford, Dublin 18	01-2952377	01-2959399
Doff Portland Ltd	Aerial Way, Hucknall, Nottingham, NG 15 6DW, England	00441-15983 4312	00441-159638657
Dormfresh Ltd	Algo Business Centre, Glenearn Road, Perth PH2 0NJ Scotland	00441738633859	
Douglas BLG BVBA	97, 4 th Floor, Rue Royale, 1000 Brussels, Belgium		
Dow AgroSciences	Latchmore Court, Brand Street, Hitchin, Hertfordshire, SG5 1NH, England	0044 1462 426645	

Company Name	Address	Tel	Fax
DuPont (UK) Ltd	Wedgewood Way, Stevenage, Hertfordshire, SG1 4QN, England	00441-438-734000	00441-438-734452
ECOspray Ltd	Grange Farm, Cockley Clay Road, Hillsborough, Thetford, Norfolk IP26 5BT, England	0044-1760-756100	0044-1760-756313
Evergreen Garden Care UK Ltd	Weyside Park, Catteshall Lane, Goldaming, Surrey, GU7 1XE, England	0044 1473 654613	
Everris Ltd	Epsilon House, West Road, Ipswich, IP3 9FJ, England	0044 1844 8094470	
Fargro Limited	Vinery Fields, Arundel Road, Poling, West Sussex, BN18 9PY, England	0044 1903 721591	
Farmco Agritrading Ltd	Annakisha, Mallow, Cork	022 57597,	022 57577
Finagro S.p.A	Via Alberto da Giussano 18, 20145 Milano, Italy	00 39030938901	00390309389201
Finchimica S.p.A	via Lazio, 13 – 25025 Manerbio (BS), Italy	00 39030 938901	0039030 9389201
Fine Agrochemicals Ltd	Hillend House, Whittington, Worcester, WR5 2RL, England	00441-905-361810	
FMC Agro Ltd	Rectors Lane, Pentre, Flintshire, CH5 2DH, England	00441244 537370	
Galenika-Fitofarmacija	Batajniki drum bb, 11000 Belgrade, Serbia		
Gemini Agriculture Ltd	71-75 Shelton Street, Convent Garden, London WC2H 9JQ, England	0044 203011 5515	
Glanbia plc	Glanbia House, Kilkenny, Co Kilkenny	056 7772200	
FMC Chemical s.p.r.l.	APG, Boulevard de la Plaine 9/3, B-1050 Brussels, Belgium	00322-645-9584	00322-645-9655
Freshpallet Ltd	Unit 6, Bearl, Stocksfield, Northumberland, NE43 7AJ, England	0044 1661 844866	
Globachem nv	Brustem Industriepark, Lichtenberglaan 2019, B-3800 Sint-Truiden, Belgium	0032 11785717	0032 11681565
Global Adjuvants Company Ltd	The Granary, 27c Silver street, Buckden, St Neots, Cambridgeshire, PE19 5TS England	00441480 810137	00441480 810335
Goldcrop Ltd	Springhill, Carrigtohill, Co. Cork	021-312211	021-313619
Gowan Comercio Internacional e Servicos Limitida	Avenida do Infante 50, Funchal – Maderia, 9004-521, Portugal	00351 2912 32484	
Grupo AgroTechnologia	Poligono Puente Alto, Parcel 57, 03300 Orihuela (Alicante) Spain	003496 6738232	0034965 302115
Headland Agrochemicals Ltd	Rectors Lane, Pentre, Deeside, Flintshire, CH5 2DH, England	0044 7775 503572	
Headland Amenity Limited	1010 Cambourne Business Park, Cambourne, Cambs. CB3 6DP, England	00441 223 597 834	00441 223 598052
Helm AG Ltd	Nordkanalstr. 28, Hamburg, D-20097, Germany	004940 23750	
Homebase Ltd	Avebury, Milton Keynes, MK9 2NW, England	0044 345640 7808	
Hygeia Chemicals Ltd	Oranmore, Co. Galway	091-794722	091-794738
I.A.B. SL	Avda. Paret del Patriarca 11-B Ap.30, 46113 Moncada Valencia, Spain	003496 1609842	003496 1609843
Iberfol S.L.	Ap. 273 Orihuela, 03300 Alicante, Spain	0034 966 738 232	
IGROX Ltd	77 Claydon Business Park, Great Blakenham, Ipswich, Suffolk, IP6 0NL, England	0044 1707 656555	
Indofil Industries Limited	Via Filippo Turati, 6, 20121 Milan, Italy	0091-22-666-37370	0091-22-283-22275
Industrias Afrasa, S.A.	Ciudad de Sevilla 53, 46988 – Pol.Ind. Fuentedel Jarro, Paterna (Valencia), Spain	0034 96132 1700	0034 96132 1716
Industrias Quimicas Del Valles S.A (IQV, S.A.)	C. Garbí 3, Pol. Ind. Can Volart · 08150 Parets del Vallès · BCN · Spain	00 34 935 708 721	00 34 93 579 17 22
ISK Biosciences Europe N.V.	Pegasus Park, De Kleetlaan 12B, B-1831 Diegem, Belgium	00322-6278600	
John Hall (Fertilisers) Ltd	Owen Street, Coalville, Leicestershire, LE67 3DE, England	00441 530 510060	
JT Agro Ltd	1 Bell Street, Maidenhead, Berkshire S16 1BU England	00441628 421599	
Juno (Plant Protection) Ltd	Little Mill Farm, Underlyn Lane, Marden, Kent, TN12 9AT, England	00441 580 765079	
Kingfisher International Products Ltd	3 Sheldon Square, London, W2 6PX, England	01-7617203	

Company Name	Address	Tel	Fax
Koppert B.V.	Veilingweg 17, Postbus 155, 2650, AD Berkel en Rodenrijs, Netherlands	0031-105140444	0031-105115203
Kreglinger Europe N.V.	Grote Markt, 7, B-2000 Antwerp, Belgium	0032 32222 050	0032 32222 045
L.Gobbi srl	Via VAllecalda, 33, 16013 Campo Ligure, Italy		
Lainco S.A.	Polygono Can Jardi, Avda, Bizet 8 – 12, 08191 Rubi, Barcelona, Spain	0034 935 862015	
Landseer Ltd	Lodge Farm, Goat Hall Lane, Galleywood, Chelmsford, Essex CM2 8PH England	00441 245 357109	
Lawn Sand Task Force	C/O Barkwith Associates, North Hanger, Wickenby Airfield, Lincolnshire, LN3 5AX, England	0044 1673 885 333	
Life Scientific Limited	Nova UCD, Belfield Innovation Park, University College Dublin, Dublin 4	01 2832024	01 2832026
Lonza Cologne GmbH	Nattermannallee 1, Cologne, D-50829 Germany	+41 61 3168793	
Mitsui Agriscience International S.A	Suite 26, Northwood House, Northwood Business Campus, Santry, Dublin 9	01 8624620	
Mitsui Chemicals Agro Inc.	1-19-1, Nihonbashi, Chuo-ku, Tokyo, 103-0027, Japan	00813 3285 1111	
Monsanto UK Ltd	P O Box 663, Cambourne, Cambridge, CB1 0LD, England	01-8250574	01-8250570
Mycotech Europe Ltd	C/o Certis Europe B.V, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambridgeshire CB21 6AD	0044 845 373 0305	
National Agrochemical Distributors Ltd	Blakes Cross, Lusk, Co. Dublin	01-8437808	01-8437909
Nichino Europe Ltd			
Nissan Chemical Europe	Parc d'affaire de Crecy, 2 rue Claude Chappe, 69370 Saint Didier au Mont D'or, France	0033-437-644020	
Nisso Chemical Europe GmbH	Berliner Allee 42, 40212 Dusseldorf, Germany	0049211 130 66 8611,	0049-211-328231
Nomix Enviro, A Division of Frontier Agriculture Ltd	The Grain Silos, Weyhill Road, Andover, Hampshire, SP10 3NT, England	0044 -117- 9574574	0044-117-9563461
Novozymes France S.A.S.	Parc Technologique des Grillons – 60, route de Sartrouville – Bat.6, 78232 le Pecq Cedex – France	0033 13015 2840	003313015 1545
Nufarm UK Limited	Wyke, Bradford, West Yorkshire, BD12 9EJ, England	00441-274-694754	
Nutrigain Ltd	219 Buxton Road, Macclesfield, Cheshire, SK10 1NB, England	0044-772 163 9959	
OAT Agrio Co., Ltd.	1-3-1, Kanda, Ogawa-machi, Chiyoda-ku, Tokyo, 101-0052, Japan	0081 745 741131	
Octavius Hunt Ltd	Dove Lane, Redfield, Bristol, BS5 9NQ, England	0044117 955 5304	
Omex Agriculture Ltd	Bardney Airfield, Tupholme, Lincoln, LN3 5TP, England	00441 526 396000	00441-526-396001
Osmonds Ireland On Farm	Unit 4, Airton Road, Tallaght, Dublin 24	01 4667988	
Pan Amenity Ltd	8 Cromwell Mews, Station Road, St. Ives, Cambridgeshire, PE27 5HJ, England	00441 480 467790	
Pelgar International	Unit 13 Newman Lane, Alton, Hampshire, GU34 2QR England		
ProKlass Products Ltd	The Granary, 27c Silver Street, Buckden, St Neots, PE19 5TS, England	0044 1480 810137	
Proplan Plant Protection Company SL	C/Valle del Roncal 12 – Oficina 7, 28232 Las Rozas, Madrid, Spain	0034 9734 47673	
Punya Innovation ApS	Almevej 180, Gilleleje, DK-3250 Denmark	0045 4830 1727	
Q-Chem NV	Leeuwerweg 138, 3803 Sint – Truiden, Belgium	0032-1178 5717	0032-1168 1565
Quimicas Meristem S.L.	Ctra. Moncada-Naquera Km 1,7, Ap.30, 46113 Moncada, Valencia, Spain	0034 961 394511	
Rotam Agrochemical Europe Ltd	75 Cours Albert Thomas, 6e avenue/Bat D, Lyon, 69003, France	0033 177 044 778	
SBM Development SAS	111 Chemin du Petit Bois, 69130 Ecully, France	0033 4912 44427	
Seipasa S.A.	C/ Ciudad Dario, naves1-3-5 - 46250 Pol.Ind., La Creu L'Alcudia, Valencia, Spain	0034 962 541163	
Servem Ltd	Maxboleys, Duncormick, Wexford	051 563530,	051 563531

Company Name	Address	Tel	Fax
SFP Europe	Espace des Remparts 10, Sion, 1950, Switzerland	004127 3290910	
Sharda Cropchem España S.L.	Edificio Atalayas Business Center, Carril Condomina nº 3, 12th Floor, 30006, Murcia, Spain	00 34 868 12 75 89	
Sharda Europe b.v.b.a	Jozef Mertansstraat 142, 1702 Dilbeek, Belgium	00322 4664444	
Sipcam U.K. Ltd	4c Archway House, The Lanterns, Melbourn Street, Royston, Herts, SG8 7BX, England	0044 1763 212100	
Societe Financiere de Pontarlier	Villa Celony, 1175 Montee d'Avignon, Aix en Provence, 13090, France	0033 442 527 211	
SP Sourcon-Padena GmbH	Sindelfinger str. 3, Tubingen, DE-72070, Germany	0039 3492115740	
Sparta Research Ltd	82 North Main Street, Bandon, Cork	0044 1865 883162	
Sphere Laboratories (London) Ltd	c/o Mainswood, Putley Common, Nr Ledbury, Herefordshire, HR8 2RF, England	0044 1531 670 517	
Spray Clear Environmental Ltd	14 B Stadium Business Park, Ballycoolin, Dublin 11	01-8829114	01-8829111
Sumitomo Chemical Agro Europe SA	Parc D'Affairs de Crecy (Telebase) 2, Rue Claude Chappe, 69370 St Didier-au-Mont-d'Or, Lyon, France	0033 478 643260,	0033 478 472545
Syngenta Bioline	Telstar Nursery, Holland Road, Little Clacton, Essex, CO16 9QG, England	00441-255-863216	
Syngenta Ireland Ltd	Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Co Waterford	051-331902	051-354748
Syngenta UK Ltd	CPC 4, Capital Park, Fulbourn, Cambridge, CB21 5XE, England	0044 1223 883479	
Taminco BVBA.	Pantserschipstraat 207, B-9000 Gent, Belgium	0032 9254 1411	0032 9254 1410
Terrachem Ltd	1A Mayflower Lodge, Cavetown, Croghan, Boyle, Roscommon	087 254 7534	
Thomas Elliott Fertilisers	Selby Place, Stanley Industrial Estate, Skelmersdale, Lancashire, WN8 8EF, England		
Unichem Limited	The Ward, Co. Dublin	01-8351499	01-8351284
United Phosphorus Limited	1st Floor, The Centre, Birchwood Park, Warrington, Cheshire, WA3 6YN, England	0044 1925 859008	00441-925-817425
Vitax Limited	Owen Street, Coalville, Leicester, LE67 3DE, England	00441 530 510060,	00441 530 510299
W. Neudorff GmbH KG	P. O. Box 1209, D-31857 Emmerthal, Germany	004418690243333	
Westland Horticulture Ltd	14 Granville Industrial Estate, Granville Road, Dungannon, Co. Tyrone, Northern Ireland	0044148 0443742	
Whelehan Crop Protection	Suite 12 Bunkilla Plaza, Bracetown Business Park, Clonee, Meath	01-8342233,	01-8362271
Xeda International S.A.	Z.A. de la Crau, 13670 St-Andiol, France	0033 490 902323	

Chapter 6

Index of product names by active substance

Product Index by Active Substance

1,4-dimethylnaphthalene

1,4 SIGHT

1-methylcyclopropene

Smartfresh, SmartFresh ProTabs

1-Naphthylacetic acid

Fixor, Obsthormon 24a

2,4-D

Croplink D50, D50, Depitox, Dioweed 50, DyWeed 50, Farmco 2-4D, Herboxone, Maton, Mortox 50, New Rate 2,4-D Ester, Salvo

2,4-D + Clopyralid + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

2,4-D + Dicamba

Evergreen Premium Plus Weed Control Lawn Food, Hygrass Extra, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

2,4-D + Dicamba + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

2,4-D + Dicamba + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

2,4-D + Dicamba + Fluroxypyr

Holster XL

2,4-D + Dicamba + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

2,4-D + Glyphosate

Kyleo

2,4-D + MCPA

Lupo

2,4-D + Triclopyr

Genoxone ZX EC, Uproot

2,4-DB

Butoxone DB, Embutone, Farmco Undersown, Headland Spruce

Product index by Active Substance

2,4-DB + MCPA

Clovermax, CloveX, DB Plus, Legumex DB, Mastercrop Undersown, Undersown

2,4-DB + Mecoprop-P

Underclear

6-benzyladenine

Configure, Exilis

Abamectin

Dynamec, Dynamec (Emergency Use), Sabik-1.8%

Acetamiprid

Bug Clear Ultra, Bug Clear Ultra Gun!, Bug Clear Ultra Vine Weevil Killer, Ceta SG, Gazelle SG, Insyst

Acetamiprid + Triticonazole

Roseclear Ultra, Roseclear Ultra Gun!

Acetic acid

Ecofective Path and Patio Weed + Moss Killer, Ecofective Weedblast, Garden Weedkiller, Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer, New-Way Weed Spray, New-Way Weed Spray RTU, Origins Weed Control, Roundup Speed Ultra, Verve Rapid Action Ready to use Weedkiller, Weedol Gun! Fast Acting Weedkiller

Aclonifen

Emerger

Aluminium ammonium sulfate

Doff Cat & Dog Repellant, Doff Pest Repel

Aluminium phosphide

Fumi-Gas T, Phostoxin Bag, Phostoxin Bag Blanket, Phostoxin Tablet, Talunex

Ametoctradin

Enervin SC

Ametoctradin + Mancozeb

Diablo

Amidosulfuron

Eagle

midosulfuron + Iodosulfuron-methyl-sodium + Mesosulfuron -

Pacifica Plus

Aminopyralid + Fluroxypyr

Forefront, Synero

Product Index by Active Substance

Aminopyralid + Halauxifen-methyl
Trezac

Aminopyralid + Propyzamide
Astrokerb

Aminopyralid + Triclopyr
Forefront T, Garlon Ultra, Icade, Speedline Pro

Ampelomyces Quisqualis
AQ 10

Azoxystrobin
Amistar, Azaka, Azoshy, Azoxystar, AZ-TEC, Chamane, Globaztar SC, Heritage, Heritage Maxx, Mirador, Zoxis

Azoxystrobin + Chlorothalonil
Amistar Opti, Curator, Ortiva Opti, Perseo, Vertik

Azoxystrobin + Cyproconazole
Comrade

Azoxystrobin + Difenoconazole
Amistar Top

Azoxystrobin + Fluazinam
Vendetta

Azoxystrobin + Propiconazole
Headway, Quilt Xcel

Bacillus amyloliquefaciens str. QST 713
Serenade ASO

Bacillus thuringiensis subspecies kurstaki EG 2348
Lepinox Plus

Beauveria bassiana GHA / ATCC 74040
Botanigard WP, Naturalis-L

Benalaxyl + Mancozeb
Galben M

Benfluralin
Bonalan

Bentazone
Basagran SG, Benta 480 SL

Benthiavalicarb + Mancozeb
Valbon

Product index by Active Substance

Benzovindiflupyr
Ceratavo Plus, Elatus Plus

Benzovindiflupyr + Prothioconazole
Elatus Era, Velygo Era

Bifenazate
Floramite 240 SC

Bixafen
Inception Xpro

Bixafen + Fluopyram + Prothioconazole
Ascra Xpro

Bixafen + Fluoxastrobin + Prothioconazole
Variano Xpro

Bixafen + Prothioconazole
Aviator Xpro, Mandarin Xpro, Siltra Xpro

Bixafen + Prothioconazole + Spiroxamine
Boogie Xpro

Bixafen + Prothioconazole + Tebuconazole
Skyway Xpro

Boscalid
Filan

Boscalid + Epoxiconazole
Cauldron, Deuce, Splice, Venture Extra

Boscalid + Epoxiconazole + Epoxiconazole + Metconazole
Venture Jewel

Boscalid + Pyraclostrobin
Bellis, Bigalo, Signum

Bromoxynil
Butryflow

Bromuconazole + Tebuconazole
Soleil

Bupirimate
Nimrod

Captan
PP Captan 80-WG, Scab 480 SC, Scab 80 WG

Product Index by Active Substance

Carboxin + Thiram

Anchor

Carfentrazone-ethyl

Spotlight Plus

Carfentrazone-ethyl + Mecoprop-P

Jewel, Platform S

Carfentrazone-ethyl + Metsulfuron (-methyl)

Ally Express

Chlorantraniliprole

Coragen

Chlormequat

7C Chlormequat, Barclay Holdup 750, CeCeCe 750, Ceraide, Farmco Chlormequat, Jadex-o-720, K2, Manipulator, Stabilan 750, Stefes CCC 750

Chlormequat + Imazaquin

Meteor

Chlorothalonil

Abringo, Balear 720 SC, Barclay Avoca, Bravado, Bravo 500, Cavaterra, Chlorthalis, CT 500, Daconil, Farmco Chlorothalonil, Joules, Jupital, Life Scientific Chlorothalonil, Muti-Star 500, Orchid B, Phyton, Renew Chlorothalonil, Rover 500, Spirodor, Stefonil, Supreme, UNIPRO CTL

Chlorothalonil + Azoxystrobin

Amistar Opti, Curator, Ortiva Opti, Perseo, Vertik

Chlorothalonil + Cyproconazole

Proceed

Chlorothalonil + Fludioxonil + Propiconazole

Instrata

Chlorothalonil + Flutriafol

Halo, Impact Excel

Chlorothalonil + Metalaxyl M

Folio Gold

Chlorothalonil + Pentiopyrad

Aylora, Treoris

Chlorothalonil + Proquinazid

Fielder SE

Product index by Active Substance

Chlorothalonil + Tebuconazole

Cigal Plus, Crafter, Fezan Plus, Tonga

Chlorotuluron + Diflufenican + Pendimethalin

Tower

Chlorpropham

CIPC, Gro-Stop 100, Gro-Stop Fog, Gro-Stop HN, Gro-Stop Innovator, Gro-Stop Ready, Neo Stop, Neo Stop 300 HN, Neo-Stop L500 HN

Chlorpyrifos-methyl

Reldan 22

Clethodim

Centurion Max

Clodinafop

Buguis, Ciclope, Sword, Topik 240 EC

Clofentezine

Apollo 50SC

Clomazone

Centium 360 CS, Gamit 36 CS, Sirtaki CS

Clomazone + Metribuzin

Metric

Clomazone + Pendimethalin

Stallion Sync Tech

Clopyralid

Beetshield 200, Clap, Cliophar 100, Cliophar 600 SL, Dow Shield 100, GF-2895, Lontrel 72SG, Vivendi 200

Clopyralid + 2,4-D + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

Clopyralid + Florasulam

Gartrel

Clopyralid + Florasulam + Fluroxypyr

Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Clopyralid + Fluroxypyr + MCPA

Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Product Index by Active Substance

Clopyralid + Picloram

Galera

Clopyralid + Triclopyr

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

Coniothyrium Minitans - Strain - CON/M/91-08

Contans WG

Copper oxychloride

Curenox 50 WP

Cyantraniliprole

Benevia 10 OD, Verimark 20SC

Cyazofamid

Ranman Top

Cycloxydim

Stratos Ultra

Cyflufenamid

Nissodium, Takumi SC

Cymoxanil

Cymbal 45, Cymbal Flow, Dauphin 45, Option, Sacron WG, Sipcam C50WG

Cymoxanil + Fluazinam

Grecale, Kunshi

Cymoxanil + Fludioxonil + Metalaxy M

Wakil XL

Cymoxanil + Mancozeb

Curzate M, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

Cymoxanil + Propamocarb

Proxanil

Cymoxanil + Zoxamide

Lieto

Cypermethrin

Cythrin Concentrated Caterpillar Spray, Cythrin Concentrated Garden Pest Killer, Cythrin Garden Ready-to-Use, Forester, Garden Caterpillar Spray, Plant Pest Killer RTU, Py Bug Killer Concentrate, Py Bug Killer RTU, Signal 300ES, Talisma EC, Tesco Garden Bug Killer Spray, Ultra All-in-One Bug Spray

Product index by Active Substance

Cypermethrin + Myclobutanil

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Cyproconazole

Keypro

Cyproconazole + Azoxystrobin

Comrade

Cyproconazole + Chlorothalonil

Proceed

Cyproconazole + Pentiopyrad

Cielex

Cyproconazole + Trifloxystrobin

Escolta

Cyprodinil

Kayak

Cyprodinil + Fludioxonil

Switch

Cyprodinil + Isopyrazam

Bontima, Cebara, Concorde

Daminozide

B-Nine SG, Dazide Enhance

Dazomet

Basamid Granular

Deltamethrin

Deca 2.5% EC, Decis, Decis Protech, GAT Decline 2.5 EC, Granprotec, K-Obiol EC25, K-Obiol ULV 6, Polux, Provanto Ultimate Bug Killer

Deltamethrin + Tebuconazole

Multirose Concentrate 2

Desmedipham + Ethofumesate + Lenacil + Phenmedipham

Betanal MaxxPro

Desmedipham + Ethofumesate + Phenmedipham

Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Dicamba

Dicash

Product Index by Active Substance

Dicamba + 2,4-D

Evergreen Premium Plus Weed Control Lawn Food, Hygrass Extra, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

Dicamba + 2,4-D + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Dicamba + 2,4-D + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Dicamba + 2,4-D + Fluroxypyr

Holster XL

Dicamba + 2,4-D + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Dicamba + Ferrous Sulphate + Mecoprop-P

Hygeia Lawn Feed, Weed and Mosskiller

Dicamba + MCPA + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Dicamba + Mecoprop-P

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

Dichlorprop-P + MCPA + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

Difenoconazole

Alernet, Difcor 250 EC, Difend, Difo 25% EC, Interest, Mavita 250 EC, Narita, Score 250 EC

Difenoconazole + Azoxystrobin

Amistar Top

Difenoconazole + Fludioxonil

Difend Extra, Instrata Elite

Product index by Active Substance

Difenoconazole + Fludioxonil + Tebuconazole

Celest Trio

Difenoconazole + Mandipropamid

Revus Top

Difenoconazole + Paclobutrazol

Toprex

Difenoconazole + Propiconazole

Difure Pro

Difenoconazole + Tebuconazole

Magnello

Diflufenican

Diflanil 500 SC, Farmco Dazzle, Hurricane SC, Ossetia, Sempra, Solo 500 SC, Stride DFF

Diflufenican + Chloroturon + Pendimethalin

Tower

Diflufenican + Florasulam

Lector Delta

Diflufenican + Flufenacet

Arnold, Firebird, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Diflufenican + Flufenacet + Flurtamone

Vigon

Diflufenican + Flurtamone

Bacara

Diflufenican + Glyphosate

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Diflufenican + Iodosulfuron-methyl-sodium

Valdor Flex

Diflufenican + Iodosulfuron-methyl-sodium + Mesosulfuron - methyl

Alister Flex

Diflufenican + Pendimethalin

Adept, Bulldog

Diflufenican + Prosulfocarb

Product Index by Active Substance

Jura, Purelo

Dimethachlor

Teridox

Dimethenamid-P + Metazachlor + Quinmerac

Katamaran Turbo

Dimethenamid-P + Pendimethalin

Wing P

Dimethoate

Barclay Dimethosect, DimethoX, Farmco Dimex, Rogor L40

Dimethomorph

Dimix 500 SC, Paarity, Paraat, Rigel

Dimethomorph + Fluazinam

Hubble

Dimethomorph + Mancozeb

Acrobat MZ

Diquat (dibromide)

Beretta, Diqua, Diquash 200 SL, Di-Quattro, Dragoon Gold, Farmco Regal, Life Scientific Diquat, Mission 200 SL, Quad-Glob 200 SL, Reglone, Retro

Diquat (dibromide) + Glyphosate

Resolva 24 H, Resolva 24H Concentrate, Resolva General Purpose Weedkiller, Resolva Path & Patio, Resolva Path & Patio Concentrate

Dithianon

Dithianon WG

Dithianon + Potassium phosphonates

Delan Pro

Dodine

Radspor 400

Epoxiconazole

Farmco Epoxy, Inca, Opus, Opus Max, Rubric, Spike, Strand

Epoxiconazole + Boscalid

Cauldron, Deuce, Splice, Venture Extra

Epoxiconazole + Boscalid + Epoxiconazole + Metconazole

Venture Jewel, Venture Jewel

Epoxiconazole + Fenpropimorph

Opus Team

Product index by Active Substance

Epoxiconazole + Fenpropimorph + Kresoxim Methyl
Allegro Plus

Epoxiconazole + Fenpropimorph + Metrafenone
Capalo, Tocata

Epoxiconazole + Fenpropimorph + Pyraclostrobin
Diamant

Epoxiconazole + Fluxapyroxad
Adexar, Pexan

Epoxiconazole + Fluxapyroxad + Pyraclostrobin
Ceriax

Epoxiconazole + Isopyrazam
Keystone, Micaraz, Seguris

Epoxiconazole + Metconazole
Gleam, Icarus, Osiris P

Epoxiconazole + Metrafenone
Ceando

Epoxiconazole + Prochloraz
Opus Star

Epoxiconazole + Pyraclostrobin
Lumen, Opera

Esfenvalerate
Sumi-Alpha

Ethametsulfuron methyl
Salsa

Etephon
Cerone, Farmco Cerusite, Grassrooter, Padawan

Etephon + Mepiquat Chloride
Terpal

Ethofumesate
Barclay Keeper 200, Barclay Keeper 500, Ethosat 500, Nortron 50 SC, Oblix 500, Xerton

Ethofumesate + Desmedipham + Lenacil + Phenmedipham
Betanal MaxxPro

Ethofumesate + Desmedipham + Phenmedipham
Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Product Index by Active Substance

Ethofumesate + Metamitron

Oblix MT

Ethoprophos

Mocap 15G

Ethylene

Biofresh Safestore

Etoxazole

Borneo

Fatty acid - C7 - C18 - potassium salt

Jaboland, Jabolim, Nakar, Tec-Bom

Fatty Acid - C7-C20

3 Hour Weedkiller, FLIPPER, Sporekill, Super Fast Weedkiller

Fenamidone + Fosetyl (-aluminium)

Fenomenal

Fenamidone + Propamocarb

Consento

Fenhexamid

Teldor

Fenoxyprop-P

Cheetah Extra, Farmco Wild Oats, Foxtrot EW

Fenpropidin

Patrol, Tern 750 EC, Winger

Fenpropimorph

Corbel

Fenpropimorph + Epoxiconazole

Opus Team

Fenpropimorph + Epoxiconazole + Kresoxim Methyl

Allegro Plus

Fenpropimorph + Epoxiconazole + Metrafenone

Capalo, Tocata

Fenpropimorph + Epoxiconazole + Pyraclostrobin

Diamant

Fenpropimorph + Pyraclostrobin

Jenton

Product index by Active Substance

Fenpyrazamine

Prolectus

Ferric Phosphate

Derrex, Doff Super Slug Killer, Eraza Zero Slug Killer, Growing Success Advanced Slug Killer, Growing Success Slug Killer Advanced, Iroxx, Origins Slug Control, Slug & Snail Control, Slug & Snail Killer Pellets, Slug Bait, Slug Death XL, Slug Killer Granules, SlugClear Ultra 3, Sluggo Slug & Snail Killer, Sluggo Slug & Snail Killer Ultra, Slugrid, Sluxx HP, Solabiol Slug Killer, Solabiol Slug Killer, Verve Slug and Snail

Ferrous Sulphate

Aftercut Mosskiller Plus, Doff Lawn Moss Killer, Elliott's Lawn Sand and Moss Killer, Evergreen Autumn Lawn Care, Green Up Lawn Sand, Greenmaster Autumn, Greentec Mosskiller Pro, J Arthur Bowers Lawn Sand 2, J Arthur Bower's Lawn Sand Mosskiller, Landscaper Pro Moss Control + Fertilizer, LSTF Amateur, LSTF Pro, Pestshield Lawn Moss Killer, Sinclair Lawn Sand, Verve Lawn Sand 2, Westland Lawn Sand 2

Ferrous Sulphate + 2,4-D + Dicamba + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Ferrous Sulphate + 2,4-D + Dicamba + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Ferrous Sulphate + Dicamba + Mecoprop-P

Hygeia Lawn Feed, Weed and Mosskiller

Ferrous Sulphate + MCPA + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Ferrous Sulphate Heptahydrate

Aftercut All-In-One Autumn, Evergreen Liquid Feed & Moss, Evergreen Mosskill Liquid, Ferromex, Ferromex Mosskiller Concentrate, Maxicrop Mosskiller and Lawn Tonic, Maxicrop Professional Moss Killer and Conditioner

Flazasulfuron

Barrier, Chikara Weed Control, Pacaya, Paradise

Flonicamid

Teppeki

Florasulam

Boxer

Product Index by Active Substance

Florasulam + Clopyralid

Gartrel

Florasulam + Clopyralid + Fluroxypyr

Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Florasulam + Diflufenican

Lector Delta

Florasulam + Fluroxypyr

Cabadex, Cleave, Envy, Spitfire, Starane XL

Florasulam + Halauxifen-methyl

Zypar

Florasulam + Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Ultra

Florasulam + Pyroxslam

Broadway Star

Fluazifop-P (-butyl)

Fusilade Max

Fluazinam

Fluazinova, Fluazinova Duo, Frownicide, Nando 500SC, Ohayo, Sentry 500, Shirlan, Tizca, Volley, Winby

Fluazinam + Azoxystrobin

Vendetta

Fluazinam + Cymoxanil

Grecale, Kunshi

Fluazinam + Dimethomorph

Hubble

Fludioxonil

Beret Gold, Maxim 100 FS, Medallion TL

Fludioxonil + Chlorothalonil + Propiconazole

Instrata

Fludioxonil + Cymoxanil + Metalaxyl M

Wakil XL

Fludioxonil + Cyprodinil

Switch

Fludioxonil + Difenoconazole

Difend Extra, Instrata Elite

Product index by Active Substance

Fludioxonil + Difenoconazole + Tebuconazole

Celest Trio

Fludioxonil + Fluxapyroxad + Triticonazole

Kinto Plus

Fludioxonil + Sedaxane

Vibrance Duo

Fludioxonil + Sedaxane + Triticonazole

A20882B, Vibrance Star

Flufenacet

Fence, Gorgon

Flufenacet + Diflufenican

Arnold, Firebird, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Flufenacet + Diflufenican + Flurtamone

Vigon

Flufenacet + Isoxaflutole

Cadou Star

Flufenacet + Picolinafen

Pontos

Flumioxazin

Digital, Guillotine, Sumimax

Fluopicolide + Fluxoastrobin

Scenic Gold

Fluopicolide + Propamocarb

Farmco Blight, Infinito, Infinito, Potato Blight Control

Fluopyram

Luna Privilege, Velum Prime

Fluopyram + Bixafen + Prothioconazole

Ascra Xpro

Fluopyram + Prothioconazole

Propulse

Fluopyram + Prothioconazole + Tebuconazole

Raxil Star

Fluopyram + Trifloxystrobin

Exteris Stressgard

Product Index by Active Substance

Fluoxastrobin + Bixafen + Prothioconazole
Variano Xpro

Fluoxastrobin + Fluopicolide
Scenic Gold

Fluoxastrobin + Prothioconazole
Fandango, Farmco Pro-Strob, Maestro, Mettle

Fluoxastrobin + Prothioconazole + Trifloxystrobin
Coyote

Fluroxypyrr
Arbiter, Barclay Hudson, Binder, Croplink Reaper, Echo Pro, Flurostar 200, Fluxyr 200 EC, Hatchet Xtra, Hurler, Minstrel, New Hyflux, Osmonds Dock-Kleen, Starane Hi-Load HL, Tandus, Tomahawk 2

Fluroxypyrr + 2,4-D + Dicamba
Holster XL

Fluroxypyrr + 2,4-D + Dicamba + Ferrous Sulphate
Evergreen Complete 4in1 Lawn Feed

Fluroxypyrr + Aminopyralid
Forefront, Synero

Fluroxypyrr + Clopyralid + Florasulam
Esteem, Farmco Marigold, Galaxy, Pastor Trio, Praxys

Fluroxypyrr + Clopyralid + MCPA
Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Fluroxypyrr + Florasulam
Cabadex, Cleave, Envy, Spitfire, Starane XL

Fluroxypyrr + Halaxifen-methyl
Pixxaro, Whorl

Fluroxypyrr + Metsulfuron (-methyl) + Thifensulfuron methyl
Omnera LQM, Provalia LQM

Fluroxypyrr + Triclopyr
Doxstar Pro, Governor, Pivotal

Flurtamone + Diflufenican
Bacara

Product index by Active Substance

Flurtamone + Diflufenican + Flufenacet
Vigon

Flutolanil
Rhino

Flutriafol
Impact

Flutriafol + Chlorothalonil
Halo, Impact Excel

Flutriafol + Thiabendazole
Vincit

Fluxapyroxad
Allstar, Imtrex, Sercadis

Fluxapyroxad + Epoxiconazole
Adexar, Pexan

Fluxapyroxad + Epoxiconazole + Pyraclostrobin
Ceriax

Fluxapyroxad + Fludioxonil + Triticonazole
Kinto Plus

Fluxapyroxad + Metconazole
Librax

Fluxapyroxad + Pyraclostrobin
Priaxor EC

Folpet
Arizona, Phoenix

Fosetyl (-aluminium)
PlantTrust

Fosetyl (-aluminium) + Fenamidone
Fenomenal

Fosetyl (-aluminium) + Propamocarb
Previcur Energy

Fosthiazate
Nemathorin 10G

Gamma-Cyhalothrin
Nexide CS

Product Index by Active Substance

Garlic Extract

Eagle Green Care, ECOguard Granules, ECOguard Liquid, NEMGuard DE, NEMguard Granules, Nemguard Liquid

Gibberellin

GiBB Plus, Novagib

Gliocladium catenulatum

Prestop

Glyphosate

Ardee XL, Asteroid, Asteroid Biocare, Barbarian XL, Barclay Gallup Biograde 360, Barclay Gallup Biograde 450, Barclay Gallup Biograde Amenity, Barclay Gallup Hi-Aktiv, Clearall XL, Clinic TF, Clinic Up, Credit, Deadfast Plus Weedkiller RTU, Discman Biograde, Doff Advanced Maxi Strength Weedkiller, Doff Advanced Weedkiller, Doff Concentrate Weedkiller, Doff Glyphosate Weedkiller, Doff Glyphosate Weedkiller Concentrate, Doff Ivy & Brushwood Killer RTU, Doff Maxi Strength Glyphosate Weedkiller, Doff Path & Patio Weedkiller RTU, Doff Ready to Use Path and Patio weedkiller, Ecoplug Max, Envision, Fast Action Roundup Ready to Use Weedkiller, G360 Xtra, Gallup Biograde Weedkiller RTU, Gallup Home and Garden, Gallup XL, Garryowen XL, Glyfos Dakar, Glyfos Supreme XL, Helosate 450 SL, Hilite, Hytrol Glyphosate, Hytrol Total Liquid Ready to Use, Hytrol Total Liquid Weedkiller, Instore Glyphosate Weedkiller, Job Done General Purpose Weedkiller Concentrate, Job Done General Purpose Weedkiller Ready to Use, Knockdown Glyphosate Weedkiller, Landmaster 360 TF, Mizr XL, MON 79351, Monosate G, Nomix Conqueror Amenity, Ormond, Path & Drive Roundup Concentrate, Path, Patio & Drive Weedkiller Sachets, Pestshield Advanced Weedkiller, Pestshield Glyphosate Concentrated Weedkiller, Pestshield Path and Patio Weedkiller, Pestshield Weedkiller, Proliance Quattro, Rambo 360, Rambo Bio, Rambo RTU, Rambo XL, Rattler, Resolva Pro Weedkiller, Resolva Super Strength Xtra Tough Concentrated, Resolva Weedkiller Super Concentrate Total Clear, Resolva Xtra Tough, Resolva Xtra Tough Concentrate Liquid Shots, Rootkill Weedkiller Concentrate, Rosate 360 TF, Rosate Green, Roundup Biactive, Roundup Biactive XL, Roundup Biactive XLA, Roundup Fast Action Path & Drive Weedkiller, Roundup First, Roundup Flex, Roundup Gel, Roundup Gel Path, Roundup Gold, Roundup Gold 450, Roundup Optima, Roundup Optima Power, Roundup Optima+, Roundup Powermax, Roundup Pro Biactive, Roundup Stump Killer, Roundup Tough, Roundup Ultra, Roundup XL, Super Strength Glyphosate, Tesco Glyphosate Concentrated Weedkiller, Tesco Systemic Path & Patio Weedkiller, Touchdown Quattro, Tough Roundup Weedkiller Gel, Typhoon 360, Verve Rootkilling Weedkiller, Vitax Glyphosate Concentrated Weedkiller, Vitax Glyphosate Weedkiller RTU, Vitax Weedfree Ready to Use, Weebuster Concentrate, Weebuster Super Concentrate, Weedfree Home & Garden, Weedfree RTU, Weedfree Zone, Weedkiller 360, Weedkiller 7.2, Weedkiller 90, Wilko Glyphosate Weedkiller

Product index by Active Substance

Glyphosate + 2,4-D

Kyleo

Glyphosate + Diflufenican

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Glyphosate + Diquat (dibromide)

Resolva 24 H, Resolva 24H Concentrate, Resolva General Purpose Weedkiller, Resolva Path & Patio, Resolva Path & Patio Concentrate

Glyphosate + Metamitron

New Hytrol

Glyphosate + Pyraflufen-ethyl

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Glyphosate + Sulfosulfuron

Nomix Blade, Nomix Dual

Halauxifen-methyl

GF-2573

Halauxifen-methyl + Aminopyralid

Trezac

Halauxifen-methyl + Florasulam

Zypar

Halauxifen-methyl + Fluroxypyrr

Pixxaro, Whorl

Halauxifen-methyl + Picloram

Belkar

Hymexazol

Tachigaren 70 WP

Imazalil

Fungazil 50 LS, Gavel

Imazalil + Ipconazole

Rancona i-Mix

Imazamox + Metazachlor

Cleranda

Product Index by Active Substance**Imazamox + Pendimethalin**

Nirvana

Imazaquin + Chlormequat

Meteor

Indoxacarb

Steward

Iodosulfuron-methyl-sodium + Amidosulfuron + Mesosulfuron -

Pacifica Plus

Iodosulfuron-methyl-sodium + Diflufenican

Valdor Flex

Iodosulfuron-methyl-sodium + Diflufenican + Mesosulfuron - methyl

Alister Flex

Ipconazole + Imazalil

Rancona i-Mix

Isopyrazam

Reflect, Zulu

Isopyrazam + Cyprodinil

Bontima, Cebara, Concorde

Isopyrazam + Epoxiconazole

Keystone, Micaraz, Seguris

Isopyrazam + Prothioconazole

Prizm

Isoxaben

Flexidor

Isoxaflutole + Flufenacet

Cadou Star

Kresoxim Methyl

Stroby WG

Kresoxim Methyl + Epoxiconazole + Fenpropimorph

Allegro Plus

lambda-Cyhalothrin

Eminertos 10 CS, Karate Zeon, Karis 10 CS, Laidir 10 CS, Life Scientific Lambda, Markate 50, Ninja 10CS, Ravane, Resolva Bug Killer Concentrate, Resolva Bug Killer Ready to Use, Sceptre, Sparviero, Westland Plant Rescue Fruit & Vegetable Bug Killer, Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer

Product index by Active Substance**Lenacil**

Venzar 500 SC

Lenacil + Desmedipham + Ethofumesate + Phenmedipham

Betanal MaxxPro

Lenacil + Triflusulfuron

Safari Lite WSB

Maleic hydrazide

Fazor Star, ITCAN SL 270

Maleic hydrazide + Pelargonic acid

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Maltodextrin

Eradicoat, Majestik

Mancozeb

Agrizeb, AVTAR 75 NT, Dithane 945, Dithane Dry Flowable Neotec, Manfil 75 WG, Manfil 80 WP, Penncozeb 80 WP, Penncozeb WDG

Mancozeb + Ametoctradin

Diablo

Mancozeb + Benalaxyl

Galben M

Mancozeb + Benthiavalicarb

Valbon

Mancozeb + Cymoxanil

Curzate M, Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Zetanil WG

Mancozeb + Dimethomorph

Acrobat MZ

Mancozeb + Metalaxyl M

Ridomil Gold MZ 68 WG

Mancozeb + Zoxamide

Electis 75 WG

Mandipropamid

Revus

Mandipropamid + Difenoconazole

Revus Top

Product Index by Active Substance

MCPA

Agritox, Agritox 500, Agroxone 50, Bandon MCPA 30, Easel, Haksar 500 SL, Hempacide 30, HY-MCPA 500, M50, Mastercrop MCPA 50, Mortone, NU46, POL-MCPA 500 SL

MCPA + 2,4-D

Lupo

MCPA + 2,4-D + Clopyralid

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

MCPA + 2,4-D + Dicamba + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

MCPA + 2,4-DB

Clovermax, CloveX, DB Plus, Legumex DB, Mastercrop Undersown, Undersown

MCPA + Clopyralid + Fluroxypyr

Haksar Complex 260 EW, Kinvara, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

MCPA + Dicamba + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

MCPA + Dichlorprop-P + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

MCPA + Ferrous Sulphate + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

MCPA + Mecoprop-P

Cleanrun Pro

MCPB

Tropotox

Mecoprop-P

Compitox Plus, Duplosan KV, Farmco Duplex, Optica, Twinprop

Mecoprop-P + 2,4-D + Dicamba + Ferrous Sulphate

Aftercut All in One Lawn Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Product index by Active Substance

Mecoprop-P + 2,4-D + Dicamba + MCPA

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Mecoprop-P + 2,4-DB

Underclear

Mecoprop-P + Carfentrazone-ethyl

Jewel, Platform S

Mecoprop-P + Dicamba

Croplink Liberty, Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use

Mecoprop-P + Dicamba + Ferrous Sulphate

Hygeia Lawn Feed, Weed and Mosskiller

Mecoprop-P + Dicamba + MCPA

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Mecoprop-P + Dichlorprop-P + MCPA

Duplosan Super, Hymec Triple, Optica Trio

Mecoprop-P + Ferrous Sulphate + MCPA

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Mecoprop-P + MCPA

Cleanrun Pro

Mepanipyrim

Fruplica

Mepiquat Chloride + Ethephon

Terpal

epiquat Chloride + Prohexadione Calcium

Canopy

Mesosulfuron - methyl + Amidosulfuron + Iodosulfuron-methyl-sodium

Pacifica Plus

Product Index by Active Substance**Mesosulfuron - methyl + Diflufenican + Iodosulfuron-methyl-sodium**

Alister Flex

Mesosulfuron - methyl + Propoxycarbazone - sodium

Monolith

Mesotriione

Barracuda, Callisto, Cuter, Osorno, Temsa SC

Mesotriione + Nicosulfuron

Elumis

Mesotriione + Terbutylazine

Calaris, Click Premium, Croplink Maizekleen, Farmco Maize

Metalaxy M

Ridomil Gold, SL567A

Metalaxy M + Chlorothalonil

Folio Gold

Metalaxy M + Cymoxanil + Fludioxonil

Wakil XL

Metalaxy M + Mancozeb

Ridomil Gold MZ 68 WG

Metaldehyde

Axcela, Destroyer, Farmco Slugs, Gusto 3, Homebase Slug Killer, Hyslug, Lima Gold 5%, Metarex Inov, Pestshield Slug Killer Blue Mini Pellets, Slug Killer Blue Mini Pellets, Slugtox, Tesco Slug Killer, Traxx, Ultimate Slug & Snail Killer

Metam (-sodium)

Fumetham

Metamitron

Gloflo, Goltix 70 SC, Mitron WG, Target SC, Target WG

Metamitron + Ethofumesate

Oblix MT

Metamitron + Glyphosate

New Hytrol

Metarhizium anisopliae - ST BIPESCO 5/F52

Met 52 Granular, Met52 OD

Metazachlor

Butisan S, Rapsan 500SC

Product index by Active Substance**Metazachlor + Dimethenamid-P + Quinmerac**

Katamaran Turbo

Metazachlor + Imazamox

Cleranda

Metazachlor + Quinmerac

Katamaran, Legion, Rapsan Turbo

Metconazole

Caramba, Juventus, Metfin, Plexeo 60, Sirena

Metconazole + Boscalid + Epoxiconazole + Epoxiconazole

Venture Jewel

Metconazole + Epoxiconazole

Gleam, Icarus, Osiris P

Metconazole + Fluxapyroxad

Librax

Methiocarb

Mesurol FS

Metobromuron

Proman

Metrafenone

Flexity, Vivando

Metrafenone + Epoxiconazole

Ceando

Metrafenone + Epoxiconazole + Fenpropimorph

Capalo, Tocata

Metribuzin

Buzzin, Sencorex Flow, Sharmetin, Shotput

Metribuzin + Clomazone

Metric

Metsulfuron (-methyl)

Ally SX, Cimarron, Croplink Empire, Ella SX, Finy, Lorate, Metro 20, Pike, Savvy, Savvy Premium

Metsulfuron (-methyl) + Carfentrazone-ethyl

Ally Express

Metsulfuron (-methyl) + Florasulam + Tribenuron (-methyl)

Ally Ultra

Product Index by Active Substance

Metsulfuron (-methyl) + Fluroxypyr + Thifensulfuron methyl

Omnera LQM, Provalia LQM

Metsulfuron (-methyl) + Thifensulfuron methyl

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Myclobutanil

Systhane 20 EW

Myclobutanil + Cypermethrin

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Napropamide

Devrinol

Nicosulfuron

Accent

Nicosulfuron + Mesotrione

Elumis

Nicosulfuron + Thifensulfuron methyl

Collage

Oxamyl

Vydate 10G

Oxathiapiprolin

Zorvec Enicade

Paclobutrazol

Cultar, Pirouette

Paclobutrazol + Difenoconazole

Toprex

Pelargonic acid

Beloukh Garden, Cleanlawn Moss Control for Lawns Concentrate, Doff 24/7 Fast Acting Weedkiller, Doff Concentrated Garden Path and Patio Weed Killer, Doff Concentrated Tough Weed Killer, Doff Garden Path and Patio Weed Killer, Doff Weed Killer, Katoun Gold, Neudorff Fast Acting Moss & Algae Killer, Neudorff Fast Acting Weedkiller, Origins Rapid Action Weedkiller, Resolva Moss Killer, Weedfree Express

Product index by Active Substance

Pelargonic acid + Maleic hydrazide

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Pendimethalin

Anthem, Fastnet, Most Micro, PDM 330 EC, Pendifin 400 SC, Sharpen 40% SC, Stomp 400 SC, Stomp Aqua

Pendimethalin + Chlorotoluron + Diflufenican

Tower

Pendimethalin + Clomazone

Stallion Sync Tech

Pendimethalin + Diflufenican

Adept, Bulldog

Pendimethalin + Dimethenamid-P

Wing P

Pendimethalin + Imazamox

Nirvana

Pendimethalin + Picolinafen

Flight

Penflufen

Emesto Prime DS

Penthiopyrad

Fontelis, Intellis, Vertisan

Penthiopyrad + Chlorothalonil

Aylora, Treoris

Penthiopyrad + Cyproconazole

Cielex

Pepper Dust

Pepper Dust, Vitax Pepper Dust

Phenmedipham

Beetup Flo

Phenmedipham + Desmedipham + Ethofumesate

Beetup Trio SC, Betasana Trio, Farmco Trio, Sniper, Trilogy

Phenmedipham + Desmedipham + Ethofumesate + Lenacil

Betanal MaxxPro

Product Index by Active Substance

Picloram + Clopyralid

Galera

Picloram + Halauxifen-methyl

Belkar

Picolinafen + Flufenacet

Pontos

Picolinafen + Pendimethalin

Flight

Pinoxaden

Axial Pro

Pirimicarb

Aphox

Plant Oils / Rape seed oil

Bug Clear Fruit & Veg, Bug Clear Fruit & Veg Gun!, Bug Clear Gardener's Choice, Origins Bug Control

Plant Oils / Rape seed oil + Pyrethrins

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Potassium Hydrogen Carbonate

Kaligreen, Karma

Potassium phosphonates + Dithianon

Delan Pro

Prochloraz

Barclay Eyetak 40, Barclay Eyetak 450, Mirage, Mirage, Octave 50 WP, Prelude 20 LF, Prochlorus, Spargon 50 WP, Spargon 50WP, Sportak 45 EW, Sportak 45 EW, Sportak 45 HF

Prochloraz + Epoxiconazole

Opus Star

Prochloraz + Proquinazid + Tebuconazole

Vareon

Prochloraz + Tebuconazole

Grail, Orius P, Orius P

Prochloraz + Triticonazole

Kinto

Product index by Active Substance

Prohexadione Calcium

Regalis, Regalis Plus

Prohexadione Calcium + Mepiquat Chloride

Canopy

Prohexadione Calcium + Trinexapac ethyl

Medax Max

Propamocarb

Edipro, Proplant

Propamocarb + Cymoxanil

Proxanil

Propamocarb + Fenamidone

Consento

Propamocarb + Fluopicolide

Farmco Blight, Infinito, Infinito, Potato Blight Control

Propamocarb + Fosetyl (-aluminium)

Previcur Energy

Propaqquizafop

Claw 100, Claw 100, Falcon, Farmco Zealot, Zetrola

Propiconazole

Banner Maxx, Banner Maxx II, Barclay Bolt XL, Barclay Propizole, Bumper, Farmco Tilt, Nimble Pro, Propi 25 EC

Propiconazole + Azoxystrobin

Headway, Quilt Xcel

Propiconazole + Chlorothalonil + Fludioxonil

Instrata

Propiconazole + Difenoconazole

Difure Pro

Propoxycarbazone - sodium + Mesosulfuron - methyl

Monolith

Propyzamide

Barclay Propyz, Barclay Propyzaflash, Kerb Flo, Relva Granules, Solitare

Propyzamide + Aminopyralid

Astrokerb

Proquinazid

Talius

Product Index by Active Substance**Proquinazid + Chlorothalonil**

Fielder SE

Proquinazid + Prochloraz + Tebuconazole

Vareon

Prosulfocarb

Defy, Quidam, Roxy 800 EC

Prosulfocarb + Diflufenican

Jura, Purelo

Prothioconazole

Decoy 250 EC, Pecari 250 EC, Pride, Proline, Protendo 250 EC, Redigo, Rudis, Traciafin, Ultraline

Prothioconazole + Benzovindiflupyr

Elatus Era, Velogy Era

Prothioconazole + Bixafen

Aviator Xpro, Mandarin Xpro, Siltra Xpro

Prothioconazole + Bixafen + Fluopyram

Ascra Xpro

Prothioconazole + Bixafen + Fluxostrobin

Variano Xpro

Prothioconazole + Bixafen + Spiroxamine

Boogie Xpro

Prothioconazole + Bixafen + Tebuconazole

Skyway Xpro

Prothioconazole + Fluopyram

Propulse

Prothioconazole + Fluopyram + Tebuconazole

Raxil Star

Prothioconazole + Fluxostrobin

Fandango, Farmco Pro-Strob, Maestro, Mettle

Prothioconazole + Fluxostrobin + Trifloxystrobin

Coyote

Prothioconazole + Isopyrazam

Prizm

Prothioconazole + Spiroxamine

Farmco Input, Helix

Product index by Active Substance**Prothioconazole + Tebuconazole**

Cello, Jade, Prosaro, Protefin, Redigo Pro

Prothioconazole + Trifloxystrobin

Zephyr

Pseudomonas sp. strain - DSMZ 13134

Proradix

Pymetrozine

Chess WG, Plenum, Tafari

Pyraclostrobin

Comet, Comet 200, Insignia, Modem, Modem 200

Pyraclostrobin + Boscalid

Bellis, Bigalo, Signum

Pyraclostrobin + Epoxiconazole

Lumen, Opera

Pyraclostrobin + Epoxiconazole + Fenpropimorph

Diamant

Pyraclostrobin + Epoxiconazole + Fluxapyroxad

Ceriax

Pyraclostrobin + Fenpropimorph

Jenton

Pyraclostrobin + Fluxapyroxad

Priaxor EC

Pyraflufen-ethyl + Glyphosate

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Pyrethrins

Advanced Bug Killer, Pyrethrum 5 EC, Pyrol Bug & Larvae Killer Concentrate

Pyrethrins + Plant Oils / Rape seed oil

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Pyridate

Lentagran WP

Product Index by Active Substance

Pyrimethanil
Pyrimala, Scala

Pyriofenone
Property 180SC

Pyriproxyfen
HARPUN

Pyroxslam + Florasulam
Broadway Star

Quinmerac + Dimethenamid-P + Metazachlor
Katamaran Turbo

Quinmerac + Metazachlor
Katamaran, Legion, Rapsan Turbo

Quinoclamine
Mogeton

Quinoxifen
Fortress

Quizalofop-P-ethyl
Pilot Ultra, Quick 5 EC

Quizalofop-p-terfuryl
Panarex

Rimsulfuron
Rimuron 25 WG, Titus

Sedaxane + Fludioxonil
Vibrance Duo

Sedaxane + Fludioxonil + Triticonazole
A20882B, Vibrance Star

Silthiofam
Latitude, Latitude XL

S-Metolachlor
Dual Gold, Efica 960 EC

Spearmint oil
Biox-M

Spinosad
Conserve, Tracer

Product index by Active Substance

Spirotetramat
Batavia, Movento

Spiroxamine + Bixafen + Prothioconazole
Boogie Xpro

Spiroxamine + Prothioconazole
Farmco Input, Helix

Sulfosulfuron
Monitor

Sulfosulfuron + Glyphosate
Nomix Blade, Nomix Dual

Sulfoxaflor
Closer, Sequoia, Transform

Sulfuryl fluoride
Profume

Sulphur
Headland Sulphur, Microthiol Special

Tebuconazole
Farmco Iconic, Fathom, Fezan, Folicur, Orius, Tarcza, Tebseme, Tebucur 250 EW, Tebusha 25% EW

Tebuconazole + Bixafen + Prothioconazole
Skyway Xpro

Tebuconazole + Bromuconazole
Soleil

Tebuconazole + Chlorothalonil
Cigal Plus, Crafter, Fezan Plus, Tonga

Tebuconazole + Deltamethrin
Multirose Concentrate 2

Tebuconazole + Difenoconazole
Magnello

Tebuconazole + Difenoconazole + Fludioxonil
Celest Trio

Tebuconazole + Fluopyram + Prothioconazole
Raxil Star

Tebuconazole + Prochloraz
Grail, Orius P, Orius P

Product Index by Active Substance

Tebuconazole + Prochloraz + Proquinazid

Vareon

Tebuconazole + Prothioconazole

Cello, Jade, Prosaro, Protefin, Redigo Pro

Tebuconazole + Trifloxystrobin

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fungus Fighter Plus, Fusion, Nativo 75 WG

Tebufenpyrad

Masai

Terbutylazine + Mesotrione

Calaris, Click Premium, Croplink Maizekleen, Farmco Maize

Thiabendazole

Tebuzate 220 SL

Thiabendazole + Flutriafol

Vincit

Thiacloprid

Biscaya, CaLypso, Exemptor, Sonido

Thifensulfuron methyl

Harmony SX, Prospect SX

Thifensulfuron methyl + Fluroxypyrr + Metsulfuron (-methyl)

Omnera LQM, Provalia LQM

Thifensulfuron methyl + Metsulfuron (-methyl)

Choir, Empire Supreme, Ergon, Farmco Tuskar, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Thifensulfuron methyl + Nicosulfuron

Collage

Thifensulfuron methyl + Tribenuron (-methyl)

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Thiram

Agrichem Flowable Thiram

Thiram + Carboxin

Anchor

Tolclofos-methyl

Basilex Ultra, Rizolex

Product index by Active Substance

Tri-allate

Avadex Excel 15G, Avadex Factor

Tribenuron (-methyl)

Cameo SX, Farmco Zeus, Headland Triad, Nuance, Quantum, Thor, Trailer, Tribe 500, Tribe 75WG

Tribenuron (-methyl) + Florasulam + Metsulfuron (-methyl)

Ally Ultra

Tribenuron (-methyl) + Metsulfuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Tribenuron (-methyl) + Thifensulfuron methyl

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Trichoderma Asperellum (strain T34)

T34 Biocontrol

Trichoderma harzianum Strain T22

Trianum-P

Triclopyr

Ready to Use SBK Brushwood Killer, SBK Brushwood Killer

Triclopyr + 2,4-D

Genoxone ZX EC, Uproot

Triclopyr + Aminopyralid

Forefront T, Garlon Ultra, Icade, Speedline Pro

Triclopyr + Clopyralid

Blaster Pro, Farmco Grazing Special, Farmco Thistles, Grazon 90, Grazon Pro, Thistlex

Triclopyr + Fluroxypyrr

Doxstar Pro, Governor, Pivotal

Trifloxystrobin

Scorpio, Swift SC

Trifloxystrobin + Cyproconazole

Escolta

Trifloxystrobin + Fluopyram

Exteris Stressgard

Trifloxystrobin + Fluoxastrobin + Prothioconazole

Coyote

Product Index by Active Substance

Trifloxystrobin + Prothioconazole

Zephyr

Trifloxystrobin + Tebuconazole

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fungus Fighter Plus, Fusion, Nativo 75 WG

Triflusulfuron

Debut, Farmco Beet-Clean, Shiro

Triflusulfuron + Lenacil

Safari Lite WSB

Trinexapac ethyl

Clipless, Cutaway, Farmco PGR, Freeze, Freeze NT, Life Scientific Trinex, Limitar, Maintain, Moddus, Moxa, Moxa EC, Moxa New, Next, Optimus, Primo Maxx, Primo Maxx II, Sonis, Tempo, Trinexis

Trinexapac ethyl + Prohexadione Calcium

Medax Max

Triticonazole

Fungus Clear Ultra, Fungus Clear Ultra Gun!

Triticonazole + Acetamiprid

Roseclear Ultra, Roseclear Ultra Gun!

Triticonazole + Fludioxonil + Fluxapyroxad

Kinto Plus

Triticonazole + Fludioxonil + Sedaxane

A20882B, Vibrance Star

Triticonazole + Prochloraz

Kinto

Tritosulfuron

Biathlon

Zoxamide + Cymoxanil

Lieto

Zoxamide + Mancozeb

Electis 75 WG

Product index by Active Substance

Chapter 7

**List of off label approvals which have been granted up to 1/2/20 for use on
food crops**

Off-Label Extension of Authorisation for Minor uses (EAMU) - Food Crops as of

13-Feb-20

Warning: Off-Label EAMU Approvals:

The use of any product in accordance with an off-label EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Cerone	03933	Bayer CropScience Limited		Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
Fathom	04688	FMC Agro Ltd		Fungicide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	0.325 l/ha	0.325 l/ha	1	After final harvest	
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
Talius	04604	DuPont (UK) Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Proquinazid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	Before senescence	
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Pyridate</i>	<i>45% w/w</i>	0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
PDM 330 EC	03582	BASF plc		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Pendimethalin</i>	<i>330 g/l</i>	0.5 l/ha	1.0 l/ha		After harvest and before end of September	
Sencorex Flow	04361	Bayer CropScience Limited		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.9 l/ha	0.9 l/ha	-	Before end of dormancy	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stomp Aqua	03750	BASF plc		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>				-	
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
FLiPPER	05027	Alpha Biopesticides Ltd		Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
Globaztar SC	05529	Globachem nv		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Microthiol Special	90548	UPL Europe Ltd		Fungicide			0.01kgs/5 litres water	-	-	-	0 days
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3.0 l/ha	12.0 l/ha	-	3 days before harvest	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
Scala	03916	BASF plc	Fungicide		<i>Mandipropamid</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
Switch	06414	Syngenta UK Ltd	Fungicide		<i>Pyrimethanil</i>	<i>400 g/l</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
Teldor	02003	Bayer CropScience Limited	Fungicide		<i>Fludioxonil</i>	<i>25% w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide		<i>Cyprodinil</i>	<i>37.5% w/w</i>			-	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
							1.0 l/ha	3.0 l/ha			
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoxystar	05534	Life Scientific Limited		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Chamane	05002	UPL Europe Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide		<i>Deltamethrin</i>	<i>15 g/l</i>	420 mls/ha*	1.26 l/ha*	3 per crop*	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Europe Ltd	Herbicide		<i>Napropamide</i>	<i>450 g/l</i>	0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide		<i>Mancozeb</i>	<i>75% w/w</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd	Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>	0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
Dynamec	04438	Syngenta UK Ltd	Insecticide		<i>Abamectin</i>	<i>18 g/l</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide		<i>Acetamiprid</i>	<i>20 % w/w</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Globaztar SC	05529	Globachem nv	Fungicide		<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Infinito	04309	Bayer CropScience Limited	Fungicide		<i>Fluopicolide</i>	<i>62.5 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>Propamocarb</i>	<i>625 g/l</i>	75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
Karis 10 CS	04454	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide		<i>Propyzamide</i>	<i>400 g/l</i>	1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
Laidir 10 CS	04932	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Markate 50	05001	Globachem nv		Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Movento	05349	Bayer CropScience Limited		Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Paraat	03614	BASF plc		Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc		Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Percos	03841	BASF plc		Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Ametoctradin</i>	<i>300 g/l</i>					
					<i>Dimethomorph</i>	<i>225 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited		Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Ravane	05536	Globachem nv		Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Sparviero	04469	Sipcam Oxon SpA		Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Stealth	06468	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
Stomp 400 SC	02879	BASF plc		Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
Stomp Aqua	03750	BASF plc		Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
Tracer	02649	Dow AgroSciences Ltd	Insecticide				200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide		<i>Spinosad</i>	<i>480 g/l</i>			-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Basil</i>											
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide				0.6 kg/ha	3.0 kg/ha	5 per year	-	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide		<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>			6		0 days
Stratos Ultra	04936	BASF plc	Herbicide				8 l/ha	48 l/ha			
Teldor	02003	Bayer CropScience Limited	Fungicide		<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
					<i>Cycloxydim</i>	<i>100 g/l</i>					
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
							4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
							1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - broad</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
Claw 100	05874	DHM Agrochemicals Ltd.,		Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
Farmco Zealot	05299	Farmco Agritrading Ltd		Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha		Pre crop emergence	
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Pendimethalin	400 g/l	2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Mancozeb	75% w/w	0.4 l/ha	0.8 l/ha	2 per crop	7 days before harvest	7 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	Thiacloprid	240 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
Crozier	06482	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
Defy	04277	Syngenta UK Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
Dithane 945	03705	Indofil Industries (Netherlands) B.V		Fungicide	Mancozeb	80 % w/w	2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	Mancozeb	75% w/w	2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
PDM 330 EC	03582	BASF plc		Herbicide	Pendimethalin	330 g/l	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
Peloton	06481	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	-	Pre-emergence	
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide	Pendimethalin	400 g/l	3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide			2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
Roxy 800 EC	05739	Globachem nv		Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide					6		0 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
					<i>Bacillus amyloliquefaciens str.</i>	<i>1015.1 g/l</i>					
					<i>QST 713</i>						
Stomp 400 SC	02879	BASF plc		Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
Stomp Aqua	03750	BASF plc		Herbicide					1 / crop	Pre crop emergence	
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide					2	7 days pre harvest	
Wakil XL	05471	Syngenta UK Ltd		Seed Dressing					1 per batch	Before drilling	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
					<i>Metalaxyl M</i>	<i>175 g/kg</i>					
					<i>Fludioxonil</i>	<i>50 g/kg</i>					
					<i>Cymoxanil</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - french</i>											
Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide				1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>		1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>		1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
Fathom	04688	FMC Agro Ltd	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>		0.95 l/ha	0.95 l/ha	1	GS 20	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>		8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>						
<i>Beans - navy</i>											
Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
				<i>Propaquizafop</i>	<i>100 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - runner</i>											
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
Fathom	04688	FMC Agro Ltd		Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.95 l/ha	0.95 l/ha	1	GS 20	
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Tebuconazole</i>	<i>200 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>											
Deca 2.5% EC	04952	Sharda Europe b.v.b.a		Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
Decis	02693	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	300 mls/ha	300 mls/ha		30 days before harvest	30 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
Delta-Glob 25 EC	06302	Globachem nv		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	300 mls/ha	300 mls/ha		30 days before harvest	30 days
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			<i>S-Metolachlor</i> <i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide			<i>S-Metolachlor</i> <i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage
GAT Decline 2.5 E	04422	FMC Agro Ltd		Insecticide			<i>Deltamethrin</i> <i>25 g/l</i>	300 mls/ha	300 mls/ha	-	30 days before harvest
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide			<i>Difenoconazole</i> <i>250 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest
NEMGuard DE	05368	ECOspray Ltd		Nematicide			<i>Garlic Extract</i> <i>450 g/kg</i>	10 kg/ha	10 kg/ha	1	At drilling
Polux	05946	Galenika-Fitofarmacija		Insecticide			<i>Deltamethrin</i> <i>25 g/l</i>	0.3 l/ha	0.3 l/ha	-	30 days before harvest
Score 250 EC	04566	Syngenta UK Ltd		Fungicide			<i>Difenoconazole</i> <i>250 g/l</i>	0.5 l/ha	0.5 l/ha		28 days before harvest
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			<i>Bacillus amyloliquefaciens str. QST 713</i> <i>1015.1 g/l</i>	8 l/ha	48 l/ha	6	0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - red</i>											
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
NEMGuard DE	05368	ECOspray Ltd		Nematicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	10 kg/ha	10 kg/ha	1	At drilling	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Garlic Extract</i>	<i>450 g/kg</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Beet - sugar</i>											
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Beetroot											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Difenoconazole	125 g/l					
					Azoxystrobin	200 g/l					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Mancozeb	75% w/w	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	Azoxystrobin	250 g/l	0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	Thiacloprid	240 g/l					
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	Clethodim	120 g/l	1.0 l/ha	1.0 l/ha	-	Before row closure	56 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Decis	02693	Bayer CropScience Limited		Insecticide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
Difenofin	06218	Finchimica S.p.A		Fungicide	Deltamethrin	25 g/l	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	Deltamethrin	15 g/l	500 mls/ha	1.5 l/ha	3 per crop	21 days befor harvest	21 days
					Difenoconazole	250 g/l	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					Mancozeb	75% w/w	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Beetroot											
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Escolta	05681	Bayer CropScience Limited		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.35 l/ha	0.7 l/ha	2 per year	21 days before harvest	21 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>Triphoxystrobin</i>	<i>375 g/l</i>					
					<i>Cyproconazole</i>	<i>160 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
Microthiol Special	90548	UPL Europe Ltd		Fungicide			10 kg/ha	20 kgs/ha	2	Last application before September	-
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Ravane	05536	Globachem nv		Insecticide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Beetroot											
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Isopyrazam</i>	<i>125 g/l</i>	0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
Signum	03799	BASF plc		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>			2 per crop	14 days before harvest	14 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.0 kgs/ha	2.0 kgs/ha			
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stratos Ultra	04936	BASF plc		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Cycloxydim</i>	<i>100 g/l</i>			3 per year	7 days before harvest	7 days
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	<i>Fludioxonil</i>	<i>25% w/w</i>	0.4 l/ha	0.4 l/ha	-	Pre-emergence	
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	830 mls/ha	2.49 l/ha	3	7 days before harvest	7 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	200 ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
							2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.25 l/ha	0.75 l/ha	3 per crop	3 days before harvest	3 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
Scala	03916	BASF plc		Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>	
<i>Blackcurrants - field</i>												
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89		
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>						
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour		
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>						
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days	
					<i>Thiacloprid</i>	<i>480 g/l</i>						
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.		Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst		
					<i>Flazasulfuron</i>	<i>25 % w/w</i>						
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days	
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>						
Decis Protech	05269	Bayer CropScience Limited		Insecticide			<i>Boscalid</i> <i>26.7% w/w</i>	400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			<i>lambda-Cyhalothrin</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A		
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>						
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days	
					<i>Mancozeb</i>	<i>75 % w/w</i>						
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days	
					<i>Mancozeb</i>	<i>800 g/kg</i>						
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
Scala	03916	BASF plc		Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>			1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Batavia	05905	Bayer CropScience Limited		Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.		Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>			1	Pre planting / sowing	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide							
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
							200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Bigalo	06250	Globachem nv		Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>		-	Drilled crops- pre-emergence. Or within 5 days transplanting	
							1.4 l/ha	1.4 l/ha			
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>		-	Before 6 true leaf stage	
							0.25 l/ha	0.25 l/ha			
Infinito	04309	Bayer CropScience Limited		Fungicide		<i>Clomazone</i>	<i>360 g/l</i>			Before GS 49	14 days
							1.6 l/ha	3.2 l/ha	2 per crop*		
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide		<i>Fluopicolide</i>	<i>62.5 g/l</i>				
						<i>Propamocarb</i>	<i>625 g/l</i>				
							2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide			2.0 kgs/ha	4.0 kgs/ha		30 days pre harvest	30 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stratos Ultra	04936	BASF plc		Herbicide			2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
					<i>Cycloxydim</i>	<i>100 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Wing P	03590	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Insyst	03249	Nisso Chemical Europe GmbH		Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>			1	21 days before harvest	21 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Acetamiprid</i>	<i>20 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
Steward	02603	DuPont (UK) Ltd		Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Indoxacarb</i>	<i>300 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
Wing P	03590	BASF plc		Herbicide	<i>Flonicamid</i>	<i>500 g/kg</i>	4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
<i>Bush/Cane fruit plantations</i>											
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
Fastnet	06253	Sipcam U.K. Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	3.75 l/ha	3.75 l/ha	1 per year	N/A	
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	100 mls/ha	100 mls/ha	1	365 days before first harvest	
Most Micro	04837	Sipcam U.K. Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	3.75 l/ha	3.75 l/ha	1 per year	N/A	
Roundup Biactive	02313	Monsanto UK Ltd		Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	4 l/ha	10 l/ha		28 days pre harvest	28 days
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	0.8 l/ha	2	7 days before harvest	7 days
Butisan S	04631	BASF plc		Herbicide	<i>Thiacloprid</i>	<i>240 g/l</i>	1.0 l/ha	1.0 l/ha	-	Post emergence GS 16-18. 6-8 days after planting	
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Devrinol	05234	UPL Europe Ltd		Herbicide	<i>Deltamethrin</i>	<i>15 g/l</i>	2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
Difenofin	06218	Finchimica S.p.A		Fungicide	<i>Napropamide</i>	<i>450 g/l</i>	0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Globaztar SC	05529	Globachem nv		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Pyridate</i>	<i>45% w/w</i>	0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha		21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide		Azoxystrobin	1.0 l/ha 250 g/l	2.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
Wing P	03590	BASF plc		Herbicide	<i>Flonicamid</i>	<i>500 g/kg</i>			-	Before planting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Difenofin	06218	Finchimica S.p.A		Fungicide	<i>Boscalid</i>	<i>26.7% w/w</i>	0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Propamocarb</i>	<i>625 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide	<i>Pyridate</i>	<i>45% w/w</i>					
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
							2.0 kgs/ha	4.0 kgs/ha			
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stratos Ultra	04936	BASF plc		Herbicide			2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Wing P	03590	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Decis	02693	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Difenofin	06218	Finchimica S.p.A		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	28 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Emerger	06190	Bayer CropScience Limited		Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.5 l/ha	2.5 l/ha	-	GS 12	
Fazor Star	03729	Arysta LifeScience Great Britain Ltd		Growth Regulator	<i>Aclonifen</i>	<i>600 g/l</i>	5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
Flexidor	04963	Dow AgroSciences Ltd		Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
Force 20 CS	06395	Syngenta UK Ltd		Seed Dressing	<i>Isoxaben</i>	<i>500 g/l</i>	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>Tefluthrin</i>	<i>200 g/l</i>	0.083l/ha	0.25 l/ha*		Before 4th trye leaf stage & 55 days before harvest	55 days
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Clomazone</i>	<i>360 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.24 l/ha	0.24 l/ha	-	Pre-emergence	
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Diflufenican</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	5.0 l/ha	5.0 l/ha		Before GS 11	80 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	40 days before harvest	40 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Sencorex Flow	04361	Bayer CropScience Limited		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Metribuzin</i>	<i>600 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Wakil XL	05471	Syngenta UK Ltd	Seed Dressing			5g per million seeds	5g per million seeds	1 per batch	Before drilling	
					<i>Metalaxyl M</i>	175 g/kg					
					<i>Cymoxanil</i>	100 g/kg					
					<i>Fludioxonil</i>	50 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage
Infinito	04309	Bayer CropScience Limited		Fungicide		<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide		<i>Propamocarb</i>	<i>625 g/l</i>				14 days
						<i>Fluopicolide</i>	<i>62.5 g/l</i>				
								2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide		<i>Pyridate</i>	<i>45% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide		<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>				30 days pre harvest
								2.0 kgs/ha	4.0 kgs/ha		30 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide		<i>Mancozeb</i>	<i>64 %w/w</i>				0 days
						<i>Metalaxyl M</i>	<i>4.0 %w/w</i>				
								8 l/ha	48 l/ha	6	
						<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>				

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
Wing P	03590	BASF plc		Herbicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>			-	7 days after transplanting	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	Azoxystrobin Difenoconazole	200 g/l 125 g/l	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Bacillus amyloliquefaciens subsp. plantarum D747	250 g/kg	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Mancozeb	75% w/w	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.4 l/ha	0.8 l/ha	2	7 days before harvest	7 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	Thiacloprid	240 g/l	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Ceta SG	06252	Unichem Limited		Insecticide	Clethodim	120 g/l	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	Acetamiprid	20% w/w	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Decis	02693	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	25 g/l	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd		Herbicide	Deltamethrin	15 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	
					Prosulfocarb	800 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
	Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Napropamide</i>	<i>450 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.3 kg/ha	0.6 kg/ha	* 2 per crop	21 days before harvest	21 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Triboxystrobin</i>	<i>250 g/kg</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
Ravane	05536	Globachem nv		Insecticide	<i>Prosulfocarb</i>	<i>800 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Isopyrazam</i>	<i>125 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Sencorex Flow	04361	Bayer CropScience Limited		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stratos Ultra	04936	BASF plc		Herbicide	<i>Cycloxydim</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	<i>Lenacil</i>	<i>500 g/l</i>	0.4 l/ha	0.4 l/ha	-	Pre-emergence	
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide	<i>Oxamyl</i>	<i>100 g/kg</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide		Azoxystrobin	1.0 l/ha 250 g/l	2.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Difenoconazole	125 g/l					
					Azoxystrobin	200 g/l					
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
Defy	04277	Syngenta UK Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
Difenofin	06218	Finchimica S.p.A		Fungicide	Difenoconazole	250 g/l	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Emerger	06190	Bayer CropScience Limited		Herbicide	Aclonifen	600 g/l	1.0 l/ha	1.0 l/ha	1 per crop	60 days before harvest	60 days
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Globaztar SC	05529	Globachem nv		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	50 ml/ha	150 ml/ha	4	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Triphoxyystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
PDM 330 EC	03582	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
Ravane	05536	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	50 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
Stealth	06468	Syngenta UK Ltd		Insecticide			50 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
Stomp Aqua	03750	BASF plc		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Difenoconazole	125 g/l					
					Azoxystrobin	200 g/l					
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	15 g/l	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Globaztar SC	05529	Globachem nv		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	Bacillus amyloliquefaciens str. QST 713	1015.1 g/l	8 l/ha	48 l/ha	6	-	0 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	0.312 l/ha	0.625 l/ha	2 per year	14 days before harvest	14 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	2.0 kg/ha	8.0 kg/ha	-	Before GS 09	
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>	0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Systhane 20 EW	04944	Dow AgroSciences Ltd		Fungicide	<i>Fludioxonil</i>	<i>25% w/w</i>	0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide	<i>Myclobutanil</i>	<i>200 g/l</i>	0.45 l/ha	0.9 l/ha	2	14 days before harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>	0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chicory</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Flexidor	04963	Dow AgroSciences Ltd		Herbicide			0.2 l/ha	0.2 l/ha	-	Before GS 16	
					<i>Isoxaben</i>	<i>500 g/l</i>					
Movento	05349	Bayer CropScience Limited		Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
<i>Chives</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Peloton	06481	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide			1.5 kgs/ha	4.5 kgs/ha		14 days pre harvest	14 days
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Biscaya	03602	Bayer CropScience Limited		Insecticide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	0.8 l/ha	2	21 days before harvest	21 days
Devrinol	05234	UPL Europe Ltd		Herbicide			2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>Napropamide</i>	<i>450 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST</i> <i>BIPESCO 5/F52</i>	<i>2% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Coriander</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
Globaztar SC	05529	Globachem nv		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Signum	03799	BASF plc		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 kg/ha	3.0 kg/ha	2 per crop	1 day before harvest	1 day
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Azoxystrobin Difenoconazole	200 g/l 125 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	15 g/l	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
Globaztar SC	05529	Globachem nv		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	Potassium Hydrogen Carbonate	850 g/kg	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	Bacillus thuringiensis subspecies kurstaki EG 2348	375 g/kg	1.0 kg/ha	3.0 kg/ha	-	N/A	
Movento	05349	Bayer CropScience Limited		Insecticide	Spirotetramat	150 g/l	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
Percos	03841	BASF plc		Fungicide	Dimethomorph Ametoctradin	225 g/l 300 g/l	0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
Previcur Energy	04041	Bayer CropScience Limited		Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	05154	Syngenta UK Ltd		Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>			6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
Vivando	05685	BASF plc		Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m³			Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m²*	0.5 g/m²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cress - field</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Fludioxonil</i>	<i>25% w/w</i>	0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide	Difenoconazole	125 g/l	0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Azoxystrobin	200 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Clofentezine	500 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	Thiacloprid	480 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
Globaztar SC	05529	Globachem nv		Fungicide	Deltamethrin	15 g/l	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	Azoxystrobin	250 g/l	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Luna Privilege	05916	Bayer CropScience Limited		Fungicide	Potassium Hydrogen Carbonate	850 g/kg	0.6 l/ha	1.2 l/ha	2	1 day before harvest	1 day
Microthiol Special	90548	UPL Europe Ltd		Fungicide	Fluopyram	500 g/l	0.01kgs/5 litres water	-	-	-	0 days
Movento	05349	Bayer CropScience Limited		Insecticide	Sulphur	80 %w/w	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					Spirotetramat	150 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
Percos	03841	BASF plc		Fungicide			0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
					<i>Ametoctradin</i>	<i>300 g/l</i>					
					<i>Dimethomorph</i>	<i>225 g/l</i>					
Revus	05154	Syngenta UK Ltd		Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide					6		0 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
					<i>Bacillus amyloliquefaciens str.</i>	<i>1015.1 g/l</i>					
					<i>QST 713</i>						
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
Vivando	05685	BASF plc		Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Damsons</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str.</i>	<i>1015.1 g/l</i>					
					<i>QST 713</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Dill</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Emerger	06190	Bayer CropScience Limited		Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before crop germination	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Aclonifen</i>	<i>600 g/l</i>					
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
<i>Elderberries</i>											
Batavia	05905	Bayer CropScience Limited		Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Acetamiprid</i>	<i>20 % w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sonata	05802	Bayer CropScience Limited		Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*		7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
<i>Fennel</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					Azoxystrobin Difenoconazole	200 g/l 125 g/l					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
Basagran SG	05192	BASF plc		Herbicide		Mancozeb	75% w/w	1.65 kg/ha	1.65 kg/ha	-	21 days before harvest
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide		Bentazone	870 g/kg	2.0 l/ha	2.0 l/ha	-	56 days before harvest
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide		Clethodim	120 g/l	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible
Crozier	06482	Barclay Chemicals Ltd		Herbicide		Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible
Decis Protech	05269	Bayer CropScience Limited		Insecticide		Prosulfocarb	800 g/l	500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest
Defy	04277	Syngenta UK Ltd		Herbicide		Deltamethrin	15 g/l	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide		Prosulfocarb	800 g/l	2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest
Dual Gold	04192	Syngenta UK Ltd		Herbicide		Mancozeb	75% w/w	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide		S-Metolachlor	960 g/l	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage
Emerger	06190	Bayer CropScience Limited		Herbicide		S-Metolachlor	960 g/l	2.5 l/ha	2.5 l/ha	2 per crop	GS 12
Flexidor	04963	Dow AgroSciences Ltd		Herbicide		Aclonifen	600 g/l	0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation
					Isoxaben	500 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
NEMGuard DE	05368	ECOspray Ltd		Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	28 days before harvest	28 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
Roxy 800 EC	05739	Globachem nv		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Starane Hi-Load HL	04549	Dow AgroSciences Ltd		Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
Stomp 400 SC	02879	BASF plc		Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
Stomp Aqua	03750	BASF plc		Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	Pendimethalin	455 g/l	1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
Wing P	03590	BASF plc		Herbicide	Fludioxonil Cyprodinil	25% w/w 37.5% w/w	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					Dimethenamid-P Pendimethalin	212.5 g/l 250g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
FLiPPER	05027	Alpha Biopesticides Ltd		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
Globaztar SC	05529	Globachem nv		Fungicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Percos	03841	BASF plc		Fungicide	<i>Ametoctradin</i>	<i>300 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	<i>Dimethomorph</i>	<i>225 g/l</i>	0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
Revus	05154	Syngenta UK Ltd		Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Mandipropamid</i>	<i>250 g/l</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			<i>Fludioxonil</i>	<i>25% w/w</i>	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3
Vivando	05685	BASF plc		Fungicide				0.2 l/ha	0.4 l/ha	-	3 days before harvest
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			<i>Metrafenone</i>	<i>500 g/l</i>	1.0 l/ha	3.0 l/ha	-
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Batavia	05905	Bayer CropScience Limited		Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.		Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
Microthiol Special	90548	UPL Europe Ltd		Fungicide			0.25 kgs/100 litres water	-	3	Up to and including fruit swell	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Radspor 400	01797	Arysta LifeScience Benelux SPRL		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	73 mls/100 litres water	-	5		
Scala	03916	BASF plc		Fungicide	<i>Dodine</i>	<i>40 %w/w</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>					
Stroby WG	05092	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kgs/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Grassland - seed crops</i>											
Decis Protech	05269	Bayer CropScience Limited		Insecticide			420 mls/ha	1.26 l/ha	3	N/A	
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			<i>Azoxystrobin</i>	<i>250 g/l</i>			
							2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide			<i>Azoxystrobin</i>	<i>250 g/l</i>			
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>			
							0.6 kg/ha	3.0 kg/ha	5 per year	-	
Chamane	05002	UPL Europe Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			<i>Deltamethrin</i>	<i>15 g/l</i>	420 ml/ha	1.26 l/ha	3 per crop
											7 days before harvest
Devrinol	05234	UPL Europe Ltd		Herbicide			<i>Napropamide</i>	<i>450 g/l</i>	0.85 l/ha	0.85 l/ha	-
											Pre crop emergence

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>			4	7 days pre harvest	7 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
Kerb Flo	02830	Dow AgroSciences Ltd		Herbicide	<i>Propyzamide</i>	<i>400 g/l</i>			1	6 weeks before harvest	6 weeks
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>Propyzamide</i>	<i>400 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.5 kgs/m³	-	-	Pre-planting	
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
					<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
PDM 330 EC	03582	BASF plc		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
Percos	03841	BASF plc		Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
Ravane	05536	Globachem nv		Insecticide	<i>Ametoctradin</i>	<i>300 g/l</i>			4 per crop	7 days before harvest	7 days
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide	<i>Dimethomorph</i>	<i>225 g/l</i>	75 ml/ha	150 ml/ha	-	14 days before harvest	14 days
Scala	03916	BASF plc		Fungicide	<i>Mancozeb</i>	<i>64% w/w</i>			-	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Metalaxyl M</i>	<i>3.88% w/w</i>	1.33 l/ha	4.0 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	-	14 days before harvest	
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	4	7 days before harvest	7 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Stomp 400 SC	02879	BASF plc		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	1 / crop	6 weeks pre harvest	6 weeks
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha			

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Cycloxydim</i>	<i>100 g/l</i>	0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Fludioxonil</i>	<i>25% w/w</i>			2	3 days before harvest	3 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Cyprodinil</i>	<i>37.5% w/w</i>			3 per year	3 days before harvest	3 days
Wing P	03590	BASF plc		Herbicide	<i>Fenhexamid</i>	<i>50 %w/w</i>			-	Before transplanting	35 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Spinosad</i>	<i>480 g/l</i>			-	14 days before harvest	14 days
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>		70 g/ha	-	12	-	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>		0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7% w/w</i> <i>6.7% w/w</i>	830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
Devrinol	05234	UPL Europe Ltd		Herbicide	<i>Deltamethrin</i>	<i>15 g/l</i>	0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
Dynamec	04438	Syngenta UK Ltd		Insecticide	<i>Napropamide</i>	<i>450 g/l</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
Globaztar SC	05529	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Kerb Flo	02830	Dow AgroSciences Ltd		Herbicide	Azoxystrobin	250 g/l	1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	Propyzamide	400 g/l	0.5 kgs/m ³	-	-	Pre-planting	
Microthiol Special	90548	UPL Europe Ltd		Fungicide	Metarhizium anisopliae - ST BIPESCO 5/F52	2% w/w	0.01kgs/5 litres water	-	2	-	0 days
Movento	05349	Bayer CropScience Limited		Insecticide	Sulphur	80 %w/w	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Paraat	03614	BASF plc		Fungicide	Spirotetramat	150 g/l	0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
Percos	03841	BASF plc		Fungicide	Dimethomorph	500 g/kg	1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	Ametoctradin	300 g/l					
					Dimethomorph	225 g/l	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide	Propamocarb	530 g/l					
					Fosetyl (-aluminium)	310 g/l					
					Propamocarb	530 g/l					
					Fosetyl (-aluminium)	310 g/l					
Scala	03916	BASF plc		Fungicide	Mancozeb	64 %w/w					
					Metalaxyl M	4.0 %w/w					
					Metalaxyl M	3.88% w/w					
					Mancozeb	64% w/w					
Signum	03799	BASF plc		Fungicide	Pyrimethanil	400 g/l	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
Switch	06414	Syngenta UK Ltd		Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Spinosad</i>	<i>480 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>	
<i>Horseradish</i>												
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days	
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Azoxystrobin Difenoconazole	200 g/l 125 g/l	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide		Mancozeb	75% w/w	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide		Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide		Azoxystrobin	250 g/l	0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
Butisan S	04631	BASF plc		Herbicide		Thiacloprid	240 g/l	1.0 l/ha	1.0 l/ha	-	Pre-emergence	
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide		Metazachlor	500 g/l	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Ceta SG	06252	Unichem Limited		Insecticide		Clethodim	120 g/l	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide		Acetamiprid	20% w/w	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide		Azoxystrobin	250 g/l	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide		Prosulfocarb	800 g/l	1.0 kg/ha	2.0 kg/ha	-	14 days before harvest	14 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide		Boscalid Pyraclostrobin	26.7% w/w 6.7% w/w	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
						Prosulfocarb	800 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
Decis	02693	Bayer CropScience Limited	Insecticide		<i>Deltamethrin</i>	<i>25 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited	Insecticide		<i>Deltamethrin</i>	<i>15 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd	Herbicide		<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Devrinol	05234	UPL Europe Ltd	Herbicide		<i>Napropamide</i>	<i>450 g/l</i>	1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
Difenofin	06218	Finchimica S.p.A	Fungicide		<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide		<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Flexidor	04963	Dow AgroSciences Ltd	Herbicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide		<i>Ioxaben</i>	<i>500 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
Globaztar SC	05529	Globachem nv	Fungicide		<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide		<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>Metamitron</i>	<i>700 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Ladir 10 CS	04932	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Tebuconazole</i>	<i>500 g/kg</i>			4	14 days before harvest	14 days
PDM 330 EC	03582	BASF plc		Herbicide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>			1	Before crop emergence	
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha			
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Rapsan 500SC	05886	Globachem nv		Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Ravane	05536	Globachem nv		Insecticide	<i>Prosulfocarb</i>	<i>800 g/l</i>	1.0 l/ha	1.0 l/ha	-	Pre-emergence	
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Metazachlor</i>	<i>500 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Isopyrazam</i>	<i>125 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>		<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc	Fungicide	<i>Boscalid</i>		<i>26.7 % w/w</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Pyraclostrobin</i>		<i>6.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Metalaxyl M</i>		<i>465.2 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>		<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stomp 400 SC	02879	BASF plc	Herbicide	<i>Pendimethalin</i>		<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>		<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Stratos Ultra	04936	BASF plc	Herbicide	<i>Cycloxydim</i>		<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
Switch	06414	Syngenta UK Ltd	Fungicide	<i>Fludioxonil</i>		<i>25% w/w</i>	0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide	<i>Cyprodinil</i>			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Lenacil</i>		<i>500 g/l</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Oxamyl</i>		<i>100 g/kg</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>		<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
Decis	02693	Bayer CropScience Limited		Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	Deltamethrin	25 g/l	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	lambda-Cyhalothrin	100 g/l	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	lambda-Cyhalothrin	50 g/l	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	Quizalofop-P-ethyl	50 g/l	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Ravane	05536	Globachem nv		Insecticide	lambda-Cyhalothrin	50 g/l	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	Bacillus amyloliquefaciens str. QST 713	1015.1 g/l	8 l/ha	48 l/ha	6		0 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stratos Ultra	04936	BASF plc		Herbicide	Cycloxydim	100 g/l	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide	Oxamyl	100 g/kg	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Biscaya	03602	Bayer CropScience Limited		Insecticide			0.4 l/ha	0.8 l/ha	2	21 days before harvest	21 days
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting
Gamit 36 CS	05357	FMC Chemical s.p.r.l.		Herbicide		<i>S-Metolachlor</i>	<i>960 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage
Infinito	04309	Bayer CropScience Limited		Fungicide		<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide		<i>Propamocarb</i>	<i>625 g/l</i>				14 days
						<i>Fluopicolide</i>	<i>62.5 g/l</i>				
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide		<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest
Serenade ASO	03847	Bayer CropScience Limited		Fungicide		<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m³	-	-	Pre-planting
Signum	03799	BASF plc		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Kale											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
Kale - For animal feed only											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Butisan S	04631	BASF plc		Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.0 l/ha	1.0 l/ha	-	Pre-emergence	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m³	-	-	Pre-planting	
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.5 g/m²*	0.5 g/m²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Leeks											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
Basagran SG	05192	BASF plc		Herbicide			0.4 kg/ha	0.8 kg/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>870 g/kg</i>					
Butisan S	04631	BASF plc		Herbicide			1.5 l/ha	1.5 l/ha	-	5-21 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Decis	02693	Bayer CropScience Limited		Insecticide			250 mls/ha	750 mls/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			420 mls/ha	1.26 l/ha	-	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Defy	04277	Syngenta UK Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Flexidor	04963	Dow AgroSciences Ltd		Herbicide			0.3 l/ha	0.3 l/ha	1 per year	After transplanting	
					<i>Ioxaben</i>	<i>500 g/l</i>					
Force 20 CS	06395	Syngenta UK Ltd		Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Pyridate</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Leeks											
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	<i>Tebuconazole</i>	<i>500 g/kg</i>	0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Triplexystrobin</i>	<i>250 g/kg</i>					
NEMGuard DE	05368	ECOspray Ltd		Nematicide	<i>Garlic Extract</i>	<i>450 g/kg</i>	20 kg/ha	20 kg/ha	1	At drilling	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 15	
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 15	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Starane Hi-Load HL	04549	Dow AgroSciences Ltd		Herbicide	<i>Fluroxypyr</i>	<i>333 g/l</i>	0.3 l/ha	0.3 l/ha		28 days before harvest	28 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
Wing P	03590	BASF plc		Herbicide	<i>Dimethenamid-P</i>	<i>212.5 g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens</i>	<i>250 g/kg</i>					
					<i>subsp. plantarum D747</i>						
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Dual Gold	04192	Syngenta UK Ltd		Herbicide			0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
Karma	05116	Certis Europe BV		Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
Kerb Flo	02830	Dow AgroSciences Ltd		Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Propyzamide</i>	<i>400 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
PDM 330 EC	03582	BASF plc		Herbicide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
Percos	03841	BASF plc		Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
Scala	03916	BASF plc		Fungicide	<i>Dimethomorph</i>	<i>225 g/l</i>	1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Ametoctradin</i>	<i>300 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Stomp 400 SC	02879	BASF plc		Herbicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
Stomp Aqua	03750	BASF plc		Herbicide	<i>Difenoconazole</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>	0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
Systhane 20 EW	04944	Dow AgroSciences Ltd		Fungicide	<i>Fludioxonil</i>	<i>25% w/w</i>	0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Myclobutanil</i>	<i>200 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Fenhexamid</i>	<i>50 %w/w</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
Wing P	03590	BASF plc		Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					Difenconazole	125 g/l					
					Azoxystrobin	200 g/l					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					Beauveria bassiana GHA / ATCC 74040	220 g/kg					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.25 l/ha	1 per crop	14 days before harvest	14 days
					Thiacloprid	480 g/l					
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					Acetamiprid	20% w/w					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					Deltamethrin	15 g/l					
Dynamec	04438	Syngenta UK Ltd		Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					Abamectin	18 g/l					
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					Acetamiprid	20 % w/w					
Karma	05116	Certis Europe BV		Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					Potassium Hydrogen Carbonate	850 g/kg					
Kerb Flo	02830	Dow AgroSciences Ltd		Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					Propyzamide	400 g/l					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m³	-	-	Pre-planting	
					Metarhizium anisopliae - ST BIPESCO 5/F52	2% w/w					
Paraat	03614	BASF plc		Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					Dimethomorph	500 g/kg					
Percos	03841	BASF plc		Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					Dimethomorph	225 g/l					
					Ametoctradin	300 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*	-	35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Scala	03916	BASF plc		Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
Systhane 20 EW	04944	Dow AgroSciences Ltd		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Myclobutanil</i>	<i>200 g/l</i>	0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Fenhexamid</i>	<i>50 %w/w</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
<i>Linseed</i>											
Butisan S	04631	BASF plc		Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>					
Rapsan 500SC	05886	Globachem nv		Herbicide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 ml/ha	500 ml/ha	1 per crop	GS 81	
					<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 l/ha	3.0 l/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m ³			pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lupins</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
PDM 330 EC	03582	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	4.5 l/ha	4.5 l/ha	1	Before crop emergence	
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	3.75 l/ha	3.75 l/ha	1 per crop	Pre-crop emergence	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pendimethalin</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>			2 per crop	-	
					<i>Fludioxonil</i>	<i>25% w/w</i>					
<i>Maize - Forage - open ground</i>											
Comet	02354	BASF plc		Fungicide			1.0 l/ha	2.0 l/ha	2	Tassel/silk visible stage	
Comet 200	03696	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
Modem	02355	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	Tassel/silk visible stage	
Modem 200	03695	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage - under plastic</i>											
Comet 200	03696	BASF plc		Fungicide			1.25 l/ha	2.5 l/ha	2	Tassel/silk visible stage (BBCH 51-59)	
Modem	02355	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	Tassel/silk visible stage	
Modem 200	03695	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	2 per crop	Tassle/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Grain - open ground</i>											
Comet	02354	BASF plc		Fungicide			1.0 l/ha	2.0 l/ha	2	Tassel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
<i>Mange tout peas</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str.</i>	<i>QST 713</i>	<i>1015.1 g/l</i>				
<i>Mangolds</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str.</i>	<i>QST 713</i>	<i>1015.1 g/l</i>				

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Marrows</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Difenoconazole</i>	<i>125 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	<i>Azoxystrobin</i>	<i>200 g/l</i>	0.45 l/ha	0.9 l/ha	2 per year	3 days before harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
							8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
Karma	05116	Certis Europe BV		Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Movento	05349	Bayer CropScience Limited		Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Revus	05154	Syngenta UK Ltd		Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
<i>Mint</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus</i>	<i>1015.1 g/l</i>					
					<i>amyloliquefaciens str.</i>						
					<i>QST 713</i>						
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Mushrooms											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				5ml/100 cubic metre	-	2 per crop	3 days before harvest	3 days
Pyrethrum 5 EC	06255	Pelgar International	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>		0.65 l/ha	1.95 l/ha	3 per crop	1 day before harvest	1 day
Mustard											
Fathom	04688	FMC Agro Ltd	Fungicide		<i>Tebuconazole</i>	<i>200 g/l</i>	1.25 l/ha	1.25 l/ha	1	GS 65	21 days
Oilseed Rape - spring											
Galera	05188	Dow AgroSciences Ltd	Herbicide		<i>Picloram</i>	<i>67 g/l</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
Proline	03786	Bayer CropScience Limited	Fungicide		<i>Clopyralid</i>	<i>267 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 47	
Basagran SG	05192	BASF plc		Herbicide	<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>	1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Bentazone</i>	<i>870 g/kg</i>	2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Crozier	06482	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Defy	04277	Syngenta UK Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
Emerger	06190	Bayer CropScience Limited		Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
Fandango	03787	Bayer CropScience Limited		Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.25 l/ha	5.0 l/ha	4 per crop	GS 47	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
Flexidor	04963	Dow AgroSciences Ltd		Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
Force 20 CS	06395	Syngenta UK Ltd		Seed Dressing	<i>Isoxaben</i>	<i>500 g/l</i>	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Tefluthrin</i>	<i>200 g/l</i>	100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
Infinito	04309	Bayer CropScience Limited		Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
NEMGuard DE	05368	ECOspray Ltd		Nematicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	20 kg/ha	20 kg/ha	1	At drilling	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Garlic Extract</i>	<i>450 g/kg</i>					
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 15	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	8 l/ha	48 l/ha	6		0 days
Starane Hi-Load HL	04549	Dow AgroSciences Ltd		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>				Before GS 15	
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>Fluroxypyr</i>	<i>333 g/l</i>	0.3 l/ha	0.3 l/ha			
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
Valbon	03411	Certis Europe BV		Fungicide	<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Wing P	03590	BASF plc		Herbicide	<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
							4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	1.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoxystar	05534	Life Scientific Limited		Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Basagran SG	05192	BASF plc		Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.2 l/ha	0.6 l/ha	3 per year	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
Crozier	06482	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 3rd true leaf	
Decis Protech	05269	Bayer CropScience Limited		Insecticide			420 mls/ha	1.26 l/ha	3	3 days before harvest	3 days
Defy	04277	Syngenta UK Ltd		Herbicide			5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
Force 20 CS	06395	Syngenta UK Ltd		Seed Dressing			10 ml/100,000 seeds	10 ml/100,000 seeds	1 per batch	Before drilling	
Globaztar SC	05529	Globachem nv		Fungicide			200 g/l	1.0 l/ha	3.0 l/ha	-	21 days before harvest
					<i>Tefluthrin</i>	<i>250 g/l</i>					21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	35 days before harvest	35 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
					<i>Bacillus thuringiensis</i>	<i>375 g/kg</i>					
					<i>subspecies kurstaki EG</i>	<i>2348</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide			1.5 kg/ha	4.5 kg/ha	-	14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Roxy 800 EC	05739	Globachem nv		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>			6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
Stomp Aqua	03750	BASF plc		Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>			3 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Wing P	03590	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Onions - sets</i>											
Fathom	04688	FMC Agro Ltd		Fungicide			0.066 l/ha	0.066 l/ha	1	Prior to planting	
					<i>Tebuconazole</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Orchards - top fruit</i>											
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
Dow Shield 100	03861	Dow AgroSciences Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
Fastnet	06253	Sipcam U.K. Ltd		Herbicide	<i>Clopyralid</i>	<i>100 g/l</i>	3.75 l/ha	3.75 l/ha	1 per year	N/A	
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	100 mls/ha	100 mls/ha	1	365 days before first harvest	
Most Micro	04837	Sipcam U.K. Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	3.75 l/ha	3.75 l/ha	1 per year	N/A	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
Vivendi 200	05122	UPL Europe Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
Ceta SG	06252	Unichem Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Acetamiprid</i>	<i>20% w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Emerger	06190	Bayer CropScience Limited		Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 l/ha	2.5 l/ha	1 per crop	Before crop germination	
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide	<i>Aclonifen</i>	<i>600 g/l</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Cycloxydim</i>	<i>100 g/l</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
Ceta SG	06252	Unichem Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Acetamiprid</i>	<i>20% w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Sonata	05802	Bayer CropScience Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Difenoconazole	125 g/l					
					Azoxystrobin	200 g/l					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Mancozeb	75% w/w	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	Thiacloprid	240 g/l	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Chamane	05002	UPL Europe Ltd		Fungicide	Clethodim	120 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	Azoxystrobin	250 g/l	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Decis	02693	Bayer CropScience Limited		Insecticide	Prosulfocarb	800 g/l	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	25 g/l	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd		Herbicide	Deltamethrin	15 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Difenofin	06218	Finchimica S.p.A		Fungicide	Prosulfocarb	800 g/l	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					Difenoconazole	250 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Emerger	06190	Bayer CropScience Limited		Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	<i>Aclonifen</i>	<i>600 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	<i>Triplexystrobin</i>	<i>250 g/kg</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Tebuconazole</i>	<i>500 g/kg</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Ravane	05536	Globachem nv		Insecticide	<i>Prosulfocarb</i>	<i>800 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Isopyrazam</i>	<i>125 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stomp 400 SC	02879	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>	0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide	<i>Fludioxonil</i>	<i>25% w/w</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Oxamyl</i>	<i>100 g/kg</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Decis	02693	Bayer CropScience Limited		Insecticide	<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Deltamethrin</i>	<i>25 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd	Herbicide		Deltamethrin	15 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Difenofin	06218	Finchimica S.p.A	Fungicide		Prosulfocarb	800 g/l	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide		Difenoconazole	250 g/l	100 mls/ha	100 mls/ha	-	28 days before harvest	28 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide		Flumioxazin	300 g/l	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Emerger	06190	Bayer CropScience Limited	Herbicide		Mancozeb	75% w/w	1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
Fazor Star	03729	Arista LifeScience Great Britain Ltd	Growth Regulator		Aclonifen	600 g/l	5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
Flexidor	04963	Dow AgroSciences Ltd	Herbicide		Maleic hydrazide	600 g/kg	0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing		Ioxaben	500 g/l	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
Globaztar SC	05529	Globachem nv	Fungicide		Tefluthrin	200 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide		Azoxystrobin	250 g/l	2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide		Metamitron	700 g/l	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide		Flumioxazin	300 g/l	0.24 l/ha	0.24 l/ha	-	Pre-emergence	
					Diflufenican	500 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Microthiol Special	90548	UPL Europe Ltd		Fungicide	Difenoconazole	250 g/l	0.01kgs/5 litres water	-	2	-	0 days
Movento	05349	Bayer CropScience Limited		Insecticide	Sulphur	80 %w/w	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	Spirotetramat	150 g/l	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					Tebuconazole	500 g/kg					
					Triphloxytrobin	250 g/kg					
Peloton	06481	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	Quizalofop-P-ethyl	50 g/l	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	Isopyrazam	125 g/l	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Roxy 800 EC	05739	Globachem nv		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	Difenoconazole	250 g/l	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	Bacillus amyloliquefaciens str. QST 713	1015.1 g/l	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	Boscalid	26.7 % w/w	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					Pyraclostrobin	6.7 % w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
SL567A	03106	Syngenta UK Ltd		Fungicide			1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
Wakil XL	05471	Syngenta UK Ltd		Seed Dressing	<i>Fludioxonil</i>	<i>25% w/w</i>	5g per million seeds	5g per million seeds	1 per batch	Before drilling	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>			-	14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>50 g/kg</i>					
					<i>Cymoxanil</i>	<i>100 g/kg</i>					
					<i>Azoxystrobin</i>	<i>175 g/kg</i>					
						<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.375 l/ha	0.75 l/ha	2 per year	14 days before harvest	14 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
Exilis	04702	Fine Agrochemicals Ltd		Growth Regulator	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	75 days
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
					<i>6-benzyladenine</i>	<i>20.0 g/l</i>					
Fathom	04688	FMC Agro Ltd		Fungicide	<i>Tebuconazole</i>	<i>200 g/l</i>	0.437 l/ha	0.437 l/ha	1	GS 20	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
Talius	04604	DuPont (UK) Ltd		Fungicide	<i>Proquinazid</i>	<i>200 g/l</i>	0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - combining</i>											
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.0 kg/ha	2.0 kg/ha	-	21 days before harvest	21 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stallion Sync Tech	05483	FMC Agro Ltd		Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>333 g/l</i>					
					<i>Clomazone</i>	<i>30 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - Chilli - protected</i>											
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	

Bacillus thuringiensis 375 g/kg
subspecies kurstaki EG
2348

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	250 g/l					
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	200 g/l					
					Difenoconazole	125 g/l					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	250 g/l					
Azoxystar	05534	Life Scientific Limited		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	250 g/l					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					Thiacloprid	480 g/l					
Chamane	05002	UPL Europe Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	250 g/l					
FLiPPER	05027	Alpha Biopesticides Ltd		Insecticide			16.0 l/ha	80.0 l/ha	5	N/A	
					Fatty Acid - C7-C20	479.8 g/l					
Globaztar SC	05529	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					Azoxystrobin	250 g/l					
Karma	05116	Certis Europe BV		Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					Potassium Hydrogen Carbonate	850 g/kg					
Microthiol Special	90548	UPL Europe Ltd		Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					Sulphur	80 %w/w					
Movento	05349	Bayer CropScience Limited		Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					Spirotetramat	150 g/l					
Previcur Energy	04041	Bayer CropScience Limited		Fungicide			3.0 l/ha	12.0 l/ha	-	3 days before harvest	3 days
					Propamocarb	530 g/l					
					Fosetyl (-aluminium)	310 g/l					
					Propamocarb	530 g/l					
					Fosetyl (-aluminium)	310 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
Switch	06414	Syngenta UK Ltd		Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			10g per 100L water	-	2	1 day pre harvest	1 day
Vivando	05685	BASF plc		Fungicide			0.3 l/ha	0.6 l/ha	-	3 days before harvest	3 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Plums</i>											
CaLyso	02441	Bayer CropScience Limited		Insecticide			0.3 l/ha	0.6 l/ha	2 per year	14 days before harvest	14 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - seed crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	670 ml/ha	1.34 l/ha	2 per crop	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Deltamethrin</i>	<i>15 g/l</i>	5 l/ha	5 l/ha	1	GS 5	
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Potatoes - ware crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
<i>Pumpkins - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Azoxystrobin</i>	<i>200 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
							3 mls per sq m	6 mls per sq m	-	Before transplanting	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
Sonata	05802	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Radicchio</i>											
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>	250 g/ha	500 g/ha	2	3 days pre harvest	3 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Butisan S	04631	BASF plc		Herbicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	1.0 l/ha	-	Pre-emergence	
Decis	02693	Bayer CropScience Limited		Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Rapsan 500SC	05886	Globachem nv		Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	1.0 l/ha	1.0 l/ha	-		
					<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
Ravane	05536	Globachem nv		Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Isopyrazam</i>	<i>125 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd		Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd		Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
<i>Rape - fodder</i>											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
							2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Pyrimala	05429	Servem Ltd		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>			2	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>			2 per crop	7 days before harvest	7 days
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>			6		0 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
							200ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
							2.5 kg/ha	15 kg/ha	6 per year	GS 89	
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Pyrimala	05429	Servem Ltd		Fungicide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.25 l/ha	0.75 l/ha	3 per crop	3 days before harvest	3 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	0.8 l/ha	1.6 l/ha		21 days before harvest	21 days
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.		Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
							200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rhubarb</i>											
CaLypto	02441	Bayer CropScience Limited	Insecticide		<i>Thiacloprid</i>	<i>480 g/l</i>	0.25 l/ha	0.5 l/ha	2 per year	14 days before harvest	14 days
Decis Protech	05269	Bayer CropScience Limited	Insecticide		<i>Deltamethrin</i>	<i>15 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Flexidor	04963	Dow AgroSciences Ltd	Herbicide		<i>Ioxaben</i>	<i>500 g/l</i>	0.4 l/ha	0.4 l/ha	1 per year	Dormant stage	
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide		<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
PDM 330 EC	03582	BASF plc	Herbicide		<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	Before crop emergence	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide		<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stomp Aqua	03750	BASF plc	Herbicide		<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rocket</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Devrinol	05234	UPL Europe Ltd	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*	-	35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			<i>Metalaxyl M</i>	<i>3.88% w/w</i>	6		0 days
							8 l/ha	48 l/ha			
	Switch	06414	Syngenta UK Ltd	Fungicide			<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>			
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
							0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Rosemary											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Rubus Hybrid - field											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>					
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana</i> <i>GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - spring</i>											
Compitox Plus	02843	Nufarm UK Limited		Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
Decis	02693	Bayer CropScience Limited		Insecticide	<i>Mecoprop-P</i>	<i>600 g/l</i>	250 mls/ha	750 mls/ha		Before GS 85	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
Defy	04277	Syngenta UK Ltd		Herbicide	<i>Deltamethrin</i>	<i>15 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
Duplosan KV	02842	Nufarm UK Limited		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
Optica	02661	Nufarm UK Limited		Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
	Compitox Plus	02843	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	Crozier	06482	Barclay Chemicals Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	250 mls/ha	750 mls/ha	-	Before GS 85	
	Decis	02693	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	250 mls/ha	750 mls/ha	-	Before GS 85	
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
	Defy	04277	Syngenta UK Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
	Duplosan KV	02842	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	250 mls/ha	750 mls/ha	-	Before GS 85	
	Optica	02661	Nufarm UK Limited	Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.0 l/ha	2.0 l/ha	-	Before GS 33	
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stratos Ultra	04936	BASF plc		Herbicide	<i>Cycloxydim</i>	<i>100 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide	Azoxystrobin Difenoconazole	200 g/l 125 g/l	2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Mancozeb	75% w/w	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.4 l/ha	0.8 l/ha	2	14 days before harvest	14 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	Thiacloprid	240 g/l	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Chamane	05002	UPL Europe Ltd		Fungicide	Clethodim	120 g/l	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	Azoxystrobin	250 g/l	5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
Crozier	06482	Barclay Chemicals Ltd		Herbicide	Prosulfocarb	800 g/l	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
Decis	02693	Bayer CropScience Limited		Insecticide	Prosulfocarb	800 g/l	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	25 g/l	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
Defy	04277	Syngenta UK Ltd		Herbicide	Deltamethrin	15 g/l	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Difenofin	06218	Finchimica S.p.A		Fungicide	Prosulfocarb	800 g/l	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					Difenoconazole	250 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Lentagran WP	05580	Belchim Crop Protection NV	Herbicide		<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	56 days before harvest	56 days
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide		<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide		<i>Tebuconazole</i>	<i>500 g/kg</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>			4	14 days before harvest	14 days
PDM 330 EC	03582	BASF plc	Herbicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha			
Peloton	06481	Barclay Chemicals Ltd	Herbicide		<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1		
					<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Ravane	05536	Globachem nv		Insecticide	<i>Prosulfocarb</i>	<i>800 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Isopyrazam</i>	<i>125 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
Signum	03799	BASF plc		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stomp 400 SC	02879	BASF plc		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>100 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
Stratos Ultra	04936	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Cycloxydim</i>	<i>455 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Vydate 10G	03698	DuPont (UK) Ltd		Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Oxamyl</i>	<i>100 g/kg</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 47	
Basagran SG	05192	BASF plc		Herbicide	<i>Bacillus amyloliquefaciens</i> <i>subsp. plantarum D747</i>	<i>250 g/kg</i>	1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Bentazone</i>	<i>870 g/kg</i>	2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Crozier	06482	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Defy	04277	Syngenta UK Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
Emerger	06190	Bayer CropScience Limited		Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
Fandango	03787	Bayer CropScience Limited		Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.25 l/ha	5.0 l/ha	4 per crop	GS 47	
Flexidor	04963	Dow AgroSciences Ltd		Herbicide	<i>Ioxaben</i>	<i>500 g/l</i>	0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
Force 20 CS	06395	Syngenta UK Ltd		Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
Infinito	04309	Bayer CropScience Limited	Fungicide		<i>Tefluthrin</i>	<i>200 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Lentagran WP	05580	Belchim Crop Protection NV	Herbicide		<i>Propamocarb</i>	<i>625 g/l</i>					
Movento	05349	Bayer CropScience Limited	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
NEMGuard DE	05368	ECOspray Ltd	Nematicide		<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide		<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	2.0 l/ha	4 per crop	7 days before harvest	7 days
Peloton	06481	Barclay Chemicals Ltd	Herbicide		<i>Garlic Extract</i>	<i>450 g/kg</i>	20 kg/ha	20 kg/ha	1	At drilling	
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
Roxy 800 EC	05739	Globachem nv	Herbicide		<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
Serenade ASO	03847	Bayer CropScience Limited	Fungicide		<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 15	
Starane Hi-Load HL	04549	Dow AgroSciences Ltd	Herbicide		<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stealth	06468	Syngenta UK Ltd	Insecticide		<i>Fluroxypyr</i>	<i>333 g/l</i>	0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
Stomp 400 SC	02879	BASF plc		Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					Pendimethalin	400 g/l					
Stomp Aqua	03750	BASF plc		Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					Pendimethalin	455 g/l					
Switch	06414	Syngenta UK Ltd		Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					Fludioxonil	25% w/w					
					Cyprodinil	37.5% w/w					
Valbon	03411	Certis Europe BV		Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					Mancozeb	700 g/kg					
					Benthiavalicarb	17.5 g/kg					
Wing P	03590	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					Dimethenamid-P	212.5 g/l					
					Pendimethalin	250g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>	
<i>Spinach</i>												
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
Azoshys	05618	Sharda Cropchem Espana S.L.		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide	Azoxystrobin	250 g/l	8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting		
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	Benfluralin	180 g/l	0.6 kg/ha	3.0 kg/ha	5 per year	-		
Chamane	05002	UPL Europe Ltd		Fungicide	Beauveria bassiana GHA / ATCC 74040	220 g/kg	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
Devrinol	05234	UPL Europe Ltd		Herbicide	Azoxystrobin	250 g/l	0.85 l/ha	0.85 l/ha	-	Pre crop emergence		
Ementos 10 CS	04933	FMC Agro Ltd		Insecticide	Napropamide	450 g/l	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days	
Globaztar SC	05529	Globachem nv		Fungicide	lambda-Cyhalothrin	100 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days	
Infinito	04309	Bayer CropScience Limited		Fungicide	Azoxystrobin	250 g/l	1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days	
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	Propamocarb	625 g/l	75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days	
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	Fluopicolide	62.5 g/l	100 g/l	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days	
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	lambda-Cyhalothrin	100 g/l	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days	
					lambda-Cyhalothrin	100 g/l						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
Markate 50	05001	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 kgs/m ³	-	-	Pre-planting	
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>	3 mls per sq m	6 mls per sq m	-	Immediately post drilling	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Ravane	05536	Globachem nv		Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
Switch	06414	Syngenta UK Ltd		Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>	10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 mls/ha	600 mls/ha	3		3 days
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	<i>Spinosad</i>	<i>480 g/l</i>	0.8 l/ha	0.8 l/ha	-	Pre-emergence	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Lenacil</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Benfluralin</i>	<i>180 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Met 52 Granular	04811	Novozymes France S.A.S.		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Metarhizium anisopliae - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
Switch	06414	Syngenta UK Ltd		Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Fludioxonil</i>	<i>25% w/w</i>	200 mls/ha	600 mls/ha	3		3 days
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>	0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Lenacil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
<i>Squash - protected</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
Previcur Energy	04041	Bayer CropScience Limited		Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
Vivando	05685	BASF plc		Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	0.25 l/ha	0.50 l/ha	2 per year	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	500 ml/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	125 ml/ha	250 ml/ha	4 per crop	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Takumi SC	06060	Nisso Chemical Europe GmbH		Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Cyflufenamid</i>	<i>100 g/l</i>	150 ml/ha in 200L water	450 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
Benevia 10 OD	05354	Headland Agrochemicals Ltd		Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.75 l/ha	1.5 l/ha	2	1 day before harvest	1 day
Borneo	04235	Sumitomo Chemical Agro Europe SAS		Acaricide	<i>Cyantraniliprole</i>	<i>100 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
CaLypso	02441	Bayer CropScience Limited		Insecticide	<i>Etoxazole</i>	<i>110 g/l</i>	0.25 l/ha	0.50 l/ha	2 per crop	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Thiacloprid</i>	<i>480 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Microthiol Special	90548	UPL Europe Ltd		Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
Sabik-1.8%	04907	Servem Ltd		Acaricide/Insecticid	<i>Sulphur</i>	<i>80 %w/w</i>	50 mls / 100 l water	4.0 l/ha	3	3 days before harvest	3 days
Sequoia	05915	Dow AgroSciences Ltd		Insecticide	<i>Abamectin</i>	<i>18 g/l</i>	200 mls/ha	400 mls/ha	2	1 day before harvest	1 day
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Sulfoxaflor</i>	<i>120 g/l</i>	0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
Takumi SC	06060	Nisso Chemical Europe GmbH		Fungicide	<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Cyflufenamid</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Talius	04604	DuPont (UK) Ltd		Fungicide			0.19 l/ha	0.19 l/ha	1 per crop	3 days before harvest	3 days
					Proquinazid	200 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Benevia 10 OD	05354	Headland Agrochemicals Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	<i>Cyantraniliprole</i>	<i>100 g/l</i>	0.4 l/ha	0.8 l/ha	2	35 days before harvest	35 days
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide	<i>Thiacloprid</i>	<i>240 g/l</i>	8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Benfluralin</i>	<i>180 g/l</i>	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Ceta SG	06252	Unichem Limited		Insecticide	<i>Clethodim</i>	<i>120 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Acetamiprid</i>	<i>20% w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
	Difenofin	06218	Finchimica S.p.A	Fungicide	<i>Napropamide</i>	<i>450 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.25 l/ha	0.25 l/ha	-	pre-emergence	
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>Clomazone</i>	<i>360 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha		N/A	
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
Movento	05349	Bayer CropScience Limited		Insecticide	Difenoconazole	250 g/l	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	Spirotetramat	150 g/l	0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					Trifloxystrobin	250 g/kg					
					Tebuconazole	500 g/kg					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	Quizalofop-P-ethyl	50 g/l	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
Ravane	05536	Globachem nv		Insecticide	lambda-Cyhalothrin	50 g/l	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	Isopyrazam	125 g/l	0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	Difenoconazole	250 g/l	8 l/ha	48 l/ha	6		0 days
					Bacillus amyloliquefaciens str. QST 713	1015.1 g/l					
Signum	03799	BASF plc		Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					Boscalid	26.7 % w/w					
					Pyraclostrobin	6.7 % w/w					
Sparviero	04469	Sipcam Oxon SpA		Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
Stealth	06468	Syngenta UK Ltd		Insecticide	lambda-Cyhalothrin	100 g/l	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	lambda-Cyhalothrin	100 g/l	0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					Lenacil	500 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
Zoxis		05348	Arysta LifeScience Benelux SPRL	Fungicide	Oxamyl	100 g/kg	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					Azoxystrobin	250 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sweetcorn</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 ml/ha	400 ml/ha	4	7 days before harvest	
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
Lepinox Plus	05254	CBC (Europe) S.r.l.		Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 ml/ha	400 ml/ha	4	7 days before harvest	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stealth	06468	Syngenta UK Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	100 mls/ha	400 mls/ha	4 per crop	7 days before harvest	7 days
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	Pre-emergence	
Wing P	03590	BASF plc		Herbicide	<i>Dimethenamid-P Pendimethalin</i>	<i>212.5 g/l</i> <i>250g/l</i>	4.0 l/ha	4.0 l/ha	-	Pre-emergence	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Thyme</i>											
Botanigard WP	06264	Mycotech Europe Ltd		Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
Teldor	02003	Bayer CropScience Limited		Fungicide	<i>Cycloxydim</i>	<i>100 g/l</i>				3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	3.0 kgs/ha			

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoxystar	05534	Life Scientific Limited		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.45 l/ha	0.9 l/ha	2 per crop	3 days before harvest	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Cerone	03933	Bayer CropScience Limited		Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
Chamane	05002	UPL Europe Ltd		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Coragen	05295	FMC Agro Ltd		Insecticide			250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Curzate M WG	04723	DuPont (UK) Ltd		Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
Decis Protech	05269	Bayer CropScience Limited		Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Dithane 945	03705	Indofil Industries (Netherlands) B.V		Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
Globaztar SC	05529	Globachem nv		Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
Karma	05116	Certis Europe BV		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
Luna Privilege	05916	Bayer CropScience Limited		Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	1.0 l/ha	4.0 l/ha	4	1 day before harvest	1 day
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide	<i>Fluopyram</i>	<i>500 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
Microthiol Special	90548	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	0.01kgs/5 litres water	-	-	-	0 days
Movento	05349	Bayer CropScience Limited		Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
Nimrod	04964	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
Option	04722	DuPont (UK) Ltd		Fungicide	<i>Bupirimate</i>	<i>250 g/l</i>	0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
Percos	03841	BASF plc		Fungicide	<i>Cymoxanil</i>	<i>600 g/kg</i>	0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
Revus	05154	Syngenta UK Ltd		Fungicide	<i>Dimethomorph</i> <i>Ametoctradin</i>	<i>225 g/l</i> <i>300 g/l</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Scala		03916	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
SL567A		03106	Syngenta UK Ltd	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	0.3 l/ha	0.9 l/ha	3 per crop		3 days
Switch		06414	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Teldor		02003	Bayer CropScience Limited	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
Vivando		05685	BASF plc	Fungicide	<i>Metrafenone</i>	<i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
Zoxis		05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide				3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide		Prosulfocarb	800 g/l	0.12 l/ha	0.12 l/ha	-	Before GS 33	
Compitox Plus	02843	Nufarm UK Limited	Herbicide		Clopyralid	600 g/l	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
Crozier	06482	Barclay Chemicals Ltd	Herbicide		Mecoprop-P	600 g/l	3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide		Prosulfocarb	800 g/l	250 mls/ha	750 mls/ha	-	Before GS 85	
Decis	02693	Bayer CropScience Limited	Insecticide		Deltamethrin	25 g/l	250 mls/ha	750 mls/ha		before GS 85	
Decis Protech	05269	Bayer CropScience Limited	Insecticide		Deltamethrin	25 g/l	420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
Defy	04277	Syngenta UK Ltd	Herbicide		Prosulfocarb	800 g/l	3.0 l/ha	3.0 l/ha	-	Before GS22	
Duplosan KV	02842	Nufarm UK Limited	Herbicide		Mecoprop-P	600 g/l	2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
Empire Supreme	05061	Croplink (Ireland) Ltd	Herbicide		Thifensulfuron methyl	400 g/kg	100 g/ha	100 g/ha	1 per crop	Before GS 39	
Finish SX	02329	DuPont (UK) Ltd	Herbicide		Metsulfuron (-methyl)	40 g/kg	75 g/ha	75 g/ha	1	Before GS 39	
GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide		Thifensulfuron methyl	333 g/kg	250 mls/ha	750 mls/ha	-	Before GS 85	
Harmony M SX	02330	DuPont (UK) Ltd	Herbicide		Metsulfuron (-methyl)	67 g/kg	100 g/ha	100 g/ha	1	Before GS 39	
Optica	02661	Nufarm UK Limited	Herbicide		Deltamethrin	25 g/l	2.0 l/ha	2.0 l/ha	-	Before GS 33	
					Thifensulfuron methyl	400 g/kg					
					Metsulfuron (-methyl)	40 g/kg					
					Mecoprop-P	600 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
Peloton	06481	Barclay Chemicals Ltd		Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
Presite SX	02888	DuPont (UK) Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
							2.5 kg/ha	15 kg/ha	6 per year	GS 79	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Benevia 10 OD	05354	Headland Agrochemicals Ltd		Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	<i>Cyantraniliprole</i>	<i>100 g/l</i>	0.4 l/ha	0.8 l/ha	2	35 days before harvest	35 days
Bonalan	05763	Gowan Crop Protection Ltd		Herbicide	<i>Thiacloprid</i>	<i>240 g/l</i>	8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
Centurion Max	04948	Arysta Life Science S.A.S.		Herbicide	<i>Benfluralin</i>	<i>180 g/l</i>	2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
Ceta SG	06252	Unichem Limited		Insecticide	<i>Clethodim</i>	<i>120 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Acetamiprid</i>	<i>20% w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Devrinol	05234	UPL Europe Ltd	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
	Difenofin	06218	Finchimica S.p.A	Fungicide	<i>Napropamide</i>	<i>450 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Acetamiprid</i>	<i>20 % w/w</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Triplexystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Watermelon</i>											
Sonata	05802	Bayer CropScience Limited	Fungicide				10 l/ha	60 l/ha	6 per crop	GS 89	1 day
<i>Wheat - durum</i>											
Decis Protech	05269	Bayer CropScience Limited	Insecticide				420 mls/ha	840 mls/ha	2	30 days before harvest	30 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Whitecurrants - field											
CaLypso	02441	Bayer CropScience Limited	Insecticide		<i>Thiacloprid</i>	<i>480 g/l</i>	0.25 l/ha	0.75 l/ha	3 per year	3 days before harvest	3 days
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.	Herbicide		<i>Flazasulfuron</i>	<i>25 % w/w</i>	120 g/ha	120 g/ha	1 per year	Before bud burst	
Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide				1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
Decis Protech	05269	Bayer CropScience Limited	Insecticide		<i>Pyraclostrobin</i> <i>Boscalid</i>	<i>6.7% w/w</i> <i>26.7% w/w</i>	400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>Deltamethrin</i>	<i>15 g/l</i>	100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide		<i>Mancozeb</i>	<i>75 % w/w</i>	1.4 kg per 1000L water	-	-	28 days before harvest	28 days
Ninja 10CS	05178	Syngenta UK Ltd	Insecticide		<i>Mancozeb</i>	<i>800 g/kg</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide		<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide		<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
Scala	03916	BASF plc	Fungicide		<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Whitecurrants - field											
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide			100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
Stroby WG	05092	BASF plc		Fungicide			0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
Whitecurrants - protected											
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
Serenade ASO	03847	Bayer CropScience Limited		Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Tracer	02649	Dow AgroSciences Ltd		Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 8

**List of off label approvals which have been granted up to 1/2/20 for use on
Non - food crops**

Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops

13-Feb-20

Warning: EAMU Approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Difenoconazole	125 g/l					
					Azoxystrobin	200 g/l					
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Biscaya	03602	Bayer CropScience Limited		Insecticide	Azoxystrobin	250 g/l	0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
Butisan S	04631	BASF plc		Herbicide	Thiacloprid	240 g/l	1.5 l/ha	1.5 l/ha	-	Before GS 19	
Caramba	03954	BASF plc		Fungicide	Metazachlor	500 g/l	1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
Chamane	05002	UPL Europe Ltd		Fungicide	Metconazole	60 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Claw 100	05874	DHM Agrochemicals Ltd.,		Herbicide	Azoxystrobin	250 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
Clayton Satchmo	06374	Clayton Plant Protection Ltd		Herbicide	Propaquizafop	100 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
Deca 2.5% EC	04952	Sharda Europe b.v.b.a		Insecticide	Propaquizafop	100 g/l	300 mls/ha	900 mls/ha	-	Before GS 69	
Decis	02693	Bayer CropScience Limited		Insecticide	Deltamethrin	25 g/l	300 mls/ha	900 mls/ha		Before GS 69	
Decis Protech	05269	Bayer CropScience Limited		Insecticide	Deltamethrin	25 g/l	500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
Delta-Glob 25 EC	06302	Globachem nv		Insecticide	Deltamethrin	15 g/l	300 mls/ha	900 mls/ha		Before GS 69	
					Deltamethrin	25 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Eminentes 10 CS	04933	FMC Agro Ltd		Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
Falcon	04740	Adama Agricultural Solutions UK Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
Farmco Zealot	05299	Farmco Agritrading Ltd		Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves stage	90 days
Filan	04325	BASF plc		Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
Galera	05188	Dow AgroSciences Ltd		Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
GAT Decline 2.5 E	04422	FMC Agro Ltd		Insecticide	<i>Clopyralid</i>	<i>267 g/l</i>			-	Before GS 69	
					<i>Picloram</i>	<i>67 g/l</i>					
Globaztar SC	05529	Globachem nv		Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	300 mls/ha	900 mls/ha	-	21 days before harvest	21 days
Juventus	05780	BASF plc		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-		
Karate Zeon	04084	Syngenta UK Ltd		Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
Magnello	04118	Syngenta UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Pecari Extra	06574	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
Plexeo 60	05926	Globachem nv		Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
Polux	05946	Galenika-Fitofarmacija		Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
Proline	03786	Bayer CropScience Limited		Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
Prosaro	04641	Bayer CropScience Limited		Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
Protendo Extra	06446	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
Rapsan 500SC	05886	Globachem nv		Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
Salsa	04725	FMC Agro Ltd		Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
Sirena	05408	Globachem nv		Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
Stealth	06468	Syngenta UK Ltd		Insecticide			75 mls/ha	225 mls/ha	4 per crop	6 weeks before harvest	6 weeks
Tebucur 250 EW	04827	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS 65	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a		Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
Turret 60	06384	Globachem nv		Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
Zetrola	05936	Adama Agricultural Solutions UK Ltd		Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
Amistar	05072	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Amistar Top	04582	Syngenta UK Ltd		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	Azoxystrobin Difenoconazole	200 g/l 125 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Azoxystar	05534	Life Scientific Limited		Fungicide	Azoxystrobin	250 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Barclay Propyz	04006	Barclay Chemicals Ltd		Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
Barclay Propyzaflas	04007	Barclay Chemicals Ltd		Herbicide	Propyzamide	400 g/l	2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
Biscaya	03602	Bayer CropScience Limited		Insecticide	Propyzamide	400 g/l	0.3 l/ha	0.3 l/ha	1 per crop	30 days before harvest	30 days
Butisan S	04631	BASF plc		Herbicide	Thiacloprid	240 g/l	1.5 l/ha	1.5 l/ha	-	Before GS 19	
Caramba	03954	BASF plc		Fungicide	Metazachlor	500 g/l	1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
Chamane	05002	UPL Europe Ltd		Fungicide	Metconazole	60 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
Claw 100	05874	DHM Agrochemicals Ltd.,		Herbicide	Azoxystrobin	250 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
Clayton Satchmo	06374	Clayton Plant Protection Ltd		Herbicide	Propaquizafop	100 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
Deca 2.5% EC	04952	Sharda Europe b.v.b.a		Insecticide	Propaquizafop Deltamethrin	100 g/l 25 g/l	300 mls/ha	1200 mls/ha	-	Before GS 69	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide	Deltamethrin	25 g/l	300 mls/ha	1200 mls/ha		Before GS 69	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	Deltamethrin	25 g/l	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	lambda-Cyhalothrin	100 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide	Propaquizafop	100 g/l	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Filan	04325	BASF plc	Fungicide	Propaquizafop	100 g/l	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	Boscalid	50 % w/w	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	Clopyralid Picloram	267 g/l 67 g/l	300 mls/ha	1200 mls/ha	-	Before GS 69	
	Globaztar SC	05529	Globachem nv	Fungicide	Deltamethrin	25 g/l	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	Azoxystrobin	250 g/l	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	Metconazole	90 g/l	75 mls/ha	225 mls/ha	4	Before GS 69	
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide	lambda-Cyhalothrin	100 g/l	2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					Propyzamide	400 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide			75 ml/ha	225 ml/ha	4	Before end of flowering	
Legion	05179	Adama Agricultural Solutions UK Ltd		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
Magnello	04118	Syngenta UK Ltd		Fungicide	<i>Quinmerac</i>	<i>125 g/l</i>					
					<i>Metazachlor</i>	<i>375 g/l</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	<i>Difenoconazole</i>	<i>100 g/l</i>					
Pecari Extra	06574	Globachem nv		Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>					
Pilot Ultra	04955	Nissan Chemical Europe		Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
Plexeo 60	05926	Globachem nv		Fungicide	<i>Prothioconazole</i>	<i>125 g/l</i>					
Polux	05946	Galenika-Fitofarmacija		Insecticide	<i>Metconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
Proline	03786	Bayer CropScience Limited		Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>					
Prosaro	04641	Bayer CropScience Limited		Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	0.3 l/ha	1.2 l/ha	-	Before GS 69	
Protendo Extra	06446	Globachem nv		Fungicide	<i>Tebuconazole</i>	<i>125 g/l</i>					
Quick 5 EC	04904	Sharda Europe b.v.b.a		Herbicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>	
<i>Camelina-Industrial use-winter</i>												
Rapsan 500SC	05886	Globachem nv		Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19		
Salsa	04725	FMC Agro Ltd		Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days	
Sirena	05408	Globachem nv		Fungicide		<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
Stealth	06468	Syngenta UK Ltd		Insecticide		<i>Metconazole</i>	<i>60 g/l</i>	75 mls/ha	225 mls/ha	4 per crop	Before GS 69	
Tebucur 250 EW	04827	Globachem nv		Fungicide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a		Fungicide		<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
Teridox	04902	Syngenta UK Ltd		Herbicide		<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	-	Pre-emergence	
Turret 60	06384	Globachem nv		Fungicide		<i>Dimethachlor</i>	<i>500 g/l</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
Zetrola	05936	Adama Agricultural Solutions UK Ltd		Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days	
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide		<i>Propaquizafop</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
						<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
Agritox	05498	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
Agritox 500	05499	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Agroxone 50	05500	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Amistar	05072	Syngenta UK Ltd		Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd		Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
Arbiter	05542	Barclay Chemicals Ltd		Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
Arizona	04555	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
Aviator Xpro	05255	Bayer CropScience Limited		Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
Azaka	05218	FMC Agro Ltd		Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide		<i>Azoxystrobin</i>	<i>250 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barracuda	05967	Albaugh Europe Sarl	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Mesotrione</i>	<i>100 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Bellis	03798	BASF plc	Fungicide	<i>Spirotetramat</i>	<i>100 g/l</i>	0.8 kg/ha	3.2 kg/ha	4	N/A	
	Biscaya	03602	Bayer CropScience Limited	Insecticide	<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide	<i>Thiacloprid</i>	<i>240 g/l</i>	0.4 l/ha	0.8 l/ha	2		
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
Boxer	02048	Dow AgroSciences Ltd	Herbicide		<i>Florasulam</i>	<i>50 g/l</i>	1.5 l/ha	0.15 l/ha	-	N/A	
	Butisan S	04631	BASF plc	Herbicide			0.15 l/ha	0.15 l/ha			
	Cadou Star	03439	Bayer CropScience Limited	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	1.5 l/ha	1.5 l/ha	-	-	
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide	<i>Flufenacet</i>	<i>480 g/kg</i>	0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>	150 g/ha	150 g/ha	-	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Calibre SX	03436	DuPont (UK) Ltd		Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
Callisto	02587	Syngenta UK Ltd		Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.45 l/ha	0.9 l/ha	2 per year	3 days before	3 days
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Cameo Max SX	03135	FMC Agro Ltd		Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Cameo SX	03431	DuPont (UK) Ltd		Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Centium 360 CS	05674	FMC Agro Ltd		Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
Cerone	03933	Bayer CropScience Limited		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
Ceta SG	06252	Unichem Limited		Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Chamane	05002	UPL Europe Ltd		Fungicide			0.7l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL		Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Comet 200	03696	BASF plc		Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Compitox Plus	02843	Nufarm UK Limited		Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
Coragen	05295	FMC Agro Ltd		Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Coupon	06271	Globachem nv		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
Coyote	03790	Bayer CropScience Limited		Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
Croplink Reaper	05842	Croplink (Ireland) Ltd		Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
Curzate M WG	04723	DuPont (UK) Ltd		Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
Cuter	05857	Industrias Afrasa S.A.		Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
Cymbal 45	04647	Belchim Crop Protection Ltd		Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
D50	02366	Nufarm UK Limited		Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
Dauphin 45	04542	Societe Financiere de Pontarlier		Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
Defy	04277	Syngenta UK Ltd		Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-	-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			<i>Mancozeb</i>	<i>480 g/kg</i>			
							100 mls/ha	100 mls/ha		28 days before harvest	
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			<i>Flumioxazin</i>	<i>300 g/l</i>			
							2.0 kg/ha	16.0 kg/ha*	-	7 days before harvest	7 days
	Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide			<i>Mancozeb</i>	<i>80 % w/w</i>			
							2.1 kg/ha	8.4 kg/ha	4 per year	-	
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			<i>Mancozeb</i>	<i>75% w/w</i>			
							<i>Clopyralid</i>	<i>100 g/l</i>			
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			<i>S-Metolachlor</i>	<i>960 g/l</i>			
							<i>Mecoprop-P</i>	<i>600 g/l</i>			
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			<i>MCPA</i>	<i>750 g/l</i>			
	Easel	05502	Nufarm UK Limited	Herbicide			<i>Fluroxypyr</i>	<i>200 g/l</i>			
							1.8 l/ha	1.8 l/ha			
	Echo Pro	05741	Unichem Limited	Herbicide			<i>Propamocarb</i>	<i>722 g/l</i>			
							2.0 l/ha	2.0 l/ha	-	-	
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			<i>S-Metolachlor</i>	<i>960 g/l</i>			
							1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			<i>Zoxamide</i>	<i>66.7% w/w</i>			
							0.78 l/ha	0.78 l/ha	-	31st May	
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide			<i>Mancozeb</i>	<i>8.35 w/w</i>			
							1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Emerger	06190	Bayer CropScience Limited	Herbicide				3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide		Aclonifen	600 g/l	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Fandango	03787	Bayer CropScience Limited	Fungicide		lambda-Cyhalothrin	100 g/l	1.5 l/ha	3.0 l/ha	-	N/A	
Fastnet	06253	Sipcam U.K. Ltd	Herbicide		Fluoxastrobin	100 g/l	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
Filan	04325	BASF plc	Fungicide		Prothioconazole	100 g/l	0.5 kg/ha	1.0 kg/ha	-	N/A	
Firebird	04221	Bayer CropScience Limited	Herbicide		Boscalid	50 % w/w	0.3 l/ha	0.3 l/ha	-	N/A	
Flexity	03225	BASF plc	Fungicide		Flufenacet	400 g/l	0.5 l/ha	1.0 l/ha	2	-	
Flexure	06320	Life Scientific Limited	Fungicide		Diflufenican	200 g/l	300 g/l	1.25 l/ha	2.5 l/ha	-	-
Flight	02524	BASF plc	Herbicide		Metrafenone	160 g/l	4.0 l/ha	4.0 l/ha		N/A	
Fluazinova	05508	Finchimica S.p.A	Fungicide		Spiroxamine	300 g/l	7.5 g/l	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest
Fluazinova Duo	05994	Finagro S.p.A	Fungicide		Pendimethalin	500 g/l	0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
Flurostar 200	05090	Globachem nv	Herbicide		Picolinafen	500 g/l	2.0 l/ha	2.0 l/ha	-	N/A	
Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide		Fluazinam	200 g/l	2.0 l/ha	2.0 l/ha	-	-	
					Fluroxypyr	200 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days	
				<i>Fluazinam</i>	<i>500 g/l</i>						
Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days	
				<i>Mepanipyrim</i>	<i>449.4 g/l</i>						
Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-	
				<i>Acetamiprid</i>	<i>20 % w/w</i>						
Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	-	
				<i>Azoxystrobin</i>	<i>250 g/l</i>						
Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	-	-	
				<i>Triclopyr</i>	<i>240 g/l</i>						
				<i>Clopyralid</i>	<i>60 g/l</i>						
Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	-	
				<i>Clopyralid</i>	<i>60.0 g/l</i>						
				<i>Triclopyr</i>	<i>240.0 g/l</i>						
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	-	
				<i>Flumioxazin</i>	<i>300 g/l</i>						
Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	-	
				<i>MCPA</i>	<i>500 g/l</i>						
Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	-	
				<i>Fluroxypyr</i>	<i>200 g/l</i>						
Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4	-	-	
				<i>Sulphur</i>	<i>800 g/l</i>						
Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	-	
				<i>Spiroxamine</i>	<i>300 g/l</i>						
				<i>Prothioconazole</i>	<i>160 g/l</i>						
Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	-	
				<i>MCPA</i>	<i>300 g/l</i>						
Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	-	
				<i>Fluroxypyr</i>	<i>200 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Infinito	04309	Bayer CropScience Limited	Fungicide		<i>Propamocarb</i>	<i>625 g/l</i>	1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
Inka Max SX	04842	FMC Agro Ltd	Herbicide		<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>	60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
Keystone	05025	Syngenta UK Ltd	Fungicide		<i>Isopyrazam</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
Ladir 10 CS	04932	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Lentagran WP	05580	Belchim Crop Protection NV	Herbicide		<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide		<i>Bacillus thuringiensis</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>subspecies kurstaki EG</i>	<i>2348</i>					
Life Scientific Lamb	04868	Life Scientific Limited	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
M50	05505	DHM Agrochemicals Ltd.,	Herbicide		<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
Maestro	04850	Bayer CropScience Limited	Fungicide		<i>Fluoxastrobin</i>	<i>100 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Magnello	04118	Syngenta UK Ltd		Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>100 g/l</i>					
Mandarin Xpro	05258	Bayer CropScience Limited		Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide			2.1 kg/ha	8.4 kg/ha *	-	-	
Manfil 80 WP	03563	Indofil Industries Limited		Fungicide			2.0 kg/ha	8.0 kg/ha *	-	-	
Markate 50	05001	Globachem nv		Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
Mastercrop MCPA	05510	Hygeia Chemicals Ltd		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
Mettle	03788	Bayer CropScience Limited		Fungicide			1.5 l/ha	3.0 l/ha	-		
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
Micaraz	05029	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
Minstrel	04782	UPL Europe Ltd		Herbicide			2.0 l/ha	2.0 l/ha	-	-	
Mirror	06425	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
Modem 200	03695	BASF plc		Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
Mortone	03529	Hygeia Chemicals Ltd		Herbicide			2.2 l/ha	2.2 l/ha			
Mortone Gold	06419	Hygeia Chemicals Ltd		Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
					<i>MCPA</i>	<i>750 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Most Micro	04837	Sipcam U.K. Ltd		Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
Moximate 725 WG	04670	Indofil Industries Limited		Fungicide	Pendimethalin	365 g/l	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
Moximate 725 WP	04514	Indofil Industries Limited		Fungicide	Cymoxanil Mancozeb	4.5% w/w 68% w/w	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
Naceto	05778	Globachem nv		Herbicide	Cymoxanil Mancozeb	4.5% w/w 68% w/w	0.3 l/ha	0.3 l/ha	-	-	
Nando 500SC	05387	Nufarm UK Limited		Fungicide	Flufenacet Diflufenican	400 g/l 200 g/l	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide	Fluazinam	500 g/l	0.4 kg/ha	1.2 kg/ha	3 per year	-	
Nautile DG	04540	UPL Europe Ltd		Fungicide	Mancozeb Tebuconazole	250 g/kg 500 g/kg	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
New Hyflux	05268	Hygeia Chemicals Ltd		Herbicide	Cymoxanil	68% w/w 5% w/w	2.0 l/ha	2.0 l/ha	-	-	
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide	Fluroxypyr lambda-Cyhalothrin	200 g/l 100 g/l	90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
Nirvana	03063	BASF plc		Herbicide	Pendimethalin Imazamox	250 g/l 16.7 g/l	4.5 l/ha	4.5 l/ha		N/A	
NU46	05501	Nufarm UK Limited		Herbicide	MCPA	500 g/l	2.7 l/ha	2.7 l/ha	-	-	
Oblix 500	05286	UPL Europe Ltd		Herbicide	Ethofumesate	500 g/l	2.0 l/ha	2.0 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Obsthormon 24a	05764	L. Gobbi srl		Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide		<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Option	04722	DuPont (UK) Ltd	Fungicide		<i>Fluazinam</i>	<i>500 g/l</i>	0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide		<i>Cymoxanil</i>	<i>600 g/kg</i>	2.0 l/ha	2.0 l/ha	-	-	
Padawan	04814	Societe Financiere de Pontarlier	Growth Regulator		<i>Fluroxypyr</i>	<i>200 g/l</i>	1.0 l/ha	1.0 l/ha	-	-	
Palmas	04543	Societe Financiere de Pontarlier	Fungicide		<i>Ethephon</i>	<i>480 g/l</i>	2.25 kg/ha	4 per crop	9.0 kg/ha	7 days before harvest	7 days
Paraat	03614	BASF plc	Fungicide		<i>Mancozeb</i>	<i>68% w/w</i>	3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
Patrol	04304	Syngenta UK Ltd	Fungicide		<i>Dimethomorph</i>	<i>500 g/kg</i>	0.5 l/ha	1.0 l/ha	-	-	
PDM 330 EC	03582	BASF plc	Herbicide		<i>Fenpropidin</i>	<i>750 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
Peloton	06481	Barclay Chemicals Ltd	Herbicide		<i>Pendimethalin</i>	<i>330 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	During dormancy only	
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide		<i>Prosulfocarb</i>	<i>800 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide		<i>Pendimethalin</i>	<i>400 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per year	-	
Penncozeb WDG	03608	UPL Europe Ltd	Fungicide		<i>Mancozeb</i>	<i>800 g/kg</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Phoenix	04453	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide	<i>Folpet</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	2 per year	-	
PlantTrust	04537	Everris Ltd		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
POL-MCPA 500 SL	05494	Ciech Sarzyna S.A		Herbicide	<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>	2.7 l/ha	2.7 l/ha	-	-	
Previcur Energy	04041	Bayer CropScience Limited		Fungicide	<i>MCPA</i>	<i>500 g/l</i>	3.0 l/ha	12.0 l/ha	-	N/A	
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>Propamocarb</i>	<i>530 g/l</i>			-	During dormancy only	
Profilux	05588	Belchim Crop Protection Ltd		Fungicide	<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>	5.0 l/ha	5.0 l/ha	4 per crop	7 days before harvest	7 days
Proline	03786	Bayer CropScience Limited		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 kg/ha	10 kg/ha	-	N/A	
Proman	04450	Belchim Crop Protection NV		Herbicide	<i>Cymoxanil</i>	<i>45 g/kg</i>			-	Pre-crop emergence & during dormancy	
Proxanil	04639	Arysta LifeScience Benelux SPRL		Fungicide	<i>Mancozeb</i>	<i>680 g/kg</i>	0.8 l/ha	2.4 l/ha	-	N/A	
Quantum	03432	DuPont (UK) Ltd		Herbicide	<i>Prothioconazole</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	-		
Quantum Max SX	04044	FMC Agro Ltd		Herbicide	<i>Metobromuron</i>	<i>500 g/l</i>	2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Cymoxanil</i>	<i>50 g/l</i>					
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	30 g/ha	30 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>	60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Rapsan 500SC	05886	Globachem nv		Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
Ravane	05536	Globachem nv		Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
Regalis	03321	BASF plc		Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
Regalis Plus	05409	BASF plc		Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
Revus	05154	Syngenta UK Ltd		Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Riber	05795	Life Scientific Limited		Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
Roxy 800 EC	05739	Globachem nv		Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Sacron WG	04541	UPL Europe Ltd		Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
Salvo	04120	UPL Europe Ltd		Herbicide			2.8 l/ha	2.8 l/ha	1 per year	-	
					<i>2,4-D</i>	<i>500 g/l</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Seguris	05028	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Epoxiconazole</i>	<i>90 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Sencorex Flow	04361	Bayer CropScience Limited	Herbicide		<i>Metribuzin</i>	<i>600 g/l</i>	0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
Sentry 500	05744	Unichem Limited	Fungicide		<i>Fluazinam</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide		<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide		<i>Fluazinam</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Signum	03799	BASF plc	Fungicide		<i>Boscalid</i>	<i>26.7 % w/w</i>	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
Siltra Xpro	05257	Bayer CropScience Limited	Fungicide				1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide				0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide		<i>Cymoxanil</i>	<i>50% w/w</i>			-	Pre-crop emergence	
SL567A	03106	Syngenta UK Ltd	Fungicide		<i>Clomazone</i>	<i>360 g/l</i>	0.25 l/ha	0.25 l/ha			
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Solution	06437	UPL Europe Ltd	Fungicide		<i>Mancozeb</i>	<i>68% w/w</i>	1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
Sparviero	04469	Sipcam Oxon SpA	Insecticide				2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>75 ml/ha</i>			4	14 days before harvest	14 days
Starane XL	02075	Dow AgroSciences Ltd	Herbicide			<i>100 g/l</i>			-	-	
					<i>Florasulam</i>	<i>1.5 l/ha</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
Stealth	06468	Syngenta UK Ltd	Insecticide				90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Steward	02603	DuPont (UK) Ltd		Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
Stomp Aqua	03750	BASF plc		Herbicide	<i>Indoxacarb</i>	<i>300 g/kg</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Talius	04604	DuPont (UK) Ltd		Fungicide			0.25 l/ha	0.5 l/ha	2	-	
Tandus	05836	Nufarm UK Limited		Herbicide	<i>Proquinazid</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha		N/A	
Taxi	06450	FMC Agro Ltd		Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	30 g/ha	30 g/ha	-	-	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a		Fungicide	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	-	
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide	<i>Tebuconazole</i>	<i>250 g/l</i>	0.14 kgs/ha	0.42 kgs/ha	3	-	
Tern 750 EC	04305	Syngenta UK Ltd		Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.5 l/ha	1.0 l/ha	-	-	
Thor	03991	FMC Agro Ltd		Herbicide	<i>Fenpropidin</i>	<i>750 g/l</i>	30 g/ha	30 g/ha	-	N/A	
Tizca	04398	Cheminova A/S		Fungicide	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Tracer	02649	Dow AgroSciences Ltd		Insecticide	<i>Fluazinam</i>	<i>500 g/l</i>	200 ml/ha	800 ml/ha	4		
Trailer	05858	Industrias Afrasa S.A.		Herbicide	<i>Spinossad</i>	<i>480 g/l</i>	20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
Tribe 75WG	05696	Sharda Cropchem Espana S.L.		Herbicide			20 g/ha	20 g/ha	-	-	
Vareon	03554	DuPont (UK) Ltd		Fungicide	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>	1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Proquinazid</i>	<i>40 g/l</i>					
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide			1.0 l/ha	1.0 l/ha	-	-	
Vivendi 200	05122	UPL Europe Ltd		Herbicide	<i>Lenacil</i>	<i>500 g/l</i>	1.0 l/ha	1.0 l/ha	-	-	
Volley	04516	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Clopyralid</i>	<i>200 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Winby	05611	ISK Biosciences Europe N.V.		Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Wing P	03590	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>250g/l</i>	4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
Winger	05807	DHM Agrochemicals Ltd.,		Fungicide	<i>Fenpropidin</i>	<i>750 g/l</i>	0.5 l/ha	1.0 l/ha	-	-	
Zephyr	03792	Bayer CropScience Limited		Fungicide	<i>Prothioconazole</i>	<i>175 g/l</i>	0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
Zetanil WG	04492	Sipcam Oxon SpA		Fungicide	<i>Mancozeb</i>	<i>650 g/kg</i>	2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Zulu	05026	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Isopyrazam</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-	
Ceta SG	06252	Unichem Limited		Insecticide	<i>Pendimethalin</i>	<i>400 g/l</i>	0.185 g/plant	0.185 g/plant	1	-	
Coragen	05295	FMC Agro Ltd		Insecticide	<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
Fastnet	06253	Sipcam U.K. Ltd		Herbicide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>	0.078 ml/plant	0.078 ml/plant	1	-	
Gazelle SG	03248	Nisso Chemical Europe GmbH		Insecticide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
Grazon 90	04261	Dow AgroSciences Ltd		Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.185 g/plant	0.185 g/plant	1	-	
Grazon Pro	05182	Dow AgroSciences Ltd		Herbicide	<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
Most Micro	04837	Sipcam U.K. Ltd		Herbicide	<i>Triclopyr</i>	<i>240 g/l</i>	1.2 l/ha*	1.2 l/ha	-	N/A	
PDM 330 EC	03582	BASF plc		Herbicide	<i>Clopyralid</i>	<i>60 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide	<i>Triclopyr</i>	<i>240.0 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
Sharpen 40% SC	04847	Sharda Europe b.v.b.a		Herbicide	<i>Clopyralid</i>	<i>60.0 g/l</i>					
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Grassland - amenity</i>											
Coragen	05295	FMC Agro Ltd		Insecticide			175 ml/ha	350 ml/ha	-	-	
Serenade ASO	03847	Bayer CropScience Limited		Fungicide	<i>Chlorantraniliprole</i>	<i>200 g/l</i>	8 l/ha	48 l/ha	6		0 days
Stratos Ultra	04936	BASF plc		Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Ally SX	05590	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Biog	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Biog	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Butryflow	03659	Nufarm UK Limited	Herbicide			1.0 l/ha	1.0 l/ha	1		
					<i>Bromoxynil</i>	<i>401.58 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
Miscanthus											
Cadou Star	03439	Bayer CropScience Limited	Herbicide		Isoxaflutole Flufenacet	100 g/kg 480 g/kg	0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
Calaris	02711	Syngenta UK Ltd	Herbicide		Terbutylazine Mesotrione	330 g/l 70 g/l	1.5 l/ha	1.5 l/ha	-		
Callisto	02587	Syngenta UK Ltd	Herbicide		Mesotrione	100 g/l	1.5 l/ha	1.5 l/ha	1 per crop	N/A	
Cameo SX	03431	DuPont (UK) Ltd	Herbicide		Tribenuron (-methyl)	500 g/kg	30 g/ha	30 g/ha	1	-	
Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide		Glyphosate	360 g/l	6.0 l/ha	6.0 l/ha	-	-	
Click Premium	06299	Sipcam Oxon SpA	Herbicide		Terbutylazine Mesotrione	330 g/l 70 g/l	1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
Clinic Grade	06457	Nufarm UK Limited	Herbicide		Glyphosate	360 g/l	6.0 l/ha	6.0 l/ha	-	-	
Clinic TF	05535	Nufarm UK Limited	Herbicide		Glyphosate	360 g/l	6.0 l/ha	6.0 l/ha	-	-	
Clinic Up	05776	Nufarm UK Limited	Herbicide		Glyphosate	360 g/l	6.0 l/ha	6.0 l/ha	-	-	
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-		
Compitox Plus	02843	Nufarm UK Limited	Herbicide		Clopyralid	600 g/l	2.3 l/ha	4.6 l/ha	2 per year	-	
Credit	02932	Nufarm UK Limited	Herbicide		Mecoprop-P	600 g/l	4.0 l/ha	4.0 l/ha	1 / year	N/A	
Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide		Glyphosate	540 g/l	2.0 l/ha	2.0 l/ha	-		
Cuter	05857	Industrias Afrasa S.A.	Herbicide		Fluroxypyr	200 g/l	1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					Mesotrione	100 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Difflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Ioxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forefront	02793	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 / year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Aminopyralid</i>	<i>30 g/l</i>					
	G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
Galaxy	05473	Dow AgroSciences Ltd	Herbicide				1.0 l/ha	1.0 l/ha	1 per year	-	
				<i>Clopyralid</i>	<i>80 g/l</i>						
				<i>Florasulam</i>	<i>2.5 g/l</i>						
				<i>Fluroxypyr</i>	<i>100 g/l</i>						
Gallup XL	05570	Barclay Chemicals Ltd	Herbicide				6.0 l/ha	6.0 l/ha	-	-	
Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide		<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
Glyfos Supreme XL	05786	Cheminova A/S	Herbicide		<i>Glyphosate</i>	<i>360 g/l</i>	4.8 l/ha	4.8 l/ha	-	-	
Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide		<i>Glyphosate</i>	<i>450 g/l</i>	2.7 l/ha	2.7 l/ha	-	End of September	
Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide		<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	2.0 l/ha	-	N/A	
Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide		<i>Fluroxypyr</i>	<i>200 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
Hurler	05077	Barclay Chemicals Ltd	Herbicide		<i>MCPA</i>	<i>300 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide		<i>Fluroxypyr</i>	<i>200 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide		<i>Diflufenican</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide		<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				90 mls/ha	270 mls/ha	4	N/A	
Karis 10 CS	04454	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	N/A	
Ladir 10 CS	04932	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					Glyphosate	360 g/l					
Lorate		05591	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					Metsulfuron (-methyl)	200 g/l					
M50		05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					MCPA	500 g/l					
Mastercrop MCPA		05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					MCPA	500 g/l					
Minstrel		04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					Fluroxypyr	200 g/l					
MON 79351		04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					Glyphosate	480 g/l					
Mortone		03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					MCPA	300 g/l					
Mortone Gold		06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					MCPA	750 g/l					
Most Micro		04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					Pendimethalin	365 g/l					
Naceto		05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					Diflufenican	200 g/l					
					Flufenacet	400 g/l					
New Hyflux		05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					Fluroxypyr	200 g/l					
Ninja 10CS		05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	-	
					lambda-Cyhalothrin	100 g/l					
NU46		05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					MCPA	500 g/l					
Optica		02661	Nufarm UK Limited	Herbicide			2.0 l/ha	4.0 l/ha	-		
					Mecoprop-P	600 g/l					
Ormond		05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					Glyphosate	490 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive X	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					Glyphosate	480 g/l					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					Glyphosate	360 g/l					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					Glyphosate	450 g/l					
	Roundup Powermax	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					Glyphosate	720 g/kg					
	Sempra	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					Diflufenican	500 g/l					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					Pendimethalin	400 g/l					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					Diflufenican	500 g/l					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					Florasulam	2.5 g/l					
					Fluroxypyr	100 g/l					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	-	
					lambda-Cyhalothrin	100 g/l					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					Pendimethalin	400 g/l					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					Pendimethalin	455 g/l					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					Fluroxypyr	200 g/l					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					Fluroxypyr	200 g/l					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					Glyphosate	360 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
Trailer	05858	Industrias Afrasa S.A.		Herbicide			20 g/ha	20 g/ha			
Tribe 75WG	05696	Sharda Cropchem Espana S.L.		Herbicide	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>	20 g/ha	20 g/ha	-	-	
Universe	06493	Sharda Cropchem Espana S.L.		Herbicide	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>	1.0 l/ha	1.0 l/ha	1 per year	-	
Vivendi 200	05122	UPL Europe Ltd		Herbicide	<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
Wing P	03590	BASF plc		Herbicide	<i>Clopyralid</i>	<i>200 g/l</i>	4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
<i>Narcissi</i>											
Tebuzate 220 SL	03836	UPL Europe Ltd		Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Boxer	02048	Dow AgroSciences Ltd		Herbicide	<i>Florasulam</i>	<i>50 g/l</i>	0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
Cerone	03933	Bayer CropScience Limited		Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
Deuce	04993	BASF plc		Fungicide	<i>Boscalid</i>	<i>233 g/l</i>	1.5 l/ha	3.0 l/ha	2 per crop	After flower harvest	56 days
					<i>Epoxiconazole</i>	<i>67 g/l</i>					
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
Scala	03916	BASF plc		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	0.5 l per 100 l water				
Sharpen 40% SC	04847	Sharda Europe b.v.b.a		Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
Signum	03799	BASF plc		Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
Sparviero	04469	Sipcam Oxon SpA		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	0.8 l/ha	1.6 l/ha	-	7 days before harvest	
Stomp Aqua	03750	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide				0.4 l/ha	0.8 l/ha	2		
				<i>Thiacloprid</i>		<i>240 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator				1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
				<i>Ethephon</i>		<i>480 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd	Insecticide				50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>		<i>100 g/l</i>					
Life Scientific Lamb	04868	Life Scientific Limited	Insecticide				50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>		<i>100 g/l</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
				<i>Pendimethalin</i>		<i>330 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
				<i>Glyphosate</i>		<i>360 g/l</i>					
Scala	03916	BASF plc	Fungicide				0.5 l per 100 l water				
				<i>Pyrimethanil</i>		<i>400 g/l</i>					
Signum	03799	BASF plc	Fungicide				1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
				<i>Boscalid</i>		<i>26.7 % w/w</i>					
				<i>Pyraclostrobin</i>		<i>6.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd	Fungicide				1.3 l/ha	1.3 l/ha	1		30 days
				<i>Metalaxyl M</i>		<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	28 days before harvest	
				<i>Flumioxazin</i>		<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Arizona	04555	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
Aviator Xpro	05255	Bayer CropScience Limited		Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
Bellis	03798	BASF plc		Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
Biscaya	03602	Bayer CropScience Limited		Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Boogie Xpro	05256	Bayer CropScience Limited		Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
Cadou Star	03439	Bayer CropScience Limited		Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited		Insecticide			0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Caramba	03954	BASF plc		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
Cerone	03933	Bayer CropScience Limited		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Etephenon</i>	<i>480 g/l</i>					
Comet 200	03696	BASF plc		Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Coyote	03790	Bayer CropScience Limited	Fungicide		<i>Fluoxastrobin</i> <i>Trifloxystrobin</i> <i>Prothioconazole</i>	75 g/l 75 g/l 150 g/l	0.8 l/ha	1.6 l/ha	-	N/A	
Cymbol 45	04647	Belchim Crop Protection Ltd	Fungicide		<i>Cymoxanil</i>	45% w/w	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
Diablo	05133	BASF plc	Fungicide		<i>Ametoctradin</i> <i>Mancozeb</i>	80 g/kg 480 g/kg	2.5 kg/ha	10.0 kg/ha	-	-	
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide		<i>Mancozeb</i>	80 % w/w	2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide		<i>Clopyralid</i>	100 g/l	2.0 l/ha	2.0 l/ha	-	-	
Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide		<i>Propamocarb</i>	722 g/l	1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide		<i>Zoxamide</i> <i>Mancozeb</i>	8.35 w/w 66.7% w/w	1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	100 g/l	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Fandango	03787	Bayer CropScience Limited	Fungicide		<i>Prothioconazole</i> <i>Fluoxastrobin</i>	100 g/l 100 g/l	1.25 l/ha	2.5 l/ha	-	N/A	
Fastnet	06253	Sipcam U.K. Ltd	Herbicide		<i>Pendimethalin</i>	365 g/l	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
Filan	04325	BASF plc	Fungicide		<i>Boscalid</i>	50 % w/w	0.5 kg/ha	1.0 kg/ha	-	N/A	
Flexity	03225	BASF plc	Fungicide		<i>Metrafenone</i>	300 g/l	0.5 l/ha	1.0 l/ha	2	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Flexure	06320	Life Scientific Limited		Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
Freeze	04517	FMC Agro Ltd		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Helix	05067	Bayer CropScience Limited		Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
Imtrex	04965	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
Juventus	05780	BASF plc		Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Karis 10 CS	04454	FMC Agro Ltd		Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Keystone	05025	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					
Laidir 10 CS	04932	FMC Agro Ltd		Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Life Scientific Trine	04872	Life Scientific Limited		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Limitar	05047	Certiplant N.V.		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Maestro	04850	Bayer CropScience Limited	Fungicide		<i>Prothioconazole</i>	<i>100 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
Magnello	04118	Syngenta UK Ltd	Fungicide		<i>Difenoconazole</i>	<i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide		<i>Prothioconazole</i>	<i>200 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited	Fungicide		<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	8.4 kg/ha	-	-	
Manfil 80 WP	03563	Indofil Industries Limited	Fungicide		<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	8.0 kg/ha	-	-	
Metfin	05945	Finchimica S.p.A	Fungicide		<i>Metconazole</i>	<i>60 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
Micaraz	05029	Syngenta UK Ltd	Fungicide		<i>Isopyrazam</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide		<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
Moddus	03849	Syngenta UK Ltd	Growth Regulator		<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
Modem 200	03695	BASF plc	Fungicide		<i>Pyraclostrobin</i>	<i>200 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
Most Micro	04837	Sipcam U.K. Ltd	Herbicide		<i>Pendimethalin</i>	<i>365 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
Moxa	04915	Globachem nv	Growth Regulator		<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
Moxa EC	05439	Globachem nv	Growth Regulator		<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Moxa New	05487	Globachem nv		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
Moximate 725 WG	04670	Indofil Industries Limited		Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
Moximate 725 WP	04514	Indofil Industries Limited		Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
Nexus	06558	Certiplant N.V.		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Padawan	04814	Societe Financiere de Pontarlier		Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Etephenon</i>	<i>480 g/l</i>					
Paraat	03614	BASF plc		Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
PDM 330 EC	03582	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
Pexan	04967	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>59.4 g/l</i>					
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
Phoenix	04453	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
Plexeo 60	05926	Globachem nv		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide			2.5 kg/ha	7.5 kg/ha	-	-	
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Seguris	05028	Syngenta UK Ltd		Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Epoxiconazole</i>	<i>90 g/l</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					
Sharpen 40% SC	04847	Sharda Europe b.v.b.a		Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
Siltra Xpro	05257	Bayer CropScience Limited		Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
Sirena	05408	Globachem nv		Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
SL567A	03106	Syngenta UK Ltd		Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sonis	05993	Syngenta UK Ltd		Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Sparviero	04469	Sipcam Oxon SpA		Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
Steward	02603	DuPont (UK) Ltd		Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
Stomp Aqua	03750	BASF plc		Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
Stratos Ultra	04936	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Tebucur 250 EW	04827	Globachem nv		Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Tebusha 25% EW	04884	Sharda Europe b.v.b.a		Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
Tempo	05601	Syngenta UK Ltd		Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Trinexis	05145	Arysta LifeScience Benelux SPRL		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Turret 60	06384	Globachem nv		Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
Valbon	03411	Certis Europe BV		Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
Vareon	03554	DuPont (UK) Ltd		Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
Zephyr	03792	Bayer CropScience Limited		Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Triphoxyxstrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
Zetanil WG	04492	Sipcam Oxon SpA		Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Etoxazole</i>	<i>110 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Etephenon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
Ridomil Gold MZ 6	01516		Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Scala	03916	BASF plc		Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Signum	03799	BASF plc		Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd		Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sparviero	04469	Sipcam Oxon SpA		Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
7C Chlormequat	04744	Taminco BVBA.		Growth Regulator			465ml in 10 L water	465ml in 10 L water			
Amistar	05072	Syngenta UK Ltd		Fungicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Amistar Top	04582	Syngenta UK Ltd		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	-	
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd		Acaricide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
Azaka	05218	FMC Agro Ltd		Fungicide	<i>Clofentezine</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	N/A	
Azoshy	05618	Sharda Cropchem Espana S.L.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Azoxystar	05534	Life Scientific Limited		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Barclay Holdup 750	04743	Taminco BVBA.		Growth Regulator			465ml in 10 L water	465ml in 10 L water			
Batavia	05905	Bayer CropScience Limited		Insecticide	<i>Chlormequat</i>	<i>750 g/l</i>	0.75 l/ha	1.5 l/ha	2	Post final harvest	
Beetup Flo	05272	UPL Europe Ltd		Herbicide	<i>Spirotetramat</i>	<i>100 g/l</i>	3.0 l/ha	6.0 l/ha	-	-	
Butisan S	04631	BASF plc		Herbicide	<i>Phenmedipham</i>	<i>160 g/l</i>	1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
CeCeCe 750	04736	BASF plc		Growth Regulator			465 ml in 10 litre water	465 ml in 10 litre water	-	-	
Centium 360 CS	05674	FMC Agro Ltd		Herbicide	<i>Chlormequat</i>	<i>750 g/l</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
Chamane	05002	UPL Europe Ltd		Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Coragen	05295	FMC Agro Ltd		Insecticide			175 ml/ha	350 ml/ha	2	-	
Coupon	06271	Globachem nv		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)		Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
Curzate M WG	04723	DuPont (UK) Ltd		Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
Dauphin 45	04542	Societe Financiere de Pontarlier		Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
Difenofin	06218	Finchimica S.p.A		Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
Digital	03147	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.78 l/ha	0.78 l/ha	-	31st May	
Efica 960 EC	05942	Syngenta UK Ltd		Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	0.78 l/ha	0.78 l/ha	-	31st May	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
Fluazinova	05508	Finchimica S.p.A		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Fluazinova Duo	05994	Finagro S.p.A		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Globaztar SC	05529	Globachem nv		Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SAS		Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
Markate 50	05001	Globachem nv		Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Nando 500SC	05387	Nufarm UK Limited		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					
Nautile DG	04540	UPL Europe Ltd		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Option	04722	DuPont (UK) Ltd		Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
Palmas	04543	Societe Financiere de Pontarlier		Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
Pendifin 400 SC	05731	Finchimica S.p.A		Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
Pirim	06268	Sharda Cropchem Espana S.L.		Fungicide			3.0 l/ha	3.0 l/ha	-	-	
Profilux	05588	Belchim Crop Protection Ltd		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
Proman	04450	Belchim Crop Protection NV		Herbicide	<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>680 g/kg</i>					
Rapsan 500SC	05886	Globachem nv		Herbicide	<i>Metobromuron</i>	<i>500 g/l</i>	1.5 l/ha	1.5 l/ha	-	Dormant period	
Ravane	05536	Globachem nv		Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
Revus	05154	Syngenta UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	0.6 l/ha	1.2 l/ha	2 per year	31st August	
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
Sacron WG	04541	UPL Europe Ltd		Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
Sencorex Flow	04361	Bayer CropScience Limited		Herbicide	<i>Metribuzin</i>	<i>600 g/l</i>	1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
Sentry 500	05744	Unichem Limited		Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Sipcam C50WG	04494	Sipcam Oxon SpA		Fungicide	<i>Cymoxanil</i>	<i>50% w/w</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
Sirtaki CS	05923	Sipcam Oxon SpA		Herbicide	<i>Clomazone</i>	<i>360 g/l</i>	0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
Solution	06437	UPL Europe Ltd		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
Stabilan 750	04767	Nufarm UK Limited		Growth Regulator			465ml in 10 L water	465ml in 10 L water	-		
					<i>Chlormequat</i>	<i>750 g/l</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide			90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Sunfire	05497	Mitsui Agriscience International S.A./N.V.		Herbicide			0.48 l/ha	0.48 l/ha	-	Before weed emergence	
					<i>Flufenacet</i>	<i>500 g/l</i>					
Takumi SC	06060	Nisso Chemical Europe GmbH		Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
Talius	04604	DuPont (UK) Ltd		Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Tizca	04398	Cheminova A/S		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Vivando	05685	BASF plc		Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Volley	04516	Adama Agricultural Solutions UK Ltd		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.		Fungicide			2.5 kg/ha	15 kg/ha	6 per year	-	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
AQ 10	05801	CBC (Europe) S.r.l.		Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
Azaka	05218	FMC Agro Ltd		Fungicide			1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Batavia	05905	Bayer CropScience Limited		Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.		Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
Coupon	06271	Globachem nv		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
Dauphin 45	04542	Societe Financiere de Pontarlier		Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>	120 mls / 100 litres water		3 per year	-	-
Decis Protech	05269	Bayer CropScience Limited		Insecticide							
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Difenofin	06218	Finchimica S.p.A		Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Infinito	04309	Bayer CropScience Limited		Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
Markate 50	05001	Globachem nv		Insecticide			50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
Mavita 250 EC	05941	Syngenta UK Ltd		Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
Nautile DG	04540	UPL Europe Ltd		Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
Ninja 10CS	05178	Syngenta UK Ltd		Insecticide			50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
Option	04722	DuPont (UK) Ltd		Fungicide							
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
Palmas	04543	Societe Financiere de Pontarlier		Fungicide							
					<i>Cymoxanil</i>	<i>600 g/kg</i>	2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
Profilux	05588	Belchim Crop Protection Ltd		Fungicide							
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>	2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
Ravane	05536	Globachem nv		Insecticide							
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
Ridomil Gold MZ 6	03599	Syngenta UK Ltd		Fungicide							
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>	1.9 kg/ha	5.7 kg/ha	3 per crop	-	
Sacron WG	04541	UPL Europe Ltd		Fungicide							
					<i>Cymoxanil</i>	<i>450 g/kg</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
Score 250 EC	04566	Syngenta UK Ltd		Fungicide							
					<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
Sencorex Flow	04361	Bayer CropScience Limited		Herbicide							
					<i>Metribuzin</i>	<i>600 g/l</i>	1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
Sipcam C50WG	04494	Sipcam Oxon SpA		Fungicide							
					<i>Cymoxanil</i>	<i>50% w/w</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
Solution	06437	UPL Europe Ltd		Fungicide							
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
Sonata	05802	Bayer CropScience Limited		Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Stealth	06468	Syngenta UK Ltd		Insecticide			50 mls/ha	150 mls/ha	3 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Steward	02603	DuPont (UK) Ltd		Insecticide			12.5 g/100 litres water	-	6 / year	-	-
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.		Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Takumi SC	06060	Nisso Chemical Europe GmbH		Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.		Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Vivando	05685	BASF plc		Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>	
<i>Ornamental - seedling-outdoor</i>												
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>						
Cerone	03933	Bayer CropScience Limited		Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days	
					<i>Ethephon</i>	<i>480 g/l</i>						
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karis 10 CS	04454	FMC Agro Ltd		Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Sharpen 40% SC	04847	Sharda Europe b.v.b.a		Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks	
					<i>Pendimethalin</i>	<i>400 g/l</i>						
Signum	03799	BASF plc		Fungicide				1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
Sparviero	04469	Sipcam Oxon SpA		Insecticide				75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>						
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide				0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>						
Stomp Aqua	03750	BASF plc		Herbicide				2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
Biscaya	03602	Bayer CropScience Limited	Insecticide			0.4 l/ha	0.8 l/ha		2		
				<i>Thiacloprid</i>	<i>240 g/l</i>						
Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha		-	5 days before harvest	5days
				<i>Ethephon</i>	<i>480 g/l</i>						
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha		4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha		3	14 days pre harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Karis 10 CS	04454	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha		4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Ladir 10 CS	04932	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha		4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Life Scientific Lamb	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha		4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		1	6 weeks pre harvest	
				<i>Pendimethalin</i>	<i>330 g/l</i>						
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha		-	21 days before harvest	21 days
				<i>Propamocarb</i>	<i>530 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>						
				<i>Propamocarb</i>	<i>530 g/l</i>						
Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha		-	3 days before harvest	
				<i>Boscalid</i>	<i>26.7 % w/w</i>						
				<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>						
SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha		1		30 days
				<i>Metalaxyl M</i>	<i>465.2 g/l</i>						
Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha		4	14 days before harvest	14 days
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
				<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>						
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		1	28 days before harvest	
				<i>Flumioxazin</i>	<i>300 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Acrobat MZ	04059	BASF plc		Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
Agritox	05498	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
Agritox 500	05499	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Agroxone 50	05500	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Anthem	04761	Adama Agricultural Solutions UK Ltd		Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Arizona	04555	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
Aviator Xpro	05255	Bayer CropScience Limited		Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V		Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
Bandon MCPA 30	03751	Hygeia Chemicals Ltd		Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
Bellis	03798	BASF plc		Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
Biscaya	03602	Bayer CropScience Limited		Insecticide			0.4 l/ha	0.8 l/ha	2		
					<i>Thiacloprid</i>	<i>240 g/l</i>					
Blaster Pro	04263	Dow AgroSciences Ltd		Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Boogie Xpro	05256	Bayer CropScience Limited	Fungicide				1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
Boxer	02048	Dow AgroSciences Ltd	Herbicide				0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
Cadou Star	03439	Bayer CropScience Limited	Herbicide				0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
Calibre Max SX	03438	FMC Agro Ltd	Herbicide				150 g/ha	150 g/ha	-	n/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
Calibre SX	03436	DuPont (UK) Ltd	Herbicide				60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
CaLypso	02441	Bayer CropScience Limited	Insecticide				0.375 l/ha	0.75 l/ha	2 per year	-	
					<i>Thiacloprid</i>	<i>480 g/l</i>					
Cameo Max SX	03135	FMC Agro Ltd	Herbicide				60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
Cameo SX	03431	DuPont (UK) Ltd	Herbicide				30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
Caramba	03954	BASF plc	Fungicide				1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
Cerone	03933	Bayer CropScience Limited	Growth Regulator				1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
Chikara Weed Contr	04203	ISK Biosciences Europe N.V.	Herbicide				150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Comet 200	03696	BASF plc	Fungicide				1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Compitox Plus	02843	Nufarm UK Limited		Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
Coyote	03790	Bayer CropScience Limited		Fungicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Triphoxystrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd		Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
Cymbol 45	04647	Belchim Crop Protection Ltd		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
D50	02366	Nufarm UK Limited		Herbicide							
					<i>Cymoxanil</i>	<i>45% w/w</i>					
Defy	04277	Syngenta UK Ltd		Herbicide	<i>2,4-D</i>	<i>500 g/l</i>	5.0 l/ha	5.0 l/ha		During dormancy only	
Depitox	02365	Nufarm UK Limited		Herbicide							
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Diablo	05133	BASF plc		Fungicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
Diflanil 500 SC	04358	Q-Chem NV		Herbicide			0.25 l/ha	0.25 l/ha	-	-	
Dithane 945	03705	Indofil Industries (Netherlands) B.V		Fungicide							
					<i>Diflufenican</i>	<i>500 g/l</i>					
					<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V		Fungicide							
					<i>Mancozeb</i>	<i>2.1 kg/ha</i>					
Duplosan KV	02842	Nufarm UK Limited		Herbicide							
					<i>Mancozeb</i>	<i>75% w/w</i>					
Eagle	04315	Bayer CropScience Limited		Herbicide	<i>Mecoprop-P</i>	<i>600 g/l</i>	2.3 l/ha	4.6 l/ha	-	-	
					<i>Amidosulfuron</i>	<i>40 g/ha</i>					
					<i>75% w/w</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Easel	05502	Nufarm UK Limited		Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
Edipro	03889	Arysta LifeScience Benelux SPRL		Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
Electis 75WG	03603	Gowan Crop Protection Ltd		Fungicide			1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>66.7% w/w</i>					
					<i>Zoxamide</i>	<i>8.35 w/w</i>					
Eminentos 10 CS	04933	FMC Agro Ltd		Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
Fandango	03787	Bayer CropScience Limited		Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
Fastnet	06253	Sipcam U.K. Ltd		Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Filan	04325	BASF plc		Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
Firebird	04221	Bayer CropScience Limited		Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
Fixor	05252	Amvac Netherlands B.V		Growth Regulator			6ml per litre water	-	-	7 days before harvest	7 days
					<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>					
Flexity	03225	BASF plc		Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
Flexure	06320	Life Scientific Limited		Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
Flight	02524	BASF plc		Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
Freeze	04517	FMC Agro Ltd		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide				0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Frupica	02128	Certis Europe BV	Fungicide				0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
Grazon 90	04261	Dow AgroSciences Ltd	Herbicide				1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide				1.2 l/ha *	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide				2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
Helix	05067	Bayer CropScience Limited	Fungicide				1.25 l/ha	2.5 l/ha	-	Before GS 61	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide				2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide				0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide				2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide				2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Imtrex	04965	BASF plc	Fungicide				2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
Inka Max SX	04842	FMC Agro Ltd	Herbicide				60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Juventus	05780	BASF plc	Fungicide				1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Karate Zeon	04084	Syngenta UK Ltd		Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
Karis 10 CS	04454	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
Keystone	05025	Syngenta UK Ltd		Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>99 g/l</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					
Ladir 10 CS	04932	FMC Agro Ltd		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Lentagran WP	05580	Belchim Crop Protection NV		Herbicide	<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
Life Scientific Lamb	04868	Life Scientific Limited		Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
Life Scientific Trine	04872	Life Scientific Limited		Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
Limitar	05047	Certiplant N.V.		Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
M50	05505	DHM Agrochemicals Ltd.,		Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
Maestro	04850	Bayer CropScience Limited		Fungicide	<i>Fluxostrobin</i>	<i>100 g/l</i>			-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
Magnello	04118	Syngenta UK Ltd		Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
Mandarin Xpro	05258	Bayer CropScience Limited		Fungicide	<i>Bixafen</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
Manfil 75 WG	03598	Indofil Industries Limited		Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	8.4 kg/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	8.0 kg/ha	-	-	
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Metfin	05945	Finchimica S.p.A	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Micaraz	05029	Syngenta UK Ltd	Fungicide	<i>Epoxiconazole</i> <i>Isopyrazam</i>	<i>90 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	8.0 kgs/ha	-	-		
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Moddus	03849	Syngenta UK Ltd	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
	Modem 200	03695	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Monitor	02076	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Sulfosulfuron</i>	<i>80% w/w</i>	25 g/ha	25 g/ha	-	-	
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	2.2 l/ha	2.2 l/ha			
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	1.8 l/ha	1.8 l/ha	-	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Moxa	04915	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Moxa EC	05439	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Moxa New	05487	Globachem nv		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
Moximate 725 WG	04670	Indofil Industries Limited		Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
Moximate 725 WP	04514	Indofil Industries Limited		Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
Naceto	05778	Globachem nv		Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
Nativo 75 WG	04642	Bayer CropScience Limited		Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Triphoxyxstrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
Nexus	06558	Certiplant N.V.		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
Nirvana	03063	BASF plc		Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
NU46	05501	Nufarm UK Limited		Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
Obsthormon 24a	05764	L. Gobbi srl		Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
Ohayo	05610	ISK Biosciences Europe N.V.		Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
Optimus	04704	Nufarm UK Limited		Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
Ossetia	04730	Rotam Agrochemical Europe Ltd		Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Padawan	04814	Societe Financiere de Pontarlier		Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Etephenon</i>	<i>480 g/l</i>					
Paraat	03614	BASF plc		Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
PDM 330 EC	03582	BASF plc		Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
Peloton	06481	Barclay Chemicals Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy only	
Penncozeb 80 WP	03609	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	8.0 kg/ha	4 per year	-	
Penncozeb WDG	03608	UPL Europe Ltd		Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.1 kg/ha	8.4 kg/ha	4 per crop	-	
Pexan	04967	BASF plc		Fungicide	<i>Fluxapyroxad</i>	<i>59.4 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
					<i>Epoxiconazole</i>	<i>62.5 g/l</i>					
Phoenix	04453	Adama Agricultural Solutions UK Ltd		Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
Plexeo 60	05926	Globachem nv		Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
POL-MCPA 500 SL	05494	Ciech Sarzyna S.A		Herbicide	<i>Metconazole</i>	<i>60 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
Professional	06262	Sharda Cropchem Espana S.L.		Herbicide	<i>MCPA</i>	<i>500 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy only	
Proline	03786	Bayer CropScience Limited		Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.8 l/ha	2.4 l/ha	-	N/A	
Proxanil	04639	Arysta LifeScience Benelux SPRL		Fungicide	<i>Prothioconazole</i>	<i>250 g/l</i>	2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Quantum	03432	DuPont (UK) Ltd		Herbicide			30 g/ha	30 g/ha	-	N/A	
Quantum Max SX	04044	FMC Agro Ltd		Herbicide	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	60 g/ha	60 g/ha	-	N/A	
Reflect	05462	Adama Agricultural Solutions UK Ltd		Fungicide	<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>			-	-	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
Regalis	03321	BASF plc		Growth Regulator	<i>Isopyrazam</i>	<i>125 g/l</i>	1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
Regalis Plus	05409	BASF plc		Growth Regulator	<i>Prohexadione Calcium</i>	<i>10 %w/w</i>	1.25 kg/ha	2.5 kg/ha	-	N/A	
Riber	05795	Life Scientific Limited		Herbicide	<i>Prohexadione Calcium</i>	<i>10% w/w</i>	0.3 l/ha	0.3 l/ha	-	-	
Ridomil Gold MZ 6	01516	Syngenta UK Ltd		Fungicide	<i>Flufenacet</i>	<i>400 g/l</i>			-		
					<i>Diflufenican</i>	<i>200 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd		Herbicide	<i>Metalaxyl M</i>	<i>4.0 %w/w</i>	2.5 kg/ha	7.5 kg/ha			
					<i>Mancozeb</i>	<i>64 %w/w</i>					
Roxy 800 EC	05739	Globachem nv		Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
Salvo	04120	UPL Europe Ltd		Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	During dormancy	
Scala	03916	BASF plc		Fungicide	<i>2,4-D</i>	<i>500 g/l</i>	2.8 l/ha	2.8 l/ha	1 per year	-	
Seguris	05028	Syngenta UK Ltd		Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	-	
Sempra	04207	UPL Europe Ltd		Herbicide	<i>Epoxiconazole</i>	<i>90 g/l</i>	1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
					<i>Diflufenican</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Sharpen 40% SC	04847	Sharda Europe b.v.b.a		Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
Shirlan	04393	ISK Biosciences Europe N.V.		Fungicide	Pendimethalin	400 g/l	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Signum	03799	BASF plc		Fungicide	Fluazinam	500 g/l	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
Siltra Xpro	05257	Bayer CropScience Limited		Fungicide	Boscalid	26.7 % w/w					
					Pyraclostrobin	6.7 % w/w					
					Bixafen	60 g/l					
					Prothioconazole	200 g/l					
Sirena	05408	Globachem nv		Fungicide	Metconazole	60 g/l	1.5 l/ha	3.0 l/ha	-	-	
SL567A	03106	Syngenta UK Ltd		Fungicide	Metalaxyl M	465.2 g/l	1.3 l/ha	1.3 l/ha	1		30 days
Solo 500 SC	05688	Sipcam Oxon SpA		Herbicide	Diflufenican	500 g/l	0.25 l/ha	0.25 l/ha	-	-	
Sonis	05993	Syngenta UK Ltd		Growth Regulator	Trinexapac ethyl	250 g/l	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
Sparviero	04469	Sipcam Oxon SpA		Insecticide	lambda-Cyhalothrin	100 g/l	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
Spotlight Plus	03294	FMC Chemical s.p.r.l.		Herbicide	Carfentrazone-ethyl	60 g/l	0.8 l/ha	1.6 l/ha	-	21 days before harvest	
Starane XL	02075	Dow AgroSciences Ltd		Herbicide	Fluroxypyr	100 g/l	1.5 l/ha	1.5 l/ha	-	-	
					Florasulam	2.5 g/l					
Steward	02603	DuPont (UK) Ltd		Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
Stomp Aqua	03750	BASF plc		Herbicide	Indoxacarb	300 g/kg	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
Stratos Ultra	04936	BASF plc		Herbicide	Pendimethalin	455 g/l	4.0 l/ha	4.0 l/ha	1 per year	-	
					Cycloxydim	100 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS		Insecticide			165 mls/ha	330 mls/ha	2	-	
Sumimax	02764	Sumitomo Chemical Agro Europe SAS		Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
Taxi	06450	FMC Agro Ltd		Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	30 g/ha	30 g/ha	-	-	
Tebucur 250 EW	04827	Globachem nv		Fungicide	<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	-	
Tebusha 25% EW	04884	Sharda Europe b.v.b.a		Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
Tempo	05601	Syngenta UK Ltd		Growth Regulator	<i>Tebuconazole</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
Thor	03991	FMC Agro Ltd		Herbicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	30 g/ha	30 g/ha	-	N/A	
Trinexis	05145	Arysta LifeScience Benelux SPRL		Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
Turret 60	06384	Globachem nv		Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
Valbon	03411	Certis Europe BV		Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.6 kg/ha	9.6 kg/ha	6 per crop	-	
Vareon	03554	DuPont (UK) Ltd		Fungicide	<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>			-	N/A	
Venzar 500 SC	04805	DuPont (UK) Ltd		Herbicide	<i>Mancozeb</i>	<i>700 g/kg</i>			-	Pre-emergence	
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
Winby	05611	ISK Biosciences Europe N.V.	Fungicide				0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
Wing P	03590	BASF plc	Herbicide		<i>Fluazinam</i>	<i>500 g/l</i>	4.0 l/ha	4.0 l/ha	-	N/A	
Zephyr	03792	Bayer CropScience Limited	Fungicide		<i>Pendimethalin</i>	<i>250g/l</i>			-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
Zetanil WG	04492	Sipcam Oxon SpA	Fungicide		<i>Trifloxystrobin</i>	<i>88 g/l</i>			8 per crop	7 days before harvest	
					<i>Prothioconazole</i>	<i>175 g/l</i>					
Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide		<i>Mancozeb</i>	<i>650 g/kg</i>			-	N/A	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Etoxazole</i>	<i>110 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Etephenon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowab	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ridomil Gold MZ 6	01516	Syngenta UK Ltd	Fungicide			2.5 kg/ha	7.5 kg/ha	-		
					<i>Metalaxyl M</i>	<i>4.0 %w/w</i>					
					<i>Mancozeb</i>	<i>64 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Biog	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Biog	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Benta 480 SL	04206	Sharda Europe b.v.b.a	Herbicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
					<i>Terbutylazine</i>	<i>330 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			70 g/l				
					<i>Mesotrione</i>	<i>100 g/l</i>					
							1.5 l/ha	1 per crop	1.5 l/ha	N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	-	-
Clayton Satchmo	06374	Clayton Plant Protection Ltd	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	-	
Clearall XL	05794	DHM Agrochemicals Ltd.,	Herbicide	<i>Propaquizafop</i>	<i>100 g/l</i>		6.0 l/ha	6.0 l/ha	-	-	
Click Premium	06299	Sipcam Oxon SpA	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
Clinic Grade	06457	Nufarm UK Limited	Herbicide	<i>Mesotrione</i> <i>Terbutylazine</i>	<i>70 g/l</i> <i>330 g/l</i>		6.0 l/ha	6.0 l/ha	-	-	
Clinic TF	05535	Nufarm UK Limited	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>		6.0 l/ha	6.0 l/ha	-	-	
Clinic Up	05776	Nufarm UK Limited	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>		6.0 l/ha	6.0 l/ha	-	-	
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>		0.33 l/ha	0.33 l/ha	-	-	
Credit	02932	Nufarm UK Limited	Herbicide	<i>Clopyralid</i>	<i>600 g/l</i>						
Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide	<i>Glyphosate</i>	<i>540 g/l</i>		2.0 l/ha	2.0 l/ha	-		
Cuter	05857	Industrias Afrasa S.A.	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>		1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
Diflanil 500 SC	04358	Q-Chem NV	Herbicide	<i>Mesotrione</i>	<i>100 g/l</i>		0.25 l/ha	0.25 l/ha	-	-	
Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>		10 l/ha	10 l/ha	1	N/A	
Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide	<i>Glyphosate</i>	<i>216 g/l</i>		2.0 l/ha	2.0 l/ha			
				<i>Clopyralid</i>	<i>100 g/l</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Echo Pro	05741	Unichem Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide		<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	-	N/A	
Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide				1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
Farmco Zealot	05299	Farmco Agritrading Ltd	Herbicide		<i>Propaquizafop</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
Fastnet	06253	Sipcam U.K. Ltd	Herbicide		<i>Pendimethalin</i>	<i>365 g/l</i>	3.6 l/ha	3.6 l/ha	-	-	
Firebird	04221	Bayer CropScience Limited	Herbicide		<i>Diflufenican</i>	<i>200 g/l</i>	0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
Flexidor	04963	Dow AgroSciences Ltd	Herbicide		<i>Ioxaben</i>	<i>500 g/l</i>	0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
Flurostar 200	05090	Globachem nv	Herbicide		<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	N/A	
Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide		<i>Fluroxypyr</i>	<i>200 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
G360 Xtra	05768	Hygeia Chemicals Ltd	Herbicide		<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
Gallup XL	05570	Barclay Chemicals Ltd	Herbicide		<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide		<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
Glyfos Supreme XL	05786	Cheminova A/S	Herbicide		<i>Glyphosate</i>	<i>450 g/l</i>	4.8 l/ha	4.8 l/ha	-	-	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ladir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lamb	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
	New Hyflux	05268	Hygeia Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Osmonds Dock-Kle	05743	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			200 g/l		-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>6 l/ha</i>					
						<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Roundup Biactive X	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					Glyphosate	360 g/l					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					Glyphosate	480 g/l					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					Glyphosate	360 g/l					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					Glyphosate	450 g/l					
	Roundup Powermax	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					Glyphosate	720 g/kg					
	Sempra	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					Diflufenican	500 g/l					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					Pendimethalin	400 g/l					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					Diflufenican	500 g/l					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					lambda-Cyhalothrin	100 g/l					
	Starane XL	02075	Dow AgroSciences Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					Fluroxypyr	100 g/l					
					Florasulam	2.5 g/l					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	-	-	
					lambda-Cyhalothrin	100 g/l					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					Pendimethalin	400 g/l					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					Pendimethalin	455 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					Cycloxydim	100 g/l					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					Fluroxypyr	200 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Vivendi 200	05122	UPL Europe Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9

List of Adjuvants included in the register on 1/1/20

Product Name	PCS No	Authorization Holder	Marketing Company	Formulation Type	Active Substance	Content
Addup	90027	Barclay Chemicals Ltd	Barclay Chemicals Ltd	EC	<i>Tallow amine ethoxylate</i>	800 g/l
Adigor	92268	Syngenta UK Ltd	Syngenta Ireland Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Adpro Addit	92435	Koppert B.V.	Koppert B.V.	EC	<i>Methylated Rapeseed Oil</i>	780.2 g/l
Adpro Squad	92468	Vivagro Sarl	Koppert UK Ltd	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Anchor	00733	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-octylpyrrolidone</i> <i>Poly(vinylpyrrolidone)/1-hexadecene</i>	45.7 %w/w 15.0 %w/w
Arcano	92436	Sani Crop Protection	Sani Crop Protection	EC	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	480 g/l 450 g/l
Arma	00657	Interagro (UK) Ltd	Interagro (UK) Ltd	SL	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	500 g/l 500 g/l
Arma Plus	92270	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Alkylamine ethoxylate propoxylate</i> <i>Polyoxyethylene (20) sorbitan monolaurate</i>	500 g/l 400 g/l
Backrow	92430	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Paraffin oils</i>	60% w/w
Banka	00710	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-octylpyrrolidone</i> <i>Poly(vinylpyrrolidone)/1-hexadecene</i>	14.6 %w/w 14.6 %w/w
Barclay Actol	92246	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Paraffin oils</i>	95 %w/w
Barclay Clinger	00921	Barclay Chemicals Ltd	Barclay Chemicals Ltd	SL	<i>Di-l-p-menthene</i>	902 g/l
Barclay Dryfast	90175	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Di-l-p-menthene</i> <i>Nonyl phenol ethylene oxide condensate</i>	334 g/l 100 g/l
Biopower	92144	Bayer CropScience Limited	Bayer CropScience Limited	SL	<i>Alkylethersulfate sodium salt</i>	265 g/l
Biosyl	92427	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Alkoxylated alcohols</i> <i>Polyether modified trisiloxane</i>	32.67 w/w 1% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Formulation Type	Active Substance	Content
Bond	91298	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alkylphenylhydroxypolyoxyethylene</i> <i>Synthetic latex</i>	100 g/l 450 g/l
Boost	92446	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Alkoxylated alcohols</i> <i>Polyether modified trisiloxane</i>	32.67% w/w 1% w/w
Break-Thru S240	92312	Evonik Degussa GmbH	P.P. Products	SL	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	85 %w/w
Codacide Oil	90420	Microcide Ltd	Microcide Ltd	OL	<i>Vegetable Oil</i>	95 %w/w
Combo 3R	92464	De Sangosse Ltd	Whelehan Crop Protection	EC	<i>Alkoxylated alcohols</i>	750 g/l
Companion Gold	92288	AgroVista UK Ltd	AgroVista UK Ltd	SL	<i>Ammonium sulphate</i> <i>Polyacrylamide</i>	226 g/l 11.3 g/l
Contact	91927	Interagro (UK) Ltd	Novokem Ltd	EW	<i>Mineral Oil</i>	92 %w/w
Croplink Astra	04603	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	SL	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	500 g/l 500 g/l
Croplink Enhancer	04602	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Dash HC	92455	BASF plc	BASF Ireland Ltd	EC	<i>Fatty Acid Esters</i> <i>Fatty Alcohol Polyalkoxylate</i>	348.75 g/l 209.25 g/l
Designer	01410	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i> <i>Synthetic latex</i>	8.4 %w/w 50 %w/w
Endurance	92449	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	750 g/l
Evoque	92448	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Fatty alcohol ethylene oxide condensate</i> <i>Methylated Rapeseed Oil</i> <i>Polyether modified trisiloxane</i> <i>Polyoxyethylene alcohols</i>	22.5 g/l 652 g/l 112 g/l 19.1 g/l
Farmco Diagor Oil	05144	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l

Product Name	PCS No	Authorization Holder	Marketing Company	Formulation Type	Active Substance	Content
Farmco Slicker	92454	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Alkoxylated fatty amine</i> <i>Polyoxyethylene Monolaurate</i>	480 g/l 450 g/l
Fieldor Max	92469	Vivagro Sarl	Vivagro Sarl	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Foam Fighter	92398	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Dimethyl polysiloxane</i>	16 %w/w
Hansa Add 1055	92438	Chemische Fabrik Tübingen (UK) Ltd	Chemische Fabrik Tübingen (UK) Ltd	SL	<i>Polyether modified trisiloxane</i>	83% w/w
Headland Diamond	92141	FMC Agro Ltd	FMC Agro Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Fortune	01158	FMC Agro Ltd	FMC Agro Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Guard 2000	00476	FMC Agro Ltd	FMC Agro Ltd	SL	<i>Synthetic latex</i>	52 %w/w
Headland Intake	00477	FMC Agro Ltd	FMC Agro Ltd	SL	<i>Alkylaminedicarboxylate monosodium salt</i> <i>Propionic acid</i>	5 %w/w 40 %w/w
Headland Zig Zag	92402	Headland Agrochemicals Ltd	Croplink (Ireland) Ltd	SL	<i>Polyether modified trisiloxane</i> <i>Styrene-butadiene co-polymer</i>	6.375 % w/v 36.5 % w/v
Herb-Assure	92471	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	750 g/l
Herbi-Aktiv	92465	Global Adjuvants Ltd	Global Adjuvants Ltd	EC	<i>Ethylene oxide-propylene oxide copolymers</i>	57% w/w
Kantor	92355	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Alkoxylated triglycerides</i>	790 g/l
Kylix	92466	Vivagro Sarl	Vivagro Sarl	OD	<i>Methylated Rapeseed Oil</i>	57.7 % w/w
LI-700	91303	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkylphenylhydroxypolyoxyethylene</i> <i>Lecithin (Soya)</i> <i>Propionic acid</i>	100 g/l 350 g/l 350 g/l
MixR	91676	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	SL	<i>Alkyl ethoxylate</i>	75 %w/w
Newman Cropspray 11E	00491	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Mineral Oil</i>	99 %w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Formulation Type	Active Substance	Content
Optima	92463	Sani Crop Protection	Sani Crop Protection	SL	<i>Polyoxyethylene Monolaurate</i>	1000 g/l
Phase-II	92147	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Plant Oils / Rape seed oil</i>	842 g/l
Predict	92431	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	800 g/l
Presto	92445	Jouffray-Drillaud	Jouffray-Drillaud	EC	<i>alkyl polyglycoside</i>	435 g/l
Remix	92460	AgroVista UK Ltd	AgroVista UK Ltd	EC	<i>Paraffin oils</i>	732 g/l
Rheus	92276	FMC Agro Ltd	Croplink (Ireland) Ltd	SL	<i>Polyalkyleneoxide</i>	85 %w/w
Rigger	92439	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	842 g/l
Ryda	91926	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Tallow amine ethoxylate</i>	800 g/l
Sekur	92447	Sani Crop Protection	Sani Crop Protection	EC	<i>Amphoteric dipropionate surfactant</i> <i>Synthetic latex</i>	10% w/w 45% w/w
Siltex	92470	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL	<i>Ethylene oxide-propylene oxide copolymers</i> <i>Polyether modified trisiloxane</i> <i>Styrene-butadiene co-polymer</i>	250 g/l 41.5 g/l 70.2 g/l
Silwet L-77	00400	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Silwet L-77	00637	Momentive Performance Materials GmbH	Arysta LifeScience UK & Ireland Ltd	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Slippa	00760	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Allyl polyethylene glycol methyl ether</i> <i>Polyalkyleneoxide</i> <i>Polyethylene polypropylene glycol</i>	164 g/l 655 g/l 204 g/l
Solar Plus	92428	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Polyethylene polypropylene glycol</i>	70% w/w
Speedway Total	92459	Amega Sciences plc	Everris Ltd	SL	<i>Alkoxylated alcohols</i>	78% w/w

Product Name	PCS No	Authorization Holder	Marketing Company	Formulation Type	Active Substance	Content
Sprayfast	91600	Taminco BVBA.	Taminco (UK) Ltd	EC	<i>Di-l-p-menthene</i> <i>Nonyl phenol ethylene oxide condensate</i>	34 %w/w 11 %w/w
Spraymate Activator 90	91297	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkoxylated alcohols</i>	750 g/l
Sprayseal	91930	Taminco BVBA.	DHM Agrochemicals Ltd.,	EW	<i>Di-l-p-menthene</i> <i>Nonyl phenol ethylene oxide condensate</i>	34 %w/w 11 %w/w
Spur	92452	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Polyether modified trisiloxane</i>	21 % w/w
Squadron	92462	EuroAkgem	EuroAkgem	SL	<i>Polyethylene polypropylene glycol</i>	70% w/w
Stamina	00655	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Alkoxylated fatty amine</i>	100 %w/w
Super Rapeeze MSO	92434	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	842 g/l
Surfer	92461	Dow AgroSciences Ltd	Dow AgroSciences Ltd	SL	<i>2-ethyl Hexanol EO-PO</i>	72% w/w
Tarpoon	92426	Sani Crop Protection	Sani Crop Protection	EC	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	800 g/l
Toil	01353	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Plant Oils / Rape seed oil</i>	95 %w/w
Torpedo II	92243	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alcohol Ethoxylate</i> <i>Alkoxylated vegetable amine</i> <i>Polyalkylene glycol</i>	380 g/l 210 g/l 210 g/l
Torrent	00712	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-dodecylpyrrolidone</i> <i>N-methylpyrrolidone</i> <i>N-octylpyrrolidone</i>	13.1 %w/w 20.2 %w/w 20.2 %w/w
Transit	92453	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alcohol Ethoxylate</i> <i>Alkoxylated vegetable amine</i> <i>Polyalkylene glycol</i>	380 g/l 210 g/l 210 g/l
Validate	92262	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alkyl ethoxylate</i> <i>Esterified Vegetable oil</i> <i>Lecithin (Soya)</i>	25 %w/w 25 %w/w 50 %w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Warrior	92432	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL	<i>Alcohol Ethoxylate</i>	192 g/l
Wetcit	92457	Oro Agri International Ltd	Oro Agri International Ltd	SL	<i>Alcohol Ethoxylate</i>	8.15% w/w
Xcel	92458	Sani Crop Protection	Sani Crop Protection	SC	<i>Alkylpolysaccharides</i> <i>Ammonium sulphate</i>	100 g/l 450 g/l
Zinzan	92467	Certis Europe BV	Certis Europe BV	SL	<i>1,2 bis (2-ethylhexyloxy carbonyl) ethanesulphonate</i>	70% w/w