

Plant Protection Products 2021

Issued by

**Pesticide Control Division
Department of Agriculture, Food & the Marine
Backweston Laboratory Campus
Young's Cross
Celbridge
Co. Kildare**

February 2021

Content

Introduction		<i>iii</i>
Legislation		<i>v</i>
Chapter 1	List of plant protection products	1
Chapter 2	Name changes accepted since publication of <i>Pesticides 2020</i>	79
Chapter 3	Plant Protection Products listed in <i>Pesticides 2020</i> for which registrations expired or were rescinded between 1/1/20 and 1/1/21	83
Chapter 4	Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2021.	91
Chapter 5	Marketing Companies	99
Chapter 6	Product name index by active substance	107
Chapter 7	List of off-label approvals have been granted up to 1/2/21 for use on food crops	127
Chapter 8	List of off-label approvals have been granted up to 1/2/21 for use on non-food crops	339
Chapter 9	List of Adjuvants included on the register on 1/1/21	423

INTRODUCTION

This book contains the list of plant protection products that may be placed on the market and used in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009

Chapter 1 contains an alphabetical listing of the plant protection products registered on 1 January 2021. For each product, the following information is provided -

- ◆ its authorization, clearance, notification or permission to market number,
- ◆ the holder of the authorization, clearance, notification or permission to market,
- ◆ the marketing company
- ◆ the function of the product (*e.g.* herbicide, fungicide *etc.*),
- ◆ its formulation type (*e.g.* WP – wettable powder, EC – emulsifiable concentrate),
- ◆ the identity and content of each active substance in the product

Chapter 2 contains a list of the plant protection products for which a name change was accepted during 2020. Both the former and current names are provided.

Chapter 3 contains a list of the plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has expired or has been rescinded during 2020.

Chapter 4 contains a list of plant protection products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2021. The list contains the date of revocation of the registration and the date from which the use of the product will be illegal. Stocks of these products at wholesale or retail level after the registration revocation date or at user level after the use by date must be disposed of in an appropriate manner.

Chapter 5 contains the list of companies to which authorization, clearance or permission to market certificates have been issued or from which notifications have been accepted for products listed in this book, together with the

companies responsible for the marketing of the products. Addresses, and, where available, telephone and tele-facsimile numbers have been included.

Chapter 6 consists of an index of all products on the market on 1 January 2021, arranged by active substance.

Chapter 7 consists of a list of products for which off-label approvals for use on particular food crops have been granted up to 1/2/2021. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Chapter 8 consists of a list of products for which off-label approvals for use on non-food crops have been granted up to 1/2/2021. This list is dynamic in nature and approvals are being issued on an on-going basis. An up to date list may be obtained from the Pesticide Control Division or from the PCS website. The use of these products on the crops specified must only be carried out in accordance with the approved instruction sheet issued as part of the approval. Please consult your local Teagasc advisor or crop consultant for details before use.

Warning: Off-Label Approvals

Use of a plant protection product in accordance with an off-label approval is entirely at the risk of the user.

The directions for use provided on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9 consists of an alphabetical listing of adjuvants that on 1 January 2021 were included on the product register

Active substances

The current status of over 1450 active substances, safeners and synergists can be found on the EU Pesticides database at the following link.

<https://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/active-substances/?event=search.as>

Detailed information on the status of active substances under Reg (EC) No 1107/2009 including, classification, EU maximum residue levels, toxicological information, Member states in which the substance is authorised at national level is included.

This publication is issued for the guidance of the reader. While every effort has been made to ensure that the information provided is complete and accurate, it must not be construed as being a definitive statement of the pesticide products that can be marketed or used.

The formal register of plant protection products that may be marketed and used is dynamic in nature. In cases of doubt, readers are advised to contact the –

**Pesticide Controls Division
Department of Agriculture, Food and the Marine**

**Telephone Number 01-615 7552
Facsimile Number 01-615 7575
Electronic Mail pcs@agriculture.gov.ie**

Details of currently registered PPP's and the crops on which they may be used can be obtained on the PCS website at www.pcs.agriculture.ie

Information on the arrangements for the authorization of plant protection products, together with relevant application forms and guidance documentation can be obtained on application made to the Regulatory and Enforcement Unit of the Pesticide Control Division, at the following address -

**Department of Agriculture, Food and the Marine
Backweston Campus
Youngs Cross
Celbridge
Co Kildare**

LEGISLATION

Current statutory provisions require that prior to their marketing and use, plant protection products (PPP's) are authorized to ensure a high level of protection for humans, animals and the environment. To avoid damage to the health of those handling PPPs and ensure that the health of consumers is not compromised, it is essential that such products be used in accordance with label instructions, which, where relevant, include precautions to prevent damage to health or to the environment. The effectiveness of PPPs and their safety to crops is also assessed as part of the authorization process.

PPPs offered for sale are inspected at both wholesale and retail distribution levels, to ensure that the products on the market have been authorized, notified or granted a permission to market, in accordance with the legislation and to ensure that they are correctly packaged and labelled. In addition PPPs are sampled for subsequent analysis, to ensure that the products sold or supplied conform to the approved specification of the product authorized, notified or granted permission to market. A key element of the inspection programme undertaken involves inspections at farm level, and inspections of other end user's premises.

Agricultural produce offered for sale is routinely sampled and analyzed for its pesticide residue content. Produce found to contain residues exceeding Maximum Residue Levels (MRLs) may be destroyed at the owner's expense and without payment of compensation. In accordance with the relevant statutory provisions, offenders are liable to imprisonment, to being fined or to both. The presence of excessive residues is indicative of misuse of the PPPs concerned. The immediate and long-term health risks for consumers exposed to such residues are well established.

It should be noted that although the authorization system in place for plant protection products includes the consideration of the performance of products, in terms of their effectiveness and safety to crops, such evaluations have only been completed for plant protection products authorized since 1 October 1994. Notified and cleared plant protection products, or those granted a permission to market, at an earlier date have not been checked, by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine with regard to their effectiveness for the purpose intended.

Users of plant protection products, are reminded that label instructions concerning the handling of PPPs and the use of protective clothing and

equipment, must be carefully followed to avoid damage to the health of those concerned with their use. The adherence to label instructions concerning rates and timing of applications is essential to ensure that consumers are not at put risk from the presence of excessive residues in treated crops. It is especially important that the prescribed intervals between last application and harvest be observed. Strict adherence to label instructions on method and manner of use and on disposal of packaging is necessary to avoid contamination of the environment and to prevent damage to wildlife.

The use of plant protection products in a manner other than that provided for on product labels is an offence that is subject to prosecution.

Only PPPs included in the formal register maintained by the Pesticide Controls Division of the Department of Agriculture, Food and the Marine may be sold and used. However stocks of PPPs for which the relevant authorization, clearance, notification or permission to market has been recently withdrawn may still be available in some retail outlets. Retail distributors are advised to dispose of such stocks as soon as possible either through sale or safe disposal.

Other Publications

Pesticide Residues in Food

Pesticide Residues in Food is an annual publication containing the results of the national control programme for pesticide residues in food, carried out by the Pesticide Controls Division. The programme is aimed at ensuring that consumers are not exposed to unacceptable pesticide residues. The programme also serves to identify incidents of unauthorised use and as a means to check that pesticides are being correctly applied to crops. The control programme in place involves the sampling of imported and domestic produce of plant and animal origin.

Pesticide Usage Survey

To date Pesticide Usage surveys have been published, on grassland and fodder crops, arable crops, vegetable crops and mushrooms. These surveys have been carried out to quantify the amounts and types of pesticides being used on different

crops. The data generated provides critical information for use in assessing the impact of pesticide use on the environment and will be of great benefit in ensuring the sustainable development of the sector.

Further surveys are planned for 2021.

Copies of the Pesticide Residues in Food and the Pesticide Usage surveys are available on our website at www.pcs.agriculture.gov.ie

Chapter 1

List of Plant Protection Products

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
1,4 SIGHT	06256	DormFresh Ltd	DormFresh Ltd	Growth Regulator	HN	Professional	<i>1,4-dimethylnaphtalene</i>	980 g/kg
7C Chlormequat	04744	Taminco BVBA.	Taminco BVBA.	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
A20882B	06154	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
							<i>Triticonazole</i>	20 g/l
Accent	03842	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	WG	Professional	<i>Nicosulfuron</i>	750 g/kg
Accurate	05654	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Acrobat MZ	04059	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Dimethomorph</i>	75 g/kg
							<i>Mancozeb</i>	667 g/kg
Actellic Smoke Generator	06236	Octavius Hunt Ltd	Octavius Hunt Ltd	Insecticide	FU	Professional	<i>Pirimiphos-methyl</i>	22.5% w/w
Adept	06254	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	ZC	Professional	<i>Diflufenican</i>	15.6 g/l
							<i>Pendimethalin</i>	313 g/l
Advanced Bug Killer	04752	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	825.3 g/l
							<i>Pyrethrins</i>	4.59 g/l
Afinto	06733	ISK Biosciences Europe N.V.	Syngenta Ireland Ltd	Insecticide	WG	Professional	<i>Flonicamid</i>	500 g/kg
Aftercut All in One Lawn Feed, Weed & Moss Killer	06246	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Aftercut All-In-One Autumn	06038	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	354.9 g/kg
							<i>Heptahydrate</i>	
Aftercut Mosskiller Plus	05521	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 %w/w
Agree 50 WG	06363	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Insecticide	WG	Professional	<i>Bacillus Thuringiensis aizawai strain GC-91</i>	500 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Agritox	05498	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Agritox 500	05499	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Agrizeb	03633	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	WP	Professional	<i>Mancozeb</i>	<i>800 g/kg</i>
Agroxone 50	05500	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Alister Flex	05183	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Diflufenican</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	<i>120 g/l</i> <i>7.5 g/l</i> <i>9 g/l</i>
Allstar	05925	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	<i>300 g/l</i>
Ally Express	02259	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Metsulfuron (-methyl)</i>	<i>400 g/kg</i> <i>100 g/kg</i>
Ally Max SX	03435	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>143 g/kg</i> <i>143 g/kg</i>
Ally SX	05590	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>
Ally Ultra	05075	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Florasulam</i> <i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>105 g/kg</i> <i>83 g/kg</i> <i>83 g/kg</i>
Alternet	05840	Certiplant N.V.	Belcrop N.V.	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>
Amistar	05072	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Amistar Top	04582	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Fungicide	WG	Professional	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Anthem	04761	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional		
							<i>Pendimethalin</i>	<i>400 g/l</i>
Aphox	03795	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional		
							<i>Pirimicarb</i>	<i>500 g/kg</i>
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Acaricide	SC	Professional		
							<i>Clofentezine</i>	<i>500 g/l</i>
AQ 10	05801	CBC (Europe) S.r.l.	Fargro Limited	Fungicide	XX	Professional		
							<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>
Aquino	06751	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Fungicide	EC	Professional		
							<i>Fenpicoxamid</i>	<i>50 g/l</i>
Arbiter	05542	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional		
							<i>Fluroxypyr</i>	<i>200 g/l</i>
Ardee XL	05571	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional		
							<i>Glyphosate</i>	<i>360 g/l</i>
Argos	05838	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	HN	Professional		
							<i>Orange Oil</i>	<i>843.2 g/l</i>
Arizona	04555	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional		
							<i>Folpet</i>	<i>500 g/l</i>
Ascernity	05520	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional		
							<i>Benzovindiflupyr</i>	<i>23.6 g/l</i>
							<i>Difenoconazole</i>	<i>78.9 g/l</i>
Ascra Xpro	05240	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional		
							<i>Bixafen</i>	<i>65 g/l</i>
							<i>Fluopyram</i>	<i>65 g/l</i>
							<i>Prothioconazole</i>	<i>130 g/l</i>
Asteroid	01990	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional		
							<i>Glyphosate</i>	<i>360 g/l</i>
Asteroid Biocare	03936	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional		
							<i>Glyphosate</i>	<i>360 g/l</i>
Astrokerb	05322	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional		
							<i>Aminopyralid</i>	<i>6.3 g/l</i>
							<i>Propyzamide</i>	<i>500 g/l</i>
Atak 450 EC	05205	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional		
							<i>Prochloraz</i>	<i>450 g/l</i>
Attraxor	06451	BASF plc	BASF Ireland Ltd	Growth Regulator	SG	Professional		
							<i>Prohexadione Calcium</i>	<i>100 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Aurelia	06106	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Avadex Excel 15G	04710	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	GR	Professional	<i>Tri-allate</i>	<i>15.63% w/w</i>
Avadex Factor	04756	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	CS	Professional	<i>Tri-allate</i>	<i>450 g/l</i>
Avella	05303	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Penthiopyrad</i>	<i>200 g/l</i>
Avena Nova	06750	Syngenta UK Ltd	Croplink (Ireland) Ltd	Herbicide	EC	Professional	<i>Pinoxaden</i>	<i>55 g/l</i>
Aviator Xpro	05255	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i>	<i>75 g/l</i> <i>150 g/l</i>
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	<i>75% w/w</i>
Axcela	04839	Lonza Cologne GmbH	Lonza Cologne GmbH	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>30 g/kg</i>
Axial Pro	06258	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Pinoxaden</i>	<i>55 g/l</i>
Azaka	05218	FMC Agro Ltd	FMC Agro Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Azarius	06522	JT Agro Ltd	Cropthetics Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Azoshy	05618	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Azoxystar	05534	Life Scientific Limited	Life Scientific Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
AZ-TEC	06036	Unichem Limited	Unichem Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Bacara Triple	06489	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i> <i>Metribuzin</i>	<i>171 g/l</i> <i>171 g/l</i> <i>64 g/l</i>
Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Bandon Agricultural Products Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Bank	06403	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	UL	Professional	<i>Deltamethrin</i>	<i>6 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Banspray	05111	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Banweed Special Extra	05108	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Barbarian XL	05572	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Gallup Biograde 360	02126	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Gallup Biograde 450	02434	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Barclay Gallup Biograde Amenity	02910	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Barclay Gallup Hi-Aktiv	02435	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>490 g/l</i>
Barclay Holdup 750	04743	Taminco BVBA.	Barclay Chemicals Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Barclay Hudson	02915	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>180 g/l</i>
Barclay Keeper 200	02134	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Ethofumesate</i>	<i>200 g/l</i>
Barclay Keeper 500	02338	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Barclay Propyz	04006	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Barclay Propyzafash	04007	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Barracuda	05967	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>100 g/l</i>
Basagran SG	05192	BASF plc	BASF Ireland Ltd	Herbicide	SG	Professional	<i>Bentazone</i>	<i>870 g/kg</i>
Batavia	05905	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	SC	Professional	<i>Spirotetramat</i>	<i>100 g/l</i>
Bayer Garden Slug Killer	05565	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>9.9 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Beetup Flo	05272	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Phenmedipham</i>	<i>160 g/l</i>
Belkar	06195	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i> <i>Picloram</i>	<i>10 g/l</i> <i>48 g/l</i>
Bellis	03798	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>25.2%w/w</i> <i>12.8 %w/w</i>
Beloukha Garden	05511	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>500 g/l</i>
Benevia 10 OD	05354	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Insecticide	OD	Professional	<i>Cyantraniliprole</i>	<i>100 g/l</i>
Benta 480 SL	04206	Sharda Europe b.v.b.a	Sharda Worldwide Exports Pvt Ltd	Herbicide	SL	Professional	<i>Bentazone</i>	<i>480 g/l</i>
Beret Gold	04278	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>25 g/l</i>
Betanal Flow	06664	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SE	Professional	<i>Phenmedipham</i>	<i>160 g/l</i>
Biathlon	01913	BASF plc	BASF Ireland Ltd	Herbicide	WG	Professional	<i>Tritosulfuron</i>	<i>714.0 g/kg</i>
Bigalo	06250	Globachem nv	Globachem nv	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	<i>26.7% w/w</i> <i>6.7% w/w</i>
Biofresh Safestore	04732	Freshpallet Ltd	Freshpallet Ltd	Growth Regulator	GA	Professional	<i>Ethylene</i>	<i>99.9% v/v</i>
Biox-M	05431	Xeda International S.A.	Juno (Plant Protection) Ltd	Growth Regulator	HN	Professional	<i>Spearment oil</i>	<i>100% w/w</i>
Biplay SX	03434	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>111 g/kg</i> <i>222 g/kg</i>
Blaster Pro	04263	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60 g/l</i> <i>240 g/l</i>
B-Nine SG	03412	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Growth Regulator	WG	Professional	<i>Daminozide</i>	<i>85 %w/w</i>
Bolt	05900	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Florasulam</i> <i>Tribenuron (-methyl)</i>	<i>200 g/kg</i> <i>600 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Bonalan	05763	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Herbicide	EC	Professional	<i>Benfluralin</i>	<i>180 g/l</i>
Bontima	05033	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	<i>187.5 g/l</i> <i>62.5 g/l</i>
Boogie Xpro	05256	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i> <i>Prothioconazole</i> <i>Spiroxamine</i>	<i>50 g/l</i> <i>100 g/l</i> <i>250 g/l</i>
Borneo	04235	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Acaricide	SC	Professional	<i>Etoazole</i>	<i>110 g/l</i>
botanico BugClear Spray	05877	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>10 g/l</i> <i>0.1 g/l</i>
Botanigard WP	06264	Mycotech Europe Ltd	Certis Europe BV	Insecticide	WP	Professional	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>
Botrefin	06480	Finchimica S.p.A	Finchimica S.p.A	Fungicide	WG	Professional	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25% w/w</i>
Boudha	04443	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Tribenuron (-methyl)</i>	<i>250 g/kg</i> <i>250 g/kg</i>
Boxer	02048	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Florasulam</i>	<i>50 g/l</i>
Brittas	06523	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	ME	Professional	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	<i>28 g/l</i> <i>50 g/l</i> <i>233 g/l</i>
Broadway Star	05582	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	WG	Professional	<i>Florasulam</i> <i>Pyroxsulam</i>	<i>14.2 g/kg</i> <i>70.8 g/kg</i>
Bug Clear Fruit & Veg	05007	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>777 g/l</i>
Bug Clear Fruit & Veg Gun!	05008	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>17 g/l</i>
Bug Clear Gardener's Choice	05456	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>17 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Bug Clear Ultra	02388	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	<i>Acetamiprid</i>	<i>0.5 %w/w</i>
Bug Clear Ultra Gun!	02520	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	ME	Amateur	<i>Acetamiprid</i>	<i>0.05 g/l</i>
Bug Clear Ultra Vine Weevil Killer	02386	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	SL	Amateur	<i>Acetamiprid</i>	<i>5 g/l</i>
Bug Free	06298	SBM Developpement SAS	SBM Developpement SAS	Insecticide	AL	Amateur	<i>Fatty Acid - C7-C20</i>	<i>1.61% w/w</i>
Bugclear Ecomax	05872	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>700 g/l</i> <i>7 g/l</i>
BugClear Ultra 2	05897	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>700 g/l</i> <i>7 g/l</i>
BugClear Ultra 2 Gun!	05898	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>10 g/l</i> <i>0.1 g/l</i>
BugFree Bug & Larvae Killer	05928	W. Neudorff GmbH KG	Unichem Limited	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>8.25 g/l</i> <i>0.045 g/l</i>
Bugfree Bug & Larvae Killer Concentrate	06193	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>825.3 g/l</i> <i>4.59 g/l</i>
BugFree Bug & Larvae Killer for Roses	05929	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i> <i>Pyrethrins</i>	<i>8.25 g/l</i> <i>0.045 g/l</i>
Buguis	05450	Proplan-Plant Protection Company S.L.	Proplan-Plant Protection Company S.L.	Herbicide	EC	Professional	<i>Clodinafop</i>	<i>100 g/l</i>
Bulldog	05651	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Diflufenican</i> <i>Pendimethalin</i>	<i>15.6 g/l</i> <i>313 g/l</i>
Butisan S	04631	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Metazachlor</i>	<i>500 g/l</i>
Butryflow	03659	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Bromoxynil</i>	<i>401.58 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Buzzin	05490	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	WG	Professional	<i>Metribuzin</i>	700 g/kg
Cabadex	05467	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Cadou Star	03439	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Flufenacet</i> <i>Isoxaflutole</i>	480 g/kg 100 g/kg
Calaris	02711	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbuthylazine</i>	70 g/l 330 g/l
Calibre Max SX	03438	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	400 g/kg 100 g/kg
Calibre SX	03436	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	333 g/kg 167 g/kg
Caligula	06742	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SE	Professional	<i>Fluopyram</i> <i>Prothioconazole</i>	125 g/l 125 g/l
Callisto	02587	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Mesotrione</i>	100 g/l
Cameo Max SX	03135	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	250 g/kg 250 g/kg
Cameo SX	03431	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Camix	04439	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SE	Professional	<i>Mesotrione</i> <i>S-Metolachlor</i>	60 g/l 500 g/l
Canopy	04404	BASF plc	BASF Ireland Ltd	Growth Regulator	SC	Professional	<i>Mepiquat Chloride</i> <i>Prohexadione Calcium</i>	300 g/l 50 g/l
Caramba	03954	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Carpovirusine EVO2	04825	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Insecticide	SC	Professional	<i>Cydia pomonella</i> <i>Granulovirus (CpGV)</i>	909 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Caryx	06704	BASF plc	BASF Ireland Ltd	Growth Regulator	XX	Professional	<i>Mepiquat Chloride</i> <i>Metconazole</i>	<i>210 g/l</i> <i>30 g/l</i>
Cebara	05034	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	<i>187.5 g/l</i> <i>62.5 g/l</i>
CeCeCe 750	04736	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Celadon	06610	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>100 g/l</i>
Celica	05304	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Penthiopyrad</i>	<i>200 g/l</i>
Cello	05066	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Centium 360 CS	05674	FMC Agro Ltd	FMC Agro Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	<i>360 g/l</i>
Centurion Max	04948	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Herbicide	EC	Professional	<i>Clethodim</i>	<i>120 g/l</i>
Ceraide	04741	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>620 g/l</i>
Ceratavo Plus	05969	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	<i>100 g/l</i>
Cerone	03933	Bayer CropScience Limited	Bayer CropScience Limited	Growth Regulator	SL	Professional	<i>Ethephon</i>	<i>480 g/l</i>
Ceta SG	06252	Unichem Limited	Unichem Limited	Insecticide	SG	Professional	<i>Acetamiprid</i>	<i>20% w/w</i>
Chamane	05002	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Chanon	06518	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Aclonifen</i>	<i>600 g/l</i>
Charm	06475	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Difenoconazole</i> <i>Fluxapyroxad</i>	<i>50 g/l</i> <i>75 g/l</i>
Cheetah Extra	04314	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	<i>69 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Chikara Weed Control	04203	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25 % w/w
Choir	03648	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	7 %w/w 68 %w/w
Ciclope	05856	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	EC	Professional	<i>Clodinafop</i>	100 g/l
Cielex	05352	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Cyproconazole</i> <i>Penthiopyrad</i>	60 g/l 150 g/l
Clap	05596	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	<i>Clopyralid</i>	300 g/l
Claw 100	05874	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Propaquizafop</i>	100 g/l
Clayton Apt	06382	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25% w/w
Clayton Flurry	06638	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Clayton Gear	06607	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	WG	Professional	<i>Cyprodinil</i> <i>Fludioxonil</i>	37.5% w/w 25.0% w/w
Clayton Heed	06487	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Clayton Launch	06376	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	EC	Professional	<i>Dimethenamid-P</i> <i>Pendimethalin</i>	212.5 g/l 250 g/l
Clayton Midas	06375	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EW	Professional	<i>Cyflufenamid</i>	50 g/l
Clayton Navaro	06441	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	125 g/l 125 g/l
Clayton Paragon	06390	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	68 g/kg 682 g/kg
Clayton Province	06442	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Clayton Tacit	06428	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	SC	Professional	<i>Flufenacet</i>	480 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Clayton Truss	06494	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Clayton Xenon	06391	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Herbicide	ME	Professional	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>
Cleanlawn Moss Control for Lawns Concentrate	05246	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Cleanrun Pro	03926	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>MCPA</i> <i>Mecoprop-P</i>	<i>0.49 % w/w</i> <i>0.29 % w/w</i>
Clearall Supreme XL	06692	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Cleave	05552	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>100 g/l</i>
Cleranda	05054	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Imazamox</i> <i>Metazachlor</i>	<i>17.5 g/l</i> <i>375.0 g/l</i>
Clever	06399	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	<i>Aclonifen</i>	<i>600 g/l</i>
Click Premium	06299	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbutylazine</i>	<i>70 g/l</i> <i>330 g/l</i>
Clinic Grade	06457	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Clinic TF	05535	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Clinic Up	05776	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Cliophar 100	04899	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>100 g/l</i>
Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>600 g/l</i>
Cliplash	04577	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	<i>120 g/l</i>
Closer	05341	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	<i>120 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Cobalt	06413	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Boscalid</i> <i>Pyraclostrobin</i>	26.7% w/w 6.7% w/w
Collage	05273	FMC Agro Ltd	FMC Agro Ltd	Herbicide	OD	Professional	<i>Nicosulfuron</i> <i>Thifensulfuron methyl</i>	60 g/l 4 g/l
Comet	02354	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	250 g/l
Comet 200	03696	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	200 g/l
Compact	06632	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Compitox Plus	02843	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Mecoprop-P</i>	600 g/l
Comrade	05698	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Azoxystrobin</i> <i>Cyproconazole</i>	200 g/l 80 g/l
Concorde	04751	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i> <i>Isopyrazam</i>	150 g/l 62.5 g/l
Configure	05917	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	SC	Professional	<i>6-benzyladenine</i>	20 g/l
Conima	06588	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ME	Professional	<i>Imazalil</i> <i>Ipconazole</i>	50 g/l 20 g/l
Conserve	03728	Dow AgroSciences Ltd	Fargro Limited	Insecticide	SC	Professional	<i>Spinosad</i>	120 g/l
Contans WG	05956	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Coniothyrium Minitans - Strain - CON/M/91-08</i>	1 x 10 ¹² cfu/k
Controlla	06448	JT Agro Ltd	Cropthetics Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	45% w/w
Conviso One	06436	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	OD	Professional	<i>Foramsulfuron</i> <i>Thiencarbazone-methyl</i>	50 g/l 30 g/l
Coragen	05295	FMC Agro Ltd	FMC Agro Ltd	Insecticide	SC	Professional	<i>Chlorantraniliprole</i>	200 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Coupon	06271	Globachem nv	Globachem nv	Growth Regulator	SL	Professional	<i>Ethephon</i>	480 g/l
Coyote	03790	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i> <i>Trifloxystrobin</i>	75 g/l 150 g/l 75 g/l
Credit	02932	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	540 g/l
Croplink Maizekleen	04598	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SC	Professional	<i>Mesotrione</i> <i>Terbutylazine</i>	70 g/l 330 g/l
Croplink Reaper	05842	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Croupier OD	06531	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Herbicide	OD	Professional	<i>Fluroxypyr</i> <i>Metsulfuron (-methyl)</i>	225 g/l 9 g/l
Crown MH	06217	Kreglinger Europe NV	Certis Europe BV	Growth Regulator	SL	Professional	<i>Maleic hydrazide</i>	270 g/l
Crozier	06482	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	WP	Professional	<i>Copper oxychloride</i>	87.8% w/w
Curzate M WG	04723	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	4.5 % w/w 68 % w/w
Cuter	05857	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	SC	Professional	<i>Mesotrione</i>	100 g/l
Cyflamid	06595	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	EW	Professional	<i>Cyflufenamid</i>	50 g/l
Cymbal 45	04647	Belchim Crop Protection Ltd	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Cymoxanil</i>	45% w/w
Cymbal Flow	05790	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Cymoxanil</i>	225 g/l
Cythrin Concentrated Caterpillar Spray	04363	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	10.0 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Cythrin Concentrated Garden Pest Killer	04362	Arysta LifeScience Benelux SPRL	Unichem Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	10.0 g/l
Cythrin Garden Ready-to-Use	04786	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
D50	02366	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	500 g/l
Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	450 g/kg
Dazide Enhance	03852	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	WG	Professional	<i>Daminozide</i>	85 % w/w
Deadfast Plus Weedkiller RTU	04829	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	8.39 g/l
Debut	04759	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Triflurosulfuron</i>	500 g/kg
Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Decis	02693	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Decis Protech	05269	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EW	Professional	<i>Deltamethrin</i>	15 g/l
Decoy 250 EC	06221	Bayer CropScience Limited	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Dedicate	05614	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	200 g/l 100 g/l
Defy	04277	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Delan Pro	05684	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Dithianon</i> <i>Potassium phosphonates</i>	125 g/l 561 g/l
Delta-Glob 25 EC	06302	Globachem nv	Globachem nv	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Deltagri	04987	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Depitone Ultra	06645	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	2,4-D	600 g/l
Depitox	02365	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	2,4-D	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Derrex	05559	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Ferric Phosphate</i>	21.06 g/kg
Desire	06631	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	2.5 g/l 100 g/l
Destiny Turf	06315	Barclay Chemicals Ltd	Bayer CropScience Limited	Herbicide	EC	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>Fluroxypyr</i>	285 g/l 52.5 g/l 105 g/l
Destrol Amenity	04765	BASF plc	Sprayclear Environmental Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Destrol Path & Drive Weedkiller Concentrate	05745	Sprayclear Environmental Ltd	Sprayclear Environmental Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Destroyer	05533	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	3% w/w
Devrinol	05234	UPL Holdings Cooperatief U.A.	UPL Europe Ltd	Herbicide	SC	Professional	<i>Napropamide</i>	450 g/l
Diablo	05133	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Ametoctradin</i> <i>Mancozeb</i>	80 g/kg 480 g/kg
Dicash	05799	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SL	Professional	<i>Dicamba</i>	480 g/l
Dicophar	04557	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	70 g/l 20 g/l 70 g/l 42 g/l
Dicophar Lawn Weedkiller	05478	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	70 g/l 20 g/l 70 g/l 42 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Dicophar RTU	04558	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	AL	Amateur	2,4-D Dicamba MCPA Mecoprop-P	0.7 g/l 0.2 g/l 0.7 g/l 0.42 g/l
Difcor 250 EC	04983	Globachem nv	Q-Chem NV	Fungicide	EC	Professional	Difenoconazole	250 g/l
Difend	04794	Globachem nv	Globachem nv	Seed Dressing	FS	Professional	Difenoconazole	30 g/l
Difend Extra	05470	Globachem nv	Certis Europe BV	Seed Dressing	FS	Professional	Difenoconazole Fludioxonil	25 g/l 25 g/l
Difenofin	06218	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	Difenoconazole	250 g/l
Diflanil 500 SC	04358	Q-Chem NV	DHM Agrochemicals Ltd.,	Herbicide	SC	Professional	Diflufenican	500 g/l
Difo 25% EC	04891	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EC	Professional	Difenoconazole	250 g/l
Difure Solo	06537	Globachem nv	Globachem nv	Fungicide	EC	Professional	Difenoconazole	250 g/l
Digital	03147	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional	Flumioxazin	300 g/l
Dimix 500 SC	05191	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	Dimethomorph	500 g/l
Dioweed 50	02719	Nufarm UK Limited	UPL Europe Ltd	Herbicide	SL	Professional	2,4-D	500 g/l
Diprospero	05404	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	Dimethomorph Propamocarb	90 g/l 500 g/l
Discman Biograde	02786	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	Glyphosate	216 g/l
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WP	Professional	Mancozeb	80 % w/w
Dithane Dry Flowable Neotec	03707	Indofil Industries (Netherlands) B.V	Whelehan Crop Protection	Fungicide	WG	Professional	Mancozeb	75% w/w
Dithianon WG	04969	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	Dithianon	700 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Djembe	06543	Nufarm UK Limited	Sumitomo Chemical (U.K.) plc	Fungicide	EC	Professional	<i>Bromuconazole</i>	167 g/l
							<i>Tebuconazole</i>	107 g/l
Doff 24/7 Fast Acting Weedkiller	05250	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	31.02 g/l
Doff Advanced Maxi Strength Weedkiller	05906	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Doff Advanced Weedkiller	05910	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Doff Cat & Dog Repellant	92369	Sphere Laboratories (London) Ltd	Doff Portland Ltd	Repellant	SL	Amateur	<i>Aluminium ammonium sulfat</i>	10.4 g/l
Doff Complete lawn Feed, Weed & Mosskiller	06348	Doff Portland Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	2.86 g/kg
							<i>Dicamba</i>	0.57 g/kg
							<i>Ferrous Sulphate</i>	217.3 g/kg
							<i>Mecoprop-P</i>	2.86 g/kg
Doff Concentrate Weedkiller	05907	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Doff Concentrated Garden Path and Patio Weed Killer	05918	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l
Doff Concentrated Tough Weed Killer	05919	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l
Doff Garden Path and Patio Weed Killer	05920	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	31.02 g/l
Doff Glyphosate Weedkiller Concentrate	04999	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Doff Lawn Moss Killer	05479	Angus Horticulture Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7% w/w
Doff Lawn Weedkiller	05376	Hygeia Chemicals Ltd	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	0.4675 g/l
							<i>Mecoprop-P</i>	3.75 g/l
Doff Maxi Strength Glyphosate Weedkiller	04995	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Doff Pest Repel	05424	Doff Portland Ltd	Doff Portland Ltd	Repellant	AL	Amateur	<i>Aluminium ammonium sulfate</i>	<i>10.4 g/l</i>
Doff Power Up Slug and Snail Killer	06421	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>29 g/kg</i>
Doff Ready to Use Path and Patio weedkiller	05909	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Doff Rose Shield Bug & Fungus Killer	04989	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Doff Slug and Snail Killer	06422	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>9.79 g/kg</i>
Doff Slug Killer	06526	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>9.79 g/kg</i>
Doff Super Slug Killer	05566	W. Neudorff GmbH KG	Doff Portland Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>9.9 g/kg</i>
Doff Weed Killer	05921	W. Neudorff GmbH KG	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Double	05818	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	<i>200 g/l</i> <i>100 g/l</i>
Dow Shield 100	03861	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>100 g/l</i>
Doxstar Pro	05459	Corteva Agriscience UK Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	<i>150 g/l</i> <i>150 g/l</i>
Dual Gold	04192	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>S-Metolachlor</i>	<i>960 g/l</i>
Duplosan KV	02842	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Duplosan Super	04853	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dichlorprop-P</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>310 g/l</i> <i>160 g/l</i> <i>160 g/l</i>
Dynamec	04438	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	EC	Professional	<i>Abamectin</i>	<i>18 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Dynamo	06397	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Dithianon</i>	700 g/kg
Eagle	04315	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Amidosulfuron</i>	75% w/w
Easel	05502	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	750 g/l
Echo Pro	06754	UPL Holdings Cooperatief U.A.	Unichem Limited	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Ecoplug Max	05595	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	720 g/kg
Edipro	03889	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	722 g/l
Efica 960 EC	05942	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>S-Metolachlor</i>	960 g/l
EGC Granule	05718	ECOspray Ltd	ECOspray Ltd	Nematicide	GR	Professional	<i>Garlic Extract</i>	450 g/kg
Eland	06597	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Pyraclostrobin</i>	200 g/kg
Elatus Era	05379	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i> <i>Prothioconazole</i>	75 g/l 150 g/l
Elatus Plus	05380	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	100 g/l
Electis 75WG	03603	Gowan Crop Protection Ltd	Gowan Crop Protection Ltd	Fungicide	WG	Professional	<i>Mancozeb</i> <i>Zoxamide</i>	66.7% w/w 8.35 w/w
Ella SX	05796	Life Scientific Limited	Life Scientific Limited	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Elliott's Lawn Sand and Moss Killer	05415	John Hall (Fertilisers) Ltd	Thomas Elliott Fertilisers	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	14.1% w/w
Elumis	04189	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	OD	Professional	<i>Mesotrione</i> <i>Nicosulfuron</i>	75 g/l 30 g/l
Emerger	06190	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Aclonifen</i>	600 g/l
Emesto Prime DS	05991	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	DS	Professional	<i>Penflufen</i>	20 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Eminentos 10 CS	04933	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Empire Supreme	05061	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>40 g/kg</i> <i>400 g/kg</i>
Enervin SC	05995	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Ametoctradin</i>	<i>200 g/l</i>
Envision	01991	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Envy	05806	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>100 g/l</i>
Eradicoat	05211	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	<i>598 g/l</i>
Eradicoat Max	06020	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	<i>476 g/l</i>
Eraza Zero Slug Killer	06005	De Sangosse SAS	Westland Horticulture Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>8.1 g/kg</i>
Ergon	03818	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>68 g/kg</i> <i>682 g/kg</i>
Escolta	05681	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Cyproconazole</i> <i>Trifloxystrobin</i>	<i>160 g/l</i> <i>375 g/l</i>
Esteem	06356	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	<i>80 g/l</i> <i>2.5 g/l</i> <i>100 g/l</i>
Ethosat 500	02666	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Euskatel	06556	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Evergreen Autumn Lawn Care	05005	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>16.3% w/w</i>
Evergreen Complete 4 in 1	04724	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>16.3 % w/w</i> <i>0.49 % w/w</i> <i>0.29 % w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Evergreen Complete 4in1 Lawn Feed	06152	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Fluroxypyr</i>	<i>2.23 g/kg</i> <i>1.01 g/kg</i> <i>191.3 g/kg</i> <i>0.86 g/kg</i>
Evergreen Liquid Feed & Moss	05653	Omex Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>
Evergreen Liquid Feed & Weed	05816	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i> <i>Clopyralid</i> <i>MCPA</i>	<i>9.0 g/l</i> <i>2.1 g/l</i> <i>10.5 g/l</i>
Evergreen Mosskill Liquid	06245	Omex Agriculture Ltd	The Scotts Company (UK) Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>
Evergreen Premium Plus Weed Control Lawn Food	05933	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i>	<i>0.8% w/w</i> <i>0.12 % w/w</i>
Evito T	05403	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Fungicide	SC	Professional	<i>Fluoxastrobin</i> <i>Tebuconazole</i>	<i>180 g/l</i> <i>250 g/l</i>
Exilis	04702	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	<i>6-benzyladenine</i>	<i>20.0 g/l</i>
Exteris Stressgard	05719	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i> <i>Trifloxystrobin</i>	<i>12.5 g/l</i> <i>12.5 g/l</i>
Eyetak 450 EC	05204	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Falcon	04740	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
Fandango	03787	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Farmco Input	04692	Farmco Agritrading Ltd	Farmco Agritrading Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Fast Acting & Long Lasting Weedkiller	04572	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	AL	Amateur	<i>Maleic hydrazide</i>	<i>4.95 g/l</i>
							<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Fast Acting & Long Lasting Weedkiller Concentrate	04571	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Herbicide	SL	Amateur	<i>Maleic hydrazide</i>	<i>30 g/l</i>
							<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Fast Action Roundup Ready to Use Weedkiller	01669	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Fastnet	06253	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	<i>365 g/l</i>
Fathom	04688	FMC Agro Ltd	FMC Agro Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	<i>200 g/l</i>
Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Growth Regulator	SG	Professional	<i>Maleic hydrazide</i>	<i>600 g/kg</i>
Feed 'N' Weed Extra	06343	Vitax Limited	Vitax Limited	Herbicide	GR	Professional	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
Feed, Weed & Moss Killer	06342	Vitax Limited	Vitax Limited	Herbicide	GR	Amateur	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
Fence	05873	Albaugh TKI d.o.o	Albaugh TKI d.o.o	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>480 g/l</i>
Ferrex	06614	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Professional	<i>Ferric Phosphate</i>	<i>25g/kg</i>
Ferrex Garden	06618	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>25 g/kg</i>
Ferromex	05652	Omex Agriculture Ltd	Omex Agriculture Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>
Ferromex Mosskiller Concentrate	05440	Omex Agriculture Ltd	Omex Agriculture Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	<i>381.15 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Fezan	04649	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	EC	Professional	<i>Tebuconazole</i>	<i>250 g/l</i>
Filan	04325	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i>	<i>50 % w/w</i>
Finish SX	02329	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>67 g/kg</i> <i>333 g/kg</i>
Finy	05503	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>
Firebird	04221	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>
Firebird Met	06550	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i> <i>Metribuzin</i>	<i>90 g/l</i> <i>240 g/l</i> <i>70 g/l</i>
Firefly	06284	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>50 g/l</i> <i>100 g/l</i>
Fixor	05252	Amvac Netherlands B.V	Belcrop N.V.	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>
Flagstaff	06440	De Sangosse SAS	Whelehan Crop Protection	Growth Regulator	OD	Professional	<i>Prohexadione Calcium</i>	<i>50 g/l</i>
Flexidor	04963	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Isoxaben</i>	<i>500 g/l</i>
Flexity	03225	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Metrafenone</i>	<i>300 g/l</i>
Flexure	06320	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>
Flight	02524	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i> <i>Picolinafen</i>	<i>330 g/l</i> <i>7.5 g/l</i>
FLiPPER	05027	Alpha Biopesticides Ltd	Alpha Biopesticides Ltd	Insecticide	EW	Professional	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>
Floramite 240 SC	02949	Arysta LifeScience Great Britain Ltd	Certis Europe BV	Acaricide	SC	Professional	<i>Bifenazate</i>	<i>240 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Fluazinova	05508	Finchimica S.p.A	Barclay Chemicals Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Fluazinova Duo	05994	Finagro S.p.A	Clayton Plant Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Fluent	06407	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>500 g/l</i>
Flurostar 200	05090	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Flurostar XL	06579	Globachem nv	Globachem nv	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>200 g/l</i>
Fluxyr 200 EC	05787	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Folicur	04640	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EW	Professional	<i>Tebuconazole</i>	<i>250 g/l</i>
Fontelis	06241	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Penthiopyrad</i>	<i>200 g/l</i>
Force 20 CS	06395	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	CS	Professional	<i>Tefluthrin</i>	<i>200 g/l</i>
Forefront	02793	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional	<i>Aminopyralid</i> <i>Fluroxypyr</i>	<i>30 g/l</i> <i>100 g/l</i>
Forefront T	03800	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EW	Professional	<i>Aminopyralid</i> <i>Triclopyr</i>	<i>30 g/l</i> <i>240 g/l</i>
Forester	02533	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EW	Professional	<i>Cypermethrin</i>	<i>100 g/l</i>
Foundation	05123	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>84 g/l</i> <i>600 g/l</i>
Foxtrot EW	03858	FMC Agro Ltd	FMC Agro Ltd	Herbicide	EW	Professional	<i>Fenoxaprop-P</i>	<i>69 g/l</i>
Freeze	04517	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Freeze NT	05347	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Frownicide	04394	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Frupica	02128	Certis Europe BV	Certis Europe BV	Fungicide	SC	Professional	<i>Mepanipyrim</i>	449.4 g/l
Fumetham	01340	Lainco S.A.	Lainco S.A.	Sterilant	SL	Professional	<i>Metam (-sodium)</i>	510 g/l
Fungazil 50 LS	01544	Certis Europe BV	Certis Europe BV	Seed Dressing	LS	Professional	<i>Imazalil</i>	50 g/l
Fungus Clear Ultra	04981	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	EC	Amateur	<i>Triticonazole</i>	10.2 g/l
Fungus Clear Ultra Gun!	04982	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide	AL	Amateur	<i>Triticonazole</i>	0.15 g/l
Fungus Control and Protect	06001	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fungus Fighter Plus	06000	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	AL	Amateur	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	0.125 g/l 0.125 g/l
Fusilade Forte	05074	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluazifop-P (-butyl)</i>	150 g/l
Fusilade Max	05073	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluazifop-P (-butyl)</i>	125 g/l
Fusion	06226	Pan Amenity Ltd	Pan Amenity Ltd	Fungicide	SC	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	200 g/l 100 g/l
Fytosol	06584	Fytofend S.A.	Fytofend S.A.	Fungicide	SL	Professional	<i>COS-OGA</i>	12.5 g/l
Gachinko	05989	Nissan Chemical Europe	DuPont (UK) Ltd	Fungicide	SC	Professional	<i>Amisulbrom</i>	200 g/l
Galaxy	05473	Corteva Agriscience UK Ltd	Corteva Agriscience UK Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Galben M	03588	FMC Agro Ltd	FMC Agro Ltd	Fungicide	WP	Professional	<i>Benalaxyl</i> <i>Mancozeb</i>	8% w/w 65% w/w
Galera	05188	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Picloram</i>	267 g/l 67 g/l
Gallup Biograde Weedkiller RTU	02588	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	7.2 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Gallup Home and Garden	04738	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Gallup XL	05570	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Headland Agrochemicals Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	<i>360 g/l</i>
Garden Caterpillar Spray	03637	Arysta LifeScience Benelux SPRL	Hygeia Chemicals Ltd	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10 g/l</i>
Garden Weedkiller	05760	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Garlon Ultra	05396	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Aminopyralid</i> <i>Triclopyr</i>	<i>12 g/l</i> <i>120 g/l</i>
Garryowen XL	05660	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Gartrel	05583	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Clopyralid</i> <i>Florasulam</i>	<i>300 g/l</i> <i>25 g/l</i>
GAT Decline 2.5 EC	04422	FMC Agro Ltd	FMC Agro Ltd	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
Gavel	05089	Certis Europe BV	Certis Europe BV	Fungicide	SL	Professional	<i>Imazalil</i>	<i>100 g/l</i>
Gazelle SG	03248	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	SG	Professional	<i>Acetamiprid</i>	<i>20 % w/w</i>
Genoxone ZX EC	03915	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Herbicide	EC	Professional	<i>2,4-D</i> <i>Triclopyr</i>	<i>93 g/l</i> <i>103.6 g/l</i>
GF-2573	05524	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Halauxifen-methyl</i>	<i>7.5 g/l</i>
GF-2895	04914	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Clopyralid</i>	<i>600 g/l</i>
GiBB Plus	05340	Globachem nv	Globachem nv	Growth Regulator	SL	Professional	<i>Gibberellin</i>	<i>10.0 g/l</i>
Globaztar SC	05529	Globachem nv	Globachem nv	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Globus	06573	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Florasulam</i>	<i>50 g/l</i>
Glosset 600 SC	06319	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>600 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Glyfos Dakar	02966	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	<i>68 %w/w</i>
Glyfos Supreme XL	05786	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Glypho-Rapid	06715	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	<i>700 g/l</i>
Goltix Titan	06474	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metamitron</i> <i>Quinmerac</i>	<i>525 g/l</i> <i>40 g/l</i>
Gorgon	06197	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Flufenacet</i>	<i>480 g/l</i>
Goulding Extra-Strength Lawn Feed, Weed & Mosskiller	06352	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	<i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>0.04675% w/</i> <i>16.3% w/w</i> <i>0.375% w/w</i>
Governor	06355	Corteva Agriscience UK Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	<i>150 g/l</i> <i>150 g/l</i>
Gozai	06219	Nichino Europe Co. Ltd	Belchim Crop Protection Ltd	Herbicide	EC	Professional	<i>Pyraflufen-ethyl</i>	<i>26.5 g/l</i>
Granprotec	05734	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
Grassrooter	06031	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	SL	Professional	<i>Ethephon</i>	<i>480 g/l</i>
Grazon 90	04261	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60 g/l</i> <i>240 g/l</i>
Grazon Pro	05182	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60.0 g/l</i> <i>240.0 g/l</i>
Grecale	05437	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	SC	Professional	<i>Cymoxanil</i> <i>Fluazinam</i>	<i>200 g/l</i> <i>300 g/l</i>
Green Up Lawn Sand	05414	Vitax Limited	Vitax Limited	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>14.1% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
GreenForce Clover Lawn Weedkiller	05102	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Dandelion & Daisy Weedkiller	05103	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Dandelion & Daisy Weedkiller Ready to Use	05106	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	0.4675 g/l 3.75 g/l
GreenForce Lawn Weedkiller	05101	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Lawn Weedkiller & Feed	05104	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l
GreenForce Lawn Weedkiller Ready to Use	05105	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	0.4675 g/l 3.75 g/l
Greenmaster Autumn	05004	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w
Greentec Mosskiller Pro	05085	Headland Amenity Limited	Headland Amenity Limited	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.8% w/w
Griffen	06211	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	SC	Professional	<i>Di flufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Growing Success Advanced Slug Killer	02121	W. Neudorff GmbH KG	Westland Horticulture Ltd	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Growing Success Advanced Slug Killer	05561	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Growing Success Slug Killer Advanced	05432	De Sangosse SAS	Westland Horticulture Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
GTHMF Amateur	05081	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Amateur	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
GTHMF Pro	05080	GTHMF Taskforce	GTHMF Taskforce	Herbicide	GR	Professional	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional	<i>Flumioxazin</i>	<i>300 g/l</i>
Gusto 3	04959	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>3% w/w</i>
Haksar 500 SL	05968	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Haksar Complex 260 EW	05896	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	EW	Professional	<i>Clopyralid</i>	<i>20 g/l</i>
							<i>Fluroxypyr</i>	<i>40 g/l</i>
							<i>MCPA</i>	<i>200 g/l</i>
Harmony M SX	02330	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>
							<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>
Harmony Max SX	02883	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>29 g/kg</i>
							<i>Thifensulfuron methyl</i>	<i>429 g/kg</i>
Harmony SX	02283	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	<i>500 g/kg</i>
HARPUN	05939	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	<i>Pyriproxifen</i>	<i>100 g/l</i>
Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Headland Relay	05015	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>19.5 g/l</i>
							<i>MCPA</i>	<i>245 g/l</i>
							<i>Mecoprop-P</i>	<i>43.3 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Headland Sulphur	90731	Headland Agrochemicals Ltd	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Sulphur</i>	<i>800 g/l</i>
Helix	05067	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>
Helosate 450 SL	04539	Helm AG Ltd	Helm AG Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Hempacide 30	03531	Hygeia Chemicals Ltd	Goldcrop Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Herboxone	02416	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Heritage	05062	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Azoxystrobin</i>	<i>500 g/kg</i>
Heritage Maxx	05063	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	DC	Professional	<i>Azoxystrobin</i>	<i>95 g/l</i>
Hiatus	06322	Rotam Agrochemical Europe Ltd	Rohm and Haas Europe Trading ApS	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	<i>400 g/kg</i> <i>150 g/kg</i>
High Load Mircam	04578	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>80 g/l</i> <i>600 g/l</i>
Hilite	02455	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	<i>Glyphosate</i>	<i>144 g/l</i>
Hint	06653	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>
Holster XL	04854	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>Fluroxypyr</i>	<i>285 g/l</i> <i>52.5 g/l</i> <i>105 g/l</i>
Homebase Lawn Weedkiller	05326	Hygeia Chemicals Ltd	Homebase Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Homeland Lawn Feed, Weed & Mosskiller	06339	Hygeia Chemicals Ltd	Aurivo Co-operative Society Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>2.86 g/kg</i> <i>0.57 g/kg</i> <i>217.3 g/kg</i> <i>2.86 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Hubble	05288	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Dimethomorph</i>	200 g/l
							<i>Fluazinam</i>	200 g/l
Hudson	05078	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Hurler	05077	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Hyban P	04654	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	18.7 g/l
							<i>Mecoprop-P</i>	150 g/l
Hyflux	06753	UPL Holdings Cooperatief U.A.	Hygeia Chemicals Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Hygeia Greenforce 4 in 1 Lawn Feed Weed and Mosskiller	06351	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	<i>Dicamba</i>	0.4675% w/w
							<i>Ferrous Sulphate</i>	16.3% w/w
							<i>Mecoprop-P</i>	0.375% w/w
Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer	05963	Sipcam U.K. Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Hygeia Lawn Feed, Weed and Mosskiller	05228	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	GR	Amateur	<i>Dicamba</i>	0.04675 % w/w
							<i>Ferrous Sulphate</i>	16.3 % w/w
							<i>Mecoprop-P</i>	0.375 % w/w
Hygrass P	04653	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	18.7 g/l
							<i>Mecoprop-P</i>	150 g/l
HY-MCPA 50	06418	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
HY-MCPA 500	05765	Ciech Sarzyna S.A	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Hymec Triple	03890	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dichlorprop-P</i>	310 g/l
							<i>MCPA</i>	160 g/l
							<i>Mecoprop-P</i>	130 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Hyprone P	04651	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Hysward P	04652	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i>	<i>16 g/l</i>
							<i>MCPA</i>	<i>101 g/l</i>
							<i>Mecoprop-P</i>	<i>92 g/l</i>
Hytrol Glyphosate	02560	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>162 g/l</i>
Hytrol Lawn Weedkiller	04655	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	<i>4.675 g/l</i>
							<i>Mecoprop-P</i>	<i>37.5 g/l</i>
Hytrol Lawn Weedkiller Ready to Use	04656	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	<i>0.4675 g/l</i>
							<i>Mecoprop-P</i>	<i>3.75 g/l</i>
Hytrol Nettle Killer	05100	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Dicamba</i>	<i>4.675 g/l</i>
							<i>Mecoprop-P</i>	<i>37.5 g/l</i>
Hytrol Total Liquid Ready to Use	04546	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Hytrol Total Liquid Weedkiller	04545	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Icade	05397	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SL	Professional	<i>Aminopyralid</i>	<i>12 g/l</i>
							<i>Triclopyr</i>	<i>120 g/l</i>
Imtrex	04965	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	<i>62.5 g/l</i>
Inception Xpro	05949	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	<i>125 g/l</i>
Infinito	04309	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopicolide</i>	<i>62.5 g/l</i>
							<i>Propamocarb</i>	<i>625 g/l</i>
Inka Max SX	04842	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>
							<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>
Insignia	02280	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Pyraclostrobin</i>	<i>200 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Instore Glyphosate Weedkiller	02997	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Instrata Elite	05399	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Difenoconazole</i> <i>Fludioxonil</i>	80.3 g/l 80.3 g/l
Insynt	03249	Nisso Chemical Europe GmbH	Certis Europe BV	Insecticide	WP	Professional	<i>Acetamiprid</i>	20 %w/w
Interest	05697	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Difenoconazole</i>	30 g/l
Ironclad	06420	Doff Portland Ltd	Doff Portland Ltd	Molluscicide	RB	Professional	<i>Ferric Phosphate</i>	29 g/kg
IronMax Pro	06513	De Sangosse SAS	Bayer CropScience Limited	Molluscicide	RB	Professional	<i>Ferric Phosphate</i>	24.2 g/l
Iroxx	05558	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Ferric Phosphate</i>	21.06 g/kg
Isonet T	06591	CBC (Europe) S.r.l.	Fargro Limited	Attractant	VP	Professional	<i>(E,Z)-3,8-Tetradecatrien-1-yl acetate</i> <i>(E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate</i>	86.6 g/kg 750.3 g/kg
ITCAN SL 270	05827	Kreglinger Europe NV	Kreglinger Europe NV	Growth Regulator	SL	Professional	<i>Maleic hydrazide</i>	270 g/l
J Arthur Bowers Lawn Sand 2	05454	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 %w/w
J Arthur Bower's Lawn Sand Mosskiller	05412	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 g/kg
J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules	06247	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Jaboland	05039	I.A.B. SL	I.A.B. SL	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Jabolim	05041	I.A.B. SL	Quimicas Meristem S.L.	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Jade	06283	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>125 g/l</i>
							<i>Tebuconazole</i>	<i>125 g/l</i>
Jadex-o-720	04771	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>720 g/l</i>
Jewel	02953	FMC Chemical s.p.r.l.	Everris Ltd	Herbicide	SG	Professional	<i>Carfentrazone-ethyl</i>	<i>15 g/kg</i>
							<i>Mecoprop-P</i>	<i>600 g/kg</i>
Job Done General Purpose Weedkiller Concentrate	05853	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
Job Done General Purpose Weedkiller Ready to Use	05854	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Job Done, Path Weedkiller	05878	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Diflufenican</i>	<i>0.3 g/l</i>
							<i>Glyphosate</i>	<i>1.8 g/l</i>
Job Done, Tough Weedkiller	05879	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Diflufenican</i>	<i>0.3 g/l</i>
							<i>Glyphosate</i>	<i>1.8 g/l</i>
Jura	05554	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Diflufenican</i>	<i>14 g/l</i>
							<i>Prosulfocarb</i>	<i>667 g/l</i>
Juventus	05780	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	<i>90 g/l</i>
K2	04742	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>620 g/l</i>
Kaligreen	92412	OAT Agrio Co., Ltd.	Arysta Life Science S.A.S.	Fungicide	SP	Amateur/Professional	<i>Potassium Hydrogen Carbonate</i>	<i>820 g/kg</i>
Karate Zeon	04084	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Karis 10 CS	04454	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Karma	05116	Certis Europe BV	Certis Europe BV	Fungicide	SP	Professional	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>
Katamaran	04935	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Metazachlor</i>	<i>375 g/l</i>
							<i>Quinmerac</i>	<i>125 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Katamaran Turbo	04931	BASF plc	BASF Ireland Ltd	Herbicide	SE	Professional	<i>Dimethenamid-P</i>	<i>200 g/l</i>
							<i>Metazachlor</i>	<i>200 g/l</i>
							<i>Quinmerac</i>	<i>100 g/l</i>
Katoun Gold	05512	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	EC	Professional	<i>Pelargonic acid</i>	<i>500 g/l</i>
Kayak	05476	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Cyprodinil</i>	<i>300 g/l</i>
Kerb Flo	02830	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SC	Professional	<i>Propyzamide</i>	<i>400 g/l</i>
Keypro	05589	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	SL	Professional	<i>Cyproconazole</i>	<i>100 g/l</i>
Kinto	05086	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	<i>Prochloraz</i>	<i>60 g/l</i>
							<i>Triticonazole</i>	<i>20 g/l</i>
Kinto Plus	06291	BASF plc	BASF Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>33.3 g/l</i>
							<i>Fluxapyroxad</i>	<i>33.3 g/l</i>
							<i>Triticonazole</i>	<i>33.3 g/l</i>
Kinvara	05381	Barclay Chemicals Ltd	Terrachem Ltd	Herbicide	ME	Professional	<i>Clopyralid</i>	<i>28 g/l</i>
							<i>Fluroxypyr</i>	<i>50 g/l</i>
							<i>MCPA</i>	<i>233 g/l</i>
Knockdown Glyphosate Weedkiller	04068	Barclay Chemicals Ltd	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>90 g/l</i>
K-Obiol EC25	03641	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	EC	Professional	<i>Deltamethrin</i>	<i>25 g/l</i>
K-Obiol ULV 6	03642	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	UL	Professional	<i>Deltamethrin</i>	<i>6 g/l</i>
Kunshi	04785	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>250 g/kg</i>
							<i>Fluazinam</i>	<i>375 g/kg</i>
Kyleo	05271	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	<i>160 g/l</i>
							<i>Glyphosate</i>	<i>240 g/l</i>
Laidir 10 CS	04932	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Lalstop K61 WP	04713	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Streptomyces K61</i>	25% w/w
Lamast	06770	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Folpet</i>	500 g/l
Landmaster 360 TF	05762	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Landscaper Pro Feed Weed Mosskiller	05587	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	16.3% w/w 0.49% w/w 0.29% w/w
Landscaper Pro Moss Control + Fertilizer	04973	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	16.3% w/w
Landscaper Pro Triple Action	05767	The Scotts Company (UK) Ltd	ICL UK & Ireland	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	16.3% w/w 0.49% w/w 0.29% w/w
Landscaper Pro Weed Control + Fertilizer	05576	The Scotts Company (UK) Ltd	Everris Ltd	Herbicide	GR	Professional	<i>2,4-D</i> <i>Dicamba</i>	0.8% w/w 0.12% w/w
Latitude	02226	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Latitude XL	04721	Certis Europe BV	Certis Europe BV	Seed Dressing	FS	Professional	<i>Silthiofam</i>	125 g/l
Lector	05578	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Florasulam</i>	50 g/l
Lector Delta	04926	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Florasulam</i>	500 g/l 50 g/l
Legado	06202	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Legend	06472	JT Agro Ltd	Cropthetics Ltd	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Legion	05179	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Metazachlor</i> <i>Quinmerac</i>	375 g/l 125 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Lentagran WP	05580	Belchim Crop Protection NV	Whelehan Crop Protection	Herbicide	WP	Professional	<i>Pyridate</i>	<i>45% w/w</i>
Lentyrna	06412	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Mefentrifluconazole</i>	<i>66.7 g/l</i> <i>66.7 g/l</i>
Lepinox Plus	05254	CBC (Europe) S.r.l.	Fargro Limited	Insecticide	WP	Professional	<i>Bacillus thuringiensis</i> <i>subspecies kurstaki EG</i> <i>2348</i>	<i>375 g/kg</i>
Librax	04968	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Metconazole</i>	<i>62.5 g/l</i> <i>45.0 g/l</i>
Lieto	05672	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Zoxamide</i>	<i>330 g/kg</i> <i>330 g/kg</i>
Life Scientific Lambda	04868	Life Scientific Limited	Life Scientific Limited	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Life Scientific Trinex	04872	Life Scientific Limited	Life Scientific Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Lima Gold 5%	04961	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>5% w/w</i>
Limafer	06615	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Professional	<i>Ferric Phosphate</i>	<i>25 g/kg</i>
Limafer Garden	06619	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	<i>25 g/kg</i>
Limitar	05047	Certiplant N.V.	Belcrop N.V.	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Lockstar	06593	Bayer CropScience Limited	Everris Ltd	Herbicide	WG	Professional	<i>Diflufenican</i> <i>Iodosulfuron-methyl-</i> <i>sodium</i>	<i>360 g/l</i> <i>10 g/l</i>
Longbow	04559	Arysta LifeScience Benelux SPRL	Bayer CropScience Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>70 g/l</i> <i>20 g/l</i> <i>70 g/l</i> <i>42 g/l</i>
Lontrel 72SG	05843	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SG	Professional	<i>Clopyralid</i>	<i>720 g/kg</i>
Lorate	05591	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
LS-FL-FL-CL	06514	Life Scientific Limited	Life Scientific Limited	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
LSTF Amateur	05083	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 % w/w
LSTF Pro	05082	Lawn Sand Task Force	Lawn Sand Task Force	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	7.7 % w/w
Lumiposa	06257	DuPont (UK) Ltd	DuPont (UK) Ltd	Seed Dressing	FS	Professional	<i>Cyantraniliprole</i>	625 g/l
Luna Privilege	05916	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Fluopyram</i>	500 g/l
Lupo	02979	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i>	345 g/l
							<i>MCPA</i>	345 g/l
M50	05505	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Herbicide	SG	Professional	<i>MCPA</i>	500 g/l
Macfare Xpro	06521	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	65 g/l
							<i>Fluopyram</i>	65 g/l
							<i>Prothioconazole</i>	130 g/l
Maestro	04850	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i>	100 g/l
							<i>Prothioconazole</i>	100 g/l
Magnello	04118	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	100 g/l
							<i>Tebuconazole</i>	250 g/l
Maintain	05365	FMC Agro Ltd	FMC Agro Ltd	Growth Regulator	ME	Professional	<i>Trinexapac ethyl</i>	120 g/l
Majestik	05677	Certis Europe BV	Certis Europe BV	Insecticide	SL	Professional	<i>Maltodextrin</i>	598 g/l
Mandarin Xpro	05258	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	60 g/l
							<i>Prothioconazole</i>	200 g/l
Manfil 75 WG	03598	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	75 % w/w
Manfil 80 WP	03563	Indofil Industries Limited	Headland Agrochemicals Ltd	Fungicide	WP	Professional	<i>Mancozeb</i>	800 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Manipulator	05445	Taminco BVBA.	DHM Agrochemicals Ltd.,	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>620 g/l</i>
Markate 50	05001	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>
Mastercrop Bandit	05109	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>16 g/l</i> <i>101 g/l</i> <i>92 g/l</i>
Mastercrop MCPA 50	05510	Hygeia Chemicals Ltd	Glanbia plc.	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Maton	02720	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>2,4-D</i>	<i>600 g/l</i>
Mavita 250 EC	05941	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	<i>250 g/l</i>
Maxicrop Mosskiller and Lawn Tonic	05150	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>375 g/l</i>
Maxicrop Professional Moss Killer and Conditioner	05149	Valagro UK Ltd	Valagro UK Ltd	Herbicide	SL	Professional	<i>Ferrous Sulphate Heptahydrate</i>	<i>375 g/l</i>
Maxim 100 FS	04226	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	<i>100 g/l</i>
Medallion TL	04188	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Fludioxonil</i>	<i>125 g/l</i>
Medax Max	05507	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i> <i>Trinexapac ethyl</i>	<i>50 g/kg</i> <i>75 g/kg</i>
Mertil	06650	UPL Holdings Cooperatief U.A.	UPL Europe Ltd	Herbicide	SC	Professional	<i>Di flufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>
Met 52 Granular	04811	Novozymes France S.A.S.	Fargro Limited	Insecticide	GR	Professional	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>
Met52 OD	05859	Novozymes France S.A.S.	Fargro Limited	Insecticide	OD	Professional	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>104.83 g/l</i>
Metarex Inov	04852	De Sangosse SAS	Bayer CropScience Limited	Molluscicide	GB	Professional	<i>Metaldehyde</i>	<i>40 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Meteor	04750	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i> <i>Imazaquin</i>	<i>368 g/l</i> <i>0.8 g/l</i>
Metfin	05945	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Metconazole</i>	<i>60 g/l</i>
Metric	06276	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	ZC	Professional	<i>Clomazone</i> <i>Metribuzin</i>	<i>60 g/l</i> <i>233 g/l</i>
Metro 20	02863	Mitsui Agriscience International S.A./N.V.	Mitsui Agriscience International S.A./N.V.	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	<i>20 %w/w</i>
Mettle	03788	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>
Microthiol Special	04757	UPL Holdings Cooperatief U.A.	UPL Europe Ltd	Fungicide	WG	Professional	<i>Sulphur</i>	<i>80% w/w</i>
Microthiol Special	90548	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Sulphur</i>	<i>80 %w/w</i>
Mildew Clear for Edibles	06396	Agrostulln GmbH	Unichem Limited	Fungicide	WG	Amateur	<i>Sulphur</i>	<i>796 g/kg</i>
Minstrel	04782	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>200 g/l</i>
Mirador	05955	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Mirage	05180	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Mircam Plus	05017	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>19.5 g/l</i> <i>245 g/l</i> <i>43.3 g/l</i>
Mirror	06425	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Folpet</i>	<i>500 g/l</i>
Mitron 700 SC	06516	Certiplant N.V.	Belcrop N.V.	Herbicide	SC	Professional	<i>Metamitron</i>	<i>700 g/l</i>
Mitron WG	04683	Hermoo Belgium N.V.	Hermoo Belgium N.V.	Herbicide	WG	Professional	<i>Metamitron</i>	<i>70% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Mizr XL	05162	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Moddus	03849	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Modem	02355	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	<i>250 g/l</i>
Modem 200	03695	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Pyraclostrobin</i>	<i>200 g/l</i>
MON 79351	04009	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>480 g/l</i>
Monitor	05813	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	WG	Professional	<i>Sulfosulfuron</i>	<i>80% w/w</i>
Monolith	05868	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Mesosulfuron - methyl</i> <i>Propoxycarbazone - sodium</i>	<i>45 g/kg</i> <i>67.5 g/kg</i>
Monosate G	05605	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Mortone	03529	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>300 g/l</i>
Mortone Gold	06419	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>MCPA</i>	<i>750 g/l</i>
Mortox 50	02635	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>2,4-D</i>	<i>500 g/l</i>
Most Micro	04837	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	<i>365 g/l</i>
Movento	05349	Bayer CropScience Limited	Bayer CropScience Limited	Insecticide	OD	Professional	<i>Spirotetramat</i>	<i>150 g/l</i>
Moxa	04915	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Moxa EC	05439	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Moximate 725 WG	04670	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5% w/w</i> <i>68% w/w</i>
Moximate 725 WP	04514	Indofil Industries Limited	Indofil Industries Limited	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5% w/w</i> <i>68% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Mulan 700WG	06633	JT Agro Ltd	Cropthetics Ltd	Fungicide	WG	Professional	<i>Dithianon</i>	700 g/kg
Multirose Concentrate 2	05314	SBM Developpement SAS	SBM Life Science Ltd	Fungicide/Insecticide	SE	Amateur	<i>Deltamethrin</i> <i>Tebuconazole</i>	0.5 g/l 10 g/l
Multirose2	04800	Arysta LifeScience Benelux SPRL	Bayer Garden	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	0.05 g/l 0.075 g/l
Naceto	05778	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Nakar	05042	I.A.B. SL	Seipasa S.A.	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Nando 500SC	05387	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Narita	04950	Globachem nv	Belchim Crop Protection Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Nativo 75 WG	04642	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	500 g/kg 250 g/kg
Naturalis-L	04187	CBC (Europe) S.r.l.	Fargro Limited	Insecticide	OD	Professional	<i>Beauveria bassiana GHA / ATCC 74040</i>	7.16 % w/w
Nautil DG	04540	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	5% w/w 68% w/w
Nautius	05187	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i> <i>Tribenuron (-methyl)</i>	400 g/kg 150 g/kg
Navigate	05667	Cheminova A/S	Headland Agrochemicals Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	200 g/l 400 g/l
Nemathorin 10G	02867	ISK Biosciences Europe N.V.	Syngenta Ireland Ltd	Nematicide	FG	Professional	<i>Fosthiazate</i>	10 %w/w
NEMGuard DE	05368	ECOSpray Ltd	Certis Europe BV	Nematicide	GR	Professional	<i>Garlic Extract</i>	450 g/kg
Neudorff Fast Acting Moss & Algae Killer	05245	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	186.7 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Neudorff Fast Acting Weedkiller	05248	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
New Hytrol	04669	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	WG	Amateur	<i>Glyphosate</i> <i>Metamitron</i>	<i>9.6% w/w</i> <i>14% w/w</i>
New Rate 2,4-D Ester	02721	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	EC	Professional	<i>2,4-D</i>	<i>600 g/l</i>
New-Way Weed Spray	05603	Punya Innovation ApS	Headland Amenity Limited	Herbicide	SL	Professional	<i>Acetic acid</i>	<i>240 g/l</i>
New-Way Weed Spray RTU	05753	Punya Innovation ApS	Punya Innovation ApS	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Nexide CS	04238	FMC Agro Ltd	FMC Agro Ltd	Insecticide	CS	Professional	<i>Gamma-Cyhalothrin</i>	<i>60 g/l</i>
Next	05695	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Nexus	06558	Certiplant N.V.	Unichem Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Bupirimate</i>	<i>250 g/l</i>
Ninja 10CS	05178	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Nirvana	03063	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Imazamox</i> <i>Pendimethalin</i>	<i>16.7 g/l</i> <i>250 g/l</i>
Nissodium	05514	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	EW	Professional	<i>Cyflufenamid</i>	<i>50 g/l</i>
Nomix Blade	03854	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	<i>Glyphosate</i> <i>Sulfosulfuron</i>	<i>120 g/l</i> <i>2.22 g/l</i>
Nomix Conqueror Amenity	05332	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	UL	Professional	<i>Glyphosate</i>	<i>144 g/l</i>
Nomix Dual	03080	Nomix Enviro Ltd	Nomix Enviro Ltd	Herbicide	EW	Professional	<i>Glyphosate</i> <i>Sulfosulfuron</i>	<i>120 g/l</i> <i>2.22 g/l</i>
Nortron 50 SC	05803	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Novagib	05927	Fine Agrochemicals Ltd	Fine Agrochemicals Ltd	Growth Regulator	SL	Professional	<i>Gibberellin</i>	<i>10 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
NU46	05501	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPA</i>	<i>500 g/l</i>
Nuance	06386	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>
Oblix 500	05823	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>500 g/l</i>
Oblix MT	06286	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i> <i>Metamitron</i>	<i>150 g/l</i> <i>350 g/l</i>
Obsthormon 24a	05764	L. Gobbi srl	151 Products Ltd	Growth Regulator	SL	Professional	<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>
Ohayo	05610	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Omnera LQM	05771	FMC Agro Ltd	FMC Agro Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i> <i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	<i>135 g/l</i> <i>5 g/l</i> <i>30 g/l</i>
Optica	02661	Nufarm UK Limited	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Mecoprop-P</i>	<i>600 g/l</i>
Optica Trio	05337	Nufarm UK Limited	Headland Agrochemicals Ltd	Herbicide	SL	Professional	<i>Dichlorprop-P</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>310 g/l</i> <i>160 g/l</i> <i>130 g/l</i>
Optimus	04704	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>175 g/l</i>
Option	04722	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>600 g/kg</i>
Oraso	06107	Life Scientific Limited	Life Scientific Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>125 g/l</i> <i>125 g/l</i>
Origins Bug Control	05883	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>17 g/l</i>
Origins Rapid Action Weedkiller	05517	Belchim Crop Protection NV	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>500 g/l</i>
Origins Slug Control	05884	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	<i>10 g/kg</i>
Origins Weed Control	05891	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Orius	04648	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Tebuconazole</i>	<i>200 g/l</i>
Orius P	05177	Nufarm UK Limited	Nufarm UK Limited	Fungicide	EW	Professional	<i>Prochloraz</i> <i>Tebuconazole</i>	<i>267 g/l</i> <i>133 g/l</i>
Ormond	05661	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>490 g/l</i>
Osorno	05451	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotrione</i>	<i>100 g/l</i>
Ossetia	04730	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Diflufenican</i>	<i>500 g/kg</i>
Pabi 300 EC	06496	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>300 g/l</i>
Pacaya	05781	Proklass Products Ltd	Proklass Products Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	<i>25% w/w</i>
Pacifica Plus	05537	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Amidosulfuron</i> <i>Iodosulfuron-methyl-sodium</i> <i>Mesosulfuron - methyl</i>	<i>50 g/kg</i> <i>10 g/kg</i> <i>30 g/kg</i>
Padawan	04814	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i>	<i>480 g/l</i>
Paket 250 EC	04912	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Palmas	04543	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	WP	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>4.5% w/w</i> <i>68% w/w</i>
Panarex	05867	Arysta LifeScience Great Britain Ltd	Arysta LifeScience UK & Ireland Ltd	Herbicide	EC	Professional	<i>Quizalofop-p-terfuryl</i>	<i>40 g/l</i>
Pantha	06445	TerreChem Ltd	TerreChem Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Paraat	03614	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Dimethomorph</i>	<i>500 g/kg</i>
Paradise	05239	Pan Amenity Ltd	Pan Amenity Ltd	Herbicide	WG	Professional	<i>Flazasulfuron</i>	<i>25% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pastisha	06629	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Clopyralid</i>	60 g/l
							<i>Triclopyr</i>	240 g/l
Pastor Trio	05808	Corteva Agriscience UK Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Patel 300 EC	06495	Globachem nv	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	300 g/l
Path & Drive Roundup Concentrate	05448	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	170 g/l
Patrol	04304	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
PDM 330 EC	03582	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Pendimethalin</i>	330 g/l
Peacoq	06752	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Fungicide	EC	Professional	<i>Fenpicoxamid</i>	50 g/l
Pecari 250 EC	06277	Globachem nv	DHM Agrochemicals Ltd.,	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Pecari 300 EC	06497	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	300 g/l
Pecari Extra	06574	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	125 g/l
							<i>Tebuconazole</i>	125 g/l
Pelican Delta	05655	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Di flufenican</i>	60% w/w
							<i>Metsulfuron (-methyl)</i>	6% w/w
Peloton	06481	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Pendifin 400 SC	05731	Finchimica S.p.A	Finchimica S.p.A	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Penncozeb 80 WP	03609	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WP	Professional	<i>Mancozeb</i>	800 g/kg
Penncozeb WDG	03608	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	750 g/kg
Percos	03841	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Ametoctradin</i>	300 g/l
							<i>Dimethomorph</i>	225 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Perseus	06476	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Difenoconazole</i>	50 g/l
							<i>Fluxapyroxad</i>	75 g/l
Pestshield 2 in 1 Bug & Fungus Control	04990	Arysta LifeScience Benelux SPRL	151 Products Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
							<i>Myclobutanil</i>	0.075 g/l
Pestshield Advanced Weedkiller	05912	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Pestshield Glyphosate Concentrated Weedkiller	04844	Barclay Chemicals Ltd	151 Products Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Pestshield Lawn Moss Killer	05480	Angus Horticulture Ltd	Angus Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7%w/w
Pestshield New Formula Lawn Weedkiller	05328	Hygeia Chemicals Ltd	151 Products Ltd	Herbicide	AL	Amateur	<i>Dicamba</i>	0.4675 g/l
							<i>Mecoprop-P</i>	3.75 g/l
Pestshield Slug and Snail Killer	06530	Doff Portland Ltd	151 Products Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.79 g/kg
Phabia 300 EC	06498	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	300 g/l
Phantom	06380	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Fluazifop-P (-butyl)</i>	125 g/l
Phoenix	04453	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Folpet</i>	500 g/l
Phostoxin Bag	04686	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	57% w/w
Phostoxin Bag Blanket	04687	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	57% w/w
Phostoxin Tablet	04685	Detia Degesch GmbH	Detia Degesch GmbH	Fumigant	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Pike	02122	Nufarm UK Limited	Nufarm UK Limited	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	20 %w/w
Pilot Ultra	04955	Nissan Chemical Europe	Nissan Chemical Europe	Herbicide	SC	Professional	<i>Quizalofop-P-ethyl</i>	50 g/l
Pirim	06268	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Pyrimethanil</i>	400 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pirouette	05839	Fine Agrochemicals Ltd	Fargro Limited	Growth Regulator	SC	Professional	<i>Paclobutrazol</i>	4 g/l
Pistol	04312	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Pistol Rail	05528	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Pivotal	05798	Corteva Agriscience UK Ltd	Whelehan Crop Protection	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Triclopyr</i>	150 g/l 150 g/l
Pixxaro	05525	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Halauxifen-methyl</i>	280 g/l 12 g/l
Plant Pest Killer RTU	05665	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
Plantivax	06747	Laboratoires Goemar SAS	UPL Europe Ltd	Fungicide	SL	Professional	<i>Laminarin</i>	45 g/l
PlantTrust	04537	Everris Ltd	Everris Ltd	Fungicide	CG	Professional	<i>Fosetyl (-aluminium)</i>	165 g/kg
Platform S	02954	FMC Chemical s.p.l.	Belchim Crop Protection Ltd	Herbicide	WG	Professional	<i>Carfentrazone-ethyl</i> <i>Mecoprop-P</i>	1.5 %w/w 60 % w/w
Plexeo 60	05926	Globachem nv	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
POL-MCPA 500 SL	05494	Ciech Sarzyna S.A	Ciech Sarzyna S.A	Herbicide	SL	Professional	<i>MCPA</i>	500 g/l
Polux	05946	Galenika-Fitofarmacija	Galenika-Fitofarmacija	Insecticide	EC	Professional	<i>Deltamethrin</i>	25 g/l
Pontoon	06681	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	125 g/l 125 g/l
Pontos	05434	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Flufenacet</i> <i>Picolinafen</i>	240 g/l 100 g/l
Potato Blight Control	05339	SBM Developpement SAS	SBM Life Science Ltd	Fungicide	SC	Amateur	<i>Fluopicolide</i> <i>Propamocarb</i>	62.5 g/l 625 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
PP Captan 80-WG	04018	Arysta Life Science S.A.S.	Arysta Life Science S.A.S.	Fungicide	WG	Professional	<i>Captan</i>	80% w/w
Pradera	06524	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	ME	Professional	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	28 g/l 50 g/l 233 g/l
Praxys	05474	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Premazor Turbo	05673	Q-Chem NV	Q-Chem NV	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Glyphosate</i>	40 g/l 250 g/l
Premier Amenity Selective	05110	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	16 g/l 101 g/l 92 g/l
Presite Max SX	04342	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	29 g/kg 429 g/kg
Presite SX	02888	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i> <i>Thifensulfuron methyl</i>	67 g/kg 333 g/kg
Prestop	04367	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Clonostachys rosea J1446</i>	32% w/w
Prestop	06486	Danstar Ferment AG	Danstar Ferment AG	Fungicide	WP	Professional	<i>Clonostachys rosea J1446</i>	32% w/w/
Previcur Energy	04041	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SL	Professional	<i>Fosetyl (-aluminium)</i> <i>Propamocarb</i>	310 g/l 530 g/l
Priaxor EC	05264	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i> <i>Pyraclostrobin</i>	75 g/l 150 g/l
Pride	06281	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Priest	06628	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Primo Maxx II	05401	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	SL	Professional	<i>Trinexapac ethyl</i>	<i>116.4 g/l</i>
Prizm	05307	Syngenta UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Isopyrazam</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>150 g/l</i>
Prochlorus	05184	Societe Financiere de Pontarlier	Societe Financiere de Pontarlier	Fungicide	EC	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Professional	06262	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Prosulfocarb</i>	<i>800 g/l</i>
Profilux	05588	Belchim Crop Protection Ltd	Belchim Crop Protection Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>45 g/kg</i> <i>680 g/kg</i>
Profume	05592	Douglas BLG BVBA	Douglas BLG BVBA	Fumigant	GA	Professional	<i>Sulfuryl flouride</i>	<i>99.8 %w/w</i>
Prolectus	04758	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Fungicide	WG	Professional	<i>Fenpyrazamine</i>	<i>500 g/kg</i>
Proliance Quattro	03710	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Proline	03786	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Proman	04450	Belchim Crop Protection NV	Belchim Crop Protection Ltd	Herbicide	SC	Professional	<i>Metobromuron</i>	<i>500 g/l</i>
Property 180SC	05275	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Pyriofenone</i>	<i>180 g/l</i>
Proplant	03994	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SL	Professional	<i>Propamocarb</i>	<i>722 g/l</i>
Propulse	05870	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SE	Professional	<i>Fluopyram</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>125 g/l</i>
Prosaro	04641	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>125 g/l</i> <i>125 g/l</i>
Prospect SX	02284	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Herbicide	SG	Professional	<i>Thifensulfuron methyl</i>	<i>500 g/kg</i>
Prostar	06613	Albaugh TKI d.o.o	Albaugh TKI d.o.o	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Proteb	06679	Clayton Plant Protection Ltd	Clayton Plant Protection Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>125 g/l</i>
							<i>Tebuconazole</i>	<i>125 g/l</i>
Protefin	06016	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>125 g/l</i>
							<i>Tebuconazole</i>	<i>125 g/l</i>
Protendo 250 EC	06251	Globachem nv	DHM Agrochemicals Ltd.,	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>250 g/l</i>
Protendo 300 EC	06232	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>300 g/l</i>
Protendo Extra	06446	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Prothioconazole</i>	<i>125 g/l</i>
							<i>Tebuconazole</i>	<i>125 g/l</i>
Provalia LQM	05233	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	OD	Professional	<i>Fluroxypyr</i>	<i>135 g/l</i>
							<i>Metsulfuron (-methyl)</i>	<i>5 g/l</i>
							<i>Thifensulfuron methyl</i>	<i>30 g/l</i>
Provanto Smart Bug Killer	05236	SBM Developpement SAS	SBM Life Science Ltd	Insecticide	AL	Amateur	<i>Flupyradifurone</i>	<i>0.08 g/l</i>
Provanto Ultimate Bug Killer	04307	SBM Developpement SAS	SBM Life Science Ltd	Insecticide	AL	Amateur	<i>Deltamethrin</i>	<i>0.0075 g/l</i>
Proxanil	04639	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Cymoxanil</i>	<i>50 g/l</i>
							<i>Propamocarb</i>	<i>400 g/l</i>
Purelo	05690	Globachem nv	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Diflufenican</i>	<i>14 g/l</i>
							<i>Prosulfocarb</i>	<i>667 g/l</i>
Py Bug Killer Concentrate	05384	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	ME	Amateur	<i>Cypermethrin</i>	<i>10 g/l</i>
Py Bug Killer RTU	05382	Arysta LifeScience Benelux SPRL	Vitax Limited	Insecticide	AL	Amateur	<i>Cypermethrin</i>	<i>0.05 g/l</i>
Pyrethrum 5 EC	06255	Pelgar International	Pelgar International	Insecticide	EC	Professional	<i>Pyrethrins</i>	<i>50 g/l</i>
Pyrol Bug & Larvae Killer	05243	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	<i>8.25 g/l</i>
							<i>Pyrethrins</i>	<i>0.045 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Pyrol Bug & Larvae Killer Concentrate	05242	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	EC	Amateur	<i>Plant Oils / Rape seed oil</i>	825.3 g/l
							<i>Pyrethrins</i>	4.59 g/l
Pyrol Bug & Larvae Killer for Roses	05244	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Insecticide	AL	Amateur	<i>Plant Oils / Rape seed oil</i>	8.25 g/l
							<i>Pyrethrins</i>	0.045 g/l
Quantum	03432	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	TB	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Quantum Max SX	04044	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Thifensulfuron methyl</i>	250 g/kg
							<i>Tribenuron (-methyl)</i>	250 g/kg
Questar	06465	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Fungicide	EC	Professional	<i>Fenpicoxamid</i>	50 g/l
Quick 5 EC	04904	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	EC	Professional	<i>Quizalofop-P-ethyl</i>	50 g/l
Quidam	05895	UPL Europe Ltd	UPL Europe Ltd	Herbicide	EC	Professional	<i>Prosulfocarb</i>	800 g/l
Radspor 400	01797	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dodine</i>	40 %w/w
Rambo 360	05777	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rambo Bio	05489	Unichem Limited	Unichem Limited	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Rambo RTU	03100	Sipcam U.K. Ltd	Unichem Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Rambo XL	05754	Unichem Limited	Unichem Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rancona 15 ME	04698	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ME	Professional	<i>Ipconazole</i>	15.1 g/l
Rancona i-Mix	05279	Arysta LifeScience Great Britain Ltd	Whelehan Crop Protection	Seed Dressing	ME	Professional	<i>Imazalil</i>	50 g/l
							<i>Ipconazole</i>	20 g/l
Ranman Top	04497	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Cyazofamid</i>	160 g/l
Rapsan 500	06006	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i>	500 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Rapsan 500SC	05886	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i>	<i>500 g/l</i>
Rapsan Turbo	06007	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Metazachlor</i> <i>Quinmerac</i>	<i>375 g/l</i> <i>125 g/l</i>
Rattler	04650	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>540 g/l</i>
Ravane	05536	Globachem nv	DHM Agrochemicals Ltd.,	Insecticide	EC	Professional	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>
Raxil Star	05260	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopyram</i> <i>Prothioconazole</i> <i>Tebuconazole</i>	<i>20 g/l</i> <i>100 g/l</i> <i>60 g/l</i>
Ready to Use SBK Brushwood Killer	03956	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	<i>Triclopyr</i>	<i>3.6 g/l</i>
Redigo	03793	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i>	<i>100 g/l</i>
Redigo M	04946	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Metalaxyl</i> <i>Prothioconazole</i>	<i>20 g/l</i> <i>100 g/l</i>
Redigo Pro	04985	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	<i>150 g/l</i> <i>20 g/l</i>
Reflect	05462	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>	<i>125 g/l</i>
Regalis	03321	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	<i>10 %w/w</i>
Regalis Plus	05409	BASF plc	BASF Ireland Ltd	Growth Regulator	WG	Professional	<i>Prohexadione Calcium</i>	<i>10% w/w</i>
Reliance	05426	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>
Relva Granules	04924	Certiplant N.V.	Belcrop N.V.	Herbicide	GR	Professional	<i>Propyzamide</i>	<i>40 g/kg</i>
Renovator Pro	05003	Evergreen Garden Care UK Ltd	Everris Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i> <i>MCPA</i> <i>Mecoprop-P</i>	<i>16.3% w/w</i> <i>0.49% w/w</i> <i>0.29% w/w</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Resolva Bug Killer Concentrate	04076	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.75 g/l</i>
Resolva Bug Killer Ready to Use	04077	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.015 g/l</i>
Resolva Fast Weedkiller	06572	Sipcam U.K. Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Resolva Lawn Weedkiller Extra Concentrate	05323	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>4.675 g/l</i> <i>37.5 g/l</i>
Resolva Lawn Weedkiller Extra Ready to Use	05324	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Resolva Moss Killer	05247	W. Neudorff GmbH KG	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Resolva Path & Drive Weedkiller	06570	Sipcam U.K. Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Resolva Path & Patio Weedkiller RTU	06325	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>8.39 g/l</i>
Resolva Pro Weedkiller	05892	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>8.39 g/l</i>
Resolva Pro Weedkiller Super Concentrate	06328	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Resolva Rose 3 in 1	05951	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Resolva Super Strength Xtra Tough Concentrated	03962	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Resolva Weedkiller 2 Action	06321	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>151.4 g/l</i>
Resolva Weedkiller 2 Action Concentrate	06366	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>151.4 g/l</i>
Resolva Weedkiller 24H RTU	06329	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>8.39 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Resolva Weedkiller Super Concentrate Total Clear	03961	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Resolva Xpress	06453	Compo GmbH	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>30.99 g/l</i>
Resolva Xpress 24H	06670	W. Neudorff GmbH KG	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>31.02 g/l</i>
Resolva Xpress 24H Concentrate	06671	W. Neudorff GmbH KG	Westland Horticulture Ltd	Herbicide	EC	Professional	<i>Pelargonic acid</i>	<i>186.7 g/l</i>
Resolva Xtra Concentrate Weedkiller	06563	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>4.675 g/l</i> <i>37.5 g/l</i>
Resolva Xtra Ready to Use Weedkiller	06562	Hygeia Chemicals Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Resolva Xtra Tough	05647	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>8.39 g/l</i>
Resolva Xtra Tough Concentrate Liquid Shots	05602	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>151.4 g/l</i>
Resolva Zero Weedkiller	06368	Compo GmbH	Westland Horticulture Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>30.99 g/l</i>
Resolva Zero Weedkiller Concentrate	06369	Compo GmbH	Westland Horticulture Ltd	Herbicide	EW	Amateur	<i>Pelargonic acid</i>	<i>237.59 g/l</i>
Restore 2	06344	John Hall (Fertilisers) Ltd	John Hall (Fertilisers) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>2.86 g/kg</i> <i>0.57 g/kg</i> <i>217.3 g/kg</i> <i>2.86 g/kg</i>
Restore Pro	06345	John Hall (Fertilisers) Ltd	John Hall (Fertilisers) Ltd	Herbicide	GR	Professional	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>2.86 g/kg</i> <i>0.57 g/kg</i> <i>217.3 g/kg</i> <i>2.86 g/kg</i>
Revus	05154	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Mandipropamid</i>	<i>250 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Revus Top	04524	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SC	Professional	<i>Difenoconazole</i>	250 g/l
							<i>Mandipropamid</i>	250 g/l
Revystar XL	06411	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	50 g/l
							<i>Mefentrifluconazole</i>	100 g/l
Rhino	04400	Nichino Europe Co. Ltd	Certis Europe BV	Seed Dressing	FS	Professional	<i>Flutolanil</i>	460 g/l
RHS Mosskiller	06310	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
RHS Weedkiller	06309	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Riber	05795	Life Scientific Limited	Life Scientific Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	200 g/l
							<i>Flufenacet</i>	400 g/l
Ridomil Gold	02117	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	<i>Metalaxyl M</i>	465.2 g/l
Ridomil Gold MZ 68 WG	03599	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Mancozeb</i>	64% w/w
							<i>Metalaxyl M</i>	3.88% w/w
Rim 25WG	06405	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Rimsulfuron</i>	250 g/kg
Rimuron 25 WG	05064	Helm AG Ltd	Helm AG Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	250 g/kg
Rootkill Weedkiller Concentrate	05851	Barclay Chemicals Ltd	SBM Life Science Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Rosanil RTU	04799	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
							<i>Myclobutanil</i>	0.075 g/l
Rosate 360 TF	05761	Albaugh UK Ltd	Albaugh UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Rosate Green	04436	Albaugh Europe Sarl	Albaugh Europe Sarl	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Roseclear Ultra	03269	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Fungicide/Insecticide	EC	Amateur	<i>Acetamiprid</i>	2.5 g/l
							<i>Triticonazole</i>	7.5 g/l
Roseclear Ultra Gun!	03288	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	ME	Amateur	<i>Acetamiprid</i>	0.05 g/l
							<i>Triticonazole</i>	0.15 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
RoseClear Ultra Gun! 2	05972	Arysta LifeScience Benelux SPRL	Evergreen Garden Care UK Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Rosegarde	05400	Arysta LifeScience Benelux SPRL	Vitax Limited	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Roundup Biactive	02313	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Biactive XL	04660	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Biactive XLA	05266	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Fast Action Path & Drive Weedkiller	05447	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup First	04664	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>60 g/l</i>
Roundup Flex	04593	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>480 g/l</i>
Roundup Gel	04191	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup Gel Path	05728	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup Gold	02624	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Gold 450	02623	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>450 g/l</i>
Roundup Lawn Optima	06512	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>4.675 g/l</i> <i>37.5 g/l</i>
Roundup Lawn Ultra	06511	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	<i>0.4675 g/l</i> <i>3.75 g/l</i>
Roundup Lawn Weedkiller	05678	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	<i>0.16 g/l</i> <i>0.32 g/l</i> <i>1.6 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Roundup NL Weed Control	06392	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>565 g/l</i>
Roundup NL Weed Control Ready to Use	06393	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>43.1 g/l</i>
Roundup Optima	04663	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>120 g/l</i>
Roundup Optima Power	04661	Monsanto UK Ltd	Monsanto Roundup Lawn and Garden	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>240 g/l</i>
Roundup Optima+	04662	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>170 g/l</i>
Roundup Powermax	04534	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SG	Professional	<i>Glyphosate</i>	<i>720 g/kg</i>
Roundup Pro Biactive	02314	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Speed Ultra	06259	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Roundup Stump Killer	05449	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup Tough	03726	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>
Roundup Ultra	04731	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	<i>360 g/l</i>
Roundup XL	05161	Monsanto UK Ltd	Monsanto Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	<i>360 g/l</i>
Roxy 800 EC	05739	Globachem nv	Globachem nv	Herbicide	EC	Professional	<i>Prosulfocarb</i>	<i>800 g/l</i>
RT Lawn Sand	05411	P.B. Kent & Co. Ltd	Rigby Taylor Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate Heptahydrate</i>	<i>141 g/kg</i>
Rudis	04665	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Prothioconazole</i>	<i>480 g/l</i>
S19321 R537.001	05954	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	EC	Amateur	<i>Pelargonic acid</i>	<i>565 g/l</i>
S19690 R586.009	05953	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>43.1 g/l</i>
Sacron WG	04541	UPL Europe Ltd	UPL Europe Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>450 g/kg</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Safari Lite WSB	04903	FMC Agro Ltd	FMC Agro Ltd	Herbicide	XX	Professional	<i>Lenacil</i>	714 g/kg
							<i>Triflusalufuron</i>	54 g/kg
Salsa	04725	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Ethametsulfuron methyl</i>	750 g/kg
Santro	06684	Sharda Cropchem Espana S.L.	DHM Agrochemicals Ltd.,	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Savvy	05657	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	WG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
Savvy Premium	05656	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	SG	Professional	<i>Metsulfuron (-methyl)</i>	200 g/kg
SBK Brushwood Killer	03955	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>Triclopyr</i>	48 g/l
Scab 480 SC	05733	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	SC	Professional	<i>Captan</i>	480 g/l
Scab 80 WG	05732	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Fungicide	WG	Professional	<i>Captan</i>	800 g/kg
Scala	03916	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Pyrimethanil</i>	400 g/l
Scenic Gold	05556	Bayer CropScience Limited	Bayer CropScience Limited	Seed Dressing	FS	Professional	<i>Fluopicolide</i>	200 g/l
							<i>Fluoxastrobilin</i>	150 g/l
Sceptre	03979	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Insecticide	WG	Professional	<i>lambda-Cyhalothrin</i>	25 g/kg
Scitec	06701	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Score 250 EC	04566	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Difenoconazole</i>	250 g/l
Scorpio	02551	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Trifloxystrobin</i>	500 g/kg
Scotts Lawn Builder Lawn Food Plus Weed Control	05577	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	0.8% w/w
							<i>Dicamba</i>	0.12% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Season Long Path & Drive Weedkiller Concentrate	05446	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i>	40 g/l
							<i>Glyphosate</i>	250 g/l
Sempre	04207	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Sencorex Flow	04361	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	SC	Professional	<i>Metribuzin</i>	600 g/l
Sequoia	05915	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Sulfoxaflor</i>	120 g/l
Sercadis	04986	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Fluxapyroxad</i>	300 g/l
Serenade ASO	03847	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l
Serpent	06741	BASF plc	BASF Ireland Ltd	Fungicide	EC	Professional	<i>Fluxapyroxad</i>	75 g/l
							<i>Pyraclostrobin</i>	150 g/l
Sharmetrin	05948	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w
Sharp Turbo	06201	JT Agro Ltd	Cropthetics Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	200 g/l
Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Herbicide	SC	Professional	<i>Flufenacet</i>	400 g/l
							<i>Pendimethalin</i>	400 g/l
Shirlan	04393	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Shiro	05641	UPL Europe Ltd	UPL Europe Ltd	Herbicide	WG	Professional	<i>Triflusalufuron</i>	500 g/kg
Shotput	04071	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	WG	Professional	<i>Metribuzin</i>	70 % w/w
Signal 300ES	05700	Arysta LifeScience Great Britain Ltd	Arysta LifeScience Great Britain Ltd	Seed Dressing	ES	Professional	<i>Cypermethrin</i>	300 g/l
Signature XTRA Sresssgard	06323	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Fosetyl (-aluminium)</i>	600 g/kg
Signum	03799	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Boscalid</i>	26.7 % w/w
							<i>Pyraclostrobin</i>	6.7 % w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Siltra Xpro	05257	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	60 g/l
							<i>Prothioconazole</i>	200 g/l
Silvron Xpro	06536	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	100 g/l
							<i>Fluopyram</i>	100 g/l
Sinclair Lawn Sand	05413	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Professional	<i>Ferrous Sulphate</i>	7.7 g/kg
Sindoxa	06406	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Insecticide	WG	Professional	<i>Indoxacarb</i>	300 g/kg
Sipcam C50WG	04494	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	50% w/w
Sirena	05408	Globachem nv	Globachem nv	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Sirtaki CS	05923	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Clomazone</i>	360 g/l
Skyway Xpro	05259	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	75 g/l
							<i>Prothioconazole</i>	100 g/l
							<i>Tebuconazole</i>	100 g/l
SL567A	03106	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	SL	Professional	<i>Metalaxyl M</i>	465.2 g/l
Slug & Snail Killer Pellets	04921	W. Neudorff GmbH KG	Rentokil Initial UK Ltd	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Slug and Snail Control	05564	W. Neudorff GmbH KG	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Slug and Snail Killer Pellets	05569	W. Neudorff GmbH KG	Rentokil Initial UK Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Slug Bait	03834	W. Neudorff GmbH KG	Bayer CropScience Limited	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Slug Bait	05563	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Slug Ban	05221	Chiltern Farm Chemicals Europe Ltd	Chiltern Farm Chemicals Ltd	Molluscicide	GB	Amateur	<i>Metaldehyde</i>	15 g/kg
Slug Death XL	03833	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Slug Death XL	05562	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Slug Killer Granules	06239	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Slug Killer Pellets	06477	De Sangosse SAS	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg
SlugClear Ultra 3	05581	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Molluscicide	GB	Amateur	<i>Ferric Phosphate</i>	7.43 g/kg
Sluggo Slug & Snail Killer	05568	W. Neudorff GmbH KG	Unichem Limited	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Sluggo Slug & Snail Killer Ultra	05317	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	19.8 g/kg
Sluggo Slug & Snail Killer Ultra	05560	W. Neudorff GmbH KG	W Neudorff (UK) Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	19.8 g/kg
Slugrid	05567	W. Neudorff GmbH KG	Vitax Limited	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.9 g/kg
Slugtox	04962	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Amateur	<i>Metaldehyde</i>	5% w/w
Sluxx HP	05557	W. Neudorff GmbH KG	Certis Europe BV	Molluscicide	GB	Professional	<i>Ferric Phosphate</i>	21.06 g/kg
Smartfresh	02555	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	VP	Professional	<i>1-methylcyclopropene</i>	3.3 %w/w
SmartFresh ProTabs	05779	AgroFresh Holding France S.A.S.	AgroFresh Holding France S.A.S.	Growth Regulator	TB	Professional	<i>1-methylcyclopropene</i>	20 g/kg
Solabiol Slug Bait	05419	W. Neudorff GmbH KG	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Solabiol Slug Killer	05952	De Sangosse SAS	SBM Life Science Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	8.1 g/kg
Soleil	05359	Nufarm UK Limited	Sumitomo Chemical (U.K.) plc	Fungicide	EC	Professional	<i>Bromuconazole</i> <i>Tebuconazole</i>	167 g/l 107 g/l
Solitare	04219	Mitsui Agriscience International S.A./N.V.	Mitsui Chemicals Agro Inc.	Herbicide	SC	Professional	<i>Propyzamide</i>	400 g/l
Solo 500 SC	05688	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Solution	06437	UPL Europe Ltd	Dow AgroSciences Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i> <i>Mancozeb</i>	5% w/w 68% w/w
Sonata	05802	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Bacillus pumilus QST 2808</i>	14.35 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Sonis	05993	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	<i>250 g/l</i>
Sparviero	04469	Sipcam Oxon SpA	Sipcam U.K. Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>
Spear & Jackson 3 in 1 Lawn Feed, Weed & Mosskiller	06346	Doff Portland Ltd	Doff Portland Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>2.86 g/kg</i> <i>0.57 g/kg</i> <i>217.3 g/kg</i> <i>2.86 g/kg</i>
Speedline Pro	05398	Dow AgroSciences Ltd	Nomix Enviro Ltd	Herbicide	SL	Professional	<i>Aminopyralid</i> <i>Triclopyr</i>	<i>12 g/l</i> <i>120 g/l</i>
Spitfire	05472	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>5 g/l</i> <i>100 g/l</i>
Sporekill	92396	Nutrigain Ltd	Nutrigain Ltd	Disinfectant	SL	Professional	<i>Fatty Acid - C7-C20</i>	<i>421 g/l</i>
Sporgon 50 WP	05094	BASF plc	BASF Ireland Ltd	Fungicide	WP	Professional	<i>Prochloraz</i>	<i>46% w/w</i>
Sportak 45 EW	05093	BASF plc	BASF Ireland Ltd	Fungicide	EW	Professional	<i>Prochloraz</i>	<i>450 g/l</i>
Spot On Fast Acting Moss Killer	05759	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Spot On Fast Acting Weedkiller	05758	Sipcam U.K. Ltd	Sipcam U.K. Ltd	Herbicide	SL	Amateur	<i>Acetic acid</i>	<i>60 g/l</i>
Spotlight Plus	03294	FMC Chemical s.p.r.l.	Whelehan Crop Protection	Herbicide	ME	Professional	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>
Stabilan 750	04767	Nufarm UK Limited	Nufarm UK Limited	Growth Regulator	SL	Professional	<i>Chlormequat</i>	<i>750 g/l</i>
Stallion Sync Tech	05483	FMC Agro Ltd	FMC Agro Ltd	Herbicide	CS	Professional	<i>Clomazone</i> <i>Pendimethalin</i>	<i>30 g/l</i> <i>333 g/l</i>
Starane Hi-Load HL	04549	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	<i>333 g/l</i>
Starane XL	05465	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	SE	Professional	<i>Florasulam</i> <i>Fluroxypyr</i>	<i>2.5 g/l</i> <i>100 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Stavento	06685	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	<i>Folpet</i>	500 g/l
Stealth	06468	Syngenta UK Ltd	Syngenta Ireland Ltd	Insecticide	CS	Professional	<i>lambda-Cyhalothrin</i>	100 g/l
Stefes CCC 750	05863	Sparta Research Ltd	Sparta Research Ltd	Growth Regulator	SL	Professional	<i>Chlormequat</i>	750 g/l
Steward	02603	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Insecticide	WG	Professional	<i>Indoxacarb</i>	300 g/kg
Stomp 400 SC	02879	BASF plc	BASF Ireland Ltd	Herbicide	SC	Professional	<i>Pendimethalin</i>	400 g/l
Stomp Aqua	03750	BASF plc	BASF Ireland Ltd	Herbicide	CS	Professional	<i>Pendimethalin</i>	455 g/l
Stratos Ultra	04936	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Cycloxydim</i>	100 g/l
Stride DFF	05000	Unichem Limited	Unichem Limited	Herbicide	SC	Professional	<i>Diflufenican</i>	500 g/l
Stroby WG	05092	BASF plc	BASF Ireland Ltd	Fungicide	WG	Professional	<i>Kresoxim Methyl</i>	50% w/w
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Insecticide	EC	Professional	<i>Esfenvalerate</i>	25 g/l
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Sumitomo Chemical (U.K.) plc	Herbicide	SC	Professional	<i>Flumioxazin</i>	300 g/l
Sunfire	05497	Mitsui Agriscience International S.A./N.V.	Certis Europe BV	Herbicide	SC	Professional	<i>Flufenacet</i>	500 g/l
Super Fast Weedkiller	05999	SBM Developpement SAS	SBM Life Science Ltd	Herbicide	AL	Amateur	<i>Fatty Acid - C7-C20</i>	3% w/w
Swardsure	06612	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Clopyralid</i> <i>Florasulam</i> <i>Fluroxypyr</i>	80 g/l 2.5 g/l 100 g/l
Swift SC	02145	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Trifloxystrobin</i>	500 g/l
Switch	06414	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Cyprodinil</i> <i>Fludioxonil</i>	37.5% w/w 25% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Sword	04248	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Clodinafop</i>	240 g/l
Syllit 544 SC	04739	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Dodine</i>	544 g/l
Synero	05394	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EO	Professional	<i>Aminopyralid</i> <i>Fluroxypyr</i>	30 g/l 100 g/l
Systhane 20 EW	04944	Dow AgroSciences Ltd	Landseer Ltd	Fungicide	EW	Professional	<i>Myclobutanil</i>	200 g/l
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fargro Limited	Fungicide	WP	Professional	<i>Trichoderma Asperellum</i> (strain T34)	12% w/w
Tacanza Era	06551	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i> <i>Prothioconazole</i>	75 g/l 150 g/l
Tachigaren 70 WP	04941	Mitsui Chemicals Agro Inc.	Sumi-Agro Europe Ltd	Seed Dressing	WS	Professional	<i>Hymexazol</i>	700 g/kg
Taegro	06601	Novozymes France S.A.S.	Syngenta Ireland Ltd	Fungicide	WG	Professional	<i>Bacillus amyloliquefaciens</i> strain FZB24	130 g/kg
Takumi SC	06060	Nisso Chemical Europe GmbH	Certis Europe BV	Fungicide	SC	Professional	<i>Cyflufenamid</i>	100 g/l
Talisma EC	04711	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	EC	Professional	<i>Cypermethrin</i>	80 g/l
Talisma UL	05997	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Insecticide	UL	Professional	<i>Cypermethrin</i>	20 g/l
Talius	04604	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	EC	Professional	<i>Proquinazid</i>	200 g/l
Talunex	04684	Detia Degesch GmbH	Detia Degesch GmbH	Miscellaneous	GE	Professional	<i>Aluminium phosphide</i>	56% w/w
Tandus	05836	Nufarm UK Limited	Nufarm UK Limited	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Tarcza	05699	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	60 g/l
Target SC	04677	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Metamitron</i>	700 g/l
Target WG	04678	UPL Europe Ltd	UPL Europe Ltd	Herbicide	VP	Professional	<i>Metamitron</i>	70% w/w
Tartaros	06265	Helm AG Ltd	Helm AG Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	300 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Taxi	06450	FMC Agro Ltd	FMC Agro Ltd	Herbicide	SG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Tazer	05530	Nufarm UK Limited	Nufarm UK Limited	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Tebseme	05721	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Seed Dressing	FS	Professional	<i>Tebuconazole</i>	25 g/l
Tebucur 250 EW	04827	Globachem nv	Globachem nv	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Fungicide	EW	Professional	<i>Tebuconazole</i>	250 g/l
Tebuzate 220 SL	03836	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SL	Professional	<i>Thiabendazole</i>	220 g/l
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Grupo Agrotecnologia - IBERFOL	Insecticide	SL	Professional	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l
Tectura	05141	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	<i>Boscalid</i> <i>Metconazole</i>	133 g/l 60 g/l
Teldor	02003	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	WG	Professional	<i>Fenhexamid</i>	50 %w/w
Tempo	05601	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Temsa SC	05305	Globachem nv	Globachem nv	Herbicide	SC	Professional	<i>Mesotrione</i>	100 g/l
Teppeki	04399	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Insecticide	WG	Professional	<i>Flonicamid</i>	500 g/kg
Teridox	04902	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Dimethachlor</i>	500 g/l
Tern 750 EC	04305	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Fenpropidin</i>	750 g/l
Terpal	04419	BASF plc	BASF Ireland Ltd	Growth Regulator	SL	Professional	<i>Ethephon</i> <i>Mepiquat Chloride</i>	155 g/l 305 g/l
Terplex	05487	Globachem nv	Globachem nv	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	200 g/l
Tesco Advanced Slug & Snail Killer	06529	Doff Portland Ltd	Tesco Ireland Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	9.79 g/kg
Tesco Garden Bug Killer Spray	05383	Arysta LifeScience Benelux SPRL	Tesco Ireland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Tesco Glyphosate Concentrated Weedkiller	03353	Barclay Chemicals Ltd	Tesco Ireland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Tesco Systemic Path & Patio Weedkiller	05729	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Thiastar	06649	CAC GmbH	CAC GmbH	Fungicide	SC	Professional	<i>Azoxystrobin</i>	250 g/l
Thiopron	05496	UPL Europe Ltd	UPL Europe Ltd	Fungicide	SC	Professional	<i>Sulphur</i>	825 g/l
Thistlex	03831	Dow AgroSciences Ltd	Whelehan Crop Protection	Herbicide	SL	Professional	<i>Clopyralid</i> <i>Triclopyr</i>	200 g/l 200 g/l
Thor	03991	FMC Agro Ltd	FMC Agro Ltd	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	500 g/kg
Thrust	04520	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>2,4-D</i> <i>Dicamba</i>	344 g/l 120 g/l
Titus	03992	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	WG	Professional	<i>Rimsulfuron</i>	25 % w/w
Tizca	04398	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	500 g/l
Tokyo	06730	JT Agro Ltd	UPL Europe Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i>	200 g/l
Tonale	06577	Sipcam Oxon SpA	Sipcam U.K. Ltd	Herbicide	CS	Professional	<i>Clomazone</i> <i>Mesotrione</i> <i>Terbuthylazine</i>	40 g/l 75 g/l 375 g/l
Topik 240 EC	03802	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	EC	Professional	<i>Clodinafop</i>	240 g/l
Toprex	05206	Syngenta UK Ltd	Syngenta Ireland Ltd	Growth Regulator/Fungicide	SC	Professional	<i>Difenoconazole</i> <i>Paclbutrazol</i>	250 g/l 125 g/l
Touchdown Quattro	01956	Syngenta UK Ltd	Syngenta Ireland Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Tough Roundup Weedkiller Gel	05344	Monsanto UK Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	72 g/l
Tower	05425	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SC	Professional	<i>Chlorotoluron</i> <i>Diflufenican</i> <i>Pendimethalin</i>	250 g/l 40 g/l 300 g/l
Tracer	02649	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	SC	Professional	<i>Spinosad</i>	480 g/l
Traciafin	06015	Finchimica S.p.A	Finchimica S.p.A	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Trailer	05858	Industrias Afrasa S.A.	Industrias Afrasa S.A.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Transform	05342	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Insecticide	WG	Professional	<i>Sulfoxaflor</i>	500 g/kg
Traxx	04960	Sharda Europe b.v.b.a	Sharda Europe b.v.b.a	Molluscicide	GB	Professional	<i>Metaldehyde</i>	5% w/w
Trezac	06004	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Aminopyralid</i> <i>Halauxifen-methyl</i>	25.0 g/l 31.3 g/l
Trianum-P	05486	Koppert B.V.	Koppert B.V.	Fungicide	WG	Professional	<i>Trichoderma harzianum Strain T22</i>	1% w/w
Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	WG	Professional	<i>Tribenuron (-methyl)</i>	750 g/kg
Trico	06520	Kwizda Agro GmbH	Kwizda Agro GmbH	Repellant	EW	Professional	<i>Sheep fat</i>	64.6 g/l
Trinexis	05145	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Growth Regulator	EC	Professional	<i>Trinexapac ethyl</i>	250 g/l
Trinity 250	06569	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Tropotox	03525	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>MCPB</i>	400 g/l
TurboDisque	06616	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Professional	<i>Ferric Phosphate</i>	25 g/kg
TurboDisque Garden	06620	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	25 g/kg
TurboPads	06617	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Professional	<i>Ferric Phosphate</i>	25 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
TurboPads Garden	06621	Frunol Delicia GmbH	Frunol Delicia GmbH	Molluscicide	GR	Amateur	<i>Ferric Phosphate</i>	25g/kg
Turf Rise Feed, Weed & Moss Killer	06349	Angus Horticulture Ltd	Angus Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Turfmaster	05313	Nufarm UK Limited	Nufarm UK Limited	Herbicide	SL	Professional	<i>Dicamba</i> <i>MCPA</i> <i>Mecoprop-P</i>	19.5 g/l 245 g/l 43.3 g/l
Turret 60	06384	Globachem nv	Dow AgroSciences Ltd	Fungicide	EC	Professional	<i>Metconazole</i>	60 g/l
Typhoon 360	02501	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Herbicide	SL	Professional	<i>Glyphosate</i>	360 g/l
Ultima	03780	W. Neudorff GmbH KG	Unichem Limited	Herbicide	SL	Professional	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30 g/l 186.7 g/l
Ultima RTU	03781	W. Neudorff GmbH KG	W. Neudorff GmbH KG	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	4.95 g/l 31.02 g/l
Ultra All-in-One Bug Spray	04787	Arysta LifeScience Benelux SPRL	Doff Portland Ltd	Insecticide	AL	Amateur	<i>Cypermethrin</i>	0.05 g/l
Ultralegend	06471	JT Agro Ltd	Crothetics Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i> <i>Tebuconazole</i>	125 g/l 125 g/l
Ultraline	06235	JT Agro Ltd	Crothetics Ltd	Fungicide	EC	Professional	<i>Prothioconazole</i>	250 g/l
Unipro Lawn Feed, Weed and Mosskiller	06350	Unichem Limited	Unichem Limited	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	2.86 g/kg 0.57 g/kg 217.3 g/kg 2.86 g/kg
Unipro Slug Killer	05224	Chiltern Farm Chemicals Europe Ltd	Unichem Limited	Molluscicide	GB	Amateur	<i>Metaldehyde</i>	15 g/kg

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Universe	06493	Sharda Cropchem Espana S.L.	Sharda Cropchem Espana S.L.	Herbicide	EC	Professional	<i>Clopyralid</i>	80 g/l
							<i>Florasulam</i>	2.5 g/l
							<i>Fluroxypyr</i>	100 g/l
Upton	05623	Rotam Agrochemical Europe Ltd	Rotam Agrochemical Europe Ltd	Herbicide	SC	Professional	<i>Florasulam</i>	50 g/l
Valbon	03411	Certis Europe BV	Whelehan Crop Protection	Fungicide	WG	Professional	<i>Benthiavalicarb</i>	17.5 g/kg
							<i>Mancozeb</i>	700 g/kg
Valdor Flex	05882	Bayer CropScience Limited	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Diflufenican</i>	360 g/kg
							<i>Iodosulfuron-methyl-sodium</i>	10 g/kg
Valdor Solo	06722	ISK Biosciences Europe N.V.	Bayer CropScience Limited	Herbicide	WG	Professional	<i>Flazasulfuron</i>	25% w/w
Vareon	03554	DuPont (UK) Ltd	DuPont (Ireland) Ltd	Fungicide	EC	Professional	<i>Prochloraz</i>	320 g/l
							<i>Proquinazid</i>	40 g/l
							<i>Tebuconazole</i>	160 g/l
Variano Xpro	05701	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	EC	Professional	<i>Bixafen</i>	40 g/l
							<i>Fluoxastrobin</i>	50 g/l
							<i>Prothioconazole</i>	100 g/l
Velogy Era	05970	Syngenta UK Ltd	Syngenta Ireland Ltd	Fungicide	EC	Professional	<i>Benzovindiflupyr</i>	75 g/l
							<i>Prothioconazole</i>	150 g/l
Velum Prime	05686	Bayer CropScience Limited	Bayer CropScience Limited	Nematicide	SC	Professional	<i>Fluopyram</i>	400 g/l
Vendetta	05227	Cheminova A/S	Headland Agrochemicals Ltd	Fungicide	SC	Professional	<i>Azoxystrobin</i>	150 g/l
							<i>Fluazinam</i>	375 g/l
Venzar 500 SC	04805	DuPont (UK) Ltd	DuPont (UK) Ltd	Herbicide	SC	Professional	<i>Lenacil</i>	500 g/l
Verdone Extra	05095	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	ME	Amateur	<i>Clopyralid</i>	5.34 g/l
							<i>Fluroxypyr</i>	10.68 g/l
							<i>MCPA</i>	53.4 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Verdone Extra Ready to Use	05097	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i>	0.16 g/l
							<i>Fluroxypyr</i>	0.32 g/l
							<i>MCPA</i>	1.6 g/l
Verimark 20SC	05356	FMC Agro Ltd	FMC Agro Ltd	Insecticide	SC	Professional	<i>Cyantraniliprole</i>	200 g/l
Verve Lawn Feed, Weed & Mosskiller	04793	The Scotts Company (UK) Ltd	B & Q plc	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	16.3% w/w
							<i>MCPA</i>	0.49% w/w
							<i>Mecoprop-P</i>	0.29% w/w
Verve Lawn Sand 2	05455	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	7.7 %w/w
Verve Rapid Action Ready to use Weedkiller	06240	Evergreen Garden Care UK Ltd	Kingfisher International Products Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60 g/l
Verve Rootkilling Weedkiller	05648	Syngenta UK Ltd	B & Q plc	Herbicide	AL	Amateur	<i>Glyphosate</i>	8.39 g/l
Verve Slug and Snail Control	05932	The Scotts Company (UK) Ltd	Kingfisher International Products Ltd	Molluscicide	RB	Amateur	<i>Ferric Phosphate</i>	10 g/kg
Vibrance Duo	06263	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
Vibrance Star	06153	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	FS	Professional	<i>Fludioxonil</i>	25 g/l
							<i>Sedaxane</i>	25 g/l
							<i>Triticonazole</i>	20 g/l
Vitax Glyphosate Concentrated Weedkiller	04547	Barclay Chemicals Ltd	Vitax Limited	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Vitax Glyphosate Weedkiller RTU	02996	Barclay Chemicals Ltd	Vitax Limited	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Vitax Lawn Clear 2 Feed & Weed	05785	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	<i>2,4-D</i>	9.0 g/l
							<i>Clopyralid</i>	2.1 g/l
							<i>MCPA</i>	10.5 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Vitax Lawn Clear 2 Ready to Use	05784	Vitax Limited	Vitax Limited	Herbicide	AL	Amateur	2,4-D Clopyralid MCPA	1.13 g/l 0.26 g/l 1.31 g/l
Vitax LawnClear 2	05783	Vitax Limited	Vitax Limited	Herbicide	SL	Amateur	2,4-D Clopyralid MCPA	27.0 g/l 6.3 g/l 31.5 g/l
Vitax Pepper Dust	05442	Vitax Limited	Vitax Limited	Repellant	DP	Amateur	Pepper Dust	100% w/w
Vitax Weedfree Ready to Use	04976	Sipcam U.K. Ltd	Vitax Limited	Herbicide	AL	Amateur	Glyphosate	7.2 g/l
Vivando	05685	BASF plc	BASF Ireland Ltd	Fungicide	SC	Professional	Metrafenone	500 g/l
Vivendi 200	05122	UPL Holdings Cooperatief U.A.	UPL Europe Ltd	Herbicide	SL	Professional	Clopyralid	200 g/l
Volley	04516	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	SC	Professional	Fluazinam	500 g/l
Vydate 10G	03698	DuPont (UK) Ltd	DuPont (UK) Ltd	Nematicide	GR	Professional	Oxamyl	100 g/kg
Wakil XL	05471	Syngenta UK Ltd	Syngenta Ireland Ltd	Seed Dressing	WG	Professional	Cymoxanil Fludioxonil Metalaxyl M	100 g/kg 50 g/kg 175 g/kg
Waran	06583	Agro Trade GmbH	Agro Trade GmbH	Herbicide	EC	Professional	Fluroxypyr	200 g/l
Weedbuster Concentrate	03074	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	151.4 g/l
WeedBuster Super Concentrate	03255	Syngenta UK Ltd	Westland Horticulture Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedfree Express	06008	W. Neudorff GmbH KG	Unichem Limited	Herbicide	AL	Amateur	Pelargonic acid	31.02 g/l
Weedfree Home & Garden	05316	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l
Weedfree Plus	04408	Cheminova A/S	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	Glyphosate	360 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Weedfree Plus	06009	W. Neudorff GmbH KG	Unichem Limited	Herbicide	AL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	4.95 g/l 31.02 g/l
Weedfree Plus Concentrate	05924	W. Neudorff GmbH KG	Unichem Limited	Herbicide	SL	Amateur	<i>Maleic hydrazide</i> <i>Pelargonic acid</i>	30 g/l 186.7 g/l
Weedfree RTU	03000	Barclay Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Weedfree Zone	05769	Hygeia Chemicals Ltd	Hygeia Chemicals Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Weedkiller 360	05864	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	360 g/l
Weedkiller 7.2	05866	Sinon EU GmbH	Doff Portland Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	7.2 g/l
Weedkiller 90	05865	Sinon EU GmbH	Doff Portland Ltd	Herbicide	SL	Amateur	<i>Glyphosate</i>	90 g/l
Weedol Gun! Fast Acting Weedkiller	04521	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Acetic acid</i>	60.0 g/l
Weedol Gun! Lawn Weedkiller	05098	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	0.16 g/l 0.32 g/l 1.6 g/l
Weedol Gun! Rootkill Plus	02465	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i> <i>Pyraflufen-ethyl</i>	7.2 g/l 0.02 g/l
Weedol Gun! Ultra Tough Weedkiller	05175	The Scotts Company (UK) Ltd	The Scotts Company (UK) Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i> <i>Pyraflufen-ethyl</i>	7.2 g/l 0.02 g/l
Weedol Lawn Weedkiller	05096	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	ME	Amateur	<i>Clopyralid</i> <i>Fluroxypyr</i> <i>MCPA</i>	5.34 g/l 10.68 g/l 53.4 g/l
Weedol LN	06560	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	0.4675 g/l 3.75 g/l
Weedol LN Concentrate	06561	Hygeia Chemicals Ltd	Evergreen Garden Care UK Ltd	Herbicide	SL	Amateur	<i>Dicamba</i> <i>Mecoprop-P</i>	4.675 g/l 37.5 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Weedol Path and Gravel Ready to Use	06555	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>43.1 g/l</i>
Weedol Pathclear Weedkiller	05176	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SC	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	<i>20 g/l</i> <i>125 g/l</i>
Weedol PS Pathclear Weedkiller	05438	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Diflufenican</i> <i>Glyphosate</i>	<i>0.576 g/l</i> <i>3.6 g/l</i>
Weedol Rapid Weed Control Ready to Use	06553	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	AL	Amateur	<i>Pelargonic acid</i>	<i>43.1 g/l</i>
Weedol Rootkill Plus	02464	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SE	Amateur	<i>Glyphosate</i> <i>Pyraflufen-ethyl</i>	<i>12 % w/v</i> <i>0.033 % w/w</i>
Weedol Ultra Tough Weedkiller	05174	Evergreen Garden Care UK Ltd	Evergreen Garden Care UK Ltd	Herbicide	SE	Amateur	<i>Glyphosate</i> <i>Pyraflufen-ethyl</i>	<i>12% w/v</i> <i>0.033% w/v</i>
Westland Lawn Feed, Weed and Moss Killer Granules	06248	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i> <i>Dicamba</i> <i>Ferrous Sulphate</i> <i>Mecoprop-P</i>	<i>2.86 g/kg</i> <i>0.57 g/kg</i> <i>217.3 g/kg</i> <i>2.86 g/kg</i>
Westland Lawn Sand 2	05410	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>Ferrous Sulphate</i>	<i>7.7 g/kg</i>
Westland Plant Rescue Fruit & Vegetable Bug Killer	04033	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.015 g/l</i>
Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer	04032	Syngenta UK Ltd	Westland Horticulture Ltd	Insecticide	ME	Amateur	<i>lambda-Cyhalothrin</i>	<i>0.75 g/l</i>
Westland Rose Rescue	04801	Arysta LifeScience Benelux SPRL	Westland Horticulture Ltd	Fungicide/Insecticide	AL	Amateur	<i>Cypermethrin</i> <i>Myclobutanil</i>	<i>0.05 g/l</i> <i>0.075 g/l</i>
Whorl	05740	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	EC	Professional	<i>Fluroxypyr</i> <i>Halauxifen-methyl</i>	<i>280 g/l</i> <i>12 g/l</i>
Wilko Glyphosate Weedkiller	02998	Barclay Chemicals Ltd	Barclay Chemicals Ltd	Herbicide	AL	Amateur	<i>Glyphosate</i>	<i>7.2 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Function</i>	<i>Formulation Type</i>	<i>User Type</i>	<i>Active Substance</i>	<i>Content</i>
Wilko Lawn Feed, Weed and Moss Killer Treatment	06249	Westland Horticulture Ltd	Westland Horticulture Ltd	Herbicide	GR	Amateur	<i>2,4-D</i>	<i>2.86 g/kg</i>
							<i>Dicamba</i>	<i>0.57 g/kg</i>
							<i>Ferrous Sulphate</i>	<i>217.3 g/kg</i>
							<i>Mecoprop-P</i>	<i>2.86 g/kg</i>
Winby	05611	ISK Biosciences Europe N.V.	Belchim Crop Protection Ltd	Fungicide	SC	Professional	<i>Fluazinam</i>	<i>500 g/l</i>
Wing P	03590	BASF plc	BASF Ireland Ltd	Herbicide	EC	Professional	<i>Dimethenamid-P</i>	<i>212.5 g/l</i>
							<i>Pendimethalin</i>	<i>250g/l</i>
Winger	05807	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	Fungicide	EC	Professional	<i>Fenpropidin</i>	<i>750 g/l</i>
Xerton	05702	UPL Europe Ltd	UPL Europe Ltd	Herbicide	SC	Professional	<i>Ethofumesate</i>	<i>417 g/l</i>
Zephyr	03792	Bayer CropScience Limited	Bayer CropScience Limited	Fungicide	SC	Professional	<i>Prothioconazole</i>	<i>175 g/l</i>
							<i>Trifloxystrobin</i>	<i>88 g/l</i>
Zetanil WG	04492	Sipcam Oxon SpA	Sipcam U.K. Ltd	Fungicide	WG	Professional	<i>Cymoxanil</i>	<i>45 g/kg</i>
							<i>Mancozeb</i>	<i>650 g/kg</i>
Zetrola	05936	Adama Agricultural Solutions UK Ltd	Syngenta Ireland Ltd	Herbicide	EC	Professional	<i>Propaquizafop</i>	<i>100 g/l</i>
							<i>Benthiavalicarb</i>	<i>70 g/l</i>
Zorvec Endavia	06222	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	OD	Professional	<i>Oxathiapiprolin</i>	<i>30 g/l</i>
							<i>Oxathiapiprolin</i>	<i>100 g/l</i>
Zorvec Enicade	05608	DuPont (UK) Ltd	DuPont (UK) Ltd	Fungicide	OD	Professional	<i>Oxathiapiprolin</i>	<i>100 g/l</i>
Zoxis	05348	Arysta LifeScience Benelux SPRL	Arysta LifeScience Benelux SPRL	Fungicide	SC	Professional	<i>Azoxystrobin</i>	<i>250 g/l</i>
Zulu	05026	Adama Agricultural Solutions UK Ltd	Adama Agricultural Solutions UK Ltd	Fungicide	EC	Professional	<i>Isopyrazam</i>	<i>125 g/l</i>
							<i>Florasulam</i>	<i>5.0 g/l</i>
Zypar	05800	Dow AgroSciences Ltd	Dow AgroSciences Ltd	Herbicide	OD	Professional	<i>Halauxifen-methyl</i>	<i>6.25 g/l</i>

Chapter 2

Plant Protection Product Name Changes Accepted since “Pesticides 2020”

Product name changes accepted since "*Pesticides 2020*"

<u>Old Product Name</u>	<u>PCS No</u>	<u>New Product Name</u>
Bullet	06420	Ironclad
Ecofective Path and Patio Weed + Mosskiller	05759	Spot On Fast Acting Moss Killer
Ecofective Weedblast	05758	Spot On Fast Acting Weedkiller
Headland Zig Zag	92402	Zigzag
Intellis	05304	Celica
Moxa New	05487	Terplex
Mycostop	04713	Lalstop K61 WP
Vertisan	05303	Avella

Chapter 3

Plant Protection Products listed in '*Pesticides 2020*' for which registrations expired or were rescinded between 1/1/20 and 1/1/21

Plant Protection Products whose registrations have expired or were revoked between 1/1/20 and 1/1/21

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Adexar	04966	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Asulox (Emergency Use)	06651	UPL Europe Ltd	Professional	Herbicide	30/09/2020	30/09/2020
Avena Nova	06385	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Beetshield 200	05805	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2020	30/06/2022
Binder	05113	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2020	30/06/2022
Biscaya	03602	Bayer CropScience Limited	Professional	Insecticide	03/08/2020	03/02/2021
Butoxone DB	02968	Nufarm UK Limited	Professional	Herbicide	30/04/2020	31/10/2021
Cabadex	03749	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2020	30/06/2022
CaLypso	02441	Bayer CropScience Limited	Professional	Insecticide	03/08/2020	03/02/2021
Cauldron	03971	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Ceando	04391	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Ceriox	04382	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
CIPC	03066	Arysta LifeScience Benelux SPRL	Professional	Herbicide	08/01/2020	08/10/2020
Clayton Satchmo	06374	Clayton Plant Protection Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Clearall XL	05794	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2020	30/06/2022
Clovermax	04773	Nufarm UK Limited	Professional	Herbicide	30/04/2020	31/10/2021
CloveX	05828	DHM Agrochemicals Ltd.,	Professional	Herbicide	30/04/2020	31/10/2021
Contans WG	03287	Bayer CropScience Limited	Professional	Fungicide	01/03/2020	01/09/2021
Corrib	05202	Barclay Chemicals Ltd	Professional	Fungicide	30/04/2020	30/10/2021
Croplink Astra	04603	Croplink (Ireland) Ltd	Professional	Adjuvant	31/12/2020	30/06/2022

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Croplink D50	04600	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Croplink Liberty	05134	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2020	30/06/2022
DB Plus	90493	Hygeia Chemicals Ltd	Professional	Herbicide	30/04/2020	31/10/2021
Deuce	04993	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Diqua (Emergency Use)	06718	Sharda Cropchem Espana S.L.	Professional	Herbicide	08/11/2020	08/11/2020
Doff Glyphosate Weedkiller	04997	Barclay Chemicals Ltd	Amateur	Herbicide	31/03/2020	30/09/2021
Doff Ivy & Brushwood Killer RTU	04998	Barclay Chemicals Ltd	Amateur	Herbicide	31/03/2020	30/09/2021
Doff Path & Patio Weedkiller RTU	04996	Barclay Chemicals Ltd	Amateur	Herbicide	31/03/2020	30/09/2021
Echo Pro	05741	Unichem Limited	Professional	Herbicide	31/12/2020	30/06/2022
Embutone	04831	Nufarm UK Limited	Professional	Herbicide	30/04/2020	31/10/2021
Exemptor	05615	Bayer CropScience Limited	Professional	Insecticide	03/08/2020	03/02/2021
Farmco 2-4D	04433	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Bixapro	06102	Farmco Agritrading Ltd	Professional	Fungicide	31/12/2020	30/06/2022
Farmco Cerusite	04636	Farmco Agritrading Ltd	Professional	Growth Regulator	31/12/2020	30/06/2022
Farmco Chlormequat	05594	Farmco Agritrading Ltd	Professional	Growth Regulator	31/12/2020	30/06/2022
Farmco Dazzle	05297	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Docs	06101	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Duplex	04418	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Epoxy	05284	Farmco Agritrading Ltd	Professional	Fungicide	30/04/2020	30/10/2021
Farmco Grazing Special	05121	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Maize	04157	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco PGR	04906	Farmco Agritrading Ltd	Professional	Growth Regulator	31/12/2020	30/06/2022
Farmco Pro-Strob	04770	Farmco Agritrading Ltd	Professional	Fungicide	31/12/2020	30/06/2022

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Farmco Slugs	05676	Farmco Agritrading Ltd	Professional	Molluscicide	31/12/2020	30/06/2022
Farmco Thistles	05124	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Tuskar	04403	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Undersown	04905	Farmco Agritrading Ltd	Professional	Herbicide	30/04/2020	31/10/2021
Farmco Wild Oats	04925	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Zealot	05299	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Farmco Zeus	05132	Farmco Agritrading Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Fumi-Gas T	05930	Servem Ltd	Professional	Insecticide	31/12/2020	30/06/2022
G360 Xtra	05768	Hygeia Chemicals Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Garlon Ultra	04473	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Gleam	04420	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Gloflo	04873	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2020	30/06/2022
Gro-Stop 100	03115	Certis Europe BV	Professional	Growth Regulator	08/01/2020	08/10/2020
Gro-Stop Fog	03114	Certis Europe BV	Professional	Growth Regulator	08/01/2020	08/10/2020
Gro-Stop HN	03113	Certis Europe BV	Professional	Growth Regulator	08/01/2020	08/10/2020
Gro-Stop Innovator	03116	Certis Europe BV	Professional	Growth Regulator	08/01/2020	08/10/2020
Gro-Stop Ready	04828	Certis Europe BV	Professional	Growth Regulator	08/01/2020	08/10/2020
Headland Spruce	04772	Nufarm UK Limited	Professional	Herbicide	30/04/2020	31/10/2021
Hygrass Xtra	06010	Hygeia Chemicals Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Icade	04249	Dow AgroSciences Ltd	Professional	Herbicide	31/03/2020	30/09/2021
Icarus	04421	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Inca	04457	Adama Agricultural Solutions UK Ltd	Professional	Fungicide	30/04/2020	30/10/2021
Keystone	05025	Syngenta UK Ltd	Professional	Fungicide	30/04/2020	30/10/2021
Legumex DB	90605	Hygeia Chemicals Ltd	Professional	Herbicide	30/04/2020	31/10/2021
Mastercrop Undersown	91839	Hygeia Chemicals Ltd	Professional	Herbicide	30/04/2020	31/10/2021

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Micaraz	05029	Syngenta UK Ltd	Professional	Fungicide	30/04/2020	30/10/2021
Monitor	02076	Sumitomo Chemical Agro Europe SAS	Professional	Herbicide	31/12/2020	30/06/2022
Neo Stop	03065	Arysta LifeScience Benelux SPRL	Professional	Growth Regulator	08/01/2020	08/10/2020
Neo Stop 300 HN	05213	Arysta LifeScience Benelux SPRL	Professional	Growth Regulator	08/01/2020	08/10/2020
Neo-Stop L500 HN	03053	Arysta LifeScience Benelux SPRL	Professional	Growth Regulator	08/01/2020	08/10/2020
New Hyflux	05268	Hygeia Chemicals Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Oblix 500	05286	UPL Europe Ltd	Professional	Herbicide	30/06/2020	31/12/2021
Opera	05190	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Opus	04326	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Opus Max	04437	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Osiris P	04425	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Osmonds Dock-Kleen	05743	Croplink (Ireland) Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Paarity	04871	National Agrochemical Distributors Ltd	Professional	Fungicide	31/12/2020	30/06/2022
Pestshield Path and Patio Weedkiller	04834	Barclay Chemicals Ltd	Amateur	Herbicide	31/03/2020	30/09/2021
Pestshield Weedkiller	04321	Barclay Chemicals Ltd	Amateur	Herbicide	31/03/2020	30/09/2021
Pexan	04967	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Praxys	03510	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Pyrimala	05429	Servem Ltd	Professional	Fungicide	31/12/2020	30/06/2022
Reglone (Emergency Use)	06708	Syngenta UK Ltd	Professional	Herbicide	08/11/2020	08/11/2020
Reldan 22	03623	Dow AgroSciences Ltd	Professional	Insecticide	16/02/2020	16/04/2020
Ridomil Gold MZ 68 WG	01516	Syngenta UK Ltd	Professional	Fungicide	31/03/2020	30/09/2021
Rigel	05280	Servem Ltd	Professional	Fungicide	31/12/2020	30/06/2022
Rubic	04444	Cheminova A/S	Professional	Fungicide	30/04/2020	30/10/2021
Sabik-1.8%	04907	Servem Ltd	Professional	Acaricide/Insecticide	31/12/2020	30/06/2022
Salvo	04120	UPL Europe Ltd	Professional	Herbicide	30/09/2020	31/03/2022
Seguris	05028	Syngenta UK Ltd	Professional	Fungicide	30/04/2020	30/10/2021

<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>User Type</i>	<i>Function Description</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Sentry 500	05744	Unichem Limited	Professional	Fungicide	31/12/2020	30/06/2022
Sonido	05151	Bayer CropScience Limited	Professional	Seed Dressing	03/08/2020	03/02/2021
Speedline Pro	04975	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Spike	06200	Globachem nv	Professional	Fungicide	30/04/2020	30/10/2021
Splice	04448	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021
Starane XL	02075	Dow AgroSciences Ltd	Professional	Herbicide	31/12/2020	30/06/2022
Tiro	06379	Life Scientific Limited	Professional	Fungicide	30/04/2020	30/10/2021
Underclear	91488	Hygeia Chemicals Ltd	Professional	Herbicide	30/04/2020	31/10/2021
Undersown	91489	Hygeia Chemicals Ltd	Professional	Herbicide	30/04/2020	31/10/2021
Uproot	05976	DHM Agrochemicals Ltd.,	Professional	Herbicide	31/12/2020	30/06/2022
Valdor Flex	05612	Bayer CropScience Limited	Professional	Herbicide	30/06/2020	31/12/2021
Venture Extra	04447	BASF plc	Professional	Fungicide	30/04/2020	30/10/2021

Chapter 4

Products for which authorization, clearance, notification or permission to market, as appropriate, has been rescinded and for which the period specified for use of remaining stocks will expire during 2021

Plant Protection Products for which registrations have expired or have been or will be revoked and the use of which will become illegal during 2021.

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
3 Hour Weedkiller	Bayer CropScience Limited	92328		31/12/2019	30/06/2021
Adexar	BASF plc	04966	<i>Fatty Acid - C7-C20</i>	30/04/2020	30/10/2021
AyeFlex	Psigma AB	92451	<i>Epoxiconazole</i> <i>Fluxapyroxad</i>	31/12/2019	30/06/2021
Basilex Ultra	Sumitomo Chemical Agro Europe SAS	04815	<i>Benzotriazine</i> <i>Locust Bean Gum</i> <i>Polyethyleneimine</i>	31/12/2019	30/06/2021
Biscaya	Bayer CropScience Limited	03602	<i>Tolclofos-methyl</i>	03/08/2020	03/02/2021
Butoxone DB	Nufarm UK Limited	02968	<i>Thiacloprid</i>	30/04/2020	31/10/2021
Butryflow	Nufarm UK Limited	03659	<i>2,4-DB</i>	14/03/2021	14/09/2021
CaLypso	Bayer CropScience Limited	02441	<i>Bromoxynil</i>	03/08/2020	03/02/2021
Cauldron	BASF plc	03971	<i>Thiacloprid</i>	30/04/2020	30/10/2021
Ceando	BASF plc	04391	<i>Boscalid</i> <i>Epoxiconazole</i>	30/04/2020	30/10/2021
Celest Trio	Syngenta UK Ltd	04190	<i>Epoxiconazole</i> <i>Metrafenone</i>	31/12/2019	30/06/2021
Cerix	BASF plc	04382	<i>Difenoconazole</i> <i>Fludioxonil</i> <i>Tebuconazole</i>	30/04/2020	30/10/2021
Cimarron	DuPont (UK) Ltd	02845	<i>Epoxiconazole</i> <i>Fluxapyroxad</i> <i>Pyraclostrobin</i>	31/12/2019	30/06/2021
Claw 100	DHM Agrochemicals Ltd.,	05444	<i>Metsulfuron (-methyl)</i>	31/12/2019	30/06/2021
Clovermax	Nufarm UK Limited	04773	<i>Propaquizafop</i>	30/04/2020	31/10/2021
CloveX	DHM Agrochemicals Ltd.,	05828	<i>2,4-DB</i> <i>MCPA</i>	30/04/2020	31/10/2021
Contans WG	Bayer CropScience Limited	03287	<i>2,4-DB</i> <i>MCPA</i>	01/03/2020	01/09/2021
			<i>Coniothyrium Mimitans - Strain - CON/M/91-08</i>		

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Corrib	Barclay Chemicals Ltd	05202	<i>Epoxiconazole</i> <i>Prochloraz</i>	30/04/2020	30/10/2021
Croplink Empire	Croplink (Ireland) Ltd	03051	<i>Metsulfuron (-methyl)</i>	31/12/2019	30/06/2021
Cultar	Syngenta UK Ltd	90464	<i>Paclobutrazol</i>	31/12/2019	30/06/2021
Curzate M	DuPont (UK) Ltd	90478	<i>Cymoxanil</i> <i>Mancozeb</i>	31/12/2019	30/06/2021
Cutaway	Syngenta UK Ltd	03683	<i>Trinexapac ethyl</i>	31/12/2019	30/06/2021
DB Plus	Hygeia Chemicals Ltd	90493	<i>2,4-DB</i> <i>MCPA</i>	30/04/2020	31/10/2021
Deuce	BASF plc	04993	<i>Boscalid</i> <i>Epoxiconazole</i>	30/04/2020	30/10/2021
Doff Glyphosate Weedkiller	Barclay Chemicals Ltd	04997	<i>Glyphosate</i>	31/03/2020	30/09/2021
Doff Ivy & Brushwood Killer RTU	Barclay Chemicals Ltd	04998	<i>Glyphosate</i>	31/03/2020	30/09/2021
Doff Path & Patio Weedkiller RTU	Barclay Chemicals Ltd	04996	<i>Glyphosate</i>	31/03/2020	30/09/2021
Dynamec	Syngenta UK Ltd	02640	<i>Abamectin</i>	31/12/2019	30/06/2021
DyWeed 50	DHM Agrochemicals Ltd.,	05301	<i>2,4-D</i>	31/12/2019	30/06/2021
Eagle Green Care	ECOspray Ltd	92367	<i>Garlic Extract</i>	31/12/2019	30/06/2021
ECOGuard Granules	ECOspray Ltd	92304	<i>Garlic Extract</i>	31/12/2019	30/06/2021
ECOGuard Liquid	ECOspray Ltd	92305	<i>Garlic Extract</i>	31/12/2019	30/06/2021
Embutone	Nufarm UK Limited	04831	<i>2,4-DB</i>	30/04/2020	31/10/2021
Exemptor	Bayer CropScience Limited	05615	<i>Thiacloprid</i>	03/08/2020	03/02/2021
Farmco Beet-Clean	Farmco Agritrading Ltd	05125	<i>Triflusalufuron</i>	30/09/2019	31/03/2021
Farmco Blight	Farmco Agritrading Ltd	04971	<i>Fluopicolide</i> <i>Propamocarb</i>	30/09/2019	31/03/2021
Farmco Epoxy	Farmco Agritrading Ltd	05284	<i>Epoxiconazole</i>	30/04/2020	30/10/2021
Farmco Iconic	Farmco Agritrading Ltd	05308	<i>Tebuconazole</i>	30/09/2019	31/03/2021
Farmco Undersown	Farmco Agritrading Ltd	04905	<i>2,4-DB</i>	30/04/2020	31/10/2021
Flurostar 200	Globachem nv	02950	<i>Fluroxypyr</i>	30/09/2019	31/03/2021

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Fungus Fighter Plus	Bayer CropScience Limited	05443	<i>Tebuconazole</i> <i>Trifloxystrobin</i>	31/12/2019	30/06/2021
Galben M	FMC Chemical s.p.r.l.	91973	<i>Benalaxyl</i> <i>Mancozeb</i>	31/12/2019	30/06/2021
Galion	Amega Sciences plc	91903	<i>Ethylene oxide condensate</i>	31/12/2019	30/06/2021
Gleam	BASF plc	04420	<i>Epoxiconazole</i> <i>Metconazole</i>	30/04/2020	30/10/2021
Grail	Nufarm UK Limited	02826	<i>Prochloraz</i> <i>Tebuconazole</i>	31/12/2019	30/06/2021
Gusto 3	Adama Agricultural Solutions UK Ltd	03666	<i>Metaldehyde</i>	30/09/2019	31/03/2021
Headland Spruce	Nufarm UK Limited	04772	<i>2,4-DB</i>	30/04/2020	31/10/2021
Headland Triad	DuPont (UK) Ltd	03433	<i>Tribenuron (-methyl)</i>	31/12/2019	30/06/2021
Icade	Dow AgroSciences Ltd	04249	<i>Aminopyralid</i> <i>Triclopyr</i>	31/03/2020	30/09/2021
Icarus	BASF plc	04421	<i>Epoxiconazole</i> <i>Metconazole</i>	30/04/2020	30/10/2021
Impact	Cheminova A/S	90512	<i>Flutriafol</i>	31/12/2019	30/06/2021
Inca	Adama Agricultural Solutions UK Ltd	04457	<i>Epoxiconazole</i>	30/04/2020	30/10/2021
Keystone	Syngenta UK Ltd	05025	<i>Epoxiconazole</i> <i>Isopyrazam</i>	30/04/2020	30/10/2021
Legumex DB	Hygeia Chemicals Ltd	90605	<i>2,4-DB</i> <i>MCPA</i>	30/04/2020	31/10/2021
Lumen	BASF plc	02702	<i>Epoxiconazole</i> <i>Pyraclostrobin</i>	31/12/2019	30/06/2021
Masai	BASF plc	03585	<i>Tebufenpyrad</i>	31/12/2019	30/06/2021
Mastercrop Undersown	Hygeia Chemicals Ltd	91839	<i>2,4-DB</i> <i>MCPA</i>	30/04/2020	31/10/2021
Micaraz	Syngenta UK Ltd	05029	<i>Epoxiconazole</i> <i>Isopyrazam</i>	30/04/2020	30/10/2021
Mitron WG	Hermoo Belgium N.V.	01704	<i>Metamitron</i>	31/12/2019	30/06/2021
NEMguard Granules	ECOspray Ltd	92306	<i>Garlic Extract</i>	31/12/2019	30/06/2021

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Nemguard Liquid	ECOspray Ltd	92307		31/12/2019	30/06/2021
			<i>Garlic Extract</i>		
Oblix 500	UPL Europe Ltd	05286		30/06/2020	31/12/2021
			<i>Ethofumesate</i>		
Octave 50 WP	BASF plc	90798		31/12/2019	30/06/2021
			<i>Prochloraz</i>		
Opera	BASF plc	05190		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
			<i>Pyraclostrobin</i>		
Opus	BASF plc	04326		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
Opus Max	BASF plc	04437		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
Opus Star	BASF plc	03314		31/12/2019	30/06/2021
			<i>Epoxiconazole</i>		
			<i>Prochloraz</i>		
Osiris P	BASF plc	04425		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
			<i>Metconazole</i>		
Path, Patio & Drive Weedkiller Sachets	Cheminova A/S	05051		31/12/2019	30/06/2021
			<i>Glyphosate</i>		
Pepper Dust	Bayer CropScience Limited	05441		31/12/2019	30/06/2021
			<i>Pepper Dust</i>		
Pestshield Path and Patio Weedkiller	Barclay Chemicals Ltd	04834		31/03/2020	30/09/2021
			<i>Glyphosate</i>		
Pestshield Weedkiller	Barclay Chemicals Ltd	04321		31/03/2020	30/09/2021
			<i>Glyphosate</i>		
Pexan	BASF plc	04967		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
			<i>Fluxapyroxad</i>		
Prelude 20 LF	BASF plc	00499		31/12/2019	30/06/2021
			<i>Prochloraz</i>		
Primo Maxx	Syngenta UK Ltd	03879		31/12/2019	30/06/2021
			<i>Trinexapac ethyl</i>		
Ridomil Gold MZ 68 WG	Syngenta UK Ltd	01516		31/03/2020	30/09/2021
			<i>Mancozeb</i>		
			<i>Metalaxyl M</i>		
Rizolex	Sumitomo Chemical Agro Europe SAS	91166		31/12/2019	30/06/2021
			<i>Tolclofos-methyl</i>		
Rubric	Cheminova A/S	04444		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
Safari Lite WSB	FMC Agro Ltd	02132		31/12/2019	30/06/2021
			<i>Lenacil</i>		
			<i>Triflurosulfuron</i>		
Seguris	Syngenta UK Ltd	05028		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		
			<i>Isopyrazam</i>		
Sonido	Bayer CropScience Limited	05151		03/08/2020	03/02/2021
			<i>Thiacloprid</i>		
Spike	Globachem nv	06200		30/04/2020	30/10/2021
			<i>Epoxiconazole</i>		

<i>Product Name</i>	<i>Company Name</i>	<i>PCS No</i>	<i>Substance</i>	<i>Registration expiry date</i>	<i>Product use illegal from</i>
Splice	BASF plc	04448	<i>Boscalid</i> <i>Epoxiconazole</i>	30/04/2020	30/10/2021
Sportak 45 HF	BASF plc	00566	<i>Prochloraz</i>	31/12/2019	30/06/2021
Strand	Headland Agrochemicals Ltd	03747	<i>Epoxiconazole</i>	31/12/2019	30/06/2021
Super Strength Glyphosate	Cheminova A/S	03618	<i>Glyphosate</i>	31/12/2019	30/06/2021
Sward	Amega Sciences plc	00844	<i>Polyalkyleneoxide</i>	31/12/2019	30/06/2021
Synero	Dow AgroSciences Ltd	04058	<i>Aminopyralid</i> <i>Fluroxypyr</i>	30/09/2019	31/03/2021
Target SC	UPL Europe Ltd	01298	<i>Metamitron</i>	31/12/2019	30/06/2021
Target WG	UPL Europe Ltd	01506	<i>Metamitron</i>	31/12/2019	30/06/2021
Teppeki	ISK Biosciences Europe N.V.	02683	<i>Fonicamid</i>	31/12/2019	30/06/2021
Tiro	Life Scientific Limited	06379	<i>Epoxiconazole</i> <i>Metconazole</i>	30/04/2020	30/10/2021
Twinprop	DHM Agrochemicals Ltd.,	04427	<i>Mecoprop-P</i>	31/12/2019	30/06/2021
Underclear	Hygeia Chemicals Ltd	91488	<i>2,4-DB</i> <i>Mecoprop-P</i>	30/04/2020	31/10/2021
Undersown	Hygeia Chemicals Ltd	91489	<i>2,4-DB</i> <i>MCPA</i>	30/04/2020	31/10/2021
Valdor Flex	Bayer CropScience Limited	05612	<i>Diiflufenican</i> <i>Iodosulfuron-methyl-sodium</i>	30/06/2020	31/12/2021
Venture Extra	BASF plc	04447	<i>Boscalid</i> <i>Epoxiconazole</i>	30/04/2020	30/10/2021
Venture Jewel	BASF plc	03848	<i>Boscalid</i> <i>Epoxiconazole</i> <i>Epoxiconazole</i> <i>Metconazole</i>	31/12/2019	30/06/2021
Viking	Amega Sciences plc	92450	<i>Alcohol Ethoxylate</i>	31/12/2019	30/06/2021
Vincit	Cheminova A/S	00403	<i>Flutriafol</i> <i>Thiabendazole</i>	31/12/2019	30/06/2021

Chapter 5

Marketing Companies

Company Name	Address	Tel	Fax
151 Products Ltd	The Old School House, 39 George Leigh Street, Manchester M4 6AF, England	00441 618 395949	
Adama Agricultural Solutions UK Ltd	Unit 15, Thatcham Business Village, Colthrop Way, Thatcham, Berkshire, RG19 4 LW, England	00441 730 265 798	00441-730 265 798
Agro Trade GmbH	Barweiler Str.55, 55568 Lauschied, Germany	0049 675312570	
AgroFresh Holding France S.A.S.	23 – 25 avenue Mac-Mahon, 75017 Paris, France	0033489 829249	
Agrostulln GmbH	Werksweg 2, D-92551 Stulln, Germany	0049 9435 3069-0	0049 9435 3069-14
AgroVista UK Ltd	Cambridge House Nottingham Road, Stapleford, Nottingham NG9 8AB England	0044 1845 577117	
Albaugh Europe Sarl	Chemin de Raidillon, 1B, 1091 Grandvaux, Vaud, Switzerland	004420 35512580,	004420 7956 2001
Albaugh UK Ltd	1 Northumberland Avenue, Trafalgar Square, London, WC2N 5BW, England		
Alpha Biopesticides Ltd	St John's Innovation centre, Cowley Road, Cambridge, CB4 0WS, England	00441449 760791	00447763221000
Amega Sciences plc	17 Lancaster Way, Royal Oak Industrial Estate, Daventry, NN11 8PH Northamptonshire, England		
Amvac Netherlands B.V.	Kosterijland 72, 3981 AJ Bunnik, The Netherlands	0031 852731606	
Amvac Chemical UK Limited	Surrey Technology Centre, 40 Occam Road, The Surrey Research Park, Guildford, Surrey, GU2 7YG, England	00441-483-295780	00441-483-295781
Angus Horticulture Ltd	Polmood, Guthrie, Forfar, Angus, DD8 2TW, Scotland	0044-1241-829049	
Arysta Life Science S.A.S.	Route d'Artix, BP80, 64150 Nogueres, France	0033 559 609292	0033 559 609299
Arysta LifeScience Benelux SPRL	Rue de Renory 26/1, B-4102 Ougree, Belgium	0032 4385 9711	
Arysta LifeScience UK & Ireland Ltd	Suite G8, Evans Business Centre, Monckton Road, Wakefield, WF2 7AS England	00441924 888149	
Aurivo Co-operative Ltd	Finisklin Business Park, Finisklin, Sligo, Co Sligo	071 9186500	
B & Q plc	Chestnut Avenue, Chandler's Ford, Eastleigh, Hampshire, SO53 3LE, England	0044-2380-690000	
Bandon Agricultural Products Ltd	5-6 Bridge Street, Bandon, Co. Cork	023-8841115	
Barclay Chemicals Ltd	Tyrellstown Way, Damastown Industrial Estate, Mulhuddart, Dublin 15	01-8224555	01-8224678
BASF plc	P.O. 4 Earl Road, Cheadle Hulme, Cheadle, Cheshire, SK8 6QG, England	00441-61485-6222	00441-61486-0891
Bayer CropScience Limited	230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	0044-1223-226500	0044-1223-426240
Bayer CropScience Biologics GmbH	Inselstrasse 12, D-23999 Malchow/Poel, Germany	0049-38425-2323	
Bayer SAS	Environmental Science SAS, 230 Cambridge Science Park, Milton Road, Cambridge, CB4 0WB, England	00441 223 226682	
Belchim Crop Protection Ltd	1b Fenice Court, Phoenix Park, Eaton Socon, St. Neots, Cambridgeshire, PE19 8EP, England	00441480403444	
Belchim Crop Protection NV	Technologielaan 7, B-1840, Londerzeel, Belgium	0032 5231 9659	
Belcrop N.V.	Tiensestraat 300, B-3400, Landen, Belgium	003211 598360	
Biocontrol Technologies S.L.	Avgda. Madrid, 215-217, entresol dreta A, Barcelona, 08014, Spain	0034 93409 1848	
CAC GmbH	Bottgerstrasse 12, 20148 Hamburg, Germany		
CBC (Europe) S.r.l.	via E. Majorana 2, Nova Milanese (MB), 20834, Italy	0039 362 365079	
Certiplant N.V.	Lichtenberglaan 2045, B-3800, Sint-Truiden, Belgium	0032 1188 0392	0032 1170 7484
Certis Europe BV	C/o Suite 5, 1Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD, England	0044 845 3730 305	
Cheminova A/S	P.O. Box 9, DK-7620 Lemvig, Denmark	0044 1423 857852	
Chiltern Farm Chemicals Europe Ltd	90 Upper Georges Street, Dun Laoghaire, Co Dublin	0044 1833 628282	
Ciech Sarzyna S.A	Chemikow 1 Str, 37-310 Nowa Sarzyna, Podkarpackie, Poland	0048 1724 07111	
Clayton Plant Protection Ltd	Bracetown Business Park, Clonee, Co Meath D15 YT2T	01-8210127	
Compo GmbH	Gildenstrasse 38, D-48157 Munster, Germany	0049 251 32770	
Corteva Agriscience UK Ltd	CPC2 Capital Park Fulbourn, Cambridge CB21 5XE, England	0044 1462 457272	

Company Name	Address	Tel	Fax
Croplink (Ireland) Ltd	1 Aillwee Lane, Ballyvaughan, Co. Clare	065-7077331	065-7077334
Danstar Ferment AG	Poststrasse 30, CH-6300 ZUG, Switzerland		
De Sangosse SA	Bonnel BP5, 47480 Pont du Casse, France	0033 553 693630	
Detia Degesch GmbH	Dr Werner-Freyberg-Strasse, D-69514 Laudenbach, Germany	0049 6201 708 305,	0049 6201 708 427
DHM Agrochemicals Ltd.,	Castle Lodge, Kilgobbin Road, Sandymount, Dublin 18	01-2952377	01-2959399
Doff Portland Ltd	Aerial Way, Hucknall, Nottingham, NG 15 6DW, England	00441-15983 4312	00441-159638657
Dormfresh Ltd	Algo Business Centre, Glenearn Road, Perth PH2 0NJ Scotland	00441738633859	
Douglas BLG BVBA	97, 4 th Floor, Rue Royale, 1000 Brussels, Belgium		
Dow AgroSciences	Latchmore Court, Brand Street, Hitchin, Hertfordshire, SG5 1NH, England	0044 1462 426645	
DuPont (UK) Ltd	Wedgewood Way, Stevenage, Hertfordshire, SG1 4QN, England	00441-438-734000	00441-438-734452
ECOspray Ltd	Grange Farm, Cockley Clay Road, Hillsborough, Thetford, Norfolk IP26 5BT, England	0044-1760-756100	0044-1760-756313
EuroAgkem	1st Floor Offices, Park Chambers, 10 Hereford Road, Abergevenney, Monmouthshire NP7 5PR, England		
Evergreen Garden Care UK Ltd	Weyside Park, Catteshall Lane, Goldaming, Surrey, GU7 1XE, England	0044 1473 654613	
Everris Ltd	Epsilon House, West Road, Ipswich, IP3 9FJ, England	0044 1844 8094470	
Evonik Degussa GmbH	Goldschmidstr, 100, 45127 Essen, Germany	0049 201 1732240	
Fargro Limited	Vinery Fields, Arundel Road, Poling, West Sussex , BN18 9PY, England	0044 1903 721591	
Farmco Agritrading Ltd	Annakisha, Mallow, Cork	022 57597,	022 57577
Finagro S.p.A	Via Alberto da Giussano 18, 20145 Milano, Italy	00 39030938901	00390309389201
Finchimica S.p.A	via Lazio, 13 – 25025 Manerbio (BS), Italy	00 39030 938901	0039030 9389201
Fine Agrochemicals Ltd	Hillend House, Whittington, Worcester, WR5 2RL, England	00441--905-361810	
FMC Agro Ltd	Rectors Lane, Pentre, Flintshire, CH5 2DH, England	00441244 537370	
FMC Chemical s.p.r.l.	APG, Boulevard de la Plaine 9/3, B-1050 Brussels, Belgium	00322-645-9584	00322-645-9655
Freshpallet Ltd	Unit 6, Bearl, Stocksfield, Northumberland, NE43 7AJ, England	0044 1661 844866	
Frunol Delicia GmbH	Hansastrasse 74b, D-59425 Unna, Germany	0049 2303 2536012	
Fytofend S.A.	Rue Phocas Lejeune 25/6, B-5032 Isnes, Belgium	0032 81728 840	
Galenika-Fitofarmacija	Batajniski drum bb, 11000 Belgrade, Serbia		
Gemini Agriculture Ltd	71-75 Shelton Street, Convent Garden, London WC2H 9JQ, England	0044 203011 5515	
Glanbia plc	Glanbia House, Kilkenny, Co Kilkenny	056 7772200	
Globachem nv	Brustem Industriepark, Lichtenberglaan 2019, B-3800 Sint-Truiden, Belgium	0032 11785717	0032 11681565
Global Adjuvants Company Ltd	The Granary, 27c Silver street, Buckden, St Neots, Cambridgeshire, PE19 5TS England	00441480 810137	00441480 810335
Goldcrop Ltd	Springhill, Carrigtohill, Co. Cork	021-312211	021-313619
Gowan Comercio Internacional e Servicos Limitada	Avenida do Infante 50, Funchal – Maderia, 9004-521, Portugal	00351 2912 32484	
Gowan Crop Protection Ltd	Rothamstead Research, West Common, Harpenden, Hertfordshire, AL5 2JQ, England	0044 1582 280395	
Grupo AgroTecnologia	Poligono Puente Alto, Parcel 57, 03300 Orihuela (Alicante) Spain	003496 6738232	0034965 302115
Headland Agrochemicals Ltd	Rectors Lane, Pentre, Deeside, Flintshire, CH5 2DH, England	0044 7775 503572	
Headland Amenity Limited	1010 Cambourne Business Park, Cambourne, Cambs. CB3 6DP, England	00441 223 597 834	00441 223 598052
Helm AG Ltd	Nordkanalstr. 28, Hamburg, D-20097, Germany	004940 23750	

Company Name	Address	Tel	Fax
Hermoo Belgium N.V.	Lichtenberglaan 2045, B3800 Sint-Truiden, Belgium	0032 11686866	
Homebase Ltd	Avebury, Milton Keynes, MK9 2NW, England	0044 345640 7808	
Hygeia Chemicals Ltd	Oranmore, Co. Galway	091-794722	091-794738
I.A.B. SL	Avda. Paret del Patriarca 11-B Ap.30, 46113 Moncada Valencia, Spain	003496 1609842	003496 1609843
Iberfol S.L.	Ap. 273 Orihuela, 03300 Alicante, Spain	0034 966 738 232	
IGROX Ltd	77 Claydon Business Park, Great Blakenham, Ipswich, Suffolk, IP6 0NL, England	0044 1707 656555	
Indofil Industries Limited	Via Filippo Turati, 6, 20121 Milan, Italy	0091-22-666-37370	0091-22-283-22275
Indofil Industries (Netherlands) B.V.	Piet Heinkade 55, 1019 GM Amsterdam, Netherlands		
Industrias Afrasa, S.A.	Ciudad de Sevilla 53, 46988 – Pol.Ind. Fuentedel Jarro, Paterna (Valencia), Spain	0034 96132 1700	0034 96132 1716
Industrias Quimicas Del Valles S.A (IQV, S.A.)	C. Garbí 3, Pol. Ind. Can Volart · 08150 Parets del Vallès · BCN · Spain	00 34 935 708 721	00 34 93 579 17 22
Interagro (UK) Ltd	820 Avenue West, Skyline 120, Great Notley, Braintree, Essex, CM77 7AA, England	0044 1376 552703	
Intracrop (A division of Brian Lewis Agriculture)	Park Chambers, 10 Hereford Road, Abergavenny, NP7 5PR	0044 1926 634801	
ISK Biosciences Europe N.V.	Pegasus Park, De Kleetlaan 12B, B-1831 Diegem, Belgium	00322-6278600	
John Hall (Fertilisers) Ltd	Owen Street, Coalville, Leicestershire, LE67 3DE, England	00441 530 510060	
Jouffray-Drillaud	4 avenue de la CEE, 86170 Cisse, France	0033 549 542054	
JT Agro Ltd	1 Bell Street, Maidenhead, Berkshire S16 1BU England	00441628 421599	
Juno (Plant Protection) Ltd	Little Mill Farm, Underlyn Lane, Marden, Kent, TN12 9AT, England	00441 580 765079	
Kingfisher International Products Ltd	3 Sheldon Square, London, W2 6PX, England	01-7617203	
Koppert B.V.	Veilingweg 17, Postbus 155, 2650, AD Berkel en Rodenrijs, Netherlands	0031-105140444	0031-105115203
Kreglinger Europe N.V.	Grote Markt, 7, B-2000 Antwerp, Belgium	0032 32222 050	0032 32222 045
Kwizda Agro GmbH	A 1010 Vienna, Universitatsring 6, Austria	0043 5997710	
L.Gobbi srl	Via VALlecalda, 33, 16013 Campo Ligure, Italy		
Laboratories Goemar SAS	Parc Technopolitain Atalante, CS 41908 35435 SAINT_MALO Cedex	0033 299191919	
Lainco S.A.	Poligono Can Jordi, Avda, Bizet 8 – 12, 08191 Rubi, Barcelona, Spain	0034 935 862015	
Landseer Ltd	Lodge Farm, Goat Hall Lane, Galleywood, Chelmsford, Essex CM2 8PH England	00441 245 357109	
Lawn Sand Task Force	C/O Barkwith Associates, North Hanger, Wickenby Airfield, Lincolnshire, LN3 5AX, England	0044 1673 885 333	
Life Scientific Limited	Nova UCD, Belfield Innovation Park, University College Dublin, Dublin 4	01 2832024	01 2832026
Lonza Cologne GmbH	Nattermannallee 1, Cologne, D-50829 Germany	+41 61 3168793	
Mitsui Agriscience International S.A	Suite 26, Northwood House, Northwood Business Campus, Santry, Dublin 9	01 8624620	
Mitsui Chemicals Agro Inc.	1-19-1, Nihonbashi, Chuo-ku, Tokyo, 103-0027, Japan	00813 3285 1111	
Momentive Performance Materials GmbH	260 Hudson River Road, Waterford, NY 12188, USA	001 304 6528831	
Monsanto UK Ltd	P O Box 663, Cambourne, Cambridge, CB1 0LD, England	01-8250574	01-8250570
Mycotech Europe Ltd	C/o Certis Europe B.V, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambridgeshire CB21 6AD	0044 845 373 0305	
National Agrochemical Distributors Ltd	Blakes Cross, Lusk, Co. Dublin	01-8437808	01-8437909

Company Name	Address	Tel	Fax
Nichino Europe Ltd			
Nissan Chemical Europe	Parc d'affaire de Crecy, 2 rue Claude Chappe, 69370 Saint Didier au Mont D'or, France	0033-437-644020	
Nisso Chemical Europe GmbH	Berliner Allee 42, 40212 Dusseldorf, Germany	0049211 130 66 8611,	0049-211-328231
Nomix Enviro, A Division of Frontier Agriculture Ltd	The Grain Silos, Weyhill Road, Andover, Hampshire, SP10 3NT, England	0044 -117- 9574574	0044-117-9563461
Novozymes France S.A.S.	Parc Technologique des Grillons – 60, route de Sartrouville – Bat.6, 78232 le Pecq Cedex – France	0033 13015 2840	003313015 1545
Nufarm UK Limited	Wyke, Bradford, West Yorkshire, BD12 9EJ, England	00441-274-694754	
Nutrigain Ltd	219 Buxton Road, Macclesfield, Cheshire, SK10 1NB, England	0044-772 163 9959	
OAT Agrio Co., Ltd.	1-3-1, Kanda, Ogawa-machi, Chiyoda-ku, Tokyo, 101-0052, Japan	0081 745 741131	
Octavius Hunt Ltd	Dove Lane, Redfield, Bristol, BS5 9NQ, England	0044117 955 5304	
Omex Agriculture Ltd	Bardney Airfield, Tupholme, Lincoln, LN3 5TP, England	00441 526 396000	00441-526-396001
Oro Agri International Ltd	Franklinstraat 9, 9285WT Buitenpost, The Netherlands	0031 511 549349	
Osmonds Ireland On Farm	Unit 4, Airton Road, Tallaght, Dublin 24	01 4667988	
Pan Amenity Ltd	8 Cromwell Mews, Station Road, St. Ives, Cambridgeshire, PE27 5HJ, England	00441 480 467790	
PB Kent Limited	Alexandra Road South, Immingham Dock, United Kingdom, DN40 2QW	00441 469 563980	
Pelgar International	Unit 13 Newman Lane, Alton, Hampshire, GU34 2QR England		
ProKlass Products Ltd	The Granary, 27c Silver Street, Buckden, St Neots, PE19 5TS, England	0044 1480 810137	
Proplan Plant Protection Company SL	C/Valle del Roncal 12 – Oficina 7, 28232 Las Rozas, Madrid, Spain	0034 9734 47673	
Punya Innovation ApS	Almevej 180, Gilleleje, DK-3250 Denmark	0045 4830 1727	
Q-Chem NV	Leeuwerweg 138, 3803 Sint – Truiden, Belgium	0032-1178 5717	0032-1168 1565
Quimicas Meristem S.L.	Ctra. Moncada-Naquera Km 1,7, Ap.30, 46113 Moncada, Valencia, Spain	0034 961 394511	
Rotam Agrochemical Europe Ltd	75 Cours Albert Thomas, 6e avenue/Bat D, Lyon, 69003, France	0033 177 044 778	
Sani Crop Protection	Minehill, Loughshinney, Skerries, Co Dublin	01 4429278	
SBM Development SAS	111 Chemin du Petit Bois, 69130 Ecully, France	0033 4912 44427	
SDP	1 rue Quesnay, 02000 Laon, France	0033 323801018	
Seipasa S.A.	C/ Ciudad Dario, naves1-3-5 - 46250 Pol.Ind., La Creu L'Alcudia, Valencia, Spain	0034 962 541163	
Servem Ltd	Maxboley, Duncormick, Wexford	051 563530,	051 563531
SFP Europe	Espace des Remparts 10, Sion, 1950, Switzerland	004127 3290910	
Sharda Cropchem España S.L.	Edificio Atalayas Business Center, Carril Condomina nº 3, 12th Floor, 30006, Murcia, Spain	00 34 868 12 75 89	
Sharda Europe b.v.b.a	Jozef Mertansstraat 142, 1702 Dilbeek, Belgium	00322 4664444	
Sinon EU GmbH	1m Alten Dorfe 37 (Volksdorf), D-22359 Hamburg, Germany	004940 6599 5039	
Sipcam Oxon S.P.A.	Via Sempione 195, 20016 Pero (MI) Italy	003902 35378-1	
Sipcam U.K. Ltd	4c Archway House, The Lanterns, Melbourn Street, Royston, Herts, SG8 7BX, England	0044 1763 212100	
Societe Financiere de Pontarlier	Villa Celony, 1175 Montee d'Avignon, Aix en Provence, 13090, France	0033 442 527 211	
SP Sourcon-Padena GmbH	Sindelfinger str. 3, Tubingen, DE-72070, Germany	0039 3492115740	
Sparta Research Ltd	82 North Main Street, Bandon, Cork	0044 1865 883162	
Sphere Laboratories (London) Ltd	c/o Mainswood, Putley Common, Nr Ledbury, Herefordshire, HR8 2RF, England	0044 1531 670 517	
Spray Clear Environmental Ltd	14 B Stadium Business Park, Ballycoolin, Dublin 11	01-8829114	01-8829111

Company Name	Address	Tel	Fax
Sumitomo Chemical Agro Europe SA	Parc D'Affairs de Crecy (Telebase) 2, Rue Claude Chappe, 69370 St Didier-au-Mont-d'Or, Lyon, France	0033 478 643260,	0033 478 472545
Syngenta Bioline	Telstar Nursery, Holland Road, Little Clacton, Essex, CO16 9QG, England	00441-255-863216	
Syngenta Ireland Ltd	Block 6, Cleaboy Business Park, Old Kilmeaden Road, Waterford, Co Waterford	051-331902	051-354748
Syngenta UK Ltd	CPC 4, Capital Park, Fulbourn, Cambridge, CB21 5XE, England	0044 1223 883479	
Taminco BVBA.	Pantserschipstraat 207, B-9000 Gent, Belgium	0032 9254 1411	0032 9254 1410
Terrachem Ltd	1A Mayflower Lodge, Cavetown, Croghan, Boyle, Roscommon	087 254 7534	
TerreChem Ltd	PO Box 12351, Braintree, Essex, England CM7 0JS	00441 371811236	
The Scotts Company (UK) Ltd	1 Archipelago, Lyon Way, Frimley, Surrey, GU16 7ER, England	0044 1276 401390	
Thomas Elliott Fertilisers	Selby Place, Stanley Industrial Estate, Skelmersdale, Lancashire, WN8 8EF, England		
Unichem Limited	The Ward, Co. Dublin	01-8351499	01-8351284
United Phosphorus Limited	1st Floor, The Centre, Birchwood Park, Warrington, Cheshire, WA3 6YN, England	0044 1925 859008	00441-925-817425
UPL Holdings Cooperatief U.A.	Claudius Prinsenlaan 144 A, Blok A, 4818CP Breda, The Netherlands		
Valagro UK Ltd	PO Box 6027, Corby, NN17 1ZH, England	0044 9700115117	
Vitax Limited	Owen Street, Coalville, Leicester, LE67 3DE, England	00441 530 510060,	00441 530 510299
Vivagro Sarl	Technopole, Montesquieu, 5 Alee Jacques Latrille, 33650 Martillac France	0033 557783268	
W. Neudorff GmbH KG	P. O. Box 1209, D-31857 Emmerthal, Germany	004418690243333	
Westland Horticulture Ltd	14 Granville Industrial Estate, Granville Road, Dungannon, Co. Tyrone, Northern Ireland	0044148 0443742	
Whelehan Crop Protection	Suite 12 Bunkilla Plaza, Bracetown Business Park, Clonee, Meath	01-8342233,	01-8362271
Xeda International S.A.	Z.A. de la Crau, 13670 St-Andiol, France	0033 490 902323	

Chapter 6

Index of product names by active substance

Product Index by Active Substance

(E,Z)-3,8-Tetradecatrien-1-yl acetate + (E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate

Isonet T

(E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate + (E,Z)-3,8-Tetradecatrien-1-yl acetate

Isonet T

1,4-dimethylnaphthalene

1,4 SIGHT

1-methylcyclopropene

Smartfresh, SmartFresh ProTabs

1-Naphthylacetic acid

Fixor, Obsthormon 24a

2,4-D

D50, Depitone Ultra, Depitox, Dioweed 50, Herboxone, Maton, Mortox 50, New Rate 2,4-D Ester

2,4-D + Clopyralid + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

2,4-D + Dicamba

Evergreen Premium Plus Weed Control Lawn Food, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

2,4-D + Dicamba + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

2,4-D + Dicamba + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, Doff Complete lawn Feed, Weed & Mosskiller, Feed 'N' Weed Extra, Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, Homeland Lawn Feed, Weed & Mosskiller, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Restore 2, Restore Pro, Spear & Jackson 3 in 1 Lawn Feed, Weed & Mosskiller, Turf Rise Feed, Weed & Moss Killer, Unipro Lawn Feed, Weed and Mosskiller, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

2,4-D + Dicamba + Fluroxypyr

Destiny Turf, Holster XL

2,4-D + Dicamba + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Product index by Active Substance

2,4-D + Glyphosate

Kyleo

2,4-D + MCPA

Lupo

2,4-D + Triclopyr

Genoxone ZX EC

6-benzyladenine

Configure, Exilis

Abamectin

Dynamec

Acetamiprid

Bug Clear Ultra, Bug Clear Ultra Gun!, Bug Clear Ultra Vine Weevil Killer, Ceta SG, Gazelle SG, Insyst

Acetamiprid + Triticonazole

Roseclear Ultra, Roseclear Ultra Gun!

Acetic acid

Garden Weedkiller, Hygeia Hytrol All Natural Path & Drive Weed & Moss Killer, New-Way Weed Spray, New-Way Weed Spray RTU, Origins Weed Control, Resolva Fast Weedkiller, Resolva Path & Drive Weedkiller, RHS Mosskiller, RHS Weedkiller, Roundup Speed Ultra, Spot On Fast Acting Moss Killer, Spot On Fast Acting Weedkiller, Verve Rapid Action Ready to use Weedkiller, Weedol Gun! Fast Acting Weedkiller

Aclonifen

Chanon, Clever, Emerger

Aluminium ammonium sulfate

Doff Cat & Dog Repellant, Doff Pest Repel

Aluminium phosphide

Phostoxin Bag, Phostoxin Bag Blanket, Phostoxin Tablet, Talunex

Ametoctradin

Enervin SC

Ametoctradin + Dimethomorph

Percos

Ametoctradin + Mancozeb

Diablo

Amidosulfuron

Eagle

Product Index by Active Substance

**Amidosulfuron + Iodosulfuron-methyl-sodium + Mesosulfuron -
Pacifica Plus**

Aminopyralid + Fluroxypyr
Forefront, Synero

Aminopyralid + Halauxifen-methyl
Trezac

Aminopyralid + Propyzamide
Astrokerb

Aminopyralid + Triclopyr
Forefront T, Garlon Ultra, Icade, Speedline Pro

Amisulbrom
Gachinko

Ampelomyces Quisqualis
AQ 10

Azoxystrobin
Amistar, Azaka, Azarius, Azoshy, Azoxystar, AZ-TEC, Chamane, Globaztar SC,
eritage, Heritage Maxx, Legado, Mirador, Pantha, Tazer, Thiastar, Zoxis

Azoxystrobin + Cyproconazole
Comrade

Azoxystrobin + Difenoconazole
Amistar Top

Azoxystrobin + Fluazinam
Vendetta

Bacillus amyloliquefaciens str. QST 713
Serenade ASO

Bacillus amyloliquefaciens strain FZB24
Taegro

Bacillus amyloliquefaciens subsp. plantarum D747
Amylo-X WG

Bacillus pumilus QST 2808
Sonata

Bacillus Thuringiensis aizawai strain GC-91
Agree 50 WG

Bacillus thuringiensis subspecies kurstaki EG 2348
Lepinox Plus

Product index by Active Substance

Beauveria bassiana GHA / ATCC 74040
Botanigard WP, Naturalis-L

Benalaxyl + Mancozeb
Galben M

Benfluralin
Bonalan

Bentazone
Basagran SG, Benta 480 SL

Benthiavalicarb + Mancozeb
Valbon

Benthiavalicarb + Oxathiapiprolin
Zorvec Endavia

Benzovindiflupyr
Ceratavo Plus, Elatus Plus

Benzovindiflupyr + Difenoconazole
Ascernity

Benzovindiflupyr + Prothioconazole
Elatus Era, Tacanza Era, Velogy Era

Bifenazate
Floramite 240 SC

Bixafen
Inception Xpro

Bixafen + Fluopyram
Silvron Xpro

Bixafen + Fluopyram + Prothioconazole
Ascra Xpro, Macfare Xpro

Bixafen + Fluoxastrobin + Prothioconazole
Variano Xpro

Bixafen + Prothioconazole
Aviator Xpro, Mandarin Xpro, Siltra Xpro

Bixafen + Prothioconazole + Spiroxamine
Boogie Xpro

Bixafen + Prothioconazole + Tebuconazole
Skyway Xpro

Product Index by Active Substance

Boscalid

Filan

Boscalid + Metconazole

Tectura

Boscalid + Pyraclostrobin

Bellis, Bigalo, Cobalt, Signum

Bromoxynil

Butryflow

Bromuconazole + Tebuconazole

Djembe, Soleil

Bupirimate

Nimrod

Captan

PP Captan 80-WG, Scab 480 SC, Scab 80 WG

Carfentrazone-ethyl

Clayton Xenon, Spotlight Plus

Carfentrazone-ethyl + Mecoprop-P

Jewel, Platform S

Carfentrazone-ethyl + Metsulfuron (-methyl)

Ally Express

Chlorantraniliprole

Coragen

Chlormequat

7C Chlormequat, Barclay Holdup 750, CeCeCe 750, Ceraide, Jadex-o-720, K2, Manipulator, Stablan 750, Stefes CCC 750

Chlormequat + Imazaquin

Meteor

Chlorotoluron + Diflufenican + Pendimethalin

Tower

Clethodim

Centurion Max

Clodinafop

Buguis, Ciclope, Sword, Topik 240 EC

Clofentezine

Apollo 50SC

Product index by Active Substance

Clomazone

Centium 360 CS, Gamit 36 CS, Sirtaki CS

Clomazone + Mesotrione + Terbutylazine

Tonale

Clomazone + Metribuzin

Metric

Clomazone + Pendimethalin

Stallion Sync Tech

Clonostachys rosea J1446

Prestop, Prestop

Clopyralid

Clap, Cliophar 100, Cliophar 600 SL, Dow Shield 100, GF-2895, Lontrel 72SG, Vivendi 200

Clopyralid + 2,4-D + MCPA

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

Clopyralid + Florasulam

Gartrel

Clopyralid + Florasulam + Fluroxypyr

Esteem, Galaxy, LS-FL-FL-CL, Pastor Trio, Praxys, Priest, Santro, Swardsure, Universe

Clopyralid + Fluroxypyr + MCPA

Brittas, Haksar Complex 260 EW, Kinvara, Pradera, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Clopyralid + Picloram

Galera

Clopyralid + Triclopyr

Blaster Pro, Grazon 90, Grazon Pro, Pastisha, Thistlex

Coniothyrium Minitans - Strain - CON/M/91-08

Contans WG

Copper oxychloride

Curenox 50 WP

COS-OGA

Fytosol

Product Index by Active Substance

Cyantraniliprole

Benevia 10 OD, Lumiposa, Verimark 20SC

Cyazofamid

Ranman Top

Cycloxydim

Stratos Ultra

Cydia pomonella Granulovirus (CpGV)

Carpovirusine EVO2

Cyflufenamid

Clayton Midas, Cyflamid, Nissodium, Takumi SC

Cymoxanil

Controlla, Cymbal 45, Cymbal Flow, Dauphin 45, Option, Sacron WG, Sipcam C50WG

Cymoxanil + Fluazinam

Grecale, Kunshi

Cymoxanil + Fludioxonil + Metalaxyl M

Wakil XL

Cymoxanil + Mancozeb

Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Solution, Zetanil WG

Cymoxanil + Propamocarb

Proxanil

Cymoxanil + Zoxamide

Lieto

Cypermethrin

CythrIn Concentrated Caterpillar Spray, CythrIn Concentrated Garden Pest Killer, CythrIn Garden Ready-to-Use, Forester, Garden Caterpillar Spray, Plant Pest Killer RTU, Py Bug Killer Concentrate, Py Bug Killer RTU, Signal 300ES, Talisma EC, Talisma UL, Tesco Garden Bug Killer Spray, Ultra All-in-One Bug Spray

Cypermethrin + Myclobutanil

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Cyproconazole

Keypro

Product index by Active Substance

Cyproconazole + Azoxystrobin

Comrade

Cyproconazole + Penthiopyrad

Cielex

Cyproconazole + Trifloxystrobin

Escolta

Cyprodinil

Kayak

Cyprodinil + Fludioxonil

Botrefin, Clayton Gear, Switch

Cyprodinil + Isopyrazam

Bontima, Cebara, Concorde

Daminozide

B-Nine SG, Dazide Enhance

Deltamethrin

Bank, Deca 2.5% EC, Decis, Decis Protech, Delta-Glob 25 EC, Deltagri, GAT Decline 2.5 EC, Granprotec, K-Obiol EC25, K-Obiol ULV 6, Polux, Provanto Ultimate Bug Killer

Deltamethrin + Tebuconazole

Multirose Concentrate 2

Dicamba

Dicash

Dicamba + 2,4-D

Evergreen Premium Plus Weed Control Lawn Food, Landscaper Pro Weed Control + Fertilizer, Scotts Lawn Builder Lawn Food Plus Weed Control, Thrust

Dicamba + 2,4-D + Ferrous Sulphate + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Dicamba + 2,4-D + Ferrous Sulphate + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, Doff Complete lawn Feed, Weed & Mosskiller, Feed 'N' Weed Extra, Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, Homeland Lawn Feed, Weed & Mosskiller, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Restore 2, Restore Pro, Spear & Jackson 3 in 1 Lawn Feed, Weed & Mosskiller, Turf Rise Feed, Weed & Moss Killer, Unipro Lawn Feed, Weed and Mosskiller, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Product Index by Active Substance

Dicamba + 2,4-D + Fluroxypyr

Destiny Turf, Holster XL

Dicamba + 2,4-D + MCPA + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Dicamba + Ferrous Sulphate + Mecoprop-P

Goulding Extra-Strength Lawn Feed, Weed & Mosskiller, Hygeia Greenforce 4 in 1 Lawn Feed Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

Dicamba + MCPA + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Dicamba + Mecoprop-P

Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use, Resolva Xtra Concentrate Weedkiller, Resolva Xtra Ready to Use Weedkiller, Roundup Lawn Optima, Roundup Lawn Ultra, Weedol LN, Weedol LN Concentrate

Dichlorprop-P + MCPA + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

Difenoconazole

Alternet, Difcor 250 EC, Difend, Difenofin, Difo 25% EC, Difure Solo, Interest, Mavita 250 EC, Narita, Score 250 EC

Difenoconazole + Azoxystrobin

Amistar Top

Difenoconazole + Benzovindiflupyr

Ascernity

Difenoconazole + Fludioxonil

Difend Extra, Instrata Elite

Difenoconazole + Fluxapyroxad

Charm, Perseus

Difenoconazole + Mandipropamid

Revus Top

Product index by Active Substance

Difenoconazole + Paclobutrazol

Toprex

Difenoconazole + Tebuconazole

Magnello

Diflufenican

Diflanil 500 SC, Hurricane SC, Ossetia, Sempra, Solo 500 SC, Stride DFF

Diflufenican + Chlorotoluron + Pendimethalin

Tower

Diflufenican + Florasulam

Lector Delta

Diflufenican + Flufenacet

Firebird, Griffen, Mertil, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Diflufenican + Flufenacet + Metribuzin

Bacara Triple, Firebird Met

Diflufenican + Glyphosate

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Diflufenican + Iodosulfuron-methyl-sodium

Lockstar, Valdor Flex

Diflufenican + Iodosulfuron-methyl-sodium + Mesosulfuron - methyl

Alister Flex

Diflufenican + Metsulfuron (-methyl)

Pelican Delta

Diflufenican + Pendimethalin

Adept, Bulldog

Diflufenican + Prosulfocarb

Jura, Purelo

Dimethachlor

Teridox

Dimethenamid-P + Metazachlor + Quinmerac

Katamaran Turbo

Dimethenamid-P + Pendimethalin

Clayton Launch, Wing P

Product Index by Active Substance

Dimethomorph

Dimix 500 SC, Paraat

Dimethomorph + Ametoctradin

Percos

Dimethomorph + Fluazinam

Hubble

Dimethomorph + Mancozeb

Acrobat MZ

Dimethomorph + Propamocarb

Diprospero

Dithianon

Dithianon WG, Dynamo, Mulan 700WG

Dithianon + Potassium phosphonates

Delan Pro

Dodine

Radspor 400, Syllit 544 SC

Esfenvalerate

Sumi-Alpha

Ethametsulfuron methyl

Salsa

Ethephon

Cerone, Coupon, Grassrooter, Padawan

Ethephon + Mepiquat Chloride

Terpal

Ethofumesate

Barclay Keeper 200, Barclay Keeper 500, Ethosat 500, Nortron 50 SC, Oblix 500, Xerton

Ethofumesate + Metamitron

Oblix MT

Ethylene

Biofresh Safestore

Etoxazole

Borneo

Fatty acid - C7 - C18 - potassium salt

Jaboland, Jabolim, Nakar, Tec-Bom

Product index by Active Substance

Fatty Acid - C7-C20

Bug Free, FLiPPER, Sporekill, Super Fast Weedkiller

Fenhexamid

Teldor

Fenoxaprop-P

Cheetah Extra, Foxtrot EW

Fenpicoxamid

Aquino, Peacoq, Questar

Fenpropidin

Patrol, Tern 750 EC, Winger

Fenpyrazamine

Prolectus

Ferric Phosphate

Bayer Garden Slug Killer, Derrex, Doff Power Up Slug and Snail Killer, Doff Slug and Snail Killer, Doff Slug Killer, Doff Super Slug Killer, Erazz Zero Slug Killer, Ferrex, Ferrex Garden, Growing Success Advanced Slug Killer, Growing Success Advanced Slug Killer, Growing Success Slug Killer Advanced, Ironclad, IronMax Pro, Iroxx, Limafer, Limafer Garden, Origins Slug Control, Pestshield Slug and Snail Killer, Slug & Snail Killer Pellets, Slug and Snail Control, Slug and Snail Killer Pellets, Slug Bait, Slug Bait, Slug Death XL, Slug Death XL, Slug Killer Granules, Slug Killer Pellets, SlugClear Ultra 3, Sluggo Slug & Snail Killer, Sluggo Slug & Snail Killer Ultra, Sluggo Slug & Snail Killer Ultra, Slugrid, SluXX HP, Solabiol Slug Bait, Solabiol Slug Killer, Tesco Advanced Slug & Snail Killer, TurboDisque, TurboDisque Garden, TurboPads, TurboPads Garden, Verve Slug and Snail Control

Ferrous Sulphate

Aftercut Mosskiller Plus, Doff Lawn Moss Killer, Elliott's Lawn Sand and Moss Killer, Evergreen Autumn Lawn Care, Green Up Lawn Sand, Greenmaster Autumn, Greentec Mosskiller Pro, J Arthur Bowers Lawn Sand 2, J Arthur Bower's Lawn Sand Mosskiller, Landscaper Pro Moss Control + Fertilizer, LSTF Amateur, LSTF Pro, Pestshield Lawn Moss Killer, Sinclair Lawn Sand, Verve Lawn Sand 2, Westland Lawn Sand 2

Ferrous Sulphate + 2,4-D + Dicamba + Fluroxypyr

Evergreen Complete 4in1 Lawn Feed

Ferrous Sulphate + 2,4-D + Dicamba + Mecoprop-P

Aftercut All in One Lawn Feed, Weed & Moss Killer, Doff Complete lawn Feed, Weed & Mosskiller, Feed 'N' Weed Extra, Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, Homeland Lawn Feed, Weed & Mosskiller, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Restore 2, Restore Pro, Spear & Jackson

Product Index by Active Substance

Ferrous Sulphate + 2,4-D + Dicamba + Mecoprop-P (cont'd)

3 in 1 Lawn Feed, Weed & Mosskiller, Turf Rise Feed, Weed & Moss Killer, Unipro Lawn Feed, Weed and Mosskiller, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Ferrous Sulphate + Dicamba + Mecoprop-P

Goulding Extra-Strength Lawn Feed, Weed & Mosskiller, Hygeia Greenforce 4 in 1 Lawn Feed Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

Ferrous Sulphate + MCPA + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Ferrous Sulphate Heptahydrate

Aftercut All-In-One Autumn, Evergreen Liquid Feed & Moss, Evergreen Mosskill Liquid, Ferromex, Ferromex Mosskiller Concentrate, Maxicrop Mosskiller and Lawn Tonic, Maxicrop Professional Moss Killer and Conditioner, RT Lawn Sand

Flazasulfuron

Chikara Weed Control, Clayton Apt, Pacaya, Paradise, Valdor Solo

Flonicamid

Afinto, Teppeki

Florasulam

Boxer, Globus, Lector, Upton

Florasulam + Clopyralid

Gartrel

Florasulam + Clopyralid + Fluroxypyr

Esteem, Galaxy, LS-FL-FL-CL, Pastor Trio, Praxys, Priest, Santro, Swardsure, Universe

Florasulam + Diflufenican

Lector Delta

Florasulam + Fluroxypyr

Cabadex, Celadon, Cleave, Compact, Desire, Envy, Flurostar XL, Spitfire, Starane XL

Florasulam + Halauxifen-methyl

Zypar

Florasulam + Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Ultra

Florasulam + Pyroxsulam

Broadway Star

Product index by Active Substance

Florasulam + Tribenuron (-methyl)

Bolt

Fluazifop-P (-butyl)

Fusilade Forte, Fusilade Max, Phantom

Fluazinam

Fluazinova, Fluazinova Duo, Frownicide, Nando 500SC, Ohayo, Shirilan, Tizca, Volley, Winby

Fluazinam + Azoxystrobin

Vendetta

Fluazinam + Cymoxanil

Grecale, Kunshi

Fluazinam + Dimethomorph

Hubble

Fludioxonil

Beret Gold, Maxim 100 FS, Medallion TL

Fludioxonil + Cymoxanil + Metalaxyl M

Wakil XL

Fludioxonil + Cyprodinil

Botrefin, Clayton Gear, Switch

Fludioxonil + Difenconazole

Difend Extra, Instrata Elite

Fludioxonil + Fluxapyroxad + Triticonazole

Kinto Plus

Fludioxonil + Sedaxane

Vibrance Duo

Fludioxonil + Sedaxane + Triticonazole

A20882B, Vibrance Star

Flufenacet

Clayton Tacit, Fence, Fluent, Glosset 600 SC, Gorgon, Sunfire

Flufenacet + Diflufenican

Firebird, Griffen, Mertil, Naceto, Navigate, Reliance, Riber, Sharp Turbo

Flufenacet + Diflufenican + Metribuzin

Bacara Triple, Firebird Met

Flufenacet + Isoxaflutole

Cadou Star

Product Index by Active Substance

Flufenacet + Picolinafen

Pontos

Flumioxazin

Digital, Guillotine, Sumimax

Fluopicolide + Fluoxastrobin

Scenic Gold

Fluopicolide + Propamocarb

Infinito, Potato Blight Control

Fluopyram

Luna Privilege, Velum Prime

Fluopyram + Bixafen

Silvron Xpro

Fluopyram + Bixafen + Prothioconazole

Ascra Xpro, Macfare Xpro

Fluopyram + Prothioconazole

Caligula, Propulse

Fluopyram + Prothioconazole + Tebuconazole

Raxil Star

Fluopyram + Trifloxystrobin

Exteris Stressgard

Fluoxastrobin + Bixafen + Prothioconazole

Variano Xpro

Fluoxastrobin + Fluopicolide

Scenic Gold

Fluoxastrobin + Prothioconazole

Fandango, Firefly, Maestro, Mettle

Fluoxastrobin + Prothioconazole + Trifloxystrobin

Coyote

Fluoxastrobin + Tebuconazole

Evito T

Flupyradifurone

Provanto Smart Bug Killer

Product index by Active Substance

Fluroxypyr

Arbiter, Barclay Hudson, Clayton Flurry, Croplink Reaper, Echo Pro, Flurostar 200, Fluxyr 200 EC, Hatchet Xtra, Hudson, Hurler, Hyflux, Minstrel, Starane Hi-Load HL, Tandus, Tomahawk 2, Waran

Fluroxypyr + 2,4-D + Dicamba

Destiny Turf, Holster XL

Fluroxypyr + 2,4-D + Dicamba + Ferrous Sulphate

Evergreen Complete 4in1 Lawn Feed

Fluroxypyr + Aminopyralid

Forefront, Synero

Fluroxypyr + Clopyralid + Florasulam

Esteem, Galaxy, LS-FL-FL-CL, Pastor Trio, Praxys, Priest, Santro, Swardsure, Universe

Fluroxypyr + Clopyralid + MCPA

Brittas, Haksar Complex 260 EW, Kinvara, Pradera, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

Fluroxypyr + Florasulam

Cabadex, Celadon, Cleave, Compact, Desire, Envy, Flurostar XL, Spitfire, Starane XL

Fluroxypyr + Halauxifen-methyl

Pixxaro, Whorl

Fluroxypyr + Metsulfuron (-methyl)

Croupier OD

Fluroxypyr + Metsulfuron (-methyl) + Thifensulfuron methyl

Omnera LQM, Provalia LQM

Fluroxypyr + Triclopyr

Doxstar Pro, Governor, Pivotal

Flutolanil

Rhino

Fluxapyroxad

Allstar, Imtrex, Sercadis

Fluxapyroxad + Difenconazole

Charm, Perseus

Fluxapyroxad + Fludioxonil + Triticonazole

Kinto Plus

Product Index by Active Substance

Fluxapyroxad + Mefentrifluconazole

Lentyma, Revystar XL

Fluxapyroxad + Metconazole

Librax

Fluxapyroxad + Pyraclostrobin

Priaxor EC, Serpent

Folpet

Arizona, Lamast, Mirror, Phoenix, Stavento

Foramsulfuron + Thiencarbazone-methyl

Conviso One

Fosetyl (-aluminium)

PlantTrust, Signature XTRA Sressgard

Fosetyl (-aluminium) + Propamocarb

Previcur Energy

Fosthiazate

Nemathorin 10G

Gamma-Cyhalothrin

Nexide CS

Garlic Extract

EGC Granule, NEMGuard DE

Gibberellin

GiBB Plus, Novagib

Glyphosate

Ardee XL, Asteroid, Asteroid Biocare, Barbarian XL, Barclay Gallup Biograde 360, Barclay Gallup Biograde 450, Barclay Gallup Biograde Amenity, Barclay Gallup Hi-Aktiv, Clearall Supreme XL, Clinic Grade, Clinic TF, Clinic Up, Credit, Deadfast Plus Weedkiller RTU, Discman Biograde, Doff Advanced Maxi Strength Weedkiller, Doff Advanced Weedkiller, Doff Concentrate Weedkiller, Doff Glyphosate Weedkiller Concentrate, Doff Maxi Strength Glyphosate Weedkiller, Doff Ready to Use Path and Patio weedkiller, Ecoplug Max, Envision, Fast Action Roundup Ready to Use Weedkiller, Gallup Biograde Weedkiller RTU, Gallup Home and Garden, Gallup XL, Garryowen XL, Glyphos Dakar, Glyphos Supreme XL, Glypho-Rapid, Helosate 450 SL, Hilite, Hytrol Glyphosate, Hytrol Total Liquid Ready to Use, Hytrol Total Liquid Weedkiller, Instore Glyphosate Weedkiller, Job Done General Purpose Weedkiller Concentrate, Job Done General Purpose Weedkiller Ready to Use, Knockdown Glyphosate Weedkiller, Landmaster 360 TF, Mizr XL, MON 79351, Monosate G, Nomix Conqueror Amenity, Ormond, Path & Drive Roundup

Product index by Active Substance

Glyphosate (cont'd)

Concentrate, Pestshield Advanced Weedkiller, Pestshield Glyphosate Concentrated Weedkiller, Proliance Quattro, Rambo 360, Rambo Bio, Rambo RTU, Rambo XL, Rattler, Resolva Path & Patio Weedkiller RTU, Resolva Pro Weedkiller, Resolva Pro Weedkiller Super Concentrate, Resolva Super Strength Xtra Tough Concentrated, Resolva Weedkiller 2 Action, Resolva Weedkiller 2 Action Concentrate, Resolva Weedkiller 24H RTU, Resolva Weedkiller Super Concentrate Total Clear, Resolva Xtra Tough, Resolva Xtra Tough Concentrate Liquid Shots, Rootkill Weedkiller Concentrate, Rosate 360 TF, Rosate Green, Roundup Biactive, Roundup Biactive XL, Roundup Biactive XLA, Roundup Fast Action Path & Drive Weedkiller, Roundup First, Roundup Flex, Roundup Gel, Roundup Gel Path, Roundup Gold, Roundup Gold 450, Roundup Optima, Roundup Optima Power, Roundup Optima+, Roundup Powermax, Roundup Pro Biactive, Roundup Stump Killer, Roundup Tough, Roundup Ultra, Roundup XL, Tesco Glyphosate Concentrated Weedkiller, Tesco Systemic Path & Patio Weedkiller, Touchdown Quattro, Tough Roundup Weedkiller Gel, Typhoon 360, Verve Rootkilling Weedkiller, Vitax Glyphosate Concentrated Weedkiller, Vitax Glyphosate Weedkiller RTU, Vitax Weedfree Ready to Use, Weedbuster Concentrate, WeedBuster Super Concentrate, Weedfree Home & Garden, Weedfree Plus, Weedfree RTU, Weedfree Zone, Weedkiller 360, Weedkiller 7.2, Weedkiller 90, Wilko Glyphosate Weedkiller

Glyphosate + 2,4-D

Kyleo

Glyphosate + Diflufenican

Destrol Amenity, Destrol Path & Drive Weedkiller Concentrate, Job Done, Path Weedkiller, Job Done, Tough Weedkiller, Pistol, Pistol Rail, Premazor Turbo, Season Long Path & Drive Weedkiller Concentrate, Weedol Pathclear Weedkiller, Weedol PS Pathclear Weedkiller

Glyphosate + Metamitron

New Hytrol

Glyphosate + Pyraflufen-ethyl

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Glyphosate + Sulfosulfuron

Nomix Blade, Nomix Dual

Halauxifen-methyl

GF-2573

Halauxifen-methyl + Aminopyralid

Trezac

Product Index by Active Substance

Halauxifen-methyl + Florasulam

Zypar

Halauxifen-methyl + Fluroxypyr

Pixxaro, Whorl

Halauxifen-methyl + Picloram

Belkar

Hymexazol

Tachigaren 70 WP

Imazalil

Fungazil 50 LS, Gavel

Imazalil + Ipconazole

Conima, Rancona i-Mix

Imazamox + Metazachlor

Cleranda

Imazamox + Pendimethalin

Nirvana

Imazaquin + Chlormequat

Meteor

Indoxacarb

Sindoxa, Steward

Iodosulfuron-methyl-sodium + Amidosulfuron + Mesosulfuron -

Pacifica Plus

Iodosulfuron-methyl-sodium + Diflufenican

Lockstar, Valdor Flex

Iodosulfuron-methyl-sodium + Diflufenican + Mesosulfuron - methyl

Alister Flex

Ipconazole

Rancona 15 ME

Ipconazole + Imazalil

Conima, Rancona i-Mix

Isopyrazam

Reflect, Zulu

Isopyrazam + Cyprodinil

Bontima, Cebara, Concorde

Product index by Active Substance

Isopyrazam + Prothioconazole

Prizm

Isoxaben

Flexidor

Isoxaflutole + Flufenacet

Cadou Star

Kresoxim Methyl

Stroby WG

lambda-Cyhalothrin

Eminentos 10 CS, Karate Zeon, Karis 10 CS, Laidir 10 CS, Life Scientific Lambda, Markate 50, Ninja 10CS, Ravane, Resolva Bug Killer Concentrate, Resolva Bug Killer Ready to Use, Sceptre, Sparviero, Stealth, Westland Plant Rescue Fruit & Vegetable Bug Killer, Westland Plant Rescue Fruit & Vegetable Conc. Bug Killer

Laminarin

Plantivax

Lenacil

Venzar 500 SC

Lenacil + Triflusalufuron

Safari Lite WSB

Maleic hydrazide

Crown MH, Fazor Star, ITCAN SL 270

Maleic hydrazide + Pelargonic acid

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Maltodextrin

Eradicoat, Eradicoat Max, Majestik

Mancozeb

Agrizeb, AVTAR 75 NT, Dithane 945, Dithane Dry Flowable Neotec, Manfil 75 WG, Manfil 80 WP, Penncozeb 80 WP, Penncozeb WDG

Mancozeb + Ametoctradin

Diablo

Mancozeb + Benalaxyl

Galben M

Mancozeb + Bentiavalicarb

Valbon

Product Index by Active Substance

Mancozeb + Cymoxanil

Curzate M WG, Moximate 725 WG, Moximate 725 WP, Nautile DG, Palmas, Profilux, Solution, Zetanil WG

Mancozeb + Dimethomorph

Acrobat MZ

Mancozeb + Metalaxyl M

Ridomil Gold MZ 68 WG

Mancozeb + Zoxamide

Electis 75WG

Mandipropamid

Revus

Mandipropamid + Difenconazole

Revus Top

MCPA

Agritox, Agritox 500, Agroxone 50, Bandon MCPA 30, Easel, Haksar 500 SL, Hempacide 30, HY-MCPA 50, HY-MCPA 500, M50, Mastercrop MCPA 50, Mortone, Mortone Gold, NU46, POL-MCPA 500 SL

MCPA + 2,4-D

Lupo

MCPA + 2,4-D + Clopyralid

Evergreen Liquid Feed & Weed, Vitax Lawn Clear 2 Feed & Weed, Vitax Lawn Clear 2 Ready to Use, Vitax LawnClear 2

MCPA + 2,4-D + Dicamba + Mecoprop-P

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

MCPA + Clopyralid + Fluroxypyr

Brittas, Haksar Complex 260 EW, Kinvara, Pradera, Roundup Lawn Weedkiller, Verdone Extra, Verdone Extra Ready to Use, Weedol Gun! Lawn Weedkiller, Weedol Lawn Weedkiller

MCPA + Dicamba + Mecoprop-P

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

MCPA + Dichlorprop-P + Mecoprop-P

Duplosan Super, Hymec Triple, Optica Trio

MCPA + Ferrous Sulphate + Mecoprop-P

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Product index by Active Substance

MCPA + Mecoprop-P

Cleanrun Pro

MCPB

Tropotox

Mecoprop-P

Compitox Plus, Duplosan KV, Optica

Mecoprop-P + 2,4-D + Dicamba + Ferrous Sulphate

Aftercut All in One Lawn Feed, Weed & Moss Killer, Doff Complete lawn Feed, Weed & Mosskiller, Feed 'N' Weed Extra, Feed, Weed & Moss Killer, GTHMF Amateur, GTHMF Pro, Homeland Lawn Feed, Weed & Mosskiller, J.Arthur Bower's Lawn Feed, Weed and Mosskiller Granules, Restore 2, Restore Pro, Spear & Jackson 3 in 1 Lawn Feed, Weed & Mosskiller, Turf Rise Feed, Weed & Moss Killer, Unipro Lawn Feed, Weed and Mosskiller, Westland Lawn Feed, Weed and Moss Killer Granules, Wilko Lawn Feed, Weed and Moss Killer Treatment

Mecoprop-P + 2,4-D + Dicamba + MCPA

Dicophar, Dicophar Lawn Weedkiller, Dicophar RTU, Longbow

Mecoprop-P + Carfentrazone-ethyl

Jewel, Platform S

Mecoprop-P + Dicamba

Doff Lawn Weedkiller, Foundation, GreenForce Clover Lawn Weedkiller, GreenForce Dandelion & Daisy Weedkiller, GreenForce Dandelion & Daisy Weedkiller Ready to Use, GreenForce Lawn Weedkiller, GreenForce Lawn Weedkiller & Feed, GreenForce Lawn Weedkiller Ready to Use, High Load Mircam, Homebase Lawn Weedkiller, Hyban P, Hygrass P, Hytrol Lawn Weedkiller, Hytrol Lawn Weedkiller Ready to Use, Hytrol Nettle Killer, Pestshield New Formula Lawn Weedkiller, Resolva Lawn Weedkiller Extra Concentrate, Resolva Lawn Weedkiller Extra Ready to Use, Resolva Xtra Concentrate Weedkiller, Resolva Xtra Ready to Use Weedkiller, Roundup Lawn Optima, Roundup Lawn Ultra, Weedol LN, Weedol LN Concentrate

Mecoprop-P + Dicamba + Ferrous Sulphate

Goulding Extra-Strength Lawn Feed, Weed & Mosskiller, Hygeia Greenforce 4 in 1 Lawn Feed Weed and Mosskiller, Hygeia Lawn Feed, Weed and Mosskiller

Mecoprop-P + Dicamba + MCPA

Banspray, Banweed Special Extra, Headland Relay, Hyprone P, Hysward P, Mastercrop Bandit, Mircam Plus, Premier Amenity Selective, Turfmaster

Mecoprop-P + Dichlorprop-P + MCPA

Duplosan Super, Hymec Triple, Optica Trio

Product Index by Active Substance

Mecoprop-P + Ferrous Sulphate + MCPA

Evergreen Complete 4 in 1, Landscaper Pro Feed Weed Mosskiller, Landscaper Pro Triple Action, Renovator Pro, Verve Lawn Feed, Weed & Mosskiller

Mecoprop-P + MCPA

Cleanrun Pro

Mefentrifluconazole + Fluxapyroxad

Lentyrna, Revystar XL

Mepanipyrim

Frupica

Mepiquat Chloride + Ethephon

Terpal

Mepiquat Chloride + Metconazole

Caryx

Mepiquat Chloride + Prohexadione Calcium

Canopy

Mesosulfuron - methyl + Amidosulfuron + Iodosulfuron-methyl-sodium

Pacifica Plus

Mesosulfuron - methyl + Diflufenican + Iodosulfuron-methyl-sodium

Alister Flex

Mesosulfuron - methyl + Propoxycarbazone - sodium

Monolith

Mesotrione

Barracuda, Callisto, Cuter, Osorno, Temsa SC

Mesotrione + Clomazone + Terbuthylazine

Tonale

Mesotrione + Nicosulfuron

Elumis

Mesotrione + S-Metolachlor

Camix

Mesotrione + Terbuthylazine

Calaris, Click Premium, Croplink Maizekleen

Metalaxyl + Prothioconazole

Redigo M

Metalaxyl M

Ridomil Gold, SL567A

Product index by Active Substance

Metalaxyl M + Cymoxanil + Fludioxonil

Wakil XL

Metalaxyl M + Mancozeb

Ridomil Gold MZ 68 WG

Metaldehyde

Axcela, Destroyer, Gusto 3, Lima Gold 5%, Metarex Inov, Slug Ban, Slugtox, Traxx, Unipro Slug Killer

Metam (-sodium)

Fumetham

Metamitron

Goltix 70 SC, Mitron 700 SC, Mitron WG, Target SC, Target WG

Metamitron + Ethofumesate

Oblix MT

Metamitron + Glyphosate

New Hytrol

Metamitron + Quinmerac

Goltix Titan

Metarhizium anisoplice - ST BIPESCO 5/F52

Met 52 Granular, Met52 OD

Metazachlor

Butisan S, Rapsan 500, Rapsan 500SC

Metazachlor + Dimethenamid-P + Quinmerac

Katamaran Turbo

Metazachlor + Imazamox

Cleranda

Metazachlor + Quinmerac

Katamaran, Legion, Rapsan Turbo

Metconazole

Caramba, Juventus, Metfin, Plexeo 60, Sirena, Turret 60

Metconazole + Boscalid

Tectura

Metconazole + Fluxapyroxad

Librax

Metconazole + Mepiquat Chloride

Caryx

Product Index by Active Substance

Metobromuron

Proman

Metrafenone

Flexity, Vivando

Metribuzin

Buzzin, Sencorex Flow, Sharmetrin, Shotput

Metribuzin + Clomazone

Metric

Metribuzin + Diflufenican + Flufenacet

Bacara Triple, Firebird Met

Metsulfuron (-methyl)

Accurate, Ally SX, Ella SX, Finy, Lorate, Metro 20, Pike, Savvy, Savvy Premium

Metsulfuron (-methyl) + Carfentrazone-ethyl

Ally Express

Metsulfuron (-methyl) + Diflufenican

Pelican Delta

Metsulfuron (-methyl) + Florasulam + Tribenuron (-methyl)

Ally Ultra

Metsulfuron (-methyl) + Fluroxypyr

Croupier OD

Metsulfuron (-methyl) + Fluroxypyr + Thifensulfuron methyl

Omnera LQM, Provalia LQM

Metsulfuron (-methyl) + Thifensulfuron methyl

Choir, Clayton Paragon, Empire Supreme, Ergon, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Metsulfuron (-methyl) + Tribenuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Myclobutanil

Sythane 20 EW

Myclobutanil + Cypermethrin

Doff Rose Shield Bug & Fungus Killer, Multirose2, Pestshield 2 in 1 Bug & Fungus Control, Resolva Rose 3 in 1, Rosanil RTU, RoseClear Ultra Gun! 2, Rosegarde, Westland Rose Rescue

Napropamide

Devrinol

Product index by Active Substance

Nicosulfuron

Accent

Nicosulfuron + Mesotrione

Elumis

Nicosulfuron + Thifensulfuron methyl

Collage

Orange Oil

Argos

Oxamyl

Vydate 10G

Oxathiapiprolin

Zorvec Enicade

Oxathiapiprolin + Benthiavalicarb

Zorvec Endavia

Paclobutrazol

Pirouette

Paclobutrazol + Difenoconazole

Toprex

Pelargonic acid

Beloukha Garden, Cleanlawn Moss Control for Lawns Concentrate, Doff 24/7 Fast Acting Weedkiller, Doff Concentrated Garden Path and Patio Weed Killer, Doff Concentrated Tough Weed Killer, Doff Garden Path and Patio Weed Killer, Doff Weed Killer, Katoun Gold, Neudorff Fast Acting Moss & Algae Killer, Neudorff Fast Acting Weedkiller, Origins Rapid Action Weedkiller, Resolva Moss Killer, Resolva Xpress, Resolva Xpress 24H, Resolva Xpress 24H Concentrate, Resolva Zero Weedkiller, Resolva Zero Weedkiller Concentrate, Roundup NL Weed Control, Roundup NL Weed Control Ready to Use, S19321 R537.001, S19690 R586.009, Weedfree Express, Weedol Path and Gravel Ready to Use, Weedol Rapid Weed Control Ready to Use

Pelargonic acid + Maleic hydrazide

Fast Acting & Long Lasting Weedkiller, Fast Acting & Long Lasting Weedkiller Concentrate, Ultima, Ultima RTU, Weedfree Plus, Weedfree Plus Concentrate

Pendimethalin

Anthem, Fastnet, Most Micro, PDM 330 EC, Pendifin 400 SC, Sharpen 40% SC, Stomp 400 SC, Stomp Aqua

Pendimethalin + Chlorotoluron + Diflufenican

Tower

Product Index by Active Substance

Pendimethalin + Clomazone

Stallion Sync Tech

Pendimethalin + Diflufenican

Adept, Bulldog

Pendimethalin + Dimethenamid-P

Clayton Launch, Wing P

Pendimethalin + Imazamox

Nirvana

Pendimethalin + Picolinafen

Flight

Penflufen

Emesto Prime DS

Penthiopyrad

Avella, Celica, Fontelis

Penthiopyrad + Cyproconazole

Cielex

Pepper Dust

Vitax Pepper Dust

Phenmedipham

Beetup Flo, Betanal Flow

Picloram + Clopyralid

Galera

Picloram + Halauxifen-methyl

Belkar

Picolinafen + Flufenacet

Pontos

Picolinafen + Pendimethalin

Flight

Pinoxaden

Avena Nova, Axial Pro

Pirimicarb

Aphox

Pirimiphos-methyl

Actellic Smoke Generator

Product index by Active Substance

Plant Oils / Rape seed oil

Bug Clear Fruit & Veg, Bug Clear Fruit & Veg Gun!, Bug Clear Gardener's Choice, Origins Bug Control

Plant Oils / Rape seed oil + Pyrethrins

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Potassium Hydrogen Carbonate

Kaligreen, Karma

Potassium phosphonates + Dithianon

Delan Pro

Prochloraz

Atak 450 EC, Eytak 450 EC, Mirage, Prochlorus, Sporgon 50 WP, Sportak 45 EW

Prochloraz + Proquinazid + Tebuconazole

Vareon

Prochloraz + Tebuconazole

Orius P

Prochloraz + Triticonazole

Kinto

Prohexadione Calcium

Attraxor, Flagstaff, Regalis, Regalis Plus

Prohexadione Calcium + Mepiquat Chloride

Canopy

Prohexadione Calcium + Trinexapac ethyl

Medax Max

Propamocarb

Edipro, Proplant

Propamocarb + Cymoxanil

Proxanil

Propamocarb + Dimethomorph

Diprospero

Propamocarb + Fluopicolide

Infinito, Potato Blight Control

Product Index by Active Substance

Propamocarb + Fosetyl (-aluminium)

Previcur Energy

Propaquizafop

Claw 100, Falcon, Zetrola

Propoxycarbazono - sodium + Mesosulfuron - methyl

Monolith

Propyzamide

Barclay Propyz, Barclay Propyzaflash, Kerb Flo, Relva Granules, Solitare

Propyzamide + Aminopyralid

Astrokerb

Proquinazid

Talius

Proquinazid + Prochloraz + Tebuconazole

Vareon

Prosulfocarb

Clayton Heed, Crozier, Defy, Peloton, Professional, Quidam, Roxy 800 EC

Prosulfocarb + Diflufenican

Jura, Purelo

Prothioconazole

Aurelia, Clayton Province, Decoy 250 EC, Euskatel, Pabi 300 EC, Patel 300 EC, Pecari 250 EC, Pecari 300 EC, Phabia 300 EC, Pride, Proline, Prostar, Protendo 250 EC, Protendo 300 EC, Redigo, Rudis, Tartaros, Tokyo, Traciafin, Trinity 250, Ultraline

Prothioconazole + Benzovindiflupyr

Elatas Era, Tacanza Era, Velogy Era

Prothioconazole + Bixafen

Aviator Xpro, Mandarin Xpro, Siltra Xpro

Prothioconazole + Bixafen + Fluopyram

Ascra Xpro, Macfare Xpro

Prothioconazole + Bixafen + Fluoxastrobin

Variano Xpro

Prothioconazole + Bixafen + Spiroxamine

Boogie Xpro

Prothioconazole + Bixafen + Tebuconazole

Skyway Xpro

Product index by Active Substance

Prothioconazole + Fluopyram

Caligula, Propulse

Prothioconazole + Fluopyram + Tebuconazole

Raxil Star

Prothioconazole + Fluoxastrobin

Fandango, Firefly, Maestro, Mettle

Prothioconazole + Fluoxastrobin + Trifloxystrobin

Coyote

Prothioconazole + Isopyrazam

Prizm

Prothioconazole + Metalaxyl

Redigo M

Prothioconazole + Spiroxamine

Farmco Input, Flexure, Helix, Hint

Prothioconazole + Tebuconazole

Cello, Clayton Navaro, Jade, Oraso, Pecari Extra, Pontoon, Prosaro, Proteb, Protefin, Protendo Extra, Redigo Pro, Ultralegend

Prothioconazole + Trifloxystrobin

Zephyr

Pyraclostrobin

Comet, Comet 200, Eland, Insignia, Modem, Modem 200

Pyraclostrobin + Boscalid

Bellis, Bigalo, Cobalt, Signum

Pyraclostrobin + Fluxapyroxad

Priaxor EC, Serpent

Pyraflufen-ethyl

Gozai

Pyraflufen-ethyl + Glyphosate

Weedol Gun! Rootkill Plus, Weedol Gun! Ultra Tough Weedkiller, Weedol Rootkill Plus, Weedol Ultra Tough Weedkiller

Pyrethrins

Pyrethrum 5 EC

Pyrethrins + Plant Oils / Rape seed oil

Advanced Bug Killer, botanico BugClear Spray, Bugclear Ecomax, BugClear Ultra 2, BugClear Ultra 2 Gun!, BugFree Bug & Larvae Killer, Bugfree Bug & Larvae Killer

Product Index by Active Substance

Pyrethrins + Plant Oils / Rape seed oil (cont'd)

Concentrate, BugFree Bug & Larvae Killer for Roses, Pyrol Bug & Larvae Killer, Pyrol Bug & Larvae Killer Concentrate, Pyrol Bug & Larvae Killer for Roses

Pyridate

Lentagran WP

Pyrimethanil

Pirim, Scala

Pyriofenone

Property 180SC

Pyriproxyfen

HARPUN

Pyroxsulam + Florasulam

Broadway Star

Quinmerac + Dimethenamid-P + Metazachlor

Katamaran Turbo

Quinmerac + Metamitron

Goltix Titan

Quinmerac + Metazachlor

Katamaran, Legion, Rapsan Turbo

Quizalofop-P-ethyl

Pilot Ultra, Quick 5 EC

Quizalofop-p-terfuryl

Panarex

Rimsulfuron

Rim 25WG, Rimuron 25 WG, Titus

Sedaxane + Fludioxonil

Vibrance Duo

Sedaxane + Fludioxonil + Triticonazole

A20882B, Vibrance Star

Sheep fat

Trico

Silthiofam

Latitude, Latitude XL

S-Metolachlor

Dual Gold, Efica 960 EC

Product index by Active Substance

S-Metolachlor + Mesotrione

Camix

Spearmint oil

Biox-M

Spinosad

Conserve, Tracer

Spirotetramat

Batavia, Movento

Spiroxamine + Bixafen + Prothioconazole

Boogie Xpro

Spiroxamine + Prothioconazole

Farmco Input, Flexure, Helix, Hint

Streptomyces K61

Lalstop K61 WP

Sulfosulfuron

Monitor

Sulfosulfuron + Glyphosate

Nomix Blade, Nomix Dual

Sulfoxaflor

Closer, Sequoia, Transform

Sulfuryl fluoride

Profume

Sulphur

Headland Sulphur, Microthiol Special, Microthiol Special, Mildew Clear for Edibles, Thiopron

Tebuconazole

Fathom, Fezan, Folicur, Legend, Orius, Tarcza, Tebseme, Tebucur 250 EW, Tebusha 25% EW

Tebuconazole + Bixafen + Prothioconazole

Skyway Xpro

Tebuconazole + Bromuconazole

Djembe, Soleil

Tebuconazole + Deltamethrin

Multirose Concentrate 2

Product Index by Active Substance

Tebuconazole + Difenoconazole

Magnello

Tebuconazole + Fluopyram + Prothioconazole

Raxil Star

Tebuconazole + Fluoxastrobin

Evito T

Tebuconazole + Prochloraz

Orius P

Tebuconazole + Prochloraz + Proquinazid

Vareon

Tebuconazole + Prothioconazole

Cello, Clayton Navaro, Jade, Oraso, Pecari Extra, Pontoon, Prosaro, Proteb, Protefin, Protendo Extra, Redigo Pro, Ultralegend

Tebuconazole + Trifloxystrobin

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fusion, Nativo 75 WG

Tefluthrin

Force 20 CS

Terbuthylazine + Clomazone + Mesotrione

Tonale

Terbuthylazine + Mesotrione

Calaris, Click Premium, Croplink Maizekleen

Thiabendazole

Tebuzate 220 SL

Thiencarbazonemethyl + Foramsulfuron

Conviso One

Thifensulfuron methyl

Harmony SX, Prospect SX

Thifensulfuron methyl + Fluroxypyr + Metsulfuron (-methyl)

Omnera LQM, Provalia LQM

Thifensulfuron methyl + Metsulfuron (-methyl)

Choir, Clayton Paragon, Empire Supreme, Ergon, Finish SX, Harmony M SX, Harmony Max SX, Presite Max SX, Presite SX

Thifensulfuron methyl + Nicosulfuron

Collage

Product index by Active Substance

Thifensulfuron methyl + Tribenuron (-methyl)

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Tri-allate

Avadex Excel 15G, Avadex Factor

Tribenuron (-methyl)

Cameo SX, Nuance, Quantum, Taxi, Thor, Trailer, Tribe 75WG

Tribenuron (-methyl) + Florasulam

Bolt

Tribenuron (-methyl) + Florasulam + Metsulfuron (-methyl)

Ally Ultra

Tribenuron (-methyl) + Metsulfuron (-methyl)

Ally Max SX, Biplay SX, Boudha

Tribenuron (-methyl) + Thifensulfuron methyl

Calibre Max SX, Calibre SX, Cameo Max SX, Hiatus, Inka Max SX, Nautius, Quantum Max SX

Trichoderma Asperellum (strain T34)

T34 Biocontrol

Trichoderma harzianum Strain T22

Trianum-P

Triclopyr

Ready to Use SBK Brushwood Killer, SBK Brushwood Killer

Triclopyr + 2,4-D

Genoxone ZX EC

Triclopyr + Aminopyralid

Forefront T, Garlon Ultra, Icade, Speedline Pro

Triclopyr + Clopyralid

Blaster Pro, Grazon 90, Grazon Pro, Pastisha, Thistlex

Triclopyr + Fluroxypyr

Doxstar Pro, Governor, Pivotal

Trifloxystrobin

Scorpio, Swift SC

Trifloxystrobin + Cyproconazole

Escolta

Product Index by Active Substance

Trifloxystrobin + Fluopyram

Exteris Stressgard

Trifloxystrobin + Fluoxastrobin + Prothioconazole

Coyote

Trifloxystrobin + Prothioconazole

Zephyr

Trifloxystrobin + Tebuconazole

Dedicate, Double, Fungus Control and Protect, Fungus Fighter Plus, Fusion, Nativo 75 WG

Triflusulfuron

Debut, Shiro

Triflusulfuron + Lenacil

Safari Lite WSB

Trinexapac ethyl

Clayton Truss, Clipless, Freeze, Freeze NT, Life Scientific Trinex, Limitar, Maintain, Moddus, Moxa, Moxa EC, Next, Nexus, Optimus, Paket 250 EC, Primo Maxx II, Scitec, Sonis, Tempo, Terplex, Trinexis

Trinexapac ethyl + Prohexadione Calcium

Medax Max

Triticonazole

Fungus Clear Ultra, Fungus Clear Ultra Gun!

Triticonazole + Acetamiprid

Roseclear Ultra, Roseclear Ultra Gun!

Triticonazole + Fludioxonil + Fluxapyroxad

Kinto Plus

Triticonazole + Fludioxonil + Sedaxane

A20882B, Vibrance Star

Triticonazole + Prochloraz

Kinto

Tritosulfuron

Biathlon

Zoxamide + Cymoxanil

Lieto

Zoxamide + Mancozeb

Electis 75WG

Product index by Active Substance

Chapter 7

List of off label approvals which have been granted up to 11/2/21 for use on food crops

Off-Label Extension of Authorisation for Minor uses (EAMU) - Food Crops as of 11 February 2021

Warning: Off-Label EAMU Approvals:

The use of any product in accordance with an off-label EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for off-label EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Apples</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	3 days before harvest	3 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			0.75 l/ha	0.75 l/ha	-	10 days before harvest	10 days
					<i>Ethephon</i>	480 g/l					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	87.8% w/w					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.325 l/ha	0.325 l/ha	1	After final harvest	
					<i>Tebuconazole</i>	200 g/l					
					<i>Tebuconazole</i>	200 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	250 g/l					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
					<i>Proquinazid</i>	200 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	Before senescence	
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	-	
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	-	
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	4.0 kg/ha	2 - 1 to growing crop. 1 - post harvest underneath	28 days before harvest	28 days
					<i>Pyridate</i>	<i>45% w/w</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		After harvest and before end of September	
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.9 l/ha	0.9 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Asparagus</i>											
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	-		
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Karma	05116	Certis Europe BV	Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Aubergines - protected</i>											
Movento	05349	Bayer CropScience Limited	Insecticide				0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide				2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
Revus	05154	Syngenta UK Ltd	Fungicide				0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Scala	03916	BASF plc	Fungicide				0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Thiastar	06649	CAC GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V.	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 mls/ha*	1.66 l/ha*	2 per crop*	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Dynamec	04438	Syngenta UK Ltd	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Percos	03841	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Dimethomorph</i>	<i>225 g/l</i>					
					<i>Ametoctradin</i>	<i>300 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*		35 days before harvest	35 days
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Baby leaf production</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Basil</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - broad</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide				3.3 l/ha	3.3 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Crozier	06482	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Defy	04277	Syngenta UK Ltd	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide				2.1 kg/ha	2.1 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
PDM 330 EC	03582	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
Peloton	06481	Barclay Chemicals Ltd	Herbicide				5.0 l/ha	5.0 l/ha	-	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide				3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide				2.0 kg/ha	2.0 kg/ha	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	1 per crop	Pre-emergence	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Pre crop emergence	
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Esfenvalerate</i>	<i>25 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
	Wakil XL	05471	Syngenta UK Ltd	Seed Dressing	<i>Metalaxyl M</i> <i>Cymoxanil</i> <i>Fludioxonil</i>	<i>175 g/kg</i> <i>100 g/kg</i> <i>50 g/kg</i>	2.0 kg/tonne	2.0 kg/tonne	1 per batch	Before drilling	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - french</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.95 l/ha	0.95 l/ha	1	GS 20	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
<i>Beans - navy</i>											
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	7 weeks
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beans - runner</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Immediately after sowing	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Fathom	04688	FMC Agro Ltd	Fungicide			0.95 l/ha	0.95 l/ha	1	GS 20	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - fodder</i>											
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	300 mls/ha		30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			300 mls/ha	300 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	0.3 l/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beet - red</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Mitron WG	04683	Hermoo Belgium N.V.	Herbicide			2.0 kg/ha	5.0 kg/ha	3 per crop	GS 18	
					<i>Metamitron</i>	<i>70% w/w</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			10 kg/ha	10 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Beet - sugar</i>											
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	Before row closure	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Escolta	05681	Bayer CropScience Limited	Fungicide			0.35 l/ha	0.7 l/ha	2 per year	21 days before harvest	21 days
					<i>Cyproconazole</i>	<i>160 g/l</i>					
					<i>Trifloxystrobin</i>	<i>375 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Beetroot</i>											
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Lenacil</i>	<i>500 g/l</i>	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Oxamyl</i>	<i>100 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 mls/ha	2.49 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - field</i>											
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackberries - protected</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
	Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	75 % w/w					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Sulphur</i>	<i>80% w/w</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide	<i>Spinosad</i>	<i>480 g/l</i>	120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	58 %w/w					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	250 g/l					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blackcurrants - protected</i>										
Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	100 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	10 days before harvest	10 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	75 % w/w					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blueberries - field</i>										
Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
				<i>Flazasulfuron</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	58 %w/w					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25.0% w/w					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Blueberries - protected</i>										
Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						
				<i>Trichoderma</i>	<i>1% w/w</i>					
				<i>harzianum Strain T22</i>						

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Bigalo	06250	Globachem nv	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Broccoli</i>											
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Insyst	03249	Nisso Chemical Europe GmbH	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	250 g/ha	250 g/ha	1	21 days before harvest	21 days
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Propamocarb</i>	<i>625 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Acetamiprid</i>	<i>20 %w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Brussels sprouts</i>											
Steward	02603	DuPont (UK) Ltd	Insecticide				85 g/ha	255 g/ha	3 / crop	1 day before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide				165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide				10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide				0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Wing P	03590	BASF plc	Herbicide				4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Bush/Cane fruit plantations</i>											
Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Fastnet	06253	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Most Micro	04837	Sipcam U.K. Ltd	Herbicide				3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
Roundup Biactive	02313	Monsanto UK Ltd	Herbicide				4 l/ha	10 l/ha		28 days pre harvest	28 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
Amistar	05072	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide				2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Azarius	06522	JT Agro Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Azoxystar	05534	Life Scientific Limited	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Butisan S	04631	BASF plc	Herbicide				1.0 l/ha	1.0 l/ha	-	Post emergence GS 16-18. 6-8 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
Chamane	05002	UPL Europe Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide				500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide				2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
					<i>Napropamide</i>	<i>450 g/l</i>					
Difenofin	06218	Finchimica S.p.A	Fungicide				0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Dual Gold	04192	Syngenta UK Ltd	Herbicide				1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Globazar SC	05529	Globachem nv	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Pyridate</i>	<i>45% w/w</i>	0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha		21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - chinese</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Tec-Bom		05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiastar		06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Zoxis		05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	2.0 l/ha	2.0 l/ha	-	28 days before harvest	28 days
	Dual Gold	04192	Syngenta UK Ltd	Herbicide	<i>Clethodim</i>	<i>120 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>S-Metolachlor</i>	<i>960 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Clomazone</i>	<i>360 g/l</i>	1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide	<i>Fluopicolide</i> <i>Propamocarb</i>	<i>62.5 g/l</i> <i>625 g/l</i>	0.5 kgs/m ³	-	-	Pre-planting	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>	8 l/ha	48 l/ha	6		0 days
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cabbage - head</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Tec-Bom		05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teppeki		04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Wing P		03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Before planting	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Propamocarb</i>	625 g/l					
					<i>Fluopicolide</i>	62.5 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Calabrese</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			2.0 l/ha	2.0 l/ha	1 per crop	Before edible part formed	28 days
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	75% w/w					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	120 g/l					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	600 g/l					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	800 g/l					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	600 g/l					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	800 g/l					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	25 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	15 g/l					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	800 g/l					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	250 g/l					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	28 days
					<i>Flumioxazin</i>	300 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
	Emerger	06190	Bayer CropScience Limited	Herbicide	<i>Mancozeb</i>	<i>75% w/w</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator	<i>Acifluorfen</i>	<i>600 g/l</i>	5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide	<i>Maleic hydrazide</i>	<i>600 g/kg</i>	0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Isoxaben</i>	<i>500 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
	Fytosol	06584	Fytofend S.A.	Fungicide	<i>Tefluthrin</i>	<i>200 g/l</i>	4.0 l/ha	60.0 l/ha	15 per crop	N/A	
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide	<i>COS-OGA</i>	<i>12.5 g/l</i>	0.083l/ha	0.25 l/ha*		Before 4th trye leaf stage & 55 days before harvest	55 days
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Clomazone</i>	<i>360 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.24 l/ha	0.24 l/ha	-	Pre-emergence	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Diflufenican</i>	<i>500 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Difenoconazole</i>	<i>250 g/l</i>	5.0 l/ha	5.0 l/ha		Before GS 11	80 days
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	2.5 l/ha	2.5 l/ha	-	40 days before harvest	40 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Carrots</i>											
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wakil XL	05471	Syngenta UK Ltd	Seed Dressing			5g per million seeds	5g per million seeds	1 per batch	Before drilling	
					<i>Cymoxanil</i>	<i>100 g/kg</i>					
					<i>Metalaxyl M</i>	<i>175 g/kg</i>					
					<i>Fludioxonil</i>	<i>50 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	25 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cauliflowers</i>											
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	7 days after transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globazar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.6 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.255 l/ha	0.51 l/ha	3	Before GS 16	28 days
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celeriac</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			1.0 l/ha	1.0 l/ha	1 per crop	60 days before harvest	60 days
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			50 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	50 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - field</i>											
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	7 days before harvest	7 days
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Cyprodinil</i>	<i>37.5% w/w</i>	1.0 kg/ha	2.0 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	
	Thiastar	06649	CAC GmbH	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	-
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Celery - protected</i>										
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>75% w/w</i>	0.2kg/ha during flowering	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 09	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Copper oxychloride</i>	<i>87.8% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per year	30 days before harvest	30 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			6.0 kg/ha	12.0 kg/ha	2 per crop	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Sulphur</i>	<i>80% w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cherries</i>											
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha		7 days before harvest	7 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Systhane 20 EW	04944	Dow AgroSciences Ltd	Fungicide			0.45 l/ha	0.9 l/ha	2	14 days before harvest	14 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.28 kgs/ha	2	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
<i>Chicory</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	-	Before GS 16	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Chives</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	800 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4 per crop	7 days before harvest	7 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			2.8 l/ha	2.8 l/ha	-	Before drilling or transplanting	
					<i>Napropamide</i>	450 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Collards</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
<i>Coriander</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 2 true leaf stage	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	2 per crop	1 day before harvest	1 day
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - field</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>										
Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
				<i>Spirotetramat</i>	<i>150 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Percos	03841	BASF plc	Fungicide			0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
				<i>Dimethomorph</i>	<i>225 g/l</i>					
				<i>Ametoctradin</i>	<i>300 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
				<i>Mandipropamid</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
				<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
				<i>Fludioxonil</i>	<i>25% w/w</i>					
				<i>Cyprodinil</i>	<i>37.5% w/w</i>					
T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
				<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
				<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Courgettes - protected</i>											
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - field</i>											
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³			Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cranberries - protected</i>											
	Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Cress - field</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			0.6 l/ha	1.2 l/ha	2	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Sulphur</i>	<i>80 %w/w</i>	0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Spirotetramat</i>	<i>150 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Percos	03841	BASF plc	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
	Revus	05154	Syngenta UK Ltd	Fungicide	<i>Dimethomorph</i> <i>Ametoctradin</i>	<i>225 g/l</i> <i>300 g/l</i>	0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Mandipropamid</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Sonata	05802	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25% w/w</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
	Thiastar	06649	CAC GmbH	Fungicide	<i>Fenhexamid</i>	<i>50 %w/w</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Vivando	05685	BASF plc	Fungicide	<i>Azoxystrobin</i> <i>Metrafenone</i>	<i>250 g/l</i> <i>500 g/l</i>	0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Cucumbers - protected</i>											
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Damsons</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Dill</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before crop germination	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Elderberries</i>											
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Spirotetramat</i>	100 g/l	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide	<i>Fatty Acid - C7-C20</i>	479.8 g/l	7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Sulphur</i>	80% w/w	11.5 l/ha	92 l/ha	8 per crop	-	-
	Trianum-P	05486	Koppert B.V.	Fungicide	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l	15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Endives</i>											
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*		7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Fennel</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
	Emerger	06190	Bayer CropScience Limited	Herbicide	<i>S-Metolachlor</i>	<i>960 g/l</i>	2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide	<i>Aclonifen</i>	<i>600 g/l</i>	0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Isoxaben</i>	<i>500 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide	<i>Propamocarb</i>	<i>625 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	20 kg/ha	20 kg/ha	1	At drilling	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Garlic Extract</i>	<i>450 g/kg</i>	5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 15	
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	1.9 kg/ha	5.7 kg/ha	3 per crop	28 days before harvest	28 days
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Garlic</i>											
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Difenoconazole</i> <i>Azoxystrobin</i>	<i>125 g/l</i> <i>200 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25.0% w/w</i>	0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Percos	03841	BASF plc	Fungicide	<i>Ametoctradin</i> <i>Dimethomorph</i>	<i>300 g/l</i> <i>225 g/l</i>	0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gherkin - protected</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	6.0 l/ha	-	3 days before harvest	3 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	4.5 kgs/ha	3	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post harvest application	
					<i>Spirotetramat</i>	100 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	26.7% w/w					
					<i>Pyraclostrobin</i>	6.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - field</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stroby WG	05092	BASF plc	Fungicide			0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	-
					<i>Flazasulfuron</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	58 %w/w					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kgs/ha	3.0 kgs/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Gooseberries - protected</i>										
Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
Trianum-P	05486	Koppert B.V.	Fungicide	<i>Spinosad</i>	<i>480 g/l</i>	15 g/1000 plants	-	12 per year	At cultivation	
				<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
				<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Grassland - seed crops</i>										
Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	N/A	
				<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 ml/ha	1.26 l/ha	3 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			3.5 l/ha	3.5 l/ha	1	6 weeks before harvest	6 weeks
					<i>Propyzamide</i>	<i>400 g/l</i>					
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Percos	03841	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Ametoctradin</i>	<i>300 g/l</i>					
					<i>Dimethomorph</i>	<i>225 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	-	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - field</i>											
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Azoxystrobin</i>	250 g/l	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg	70 g/ha	-	12	-	
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Ampelomyces Quisqualis</i>	58 %w/w	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg	0.6 kg/ha	3.0 kg/ha	5 per year	-	
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	250 g/l	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	25.0% w/w 37.5% w/w	0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide	<i>Boscalid</i> <i>Pyraclostrobin</i>	26.7% w/w 6.7% w/w	1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	15 g/l	830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide	<i>Napropamide</i>	450 g/l	0.85 l/ha	0.85 l/ha	-	Pre crop emergence	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>										
Dynamec	04438	Syngenta UK Ltd	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
				<i>Abamectin</i>	<i>18 g/l</i>					
FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
				<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
				<i>Propyzamide</i>	<i>400 g/l</i>					
Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
				<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	2	-	0 days
				<i>Sulphur</i>	<i>80 %w/w</i>					
Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Spirotetramat</i>	<i>150 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
				<i>Azoxystrobin</i>	<i>250 g/l</i>					
Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
				<i>Dimethomorph</i>	<i>500 g/kg</i>					
Percos	03841	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
				<i>Ametoctradin</i>	<i>300 g/l</i>					
				<i>Dimethomorph</i>	<i>225 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Immediately post drilling/ before transplanting	
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
				<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
				<i>Propamocarb</i>	<i>530 g/l</i>					
Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*	-	35 days before harvest	35 days
				<i>Mancozeb</i>	<i>64% w/w</i>					
				<i>Metalaxyl M</i>	<i>3.88% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Herbs - protected</i>											
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Hops</i>											
	Fytosol	06584	Fytofend S.A.	Fungicide			4.0 l/ha	60.0 l/ha	15 per crop	N/A	
					<i>COS-OGA</i>	<i>12.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	2.0 kg/ha	-	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
					<i>Metamitron</i>	<i>700 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
	Ravane	05536	Globachem nv	Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
	Roxy 800 EC	05739	Globachem nv	Herbicide	<i>Isoprazam</i>	<i>125 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Stomp 400 SC	02879	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
	Stomp Aqua	03750	BASF plc	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	3.3 l/ha	3.3 l/ha	1	Before crop emergence	
	Stratos Ultra	04936	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>	4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Horseradish</i>											
Switch	06414	Syngenta UK Ltd	Fungicide				0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiastar	06649	CAC GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide				0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
Vydate 10G	03698	DuPont (UK) Ltd	Nematicide				0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Jerusalem Artichoke</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide	<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l	0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	100 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	21 days before harvest	21 days
					<i>Difenoconazole</i>	250 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Drilled crops- pre-emergence. Or within 5 days transplanting	
					<i>S-Metolachlor</i>	960 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gamit 36 CS	05357	FMC Chemical s.p.r.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	Before 6 true leaf stage	
					<i>Clomazone</i>	360 g/l					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	3.2 l/ha	2 per crop*	Before GS 49	14 days
					<i>Fluopicolide</i>	62.5 g/l					
					<i>Propamocarb</i>	625 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Signum	03799	BASF plc	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	6.7 % w/w					
					<i>Boscalid</i>	26.7 % w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kale</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	200 mls/ha	800 mls/ha	4		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					
<i>Kale - For animal feed only</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	-		
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Butisan S	04631	BASF plc	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Metazachlor</i>	500 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Spirotetramat</i>	150 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	7 days pre harvest	
					<i>Esfenvalerate</i>	25 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m ³	10 g/m ³	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Kohl-rabi</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
						<i>Fatty acid - C7 - C18 - 416 g/l potassium salt</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.4 kg/ha	0.8 kg/ha	-	Before 3 true leaf stage	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	5-21 days after planting	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	-	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	28 days before harvest	28 days
					<i>Pyridate</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Leeks</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		28 days before harvest	28 days
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	2 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	6.0 kg/ha	-	21 days before harvest	21 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.4 l/ha	-	10 days post transplanting or 3rd true leaf	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days before harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Percos	03841	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Dimethomorph</i>	<i>225 g/l</i>					
					<i>Ametoctradin</i>	<i>300 g/l</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.75 l/ha	3.75 l/ha	1 / crop	6 weeks pre harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - field</i>											
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	6 weeks pre harvest	
	Switch	06414	Syngenta UK Ltd	Fungicide	<i>Pendimethalin</i>	<i>455 g/l</i>	0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
	Systhane 20 EW	04944	Dow AgroSciences Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Myclobutanil</i>	<i>200 g/l</i>	5.75 l/ha	51.75 l/ha	9 per crop	-	-
	Teldor	02003	Bayer CropScience Limited	Fungicide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Fenhexamid</i>	<i>50 %w/w</i>	200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
	Wing P	03590	BASF plc	Herbicide	<i>Spinosad</i> <i>Pendimethalin</i> <i>Dimethenamid-P</i>	<i>480 g/l</i> <i>250g/l</i> <i>212.5 g/l</i>	1.25 l/ha	1.25 l/ha	-	Before transplanting	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	1.66 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dynamec	04438	Syngenta UK Ltd	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Abamectin</i>	<i>18 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide			1.875 l/ha	1.875 l/ha	1	24 days pre harvest	24 days
					<i>Propyzamide</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Lettuce - protected</i>											
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Paraat	03614	BASF plc	Fungicide			0.36 kg/ha	0.72 kg/ha	2 per crop	14 days before harvest	14 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Percos	03841	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Ametoctradin</i>	<i>300 g/l</i>					
					<i>Dimethomorph</i>	<i>225 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*	-	35 days before harvest	35 days
					<i>Mancozeb</i>	<i>64% w/w</i>					
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
	Scala	03916	BASF plc	Fungicide			1.33 l/ha	4.0 l/ha	-	14 days before harvest	14 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.6 kg/ha	1.2 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Systhane 20 EW	04944	Dow AgroSciences Ltd	Fungicide			0.3 l/ha	0.6 l/ha	2	14 days before harvest	14 days
					<i>Myclobutanil</i>	<i>200 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha	2 / crop	3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	600 ml/ha	3 per crop	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Linseed</i>										
Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
				<i>Metazachlor</i>	<i>500 g/l</i>					
Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	500 ml/ha	1 per crop	GS 81	
				<i>Deltamethrin</i>	<i>15 g/l</i>					
Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
				<i>Metazachlor</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 l/ha	3.0 l/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³			pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Loganberries - protected</i>											
	Trianum-P	05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					
					<i>Trichoderma harzianum Strain T22</i>	1% w/w					
<i>Lupins</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.75 l/ha	3.75 l/ha		Pre crop emergence	
					<i>Pendimethalin</i>	400 g/l					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	-	
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	PDM 330 EC	03582	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	330 g/l					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.75 l/ha	3.75 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	455 g/l					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	2.0 kg/ha	2 per crop	-	
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Maize - Forage - open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Forage - under plastic</i>											
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2	Tasel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Modem	02355	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	Tassel/silk visible stage (BBCH 51-59)	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
<i>Maize - Grain - open ground</i>											
	Comet	02354	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	2	Tasel/silk visible stage	
					<i>Pyraclostrobin</i>	<i>250 g/l</i>					
<i>Mange tout peas</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mangolds</i>											
	Mitron WG	04683	Hermoo Belgium N.V.	Herbicide			2.0 kg/ha	5.0 kg/ha	3 per crop	GS 18	
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Metamitron</i>	<i>70% w/w</i>	8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Marrows</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>200 g/l</i>	1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Melon - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
<i>Mint</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Mushrooms</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.24 g per sq m grow area	0.96 g per sq m grow area	4 per crop	-	0 days
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			5ml/100 cubic metre	-	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			1.6 ml in 62.5 ml water per m sq	ml per m sq	5 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Pyrethrum 5 EC	06255	Pelgar International	Insecticide			0.65 l/ha	1.95 l/ha	3 per crop	1 day before harvest	1 day
					<i>Pyrethrins</i>	<i>50 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			1.84 ml/62.5L water/sq m	9.2 ml/sq m	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
<i>Mustard</i>											
	Fathom	04688	FMC Agro Ltd	Fungicide			1.25 l/ha	1.25 l/ha	1	GS 65	21 days
					<i>Tebuconazole</i>	<i>200 g/l</i>					
<i>Oilseed Rape - spring</i>											
	Galera	05188	Dow AgroSciences Ltd	Herbicide			0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
					<i>Picloram</i>	<i>67 g/l</i>					
					<i>Clopyralid</i>	<i>267 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 47	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	5.0 l/ha	4 per crop	GS 47	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Fytosol	06584	Fytofend S.A.	Fungicide			4.0 l/ha	60.0 l/ha	15 per crop	N/A	
					<i>COS-OGA</i>	<i>12.5 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NEMGuard DE	05368	ECOSpray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions</i>											
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	14 days before harvest	14 days
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			0.55 kg/ha	1.1 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	1.26 l/ha	3	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		Before 3rd true leaf	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Tefluthrin</i>	<i>200 g/l</i>	10 ml/100,000 seeds	10 ml/100,000 seeds	1 per batch	Before drilling	
	Globazar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fluopicolide</i>	<i>62.5 g/l</i>	1.6 l/ha	1.6 l/ha	1 per crop	14 days before harvest	14 days
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide	<i>Pyridate</i>	<i>45% w/w</i>	2.0 kg/ha	2.0 kg/ha	1 per crop	35 days before harvest	35 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	1.0 kg/ha	3.0 kg/ha		N/A	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	8.4 kg/ha	-	28 days before harvest	28 days
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Trifloxystrobin</i>	<i>250 g/kg</i>	0.36 kg/ha	0.36 kg/ha	* 1 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	2	14 days before harvest	14 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	-	Before 3rd true leaf	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.5 kg/ha	4.5 kg/ha	-	14 days before harvest	14 days
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 13	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kg/ha	3.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	2 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	14 days before harvest	14 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Onions - salad</i>											
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Onions - sets</i>											
	Fathom	04688	FMC Agro Ltd	Fungicide			0.066 l/ha	0.066 l/ha	1	Prior to planting	
					<i>Tebuconazole</i>	<i>200 g/l</i>					
<i>Orchards - top fruit</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.75 l/ha	3.75 l/ha	1 per year	N/A	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	365 days before first harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before crop germination	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - field</i>											
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley - protected</i>											
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsley Root</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.0 kg/ha	2.0 kg/ha	-	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			1.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fazor Star	03729	Arysta LifeScience Great Britain Ltd	Growth Regulator			5.0 kg/ha	5.0 kg/ha	1 per crop	21 days before harvest	
					<i>Maleic hydrazide</i>	<i>600 g/kg</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 per year	Pre-emergence	
					<i>Isoxaben</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
					<i>Tefluthrin</i>	<i>200 g/l</i>	25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
	Globazar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
	Goltix 70 SC	04668	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Metamitron</i>	<i>700 g/l</i>	2.0 l/ha	5.0 l/ha	-	Pre crop emergence	
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>	0.24 l/ha	0.24 l/ha	-	Pre-emergence	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.01kgs/5 litres water	-	2	-	0 days
	Movento	05349	Bayer CropScience Limited	Insecticide	<i>Spirotetramat</i>	<i>150 g/l</i>	0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i>	<i>500 g/kg</i>	0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
	Peloton	06481	Barclay Chemicals Ltd	Herbicide	<i>Prosulfocarb</i>	<i>800 g/l</i>	5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide	<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>	2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
Professional	06262	Sharda Cropchem Espana S.L.	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
Roxy 800 EC	05739	Globachem nv	Herbicide				5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
Score 250 EC	04566	Syngenta UK Ltd	Fungicide				0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Signum	03799	BASF plc	Fungicide				1.0 kg/ha	2.0 kgs/ha	-	14 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
SL567A	03106	Syngenta UK Ltd	Fungicide				1.3 l/ha	1.3 l/ha	1	no later than 6 weeks after drilling	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide				100 mls/ha	100 mls/ha	1	28 days before harvest	28 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiastar	06649	CAC GmbH	Fungicide				1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Parsnips</i>											
	Wakil XL	05471	Syngenta UK Ltd	Seed Dressing			5g per million seeds	5g per million seeds	1 per batch	Before drilling	
					<i>Cymoxanil</i>	<i>100 g/kg</i>					
					<i>Fludioxonil</i>	<i>50 g/kg</i>					
					<i>Metalaxyl M</i>	<i>175 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pears</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide		250 g/kg	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
	Botrefin	06480	Finchimica S.p.A	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>		0.8 kg/ha	2.4 kg/ha	3 per year	3 days before harvest	3 days
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	25% w/w 37.5% w/w	2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
	Exilis	04702	Fine Agrochemicals Ltd	Growth Regulator	<i>Copper oxychloride</i>	87.8% w/w	75 ml per 10 litres water *	5 ml per 10 litres water	1 per year	Up to fruitlet diameter of 15 mm	75 days
	Fathom	04688	FMC Agro Ltd	Fungicide	<i>6-benzyladenine</i> <i>6-benzyladenine</i>	20.0 g/l 20.0 g/l	0.437 l/ha	0.437 l/ha	1	GS 20	
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Tebuconazole</i> <i>Tebuconazole</i>	200 g/l 200 g/l	10.0 l/ha	80.0 l/ha	8 per crop	-	
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Fatty Acid - C7-C20</i>	479.8 g/l	0.25 l/ha	1.0 l/ha	-	28 days before harvest	28 days
	Scala	03916	BASF plc	Fungicide	<i>Difenoconazole</i>	250 g/l	1.125 l/ha	4.5 l/ha	4 per year	56 days before harvest	56 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Pyrimethanil</i>	400 g/l	0.25 l/ha	1.0 l/ha		28 days before harvest	28 days
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Difenoconazole</i>	250 g/l	0.25 l/ha	0.5 l/ha	2 per year	49 days before harvest	49 days
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Proquinazid</i>	200 g/l	11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - combining</i>											
Afinto	06733	ISK Biosciences Europe N.V.	Insecticide				0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide				1.0 kg/ha	2.0 kg/ha	-	21 days before harvest	21 days
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
					<i>Boscalid</i>	<i>26.7% w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide				330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide				0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			1.0 l/ha	1.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	-	42 days before harvest	42 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Flumioxazin</i>	<i>300 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stallion Sync Tech	05483	FMC Agro Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Pre-crop emergence	
					<i>Clomazone</i>	<i>30 g/l</i>					
					<i>Pendimethalin</i>	<i>333 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			330 mls/ha	330 mls/ha	2	14 days pre harvest	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	42 days before harvest	42 days
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peas - vining</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.14 kgs/ha	1	14 days pre harvest	14 days
					<i>Flonicamid</i>	<i>500 g/kg</i>					
<i>Peppers - Chilli - protected</i>											
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			10g per 100L water	-	2	1 day pre harvest	1 day
	Amistar	05072	Syngenta UK Ltd	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Azoxystrobin</i> <i>Difenoconazole</i>	<i>200 g/l</i> <i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Azoxystar	05534	Life Scientific Limited	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Botrefin	06480	Finchimica S.p.A	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
	Chamane	05002	UPL Europe Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide	<i>Cyprodinil</i> <i>Fludioxonil</i>	<i>37.5% w/w</i> <i>25.0% w/w</i>	1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	16.0 l/ha	80.0 l/ha	5	N/A	
	Globaztar SC	05529	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
	Karma	05116	Certis Europe BV	Fungicide	<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>	3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
	Microthiol Special	90548	UPL Europe Ltd	Fungicide	<i>Sulphur</i>	<i>80 %w/w</i>	0.01kgs/5 litres water	-	-	-	0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Peppers - protected</i>											
Movento	05349	Bayer CropScience Limited	Insecticide				0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Previcur Energy	04041	Bayer CropScience Limited	Fungicide				6 mls per sq m	9 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
Switch	06414	Syngenta UK Ltd	Fungicide				1.0 kg/ha	3.0 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				1.84 ml/100L	92 l/ha	5 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Teldor	02003	Bayer CropScience Limited	Fungicide				1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide				10g per 100L water	-	2	1 day pre harvest	1 day
					<i>Flonicamid</i>	<i>500 g/kg</i>					
Thiastar	06649	CAC GmbH	Fungicide				1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Vivando	05685	BASF plc	Fungicide				0.3 l/ha	0.6 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	2.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Plums</i>											
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.2 kg/ha during flowering	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	Before GS 07	
					<i>Copper oxychloride</i>	87.8% w/w					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Signum	03799	BASF plc	Fungicide			0.75 kg/ha	2.25 kg/ha	-	7 days before harvest	7 days
					<i>Pyraclostrobin</i>	6.7 % w/w					
					<i>Boscalid</i>	26.7 % w/w					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.2 kg/ha or 0.6 kg/ha*	1.8 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Potatoes - seed crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			670 ml/ha	1.34 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			5 l/ha	5 l/ha	1	GS 5	
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
<i>Potatoes - ware crops</i>											
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1.0 kg/ha	6.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
<i>Pumpkins - field</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Pumpkins - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	14 days before harvest	14 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6	-	0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radicchio</i>										
Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20% w/w</i>					
Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
				<i>Acetamiprid</i>	<i>20 % w/w</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 79	
	Azarius	06522	JT Agro Ltd	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Butisan S	04631	BASF plc	Herbicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	1.0 l/ha	-	Pre-emergence	
	Decis	02693	Bayer CropScience Limited	Insecticide	<i>Metazachlor</i>	<i>500 g/l</i>	300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Deltamethrin</i>	<i>15 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	5.0 l/ha	45.0 l/ha	9 per crop	-	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Radish</i>											
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.0 l/ha	1.0 l/ha	-		
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1	30 days before harvest	30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rape - fodder</i>										
Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	8 l/ha	48 l/ha	6		0 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
Amistar	05072	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Amistar Top	04582	Syngenta UK Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide				2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide				0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
Botanigard WP	06264	Mycotech Europe Ltd	Insecticide				0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide				2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide				7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
Pantha	06445	TerreChem Ltd	Fungicide				1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide				2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Scala	03916	BASF plc	Fungicide				2.0l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide				8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - field</i>											
	Spotlight Plus	03294	FMC Chemical s.p.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	200ml/ha in 1000L water	400 ml/ha	2 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amistar Top	04582	Syngenta UK Ltd	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Difenoconazole</i> <i>Azoxystrobin</i>	<i>125 g/l</i> <i>200 g/l</i>	2.5 kg/ha	15 kg/ha	6 per year	GS 89	
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>	0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide	<i>Clofentezine</i>	<i>500 g/l</i>	0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
	Botrefin	06480	Finchimica S.p.A	Fungicide	<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>	1.0 kg/ha	3.0 kg/ha	3 per year	14 days before harvest	14 days
	Pantha	06445	TerreChem Ltd	Fungicide	<i>Fludioxonil</i> <i>Cyprodinil</i>	<i>25% w/w</i> <i>37.5% w/w</i>	1.0 l/ha	2.0 l/ha	-	7 days before harvest	7 days
	Scala	03916	BASF plc	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	7 days before harvest	7 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	0.8 l/ha	1.6 l/ha		21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Raspberries - protected</i>											
T34	Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
Tec-Bom		05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Tracer		02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 1000L water	600 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					
Trianium-P		05486	Koppert B.V.	Fungicide			15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	25 % w/w					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Pyraclostrobin</i>	6.7% w/w					
					<i>Boscalid</i>	26.7% w/w					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	15 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	75 % w/w					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	800 g/kg					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Sulphur</i>	<i>80% w/w</i>	100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.4 kg/1000L water	-	-	28 days before harvest	28 days
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	1.5 kg/1000L water	-	-	28 days before harvest	28 days
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide	<i>Mancozeb</i>	<i>750 g/kg</i>	2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
	Scala	03916	BASF plc	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide	<i>Pyrimethanil</i>	<i>400 g/l</i>	8 l/ha	48 l/ha	6		0 days
	Signum	03799	BASF plc	Fungicide	<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>	1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Boscalid</i>	<i>26.7 % w/w</i>	100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
	Tracer	02649	Dow AgroSciences Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product</i>					<i>Max Ind.</i>	<i>Max. Total</i>	<i>Max No of</i>	<i>Latest Time</i>	
<i>Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Dose:</i>	<i>Dose:</i>	<i>Applic's:</i>	<i>of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - field</i>										
Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
				<i>Flazasulfuron</i>	<i>25% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	58 %w/w					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	4.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Bupirimate</i>	250 g/l					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	400 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			10 g/m3	10 g/m3	1	Pre planting / sowing	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	480 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Redcurrants - protected</i>										
Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
				<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
				<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Rhubarb</i>										
Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
				<i>Deltamethrin</i>	<i>15 g/l</i>					
Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.4 l/ha	0.4 l/ha	1 per year	Dormant stage	
				<i>Isoxaben</i>	<i>500 g/l</i>					
FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
				<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
				<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	Before crop emergence	
				<i>Pendimethalin</i>	<i>330 g/l</i>					
Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
				<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
				<i>Pendimethalin</i>	<i>455 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
				<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rocket</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	3 days pre harvest	3 days
					<i>Acetamiprid</i>	20% w/w					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	37.5% w/w					
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Fludioxonil</i>	25.0% w/w					
					<i>Cyprodinil</i>	37.5% w/w					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	1 per crop	Pre-planting	
					<i>Napropamide</i>	450 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2	3 days pre harvest	3 days
					<i>Acetamiprid</i>	20 % w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha*	-	35 days before harvest	35 days
					<i>Metalaxyl M</i>	3.88% w/w					
					<i>Mancozeb</i>	64% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	25% w/w					
					<i>Cyprodinil</i>	37.5% w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rosemary</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	60 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	When leaves begin to discolour	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	2% w/w					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	21 days
					<i>Carfentrazone-ethyl</i>	60 g/l					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m ² *	0.5 g/m ²	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
					<i>Trichoderma Asperellum (strain T34)</i>	12% w/w					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rubus Hybrid - protected</i>											
	Trianum-P	05486	Koppert B.V.	Fungicide			15 g/1000 plants	-	12 per year	At cultivation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
<i>Rye - spring</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Rye - winter</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sage</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	220 g/kg					
					<i>GHA / ATCC 74040</i>						
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	100 g/l					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	50 %w/w					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	1.5 l/ha	3 per crop	21 days before harvest	21 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	30 days before harvest	30 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	56 days before harvest	56 days
					<i>Pyridate</i>	<i>45% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.3 kg/ha	0.9 kg/ha	* 3 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 11	80 days
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Salsify</i>											
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	8 weeks before harvest	8 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha	2.4 kg/ha	3 per year	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	3.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 47	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	21 days before harvest	21 days
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	2 per crop	GS 12	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	5.0 l/ha	4 per crop	GS 47	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.2 l/ha	0.2 l/ha	1 per year	After transplanting or beginning of root formation	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Force 20 CS	06395	Syngenta UK Ltd	Seed Dressing			25 ml/100,000 seeds	25 ml/100,000 seeds	1 per batch	Before drilling	
					<i>Tefluthrin</i>	<i>200 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	7 days before harvest	7 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	Before 7 leaf stage	
					<i>Pyridate</i>	<i>45% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	NEMGuard DE	05368	ECOspray Ltd	Nematicide			20 kg/ha	20 kg/ha	1	At drilling	
					<i>Garlic Extract</i>	<i>450 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	Before 5th leaf visible	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Shallot</i>											
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	Before GS 15	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Starane Hi-Load H	04549	Dow AgroSciences Ltd	Herbicide			0.3 l/ha	0.3 l/ha		Before GS 15	
					<i>Fluroxypyr</i>	<i>333 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	3 per crop	21 days before harvest	21 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	21 days before harvest	21 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide			1.6 kg/ha	9.6 kg/ha	6 per crop	28 days pre-harvest	28 days
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence / Pre-transplanting	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			0.85 l/ha	0.85 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	1 per crop	Before GS 49	14 days
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days pre harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach</i>											
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	150 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Switch	06414	Syngenta UK Ltd	Fungicide			0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	<i>220 g/kg</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			0.8 kg/ha	1.6 kg/ha	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Met 52 Granular	04811	Novozymes France S.A.S.	Insecticide			0.5 kgs/m ³	-	-	Pre-planting	
					<i>Metarhizium anisoplice - ST BIPESCO 5/F52</i>	<i>2% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	7 days before harvest	7 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Spinach beet</i>											
Switch	06414	Syngenta UK Ltd	Fungicide				0.8 kg/ha or 0.6 kg/ha*	1.6 kg/ha or 1.2 kg/ha*	2 per crop	7 days before harvest	7 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Thiastar	06649	CAC GmbH	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Tracer	02649	Dow AgroSciences Ltd	Insecticide				200 mls/ha	600 mls/ha	3		3 days
					<i>Spinosad</i>	<i>480 g/l</i>					
Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide				0.8 l/ha	0.8 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide				1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Squash - protected</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
					<i>Trichoderma</i>	<i>12% w/w</i>					
					<i>Asperellum (strain T34)</i>						
	Vivando	05685	BASF plc	Fungicide			0.2 l/ha	0.4 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	500 g/l					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	250 g/l					
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana GHA / ATCC 74040</i>	220 g/kg					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	120 g/l					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 ml/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	15 g/l					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	960 g/l					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.7 l/ha	1.3 l/ha	-	30 days before harvest	30 days
					<i>S-Metolachlor</i>	960 g/l					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			125 ml/ha	250 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	850 g/kg					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	80% w/w					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	100 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - field</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			150 ml/ha in 200L water	450 ml/ha	3 per year	1 day before harvest	1 day
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	9 days before harvest	9 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2	1 day before harvest	1 day
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide			500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	3 days before harvest	3 days
					<i>Etoxazole</i>	<i>110 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	150 ml/ha	4 per crop	3 days before harvest	3 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide							
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Sequoia	05915	Dow AgroSciences Ltd	Insecticide			200 mls/ha	400 mls/ha	2	1 day before harvest	1 day
					<i>Sulfoxaflor</i>	<i>120 g/l</i>					
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide			0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
					<i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	3 days before harvest	3 days
					<i>Cyflufenamid</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Strawberries - protected</i>											
Talius	04604	DuPont (UK) Ltd	Fungicide				0.19 l/ha	0.19 l/ha	1 per crop	3 days before harvest	3 days
					<i>Proquinazid</i>	<i>200 g/l</i>					
Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide				11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
Trianum-P	05486	Koppert B.V.	Fungicide				15 kg/ha	30 kg/ha	2 per crop	At propagation	
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					
					<i>Trichoderma harzianum Strain T22</i>	<i>1% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gamit 36 CS	05357	FMC Chemical s.p.l.	Herbicide			0.25 l/ha	0.25 l/ha	-	pre-emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha		N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Swedes</i>											
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Sweetcorn</i>											
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 89	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	15 g/l					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	479.8 g/l					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per crop	42 days before harvest	42 days
					<i>Pyridate</i>	45% w/w					
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide			1.0 kg/ha	3.0 kg/ha	-	N/A	
					<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	375 g/kg					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 ml/ha	400 ml/ha	4	7 days before harvest	
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	1015.1 g/l					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	400 mls/ha	4 per crop	7 days before harvest	7 days
					<i>lambda-Cyhalothrin</i>	100 g/l					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-emergence	
					<i>Pendimethalin</i>	455 g/l					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	
					<i>Fatty acid - C7 - C18 - potassium salt</i>	416 g/l					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	Pre-emergence	
					<i>Pendimethalin</i>	250g/l					
					<i>Dimethenamid-P</i>	212.5 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Thyme</i>											
	Botanigard WP	06264	Mycotech Europe Ltd	Insecticide			0.6 kg/ha	3.0 kg/ha	5 per year	-	
					<i>Beauveria bassiana</i>	<i>220 g/kg</i>					
					<i>GHA / ATCC 74040</i>						
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per crop	4 weeks before harvest	4 weeks
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Teldor	02003	Bayer CropScience Limited	Fungicide			1.5 kgs/ha	3.0 kgs/ha		3 days before harvest	3 days
					<i>Fenhexamid</i>	<i>50 %w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.4 kg/ha	7.2 kg/ha	-	3 days before harvest	3 days
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
					<i>Mancozeb</i>	<i>667 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Botrefin	06480	Finchimica S.p.A	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Fludioxonil</i>	<i>25% w/w</i>					
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			100 ml in 100 litre water. To run off	100 ml in 100 litre water. To run off	1 per crop	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Clayton Gear	06607	Clayton Plant Protection Ltd	Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25.0% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			250 ml/ha	500 ml/ha	-	1 day before harvest	1 day
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			830 ml/ha	2.49 l/ha	3 per crop	3 days before harvest	3 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	6.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karma	05116	Certis Europe BV	Fungicide			3.0 kg/ha	24.0 kg/ha	8 per crop	1 day before harvest	1 day
					<i>Potassium Hydrogen Carbonate</i>	<i>850 g/kg</i>					
	Luna Privilege	05916	Bayer CropScience Limited	Fungicide			1.0 l/ha	4.0 l/ha	4	1 day before harvest	1 day
					<i>Fluopyram</i>	<i>500 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			0.01kgs/5 litres water	-	-	-	0 days
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	2.0 l/ha	4 per crop	14 days before harvest	14 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Nimrod	04964	Adama Agricultural Solutions UK Ltd	Fungicide			2.0 l/ha	8.0 l/ha	4 per crop	3 days before harvest	3 days
					<i>Bupirimate</i>	<i>250 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.4 kg/ha	1.6 kg/ha	4 per crop	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Tomatoes - protected</i>											
Pantha	06445	TerreChem Ltd		Fungicide			1.0 l/ha	-	3.0 l/ha	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Percos	03841	BASF plc		Fungicide			0.8 l/ha	2.4 l/ha	3 per crop	1 day before harvest	1 day
					<i>Ametoctradin</i>	<i>300 g/l</i>					
					<i>Dimethomorph</i>	<i>225 g/l</i>					
Revus	05154	Syngenta UK Ltd		Fungicide			0.6 l/ha	2.4 l/ha	4 per crop	3 days before harvest	3 days
					<i>Mandipropamid</i>	<i>250 g/l</i>					
Scala	03916	BASF plc		Fungicide			0.5 l/ha	1.0 l/ha	2 per crop	3 days before harvest	3 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
SL567A	03106	Syngenta UK Ltd		Fungicide			0.3 l/ha	0.9 l/ha	3 per crop		3 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
Switch	06414	Syngenta UK Ltd		Fungicide			1.0 kg/ha	3.0 kg/ha	3 per crop	3 days before harvest	3 days
					<i>Cyprodinil</i>	<i>37.5% w/w</i>					
					<i>Fludioxonil</i>	<i>25% w/w</i>					
Teldor	02003	Bayer CropScience Limited		Fungicide			1.5 kgs/ha	4.5 kgs/ha	3 / crop	1 day before harvest	1 day
					<i>Fenhexamid</i>	<i>50 %w/w</i>					
Thiastar	06649	CAC GmbH		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
Vivando	05685	BASF plc		Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
Zoxis	05348	Arysta LifeScience Benelux SPRL		Fungicide			1.0 l/ha	3.0 l/ha	-	3 days before harvest	3 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	GS 21	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.12 l/ha	0.12 l/ha	-	Before GS 33	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			250 mls/ha	750 mls/ha		before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			3.0 l/ha	3.0 l/ha	-	Before GS22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	2.3 l/ha	1 per crop	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Empire Supreme	05061	Croplink (Ireland) Ltd	Herbicide			100 g/ha	100 g/ha	1 per crop	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
	Finish SX	02329	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide			250 mls/ha	750 mls/ha	-	Before GS 85	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Harmony M SX	02330	DuPont (UK) Ltd	Herbicide			100 g/ha	100 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>40 g/kg</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha	-	Before GS 33	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Triticale</i>											
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	Before GS 22	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Presite SX	02888	DuPont (UK) Ltd	Herbicide			75 g/ha	75 g/ha	1	Before GS 39	
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Metsulfuron (-methyl)</i>	<i>67 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	GS 79	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Benevia 10 OD	05354	Headland Agrochemicals Ltd	Insecticide			0.75 l/ha	1.5 l/ha	2 per crop	14 days before harvest	14 days
					<i>Cyantraniliprole</i>	<i>100 g/l</i>					
	Bonalan	05763	Gowan Crop Protection Ltd	Herbicide			8.0 l/ha	8.0 l/ha	-	Incorporation pre sowing/planting	
					<i>Benfluralin</i>	<i>180 g/l</i>					
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	48 days before harvest	48 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days pre harvest	14 days
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			1 kg/ha	6 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Devrinol	05234	UPL Holdings Cooperatief U.A.	Herbicide			1.25 l/ha	1.25 l/ha	-	Pre crop emergence	
					<i>Napropamide</i>	<i>450 g/l</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			1.4 l/ha	1.4 l/ha	-	Up to 4 true leaf stage	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	FLiPPER	05027	Alpha Biopesticides Ltd	Insecticide			5.0 l/ha	45.0 l/ha	9 per crop	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	500 g/ha	2 per crop	14 days before harvest	14 days
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha	-	28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.5 kg/ha	30 kg/ha	4 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Movento	05349	Bayer CropScience Limited	Insecticide			0.5 l/ha	1.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Spirotetramat</i>	<i>150 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.36 kg/ha	0.72 kg/ha	* 2 per crop	21 days before harvest	21 days
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	60 days before harvest	60 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	14 days before harvest	14 days
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	0.5 l/ha		28 days before harvest	28 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.0 kgs/ha	2.0 kgs/ha	2 per crop	14 days before harvest	14 days
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			150 mls/ha	450 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Turnip</i>											
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			5.75 l/ha	51.75 l/ha	9 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			0.4 l/ha	0.4 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Vydate 10G	03698	DuPont (UK) Ltd	Nematicide			0.09 kg/100 m row	0.09 kg/100 m row	1 per crop	At drilling	
					<i>Oxamyl</i>	<i>100 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
<i>Watermelon</i>											
	Sonata	05802	Bayer CropScience Limited	Fungicide			10 l/ha	60 l/ha	6 per crop	GS 89	1 day
					<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>					
<i>Wheat - durum</i>											
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			420 mls/ha	840 mls/ha	2	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
	Centurion Max	04948	Arysta Life Science S.A.S.	Herbicide			2.0 l/ha	2.0 l/ha	-	30 days before harvest	30 days
					<i>Clethodim</i>	<i>120 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	1 per year	Before bud burst	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			400 ml/ha	800 ml/ha	2 per crop	7 days before harvest	7 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			1.5 kg per 1000 litres water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			1.4 kg per 1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			7.0 kg/ha	42 kg/ha	6 per crop	0 days before harvest	0 days
					<i>Sulphur</i>	<i>80% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			1.4 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			1.5 kg/1000L water	-	-	28 days before harvest	28 days
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Whitecurrants - field</i>											
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	4.5 kgs/ha (3 kgs pre , 1.5 kgs post harvest)	-	3 days before harvest, N/A for post harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			100 mls/ha	200 mls/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stroby WG	05092	BASF plc	Fungicide			0.2 kg/ha	0.6 kg/ha	-	14 days before harvest	14 days
					<i>Kresoxim Methyl</i>	<i>50% w/w</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	7 days before harvest	7 days
					<i>Spinosad</i>	<i>480 g/l</i>					
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					
<i>Whitecurrants - protected</i>											
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide			70 g/ha	-	12	-	
					<i>Ampelomyces Quisqualis</i>	<i>58 %w/w</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	21 days before harvest	21 days
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha in 250L water	400 ml/ha	2 per year	3 days before harvest	3 days
					<i>Spinosad</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 8

**List of off label approvals which have been granted up to 11/2/21 for use on
Non - food crops**

Off-Label Extension of Authorisation for Minor Uses (EAMU) for Non - Food Crops

11 February 2021

Warning: EAMU Approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Instruction sheets for EAMU approvals can be obtained from your Teagasc office, or Bord Bia, or local advisor or on the PCS website.

Disclaimer

The Department of Agriculture Food and the Marine maintains its websites to enhance public access to information about the Department and its activities and to provide services to its customers. Every effort has been made to ensure that the information provided on the Department's websites is accurate and up-to-date. If you notice any errors or omissions please let the Department know as soon as possible. The Department gives no guarantees, undertakings or warranties concerning the accuracy, completeness or up-to-date nature of information provided on its websites and does not accept any liability whatsoever arising from any errors or omissions.

The Department reserves the right to change all or any of the information provided at any time, but shall not be responsible for or liable in respect of any such change in information. The Department has no liability for any loss occasioned from the use of information appearing on these websites. Any links from these websites to external websites are provided as a matter of convenience only, and should not be taken as an endorsement of the contents or practices of those external websites.

Unless otherwise stated reproduction is authorised except for commercial purposes, provided the source is acknowledged.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis Protech	05269	Bayer CropScience Limited	Insecticide			500 mls/ha	500 mls/ha	-	30 days before harvest	30 days
					<i>Deltamethrin</i>	<i>15 g/l</i>					
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	900 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Picloram</i> <i>Clopyralid</i>	<i>67 g/l</i> <i>267 g/l</i>	300 mls/ha	900 mls/ha	-	Before GS 69	
	Globazar SC	05529	Globachem nv	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Juventus	05780	BASF plc	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	6 weeks
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	6 weeks before harvest	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.8 l/ha	1.6 l/ha	2	Before GS 60	
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
	Pantha	06445	TerreChem Ltd	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Pecari Extra	06574	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i> <i>Prothioconazole</i>	<i>125 g/l</i> <i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Salsa	04725	FMC Agro Ltd	Herbicide			25 g/ha	25 g/ha	-	90 days before harvest	90 days
					<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>					
	Sirena	05408	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4 per crop	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS 65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	Before GS65	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-spring</i>											
	Ultralegend	06471	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before 8 fully expanded leaves	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Amistar	05072	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Propyz	04006	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Barclay Propyzaflas	04007	Barclay Chemicals Ltd	Herbicide			2.1 l/ha	2.1 l/ha	-	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Before GS 19	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Caramba	03954	BASF plc	Fungicide			1.2 l/ha	2.4 l/ha	-	10% of pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Deca 2.5% EC	04952	Sharda Europe b.v.b.a	Insecticide			300 mls/ha	1200 mls/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Decis	02693	Bayer CropScience Limited	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Delta-Glob 25 EC	06302	Globachem nv	Insecticide			300 mls/ha	1200 mls/ha		Before GS 69	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Deltamethrin</i>	<i>25 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Filan	04325	BASF plc	Fungicide	<i>Propaquizafop</i>	<i>100 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	Before 60% of pods final size	
	Galera	05188	Dow AgroSciences Ltd	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.35 l/ha	0.35 l/ha	-	Before flower buds visible above crop canopy	
	GAT Decline 2.5 E	04422	FMC Agro Ltd	Insecticide	<i>Picloram</i>	<i>67 g/l</i>					
	Globalstar SC	05529	Globachem nv	Fungicide	<i>Clopyralid</i>	<i>267 g/l</i>	300 mls/ha	1200 mls/ha	-	Before GS 69	
	Juventus	05780	BASF plc	Fungicide	<i>Deltamethrin</i>	<i>25 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.8 l/ha	1.6 l/ha	-	10% of pods at final size	
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	75 mls/ha	225 mls/ha	4	Before GS 69	
	Kerb Flo	02830	Dow AgroSciences Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.1 l/ha	2.1 l/ha	1 per crop	Before 1st February in year of harvest	
					<i>Propyzamide</i>	<i>400 g/l</i>	75 ml/ha	225 ml/ha	4	Before end of flowering	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Legion	05179	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 per year	Before GS 15 and before end of January in year of harvest	
					<i>Metazachlor</i>	<i>375 g/l</i>					
					<i>Quinmerac</i>	<i>125 g/l</i>					
	Magnello	04118	Syngenta UK Ltd	Fungicide			0.8 l/ha	1.6 l/ha	2	Before GS 60	
					<i>Difenoconazole</i>	<i>100 g/l</i>					
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	4	6 weeks before harvest	6 weeks
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pecari Extra	06574	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Pilot Ultra	04955	Nissan Chemical Europe	Herbicide			2.5 l/ha	2.5 l/ha	-	13 weeks before harvest	13 weeks
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.2 l/ha	2.4 l/ha	-	10% pods at final size	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Polux	05946	Galenika-Fitofarmacija	Insecticide			0.3 l/ha	1.2 l/ha	-	Before GS 69	
					<i>Deltamethrin</i>	<i>25 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Prosaro	04641	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Prothioconazole</i>	<i>125 g/l</i>					
					<i>Tebuconazole</i>	<i>125 g/l</i>					
	Protendo Extra	06446	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
					<i>Tebuconazole</i>	<i>125 g/l</i>					
					<i>Prothioconazole</i>	<i>125 g/l</i>					
	Quick 5 EC	04904	Sharda Europe b.v.b.a	Herbicide			2.5 l/ha	2.5 l/ha	-	28 days before harvest	28 days
					<i>Quizalofop-P-ethyl</i>	<i>50 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Camelina-Industrial use-winter</i>											
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	GS 19	
	Salsa	04725	FMC Agro Ltd	Herbicide	<i>Metazachlor</i>	<i>500 g/l</i>	25 g/ha	25 g/ha	-	90 days before harvest	90 days
	Sirena	05408	Globachem nv	Fungicide	<i>Ethametsulfuron methyl</i>	<i>750 g/kg</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>60 g/l</i>	75 mls/ha	225 mls/ha	4 per crop	Before GS 69	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS 65	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	Before GS65	
	Teridox	04902	Syngenta UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>250 g/l</i>	2.0 l/ha	2.0 l/ha	-	Pre-emergence	
	Thiastar	06649	CAC GmbH	Fungicide	<i>Dimethachlor</i>	<i>500 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
	Turret 60	06384	Globachem nv	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	1.2 l/ha	2.4 l/ha	-	10% pods at final size	
	Ultralegend	06471	JT Agro Ltd	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.0 l/ha	2.0 l/ha	-	56 days before harvest	56 days
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Tebuconazole</i>	<i>125 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	Before flower buds visible stage	90 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Prothioconazole</i>	<i>125 g/l</i>	1.0 l/ha	2.0 l/ha	-	21 days before harvest	21 days
					<i>Propaquizafop</i>	<i>100 g/l</i>					
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Difenoconazole</i>	<i>125 g/l</i>					
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	-	N/A	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	-	60 days pre-harvest	60 days
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			250 g/ha	250 g/ha	1 per year	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Chanon	06518	Globachem nv	Herbicide			3.0 l/ha	3.0 l/ha	1 per crop	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			2.0 kg/ha	8.0 kg/ha	-	8 days before harvest	8 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
					<i>Mancozeb</i>	<i>68 % w/w</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha		-	
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha*	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide							
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
					<i>Zoxamide</i>	<i>8.35 w/w</i>					
					<i>Mancozeb</i>	<i>66.7% w/w</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			3.0 l/ha	3.0 l/ha	1 per year	During dormancy	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Flight	02524	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
					<i>Picolinafen</i>	<i>7.5 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	3 per crop	1.2 l/ha	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Frupica	02128	Certis Europe BV	Fungicide			0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
					<i>Mepanipyrim</i>	<i>449.4 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			250 g/ha	250 g/ha	1 per year	-	-
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-		
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Headland Sulphur	90731	Headland Agrochemicals Ltd	Fungicide			5.0 l/ha	20 l/ha	4		
					<i>Sulphur</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Prothioconazole</i>	<i>160 g/l</i>					
					<i>Spiroxamine</i>	<i>300 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Inka Max SX	04842	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
	Lepinox Plus	05254	CBC (Europe) S.r.l.	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	1.0 kg/ha	3.0 kg/ha	-	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Bacillus thuringiensis subspecies kurstaki EG 2348</i>	<i>375 g/kg</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Tebuconazole</i> <i>Difenoconazole</i>	<i>250 g/l</i> <i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Bixafen</i> <i>Prothioconazole</i>	<i>60 g/l</i> <i>200 g/l</i>	2.1 kg/ha	8.4 kg/ha *	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.0 kg/ha	8.0 kg/ha *	-	-	
	Markate 50	05001	Globachem nv	Insecticide	<i>Mancozeb</i> <i>lambda-Cyhalothrin</i>	<i>800 g/kg</i> <i>50 g/l</i>	75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Mettle	03788	Bayer CropScience Limited	Fungicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	1.5 l/ha	3.0 l/ha	-		

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	N/A	
	Minstrel	04782	UPL Europe Ltd	Herbicide	<i>Sulphur</i>	<i>80% w/w</i>	2.0 l/ha	2.0 l/ha	-	-	
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Modem 200	03695	BASF plc	Fungicide	<i>Folpet</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha		N/A	
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide	<i>Pyraclostrobin</i>	<i>200 g/l</i>	2.2 l/ha	2.2 l/ha			
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	1.8 l/ha	1.8 l/ha	-	-	
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide	<i>MCPA</i>	<i>750 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide	<i>Cymoxanil</i>	<i>4.5% w/w</i>	2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
	Naceto	05778	Globachem nv	Herbicide	<i>Mancozeb</i>	<i>68% w/w</i>	0.3 l/ha	0.3 l/ha	-	-	
	Nando 500SC	05387	Nufarm UK Limited	Fungicide	<i>Cymoxanil</i>	<i>4.5% w/w</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide	<i>Flufenacet</i>	<i>400 g/l</i>	0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Fluazinam</i>	<i>500 g/l</i>					
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Oblix 500	05823	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Ethofumesate</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6L water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide			2.25 kg/ha	4 per crop	9.0 kg/ha	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Patrol	04304	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1 per crop	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			2.0 l/ha	4.0 l/ha	2 per year	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	PlantTrust	04537	Everris Ltd	Fungicide			2.4 kg per cubic m	2.4 kg per cubic m	1 per batch	-	
					<i>Fosetyl (-aluminium)</i>	<i>165 g/kg</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3.0 l/ha	12.0 l/ha	-	N/A	
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>680 g/kg</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	-	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha*	2 per year*	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			0.5 l/ha	0.5 l/ha	-	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	Pre-crop emergence	
					<i>Clomazone</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1 per crop	30 days before harvest	30 days
	Solution	06437	UPL Europe Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>5% w/w</i> <i>68% w/w</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.0 l/ha	1.0 l/ha	1	N/A	
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Fluroxypyr</i> <i>Florasulam</i>	<i>100 g/l</i> <i>2.5 g/l</i>	1.5 l/ha	3.0 l/ha	-	N/A	
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Folpet</i>	<i>500 g/l</i>	90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
	Steward	02603	DuPont (UK) Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	250 g/ha	750 g/ha	3 / crop	7 days before harvest	
	Stomp Aqua	03750	BASF plc	Herbicide	<i>Indoxacarb</i>	<i>300 g/kg</i>	2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Pendimethalin</i>	<i>455 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	0.5 g/m2*	0.5 g/m2	1	Immediately after sowing seeds or rooting cuttings	
	Talius	04604	DuPont (UK) Ltd	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	0.25 l/ha	0.5 l/ha	2	-	
	Tandus	05836	Nufarm UK Limited	Herbicide	<i>Proquinazid</i> <i>Fluroxypyr</i>	<i>200 g/l</i> <i>200 g/l</i>	2.0 l/ha	2.0 l/ha		N/A	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Tem 750 EC	04305	Syngenta UK Ltd	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	Thiastar	06649	CAC GmbH	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tizca	04398	Cheminova A/S	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Tracer	02649	Dow AgroSciences Ltd	Insecticide			200 ml/ha	800 ml/ha	4		
					<i>Spinosad</i>	<i>480 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Lenacil</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forest nurseries</i>											
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Winger	05807	DHM Agrochemicals Ltd.,	Fungicide			0.5 l/ha	1.0 l/ha	-	-	
					<i>Fenpropidin</i>	<i>750 g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Ceta SG	06252	Unichem Limited	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20% w/w</i>					
					<i>Acetamiprid</i>	<i>20% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			0.078 ml/plant	0.078 ml/plant	1		
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Gazelle SG	03248	Nisso Chemical Europe GmbH	Insecticide			0.185 g/plant	0.185 g/plant	1	-	
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
					<i>Acetamiprid</i>	<i>20 % w/w</i>					
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240.0 g/l</i>					
					<i>Clopyralid</i>	<i>60.0 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Forestry</i>											
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
<i>Grassland - amenity</i>											
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	-	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Serenade ASO	03847	Bayer CropScience Limited	Fungicide			8 l/ha	48 l/ha	6		0 days
					<i>Bacillus amyloliquefaciens str. QST 713</i>	<i>1015.1 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
	Agritox 500	05499	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Agroxone 50	05500	Nufarm UK Limited	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Ally SX	05590	DuPont (UK) Ltd	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	30 g/ha	30 g/ha	-	-	
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide	<i>Metsulfuron (-methyl)</i>	<i>200 g/kg</i>	3.3 l/ha	3.3 l/ha	1	-	
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide	<i>Pendimethalin</i>	<i>400 g/l</i>	2.0 l/ha	2.0 l/ha	-	-	
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide	<i>Fluroxypyr</i>	<i>200 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Asteroid	01990	Cheminova A/S	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	1	N/A	
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	6.0 l/ha	6.0 l/ha	-	-	
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	6.0 l/ha	6.0 l/ha	1	N/A	
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>360 g/l</i>	4.8 l/ha	4.8 l/ha	1	N/A	
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide	<i>Glyphosate</i>	<i>450 g/l</i>	2.2 l/ha	2.2 l/ha	1	N/A	
	Barracuda	05967	Albaugh Europe Sarl	Herbicide	<i>Fluroxypyr</i>	<i>180 g/l</i>	1.5 l/ha	1.5 l/ha	1 per crop	-	
	Butryflow	03659	Nufarm UK Limited	Herbicide	<i>Mesotrione</i>	<i>100 g/l</i>	1.0 l/ha	1.0 l/ha	1		
					<i>Bromoxynil</i>	<i>401.58 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
					<i>Flufenacet</i>	<i>480 g/kg</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-		
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-		
					<i>Fluroxypyr</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	2 per year	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Easel	05502	Nufarm UK Limited	Herbicide			1.8 l/ha	1.8 l/ha			
					<i>MCPA</i>	<i>750 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Forefront	02793	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	1 / year	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Aminopyralid</i>	<i>30 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Galaxy	05473	Corteva Agriscience UK Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	End of September	
					<i>MCPA</i>	<i>500 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Lorate	05591	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Metsulfuron (-methyl)</i>	<i>200 g/l</i>					
	LS-FL-FL-CL	06514	Life Scientific Limited	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Optica	02661	Nufarm UK Limited	Herbicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	1	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Santro	06684	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	End of September	
					<i>Clopyralid</i>	<i>80 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Miscanthus</i>											
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Trailer	05858	Industrias Afrasa S.A.	Herbicide			20 g/ha	20 g/ha			
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Tribe 75WG	05696	Sharda Cropchem Espana S.L.	Herbicide			20 g/ha	20 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>750 g/kg</i>					
	Universe	06493	Sharda Cropchem Espana S.L.	Herbicide			1.0 l/ha	1.0 l/ha	1 per year	-	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Clopyralid</i>	<i>80 g/l</i>					
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
<i>Narcissi</i>											
	Tebuzate 220 SL	03836	UPL Europe Ltd	Fungicide			0.125 l/100 litres water	-	1	Before planting	
					<i>Thiabendazole</i>	<i>220 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l per 100 l water				
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	7 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - bulbs-protected</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Scala	03916	BASF plc	Fungicide			0.5 l per 100 l water				
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
					<i>Boscalid</i>	<i>25.2%w/w</i>					
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>50 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Spiroxamine</i>	<i>250 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide			1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
					<i>Propamocarb</i>	<i>722 g/l</i>					
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide			1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
					<i>Zoxamide</i>	<i>8.35 w/w</i>					
					<i>Mancozeb</i>	<i>66.7% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Fandango	03787	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Filan	04325	BASF plc	Fungicide			0.5 kg/ha	1.0 kg/ha	-	N/A	
					<i>Boscalid</i>	<i>50 % w/w</i>					
	Flexity	03225	BASF plc	Fungicide			0.5 l/ha	1.0 l/ha	2	-	
					<i>Metrafenone</i>	<i>300 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Flexure	06320	Life Scientific Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Helix	05067	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	-	
					<i>Spiroxamine</i>	<i>300 g/l</i>					
					<i>Prothioconazole</i>	<i>160 g/l</i>					
	Imtrex	04965	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	-	-	
					<i>Fluxapyroxad</i>	<i>62.5 g/l</i>					
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Metconazole</i>	<i>90 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide			2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
					<i>Pyridate</i>	<i>45% w/w</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Limitar	05047	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Maestro	04850	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Fluoxastrobin</i>	<i>100 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Magnello	04118	Syngenta UK Ltd	Fungicide			1.0 l/ha	1.6 l/ha	-	N/A	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Difenoconazole</i>	<i>100 g/l</i>					
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Regalis	03321	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per crop	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-outdoor</i>											
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Esfenvalerate</i>	<i>25 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	
	Tebucur 250 EW	04827	Globachem nv	Fungicide	<i>Flumioxazin</i>	<i>300 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide	<i>Tebuconazole</i>	<i>250 g/l</i>	1.0 l/ha	2.0 l/ha	-	-	
	Tempo	05601	Syngenta UK Ltd	Growth Regulator	<i>Tebuconazole</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
	Terplex	05487	Globachem nv	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator	<i>Trinexapac ethyl</i>	<i>200 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Turret 60	06384	Globachem nv	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	1.5 l/ha	3.0 l/ha	-	-	
	Valbon	03411	Certis Europe BV	Fungicide	<i>Metconazole</i>	<i>60 g/l</i>	1.6 kg/ha	9.6 kg/ha	6 per crop	-	-
	Vareon	03554	DuPont (UK) Ltd	Fungicide	<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Zephyr	03792	Bayer CropScience Limited	Fungicide	<i>Mancozeb</i>	<i>700 g/kg</i>	0.75 l/ha	1.5 l/ha	-	N/A	
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide	<i>Prochloraz</i>	<i>320 g/l</i>	2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Etoxazole</i>	<i>110 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide	<i>Ethephon</i>	<i>480 g/l</i>	2.0 kg/ha	6.0 kg/ha	-	-	
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide	<i>Mancozeb</i>	<i>80 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Mancozeb</i>	<i>75% w/w</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>75 % w/w</i>	2.1 kg/ha	6.3 kg/ha	-	-	
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide	<i>Mancozeb</i>	<i>800 g/kg</i>	2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - flowers-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	7C Chloromequat	04744	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chloromequat</i>	<i>750 g/l</i>					
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
					<i>Flonicamid</i>	<i>500 g/kg</i>					
	Amistar	05072	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Amistar Top	04582	Syngenta UK Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>200 g/l</i>					
					<i>Difenoconazole</i>	<i>125 g/l</i>					
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide			2.5 kg/ha	15 kg/ha	6 per year	-	
					<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	<i>250 g/kg</i>					
	Apollo 50SC	04610	Adama Agricultural Solutions UK Ltd	Acaricide			0.4 l/ha	0.4 l/ha	1 per year	45 days before harvest	45 days
					<i>Clofentezine</i>	<i>500 g/l</i>					
	Azaka	05218	FMC Agro Ltd	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	N/A	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azarius	06522	JT Agro Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoshy	05618	Sharda Cropchem Espana S.L.	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Azoxystar	05534	Life Scientific Limited	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Barclay Holdup 750	04743	Taminco BVBA.	Growth Regulator			465ml in 10 L water	465ml in 10 L water			
					<i>Chloromequat</i>	<i>750 g/l</i>					
	Batavia	05905	Bayer CropScience Limited	Insecticide			0.75 l/ha	1.5 l/ha	2	Post final harvest	
					<i>Spirotetramat</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Beetup Flo	05272	UPL Europe Ltd	Herbicide			3.0 l/ha	6.0 l/ha	-	-	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide			2.5 l/ha	6.0 l/ha	-	N/A	
					<i>Phenmedipham</i>	<i>160 g/l</i>					
	Butisan S	04631	BASF plc	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	CeCeCe 750	04736	BASF plc	Growth Regulator			465 ml in 10 litre water	465 ml in 10 litre water	-	-	
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Centium 360 CS	05674	FMC Agro Ltd	Herbicide			0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Chamane	05002	UPL Europe Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide			1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
					<i>Boscalid</i>	<i>26.7% w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7% w/w</i>					
	Coragen	05295	FMC Agro Ltd	Insecticide			175 ml/ha	350 ml/ha	2	-	
					<i>Chlorantraniliprole</i>	<i>200 g/l</i>					
	Coupon	06271	Globachem nv	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Curenox 50 WP	05829	Industrias Quimicas Del Valles S.A (IQV, S.A.)	Fungicide			3.0 kg/ha	18 kg/ha	-	21 days before harvest	21 days
					<i>Copper oxychloride</i>	<i>87.8% w/w</i>					
	Curzate M WG	04723	DuPont (UK) Ltd	Fungicide			2.3 kg/ha	6.9 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>68 % w/w</i>					
					<i>Cymoxanil</i>	<i>4.5 % w/w</i>					
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Difenofin	06218	Finchimica S.p.A	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Digital	03147	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha		28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Dual Gold	04192	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	Efica 960 EC	05942	Syngenta UK Ltd	Herbicide			0.78 l/ha	0.78 l/ha	-	31st May	
					<i>S-Metolachlor</i>	<i>960 g/l</i>					
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
					<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>					
	Fluazinova	05508	Finchimica S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Fluazinova Duo	05994	Finagro S.p.A	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Globaztar SC	05529	Globachem nv	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Guillotine	03146	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Infinito	04309	Bayer CropScience Limited	Fungicide			1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Microthiol Special	04757	UPL Holdings Cooperatief U.A.	Fungicide			5.0 kg/ha	10.0 kg/ha	2 per crop	N/A	
					<i>Sulphur</i>	<i>80% w/w</i>					
	Nando 500SC	05387	Nufarm UK Limited	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	
					<i>Fluazinam</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Nautile DG	04540	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Option	04722	DuPont (UK) Ltd	Fungicide			0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>600 g/kg</i>					
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide			2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Pantha	06445	TerreChem Ltd	Fungicide			0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Pirim	06268	Sharda Cropchem Espana S.L.	Fungicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide			2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>680 g/kg</i>					
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Proman	04450	Belchim Crop Protection NV	Herbicide			2.0 l/ha	4.0 l/ha	-	Pre-crop emergence & during dormancy	
					<i>Metobromuron</i>	<i>500 g/l</i>					
	Rapsan 500SC	05886	Globachem nv	Herbicide			1.5 l/ha	1.5 l/ha	-	Dormant period	
					<i>Metazachlor</i>	<i>500 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			75 ml/ha	300 ml/ha	4 per crop	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Revus	05154	Syngenta UK Ltd	Fungicide			0.6 l/ha	1.2 l/ha	2 per year	31st August	
					<i>Mandipropamid</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide			1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Metalaxyl M</i>	<i>3.88% w/w</i>					
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide			0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>450 g/kg</i>					
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide			0.5 l/ha	2.0 l/ha		14 days before harvest	14 days
					<i>Difenoconazole</i>	<i>250 g/l</i>					
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
					<i>Metribuzin</i>	<i>600 g/l</i>					
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide			0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>50% w/w</i>					
	Sirtaki CS	05923	Sipcam Oxon SpA	Herbicide			0.33 l/ha	0.33 l/ha	-	Before 6 true leaves	
					<i>Clomazone</i>	<i>360 g/l</i>					
	Solution	06437	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
					<i>Mancozeb</i>	<i>68% w/w</i>					
	Stabilan 750	04767	Nufarm UK Limited	Growth Regulator			465ml in 10 L water	465ml in 10 L water	-		
					<i>Chlormequat</i>	<i>750 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			90 mls/ha	270 mls/ha	4 per year	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sunfire	05497	Mitsui Agriscience International S.A./N.V.	Herbicide			0.48 l/ha	0.48 l/ha	-	Before weed emergence	
					<i>Flufenacet</i>	<i>500 g/l</i>					
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide			0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
					<i>Cyflufenamid</i>	<i>100 g/l</i>					
	Talius	04604	DuPont (UK) Ltd	Fungicide			0.25 l/ha	0.5 l/ha	2	-	
					<i>Proquinazid</i>	<i>200 g/l</i>					
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide			11.5 l/ha	92 l/ha	8 per crop	-	-
					<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - outdoor</i>											
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
	Thiastar	06649	CAC GmbH	Fungicide	<i>Flonicamid</i>	<i>500 g/kg</i>	0.7 l/ha	1.4 l/ha	-	-	
	Tizca	04398	Cheminova A/S	Fungicide	<i>Azoxystrobin</i>	<i>250 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Vivando	05685	BASF plc	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
	Volley	04516	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Metrafenone</i>	<i>500 g/l</i>	0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
	Zoxis	05348	Arysta LifeScience Benelux SPRL	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.7 l/ha	1.4 l/ha	-	-	
					<i>Azoxystrobin</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Afinto	06733	ISK Biosciences Europe N.V.	Insecticide			0.14 kgs/ha	0.42 kgs/ha	3	-	
	Amylo-X WG	06311	Mitsui Agriscience International S.A./N.V.	Fungicide	<i>Flonicamid</i>	500 g/kg	2.5 kg/ha	15 kg/ha	6 per year	-	
	AQ 10	05801	CBC (Europe) S.r.l.	Fungicide	<i>Bacillus amyloliquefaciens subsp. plantarum D747</i>	250 g/kg	70 g/ha	-	12	-	
	Azaka	05218	FMC Agro Ltd	Fungicide	<i>Ampelomyces Quisqualis</i>	58 %w/w	1.0 l/ha	2.0 l/ha	2 per year	Before GS 73	
	Batavia	05905	Bayer CropScience Limited	Insecticide	<i>Azoxystrobin</i>	250 g/l	0.75 l/ha	1.5 l/ha	2	Post final harvest	
	Betanal Flow	06664	Bayer CropScience Limited	Herbicide	<i>Spirotetramat</i>	100 g/l	2.5 l/ha	6.0 l/ha	-	N/A	
	CeCeCe 750	04736	BASF plc	Growth Regulator	<i>Phenmedipham</i>	160 g/l	0.5 l/ha	1.0 L/ha	2 per year	48 days before harvest	48 days
	Cobalt	06413	Sharda Cropchem Espana S.L.	Fungicide	<i>Chloromequat</i>	750 g/l	1.5 kg/ha	3.0 kg/ha	-	3 days before harvest	3 days
	Coupon	06271	Globachem nv	Growth Regulator	<i>Boscalid</i>	26.7% w/w	1.0 l/ha	1.0 l/ha	-	5 days before harvest	
	Dauphin 45	04542	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Pyraclostrobin</i>	6.7% w/w	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Decis Protech	05269	Bayer CropScience Limited	Insecticide	<i>Ethephon</i>	480 g/l	120 mls / 100 litres water		3 per year	-	-
	Difenofin	06218	Finchimica S.p.A	Fungicide	<i>Cymoxanil</i>	450 g/kg	0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
					<i>Difenoconazole</i>	250 g/l					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	FLIPPER	05027	Alpha Biopesticides Ltd	Insecticide			10.0 l/ha	80.0 l/ha	8 per year	-	
	Infinito	04309	Bayer CropScience Limited	Fungicide	<i>Fatty Acid - C7-C20</i>	<i>479.8 g/l</i>	1.6 l/ha	1.6 l/ha	-	-	
					<i>Fluopicolide</i>	<i>62.5 g/l</i>					
					<i>Propamocarb</i>	<i>625 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	50 ml/ha	150 ml/ha	4 per year	14 days before harvest	14 days
	Mavita 250 EC	05941	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	2.0 l/ha	-	14 days before harvest	14 days
	Nautile DG	04540	UPL Europe Ltd	Fungicide	<i>Mancozeb</i>	<i>68% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>5% w/w</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days before harvest	14 days
	Option	04722	DuPont (UK) Ltd	Fungicide	<i>Cymoxanil</i>	<i>600 g/kg</i>	0.15 g/kg	0.6 kg/ha	4 per crop	7 days before harvest	7 days
	Palmas	04543	Adama Agricultural Solutions UK Ltd	Fungicide	<i>Mancozeb</i>	<i>68% w/w</i>	2.25 kg/ha	9.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Profilux	05588	Belchim Crop Protection Ltd	Fungicide	<i>Mancozeb</i>	<i>680 g/kg</i>	2.5 kg/ha	10 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
	Ravane	05536	Globachem nv	Insecticide	<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>	50 ml/ha	150 ml/ha	4 per crop	14 days before harvest	14 days
	Ridomil Gold MZ 6	03599	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>3.88% w/w</i>	1.9 kg/ha	5.7 kg/ha	3 per crop	-	
					<i>Mancozeb</i>	<i>64% w/w</i>					
	Sacron WG	04541	UPL Europe Ltd	Fungicide	<i>Cymoxanil</i>	<i>450 g/kg</i>	0.22 kg/ha	0.88 kg/ha	4 per crop	7 days before harvest	7 days
	Score 250 EC	04566	Syngenta UK Ltd	Fungicide	<i>Difenoconazole</i>	<i>250 g/l</i>	0.5 l/ha	2.0 l/ha		14 days before harvest	14 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - protected</i>											
	Sencorex Flow	04361	Bayer CropScience Limited	Herbicide			1.15 l/ha	1.15 l/ha	1	Before end of dormancy	
	Sipcam C50WG	04494	Sipcam Oxon SpA	Fungicide	<i>Metribuzin</i>	<i>600 g/l</i>	0.24 kg/ha	0.96 kg/ha	4 per crop	7 days before harvest	7 days
	Solution	06437	UPL Europe Ltd	Fungicide	<i>Cymoxanil</i>	<i>50% w/w</i>	2.0 kg/ha	8.0 kg/ha	4 per crop	7 days before harvest	7 days
	Sonata	05802	Bayer CropScience Limited	Fungicide	<i>Cymoxanil</i> <i>Mancozeb</i>	<i>5% w/w</i> <i>68% w/w</i>	10 l/ha	60 l/ha	6 per crop	GS 89	1 day
	Stealth	06468	Syngenta UK Ltd	Insecticide	<i>Bacillus pumilus QST 2808</i>	<i>14.35 g/l</i>	50 mls/ha	150 mls/ha	3 per year	14 days before harvest	14 days
	Steward	02603	DuPont (UK) Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	12.5 g/100 litres water	-	6 / year	-	-
	T34 Biocontrol	05620	Biocontrol Technologies S.L.	Fungicide	<i>Indoxacarb</i>	<i>300 g/kg</i>	10 g/m3	10 g/m3	1	Pre planting / sowing	
	Takumi SC	06060	Nisso Chemical Europe GmbH	Fungicide	<i>Trichoderma Asperellum (strain T34)</i> <i>Trichoderma Asperellum (strain T34)</i>	<i>12% w/w</i> <i>12% w/w</i>	0.15 l/ha	0.3 l/ha	2 per crop	1 day before harvest	1 day
	Tec-Bom	05040	Grupo Agrotecnologia - IBERFOL	Insecticide	<i>Cyflufenamid</i>	<i>100 g/l</i>	11.5 l/ha	92 l/ha	8 per crop	-	-
	Teppeki	04399	ISK Biosciences Europe N.V.	Insecticide	<i>Fatty acid - C7 - C18 - potassium salt</i>	<i>416 g/l</i>	0.14 kgs/ha	0.42 kgs/ha	3	-	
	Vivando	05685	BASF plc	Fungicide	<i>Flonicamid</i> <i>Metrafenone</i>	<i>500 g/kg</i> <i>500 g/l</i>	0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-outdoor</i>											
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - seedling-protect</i>											
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Ethephon</i>	<i>480 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	PDM 330 EC	03582	BASF plc	Herbicide	<i>Pendimethalin</i>	<i>330 g/l</i>	4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide	<i>Propamocarb</i>	<i>530 g/l</i>	2.5 l/ha	5.0 l/ha	-	21 days before harvest	21 days
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
	Signum	03799	BASF plc	Fungicide	<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>	1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide	<i>Metalaxyl M</i>	<i>465.2 g/l</i>	1.3 l/ha	1.3 l/ha	1		30 days
	Sparviero	04469	Sipcam Oxon SpA	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide	<i>Flumioxazin</i>	<i>300 g/l</i>	100 mls/ha	100 mls/ha	1	28 days before harvest	

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Acrobat MZ	04059	BASF plc	Fungicide			2.0 kg/ha	10.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>667 g/kg</i>					
					<i>Dimethomorph</i>	<i>75 g/kg</i>					
	Agritox	05498	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha			
					<i>MCPA</i>	<i>500 g/l</i>					
	Agritox 500	05499	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Agroxone 50	05500	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arizona	04555	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Aviator Xpro	05255	Bayer CropScience Limited	Fungicide			1.25 l/ha	2.5 l/ha	2 per crop	-	
					<i>Prothioconazole</i>	<i>150 g/l</i>					
					<i>Bixafen</i>	<i>75 g/l</i>					
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Bandon MCPA 30	03751	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	-	-	
					<i>MCPA</i>	<i>300 g/l</i>					
	Bellis	03798	BASF plc	Fungicide			0.8 kg/ha	3.2 kg/ha	4	N/A	
					<i>Boscalid</i>	<i>25.2%w/w</i>					
					<i>Pyraclostrobin</i>	<i>12.8 %w/w</i>					
	Blaster Pro	04263	Dow AgroSciences Ltd	Herbicide			1.2 l/ha*	1.2 l/ha	-	N/A	
					<i>Triclopyr</i>	<i>240 g/l</i>					
					<i>Clopyralid</i>	<i>60 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Boogie Xpro	05256	Bayer CropScience Limited	Fungicide			1.5 l/ha	3.0 l/ha	2 per crop	-	
					<i>Spiroxamine</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>100 g/l</i>					
					<i>Bixafen</i>	<i>50 g/l</i>					
	Boxer	02048	Dow AgroSciences Ltd	Herbicide			0.15 l/ha	0.15 l/ha	1 / season	71 days pre harvest	
					<i>Florasulam</i>	<i>50 g/l</i>					
	Cadou Star	03439	Bayer CropScience Limited	Herbicide			0.85 kg/ha	0.85 kg/ha	1	Pre-emergence	
					<i>Flufenacet</i>	<i>480 g/kg</i>					
					<i>Isoxaflutole</i>	<i>100 g/kg</i>					
	Calibre Max SX	03438	FMC Agro Ltd	Herbicide			150 g/ha	150 g/ha	-	n/A	
					<i>Thifensulfuron methyl</i>	<i>400 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>100 g/kg</i>					
	Calibre SX	03436	DuPont (UK) Ltd	Herbicide			60 g/ha	60 g/ha	1		
					<i>Thifensulfuron methyl</i>	<i>333 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>167 g/kg</i>					
	Cameo Max SX	03135	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
	Cameo SX	03431	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Caramba	03954	BASF plc	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Cerone	03933	Bayer CropScience Limited	Growth Regulator			1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
					<i>Ethephon</i>	<i>480 g/l</i>					
	Chikara Weed Cont	04203	ISK Biosciences Europe N.V.	Herbicide			150 g/ha	150 g/ha	1 per year	-	
					<i>Flazasulfuron</i>	<i>25 % w/w</i>					
	Clayton Heed	06487	Clayton Plant Protection Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Clayton Truss	06494	Clayton Plant Protection Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Comet 200	03696	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Compitox Plus	02843	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	N/A	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					
	Controlla	06448	JT Agro Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	Coyote	03790	Bayer CropScience Limited	Fungicide			0.8 l/ha	1.6 l/ha	-	N/A	
					<i>Trifloxystrobin</i>	<i>75 g/l</i>					
					<i>Fluoxastrobin</i>	<i>75 g/l</i>					
					<i>Prothioconazole</i>	<i>150 g/l</i>					
	Crozier	06482	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Cymbal 45	04647	Belchim Crop Protection Ltd	Fungicide			0.25 kg/ha	1.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Cymoxanil</i>	<i>45% w/w</i>					
	D50	02366	Nufarm UK Limited	Herbicide							
					<i>2,4-D</i>	<i>500 g/l</i>					
	Defy	04277	Syngenta UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha		During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Depitox	02365	Nufarm UK Limited	Herbicide			2.8 l/ha	2.8 l/ha	-		
					<i>2,4-D</i>	<i>500 g/l</i>					
	Diablo	05133	BASF plc	Fungicide			2.5 kg/ha	10.0 kg/ha	-	-	
					<i>Ametoctradin</i>	<i>80 g/kg</i>					
					<i>Mancozeb</i>	<i>480 g/kg</i>					
	Diflanil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	16.0 kg/ha	-	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Duplosan KV	02842	Nufarm UK Limited	Herbicide			2.3 l/ha	4.6 l/ha	-	-	
					<i>Mecoprop-P</i>	<i>600 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Eagle	04315	Bayer CropScience Limited	Herbicide			40 g/ha	40 g/ha	-	42 days before harvest	
	Easel	05502	Nufarm UK Limited	Herbicide	<i>Amidosulfuron</i>	<i>75% w/w</i>	1.8 l/ha	1.8 l/ha			
	Edipro	03889	Arysta LifeScience Benelux SPRL	Fungicide	<i>MCPA</i>	<i>750 g/l</i>	1.4 l/ha	8.4 l/ha	6 per year	14 days before harvest	
	Electis 75WG	03603	Gowan Crop Protection Ltd	Fungicide	<i>Propamocarb</i>	<i>722 g/l</i>	1.8 kg/ha	18.0 kg/ha	10 per crop	7 days before harvest	7 days
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>Zoxamide</i> <i>Mancozeb</i>	<i>8.35 w/w</i> <i>66.7% w/w</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Fandango	03787	Bayer CropScience Limited	Fungicide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide	<i>Fluoxastrobin</i> <i>Prothioconazole</i>	<i>100 g/l</i> <i>100 g/l</i>	3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
	Filan	04325	BASF plc	Fungicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.5 kg/ha	1.0 kg/ha	-	N/A	
	Firebird	04221	Bayer CropScience Limited	Herbicide	<i>Boscalid</i>	<i>50 % w/w</i>	0.3 l/ha	0.3 l/ha	-	N/A	
	Fixor	05252	Amvac Netherlands B.V	Growth Regulator	<i>Diflufenican</i> <i>Flufenacet</i>	<i>200 g/l</i> <i>400 g/l</i>	6ml per litre water	-	-	7 days before harvest	7 days
	Flexity	03225	BASF plc	Fungicide	<i>1-Naphthylacetic acid</i>	<i>100 g/l</i>	0.5 l/ha	1.0 l/ha	2	-	
	Flexure	06320	Life Scientific Limited	Fungicide	<i>Metrafenone</i>	<i>300 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	
	Flight	02524	BASF plc	Herbicide	<i>Prothioconazole</i> <i>Spiroxamine</i>	<i>160 g/l</i> <i>300 g/l</i>	4.0 l/ha	4.0 l/ha		N/A	
					<i>Pendimethalin</i> <i>Picolinafen</i>	<i>330 g/l</i> <i>7.5 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Freeze	04517	FMC Agro Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
	Frownicide	04394	ISK Biosciences Europe N.V.	Fungicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.4 l/ha	1.2 l/ha	3	7 days before harvest	7 days
	Frupica	02128	Certis Europe BV	Fungicide	<i>Fluazinam</i>	<i>500 g/l</i>	0.9 kg/ha	1.8 kg/ha	2	3 days before harvest	3 days
	Grazon 90	04261	Dow AgroSciences Ltd	Herbicide	<i>Mepanipyrim</i>	<i>449.4 g/l</i>	1.2 l/ha*	1.2 l/ha	-	N/A	
	Grazon Pro	05182	Dow AgroSciences Ltd	Herbicide	<i>Triclopyr</i> <i>Clopyralid</i>	<i>240 g/l</i> <i>60 g/l</i>	1.2 l/ha *	1.2 l/ha	-	N/A	
	Haksar 500 SL	05968	Ciech Sarzyna S.A	Herbicide	<i>Clopyralid</i> <i>Triclopyr</i>	<i>60.0 g/l</i> <i>240.0 g/l</i>	2.7 l/ha	2.7 l/ha	-	End of September	
	Helix	05067	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	-	
	Hempacide 30	03531	Hygeia Chemicals Ltd	Herbicide	<i>Spiroxamine</i> <i>Prothioconazole</i>	<i>300 g/l</i> <i>160 g/l</i>	2.2 l/ha	2.2 l/ha	-	-	
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide	<i>MCPA</i>	<i>300 g/l</i>	0.25 l/ha	0.25 l/ha	-	-	
	HY-MCPA 50	06418	Hygeia Chemicals Ltd	Herbicide	<i>Diflufenican</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	HY-MCPA 500	05765	Ciech Sarzyna S.A	Herbicide	<i>MCPA</i>	<i>500 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Imtrex	04965	BASF plc	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	2.0 l/ha	4.0 l/ha	-	-	
	Inka Max SX	04842	FMC Agro Ltd	Herbicide	<i>Fluxapyroxad</i>	<i>62.5 g/l</i>	60 g/ha	60 g/ha	-	N/A	
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Juventus	05780	BASF plc	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>Metconazole</i>	<i>90 g/l</i>	90 mls/ha	270 mls/ha	4	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	225 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
	Lamast	06770	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
	Lentagran WP	05580	Belchim Crop Protection NV	Herbicide	<i>Folpet</i>	<i>500 g/l</i>	2.0 kg/ha	2.0 kg/ha	1 per year	N/A	
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>Pyridate</i>	<i>45% w/w</i>	75 mls/ha	300 mls/ha	4	14 days before harvest	14 days
	Life Scientific Trin	04872	Life Scientific Limited	Growth Regulator	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	Limitar	05047	Certiplant N.V.	Growth Regulator	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	0.6 l/ha	0.6 l/ha	-	-	
	M50	05505	DHM Agrochemicals Ltd.,	Herbicide	<i>Trinexapac ethyl</i>	<i>250 g/l</i>	2.7 l/ha	2.7 l/ha	-	-	
	Maestro	04850	Bayer CropScience Limited	Fungicide	<i>MCPA</i>	<i>500 g/l</i>	1.25 l/ha	2.5 l/ha	-	N/A	
	Magnello	04118	Syngenta UK Ltd	Fungicide	<i>Prothioconazole</i>	<i>100 g/l</i>	1.0 l/ha	1.6 l/ha	-	N/A	
	Mandarin Xpro	05258	Bayer CropScience Limited	Fungicide	<i>Fluoxastrobin</i>	<i>100 g/l</i>	1.0 l/ha	2.0 l/ha	2 per year	-	
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide	<i>Difenoconazole</i>	<i>100 g/l</i>	2.1 kg/ha	8.4 kg/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Mancozeb</i>	<i>75 % w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	8.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Mastercrop MCPA	05510	Hygeia Chemicals Ltd	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Metfin	05945	Finchimica S.p.A	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Microthiol Special	90548	UPL Europe Ltd	Fungicide			8.0 kgs/ha	-	-		
					<i>Sulphur</i>	<i>80 %w/w</i>					
	Mirror	06425	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Moddus	03849	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Modem 200	03695	BASF plc	Fungicide			1.25 l/ha	2.5 l/ha		N/A	
					<i>Pyraclostrobin</i>	<i>200 g/l</i>					
	Mortone	03529	Hygeia Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha			
					<i>MCPA</i>	<i>300 g/l</i>					
	Mortone Gold	06419	Hygeia Chemicals Ltd	Herbicide			1.8 l/ha	1.8 l/ha	-	-	
					<i>MCPA</i>	<i>750 g/l</i>					
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Moxa	04915	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moxa EC	05439	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Moximate 725 WG	04670	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					
	Moximate 725 WP	04514	Indofil Industries Limited	Fungicide			2.5 kg/ha	10.0 kg/ha	4 per crop	7 days before harvest	7 days
					<i>Mancozeb</i>	<i>68% w/w</i>					
					<i>Cymoxanil</i>	<i>4.5% w/w</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Naceto	05778	Globachem nv	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Nativo 75 WG	04642	Bayer CropScience Limited	Fungicide			0.4 kg/ha	1.2 kg/ha	3 per year	-	
					<i>Tebuconazole</i>	<i>500 g/kg</i>					
					<i>Trifloxystrobin</i>	<i>250 g/kg</i>					
	Nexus	06558	Certiplant N.V.	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Nirvana	03063	BASF plc	Herbicide			4.5 l/ha	4.5 l/ha		N/A	
					<i>Imazamox</i>	<i>16.7 g/l</i>					
					<i>Pendimethalin</i>	<i>250 g/l</i>					
	NU46	05501	Nufarm UK Limited	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Obsthormon 24a	05764	L. Gobbi srl	Growth Regulator			18 ml/ha in 6l water	36 ml/ha	2	-	
					<i>1-Naphthylacetic acid</i>	<i>84 g/l</i>					
	Ohayo	05610	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Optimus	04704	Nufarm UK Limited	Growth Regulator			1.1 l/ha	1.1 l/ha	-	N/A	
					<i>Trinexapac ethyl</i>	<i>175 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	Padawan	04814	Adama Agricultural Solutions UK Ltd	Growth Regulator			1.0 l/ha	1.0 l/ha	-	-	
					<i>Ethephon</i>	<i>480 g/l</i>					
	Paraat	03614	BASF plc	Fungicide			3.0 kg/ha	3.0 kg/ha	-	35 days before harvest	35 days
					<i>Dimethomorph</i>	<i>500 g/kg</i>					
	Pastisha	06629	Sharda Cropchem Espana S.L.	Herbicide			1.2 l/ha*	1.2 l/ha	-	31st October	
					<i>Clopyralid</i>	<i>60 g/l</i>					
					<i>Triclopyr</i>	<i>240 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Peloton	06481	Barclay Chemicals Ltd	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Penncozeb 80 WP	03609	UPL Europe Ltd	Fungicide			2.0 kg/ha	8.0 kg/ha	4 per year	-	
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Penncozeb WDG	03608	UPL Europe Ltd	Fungicide			2.1 kg/ha	8.4 kg/ha	4 per crop	-	
					<i>Mancozeb</i>	<i>750 g/kg</i>					
	Phoenix	04453	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Plexeo 60	05926	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Metconazole</i>	<i>60 g/l</i>					
	POL-MCPA 500 S	05494	Ciech Sarzyna S.A	Herbicide			2.7 l/ha	2.7 l/ha	-	-	
					<i>MCPA</i>	<i>500 g/l</i>					
	Professional	06262	Sharda Cropchem Espana S.L.	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy only	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Proline	03786	Bayer CropScience Limited	Fungicide			0.8 l/ha	2.4 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>250 g/l</i>					
	Proxanil	04639	Arysta LifeScience Benelux SPRL	Fungicide			2.5 l/ha	10.0 l/ha	4 per crop	-	
					<i>Propamocarb</i>	<i>400 g/l</i>					
					<i>Cymoxanil</i>	<i>50 g/l</i>					
	Quantum	03432	DuPont (UK) Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Quantum Max SX	04044	FMC Agro Ltd	Herbicide			60 g/ha	60 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>250 g/kg</i>					
					<i>Thifensulfuron methyl</i>	<i>250 g/kg</i>					
	Reflect	05462	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Regalis	03321	BASF plc	Growth Regulator			1.25 kgs/ha	2.5 kgs/ha	-	55 days pre harvest	55 days
					<i>Prohexadione Calcium</i>	<i>10 %w/w</i>					
	Regalis Plus	05409	BASF plc	Growth Regulator			1.25 kg/ha	2.5 kg/ha	-	N/A	
					<i>Prohexadione Calcium</i>	<i>10% w/w</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			5.0 l/ha	5.0 l/ha	1	2 days pre harvest	2 days
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roxy 800 EC	05739	Globachem nv	Herbicide			5.0 l/ha	5.0 l/ha	-	During dormancy	
					<i>Prosulfocarb</i>	<i>800 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Scitec	06701	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	6 weeks before harvest	6 weeks
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Shirlan	04393	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
	Siltra Xpro	05257	Bayer CropScience Limited	Fungicide			1.0 l/ha	2.0 l/ha	2 per year	-	
					<i>Bixafen</i>	<i>60 g/l</i>					
					<i>Prothioconazole</i>	<i>200 g/l</i>					
	Sirena	05408	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sonis	05993	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	300 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Spotlight Plus	03294	FMC Chemical s.p.r.l.	Herbicide			0.8 l/ha	1.6 l/ha	-	21 days before harvest	
					<i>Carfentrazone-ethyl</i>	<i>60 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Florasulam</i>	<i>2.5 g/l</i>					
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
	Stavento	06685	Adama Agricultural Solutions UK Ltd	Fungicide			1.5 l/ha	3.0 l/ha	-	N/A	
					<i>Folpet</i>	<i>500 g/l</i>					
	Steward	02603	DuPont (UK) Ltd	Insecticide			250 g/ha	750 g/ha	3 / crop	7 days before harvest	
					<i>Indoxacarb</i>	<i>300 g/kg</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			2.9 l/ha	2.9 l/ha	1 / crop	6 weeks pre harvest	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					
	Sumi-Alpha	02334	Sumitomo Chemical Agro Europe SAS	Insecticide			165 mls/ha	330 mls/ha	2	-	
					<i>Esfenvalerate</i>	<i>25 g/l</i>					
	Sumimax	02764	Sumitomo Chemical Agro Europe SAS	Herbicide			100 mls/ha	100 mls/ha	1	28 days before harvest	
					<i>Flumioxazin</i>	<i>300 g/l</i>					
	Taxi	06450	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	-	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Tebucur 250 EW	04827	Globachem nv	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					
	Tebusha 25% EW	04884	Sharda Europe b.v.b.a	Fungicide			1.0 l/ha	2.0 l/ha	-	-	
					<i>Tebuconazole</i>	<i>250 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Tempo	05601	Syngenta UK Ltd	Growth Regulator			0.6 l/ha	0.6 l/ha	-	7 days before harvest	7 days
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Terplex	05487	Globachem nv	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>200 g/l</i>					
	Thor	03991	FMC Agro Ltd	Herbicide			30 g/ha	30 g/ha	-	N/A	
					<i>Tribenuron (-methyl)</i>	<i>500 g/kg</i>					
	Trinexis	05145	Arysta LifeScience Benelux SPRL	Growth Regulator			0.6 l/ha	0.6 l/ha	-	-	
					<i>Trinexapac ethyl</i>	<i>250 g/l</i>					
	Turret 60	06384	Globachem nv	Fungicide			1.5 l/ha	3.0 l/ha	-	-	
					<i>Metconazole</i>	<i>60 g/l</i>					
	Valbon	03411	Certis Europe BV	Fungicide							
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Benthiavalicarb</i>	<i>17.5 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
					<i>Mancozeb</i>	<i>700 g/kg</i>					
	Valdor Solo	06722	ISK Biosciences Europe N.V.	Herbicide			120 g/ha	120 g/ha	-	-	
					<i>Flazasulfuron</i>	<i>25% w/w</i>					
	Vareon	03554	DuPont (UK) Ltd	Fungicide			1.25 l/ha	2.5 l/ha	-	N/A	
					<i>Proquinazid</i>	<i>40 g/l</i>					
					<i>Tebuconazole</i>	<i>160 g/l</i>					
					<i>Prochloraz</i>	<i>320 g/l</i>					
	Venzar 500 SC	04805	DuPont (UK) Ltd	Herbicide			1.0 l/ha	1.0 l/ha	-	Pre-emergence	
					<i>Lenacil</i>	<i>500 g/l</i>					
	Winby	05611	ISK Biosciences Europe N.V.	Fungicide			0.4 l/ha	1.2 l/ha	3 per crop	7 days before harvest	7 days
					<i>Fluazinam</i>	<i>500 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
					<i>Pendimethalin</i>	<i>250g/l</i>					
	Zephyr	03792	Bayer CropScience Limited	Fungicide			0.75 l/ha	1.5 l/ha	-	N/A	
					<i>Prothioconazole</i>	<i>175 g/l</i>					
					<i>Trifloxystrobin</i>	<i>88 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-outdoor</i>											
	Zetanil WG	04492	Sipcam Oxon SpA	Fungicide			2.4 kg/ha	19.2 kg/ha	8 per crop	7 days before harvest	
					<i>Cymoxanil</i>	<i>45 g/kg</i>					
					<i>Mancozeb</i>	<i>650 g/kg</i>					
	Zulu	05026	Adama Agricultural Solutions UK Ltd	Fungicide			1.0 l/ha	2.0 l/ha	-	N/A	
					<i>Isopyrazam</i>	<i>125 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	AVTAR 75 NT	06297	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
	Borneo	04235	Sumitomo Chemical Agro Europe SAS	Acaricide	<i>Mancozeb</i>	<i>75% w/w</i>					
					<i>Etoxazole</i>	<i>110 g/l</i>	500mls/ha - max conc. 35 mls/100 litres water	500mls/ha - max conc. 35 mls/100 litres water	1/crop	-	
	Cerone	03933	Bayer CropScience Limited	Growth Regulator	<i>Ethephon</i>	<i>480 g/l</i>	1.0 l/ha	1.0 l/ha	-	5 days before harvest	5 days
	Dithane 945	03705	Indofil Industries (Netherlands) B.V	Fungicide			2.0 kg/ha	6.0 kg/ha	-	-	
					<i>Mancozeb</i>	<i>80 % w/w</i>					
	Dithane Dry Flowa	03707	Indofil Industries (Netherlands) B.V	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75% w/w</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	3	14 days pre harvest	14 days
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide	<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>	50 mls/ha	150 mls/ha	4	14 days before harvest	14 days
	Manfil 75 WG	03598	Indofil Industries Limited	Fungicide			2.1 kg/ha	6.3 kg/ha	-	-	
					<i>Mancozeb</i>	<i>75 % w/w</i>					
	Manfil 80 WP	03563	Indofil Industries Limited	Fungicide			2.0 kg/ha	4.0 kg/ha	-	3 days before harvest	3 days
					<i>Mancozeb</i>	<i>800 g/kg</i>					
	Paraat	03614	BASF plc	Fungicide	<i>Dimethomorph</i>	<i>500 g/kg</i>	3.0 kg/ha	3.0 kg/ha		35 days before harvest	35 days

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Ornamental - woody-protect</i>											
	Previcur Energy	04041	Bayer CropScience Limited	Fungicide			3 mls per sq m	6 mls per sq m	-	Before transplanting	
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
					<i>Propamocarb</i>	<i>530 g/l</i>					
					<i>Fosetyl (-aluminium)</i>	<i>310 g/l</i>					
	Scala	03916	BASF plc	Fungicide			2.0 l/ha	4.0 l/ha	2 per crop	-	
					<i>Pyrimethanil</i>	<i>400 g/l</i>					
	Signum	03799	BASF plc	Fungicide			1.5 kgs/ha	3.0 kgs/ha	-	3 days before harvest	
					<i>Pyraclostrobin</i>	<i>6.7 % w/w</i>					
					<i>Boscalid</i>	<i>26.7 % w/w</i>					
	SL567A	03106	Syngenta UK Ltd	Fungicide			1.3 l/ha	1.3 l/ha	1		30 days
					<i>Metalaxyl M</i>	<i>465.2 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			50 ml/ha	150 ml/ha	4	14 days before harvest	14 days
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
<i>Roses</i>											
	Radspor 400	01797	Arysta LifeScience Benelux SPRL	Fungicide			73 mls/100 litres water	-	5		
					<i>Dodine</i>	<i>40 %w/w</i>					
	Vivando	05685	BASF plc	Fungicide			0.45 l/ha	0.9 l/ha	-	3 days before harvest	3 days
					<i>Metrafenone</i>	<i>500 g/l</i>					
<i>Set - aside</i>											
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>	Anthem	04761	Adama Agricultural Solutions UK Ltd	Herbicide			3.3 l/ha	3.3 l/ha	1	-	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Arbiter	05542	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Ardee XL	05571	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Asteroid	01990	Cheminova A/S	Herbicide			6.0 l/ha	6.0 l/ha	1 / year	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barbarian XL	05572	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02126	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Barclay Gallup Bio	02434	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Barclay Gallup Hi-	02435	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Barclay Hudson	02915	Barclay Chemicals Ltd	Herbicide			2.2 l/ha	2.2 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>180 g/l</i>					
	Barracuda	05967	Albaugh Europe Sarl	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Basagran SG	05192	BASF plc	Herbicide			1.65 kg/ha	1.65 kg/ha	-	N/A	
					<i>Bentazone</i>	<i>870 g/kg</i>					
	Benta 480 SL	04206	Sharda Europe b.v.b.a	Herbicide			3.0 l/ha	3.0 l/ha	-	-	
					<i>Bentazone</i>	<i>480 g/l</i>					
	Calaris	02711	Syngenta UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	-	N/A	
					<i>Terbutylazine</i>	<i>330 g/l</i>					
					<i>Mesotrione</i>	<i>70 g/l</i>					
	Callisto	02587	Syngenta UK Ltd	Herbicide			1.5 l/ha	1 per crop	1.5 l/ha	N/A	
					<i>Mesotrione</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Chanon	06518	Globachem nv	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Claw 100	05874	DHM Agrochemicals Ltd.,	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	-
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Clayton Flurry	06638	Clayton Plant Protection Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Clearall Supreme X	06692	DHM Agrochemicals Ltd.,	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Clever	06399	Sharda Cropchem Espana S.L.	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Click Premium	06299	Sipcam Oxon SpA	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>70 g/l</i>					
					<i>Terbuthylazine</i>	<i>330 g/l</i>					
	Clinic Grade	06457	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic TF	05535	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Clinic Up	05776	Nufarm UK Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Cliophar 600 SL	04864	Arysta LifeScience Benelux SPRL	Herbicide			0.33 l/ha	0.33 l/ha	-	-	
					<i>Clopyralid</i>	<i>600 g/l</i>					
	Credit	02932	Nufarm UK Limited	Herbicide							
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Croplink Reaper	05842	Croplink (Ireland) Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Cuter	05857	Industrias Afrasa S.A.	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	GS 18	
					<i>Mesotrione</i>	<i>100 g/l</i>					
	Diflaniil 500 SC	04358	Q-Chem NV	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Discman Biograde	02786	Barclay Chemicals Ltd	Herbicide			10 l/ha	10 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>216 g/l</i>					
	Dow Shield 100	03861	Dow AgroSciences Ltd	Herbicide			2.0 l/ha	2.0 l/ha			
					<i>Clopyralid</i>	<i>100 g/l</i>					
	Echo Pro	06754	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Emerger	06190	Bayer CropScience Limited	Herbicide			2.5 l/ha	2.5 l/ha	1 per crop	Before formation of new shoots	
					<i>Aclonifen</i>	<i>600 g/l</i>					
	Eminentos 10 CS	04933	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Falcon	04740	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	N/A	
					<i>Propaquizafop</i>	<i>100 g/l</i>					
	Fastnet	06253	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
					<i>Pendimethalin</i>	<i>365 g/l</i>					
	Firebird	04221	Bayer CropScience Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	N/A	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Flexidor	04963	Dow AgroSciences Ltd	Herbicide			0.5 l/ha	0.5 l/ha	1 per year	After transplanting	
					<i>Isoxaben</i>	<i>500 g/l</i>					
	Flurostar 200	05090	Globachem nv	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Fluxyr 200 EC	05787	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Gallup XL	05570	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Garryowen XL	05660	Barclay Chemicals Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Glyfos Supreme XL	05786	Cheminova A/S	Herbicide			4.8 l/ha	4.8 l/ha	-	-	
					<i>Glyphosate</i>	<i>450 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Glypho-Rapid	06715	Barclay Chemicals Ltd	Herbicide			4.8 l/ha	4.8 l/ha	1	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Hatchet Xtra	05091	Mitsui Agriscience International S.A./N.V.	Herbicide			2.0 l/ha	2.0 l/ha	-	N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hudson	05078	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurler	05077	Barclay Chemicals Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Hurricane SC	04357	Adama Agricultural Solutions UK Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Hyflux	06753	UPL Holdings Cooperatief U.A.	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Karate Zeon	04084	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Karis 10 CS	04454	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Laidir 10 CS	04932	FMC Agro Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Landmaster 360 TF	05762	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Life Scientific Lam	04868	Life Scientific Limited	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Markate 50	05001	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Minstrel	04782	UPL Europe Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	MON 79351	04009	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Most Micro	04837	Sipcam U.K. Ltd	Herbicide			3.6 l/ha	3.6 l/ha	-	-	
	Naceto	05778	Globachem nv	Herbicide	<i>Pendimethalin</i>	<i>365 g/l</i>	0.3 l/ha	0.3 l/ha	-	-	
					<i>Flufenacet</i>	<i>400 g/l</i>					
					<i>Diflufenican</i>	<i>200 g/l</i>					
	Ninja 10CS	05178	Syngenta UK Ltd	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Ormond	05661	Barclay Chemicals Ltd	Herbicide			3.7 l/ha	3.7 l/ha	1	-	
					<i>Glyphosate</i>	<i>490 g/l</i>					
	Ossetia	04730	Rotam Agrochemical Europe Ltd	Herbicide			240 g/ha	240 g/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/kg</i>					
	PDM 330 EC	03582	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1		
					<i>Pendimethalin</i>	<i>330 g/l</i>					
	Pendifin 400 SC	05731	Finchimica S.p.A	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Pre-crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Rambo 360	05777	Sipcam U.K. Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rambo XL	05754	Unichem Limited	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rattler	04650	Nufarm UK Limited	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>540 g/l</i>					
	Ravane	05536	Globachem nv	Insecticide			150 ml/ha	450 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>50 g/l</i>					
	Riber	05795	Life Scientific Limited	Herbicide			0.3 l/ha	0.3 l/ha	-	-	
					<i>Diflufenican</i>	<i>200 g/l</i>					
					<i>Flufenacet</i>	<i>400 g/l</i>					
	Rosate 360 TF	05761	Albaugh UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Rosate Green	04436	Albaugh Europe Sarl	Herbicide			4.0 l/ha	4.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Roundup Biactive	02313	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Biactive	04660	Monsanto UK Ltd	Herbicide			6.0 l/ha	6.0 l/ha	-	-	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Flex	04593	Monsanto UK Ltd	Herbicide			4.5 l/ha	4.5 l/ha	-	-	
					<i>Glyphosate</i>	<i>480 g/l</i>					
	Roundup Gold	02624	Monsanto UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Roundup Gold 450	02623	Monsanto UK Ltd	Herbicide			4.8 l/ha	4.8 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>450 g/l</i>					
	Roundup Powerma	04534	Monsanto UK Ltd	Herbicide			3.0 kg/ha	3.0 kg/ha	-	-	
					<i>Glyphosate</i>	<i>720 g/kg</i>					
	Sempre	04207	UPL Europe Ltd	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sharpen 40% SC	04847	Sharda Europe b.v.b.a	Herbicide			3.3 l/ha	3.3 l/ha	1 per crop	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Solo 500 SC	05688	Sipcam Oxon SpA	Herbicide			0.25 l/ha	0.25 l/ha	-	-	
					<i>Diflufenican</i>	<i>500 g/l</i>					
	Sparviero	04469	Sipcam Oxon SpA	Insecticide			75 ml/ha	225 ml/ha	-	N/A	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Starane XL	05465	Dow AgroSciences Ltd	Herbicide			1.0 l/ha	1.0 l/ha	1	N/A	
					<i>Fluroxypyr</i>	<i>100 g/l</i>					
					<i>Florasulam</i>	<i>2.5 g/l</i>					
	Stealth	06468	Syngenta UK Ltd	Insecticide			75 mls/ha	225 mls/ha	-	-	
					<i>lambda-Cyhalothrin</i>	<i>100 g/l</i>					
	Stomp 400 SC	02879	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1	Before crop emergence	
					<i>Pendimethalin</i>	<i>400 g/l</i>					
	Stomp Aqua	03750	BASF plc	Herbicide			3.3 l/ha	3.3 l/ha	1 / crop	Pre crop emergence	
					<i>Pendimethalin</i>	<i>455 g/l</i>					
	Stratos Ultra	04936	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	1 per year	-	
					<i>Cycloxydim</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

<i>Crop</i>	<i>Product Name</i>	<i>PCS No</i>	<i>Company Name</i>	<i>Function</i>	<i>Substance</i>	<i>Content</i>	<i>Max Ind. Dose:</i>	<i>Max. Total Dose:</i>	<i>Max No of Applic's:</i>	<i>Latest Time of Applic:</i>	<i>PHI:</i>
<i>Willow</i>											
	Tandus	05836	Nufarm UK Limited	Herbicide			2.0 l/ha	2.0 l/ha		N/A	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Tomahawk 2	05043	Adama Agricultural Solutions UK Ltd	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Touchdown Quattro	01956	Syngenta UK Ltd	Herbicide			6 l/ha	6 l/ha	-	N/A	
					<i>Glyphosate</i>	<i>360 g/l</i>					
	Vivendi 200	05122	UPL Holdings Cooperatief U.A.	Herbicide			1.0 l/ha	1.0 l/ha	-	-	
					<i>Clopyralid</i>	<i>200 g/l</i>					
	Waran	06583	Agro Trade GmbH	Herbicide			2.0 l/ha	2.0 l/ha	-	-	
					<i>Fluroxypyr</i>	<i>200 g/l</i>					
	Wing P	03590	BASF plc	Herbicide			4.0 l/ha	4.0 l/ha	-	N/A	
					<i>Pendimethalin</i>	<i>250g/l</i>					
					<i>Dimethenamid-P</i>	<i>212.5 g/l</i>					
	Zetrola	05936	Adama Agricultural Solutions UK Ltd	Herbicide			1.5 l/ha	1.5 l/ha	1 per crop	-	
					<i>Propaquizafop</i>	<i>100 g/l</i>					

Warning EAMU approvals:

The use of any product in accordance with an EAMU approval is entirely at the risk of the user. The directions for use on the instruction sheet must be followed – it is an offence to use products in a manner that has not been approved.

Chapter 9

List of Adjuvants included in the register on 1/1/21

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Addup	90027	Barclay Chemicals Ltd	Barclay Chemicals Ltd	EC	<i>Tallow amine ethoxylate</i>	800 g/l
Adigor	92268	Syngenta UK Ltd	Syngenta Ireland Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Adpro Addit	92435	Koppert B.V.	Koppert B.V.	EC	<i>Methylated Rapeseed Oil</i>	780.2 g/l
Adpro Squad	92468	Vivagro Sarl	Koppert UK Ltd	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Anchor	00733	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-octylpyrrolidone</i>	45.7 %w/w
Arcano	92436	Sani Crop Protection	Sani Crop Protection	EC	<i>Poly(vinylpyrrolidione/1-hexadecene)</i>	15.0 %w/w
Arma	00657	Interagro (UK) Ltd	Interagro (UK) Ltd	SL	<i>Alkoxylated fatty amine</i>	480 g/l
Arma Plus	92270	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Polyoxyethylene Monolaurate</i>	450 g/l
Backrow	92430	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Alkylamine ethoxylate propoxylate</i>	500 g/l
Banka	00710	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Polyoxyethylene (20) sorbitan monolaurate</i>	400 g/l
Barclay Actol	92246	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Paraffin oils</i>	60% w/w
Barclay Clinger	00921	Barclay Chemicals Ltd	Barclay Chemicals Ltd	SL	<i>N-octylpyrrolidone</i>	14.6 %w/w
Barclay Dryfast	90175	Barclay Chemicals Ltd	Barclay Chemicals Ltd	OL	<i>Poly(vinylpyrrolidione/1-hexadecene)</i>	14.6 %w/w
Biopower	92144	Bayer CropScience Limited	Bayer CropScience Limited	SL	<i>Paraffin oils</i>	95 %w/w
Biosyl	92427	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Di-l-p-menthene</i>	902 g/l
					<i>Di-l-p-menthene</i>	334 g/l
					<i>Nonyl phenol ethylene oxide condensate</i>	100 g/l
					<i>Alkylethersulfate sodium salt</i>	265 g/l
					<i>Alkoxylated alcohols</i>	32.67 w/w
					<i>Polyether modified trisiloxane</i>	1% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Bond	91298	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alkylphenylhydroxypolyoxyethylene</i> <i>Synthetic latex</i>	<i>100 g/l</i> <i>450 g/l</i>
Boost	92446	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EW	<i>Alkoxylated alcohols</i> <i>Polyether modified trisiloxane</i>	<i>32.67% w/w</i> <i>1% w/w</i>
Break-Thru S240	92312	Evonik Degussa GmbH	P.P. Products	SL	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	<i>85 %w/w</i>
Codacide Oil	90420	Microcide Ltd	Microcide Ltd	OL	<i>Vegetable Oil</i>	<i>95 %w/w</i>
Combo 3R	92464	De Sangosse Ltd	Whelehan Crop Protection	EC	<i>Alkoxylated alcohols</i>	<i>750 g/l</i>
Companion Gold	92288	AgroVista UK Ltd	AgroVista UK Ltd	SL	<i>Ammonium sulphate</i> <i>Polyacrylamide</i>	<i>226 g/l</i> <i>11.3 g/l</i>
Contact	91927	Interagro (UK) Ltd	Novokem Ltd	EW	<i>Mineral Oil</i>	<i>92 %w/w</i>
Croplink Enhancer	04602	Croplink (Ireland) Ltd	Croplink (Ireland) Ltd	EC	<i>Methylated Rapeseed Oil</i>	<i>440 g/l</i>
Dash HC	92455	BASF plc	BASF Ireland Ltd	EC	<i>Fatty Acid Esters</i> <i>Fatty Alcohol Polyalkoxylate</i>	<i>348.75 g/l</i> <i>209.25 g/l</i>
Designer	01410	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i> <i>Synthetic latex</i>	<i>8.4 %w/w</i> <i>50 %w/w</i>
Diffuz	92477	SDP	SDP	EC	<i>Polyoxyethylene amine</i>	<i>600 g/l</i>
Drop Tek	92473	SDP	SDP	SL	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	<i>765 g/l</i>
Endurance	92449	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	<i>750 g/l</i>
Evoque	92448	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Fatty alcohol ethylene oxide condensate</i> <i>Methylated Rapeseed Oil</i> <i>Polyether modified trisiloxane</i> <i>Polyoxyethylene alcohols</i>	<i>22.5 g/l</i> <i>652 g/l</i> <i>112 g/l</i> <i>19.1 g/l</i>

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Farmco Diagor Oil	05144	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Methylated Rapeseed Oil</i>	440 g/l
Farmco Slicker	92454	Farmco Agritrading Ltd	Farmco Agritrading Ltd	EC	<i>Alkoxylated fatty amine</i>	480 g/l
					<i>Polyoxyethylene Monolaurate</i>	450 g/l
Fieldor Max	92469	Vivagro Sarl	Vivagro Sarl	EC	<i>Alkoxylated soybean triglycerides</i>	790 g/l
Foam Fighter	92398	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Dimethyl polysiloxane</i>	16 %w/w
Hansa Add 1055	92438	Chemische Fabrik Tubingen (UK) Ltd	Chemische Fabrik Tubingen (UK) Ltd	SL	<i>Polyether modified trisiloxane</i>	83% w/w
Headland Diamond	92141	FMC Agro Ltd	FMC Agro Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Fortune	01158	FMC Agro Ltd	FMC Agro Ltd	EC	<i>Plant Oils / Rape seed oil</i>	75 %w/w
Headland Guard 2000	00476	FMC Agro Ltd	FMC Agro Ltd	SL	<i>Synthetic latex</i>	52 %w/w
Headland Intake	00477	FMC Agro Ltd	FMC Agro Ltd	SL	<i>Alkylaminedicarboxylate monosodium salt</i>	5 %w/w
					<i>Propionic acid</i>	40 %w/w
Herb-Assure	92471	Sani Crop Protection	Sani Crop Protection	EC	<i>Non-ionic Surfactant</i>	750 g/l
Herbi-Aktiv	92465	Global Adjuvants Ltd	Global Adjuvants Ltd	EC	<i>Ethylene oxide-propylene oxide copolymers</i>	57% w/w
Kantor	92355	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Alkoxylated triglycerides</i>	790 g/l
Kylix	92466	Vivagro Sarl	Vivagro Sarl	OD	<i>Methylated Rapeseed Oil</i>	57.7 % w/w
LI-700	91303	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkylphenylhydroxypolyoxyethylene</i>	100 g/l
					<i>Lecithin (Soya)</i>	350 g/l
					<i>Propionic acid</i>	350 g/l
MixR	91676	DHM Agrochemicals Ltd.,	DHM Agrochemicals Ltd.,	SL	<i>Alkyl ethoxylate</i>	75 %w/w
Newman Cropspray 11E	00491	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Mineral Oil</i>	99 %w/w
Opti Plus	92476	SDP	SDP	XX	<i>Esters, alcohol and diethylene glycol abietate</i>	860 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Optima	92463	Sani Crop Protection	Sani Crop Protection	SL	<i>Polyoxyethylene Monolaurate</i>	1000 g/l
Phase-II	92147	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Plant Oils / Rape seed oil</i>	842 g/l
Phytop	92474	SDP	SDP	SL	<i>Polyoxyethylene (20) sorbitan monolaurate</i>	270 g/l
Predict	92431	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	800 g/l
Presto	92445	Jouffray-Drillaud	Jouffray-Drillaud	EC	<i>alkyl polyglycoside</i>	435 g/l
Remix	92460	AgroVista UK Ltd	AgroVista UK Ltd	EC	<i>Paraffin oils</i>	732 g/l
Rheus	92276	FMC Agro Ltd	Croplink (Ireland) Ltd	SL	<i>Polyalkyleneoxide</i>	85 %w/w
Rigger	92439	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	842 g/l
Ryda	91926	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Tallow amine ethoxylate</i>	800 g/l
Sekur	92447	Sani Crop Protection	Sani Crop Protection	EC	<i>Amphoteric dipropionate surfactant</i> <i>Synthetic latex</i>	10% w/w 45% w/w
Siltex	92470	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL	<i>Ethylene oxide-propylene oxide copolymers</i> <i>Polyether modified trisiloxane</i> <i>Styrene-butadiene co-polymer</i>	250 g/l 41.5 g/l 70.2 g/l
Silwet L-77	00400	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Silwet L-77	00637	Momentive Performance Materials GmbH	Arysta LifeScience UK & Ireland Ltd	EC	<i>Polyalkyleneoxide</i>	800 g/kg
Slippa	00760	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Allyl polyethylene glycol methyl ether</i> <i>Polyalkyleneoxide</i> <i>Polyethylene polypropylene glycol</i>	164 g/l 655 g/l 204 g/l
Solar Plus	92428	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Polyethylene polypropylene glycol</i>	70% w/w

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Speedway Total	92459	Amega Sciences plc	Everris Ltd	SL	<i>Alkoxylated alcohols</i>	78% w/w
Sprayfast	91600	Taminco BVBA.	Taminco (UK) Ltd	EC	<i>Di-l-p-menthene</i>	34 %w/w
					<i>Nonyl phenol ethylene oxide condensate</i>	11 %w/w
Spraymate Activator 90	91297	DeSangosse Ltd	Whelehan Crop Protection	SL	<i>Alkoxylated alcohols</i>	750 g/l
Sprayseal	91930	Taminco BVBA.	DHM Agrochemicals Ltd.,	EW	<i>Di-l-p-menthene</i>	34 %w/w
					<i>Nonyl phenol ethylene oxide condensate</i>	11 %w/w
Spur	92452	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Polyether modified trisiloxane</i>	21 % w/w
Squadron	92462	EuroAgkem	EuroAgkem	SL	<i>Polyethylene polypropylene glycol</i>	70% w/w
Stamina	00655	Interagro (UK) Ltd	Novokem Ltd	SL	<i>Alkoxylated fatty amine</i>	100 %w/w
Super Rapeeze MSO	92434	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	EC	<i>Methylated Rapeseed Oil</i>	842 g/l
Surfer	92461	Dow AgroSciences Ltd	Dow AgroSciences Ltd	SL	<i>2-ethyl Hexanol EO-PO</i>	72% w/w
Tarpoon	92426	Sani Crop Protection	Sani Crop Protection	EC	<i>Polyalkyleneoxide modified heptamethyl trisiloxane</i>	800 g/l
Toil	01353	Interagro (UK) Ltd	Novokem Ltd	EC	<i>Plant Oils / Rape seed oil</i>	95 %w/w
Torpedo II	92243	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alcohol Ethoxylate</i>	380 g/l
					<i>Alkoxylated vegetable amine</i>	210 g/l
					<i>Polyalkylene glycol</i>	210 g/l
Torrent	00712	Interagro (UK) Ltd	Novokem Ltd	SL	<i>N-dodecylpyrrolidone</i>	13.1 %w/w
					<i>N-methylpyrrolidone</i>	20.2 %w/w
					<i>N-octylpyrrolidone</i>	20.2 %w/w
Transit	92453	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alcohol Ethoxylate</i>	380 g/l
					<i>Alkoxylated vegetable amine</i>	210 g/l
					<i>Polyalkylene glycol</i>	210 g/l

<i>Product Name</i>	<i>PCS No</i>	<i>Authorization Holder</i>	<i>Marketing Company</i>	<i>Formulation Type</i>	<i>Active Substance</i>	<i>Content</i>
Validate	92262	DeSangosse Ltd	Whelehan Crop Protection	EC	<i>Alkyl ethoxylate</i> <i>Esterified Vegetable oil</i> <i>Lecithin (Soya)</i>	25 %w/w 25 %w/w 50 %w/w
Warrior	92432	Intracrop - A Division of Brian Lewis Agriculture	Intracrop - A Division of Brian Lewis Agriculture	SL	<i>Alcohol Ethoxylate</i>	192 g/l
Wetcit	92457	Oro Agri International Ltd	Oro Agri International Ltd	SL	<i>Alcohol Ethoxylate</i>	8.15% w/w
Xcel	92458	Sani Crop Protection	Sani Crop Protection	SC	<i>Alkylpolysaccharides</i> <i>Ammonium sulphate</i>	100 g/l 450 g/l
Zigzag	92402	FMC Agro Ltd	FMC Agro Ltd	SL	<i>Polyether modified trisiloxane</i> <i>Styrene-butadiene co-polymer</i>	6.375 % w/v 36.5 % w/v
Zinzan	92467	Certis Europe BV	Certis Europe BV	SL	<i>1,2 bis (2-ethylhexyloxy carbonyl) ethanesulphonate</i>	70% w/w