EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Sivanto Prime (PCS No. 06634)

CROPS: Beans (with pods), beans (without pods), cherries (field), raspberry (field), blackberry (field), blueberry (field), gooseberry (field), loganberry (field), rubus hybrid (field), currants (field), radish, parsley root, parsnips, turnip, swede, Jerusalem artichoke, beetroot, celeriac, salsify, horseradish.

This approval provides for the use of the product **Sivanto Prime (PCS No. 06634)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.
The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 24.04.26. [Includes latest changes. This version should be used until updated]

Product name:	Sivanto Prime
Active Substance:	Flupyradifurone
Formulation:	200g/l (SL)

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Authorisation Holder: Bayer CropScience Ltd.

Marketing Company: Bayer CropScience Ltd.

PCS No: 06634

User type/Function: Professional Use Only / Insecticide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Timing of application	Latest time of application
Beans (with pods)	375 ml/ha	1 per year	375 ml/ha	From BBCH 30	7 days before harvest
Beans (with pods)	375 ml/ha	1 per year	375 ml/ha	From BBCH 30	3 days before harvest
Cherries (Field)	900 ml/ha	1 every 2 years	900 ml/ha	From BBCH 69	31st July & 14 days before harvest
Field crops of radish, parsley root, parsnips, turnip, swede, Jerusalem artichoke, beetroot, celeriac, salsify, horseradish	250 ml/ha	1 per crop	250 ml/ha	From BBCH 19	31st August & 21 days before harvest
Raspberry, blackberry, blueberry, gooseberry, loganberry, rubus hybrid, currants (field including walk in tunnels)	300 ml/ha	1 per year	300 ml/ha	From BBCH 11	31st August & 3 days before harvest

Other specific restrictions:

1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

3) Application may only be made using a tractor mounted/trailed horizontal boom sprayer, orchard blast air assisted sprayer, hand-held/knapsack.
4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
5) This approval extends to professional use only.
6) For environmental information refer to the product label but specifically:
7) To protect aquatic organisms, do not apply this product to land parcels where an intersecting watercourse is present. An 'intersecting watercourse' means where a land parcel is sloped towards a watercourse and any surface water run-off would drain into that watercourse
8) When applying to land parcels where other types of watercourses are present, respect an unsprayed buffer zone of 5m to these watercourses. Product must only be applied by horizontal boom sprayer fitted when fitted with 75% drift reducing nozzles
9) To protect aquatic organisms respect an unsprayed buffer zone of 10m to surface water bodies when applying with orchard/blast sprayer. Product must only be applied by orchard/blast sprayer fitted when fitted with 90% drift reducing nozzles
10) To protect bees, do not use this product in tank mixes with fungicides from the ergosterol biosynthesis inhibitor group (FRAC code 3 fungicide) on flowering crops or on non-flowering crops that are actively visited by bees
11) To protect non-target insects/arthropods respect an unsprayed buffer zone of 10m to non-crop land and hedgerows when applying with orchard/blast sprayer
12) For operator protection refer to the product label.
13) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:
This approval relates to the use of Sivanto Prime as an agricultural/horticultural insecticide for control of aphids on the crops & situations listed above.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Resistance Management:
Use Sivanto Prime as part of an Integrated Crop Management (ICM) strategy.
Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other fungicides from different cross-resistant groups [different mode of action, IRAC group] with satisfactory efficacy against the target.
Sivanto Prime contains Flupyradifurone IRAC class: 4D.

IMPORTANT PLEASE NOTE:
Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.